

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:30:56 ; Search time 801.32 Seconds
(without alignments)
21.265 Million cell updates/sec

Title: US-09-016-061-6

Perfect score: 612

Sequence: 1 EVQLVESGGGLVCKPGRSRL.....RHNYGSFAYWGQGLTVTSA 117

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Listing first 45 summaries

Database :

Pending_Patents_AA_Main: *
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	612	100.0	117	11 US-08-790-540-6	Sequence 6, Appli
2	612	100.0	117	11 US-08-790-540A-6	Sequence 6, Appli
3	612	100.0	117	11 US-08-791-391A-6	Sequence 6, Appli
4	612	100.0	117	11 US-08-791-391A-6	Sequence 6, Appli
5	612	100.0	117	14 US-09-016-061-6	Sequence 6, Appli
6	612	100.0	117	17 US-09-339-922A-6	Sequence 6, Appli
7	596	97.4	117	1 PCT-US98-25828-56	Sequence 56, Appl
8	596	97.4	117	13 PCT-US98-016-56	Sequence 56, Appl
9	582	95.1	130	1 PCT-US98-25828-44	Sequence 44, Appl
10	582	95.1	130	13 US-08-986-016-44	Sequence 44, Appl
11	552	90.2	117	11 US-08-790-540-2	Sequence 2, Appli

12	552	90.2	117	11	US-08-790-540A-2	Sequence 2, Appli
13	552	90.2	117	11	US-08-791-391A-2	Sequence 2, Appli
14	552	90.2	117	11	US-08-791-391A-2	Sequence 2, Appli
15	552	90.2	117	14	US-09-016-061-2	Sequence 2, Appli
16	552	90.2	117	17	US-09-339-922A-2	Sequence 2, Appli
17	535	87.4	123	17	US-09-381-497-2	Sequence 2, Appli
18	501	81.9	117	11	US-08-752-693A-3	Sequence 3, Appli
19	501	81.9	117	18	US-09-438-136-248	Sequence 248, App
20	501	81.9	136	6	US-08-256-375-31	Sequence 31, Appl
21	501	81.9	136	6	US-08-256-375-32	Sequence 32, Appl
22	501	81.9	136	6	US-08-256-375-33	Sequence 33, Appl
23	501	81.9	136	6	US-08-256-375-34	Sequence 34, Appl
24	501	81.9	136	6	US-08-256-375A-31	Sequence 31, Appl
25	501	81.9	136	6	US-08-256-375A-32	Sequence 32, Appl
26	501	81.9	136	6	US-08-256-375A-33	Sequence 33, Appl
27	501	81.9	136	6	US-08-256-375A-34	Sequence 34, Appl
28	501	81.9	136	9	US-08-595-848-31	Sequence 31, Appl
29	501	81.9	136	9	US-08-595-848-32	Sequence 32, Appl
30	501	81.9	136	9	US-08-595-848-33	Sequence 33, Appl
31	501	81.9	136	9	US-08-595-848-34	Sequence 34, Appl
32	501	81.9	136	13	US-08-976-183-31	Sequence 31, Appl
33	501	81.9	136	13	US-08-976-183-32	Sequence 32, Appl
34	501	81.9	136	13	US-08-976-183-33	Sequence 33, Appl
35	501	81.9	136	13	US-08-976-183-34	Sequence 34, Appl
36	501	81.9	136	13	US-08-976-183A-31	Sequence 31, Appl
37	501	81.9	136	13	US-08-976-183A-32	Sequence 32, Appl
38	501	81.9	136	13	US-08-976-183A-33	Sequence 33, Appl
39	501	81.9	136	13	US-08-976-183A-34	Sequence 34, Appl
40	498	81.4	643	12	US-08-815-030-1	Sequence 1, Appli
41	497	81.2	245	1	PCT-US98-08662-5	Sequence 5, Appli
42	497	81.2	245	14	US-09-069-821-5	Sequence 5, Appli
43	497	81.2	265	18	US-09-420-592A-5	Sequence 5, Appli
44	496	81.0	136	8	US-08-465-785A-57	Sequence 57, Appl
45	494.5	80.8	120	16	US-09-232-290-42	Sequence 42, Appl

ALIGNMENTS

RESULT 1
US-08-790-540-6
; Sequence 6, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids


```
;
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791.391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-6

Query Match          100.0%; Score 612; DB 11; Length 117;
Best Local Similarity 100.0%; Pred. No. 5.8e-60;
Matches 117; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVLVESGGGLVKPGKSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 EVLVESGGGLVKPGKSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60

Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSPAYWGQGLTVTSA 117
Db 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSPAYWGQGLTVTSA 117

RESULT 5.
US-09-016-061-6
; Sequence 6, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESSES:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016.061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791.391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
```

```
;
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-6

Query Match          100.0%; Score 612; DB 14; Length 117;
Best Local Similarity 100.0%; Pred. No. 5.8e-60;
Matches 117; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVLVESGGGLVKPGKSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 EVLVESGGGLVKPGKSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60

Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSPAYWGQGLTVTSA 117
Db 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSPAYWGQGLTVTSA 117

RESULT 6.
US-09-339-922A-6
; Sequence 6, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 6
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Mus musculus
; US-09-339-922A-6

Query Match          100.0%; Score 612; DB 17; Length 117;
Best Local Similarity 100.0%; Pred. No. 5.8e-60;
Matches 117; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVLVESGGGLVKPGKSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 EVLVESGGGLVKPGKSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60

Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSPAYWGQGLTVTSA 117
Db 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSPAYWGQGLTVTSA 117

RESULT 7.
PCT-US98-25828-56
; Sequence 56, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 56
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
; PCT-US98-25828-56

Query Match          97.4%; Score 596; DB 1; Length 117;
Best Local Similarity 97.4%; Pred. No. 3.4e-58;
```

Matches	114;	Conservative	1;	Mismatches	2;	Indels	0;	Gaps	0;
Qy	1	EVLQVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGGSTYY	60						
	{		{		{		{		{
Db	1	EVLQLEESGGGLVKPGGSLKLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGGSTYY	60						
	{		{		{		{		{
Qy	61	LDTVOGRTISRDNAKNTLYLQMSSLNSEDAMTYICARHNHNSGFAYWGQGTTLVTSA	117						
	{		{		{		{		{
Db	61	LDTVOGRTISRDNAKNTLYLQMSSLNSEDAMTYICARHNHNSGFAYWGQGTTLVTSA	117						
	{		{		{		{		{
RESULT	8								
US-08-986-016-56									
; Sequence	56,	Application US/08986016A							
; GENERAL INFORMATION:									
; APPLICANT:	Barbas III,	Carlos F.							
; TITLE OF INVENTION:	Humanization of Murine Antibody								
; FILE REFERENCE:	Tsrl 598.0								
; CURRENT APPLICATION NUMBER:	US/08/986.016A								
; CURRENT FILING DATE:	1997-12-05								
; NUMBER OF SEQ ID NOS:	56								
; SOFTWARE:	PatentIn ver. 2.0								
; SEQ ID NO	56								
; LENGTH:	117								
; TYPE:	PRT								
; ORGANISM:	Artificial Sequence								
; FEATURE:									
; OTHER INFORMATION:	Description of Artificial Sequence:mammalian								
US-08-986-016-56									
Query Match	97.4%;	Score 596;	DB 13;	Length 117;					
Best Local Similarity	97.4%;	Pred. No. 3.4e-56;							
Matches	114;	Conservative	1;	Mismatches	2;	Indels	0;	Gaps	0;
Qy	1	EVLQVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGGSTYY	60						
	{		{		{		{		{
Db	1	EVLQLEESGGGLVKPGGSLKLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGGSTYY	60						
	{		{		{		{		{
Qy	61	LDTVOGRTISRDNAKNTLYLQMSSLNSEDAMTYICARHNHNSGFAYWGQGTTLVTSA	117						
	{		{		{		{		{
Db	61	LDTVOGRTISRDNAKNTLYLQMSSLNSEDAMTYICARHNHNSGFAYWGQGTTLVTSA	117						
	{		{		{		{		{
RESULT	9								
PCT-US98-25828-44									
; Sequence	44,	Application PC/TUS9825828A							
; GENERAL INFORMATION:									
; APPLICANT:	The Scripps Research Institute								
; TITLE OF INVENTION:	HUMANIZATION OF MURINE ANTIBODY								
; FILE REFERENCE:	TSRI 598.0								
; CURRENT APPLICATION NUMBER:	PCT/US98/25828A								
; CURRENT FILING DATE:	1998-12-04								
; EARLIER APPLICATION NUMBER:	08/986,016								
; EARLIER FILING DATE:	1997-12-05								
; NUMBER OF SEQ ID NOS:	56								
; SOFTWARE:	PatentIn ver. 2.0								
; SEQ ID NO	44								
; LENGTH:	130								
; TYPE:	PRT								
; ORGANISM:	Murine hybridoma LM609								
PCT-US98-25828-44									
Query Match	95.1%;	Score 582;	DB 1;	Length 130;					
Best Local Similarity	97.4%;	Pred. No. 1.4e-56;							
Matches	111;	Conservative	1;	Mismatches	2;	Indels	0;	Gaps	0;
Qy	LVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGGSTYY	LDT 63							
	{		{		{		{		{
Db	1	LEESGGGLVKPGGSLKLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGGSTYY	LDT 60						
	{		{		{		{		{

;
; type: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-2

Query Match 90.2%; Score 552; DB 11; Length 117;
Best Local Similarity 88.0%; Pred. No. 2.5e-53;
Matches 103; Conservative 8; Mismatches 6; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVQPKRSRLSCAASGFAFSSYDMSWVRQIPEKRLWEWAKVSSGGGTTY 60
Db 1 QVQLVESGGGVVQPKRSRLSCAASGFTSSYDMSWVRQAPKGLWEWAKVSSGGGTTY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVSA 117
Db 61 LDTVQGRFTISRDNKNTLYLQMSLSRAEDTAVYYCARHNYGSPAYWGQGLTVTVSS 117

RESULT 12

US-08-790-540A-2
; Sequence 2, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-2

Query Match 90.2%; Score 552; DB 11; Length 117;
Best Local Similarity 88.0%; Pred. No. 2.5e-53;
Matches 103; Conservative 8; Mismatches 6; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVQPKRSRLSCAASGFAFSSYDMSWVRQIPEKRLWEWAKVSSGGGTTY 60
Db 1 QVQLVESGGGVVQPKRSRLSCAASGFTSSYDMSWVRQAPKGLWEWAKVSSGGGTTY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVSA 117
Db 61 LDTVQGRFTISRDNKNTLYLQMSLSRAEDTAVYYCARHNYGSPAYWGQGLTVTVSS 117

RESULT 13

US-08-791-391-2
; Sequence 2, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-791-391-2

Query Match 90.2%; Score 552; DB 11; Length 117;
Best Local Similarity 88.0%; Pred. No. 2.5e-53;
Matches 103; Conservative 8; Mismatches 6; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVQPKRSRLSCAASGFAFSSYDMSWVRQIPEKRLWEWAKVSSGGGTTY 60
Db 1 QVQLVESGGGVVQPKRSRLSCAASGFTSSYDMSWVRQAPKGLWEWAKVSSGGGTTY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVSA 117
Db 61 LDTVQGRFTISRDNKNTLYLQMSLSRAEDTAVYYCARHNYGSPAYWGQGLTVTVSS 117

RESULT 14

US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS

;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/791.391A
;; FILING DATE: 30-JAN-1997
;; CLASSIFICATION: 424
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Campbell, Cathryn A.
;; REGISTRATION NUMBER: 31,815
;; REFERENCE/DOCKET NUMBER: P-IX 1482
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (619) 535-9001
;; TELEFAX: (619) 535-8949
;; INFORMATION FOR SEQ ID NO: 2:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 117 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
US-08-791-391A-2

Query Match 90.2%; Score 552; DB 11; Length 117;
Best Local Similarity 88.0%; Pred. No. 2.5e-53;
Matches 103; Conservative 8; Mismatches 6; Indels 0; Gaps 0;
QY 1 EVOLVESGGGLVKPGRSLRLSCLCAASGFATSSYDMSWVRQIPEKRLKLEWAKVSSGGGTTY 60
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
DB 1 QVQLVESGGGVQPGKSLRLSCLCAASGFTSSYDMSWVRQAPGKGLWAKVSSGGGTTY 60
QY 61 LDTVGRTTISRDNKNTLYLQMSLSNSEDATMYTCARHNYGSPAYWGQGLTVTVSA 117
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
DB 61 LDTVGRTTISRDNKNTLYLQMSLSRAEDTAVYYCARHNYGSPAYWGQGLTVTVSS 117

RESULT 15
US-09-016-061-2
;; Sequence 2, Application US/09016061
;; GENERAL INFORMATION:
;; APPLICANT: Huse, William D.
;; APPLICANT: Glaser, Scott M.
;; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
;; NUMBER OF SEQUENCES: 100
;; CORRESPONDENCE ADDRESS:
;; STREET: 4370 La Jolla Village Drive, Suite 700
;; CITY: San Diego
;; STATE: California
;; COUNTRY: United States
;; ZIP: 92122
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/016.061
;; FILING DATE: 30-JAN-1998
;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/791.391
;; FILING DATE: 30-JAN-1997
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Campbell, Cathryn A.
;; REGISTRATION NUMBER: 31,815
;; REFERENCE/DOCKET NUMBER: P-IX 2965
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (619) 535-9001
;; TELEFAX: (619) 535-8949
;; INFORMATION FOR SEQ ID NO: 2:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 117 amino acids
;; TYPE: amino acid

;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
US-09-016-061-2
Query Match 90.2%; Score 552; DB 14; Length 117;
Best Local Similarity 88.0%; Pred. No. 2.5e-53;
Matches 103; Conservative 8; Mismatches 6; Indels 0; Gaps 0;
QY 1 EVOLVESGGGLVKPGRSLRLSCLCAASGFATSSYDMSWVRQIPEKRLKLEWAKVSSGGGTTY 60
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
DB 1 QVQLVESGGGVQPGKSLRLSCLCAASGFTSSYDMSWVRQAPGKGLWAKVSSGGGTTY 60
QY 61 LDTVGRTTISRDNKNTLYLQMSLSNSEDATMYTCARHNYGSPAYWGQGLTVTVSA 117
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
DB 61 LDTVGRTTISRDNKNTLYLQMSLSRAEDTAVYYCARHNYGSPAYWGQGLTVTVSS 117
Search completed: March 28, 2001, 06:55:25
Job time: 1469 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:31:11 ; Search time 79.56 Seconds
(without alignments)
19.378 Million cell updates/sec

Title: US-09-016-061-6
Perfect score: 612
Sequence: 1 EVQLVESGGGLVKGKPSRLRL.....RHNYGSFAYWGQGLTVTVSA 117

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New.*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	485.5	79.3	124	5	US-09-518-737-2
2	465	76.0	120	5	US-09-530-237-1
3	463.5	75.7	116	1	PCT-US01-03537-80
4	458	74.8	117	5	US-09-385-673-15
5	457.5	74.8	124	1	PCT-US01-03537-81
6	456	74.5	121	1	PCT-US01-03537-92
7	455	74.3	119	4	US-08-478-684G-11
8	454.5	74.3	118	5	US-09-780-035-67
9	453.5	74.1	130	5	US-09-726-258-19
10	453.5	74.1	251	5	US-09-726-258-27
11	453	74.0	130	5	US-09-341-711-54
12	452	73.9	121	5	US-09-194-356A-9
13	450.5	73.6	120	1	PCT-US01-03537-85
14	450.5	73.6	128	1	PCT-US01-03537-77
15	450.5	73.6	128	1	PCT-US01-03537-79
16	448	73.2	113	5	US-09-194-356A-8
17	448	73.2	123	1	PCT-US01-03537-82
18	448	73.2	130	5	US-09-341-711-53
19	445	72.7	125	1	PCT-US01-03537-76
20	445	72.7	238	5	US-09-430-048-24
21	444	72.5	117	1	PCT-US01-03537-83
22	443	72.4	130	5	US-09-341-711-52
23	441.5	72.1	255	5	US-09-618-869-8
24	441	72.1	112	5	US-09-430-048-15
25	441	72.1	127	1	PCT-US01-03537-87
26	440	71.9	125	1	PCT-US01-03537-84
27	439	71.7	130	5	US-09-341-711-51

28	438.5	71.7	248	5	US-09-315-926A-80
29	436	71.2	98	1	PCT-US01-03537-44
30	436	71.2	112	5	US-09-430-048-14
31	431.5	70.5	124	1	PCT-US01-03537-89
32	431	70.4	98	1	PCT-US01-03537-38
33	429	70.1	98	1	PCT-US01-03537-39
34	429	70.1	138	5	US-09-403-107-144
35	426	69.6	138	5	US-09-403-107-150
36	423	69.1	98	1	PCT-US01-03537-41
37	423	69.1	119	1	PCT-US01-03537-88
38	422.5	69.0	128	1	PCT-US01-03537-78
39	421	68.8	238	5	US-09-430-048-22
40	420.5	68.7	300	5	US-09-188-082-4
41	420	68.6	98	1	PCT-US01-03537-45
42	417.5	68.2	120	1	PCT-US00-26619-17
43	416.5	68.1	301	5	US-09-188-082-14
44	416.5	68.1	553	5	US-09-188-082-16
45	416	68.0	113	5	US-09-430-048-10

ALIGNMENTS

RESULT 1
US-09-518-737-2
; Sequence 2, Application US/09518737
; GENERAL INFORMATION:
; APPLICANT: FUKUI, YASUHIKA
; APPLICANT: NAGATA, SATOSHI
; APPLICANT: SHIRAI, RYUICHI
; APPLICANT: SAITO, NAOAKI
; TITLE OF INVENTION: MONOCLONAL ANTIBODY RECOGNIZING
; FILE REFERENCE: 1965/49618
; CURRENT APPLICATION NUMBER: US/09/518,737
; PRIOR FILING DATE: 2000-03-03
; PRIOR APPLICATION NUMBER: JP 1999-250209
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn ver. 2.1
; SEQ ID NO 2
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-518-737-2

Query Match	79.3%	Score 485.5;	DB 5;	Length 124;
Best Local Similarity	79.3%	Pred. No. 2.4e-46;		
Matches	96;	Conservative	7;	Mismatches 13;
				Indels 5;
				Gaps 2;
Qy	1	EVQLVESGGGLVKGKPSRLRLSCAASGFAFSSYDMSVWRQIPKRLKLEWAKVSGGGSTYY	60	
Db	1	EVQLVESGGGLVKGKPSRLRLSCAASGFTSSYGMWAKVSGGGSTYY	60	
Qy	61	LDTVQGRFTISRDNKNTLYLQMSLSNSEDYMYCARH----	NYGSFAYWGQGLTVTVS 116	
Db	61	PDSVKGRTISRDNKNTLYLQMSLSKSEDTAMYYCARQGVNFG-TAYWGQGLTVTVS	119	
Qy	117	A 117		
Db	120	A 120		

RESULT 2
US-09-530-237-1
; Sequence 1, Application US/09530237
; GENERAL INFORMATION:
; APPLICANT: SUMITOMO ELECTRIC INDUSTRIES, LTD
; TITLE OF INVENTION: Inducer for production of antigen-specific antibody, expression
; TITLE OF INVENTION: containing gene therefor, and method for inducing production
; TITLE OF INVENTION: antibody
; FILE REFERENCE: SEI 98-30 PCT

; CURRENT APPLICATION NUMBER: US/09/530,237
; CURRENT FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: JP 9/294393
; PRIOR FILING DATE: 1997-10-27
; NUMBER OF SEQ ID NOS: 13
; SEQ ID NO 1
; LENGTH: 120
; TYPE: PRT
; ORGANISM: Rattus
US-09-530-237-1

Query Match 76.0%; Score 465; DB 5; Length 120;
Best Local Similarity 75.2%; Pred. No. 4.1e-44;
Matches 88; Conservative 11; Mismatches 18; Indels 0; Gaps 0;
Qy 1 EVOLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 1 EVOLVESGGLVKPGRSLRLSCAASGFTFSDYNMAWVRQAPKKGLEWATISYDGSSTYY 60
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 117
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 61 RDSVKGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 117

RESULT 3
PCT-US01-03537-80
; Sequence 80, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 80
; LENGTH: 116
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US01-03537-80

Query Match 75.7%; Score 463.5; DB 1; Length 116;
Best Local Similarity 76.9%; Pred. No. 5.7e-44;
Matches 90; Conservative 12; Mismatches 14; Indels 1; Gaps 1;
Qy 1 EVOLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 1 EVOLVESGGLVKPGRSLRLSCAASGFTFSSYAMSWVRQAPKKGLEWATISYDGSSTYY 60
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 117
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 61 ADSVKGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 116

RESULT 4
US-09-385-673-15
; Sequence 15, Application US/09385673
; GENERAL INFORMATION:

; APPLICANT: Baughman, Sharon A.
; APPLICANT: Shak Steven
; TITLE OF INVENTION: DOSAGES FOR TREATMENT WITH ANTI-ERBB2 ANTIBODIES
; FILE REFERENCE: P1775
; CURRENT APPLICATION NUMBER: US/09/385,673
; CURRENT FILING DATE: 1999-08-27
; NUMBER OF SEQ ID NOS: 15
; SEQ ID NO 15
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-385-673-15

Query Match 74.8%; Score 458; DB 5; Length 117;
Best Local Similarity 75.2%; Pred. No. 2.3e-43;
Matches 88; Conservative 11; Mismatches 18; Indels 0; Gaps 0;
Qy 1 EVOLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 1 EVOLVESGGLVKPGRSLRLSCAASGFTFSSYAMSWVRQAPKKGLEWATISYDGSSTYY 60
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 117
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 61 ADSVKGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 117

RESULT 5
PCT-US01-03537-81
; Sequence 81, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 81
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US01-03537-81

Query Match 74.8%; Score 457.5; DB 1; Length 124;
Best Local Similarity 72.6%; Pred. No. 2.8e-43;
Matches 90; Conservative 11; Mismatches 16; Indels 7; Gaps 2;
Qy 1 EVOLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 1 EVOLVESGGLVKPGRSLRLSCAASGFTFSSYAMSWVRQAPKKGLEWATISYDGSSTYY 60
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 113
|||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 61 ADSVKGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSPAYWGQGLTVTVA 120
Qy 114 TVSA 117
|||:
Db 121 TVSS 124


```
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatIn (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/726,258
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/234,182
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/094003
; FILING DATE: 24-JUL-1998
; ATTORNEY/AGENT INFORMATION:
; NAME: Love, Richard B.
; REGISTRATION NUMBER: 34,659
; REFERENCE/DOCKET NUMBER: P1085R4-1A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-5530
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 130 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; US-09-726-258-19

Query Match 74.1%; Score 453.5; DB 5; Length 130;
Best Local Similarity 76.1%; Pred. No. 8.1e-43;
Matches 92; Conservative 7; Mismatches 18; Indels 3; Gaps 1;

QY 1 EVLVESGGGLVPGKSLRLSCAASGFAFSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 EVLVESGGGLVPGKSLRLSCAASGFISSYGMVWVRQTPGKSLRLVATINNGDSTYY 60

QY 61 LDTVGQRTISRDNKNTLYLQMSLSNSEDATMYICARHNYGS---FAYWGQGLTLTVSA 117
Db 61 PDSVKGRFTISRDNKNTLYLQMSLSKSEDATMYFCARALISSATWFGYWGQGLTLTVSA 120

RESULT 10
US-09-726-258-27
; Sequence 27, Application US/09726258
; GENERAL INFORMATION:
; APPLICANT: Genentech, Inc., Hsui, Vanessa
; APPLICANT: Koumenis, Iphigenia
; APPLICANT: Leong, Steven R.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Shahrokh, Zahra
; APPLICANT: Zapata, Gerardo A.
; TITLE OF INVENTION: ANTIBODY FRAGMENT-POLYMER CONJUGATES AND
; TITLE OF INVENTION: HUMANIZED ANTI-IL-8 MONOCLONAL ANTIBODIES
; NUMBER OF SEQUENCES: 72
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatIn (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/726,258
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
```

```
; APPLICATION NUMBER: 09/234,182
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/094003
; FILING DATE: 24-JUL-1998
; ATTORNEY/AGENT INFORMATION:
; NAME: Love, Richard B.
; REGISTRATION NUMBER: 34,659
; REFERENCE/DOCKET NUMBER: P1085R4-1A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-5530
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 27:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 251 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; US-09-726-258-27

Query Match 74.1%; Score 453.5; DB 5; Length 251;
Best Local Similarity 76.7%; Pred. No. 1.8e-42;
Matches 92; Conservative 7; Mismatches 18; Indels 3; Gaps 1;

QY 1 EVLVESGGGLVPGKSLRLSCAASGFAFSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
Db 24 EVLVESGGGLVPGKSLRLSCAASGFISSYGMVWVRQTPGKSLRLVATINNGDSTYY 83

QY 61 LDTVGQRTISRDNKNTLYLQMSLSNSEDATMYICARHNYGS---FAYWGQGLTLTVSA 117
Db 84 PDSVKGRFTISRDNKNTLYLQMSLSKSEDATMYFCARALISSATWFGYWGQGLTLTVSA 143

RESULT 11
US-09-341-711-54
; Sequence 54, Application US/09341711
; GENERAL INFORMATION:
; APPLICANT: BioInvent International AB
; APPLICANT: Soderlind, Ulf
; APPLICANT: Borrebaeck, Carl
; TITLE OF INVENTION: A Method For In Vitro Molecular
; TITLE OF INVENTION: Evolution of Protein Function
; FILE REFERENCE: Mewburn 341711
; CURRENT APPLICATION NUMBER: US/09/341,711
; CURRENT FILING DATE: 1999-09-21
; PRIOR APPLICATION NUMBER: PCT/GB98/00219
; PRIOR FILING DATE: 1998-01-26
; PRIOR APPLICATION NUMBER: GB9701425.2
; PRIOR FILING DATE: 1997-01-24
; NUMBER OF SEQ ID NOS: 54
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 54
; LENGTH: 130
; TYPE: PRT
; ORGANISM: Unknown
; FEATURE:
; OTHER INFORMATION: scFv-B11 Antibody Fragment
; US-09-341-711-54

Query Match 74.0%; Score 453; DB 5; Length 130;
Best Local Similarity 76.1%; Pred. No. 9.2e-43;
Matches 89; Conservative 11; Mismatches 13; Indels 4; Gaps 2;

QY 1 EVLVESGGGLVPGKSLRLSCAASGFAFSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
Db 9 EVLVESGGGLVPGKSLRLSCAASGFTFSYAMSWVRQAPGKLEWVAISGGSTYY 68

QY 61 LDTVGQRTISRDNKNTLYLQMSLSNSEDATMYICARHNYGSFAYWGQGLTLTVSA 117
Db 69 ADSVKGRFTISRDNKNTLYLQMSLSRAEDTAVYYCAR--IGQF--WGQGLTLTVSS 121
```


PCT-US01-03537-79
; Sequence 79, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 79
; LENGTH: 128
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(128)
; OTHER INFORMATION: Xaa = Any Amino Acid
PCT-US01-03537-79

Query Match 73.6%; Score 450.5; DB 1; Length 128;
Best Local Similarity 70.3%; Pred. NO. 1.7e-42;
Matches 90; Conservative 12; Mismatches 15; Indels 11; Gaps 3;
Qy 1 EVQLVESGGGLVQPKGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGSTYY 60
Db 1 EVQLVESGGGLVQPGGSLRLSCAASGFTFSYAMSWVRQAPGKGLEWVAISGGSTYY 60
Qy 61 LDTVQGRFTISRDNKNTLYLQMSSLNSEDYAMYYCA--RHNY----GSFAY----WGQ 109
Db 61 ADSVKGRFTISRDNKNTLYLQMNSLRAEDTAVYYCAKDRRNYDFWSGXYYYGMDVWGQ 120
Qy 110 GTLVTVSA 117
Db 121 GTTVTVSS 128

Search completed: March 28, 2001, 06:56:57
Job time: 1546 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:35 ; Search time 141.45 Seconds
(without alignments)
51.364 Million cell updates/sec

Title: US-09-016-061-8
Perfect score: 561
Sequence: 1 DIVLTQSPATLSVTPGDSVS.....CQSGSWPHTFGGTTKLEIK 107

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

1: pir1.*
2: pir2.*
3: pir3.*
4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	529	94.3	107	2 A45722	anti-glycoprotein
2	528	94.1	107	2 B45722	anti-glycoprotein
3	523	93.2	123	2 S35479	Ig kappa chain pre
4	513	91.4	106	2 PL0267	Ig kappa chain v r
5	507	90.4	138	2 A26471	Ig kappa chain pre
6	499	88.9	102	2 S26346	Ig kappa chain v r
7	497	88.6	104	2 B43413	Ig kappa chain v r
8	482	85.9	107	2 C45722	anti-glycoprotein
9	434	77.4	108	2 C30502	Ig kappa chain v r
10	424	75.6	103	2 S19975	Ig kappa chain v r
11	420	74.9	128	2 PN0445	Ig kappa chain pre
12	402	71.7	96	2 G33730	Ig kappa chain v r
13	379	67.6	115	1 KVM517	Ig kappa chain pre
14	378	67.4	144	2 PL0106	Ig kappa chain pre
15	374	66.7	111	2 S23628	Ig kappa chain v r
16	374	66.7	117	2 S40362	Ig kappa chain - h
17	374	66.7	128	2 S40379	Ig kappa chain v r
18	373.5	66.6	114	2 S54905	Ig kappa chain v r
19	372	66.3	108	2 S19674	Ig kappa chain v r
20	372	66.3	128	2 A56701	Ig kappa chain v r
21	368	65.6	106	2 FC4282	Ig kappa chain (an
22	368	65.6	108	2 G44151	Ig kappa chain v r
23	367	65.4	107	2 S34005	Ig kappa chain v r
24	365.5	65.2	215	2 JF0244	Ig kappa chain NIG
25	365	65.1	128	2 S40343	Ig kappa chain v r
26	364	64.9	128	1 K3HU41	Ig kappa chain pre
27	360.5	64.3	109	2 A30608	Ig kappa chain v r
28	360.5	64.3	129	2 A32274	Ig kappa chain pre
29	359	64.0	111	2 S09963	Ig kappa chain v r

30	359	64.0	128	2 S40345	Ig kappa chain v r
31	358.5	63.9	109	2 G30607	Ig kappa chain v r
32	357.5	63.7	108	2 B30608	Ig kappa chain v r
33	356.5	63.5	109	1 K3HUPM	Ig kappa chain v r
34	355.5	63.4	116	2 B26555	Ig kappa chain v r
35	355	63.3	108	2 S36279	Ig lambda chain v
36	354.5	63.2	109	2 H30601	Ig kappa chain v r
37	354	63.1	125	2 S40344	Ig kappa chain v r
38	354	63.1	129	2 S29627	Ig kappa chain v r
39	353	62.9	108	2 B49047	Ig kappa chain v r
40	352.5	62.8	109	2 G30601	Ig kappa chain v r
41	352	62.7	107	2 S36264	Ig lambda chain v
42	351	62.6	107	2 S57444	Ig kappa chain v r
43	350.5	62.5	108	2 C30608	Ig kappa chain v r
44	350.5	62.5	109	1 K3HUTI	Ig kappa chain v r
45	349.5	62.3	109	2 D30601	Ig kappa chain v r

ALIGNMENTS

RESULT 1

A45722
anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 5) - mouse (C:Species: Mus musculus (house mouse))
C:Date: 03-Mar-1994 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: A45722
R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on A:Reference number: A45722; MUID:93100833
A:Accession: A45722
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: mRNA
A:Residues: 1-107 <SIM>
A:Note: sequence extracted from NCBI backbone (NCBIP:120589)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 94.3%; Score 529; DB 2; Length 107;

Best Local Similarity 93.5%; Pred. No. 2.1e-41;

Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWQOKSHSPRLTIKYRSQISGIPS 60

DB 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWQOKSHSPRLTIKYRSQISGIPS 60

QY 61 RFSGSGSGTDFALSIKSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107

DB 61 RFSGSGSGTDFALSIKSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107

RESULT 2

A45722
anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 33) - mouse (C:Species: Mus musculus (house mouse))
C:Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: B45722
R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on A:Reference number: A45722; MUID:93100833
A:Accession: B45722
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-107 <SIM>
A:Note: sequence extracted from NCBI backbone (NCBIP:120590)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

F:98-106/Region: framework 4

Query Match 91.4%; Score 513; DB 2; Length 106;
Best Local Similarity 92.5%; Pred. No. 5.8e-40;
Matches 98; Conservative 3; Mismatches 5; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYRSQISGIPS 60
|||||
Db 1 DIVLTQSPATLSVTPGDRVSLSCRASQISNLYLHWYQOKSHSPRLLIKYASQISGIPS 60
|||||

QY 61 RFGSGSGTDFALINSVETDFGMVFCQSGSWPHTFGGTKLEI 106
|||||
Db 61 RFGSGSGTDFTLINSVETDFGMVFCQGSNSWPYTFGGTKLEI 106
|||||

RESULT 5
A26471
Ig kappa chain precursor V region (MAK33) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 05-Jun-1988 #sequence_revision 05-Jun-1988 #text_change 23-Jul-1999
C:Accession: A26471
R;Buckel, P.; Hubner-Parajsz, C.; Mattes, R.; Lenz, H.; Haug, H.; Beaucamp, K.
Gene 51, 13-19, 1987.
A:Title: Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creat
A:Reference number: A91572; MUID:87248058
A:Accession: A26471
A:Molecule type: mRNA
A:Residues: 1-138 <BUC>
A:Cross-references: GB:M16162; NID:g196893; PIDN:AAA38823.1; PID:g196894
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-138/Product: Ig kappa chain V region #status predicted <MAT>

Query Match 90.4%; Score 507; DB 2; Length 138;
Best Local Similarity 91.8%; Pred. No. 2.7e-39;
Matches 98; Conservative 3; Mismatches 6; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYRSQISGIPS 60
|||||
Db 21 DIVLTQSPATLSVTPRDSVSLSCRASQISNHLHWYQOKSHSPRLLIKYASQISGIPS 80
|||||

QY 61 RFGSGSGTDFALINSVETDFGMVFCQSGSWPHTFGGTKLEIK 107
|||||
Db 81 RFGSGSGTDFTLINSVETDFGMVFCQGSNSWPLTFGAGTKLEK 127
|||||

RESULT 6
S26346
Ig kappa chain V region - mouse
C:Species: Mus musculus (house mouse)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
C:Accession: S26346
R;Stark, S.E.; Caton, A.J.
J. Exp. Med. 174, 613-624, 1991
A:Title: Antibodies that are specific for a single amino acid interchange in a protei
A:Reference number: S26309; MUID:91341421
A:Accession: S26346
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-102 <STA>
A:Cross-references: EMBL:X59211; NID:g52338; PIDN:CAA41921.1; PID:g1334075
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F;14-88/Domain: immunoglobulin homology <IMM>

Query Match 88.9%; Score 499; DB 2; Length 102;
Best Local Similarity 93.1%; Pred. No. 1e-38;
Matches 95; Conservative 4; Mismatches 3; Indels 0; Gaps 0;

QY 3 VLTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSRF 62
Db 1 VLTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSRF 60

QY 63 SGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKT 104
Db 61 SGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKT 102

RESULT 7
B43413
Ig kappa chain V region - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Apr-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: B43413
R:Tomiyama, Y.; Brojer, E.; Ruggeri, Z.M.; Shattil, S.J.; Smiltneck, J.; Gorski, J.; Kum
J. Biol. Chem. 267, 18085-18092, 1992
A:Title: A molecular model of RGD ligands. Antibody D gene segments that direct specific
A:Reference number: A43413; MUID:92388177
A:Accession: B43413
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-104 <TOM>
A:Note: sequence extracted from NCBI backbone (NCBIP:112818)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:13-87/Domain: immunoglobulin homology <IMM>

Query Match 88.6%; Score 497; DB 2; Length 104;
Best Local Similarity 91.3%; Pred. No. 1.6e-38;
Matches 9; Conservative 4; Mismatches 5; Indels 0; Gaps 0;

QY 4 LTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSRFS 63
Db 1 LTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSRFS 60

QY 64 GSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107
Db 61 GSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 104

RESULT 8
C45722
anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 115) - mouse (f
C:Species: Mus musculus (house mouse)
C:Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: C45722
R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Vasqu
J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on hu
A:Reference number: A45722; MUID:93100833
A:Accession: C45722
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-107 <SIM>
A:Note: sequence extracted from NCBI backbone (NCBIP:120591)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 85.9%; Score 482; DB 2; Length 107;
Best Local Similarity 85.8%; Pred. No. 3.8e-37;
Matches 9; Conservative 8; Mismatches 7; Indels 0; Gaps 0;

QY 2 IVLTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSR 61
Db 2 VLTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSR 61

QY 62 FSGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107
Db 62 FSGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107

RESULT 9

C30502
Ig kappa chain V region (D444) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 03-Nov-1988 #sequence_revision 03-Nov-1988 #text_change 21-Jan-2000
C:Accession: C30502
R:Eilat, D.; Webster, D.M.; Rees, A.R.
J. Immunol. 141, 1745-1753, 1988
A:Title: V region sequences of anti-DNA and anti-RNA autoantibodies from NZB/NZW F-1
A:Reference number: A30502; MUID:88315787
A:Accession: C30502
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-108 <EIL>
A:Cross-references: GB:M21907; NID:g197071; PIDN:AAA38907.1; PID:g197072
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 77.4%; Score 434; DB 2; Length 108;
Best Local Similarity 76.6%; Pred. No. 8.6e-33;
Matches 82; Conservative 11; Mismatches 14; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPS 60

Db 1 DILLTQSPAILSVSPGERSVFCRASQISGTSLSHWYQQTNGSPRLLIKYASESISGIPS 60

QY 61 FSGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107

Db 61 FSGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107

RESULT 10

S19975

Ig kappa chain V region (M-T408) - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 06-Feb-1995 #sequence_revision 06-Feb-1995 #text_change 21-Jan-2000

C:Accession: S19975

R>Weissenhorn, W.; Riethmuller, G.; Weiss, E.M.; Rieber, E.P.

submitted to the EMBL Data Library, March 1992

A:Description: Structural characterization of CD4 mAb.

A:Reference number: S19963

A:Accession: S19975

A:Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-103 <WEI>

A:Cross-references: EMBL:X65097; NID:g52296; PIDN:CAA46225.1; PID:g52297

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:11-85/Domain: immunoglobulin homology <IMM>

Query Match 75.6%; Score 424; DB 2; Length 103;
Best Local Similarity 77.5%; Pred. No. 6.6e-32;
Matches 79; Conservative 14; Mismatches 9; Indels 0; Gaps 0;

QY 6 QSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSRFS 65

Db 1 QSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHSPRLLIKYRSQISGIPSRFS 60

QY 66 GSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107

Db 61 GSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 102

RESULT 11

PN0445

Ig kappa chain precursor V-I region - human (fragment)

C:Species: Homo sapiens (man)

C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000

C;Accession: PN0445
R;Kaluza, B.; Betzl, G.; Shao, H.; Diamantstein, T.; Weidle, U.H.
Gene 122, 321-328, 1992
A;Title: A general method for chimerization of monoclonal antibodies by inverse polymerase chain reaction
A;Reference number: PN0444; MUID:93138402

A;Accession: PN0445
A;Molecule type: mRNA
A;Residues: 1-128 <KAL>
A;Cross-references: GB:L02347
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-10/Domain: signal sequence #status predicted <SIG>
F;11-128/Product: Ig light chain kappa-1 V region #status predicted <MAT>
F;26-100/Domain: immunoglobulin homology <IMM>

Query Match 74.9%; Score 420; DB 2; Length 128;
Best Local Similarity 72.9%; Pred. No. 1.9e-31;
Matches 78; Conservative 14; Mismatches 15; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 60
DB 11 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 70
QY 61 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWPHTFGGKLEIK 107
DB 71 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWPHTFGGKLEIK 117

RESULT 12
Ig kappa chain V region (23.32) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 09-Mar-1990 #sequence_revision 09-Mar-1990 #text_change 21-Jan-2000
C;Accession: G33730
R;Lawler, A.M.; Kearney, J.F.; Kuehl, M.; Gearhart, P.J.
Proc. Natl. Acad. Sci. U.S.A. 86, 6744-6747, 1989
A;Title: Early rearrangements of genes encoding murine immunoglobulin kappa-chains, until the V region
A;Reference number: A33730; MUID:89367325
A;Accession: G33730
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-96 <LAW>
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-96/Domain: immunoglobulin homology <IMM>

Query Match 71.7%; Score 402; DB 2; Length 96;
Best Local Similarity 81.1%; Pred. No. 6e-30;
Matches 77; Conservative 8; Mismatches 10; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 60
DB 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 60
QY 61 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWP 95
DB 61 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWP 95

RESULT 13
Ig kappa chain precursor V region (L7) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Dec-1981 #sequence_revision 18-Dec-1981 #text_change 22-Jun-1999
C;Accession: A01925
R;Pech, M.; Hochtl, J.; Schnell, H.; Zachau, H.G.
Nature 291, 668-670, 1981
A;Title: Differences between germ-line and rearranged immunoglobulin V-kappa coding sequences
A;Reference number: A93259; MUID:81220975
A;Accession: A01925
A;Molecule type: DNA

A;Residues: 1-115 <PEC>
A;Cross-references: GB:V01564; GB:J00574; NID:g51718; PID:CAA24884.1; PID:g758153
A;Note: the sequence was determined from the germline gene
A;Note: there appear to be two possible splice junctions at the 3' end of the intron;
C;Genetics:
A;Introns: 17/1
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light chain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-115/Product: Ig kappa chain V region (L7) #status predicted <MAT>
F;36-110/Domain: immunoglobulin homology <IMM>
F;43-108/Disulfide bonds: #status predicted

Query Match 67.6%; Score 379; DB 1; Length 115;
Best Local Similarity 74.7%; Pred. No. 8.9e-28;
Matches 71; Conservative 11; Mismatches 13; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 60
DB 21 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 80
QY 61 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWP 95
DB 81 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWP 115

RESULT 14
Ig kappa chain precursor V-J-C region (LSI) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 30-Jun-1992 #sequence_revision 30-Jun-1992 #text_change 21-Jan-2000
C;Accession: PL0106
R;Silberstein, L.E.; Litwin, S.; Carmack, C.E.
J. Exp. Med. 169, 1631-1643, 1989
A;Title: Relationship of variable region genes expressed by a human B cell lymphoma to the germ-line sequence
A;Reference number: PL0106; MUID:89235583
A;Accession: PL0106
A;Molecule type: mRNA
A;Residues: 1-144 <SIL>
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-115/Domain: V region <VRE>
F;36-110/Domain: immunoglobulin homology <IMM>
F;44-54/Region: complementarity-determining 1
F;70-76/Region: complementarity-determining 2
F;109-115/Region: complementarity-determining 3
F;116-127/Domain: J region <JRG>
F;128-144/Domain: C region (fragment) <CRE>

Query Match 67.4%; Score 378; DB 2; Length 144;
Best Local Similarity 64.5%; Pred. No. 1.4e-27;
Matches 69; Conservative 21; Mismatches 17; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 60
DB 21 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQSISGIPS 80
QY 61 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWPHTFGGKLEIK 107
DB 81 RFGSGSGTDFALSIINSVETEDFGMYCQSGSWPHTFGGKLEIK 127

RESULT 15
Ig kappa chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 21-Jan-2000
C;Accession: S23628

		Query Match	66.7%	Score 374;	DB 2;	Length 111;
		Best Local Similarity	64.5%;	Pred. No. 2.4e-27;		
		Matches	69;	Conservative	20;	Mismatches 18; Indels 0; Gaps 0;
QY	1	DIVLTQSPATLSVTPGDVSVLSCAQSISNHLHWYQQKSHESPRLLIKYRSQSIGTIPS	60			
	:			:	:	
	:			:	:	
Db	1	EIVLTQSPATLSLSPGERATLSCRASVSVSYLAWYQQPGCAPRLIYDASNRTGIPA	60			
	:			:	:	
	:			:	:	
QY	61	RFSGGSGGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK	107			
	:			:	:	
	:			:	:	
Db	61	RFSGGSGGTDTLTISLEPEDFAVYTCOORSNNWPWFQGGTKVEIK	107			
	:			:	:	
	:			:	:	

Search completed: March 28, 2001, 06:41:35
Job time: 858 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:24 ; Search time 124.69 Seconds

(without alignments)

27.415 Million cell updates/sec

Title: US-09-016-061-8

Perfect score: 561

Sequence: 1 DIVLTQSPATLSVTPGDSVS.....COQSGSWPHTFGGTYKLEIK 107

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39;*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	379	67.6	115	1 KV5L_MOUSE	P01642 mus musculus
2	364	64.9	128	1 KV3B_HUMAN	P06311 homo sapien
3	356.5	63.5	109	1 KV3E_HUMAN	P01624 homo sapien
4	351.5	62.7	129	1 KV3H_HUMAN	P04207 homo sapien
5	350.5	62.5	109	1 KV3D_HUMAN	P01622 homo sapien
6	347.5	61.9	109	1 KV3B_HUMAN	P01620 homo sapien
7	346.5	61.8	129	1 KV3L_HUMAN	P18135 homo sapien
8	344	61.3	108	1 KV5L_MOUSE	P01644 mus musculus
9	342	61.0	108	1 KV5O_MOUSE	P01648 mus musculus
10	341.5	60.9	109	1 KV3E_HUMAN	P01623 homo sapien
11	341.5	60.9	129	1 KV3M_HUMAN	P18136 homo sapien
12	339	60.4	108	1 KV5L_MOUSE	P01645 mus musculus
13	339	60.4	108	1 KV5M_MOUSE	P01646 mus musculus
14	336.5	60.0	108	1 KV3A_HUMAN	P01619 homo sapien
15	336	59.9	108	1 KV5N_MOUSE	P01647 mus musculus
16	334	59.5	108	1 KV1_CANFA	P01618 canis famil
17	334	59.5	111	1 KV3D_MOUSE	P03977 mus musculus
18	334	59.5	111	1 KV3B_MOUSE	P01660 mus musculus
19	333	59.4	111	1 KV3L_MOUSE	P01664 mus musculus
20	333	59.4	111	1 KV3O_MOUSE	P01670 mus musculus
21	332	59.2	108	1 KV1M_HUMAN	P01605 homo sapien
22	330	58.8	108	1 KV1C_HUMAN	P01595 homo sapien
23	330	58.8	111	1 KV3A_MOUSE	P01654 mus musculus
24	330	58.8	115	1 KV3L_HUMAN	P04433 homo sapien
25	329	58.6	108	1 KV5P_MOUSE	P01649 mus musculus
26	328	58.5	108	1 KV1S_HUMAN	P01611 homo sapien
27	328	58.5	111	1 KV3T_MOUSE	P01672 mus musculus
28	327	58.3	108	1 KV5J_MOUSE	P01643 mus musculus
29	327	58.3	111	1 KV3C_MOUSE	P01656 mus musculus
30	326.5	58.2	113	1 KV2G_MOUSE	P01631 mus musculus
31	326.5	58.2	117	1 KV2E_HUMAN	P06309 homo sapien
32	324	57.8	108	1 KV1H_HUMAN	P01600 homo sapien
33	324	57.8	111	1 KV3M_MOUSE	P01665 mus musculus

ALIGNMENTS

RESULT 1

```
KV5L_MOUSE
ID   KV5L_MOUSE          STANDARD;          PRT:   115 AA.
AC   P01642;
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   15-JUL-1999 (Rel. 38, Last annotation update)
DE   IG KAPPA CHAIN V-V REGION L7 PRECURSOR (FRAGMENT).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 81220975.
RA   Pech M., Hocht J., Schnell H., Zachau H.G.;
RT   "Differences between germ-line and rearranged immunoglobulin V kappa
RT   coding sequences suggest a localized mutation mechanism.";
RL   Nature 291:668-670(1981).
CC   -!- MISCELLANEOUS: THERE APPEAR TO BE TWO POSSIBLE SPLICING JUNCTIONS AT
CC   THE 3' END OF THE INTRON. THE ALTERNATE WOULD CODE FOR A PROTEIN
CC   LACKING RESIDUES 17-19.
DR   PIR; A01925; KVM5L7.
DR   INTERPRO; IPR003006; .
DR   PFAM; PF00047; ig; 1.
KW   Immunoglobulin V region; Signal.
FT   SIGNAL             1..20
FT   CHAIN              21..115  IG KAPPA CHAIN V-V REGION L7.
FT   DOMAIN             21..43   FRAMEWORK 1.
FT   COMPLEMENTARITY-DETERMINING 1.
FT   DOMAIN             44..54   COMPLEMENTARITY-DETERMINING 1.
FT   FRAMEWORK 2.
FT   DOMAIN             55..69   FRAMEWORK 2.
FT   COMPLEMENTARITY-DETERMINING 2.
FT   DOMAIN             70..76   COMPLEMENTARITY-DETERMINING 2.
FT   FRAMEWORK 3.
FT   DOMAIN             77..108  COMPLEMENTARITY-DETERMINING 3.
FT   DISULFID           109..115 COMPLEMENTARITY-DETERMINING 3.
FT   NON_TER           115..115  BY SIMILARITY.
SQ   SEQUENCE 115 AA; 12615 MW;  C17BEC758C577E00 CRC64;
```

Query Match

Best Local Similarity 67.6%; Score 379; DB 1; Length 115;
Matches 71; Conservative 11; Mismatches 13; Indels 0; Caps 0;

```
Qy   1  DIVLTQSPATLSVTPGDSVSLSCQASQSTSNHLHWYQQKSHSPRLLIKYRSQISGIPS 60
      |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db   21  DILLTQSPAILSVSPGERVSFSCRASQISGTSIHVYQQRTNGSPRLLIKYVASEISGIPS 80
```

Qy 61 RFSGSGSGTDFALSNVETEDFGMYFCQSGSWP 95

Db 81 RFSGSGSGTDFTLINSVSEDIADYICQSGNSWP 115

RESULT 2

```
KV3K_HUMAN
ID   KV3K_HUMAN          STANDARD;          PRT:   128 AA.
AC   P06311;
DT   01-JAN-1988 (Rel. 06, Created)
```



```

DT 01-JAN-1988 (Rel. 06, Last sequence update)
DE 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-III REGION IARC/BL41 PRECURSOR.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 86041852.
RA Klobeck H.G., Meindl A., Combratio G., Solomon A., Zachau H.G.;
RT "Human immunoglobulin kappa light chain genes of subgroups II and
RT III."
RL Nucleic Acids Res. 13:6499-6513(1985).
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
DR EMBL: Z00021; CAAT7316.1;
DR PIR: A01899; K3HU41.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 20
FT CHAIN 21 128 IG KAPPA CHAIN V-III REGION IARC/BL41.
FT DOMAIN 21 43 FRAMEWORK 1.
FT DOMAIN 44 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 69 FRAMEWORK 2.
FT DOMAIN 70 76 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 77 108 FRAMEWORK 3.
FT DOMAIN 109 117 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 118 128 JK1 SEGMENT.
FT DISULFID 43 108 BY SIMILARITY.
FT NON_TER 128 128
SQ SEQUENCE 128 AA; 14070 MW; CC8957F0FE3B9012 CRC64;

Query Match 64.9%; Score 364; DB 1; Length 128;
Best Local Similarity 64.5%; Pred. No. 5e-31;
Matches 69; Conservative 18; Mismatches 20; Indels 0; Gaps 0;

QY 1 DIVLTOSPATLSVTPGDSVLSQASQISNHLHWYQKSHSPRLIKYRSQISGIP 60
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
DB 21 EIVLTOSPCTLSLSPGESATLSQASQSSVSNLAWYQKQSPRLIRASSRANGIPD 80
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
QY 61 RFSGSGGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
DB 81 RFSGSGGTDFTLIIRLEPEDFAVYCYQYNSPTFGGKLEIK 127
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:

RESULT 3
KV3F_HUMAN STANDARD; PRT; 109 AA.
AC P01624;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE IG KAPPA CHAIN V-III REGION POM.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE: 76276460.
RX MEDLINE: 76276460.
RA Klapper D.G., Capra J.D.;
RT "The amino acid sequence of the variable regions of the light chains
RT from two idiotypically cross reactive IgM anti-gamma globulins."
RL Ann. Immunol. (Paris) 127C:261-271(1976).
CC -I- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM AN IGM WITH ANTI-GAMMA

```

```

CC GLOBULIN ACTIVITY.
DR PIR: A01897; K3HUPM.
DR HSSP: P01789; 2MCP.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; ig; 1.
KW Immunoglobulin V region.
FT DISULFID 23 89
FT NON_TER 109 109 BY SIMILARITY.
SQ SEQUENCE 109 AA; 11922 MW; 62821DDC6A8ABA86 CRC64;

Query Match 63.5%; Score 356.5; DB 1; Length 109;
Best Local Similarity 63.0%; Pred. No. 2.5e-30;
Matches 66; Conservative 20; Mismatches 19; Indels 1; Gaps 1;

QY 1 DIVLTOSPATLSVTPGDSVLSQASQISNHLHWYQKSHSPRLIKYRSQISGIP 59
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
DB 1 EIVMTQSPVTLSVSGERATLSQASQISNSYLAHYQKQSGSPRLIYGASTRATGIP 60
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
QY 60 RFSGSGGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
DB 61 ARFSGSGGTFTLTSSQSEDFAVYCYQYNNWPTFGGTRVEIK 108
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:

RESULT 4
KV3H_HUMAN STANDARD; PRT; 129 AA.
AC P04207;
DT 20-MAR-1987 (Rel. 04, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-III REGION CLL PRECURSOR (RHEUMATOID FACTOR).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 86177570.
RA Jirik F.R., Sorge J., Fong S., Heitzmann J.G., Curd J.G., Chen P.P.,
RA Goldfien R., Carson D.A.;
RT "Cloning and sequence determination of a human rheumatoid factor
RT light-chain gene."
RL Proc. Natl. Acad. Sci. U.S.A. 83:2195-2199(1986).
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
DR EMBL: M12740; AAA58992.1;
DR PIR: A01898; K3HUCL.
DR HSSP: P01789; 2MCP.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 20
FT CHAIN 21 129 IG KAPPA CHAIN V-III REGION CLL.
FT DOMAIN 21 43 FRAMEWORK 1.
FT DOMAIN 44 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 69 FRAMEWORK 2.
FT DOMAIN 70 76 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 109 118 FRAMEWORK 3.
FT DOMAIN 119 129 COMPLEMENTARITY-DETERMINING 3.
FT DISULFID 43 108 JK1 SEGMENT.
FT NON_TER 129 129 BY SIMILARITY.
SQ SEQUENCE 129 AA; 14275 MW; 5C13B411BE60CC14 CRC64;

Query Match 62.7%; Score 351.5; DB 1; Length 129;

```

```
Best Local Similarity 61.18; Pred. No. 1e-29;
Matches 66; Conservative 22; Mismatches 19; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSISNHLHWYQKSHSPRLLIKYRSQISGIP 60
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
Db 21 EIVMTQSPATLSVTPGDSVSLSCQASQSISNHLHWYQKSHSPRLLIKYRSQISGIP 80
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
QY 61 RFSGSGSGTDFALINSVETEDFGMYFCQSGSW-PHTFGGKTLEIK 107
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
Db 81 RFSGSGSGTDFLTISRLEPDDFAVYCYQYNNPPWTFGGQTRVEIK 128
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:

RESULT 5
KV3D_HUMAN
ID KV3D_HUMAN STANDARD; PRT; 109 AA.
AC P01622;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-III REGION II.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE.
RX MEDLINE; 72188439.
RA Suter L., Barnikol H.U., Watanabe S., Hilschmann N.;
RT "Rule of antibody structure. The primary structure of a monoclonal
RT immunoglobulin L-chain of kappa-type, subgroup 3 (Bence-Jones protein
RT T1). IV. The complete amino acid sequence and its significance for
RT the mechanism of antibody production.";
RL Hoppe-Seyler's Z. Physiol. Chem. 353:189-208(1972).
CC -1- MISCELLANEOUS: THE C REGION OF THIS CHAIN HAS THE INV (3) MARKER.
CC -1- MISCELLANEOUS: THIS IS A BENCE-JONES PROTEIN.
DR PTR: A01895; K3HUTI.
DR HSP: P01789; 2MCP.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT DISULFID 23 89
FT NON_TER 109 109
BY SIMILARITY.
SQ SEQUENCE 109 AA; 11788 MW; 8C35058CDC7749BC CRC64;

Query Match 62.5%; Score 350.5; DB 1; Length 109;
Best Local Similarity 63.08; Pred. No. 1e-29;
Matches 68; Conservative 17; Mismatches 22; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSISNHLHWYQKSHSPRLLIKYRSQISGIP 59
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
Db 1 EIVLTQSPGTLSPGERATLSCRASQSVNSFLAWYQKPGQAPRLLIYVASSRATGIP 60
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
QY 60 RFSGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
Db 61 DRFSGSGSGTDFLTISRLEPDDFAVYCYQYSGSPSTFGGQTKVELK 108
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:

RESULT 6
KV3B_HUMAN
ID KV3B_HUMAN STANDARD; PRT; 109 AA.
AC P01620;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-III REGION SIE.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE.
RX MEDLINE; 82046598.
RA Andrews D.W., Capra J.D.;
RT "Amino acid sequence of the variable regions of light chains from two
```

```
RT idiotypically cross-reactive human IgM anti-gamma-globulins of the Wa
RT group.";
RL Biochemistry 20:5816-5822(1981).
CC -1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM AN IGM WITH ANTI-GAMMA
CC GLOBULIN ACTIVITY.
DR PIR; A01892; K3HUSI.
DR HSP: P01789; 2MCP.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT DISULFID 23 89
FT NON_TER 109 109
BY SIMILARITY.
SQ SEQUENCE 109 AA; 11775 MW; 7689C3ECD646FEB4 CRC64;

Query Match 61.9%; Score 347.5; DB 1; Length 109;
Best Local Similarity 62.0%; Pred. No. 2.1e-29;
Matches 67; Conservative 19; Mismatches 21; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSISNHLHWYQKSHSPRLLIKYRSQISGIP 59
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
Db 1 EIVLTQSPGTLSPGERATLSCRASQSVNSFLAWYQKPGQAPRLLIYVASSRATGIP 60
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
QY 60 RFSGSGSGTDFALINSVETEDFGMYFCQSGSWPHTFGGKTLEIK 107
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:
Db 61 DRFSGSGSGTDFLTISRLEPDDFAVYCYQYSGSPSTFGGQSKVEIK 108
   :|||||:|||||: :|||||:|||||: :|||||: :|||||: :|||||: :|||||:

RESULT 7
KV3L_HUMAN
ID KV3L_HUMAN STANDARD; PRT; 129 AA.
AC P18135;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-III REGION HAH PRECURSOR.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 88171307.
RA Kipps T.J., Tomhave E., Chen P.P., Carson D.A.;
RT "Autoantibody-associated kappa light chain variable region gene
RT expressed in chronic lymphocytic leukemia with little or no somatic
RT mutation. Implications for etiology and immunotherapy.";
RL J. Exp. Med. 167:840-852(1988).
CC -1- DISEASE: THE PROTEIN IS ONE OF THE SURFACE IMMUNOGLOBULIN M
CC AUTOANTIBODIES EXPRESSED IN PATIENTS WITH CHRONIC LYMPHOCYTIC
CC LEUKEMIA.
DR PIR; P10022; K3HUHA.
DR HSP: P01789; 2MCP.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 20
FT CHAIN 21 129 IG KAPPA CHAIN V-III REGION HAH.
FT DOMAIN 21 43 FRAMEWORK 1.
FT DOMAIN 44 55 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 56 70 FRAMEWORK 2.
FT DOMAIN 71 77 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 78 109 FRAMEWORK 3.
FT DOMAIN 110 118 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 119 129 JKI SEGMENT.
FT DISULFID 43 109 BY SIMILARITY.
FT NON_TER 129 129
SQ SEQUENCE 129 AA; 14073 MW; D3C5529272774D0 CRC64;

Query Match 61.8%; Score 346.5; DB 1; Length 129;
Best Local Similarity 62.0%; Pred. No. 3.3e-29;
Matches 67; Conservative 19; Mismatches 21; Indels 1; Gaps 1;
```

```
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQISGIP 59
Db 21 EIVLTQSPGTLSPGERATLSRASQSVSSYLAWYQKPGQAPRLLIYGYASRRATGIP 80
QY 60 SRFSGSGGTDFALSIINSEVEDFGMYFCQSGSWPHTFGGKLEIK 107
Db 81 DRFSGSGGTDFTLISRLPEPFAVYCYQYGTSPRTFGGKVEIK 128

RESULT 8
KV5K_MOUSE STANDARD; PRT; 108 AA.
ID KV5K_MOUSE 1 23 FRAMEWORK 1.
AC P01648; 24 34 COMPLEMENTARITY-DETERMINING 1.
DT 21-JUL-1986 (Rel. 01, Created) 35 49 FRAMEWORK 2.
DT 21-JUL-1986 (Rel. 01, Last sequence update) 50 56 COMPLEMENTARITY-DETERMINING 2.
DT 15-JUL-1999 (Rel. 38, Last annotation update) 57 88 FRAMEWORK 3.
DE IG KAPPA CHAIN V-V REGION HP R16.7. 89 97 COMPLEMENTARITY-DETERMINING 3.
OS Mus musculus (Mouse). 98 108 FRAMEWORK 4.
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsenate antibodies differing
RT with respect to a crossreactive idioType.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR: A01927; KVMASR.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig: 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11910 MW; A554642C63EFF597 CRC64;

Query Match 61.3%; Score 344; DB 1; Length 108;
Best Local Similarity 60.7%; Pred. No. 4.8e-29;
Matches 65; Conservative 20; Mismatches 22; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQISGIP 60
Db 1 DIQMTQTSSLSASLGRVITISCRASQDISNLYNWYQOKPGDGTGKLLIYYTSLRLHSGVPS 60
QY 61 RFSGSGGTDFALSIINSEVEDFGMYFCQSGSWPHTFGGKLEIK 107
Db 61 RFSGSGGTDFSLTISNLEQEDTATYFCQGNLPRTFGGGKLEIK 107

RESULT 9
KV5O_MOUSE STANDARD; PRT; 108 AA.
ID KV5O_MOUSE 1 23 FRAMEWORK 1.
AC P01648; 24 34 COMPLEMENTARITY-DETERMINING 1.
DT 21-JUL-1986 (Rel. 01, Created) 35 49 FRAMEWORK 2.
DT 21-JUL-1986 (Rel. 01, Last sequence update) 50 56 COMPLEMENTARITY-DETERMINING 2.
DT 15-JUL-1999 (Rel. 38, Last annotation update) 57 88 FRAMEWORK 3.
DE IG KAPPA CHAIN V-V REGION HP 91A3. 89 97 COMPLEMENTARITY-DETERMINING 3.
OS Mus musculus (Mouse). 98 108 FRAMEWORK 4.
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsenate antibodies differing
RT with respect to a crossreactive idioType.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR: A01927; KVMASR.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig: 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11910 MW; A554642C63EFF597 CRC64;

Query Match 61.3%; Score 344; DB 1; Length 108;
Best Local Similarity 60.7%; Pred. No. 4.8e-29;
Matches 65; Conservative 20; Mismatches 22; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQISGIP 60
Db 1 DIQMTQTSSLSASLGRVITISCRASQDISNLYNWYQOKPGDGTGKLLIYYTSLRLHSGVPS 60
QY 61 RFSGSGGTDFALSIINSEVEDFGMYFCQSGSWPHTFGGKLEIK 107
Db 61 RFSGSGGTDFSLTISNLEQEDTATYFCQGNLPRTFGGGKLEIK 107

RESULT 9
KV5O_MOUSE STANDARD; PRT; 108 AA.
ID KV5O_MOUSE 1 23 FRAMEWORK 1.
AC P01648; 24 34 COMPLEMENTARITY-DETERMINING 1.
DT 21-JUL-1986 (Rel. 01, Created) 35 49 FRAMEWORK 2.
DT 21-JUL-1986 (Rel. 01, Last sequence update) 50 56 COMPLEMENTARITY-DETERMINING 2.
DT 15-JUL-1999 (Rel. 38, Last annotation update) 57 88 FRAMEWORK 3.
DE IG KAPPA CHAIN V-V REGION HP 91A3. 89 97 COMPLEMENTARITY-DETERMINING 3.
OS Mus musculus (Mouse). 98 108 FRAMEWORK 4.
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
```

```
RX MEDLINE; 82150934.
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsenate antibodies differing
RT with respect to a crossreactive idioType.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR: A01927; KVMASR.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig: 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11961 MW; D52EDA5E9A45291C CRC64;

Query Match 61.0%; Score 342; DB 1; Length 108;
Best Local Similarity 58.9%; Pred. No. 7.8e-29;
Matches 63; Conservative 23; Mismatches 21; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQISGIP 60
Db 1 DIQMTQTSSLSASLGRVITISCRASQDISNLYNWYQOKPGDGTGKLLIYYTSLRLHSGVPS 60
QY 61 RFSGSGGTDFALSIINSEVEDFGMYFCQSGSWPHTFGGKLEIK 107
Db 61 RFSGSGGTDFSLTISNLEQEDTATYFCQGNLPRTFGGGKLEIK 107

RESULT 10
KV3E_HUMAN STANDARD; PRT; 109 AA.
ID KV3E_HUMAN 1 23 FRAMEWORK 1.
AC P01623; 24 34 COMPLEMENTARITY-DETERMINING 1.
DT 21-JUL-1986 (Rel. 01, Created) 35 49 FRAMEWORK 2.
DT 21-JUL-1986 (Rel. 01, Last sequence update) 50 56 COMPLEMENTARITY-DETERMINING 2.
DT 15-JUL-1999 (Rel. 38, Last annotation update) 57 88 FRAMEWORK 3.
DE IG KAPPA CHAIN V-III REGION WOL. 89 97 COMPLEMENTARITY-DETERMINING 3.
OS Homo sapiens (Human). 98 108 FRAMEWORK 4.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE.
RX MEDLINE; 82046598.
RA Andrews D.W., Capra J.D.;
RT "Amino acid sequence of the variable regions of light chains from two
RT idiotypically cross-reactive human IgM anti-gamma-globulins of the Wa
RT group.";
RL Biochemistry 20:5816-5822(1981).
CC -1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM AN IGM WITH ANTI-GAMMA
CC GLOBULIN ACTIVITY.
DR PIR: A01896; K3HWL.
DR HSSP; P01789; 2MCP.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig: 1.
KW Immunoglobulin V region. 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DISULFID 23 89 BY SIMILARITY.
FT NON_TER 109 109
SQ SEQUENCE 109 AA; 11746 MW; 566C115E6B9CBEE CRC64;

Query Match 60.9%; Score 341.5; DB 1; Length 109;
Best Local Similarity 62.0%; Pred. No. 8.9e-29;
Matches 67; Conservative 18; Mismatches 22; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQISGIP 59
Db 1 DIQMTQTSSLSASLGRVITISCRASQDISNLYNWYQOKPGDGTGKLLIYYTSLRLHSGVPS 59
```

```

Db 1 EIVLTQSPGTLSPGERATLSCRASQSVSSGYLQWYQKPGQAPRLLIYGASSRATGIP 60
Qy 60 SRFGSGSGTDFALSIINSVETDFGMVFCQSGSWPHFTFGGTTKLEIK 107
Db 61 DRFGSGSGTDFTLTISRLEPDAFYVYCCQYVGLGRFTFGGTTKVEIK 108

RESULT 11
KV3M_HUMAN
ID KV3M_HUMAN STANDARD; PRT; 129 AA.
AC P18136;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-III REGION HIC PRECURSOR.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 88171307.
RA Kipps T.J., Tomhave E., Chen P.P., Carson D.A.;
RT "Autoantibody-associated kappa light chain variable region gene
RT expressed in chronic lymphocytic leukemia with little or no somatic
RT mutation. Implications for etiology and immunotherapy.";
RL J. Exp. Med. 167:840-852(1988).
CC -I- DISEASE: THE PROTEIN IS ONE OF THE SURFACE IMMUNOGLOBULIN M
CC AUTOANTIBODIES EXPRESSED IN PATIENTS WITH CHRONIC LYMPHOCYTIC
CC LEUKEMIA.
DR PTR: P10021; K3HUHI.
DR HSP: P01789; 2MCP.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 20
FT CHAIN 21 129 IG KAPPA CHAIN V-III REGION HIC.
FT DOMAIN 21 43 FRAMEWORK 1.
FT DOMAIN 44 55 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 56 70 FRAMEWORK 2.
FT DOMAIN 71 77 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 78 109 FRAMEWORK 3.
FT DOMAIN 110 118 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 119 129 JK1 SEGMENT.
FT DISULFID 43 109 BY SIMILARITY.
FT NON_TER 129 129
SQ SEQUENCE 129 AA; 14070 MW; 7395528EA2BB74D6 CRC64;

Query Match 60.9%; Score 341.5; DB 1; Length 129;
Best Local Similarity 62.0%; Pred. No. 1.1e-28;
Matches 67; Conservative 18; Mismatches 22; Indels 1; Gaps 1;

Qy 1 DIVLTQSPATLSVTPGDVSVLSQASQSI-SNHLHWYQKSHSPRLIKYRSQISGIP 59
Db 21 EIVLTQSPGTLSPGERATLSCRASQSVSSYLAWYQKPGQAPRLLIYGASSRATGIP 80
Qy 60 SRFGSGSGTDFALSIINSVETDFGMVFCQSGSWPHFTFGGTTKLEIK 107
Db 81 DRFGSGSGTDFTLTISRLEPDAFYVYCCQYVGLGRFTFGGTTKVEIK 128

RESULT 12
KV5L_MOUSE
ID KV5L_MOUSE STANDARD; PRT; 108 AA.
AC P01645;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-V REGION HP 93G7.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]

```

```

RP SEQUENCE.
RC STRAIN=A/J;
RX MEDLINE; 82150934.
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsonate antibodies differing
RT with respect to a crossreactive idioType.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -I- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR; A01927; KVMASR.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11954 MW; 22F4642C63EFF58E CRC64;

Query Match 60.4%; Score 339; DB 1; Length 108;
Best Local Similarity 59.8%; Pred. No. 1.6e-28;
Matches 64; Conservative 20; Mismatches 23; Indels 0; Gaps 0;

Qy 1 DIVLTQSPATLSVTPGDVSVLSQASQSI-SNHLHWYQKSHSPRLIKYRSQISGIP 60
Db 1 DIQMTQTSSLSASLGRVITISCRASQDINSYLNLYQKPKDPGVKLLIYTSRLHSGVPS 60
Qy 61 RFSGSGSGTDFALSIINSVETDFGMVFCQSGSWPHFTFGGTTKLEIK 107
Db 61 RFSGSGSGTDFALSIINSVETDFGMVFCQSGSWPHFTFGGTTKLEIK 107

RESULT 13
KV5M_MOUSE
ID KV5M_MOUSE STANDARD; PRT; 108 AA.
AC P01646;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-V REGION HP 123E6.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
RX MEDLINE; 82150934.
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsonate antibodies differing
RT with respect to a crossreactive idioType.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -I- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR; A01927; KVMASR.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11989 MW; 4C98599C08EBA09A CRC64;

```

```

Query Match      60.4%; Score 339; DB 1; Length 108;
Best Local Similarity 60.7%; Pred. No. 1.6e-28;
Matches 65; Conservative 19; Mismatches 23; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVLSQASQISNHLHWYQKSHSPRLLIKYSQSISGIPS 60
   ||::||::||::||::||::||::||::||::||::||::||::||::||::||::||::||
Db 1 DIQMTQSTSLASGLDRVTISCRASQDISNLYLNWYQKPGDGVKLLIYVTSRLHSGVPS 60

QY 61 RFSGSGGTDFAISNVEDEFGMYFCQSGSWPHTFGGKLEIK 107
   |||||::||::||::||::||::||::||::||::||::||::||::||::||::||::||::||
Db 61 RFSGSGGTDYSLTISNLEQDIATYFCQGGYMLPRTFEGGKLEIK 107

RESULT 14
KV3A_HUMAN STANDARD; PRT; 108 AA.
AC P01619;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-III REGION B6.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
RN [1]
RP SEQUENCE.
RA Milstein C.;
RT "The basic sequences of immunoglobulin kappa chains: sequence studies
of Bence Jones proteins Rad, Fr4 and B6."
RL FEBS Lett. 2:301-304(1969).
CC -!- MISCELLANEOUS: THIS IS A BENCE-JONES PROTEIN.
DR HSP; P01789; 2MCP.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Bence-Jones protein.
FT DISULFID 23 89
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11635 MW; 8BC14FF07A419E3D CRC64;

Query Match      60.0%; Score 336.5; DB 1; Length 108;
Best Local Similarity 60.2%; Pred. No. 2.9e-28;
Matches 65; Conservative 20; Mismatches 22; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVLSQASQIS-NHLHWYQKSHSPRLLIKYSQSISGIP 59
   :|||::||::||::||::||::||::||::||::||::||::||::||::||::||::||::||
Db 1 ZIVLTSPGTLSPGZRAALSCRASQSLSGNVLAWYQKPGQAPRLMYGVSSRATGIP 60

QY 60 SRFSGSGGTDFAISNVEDEFGMYFCQSGSWPHTFGGKLEIK 107
   |||||::||::||::||::||::||::||::||::||::||::||::||::||::||::||::||
Db 61 DRFSGSGGADFTLTISRLZPEDFAVYVYCOQYGGSPPTFGGKLEIK 108

RESULT 15
KV5N_MOUSE STANDARD; PRT; 108 AA.
AC P01647;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-V REGION HP 124E1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
RX MEDLINE; 82150934.
RA Siegelman M., Capra J.D.;
RT "Completed amino acid sequence of light chain variable regions derived
from five monoclonal anti-p-azophenylarsonate antibodies differing
with respect to a crossreactive idiotype.";
Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -!- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR; A01927; KVM5AR.
DR INTERPRO; IPR003006; -.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23
   COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 24 34
   COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 35 49
   COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 50 56
   COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 57 88
   COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 89 97
   COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108
   BY SIMILARITY.
FT DISULFID 23 88
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11965 MW; 39971BC653EFEFA2 CRC64;

Query Match      59.9%; Score 336; DB 1; Length 108;
Best Local Similarity 58.9%; Pred. No. 3.3e-28;
Matches 63; Conservative 22; Mismatches 22; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVLSQASQISNHLHWYQKSHSPRLLIKYSQSISGIPS 60
   ||::||::||::||::||::||::||::||::||::||::||::||::||::||::||::||
Db 1 DIQMTQTTSSLSASGLDRVTISCRASQDINNYLNWYQKPGDGVKLLIYVTSRLHSGVPS 60

QY 61 RFSGSGGTDFAISNVEDEFGMYFCQSGSWPHTFGGKLEIK 107
   |||||::||::||::||::||::||::||::||::||::||::||::||::||::||::||::||
Db 61 RFSGSGGTDYSLTISNLEQDIATYFCQGGKTLPRTEGGGKLEIK 107

Search completed: March 28, 2001, 07:29:25
Job time: 1632 sec
```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:26:53 ; Search time 263.81 Seconds
(without alignments)
47.539 Million cell updates/sec

Title: US-09-016-061-8
Perfect score: 561
Sequence: 1 DIVLTQSPATLSVTPGDSVS.....CQSGSWPHTFGGTKLEIK 107

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

SPTREMBL_15.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phage.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_invertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	361.5	64.4	109	4 Q9UL85	Q9ul85 homo sapien
2	358	63.8	108	4 Q9UL83	Q9ul83 homo sapien
3	346.5	61.8	109	4 Q9UL78	Q9ul78 homo sapien
4	336	59.9	108	4 Q9UL77	Q9ul77 homo sapien
5	336	59.9	298	11 Q9QIF0	Q9qif0 mus musculu
6	333	59.4	108	4 Q9UL79	Q9ul79 homo sapien
7	324.5	57.8	109	4 Q9UL86	Q9ul86 homo sapien
8	324	57.8	108	4 Q9UL70	Q9ul70 homo sapien
9	322.5	57.5	107	4 Q9UL81	Q9ul81 homo sapien
10	312	55.6	107	11 Q9JL84	Q9jl84 mus musculu
11	311	55.4	99	11 Q9JL74	Q9jl74 mus musculu
12	310	55.3	214	11 Q9RIAS	Q9rias mus musculu
13	303.5	54.1	104	11 Q9JL82	Q9jl82 mus musculu
14	303.5	54.1	106	5 Q9U410	Q9u410 schistosoma
15	299	53.3	101	11 Q9JL78	Q9jl78 mus musculu
16	293	52.2	114	4 Q9UL80	Q9ul80 homo sapien
17	290	51.7	103	11 Q9JL80	Q9jl80 mus musculu
18	279	49.7	97	11 Q9JL76	Q9jl76 mus musculu
19	258	46.0	109	6 Q9N0W5	Q9n0w5 oryctolagus

20	199	35.5	107	4 Q9UL82	Q9ul82 homo sapien
21	197.5	35.2	107	4 Q9NSD6	Q9nsd6 homo sapien
22	144	25.7	93	4 Q9UL76	Q9ul76 homo sapien
23	142	25.3	130	4 Q9NP29	Q9np29 homo sapien
24	140	25.0	168	4 Q9UQ56	Q9uq56 homo sapien
25	140	25.0	246	4 Q9UQ55	Q9uq55 homo sapien
26	129.5	23.1	209	6 Q9XSM7	Q9xsm7 salmtri sci
27	127	22.6	210	6 P79336	P79336 felis silve
28	123	21.9	100	13 Q9YHI9	Q9yhi9 ginglymosto
29	121	21.6	152	13 Q9YHI1	Q9yhi1 ginglymosto
30	121	21.6	342	13 Q9IB00	Q9ib00 sphoeroides
31	120.5	21.5	123	4 Q9UKI3	Q9uk13 homo sapien
32	119	21.2	136	13 Q9VHL6	Q9vhl6 ginglymosto
33	118	21.0	123	11 Q61243	Q61243 mus musculu
34	118	21.0	136	13 Q9YHP2	Q9ynp2 ginglymosto
35	118	21.0	142	13 Q9YHQ2	Q9yhq2 ginglymosto
36	116	20.7	136	13 Q9YHR9	Q9yhr9 ginglymosto
37	115.5	20.6	509	11 Q08907	Q08907 mus musculu
38	113.5	20.2	134	13 Q9YHG7	Q9yhg7 ginglymosto
39	111	19.8	136	13 Q9YHP4	Q9yhp4 ginglymosto
40	109.5	19.5	340	13 Q9IA26	Q9iaz6 sphoeroides
41	109.5	19.5	509	11 Q9WTN4	Q9wt4 mus musculu
42	109	19.4	136	13 Q9YHP3	Q9yhp3 ginglymosto
43	109	19.4	186	11 Q62861	Q62861 rattus norv
44	108.5	19.3	340	13 Q9IA20	Q9iaz0 sphoeroides
45	108.5	19.3	509	11 Q9QX57	Q9qx57 mus musculu

ALIGNMENTS

RESULT 1
Q9UL85 PRELIMINARY; PRT; 109 AA.
AC Q9UL85;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DE 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN-VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035029; AAD56265.1; -;
DR HSSP; P01607; IREX.
DR INTERPRO; IPR003006; -;
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 109
SQ SEQUENCE 109 AA; 11761 MW; FBIE43E7C7AFACCC CRC64;

Query Match 64.4%; Score 361.5; DB 4; Length 109;
Best Local Similarity 64.8%; Pred. No. 1.2e-32;
Matches 70; Conservative 19; Mismatches 18; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVLSQASQSTSNILHWYQKSHSPRLIKYRSSISIPS 60
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 1 EIVMTQSPATLSVTPGDSVLSQASQSTSNILHWYQKSHSPRLIKYRSSISIPS 60
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
QY 61 RSGSGSGTDFALSIQSVETEDFGMYFCQSGSWPH-TFGGGTKLEIK 107
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 61 RFGSGSGTEFTLTLSQSEDFAIYHCQYNSWMPPLTFGGGKVEIK 108

```

RESULT 2
Q9UL83
ID Q9UL83 PRELIMINARY; PRT; 108 AA.
AC Q9UL83;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL: AF035031; AAD56267.1; -.
DR HSSP: P01607; IREI.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig: 1.
FT NON_TER 1
FT NON_TER 108
SQ SEQUENCE 108 AA; 11834 MW; 9F9C5A92EBA96EEA CRC64;

Query Match 63.8%; Score 358; DB 4; Length 108;
Best Local Similarity 60.7%; Pred. No. 2.8e-32;
Matches 65; Conservative 23; Mismatches 19; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQKSHSPRLLIKYSQISGIPS 60
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
Db 1 EIVYTSPTATLSVSPGERATLSRASQSSVSNLAWYQKQPCQAPRLIYCASTRATGIPA 60
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
Db 61 RFGSGSGTFTLTISLQPEDFATYVCQHYQHNWPTFFGKVDIK 107
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:

RESULT 3
Q9UL78
ID Q9UL78 PRELIMINARY; PRT; 109 AA.
AC Q9UL78;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL: AF035036; AAD56272.1; -.
DR HSSP: P01789; IMCP.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig: 1.
FT NON_TER 1
FT NON_TER 109
SQ SEQUENCE 109 AA; 11646 MW; 5F675C52EC7EE197 CRC64;

Query Match 61.8%; Score 346.5; DB 4; Length 109;
Best Local Similarity 63.0%; Pred. No. 5.3e-31;

```

```

Matches 68; Conservative 18; Mismatches 21; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQKSHSPRLLIKYSQISGIP 59
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
Db 1 EIVLTQSPGTLSLSPGERATLSRASQSSVSNLAWYQKQPCQAPRLIYGASSRATGIP 60
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
QY 60 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
Db 61 DRFSGSGSGTDFTLTISRLEPEDCAVYVCQYVSSPFLTGGGKVEIK 108
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:

RESULT 4
Q9UL77
ID Q9UL77 PRELIMINARY; PRT; 108 AA.
AC Q9UL77;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL: AF035037; AAD56273.1; -.
DR HSSP: P01607; IREI.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig: 1.
FT NON_TER 1
FT NON_TER 108
SQ SEQUENCE 108 AA; 11738 MW; C06681716C4D16F3 CRC64;

Query Match 59.9%; Score 336; DB 4; Length 108;
Best Local Similarity 60.7%; Pred. No. 7.6e-30;
Matches 65; Conservative 20; Mismatches 22; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQKSHSPRLLIKYSQISGIPS 60
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
Db 1 DIQMTQSPSSLSASVGDRTVITCRASQISSYSLNLYQKPGKAPNLLIYAASSLSQGVPS 60
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:
Db 61 RFGSGSGTDFTLTISRLEPEDFATYVCQYSYSTSWTTEGKVEIK 107
   :|||||:|||||: :|||||:|||||: :|||||:|||||: :|||||:|||||:

RESULT 5
Q9QYF0
ID Q9QYF0 PRELIMINARY; PRT; 298 AA.
AC Q9QYF0;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE CN 8 SCFV.
DE CN 8.
GN CN 8.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=BALB/C; TISSUE=SPLEEN;
RA Shinohara N., Demura T., Fukuda H.;
RL Submitted (DEC-1999) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.

```

```

RC STRAIN=BALB/C; TISSUE=SPLEEN;
RA shinohara N., Demura T., Fukuda H.;
RT "Isolation of a novel type of vascular cell wall-specific monoclonal
RT antibody recognizing a cell polarity using a phage display subtraction
RT method.";
RL Submitted (DEC-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL: AB036341; BAA88633.1; -
DR HSSP: P01607; IREI.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig; 2.
SQ SEQUENCE 298 AA; 31867 MW; E0F96B8A17004317 CRC64;

Query Match 59.98; Score 336; DB 11; Length 298;
Best Local Similarity 58.34; Pred. No. 2.4e-29;
Matches 63; Conservative 26; Mismatches 17; Indels 2; Gaps 2;

Qy 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQSISGIP 59
Db 173 DIETQSPASLSASVGETVITICRASGNIHNYLAWYQOKSPOLLV-YNAKTLADGVP 231

Qy 60 SRFSGSGGTDFALSIINSVETEDFGMYFCQSGSGSWPHTFGGGTKLEIK 107
Db 232 SRFSGSGGTQYSLKINSIQPEDFGSYCYQHFWTPYTFGGGTKLEIK 279

RESULT 6
ID Q9UL79 PRELIMINARY; PRT; 108 AA.
AC Q9UL79;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-OCT-2000 (TrEMBLrel. 13, Last sequence update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL: AF035035; AAD56271.1; -
DR HSSP: P01607; IREI.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 108
SQ SEQUENCE 108 AA; 11787 MW; DB5845F19724FB4E CRC64;

Query Match 59.48; Score 333; DB 4; Length 108;
Best Local Similarity 59.88; Pred. No. 1.6e-29;
Matches 64; Conservative 19; Mismatches 24; Indels 0; Gaps 0;

Qy 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQSISGIPS 60
Db 1 DIVMTQSPSLASGDRVITISCRMSQSISSYLAQYQOKPGKAPPELLIYAASSTLQSGVPS 60

Qy 61 RFSGSGGTDFALSIINSVETEDFGMYFCQSGSGSWPHTFGGGTKLEIK 107
Db 61 RFSGSGGTDFLTISCLQSDGFATYYCQYYSPFPTEGCGTKVEIK 107

RESULT 7
ID Q9UL86 PRELIMINARY; PRT; 109 AA.
AC Q9UL86;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)

```

```

DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL: AF035028; AAD56264.1; -
DR HSSP: P01789; IMCP.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 109
SQ SEQUENCE 109 AA; 11928 MW; 243325F72C7DAC83 CRC64;

Query Match 57.88; Score 324.5; DB 4; Length 109;
Best Local Similarity 60.2%; Pred. No. 1.4e-28;
Matches 65; Conservative 18; Mismatches 24; Indels 1; Gaps 1;

Qy 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQSISGIP 59
Db 1 EIVLTQSPGTLSTLPPGERATLSCRASQSVSSYLAQYQOKPGAPRLLIYGTSSRATGIP 60

Qy 60 SRFSGSGGTDFALSIINSVETEDFGMYFCQSGSGSWPHTFGGGTKLEIK 107
Db 61 DRFSGSGSETDFTLTISRLEPEDFAVYCCQYSSITFTGPGTKVDIK 108

RESULT 8
ID Q9UL70 PRELIMINARY; PRT; 108 AA.
AC Q9UL70;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-OCT-2000 (TrEMBLrel. 13, Last sequence update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL: AF035044; AAD56280.1; -
DR HSSP: P01607; IREI.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 108
SQ SEQUENCE 108 AA; 11633 MW; B7BEDC3E41FCCA37 CRC64;

Query Match 57.88; Score 324; DB 4; Length 108;
Best Local Similarity 58.9%; Pred. No. 1.6e-28;
Matches 63; Conservative 18; Mismatches 26; Indels 0; Gaps 0;

Qy 1 DIVLTQSPATLSVTPGDSVSLSCQASQSI-SNHLHWYQOKSHSPRLLIKYRSQSISGIPS 60
Db 1 DIQMTQSPSLASVGDRTVITICRASQISNYLAQYQOKPGKVPKSLIYAASSTLQSGVPS 60

```


RESULT	10
QJL84	
ID	Q9JL84 PRELIMINARY; PRT; 107 AA.
AC	Q9JL84;
DT	01-OCT-2000 (TrEMBLrel. 15, Created)
DD	01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DE	01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE	ANTI-MYOSIN IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS	Mus musculus (Mouse).
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC	Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX	NCBI_TaxID=10090;
RP	(1)
RC	SEQUENCE FROM N.A.
RC	STRAIN=BALB/C;
RA	Markiel S., Liao L., Cunningham M.W., Diamond B.;
RT	"Characterization of cross-reactive monoclonal anti-myosin/anti-n-
RT	acetyl-glucosamine antibodies from mice with autoimmune myocarditis."
RL	Submitted (NOV-1999) to the EMBL/GenBank/DBSJ databases.
DR	EMBL; AF206022; AAF69320.1; -.
FT	NON_TER 1
FT	NON_TER 107
SQ	SEQUENCE 107 AA; 11648 MW; ACF9B125ACA1E5D CRC64;

RESULT	12
ID	Q9RIA5
ID	PRELIMINARY; PRT; 214 AA.
AC	Q9RIA5;
DT	01-MAY-2000 (TrEMBLrel. 13, Created)
DT	01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT	01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE	KAPPA LIGHT CHAIN OF MAB7 (FRAGMENT).
OS	Mus musculus (Mouse).
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC	Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus
OX	NCBII_TaxID=10090;
RN	[1]
RP	SEQUENCE FROM N.A.
RA	Wilde K.G., Yu X., Ekramoddoullah A.K.M., Misra S.;
RT	"Cloning of cDNAs encoding for anti-white pine blister rust monoclonal antibody (Mab 7, its light and heavy chains) and construction of a single chain antibody (scFv).";
RL	Submitted (MAY-1999) to the EMBL/GenBank/DDBJ databases.
RD	EMBL; AF152371; AACD0242.1; -
DR	HSSP; P01789; LMCP.
DR	INTERPRO; IPR003006; -

```

DR PRAM: PF00047; ig: 2.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_1.
FT NON_TER 1
FT NON_TER 214
SQ SEQUENCE 214 AA; 23922 MW; 52BA205FDE995E2A CRC64;

Query Match
Best Local Similarity 55.3%; Score 310; DB 11; Length 214;
Matches 56; Conservative 27; Mismatches 24; Indels 0; Gaps 0

QY 1 DIVTQSPATLSVTPGDSVSLSCQASQISINHLHWYQOKSHESPLLLIKYRSQSISGTPS 60
Db 1 |||||::: : ||:::||||:::||||:::||||:::||||:::||||:::||||:::||||:::
1 DIQTQSPSSMYASGERVITCKASQDINSYLFQWQKPGKSPKTLIYRANRLVDGVPS 60
QY 61 RFSGSGTDFALNSIVETDFGMFYCQQGSGWPHFTGGGTKLEIK 107
Db 1 ||||| ||:::||||:::||||:::||||:::||||:::||||:::||||:::||||:::
61 RFSGSGGQDYSLTSSLEYEDMGIYYCLQYDEFFFTFGSGTKLEIK 107

RESULT 13
Q9JL82 PRELIMINARY; PRT; 104 AA.
ID Q9JL82 AC Q9JL82;
AC Q9JL82;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE ANTI-MYOSIN IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
NCBI_TaxID=10090;
RX [1]
RN R1 SEQUENCE FROM N.A.
RC STRAIN=BALB/C;
RA Maiktel S., Liao L., Cunningham M.W., Diamond B.;
RT "Characterization of cross-reactive monoclonal anti-myosin/anti-n-
RL acetyl-glucosamine antibodies from mice with autoimmune myocarditis.";
RL Submitted (NOV-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF206024; AAF69322.1; -
FT NON_TER 1
FT NON_TER 104
SQ SEQUENCE 104 AA; 11360 MW; 5DA8BBFD5F0AA1AE CRC64;

Query Match
Best Local Similarity 54.13%; Score 303.5; DB 11; Length 104;
Matches 59; Conservative 15; Mismatches 24; Indels 5; Gaps 1;

QY 10 TLSVTPGDSVSLSCQASQSI-----SNHLHWYQOKSHESPLLLIKYRSQSISGIPSRFSG 64
Db 1 ||:::||||:::||||:::||||:::||||:::||||:::||||:::||||:::
2 SLPVSLGDAQASISCRSSQSLVHTNGNTLYLHWYLQKPGQSPKLLIYKVNRRSGVDPDRFSG 61
QY 65 SGSGCTDFALNSIVETDFGMFYCQQGSGWPHFTGGGTKLEIK 107
Db 1 ||||| ||:::||||:::||||:::||||:::||||:::||||:::||||:::||||:::
62 SGSGTDFTLKISRVEAEDLGVYFCSTTHVPYTFGGGTKLEIK 104

RESULT 14
Q9U410 PRELIMINARY; PRT; 106 AA.
ID Q9U410 AC Q9U410;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MONOCLONAL ANTI-IDITOTYPIC ANTIBODY NP30 IMMUNOGLOBULIN LIGHT CHAIN
DE VARIABLE REGION (FRAGMENT).
OS Schistosoma japonicum (Blood fluke).
OC Eukaryota; Metazoa; Platyhelminthes; Neodermata; Trematoda; Digenea;
OC Strigedida; Schistosomatoidae; Schistosomatidae; Schistosoma.
NCBI_TaxID=6182;
RX [1]
RN R1 SEQUENCE FROM N.A.

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:20 ; Search time 183.85 Seconds
(without alignments)
19.901 Million cell updates/sec

Title: US-09-016-061-8
Perfect score: 561
Sequence: 1 DIVLQSPATLSVTPGDSVS.....COQSGSWPHTFGGKLEIK 107

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36:*
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	561	100.0	107	19 W76004	LM609 antibody lig
2	530	94.5	109	20 W06380	Murine monoclonal
3	526	93.8	127	15 R54093	Sequence of mouse
4	519	92.5	108	12 R15438	Light chain variab
5	519	92.5	109	15 R52033	Light chain variab
6	519	92.5	240	12 R15443	Single chain Fv fr
7	516	92.0	107	14 R38601	HYH light chain.
8	516	92.0	107	19 W58482	Murine HYH antibod
9	501	89.3	108	20 W84094	Murine vitronectin
10	498	88.8	108	17 W00241	EGF receptor chime
11	490	87.3	127	21 Y32405	Mouse anti-verotox
12	486.5	86.7	109	20 W89176	Anti-p53 monoclonal

13	470	83.8	107	19 W76002	Vitaxin antibody 1
14	465	82.9	128	20 Y30199	Light chain variab
15	465	82.9	214	20 Y30202	Light chain variab
16	464	82.7	107	19 W76006	LM609 grafted anti
17	459	81.8	108	17 W04333	Light chain of mon
18	438	78.1	107	20 W84098	Humanised anti-alp
19	438	78.1	112	20 W84100	Vitronectin alpha-
20	432	77.0	107	13 R25729	Humanised VL regio
21	426	75.9	107	15 R50190	Light chain variab
22	426	75.9	107	20 Y26979	Light chain variab
23	422	75.2	244	20 Y31610	Mucin Tn antigen-b
24	421	75.0	127	21 Y32407	Mouse anti-verotox
25	420	74.9	107	14 R32129	Anti-IL2R beta ant
26	419	74.7	240	14 R34510	Fv(TU27). Homo sa
27	418	74.5	107	14 R37610	B-B10 Mab L chain
28	418	74.5	127	18 W08945	Kappa light chain
29	418	74.5	127	18 W08941	Kappa light chain
30	418	74.5	127	18 W08943	Kappa light chain
31	417	74.3	127	19 W44176	Monoclonal antibod
32	417	74.3	651	17 W05135	scFv(225)-ETA fusl
33	417	74.3	892	17 W05139	scFv2(FRP5/225)-ET
34	417	74.3	892	17 W05140	scFv2(225/FRP5)-ET
35	417	74.3	1020	17 W05141	scFv2(FRP5/225)-ET
36	416	74.2	126	10 P30479	Chimeric monoclonal
37	416	74.2	127	18 W08946	Kappa light chain
38	416	74.2	240	19 W26799	Anti-gp54 Mab 48-1
39	415	74.0	106	19 W71241	Light chain variab
40	415	74.0	107	21 Y70604	Vkappa region of h
41	415	74.0	127	15 R50187	Light chain variab
42	415	74.0	127	20 Y26980	Light chain variab
43	415	74.0	240	19 W71243	scFv comprising he
44	415	74.0	245	21 Y70605	scFv fragment of h
45	414	73.8	127	15 R50192	Light chain variab

ALIGNMENTS

RESULT 1
ID W76004 standard; Protein; 107 AA.
XX W76004;
AC W76004;
DT 02-NOV-1998 (first entry)
XX
DE LM609 antibody light chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.

XX Mus sp.
XX OS
XX PN W09833919-A2.
XX PD 06-AUG-1998.
XX PF 30-JAN-1998; 98WO-US01826.
XX PR 30-JAN-1997; 97US-0791391.
XX PA (IXSY-) IXSYS INC.
XX PI Glaser SM, Huse WD;
XX DR WPI; 1998-437472/37.
XX DR N-PSDB; W76004.
XX PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX anglogenesis or restenosis
 PS Claim 46; Fig 2b; 129pp; English.
 XX
 CC This sequence represents the LM609 antibody variable light chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 107 AA;

Query Match 100.0%; Score 561; DB 19; Length 107;
 Best Local Similarity 100.0%; Pred. No. 3.6e-36;
 Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQISNHLHWYQKSHSPRLLIKYSQSIGIPSS 60
 DB 1 divltqspatlsvtpgdsvslscqasqisnhlhwqkshesprllikyrsgsigips 60
 QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
 DB 61 rfgsgsgtdfalsinsvtedfgmyfcqsgsgswphtfgggtkleik 107

RESULT 2
 Y06380
 ID Y06380 standard; Protein; 109 AA.
 XX
 AC Y06380;
 DT 06-SEP-1999 (first entry)
 XX
 DE Murine monoclonal antibody LM609 V lambda.
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Mus musculus.
 XX
 FH Key Location/Qualifiers
 FT Peptide 1..2 /note= "vector-encoded residues"
 FT Region 24..34 /note= "CDR1"
 FT Region 50..56 /note= "CDR2"
 FT Region 89..97 /note= "CDR3"
 FT
 FT
 PN W09929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-0525828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 PA (SCRI) SCRIPPS RES INST.
 XX
 PI Barbas CF, Rader C;
 XX
 XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies
 XX
 XX Disclosure; Page 49-50; 55pp; English.
 PS
 CC This sequence represents the light chain V lambda region of
 CC murine monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 109 AA;

Query Match 94.5%; Score 530; DB 20; Length 109;
 Best Local Similarity 92.5%; Pred. No. 8.1e-34;
 Matches 99; Conservative 5; Mismatches 3; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQISNHLHWYQKSHSPRLLIKYSQSIGIPSS 60
 DB 1 elvmtqtatlsvtpgdsvslscqasqisnhlhwqkshesprllikyrsgsigips 60
 QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
 DB 61 rfgsgsgtdfalsinsvtedfgmyfcqsgsgswphtfgggtkleik 107

RESULT 3
 R54093
 ID R54093 standard; Protein; 127 AA.
 XX
 AC R54093;
 DT 29-DEC-1994 (first entry)
 XX
 DE Sequence of mouse V-kappa showing the sequences of recombinant
 DE anti-FHV-1 antibody CDRs 1, 2 and 3.
 XX
 KW Feline herpes virus; FHV-1; monoclonal antibody; CDR;
 KW complementarity determining region.
 XX
 OS Mus musculus.
 XX
 FH Key Location/Qualifiers
 FT Peptide 1..20 /label= leader
 FT Region 21..43 /label= FR1
 FT Region 44..54 /label= CDR1
 FT Region 55..70 /label= FR2
 FT Region 71..76 /label= CDR2
 FT Region 77..108 /label= FR3
 FT Region 109..117 /label= CDR3
 FT Region 118..127 /label= FR4
 FT
 FT
 PN W09412661-A.
 XX
 PD 09-JUN-1994.
 XX

PF	25-NOV-1993;	93WO-JP01724.
XX		
PR	28-NOV-1992;	92JP-0341255.
XX		
PA	(KAGA)	CHEMO SERO THERAPEUTIC RES INST.
XX		
PI	Kimachi K, Maeda H, Nishiyama K, Tokiyoshi S;	
XX		
XX	WPI; 1994-200288/24.	
DR	N-PSDB; Q64167.	
XX		
PT	Feline monoclonal antibody and recombinant antibodies specific	
PT	for FHV-1 - for detection, treatment and prevention of FHV-1	
XX	infection.	
PS	Disclosure; Page 18-19; 53pp; Japanese.	
XX		
CC	The inventors claim a monoclonal antibody against feline herpes	
CC	virus (FHV-1). They also claim a recombinant antibody against FHV-1	
CC	and fragments of VH and VL CDR1, CDR2 and CDR3. The antibodies are	
CC	used in the detection, treatment and prevention of FHV-1. The	
CC	sequences of the CDRs in the VH of the recombinant anti-FHV-1	
CC	antibody are given in R54092. The sequences of the CDRs in the VL of	
CC	the recombinant anti-FHV-1 antibody are given in R54093. These CDR	
CC	sequences are claimed.	
XX		
SQ	Sequence	127 AA;
	Query Match	93.8%; Score 526; DB 15; Length 127;
	Best Local Similarity	93.5%; Pred. No. 1.9e-33;
	Matches 100; Conservative	3; Mismatches 4; Indels 0; Gaps
QY	1	DIVLTQSPATLSVTPGDVSLSLCOASOSISNHLHWYQOKSHESPRLLIKYSQSISGIPS 60
DB	21	divltqpatlsvtpgdvsislsrasgsisnllhwqqshesprllikysqsisgips 80
QY	61	RFSGSGSGTDPALNSINSETEDFGMYFCQQSGSWPHTFGGQTKLEIK 107
DB	81	rfsfgsgsgtdftlsinsvtedfmgycqgqswphtfgagtkielk 127
RESULT	4	
R15438		
ID	R15438	standard; Protein; 108 AA.
XX		
AC	R15438;	
XX		
DT	25-FEB-1992	(first entry)
XX		
DE	Light chain variable region of MAb 1A6.	
XX		
KW	HRV; ICAM-1; antigen-binding fragment; inflammation;	
KW	auto-immune disease.	
XX		
OS	Homo sapiens.	
XX		
PN	EP459577-A.	
XX		
PD	04-DEC-1991.	
XX		
PF	25-MAY-1991;	91EP-0201243.
XX		
PR	01-JUN-1990;	90US-0532001.
XX		
PA	(MERI)	MERCK & CO INC.
XX		
PI	Colonna RJ, Condra JH, Tomassini JE, Sardana VV;	
XX		
DR	WPI; 1991-355850/49.	
XX		
PT	Microbially expressed portions of monoclonal antibody - can block	
PT	attachment of rhinovirus ligands to inter-cellular adhesion	

DR WPI; 1994-120230/15.
 XX Method of resurfacing of rodent antibodies to produce humanised
 PT antibody forms - for producing non-human antibodies with improved
 PT therapeutic efficiency by presenting human surface on V-region
 XX
 PS Example 1; Fig 3A; 230pp; English.
 XX
 CC The present sequence is that of the light chain variable (LC VR) region
 CC of murine antibody 3Hm. This sequence was aligned with 11 other known
 CC antibody LC VRs and a set of framework positions of surface exposed amino
 CC acid residues was determined. This information can be used in a method to
 CC determine how to modify a rodent antibody or fragment by resurfacing in
 CC order to produce a humanised rodent antibody. Residues (determined from
 CC alignment) at positions 1, 3, 5, 9, 15, 18, 46, 47, 51, 63, 66, 73, 86,
 CC 87, 111, 115, 116 and 117 are accessible residues. None of the entire
 CC combinations of surface residues in the murine sequences were found in
 CC the human sequences and vice versa. However the residues in individual
 CC positions appear to be conserved.
 XX
 SQ Sequence 109 AA;
 Query Match 92.5%; Score 519; DB 15; Length 109;
 Best Local Similarity 92.5%; Pred. No. 5.5e-33;
 Matches 99; Conservative 4; Mismatches 4; Indels 0; Gaps 0;
 QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQISGIPS 60
 DB 1 divltqspatlsvtpgdsvlsqasqsihnlhw yqkshesprllikyasqisgips 60
 QY 61 RFSGSGGTDFALINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
 DB 61 rfs gsggt dft linsv eted fgm yfcqsg swpht fgg kkleik 107
 RESULT 6
 R15443
 ID R15443 standard; Protein; 240 AA.
 XX
 AC R15443;
 XX
 DT 25-FEB-1992 (first entry)
 XX
 DE Single chain Fv from pSCV1 for blocking HRV binding to ICAM-1.
 XX
 KW antigen-binding fragment; inflammation; auto-immune disease.
 XX
 OS Homo sapiens.
 XX
 PN EP459577-A.
 XX
 PD 04-DEC-1991.
 XX
 PF 25-MAY-1991; 91EP-0201243.
 XX
 PR 01-JUN-1990; 90US-0532001.
 XX
 PA (MERI) MERCK & CO INC.
 XX
 PI Colonna RJ, Condra JH, Tomassini JE, Sardana VV;
 XX
 DR WPI; 1991-355850/49.
 XX
 CC Microbially expressed portions of monoclonal antibody - can block
 PT attachment of rhinovirus ligands to inter-cellular adhesion
 PT molecule (ICAM-1)
 XX
 PS Claim 5; Page 21; 28pp; English.
 XX
 CC The Fv fragment encoded by pSCV1 was able to protect cells against
 CC infection by HRV-14. It was less active than modified Fv fragments
 CC which included a Gly-Gly-Gly-Ser flexible linker between the L

CC and H chains as either a monomer or a dimer.
 CC See also R15437-R15442.
 XX
 SQ Sequence 240 AA;
 Query Match 92.5%; Score 519; DB 12; Length 240;
 Best Local Similarity 92.5%; Pred. No. 1.2e-32;
 Matches 99; Conservative 5; Mismatches 3; Indels 0; Gaps 0;
 QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQKSHSPRLLIKYSQISGIPS 60
 DB 1 divltqspatlsvtpgdsvlsqasqsihnlhw yqkshesprllikhasqisgips 60
 QY 61 RFSGSGGTDFALINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
 DB 61 rfs gsggt dft linsv eted fgm yfcqsg swpht fgg kkleik 107
 RESULT 7
 R38601
 ID R38601 standard; peptide; 107 AA.
 XX
 AC R38601;
 XX
 DT 28-OCT-1993 (first entry)
 XX
 DE HYH light chain.
 XX
 KW Antibody; variable domain; light; L; heavy; H; consensus;
 KW affinity; antigen; immunogenicity; humanisation; framework.
 XX
 OS Homo sapiens.
 XX
 PN WO9311794-A.
 XX
 PD 24-JUN-1993.
 XX
 PF 14-DEC-1992; 92WO-US10906.
 XX
 PR 13-DEC-1991; 91US-0808464.
 XX
 PA (XOMA) XOMA CORP.
 XX
 PI Fishwild DM, Kohn FR, Little RG, Studnicka GM;
 XX
 DR WPI; 1993-213827/26.
 XX
 PT Antibodies prepn. used for treatment of auto-immune diseases - by
 PT replacement of critical residues to reduce immunogenicity but
 PT retain binding affinity, etc.
 XX
 PS Disclosure; Page 84; 160pp; English.
 XX
 CC The amino acid sequences of the light and heavy chains of the
 CC variable domains from antibodies HYH [HYHEL-10 Fab-lysosyme complex]
 CC (R38601 and R38608, respectively), WPCP [IGA Fab MPPC603-phosphocholine
 CC complex] (R38602-03 and R38609-10, respectively), NEWM [Ig Fab' NEW]
 CC (R38604-05 and R38611, respectively) and KOL [IgG1 KOL] (R38606-07 and
 CC R38612, respectively) may be used to determine an alignment from which
 CC appropriate changes may be made.
 CC Unlike other methods of humanisation, which advocate the
 CC replacement of entire antibody framework regions with those of human
 CC antibodies, this method involves only the introduction of human
 CC residues into those positions not critical for antigen binding.
 CC This ensures that the binding properties of the modified antibody
 CC are not diminished.
 XX
 SQ Sequence 107 AA;
 Query Match 92.0%; Score 516; DB 14; Length 107;
 Best Local Similarity 91.6%; Pred. No. 9.2e-33;

Qy	1	DIVLTQSPATISVTPGDSVYSLSQASQSISNINILHWYQOKSHESPRLLIKYSQSISGTPS	60
Db	1	divltqspatisvtpgnsvislscrsqsgisgnlhwlyqqkshesprllikyasqsgisgips	60
Qy	61	RFGSGSGCTDPAISLNSVETEDFGMYFCQOCSGSPHTTGGGKNLEIK	107
Db	61	rfgsgsgctdftlislnsvetedfgmyfcqgsnswpytfgggkldik	107

RESULT	9
ID	W84094
XX	W84094 standard; Protein; 108 AA.
AC	W84094;
XX	
DT	15-MAR-1999 (first entry)
XX	
DE	Murine vitronectin alpha-v beta-3 receptor MAB VL region.
XX	
KW	Humanised antibody; monoclonal antibody; MAb; antibody engineering;
KW	mouser; vitronectin; alpha-v beta-3; receptor; restenosis;
KW	cancer; metastasis; rheumatoid arthritis; atherosclerosis;
KW	angiogenesis; diabetic retinopathy; inflammation;
KW	macular degeneration; osteoporosis; Paget's disease;
KW	hyperparathyroidism; hypercalcaemia; therapy; immunotherapy.
XX	
OS	Mus sp.
XX	
FH	Key
FT	Region
FT	Location/Qualifiers
FT	24..34
FT	/label= CDR1
FT	50..56
FT	/label= CDR2
FT	89..97
FT	/label= CDR3
XX	
PN	WO9840488-A1.
XX	
PD	17-SEP-1998.
XX	
PF	12-MAR-1998; 98WO-US04987.
XX	
PR	12-MAR-1997; 97US-0039609.
XX	
PA	(SMIK) SMITHKLINE BEECHAM CORP.
XX	
PI	Johanson KO, Jonak ZL, Taylor AH;
XX	
DR	WPI; 1999-034590/03.
DR	N-PSDB; V71798.
XX	
PT	New anti_alpha_v_beta_3 vitronectin receptor antibodies - used for
PT	immunotherapeutic treatment of e.g. diabetic retinopathy,
PT	inflammatory disorders, atherosclerosis, restenosis, cancers or
PT	osteoporosis
XX	
PS	Example 13; Page 59-60; 97pp; English.
XX	

This is the amino acid sequence of the light chain variable region (VL) of the anti-human alpha-v beta-3 vitronectin receptor murine monoclonal antibody D12, as deduced from isolated cDNA (see W71798). D12 VH (see W84093) and VL show sequence similarity to Kabat VH subgroup I (see W84095) and Kabat VK subgroup III (see W84096), respectively. Humanised VH (see W84097) and VL (see W84098) were constructed by combining the framework regions of the human V region consensus sequences with complementarity determining regions of D12 (keeping some preferred murine framework residues). The humanised antibodies are specifically reactive with the human alpha-v beta-3 protein receptor and capable of neutralising the receptor. They can be used for passive immunotherapy of a disorder mediated by the alpha-v beta-3 receptor, e.g. cardiovascular disorders or angioendothelial-related disorders, such as angiogenesis associated with diabetic retinopathy, atherosclerosis and

CC restenosis, chronic inflammatory disorders, macular degeneration,
CC rheumatoid arthritis and cancer, e.g. solid tumour metastasis, and
CC diseases where bone resorption is associated with pathology such as
CC osteoporosis, hyperparathyroidism, Paget's disease, hypercalcaemia
CC of malignancy, osteolytic lesions produced by bone metastasis, bone
CC loss due to immobilisation or sex hormone deficiency. They can also
CC be used for targeted drug therapy, and for detection and diagnosis.
XX
SQ Sequence 108 AA;

Query Match 89.3%; Score 501; DB 20; Length 108;
Best Local Similarity 88.8%; Pred. No. 1.3e-31;
Matches 95; Conservative 4; Mismatches 8; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDVSLSQASQISNHLHWYQOKSHSPRLLIKYSQSISGIPS 60
Db 1 divltqspatlsvtpgdsvlsqasqisnslhwyqqrshesprllikyasqsiglps 60
QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
Db 61 rfgsgsgtftlniletdfmgycqsgswpftfgsgtnleik 107

RESULT 10
W00241
ID W00241 standard; Protein; 108 AA.
XX
AC W00241;

XX
DT 22-NOV-1996 (first entry)
DE EGF receptor chimeric MAb chMint5 VL chain.
XX
KW Mouse-human chimeric antibody; monoclonal antibody; chMint5;
KW epidermal growth factor receptor; EGF-R; diagnosis; therapy;
KW immunotoxin; immunocytokine; tumour; cancer.
XX
OS Mus musculus.

XX
FH Key Location/Qualifiers
FT Region 24..34
FT /label= CDR1
FT Region 50..56
FT /label= CDR2
FT Region 89..97
FT /label= CDR3
XX
PN W09627010-A1.
PD 06-SEP-1996.
XX
PD 01-MAR-1996; 96WO-EP00805.
XX
PF 01-MAR-1995; 95IT-OFI0036.
XX
PA (ITU-) ITAL MIN UNIV RICERCA SCI & TECNOLOGICA.
XX
PI Anastasi AM, Colnaghi MI, De Santis R, Di Massimo AM;
PI Ferrer Marsal C, Mele A;
XX
DR WPI; 1996-412776/41.
DR N-PSDB; T33446.
XX
PT Murine/human chimeric monoclonal antibody, chMint5 specific for
PT EGF-R - shows a lower immunogenicity when administered to humans
XX
PS Claim 7; Page 18; 28pp; English.

XX
CC The amino acid sequence (W00241) of the light chain variable region
CC (VL) of the epidermal growth factor receptor (EGF-R)-specific mouse-
CC human chimeric antibody chMint5 was deduced from a cDNA clone
CC (T33446) obtd. by PCR amplification of murine Mint5 hybridoma DSM

CC ACC2150 cDNA. chMint5 comprises Mint5 VH and VL regions fused
CC to human C-gamma1 and CK regions. Constructs were expressed in
CC CHO cell transfectants. chMint5 shows lower immunogenicity than
CC Mint5 when administered to humans. It can be used in diagnostic
CC assays or used to produce immunotoxins or immunocytokines useful
CC for tumour therapy.
XX
SQ Sequence 108 AA;

Query Match 88.8%; Score 498; DB 17; Length 108;
Best Local Similarity 90.7%; Pred. No. 2.1e-31;
Matches 97; Conservative 3; Mismatches 7; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDVSLSQASQISNHLHWYQOKSHSPRLLIKYSQSISGIPS 60
Db 1 divltqspatlsvtpgdsvlsqasqisnslhwyqqrshesprllikyasqsiglps 60
QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
Db 61 rfgsgsgtftlniletdfmgycqsgswpftfggkcleik 107

RESULT 11
Y32405
ID Y32405 standard; Protein; 127 AA.
XX
AC Y32405;

XX
DT 13-MAR-2000 (first entry)
DE Mouse anti-verotoxin II antibody VTml-1 light chain variable region.
XX
KW Verotoxin II; VT2; shiga-like toxin; VTml-1; MuVTml-1;
KW monoclonal antibody; light chain; mouse; humanised antibody;
KW Escherichia coli; VTEC; infection; haemolytic uraemic syndrome;
KW HUS; therapy.
XX
OS Mus musculus.

XX
FH Key Location/Qualifiers
FT Peptide 1..20
FT /note= "signal peptide"
FT Protein 21..127
FT /note= "mature protein"
FT Region 44..54
FT /note= "complementarity determining region 1"
FT Region 70..76
FT /note= "complementarity determining region 2"
FT Region 109..117
FT /note= "complementarity determining region 3"
FT Misc-difference 62
FT /note= "encoded by GAG"

XX
PN W09959629-A1.
XX
PD 25-NOV-1999.
XX
PF 19-MAY-1999; 99WO-US11179.
XX
PR 20-MAY-1998; 98US-0086570.
XX
PA (TEIJ) TEIJIN LTD.
PA (PROT-) PROTEIN DESIGN LABS INC.
XX
PI Matsumoto Y, Imaizumi A, Kimura T, Takedo T, Co MS, Vasques M;
XX
DR WPI; 2000-086580/07.
DR N-PSDB; Y35242.

XX
PT Humanized antibody binding to verotoxin II used for treating Verotoxin
PT producing E. coli -
XX

PS Claim 5; Fig 1b; 59pp; English.

CC This sequence represents the light chain variable region of murine
 CC monoclonal antibody Vm1-1 (MuVtm1-1), an antibody that specifically
 CC binds to the B subunit of verotoxin II (VT2). The invention relates
 CC to humanised antibodies against VT2 that are capable of neutralizing
 CC VT2 and/or VT2 variants. The humanised antibody is a humanized form
 CC of MuVtm1-1 comprising the complementarity determining regions of
 CC MuVtm1-1 and the heavy and light chain variable region frameworks
 CC from the human G4 antibody heavy and light chain frameworks,
 CC provided that at least 1 position selected from L49, H29, H30, H49
 CC and H98 is occupied by the amino acid at the equivalent position of
 CC the MuVtm1-1 antibody heavy or light chain variable region framework.
 CC Such humanized antibodies (see Y2406-07) have an affinity for VT2
 CC that is 3-, 5 or 10-times that of MuVtm1-1. They are used for
 CC treating a patient suffering from, or at risk of, the toxic effects
 CC from VT2 (claimed), especially for treating verotoxin producing
 CC Escherichia coli (VTEC) infection, and haemolytic uraemic syndrome
 CC (HUS).

SQ Sequence 127 AA;

Query Match 87.3%; Score 490; DB 21; Length 127;
 Best Local Similarity 87.9%; Pred. No. 1e-30;
 Matches 94; Conservative 6; Mismatches 7; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSTISNHLHWYQKSHSPRLLIKYSQSTSGIPS 60
 DB 21 dvlvtqspatlsvtpgdsvslscrasqtsinnlhwqkshksprlliksqsgisgips 80
 QY 61 RFGSGSGTDFALNSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107
 DB 81 rfgsgsgtdftlsinsvtedfmgycqsgswplttfgagtklelk 127

RESULT 12
 W89176
 ID W89176 standard; peptide; 109 AA.
 AC W89176;
 XX
 XX 25-MAR-1999 (first entry)
 XX
 XX Anti-p53 monoclonal antibody 248 variable light chain sequence.
 XX
 XX Anti-p53; monoclonal antibody 240; immunogen; anti-tumour; immunity;
 KW immune response; tumour associated antigen; metastatic cancer.
 OS Mus sp.
 OS Synthetic.
 XX
 XX WO9856416-A1.
 PN
 XX
 XX 17-DEC-1998.
 XX
 XX 09-JUN-1998; 98WO-IL00266.
 XX
 XX 09-JUN-1997; 97IL-0121041.
 XX
 XX (YEDA) YEDA RES & DEV CO LTD.
 XX
 XX Cohen IR, Erez-Alon N, Herkel J, Rotter V, Ruiz PJ;
 PI Wolkowicz R;
 XX
 XX WPI; 1999-070296/06.
 XX
 XX Use of a monoclonal antibody to a tumour-associated antigen - to
 PT induce anti-tumour immunity or elicit an increased immune response
 PT to the antigen
 XX
 XX Example 3; Fig 3; 47pp; English.
 XX
 XX

CC The present invention describes the use of an immunogen (A) to induce
 CC anti-tumour immunity; to elicit an increased immune response to tumour
 CC associated antigen (TAA) and/or to induce an immune response to mutant
 CC or wild-type forms of TAA in mammals. (A) is: (i) a monoclonal antibody
 CC (MAB) to TAA, or its fragment; (ii) a peptide based on a CDR
 CC (complementarity determining region) on the heavy or light chain of MAB
 CC (able to elicit antibodies to TAA); or (iii) a DNA that encodes the
 CC variable (V) region of MAB, in a gene delivery vehicle. The present
 CC sequence represents the variable light chain sequence from anti-p53 MAB
 CC 248. Also described is a method for generating sequence-specific,
 CC anti-DNA antibodies (Ab) by immunising a mammal with a MAB directed to a
 CC domain containing a DNA-binding site of a DNA-binding protein. (A) is
 CC used to treat a wide variety of primary and metastatic cancers,
 CC particularly those where p53 is involved. Ab are used for diagnosis (e.g
 CC to determine critical sequences in animal or plant breeding); to
 CC identify bacteria and other parasites; to determine parentage; in
 CC forensic science; to isolate specific genes for DNA vaccination; in gene
 CC sequencing and cloning; also possibly for activation of selected
 CC therapeutic genes in plants, animals and humans. (A) induce an effective
 CC anti-tumour response without causing harm to the patient. The method
 CC uses (A) to generate anti-TAA by exploiting the anti-idiotypic network.

SQ Sequence 109 AA;

Query Match 86.7%; Score 486.5; DB 20; Length 109;
 Best Local Similarity 89.6%; Pred. No. 1.6e-30;
 Matches 95; Conservative 4; Mismatches 6; Indels 1; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSTISNHLHWYQKSHSPRLLIKYSQSTSGIPS 60
 DB 2 dvlvtqspatlsvtpgdsvslscrasqtsinnlhwqkshksprllikfasqsgisgips 61
 QY 61 RFGSGSGTDFALNSVETEDFGMYFCQSGSWP-HTFGGTTKLE 105
 DB 62 rfgsgsgtdftlsinsvtedfgyvfcqsgswpvharggggtkle 107

RESULT 13
 W76002
 ID W76002 standard; Protein; 107 AA.
 AC W76002;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 DE Vitaxin antibody light chain variable region protein fragment.
 XX
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 XX Mus sp.
 OS
 XX WO9833919-A2.
 PN
 XX 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 XX N-PSDB; V49821.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal.

PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 1; Fig 1b; 129pp; English.
XX
CC This sequence represents the vitaxin antibody variable light chain
CC region. Vitaxin and the antibody LM609 bind selectively to integrin
CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a
CC ligand and thus block integrin-mediated signal transduction. This is
CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
CC disease, specifically angiogenesis and restenosis (but also e.g.
CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
CC osteoporosis etc.). The antibodies contain non-murine framework regions
CC so are suitable for use in humans. Enhanced types of LM609 have affinity
CC more than 90 times greater than that of parent the parent antibody.
XX
SQ Sequence 107 AA;

Query Match 83.8%; Score 470; DB 19; Length 107;
Best Local Similarity 79.4%; Pred. No. 2.8e-29;
Matches 85; Conservative 15; Mismatches 7; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSLSQASQSIHNLHWYQKSHSPRLLIKYSQISGIPS 60
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 1 eivltqspatlsipgeratlsqasqsisnhlhwyrqgqaprllikyrsgisgipa 60

QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 61 rfgsgsgtdftlisslepedfavyccqsgsgswphtfgggtkveik 107

RESULT 14
Y30199
ID Y30199 standard; peptide; 128 AA.
XX
AC Y30199;
XX
DT 01-NOV-1999 (first entry)
XX
DE Light chain variable region of chimeric anti-CD40 antibody chi220.
XX
KW Light chain variable region; chimeric antibody; anti-CD40 antibody;
KW chi220; humoral immune response; T cell dependent antigen;
KW collagen induced arthritis; transplant induced rejection;
KW T cell mediated disorder; autoimmune disease; inflammatory disease;
KW transplantation.
XX
OS Chimeric - Mus sp.
OS Chimeric - Homo sapiens.
XX
PN WO9942075-A2.
XX
PD 26-AUG-1999.
XX
PF 10-FEB-1999; 99WO-US02949.
XX
PR 19-FEB-1998; 98US-0026291.
XX
DR 19-FEB-1998; 98US-0026291.
XX
PA (BRIM) BRISTOL-MYERS SQUIBB CO.
XX
PI Aruffo AA, Bajorath J, Berry KK, Harris LJ, Hollenbaugh D;
PI Huse WD, Siadak AW, Thorne BA, Watkins JD, Wu H;
XX
DR WPI; 1999-527408/44.
XX
XX Antibody that binds human CD40, for treating T cell mediated
PT disorders
XX
PS Claim 1; Fig 4a; 77pp; English.
XX
XX The present sequence represents the light chain variable region of a

CC chimeric anti-CD40 antibody designated chi220. The antibodies are
CC effective in modulating humoral immune response against T cell
CC dependent antigens, collagen induced arthritis and transplant induced
CC rejection. They are also useful for their anti-inflammatory properties.
CC The antibodies have wide therapeutic applications, including autoimmune
CC and inflammatory diseases and transplantation. The antibody can be
CC used in a pharmaceutical composition for treating a patient suffering
CC from a T cell mediated disorder. They can also be used to treat
CC autoimmune diseases, inflammatory diseases, and transplantation.
XX
SQ Sequence ~128 AA;

Query Match 82.9%; Score 465; DB 20; Length 128;
Best Local Similarity 84.1%; Pred. No. 7.9e-29;
Matches 90; Conservative 7; Mismatches 10; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSLSQASQSIHNLHWYQKSHSPRLLIKYSQISGIPS 60
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 21 divltqspatlsivtpgdrvsiscrasqsisdyihwyqkshesprllikyashsgips 80

QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 81 rfgsgsgtdftlisslepedfavyccqsgsgswphtfgggtkveik 127

RESULT 15
Y30202
ID Y30202 standard; Protein; 214 AA.
XX
AC Y30202;
XX
DT 01-NOV-1999 (first entry)
XX
DE Light chain sequence of chimeric anti-CD40 antibody chi220.
XX
KW Light chain variable region; chimeric antibody; anti-CD40 antibody;
KW chi220; humoral immune response; T cell dependent antigen;
KW collagen induced arthritis; transplant induced rejection;
KW T cell mediated disorder; autoimmune disease; inflammatory disease;
KW transplantation.
XX
OS Chimeric - Mus sp.
OS Chimeric - Homo sapiens.
XX
PN WO9942075-A2.
XX
PD 26-AUG-1999.
XX
PF 10-FEB-1999; 99WO-US02949.
XX
PR 19-FEB-1998; 98US-0026291.
XX
PA (BRIM) BRISTOL-MYERS SQUIBB CO..
XX
PI Aruffo AA, Bajorath J, Berry KK, Harris LJ, Hollenbaugh D;
PI Huse WD, Siadak AW, Thorne BA, Watkins JD, Wu H;
XX
DR WPI; 1999-527408/44.
XX
XX Antibody that binds human CD40, for treating T cell mediated
PT disorders
XX
PS Claim 6; Page 20-21; 77pp; English.
XX
XX The present sequence represents the light chain of a chimeric anti-CD40
CC antibody designated chi220. The antibodies are effective in modulating
CC humoral immune response against T cell dependent antigens, collagen
CC induced arthritis and transplant induced rejection. They are also
CC useful for their anti-inflammatory properties. The antibodies have
CC wide therapeutic applications, including autoimmune and inflammatory
CC diseases and transplantation. The antibody can be used in a
CC pharmaceutical composition for treating a patient suffering from a

CC T cell mediated disorder. They can also be used to treat autoimmune
CC diseases, inflammatory diseases, and transplantation.

XX
SQ Sequence 214 AA;

Query Match 82.9%; Score 465; DB 20; Length 214;
Best Local Similarity 84.1%; Pred. No. 1.3e-28;
Matches 90; Conservative 7; Mismatches 10; Indels 0; Gaps 0;
Qy 1 DIVLTQSPATLSVTPGDVSLSCQASQISNHLHWYQOKSHESPRLLIKYRSQISGIPS 60
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 1 divltqspatlsvtpgdrvsiscrasqsidsylhwyqqkshesprllikyashsisgips 60
Qy 61 RFGSGSGTDFALINSVETEDFGMYFCQQSGSWPHTFGGKLEIK 107
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 61 rfsgsgsgsdfllsinsvepedvgiycqhghsfptwtfgggtkleik 107

Search completed: March 28, 2001, 06:34:23
Job time: 503 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:01 ; Search time 269.55 Seconds
(without alignments)
7.128 Million cell updates/sec

Title: US-09-016-061-8
Perfect score: 561
Sequence: 1 DIVLTQSPATLSVTPGDVS.....CQSGSWPHTFGGTTKLEIK 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgnl_7/ptodata/1/1aa/5A-COMB.pep:*
2: /cgnl_7/ptodata/1/1aa/5B-COMB.pep:*
3: /cgnl_7/ptodata/1/1aa/6-COMB.pep:*
4: /cgnl_7/ptodata/1/1aa/PCITUS-COMB.pep:*
5: /cgnl_7/ptodata/1/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	529	94.3	107	1	US-07-634-278-62
2	529	94.3	107	1	US-08-477-728-62
3	529	94.3	107	1	US-08-474-040-62
4	529	94.3	107	1	US-08-487-200-62
5	529	94.3	127	1	US-07-634-278-83
6	529	94.3	127	1	US-08-477-728-83
7	529	94.3	127	1	US-08-474-040-83
8	529	94.3	127	1	US-08-487-200-83
9	526	93.8	127	1	US-08-436-463-4
10	519	92.5	107	1	US-08-436-463-20
11	519	92.5	109	1	US-07-942-245-4
12	516	92.0	107	1	US-08-107-669D-1
13	516	92.0	107	1	US-08-472-788A-1
14	516	92.0	107	2	US-08-477-531B-1
15	516	92.0	107	2	US-08-082-842A-1
16	507	90.4	127	1	US-08-436-463-18
17	494	88.1	100	1	US-08-436-463-19
18	459	81.8	108	2	US-08-737-560A-11
19	453	80.7	103	1	US-08-436-463-21
20	432	77.0	107	1	US-07-634-278-63
21	432	77.0	107	1	US-07-634-278-87
22	432	77.0	107	1	US-08-477-728-63
23	432	77.0	107	1	US-08-477-728-87
24	432	77.0	107	1	US-08-474-040-63
25	432	77.0	107	1	US-08-474-040-87
26	432	77.0	107	1	US-08-487-200-63
27	432	77.0	107	1	US-08-487-200-87
28	426	75.9	107	2	US-08-476-176B-4

29 426 75.9 107 3 US-08-127-721A-4
30 426 75.9 107 3 US-08-485-246A-4
31 418 74.5 107 2 US-08-232-081B-40
32 418 74.5 240 2 US-07-956-399-2
33 415 74.0 106 2 US-08-800-198-4
34 415 74.0 106 3 US-09-296-595-4
35 415 74.0 127 2 US-08-476-176B-6
36 415 74.0 127 3 US-08-127-721A-6
37 415 74.0 127 3 US-08-485-246A-6
38 415 74.0 240 2 US-08-800-198-8
39 415 74.0 240 3 US-09-296-595-8
40 414 73.8 127 2 US-08-476-176B-10
41 414 73.8 127 3 US-08-127-721A-10
42 414 73.3 127 3 US-08-485-246A-10
43 411 73.3 127 2 US-08-476-176B-8
44 411 73.3 127 3 US-08-127-721A-8
45 411 73.3 127 3 US-08-485-246A-8

ALIGNMENTS

RESULT 1
US-07-634-278-62
; Sequence 62, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO. Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Hourie and Crew
; STREET: 379 Lytton Avenue
; City: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear

MOLECULE TYPE: peptide
US-07-634-278-62

Query Match 94.3%; Score 529; DB 1; Length 107;
Best Local Similarity 93.5%; Pred. No. 6e-44;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQOKSHSPRLTIKYRSQISGIPS 60
Db 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQOKSHSPRLTIKYRSQISGIPS 60
QY 61 RFSGSGGTDFALSIHNSVETEDFGMYFCQSGSNPHTFGGKLEIK 107
Db 61 RFSGSGGTDFLISVNGVETEDFGMYFCQSGSNPHTFGGKLEIK 107

RESULT 2
US-08-477-728-62
Sequence 62, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-62

Query Match 94.3%; Score 529; DB 1; Length 107;

Best Local Similarity 93.5%; Pred. No. 6e-44;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQOKSHSPRLTIKYRSQISGIPS 60
Db 1 DIVLTQSPATLSVTPGDVSVLSQASQSIHNLHWYQOKSHSPRLTIKYRSQISGIPS 60
QY 61 RFSGSGGTDFALSIHNSVETEDFGMYFCQSGSNPHTFGGKLEIK 107
Db 61 RFSGSGGTDFLISVNGVETEDFGMYFCQSGSNPHTFGGKLEIK 107

RESULT 3
US-08-474-040-62
Sequence 62, Application US/08474040
Patent No. 5693761
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLEI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Kourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/474,040
FILING DATE: 07-JUN-1995
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/634,278
FILING DATE: 19-DEC-1990
APPLICATION NUMBER: US/07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-474-040-62

Query Match 94.3%; Score 529; DB 1; Length 107;
Best Local Similarity 93.5%; Pred. No. 6e-44;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCASQSIISNHLHWYQKSHSPRLLIKYSQISGIPS 60
|||||
Db 1 DIVLTQSPATLSVTPGDSVSLSCASQSIISNHLHWYQKSHSPRLLIKYSQISGIPS 60
QY 61 RFSGSGGTDFTLSVNGVETEDFGMYFCQSGSNWPHFTGGGTKLEIK 107
|||||
Db 61 RFSGSGGTDFTLSVNGVETEDFGMYFCQSGSNWPHFTGGGTKLEIK 107

RESULT 4
US-08-487-200-62
; Sequence 62, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-200-62

Query Match 94.3%; Score 529; DB 1; Length 107;
Best Local Similarity 93.5%; Pred. No. 6e-44;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCASQSIISNHLHWYQKSHSPRLLIKYSQISGIPS 60
|||||

Db 1 DIVLTQSPATLSVTPGDSVSLSCASQSIISNHLHWYQKSHSPRLLIKYSQISGIPS 60
QY 61 RFSGSGGTDFTLSVNGVETEDFGMYFCQSGSNWPHFTGGGTKLEIK 107
|||||
Db 61 RFSGSGGTDFTLSVNGVETEDFGMYFCQSGSNWPHFTGGGTKLEIK 107
RESULT 5
US-07-634-278-83
; Sequence 83, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 83:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 127 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-634-278-83

Query Match 94.3%; Score 529; DB 1; Length 127;
Best Local Similarity 93.5%; Pred. No. 7.3e-44;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCASQSIISNHLHWYQKSHSPRLLIKYSQISGIPS 60
|||||
Db 21 DIVLTQSPATLSVTPGDSVSLSCASQSIISNHLHWYQKSHSPRLLIKYSQISGIPS 80
QY 61 RFSGSGGTDFTLSVNGVETEDFGMYFCQSGSNWPHFTGGGTKLEIK 107
|||||
Db 81 RFSGSGGTDFTLSVNGVETEDFGMYFCQSGSNWPHFTGGGTKLEIK 127

```

: APPLICANT: QUEEN, Cary L.
: APPLICANT: CO, Man Sung
: APPLICANT: SCHNEIDER, William P.
: APPLICANT: LANDOLEI, Nicholas F.
: APPLICANT: COELINGH, Kathleen L.
: APPLICANT: SELICK, Harold E.
: TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
: NUMBER OF SEQUENCES: 113
: CORRESPONDENCE ADDRESS:
: ADDRESSEE: Townsend and Townsend Kourie and Crew
: STREET: 379 Lytton Avenue
: CITY: Palo Alto
: STATE: California
: COUNTRY: US
: ZIP: 94301
: COMPUTER READABLE FORM:
: MEDIUM TYPE: Floppy disk
: COMPUTER: IBM PC compatible
: OPERATING SYSTEM: PC-DOS/MS-DOS
: SOFTWARE: Patentin Release #1.0, Version #1.25
: CURRENT APPLICATION DATA:
: APPLICATION NUMBER: US/08/474,040
: FILING DATE: 07-JUN-1995
: CLASSIFICATION: 536
: PRIOR APPLICATION DATA:
: APPLICATION NUMBER: US 07/634,278
: FILING DATE: 19-DEC-1990
: APPLICATION NUMBER: US 07/590,274
: FILING DATE: 28-SEP-1990
: PRIOR APPLICATION DATA:
: APPLICATION NUMBER: US 07/310,252
: FILING DATE: 13-FEB-1989
: PRIOR APPLICATION DATA:
: APPLICATION NUMBER: US 07/290,975
: FILING DATE: 28-DEC-1988
: ATTORNEY/AGENT INFORMATION:
: NAME: Smith, William M
: REGISTRATION NUMBER: 30,223
: REFERENCE/DOCKET NUMBER: 11823-002600
: TELECOMMUNICATION INFORMATION:
: TELEPHONE: (415) 326-2400
: TELEFAX: (415) 326-2422
: INFORMATION FOR SEQ ID NO: 83:
: SEQUENCE CHARACTERISTICS:
: LENGTH: 127 amino acids
: TYPE: amino acid
: TOPOLOGY: linear
: MOLECULE TYPE: protein
: US-08-474-040-83

Query Match          94.3%; Score 529; DB 1; Length 127;
Best Local Similarity 93.5%; Pred No. 7.3e-44;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0

Qy 1 DIVLTQSPATLSVTPGDSVLSQASQISNHLHWYQQKSHESPLLLIKYRSQSISGIPS 60
   |||||
Db 21 DIVLTQSPATLSVTPGDSVLSQASQISNHLHWYQQKSHESPLLLIKYASQSISGIPS 80
   |||||

Qy 61 RFSGSGSGTDFTLINSVETEDFGMYFCQQSGSNPHTFGGGTKLEIK 107
   |||||
Db 81 RFSGSGSGTDFTLINSVGVETEDFGMYFCQQSNPNPHTFGGGTKLEIK 127

RESULT 8
US-08-487-200-83
: Sequence 83, Application US/08487200
: Patent No. 5693762
: GENERAL INFORMATION:
: APPLICANT: QUEEN, Cary L.
: APPLICANT: CO, Man Sung
: APPLICANT: SCHNEIDER, William P.
: APPLICANT: LANDOLEI, Nicholas F.

```

APPLICANT: COBLINCH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/487,200
FILING DATE: 7-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002610
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 83:
SEQUENCE CHARACTERISTICS:
LENGTH: 127 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-487-200-83

Query Match 94.3%; Score 529; DB 1; Length 127;
Best Local Similarity 93.5%; Pred. No. 7.3e-44;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSSISNHLHWYQKSHSPRLLIKYSQISGIPS 60
DB 21 DIVLTQSPATLSVTPGDSVSLSCQASQSSISNHLHWYQKSHSPRLLIKYSQISGIPS 80
QY 61 RFSGSGGTDFALSINSVETEDFGMYFCQGSNWPHTFGGKLEIK 107
DB 81 RFSGSGGTDFALSINSVETEDFGMYFCQGSNWPHTFGGKLEIK 127
RESULT 9
US-08-436-463-4
Sequence 4, Application US/08436463
Patent No. 5760185
GENERAL INFORMATION:
APPLICANT: KIMACHI, Kazuhiko
APPLICANT: MAEDA, Hiroaki
APPLICANT: NISHIYAMA, Kiyoto
APPLICANT: TOKIYOSHI, Sachio
TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
NUMBER OF SEQUENCES: 21

CORRESPONDENCE ADDRESS:
ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
STREET: 419 Seventh Street, N.W., Suite 400
CITY: Washington
STATE: D.C.
COUNTRY: USA
ZIP: 20004
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/436,463
FILING DATE: 26-JUN-1995
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: JP 341255/1992
FILING DATE: 28-NOV-1992
ATTORNEY/AGENT INFORMATION:
NAME: YUN, Allen C.
REGISTRATION NUMBER: 37,971
REFERENCE/DOCKET NUMBER: KIMACHI-1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-628-5197
TELEFAX: 202-737-3528
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 127 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-436-463-4
Query Match 93.8%; Score 526; DB 1; Length 127;
Best Local Similarity 93.5%; Pred. No. 1.4e-43;
Matches 100; Conservative 3; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSSISNHLHWYQKSHSPRLLIKYSQISGIPS 60
DB 21 DIVLTQSPATLSVTPGDSVSLSCQASQSSISNHLHWYQKSHSPRLLIKYSQISGIPS 80
QY 61 RFSGSGGTDFALSINSVETEDFGMYFCQGSNWPHTFGGKLEIK 107
DB 81 RFSGSGGTDFALSINSVETEDFGMYFCQGSNWPHTFGGKLEIK 127
RESULT 10
US-08-436-463-20
Sequence 20, Application US/08436463
Patent No. 5760185
GENERAL INFORMATION:
APPLICANT: KIMACHI, Kazuhiko
APPLICANT: MAEDA, Hiroaki
APPLICANT: NISHIYAMA, Kiyoto
APPLICANT: TOKIYOSHI, Sachio
TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
STREET: 419 Seventh Street, N.W., Suite 400
CITY: Washington
STATE: D.C.
COUNTRY: USA
ZIP: 20004
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/436,463
FILING DATE: 26-JUN-1995
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: JP 341255/1992
FILING DATE: 28-NOV-1992
ATTORNEY/AGENT INFORMATION:
NAME: YUN, Allen C.
REGISTRATION NUMBER: 37,971
REFERENCE/DOCKET NUMBER: KIMACHI=1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-628-5197
TELEFAX: 202-737-3528
INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-436-463-20

Query Match 92.5%; Score 519; DB 1; Length 107;
Best Local Similarity 92.5%; Pred. No. 5.4e-43;
Matches 99; Conservative 4; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
DB 1 DIVLTQSPATLSVTPGNSVSLSCRASQISGNLNLHWYQOKSHSPRLLIKYSQISGIPS 60
QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
DB 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGNSWPYTFGGGKLEIK 107

RESULT 11
US-07-942-245-4
Sequence 4, Application US/07942245
Patent No. 5639641
GENERAL INFORMATION:
APPLICANT: PEDERSEN, Jan T.
APPLICANT: SEARLE, Stephen M.J.
APPLICANT: REES, Anthony R.
APPLICANT: ROGUSKA, Michael A.
APPLICANT: GUILD, Braydon C.
TITLE OF INVENTION: SURFACE RESIDUE VENEERING OF RODENT
TITLE OF INVENTION: ANTIBODIES
NUMBER OF SEQUENCES: 522
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sughrue, Lion, Zinn, Macpeak & Seas
STREET: 2100 Pennsylvania Avenue, N.W.
CITY: Washington
STATE: D.C.
COUNTRY: United States
ZIP: 20037-3202
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: HP 9000/700 workstation
OPERATING SYSTEM: UNIX
SOFTWARE: In house
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/942,245
FILING DATE: 09-SEP-1992
CLASSIFICATION: 530
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202) 293-7060
TELEFAX: (202) 293-7860
TELEX: 6491103
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 109 amino acids
TYPE: amino acid

TOPOLOGY: linear
MOLECULE TYPE: peptide
US-07-942-245-4

Query Match 92.5%; Score 519; DB 1; Length 109;
Best Local Similarity 92.5%; Pred. No. 5.5e-43;
Matches 99; Conservative 4; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
DB 1 DIVLTQSPATLSVTPGNSVSLSCRASQISGNLNLHWYQOKSHSPRLLIKYSQISGIPS 60
QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
DB 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGNSWPYTFGGGKLEIK 107

RESULT 12
US-08-107-669D-1
Sequence 1, Application us/08107669D
Patent No. 5766886
GENERAL INFORMATION:
APPLICANT: Studnicka, Gary M.
TITLE OF INVENTION: Modified Antibody Variable Domains (as amended)
NUMBER OF SEQUENCES: 67
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
STREET: 1100 New York Ave., N.W., Suite 600
CITY: Washington
STATE: D.C.
COUNTRY: United States of America
ZIP: 20005-3934
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/107,669D
FILING DATE: 13-AUG-1993
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US92/10906
FILING DATE: 14-DEC-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/808,464
FILING DATE: 13-DEC-1991
ATTORNEY/AGENT INFORMATION:
NAME: Michele A. Cimbala
REGISTRATION NUMBER: 33,851
REFERENCE/DOCKET NUMBER: 0610.1000001/MAC
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202/371-2600
TELEFAX: 202/371-2540
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-107-669D-1

Query Match 92.0%; Score 516; DB 1; Length 107;
Best Local Similarity 91.6%; Pred. No. 1e-42;
Matches 98; Conservative 5; Mismatches 4; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
DB 1 DIVLTQSPATLSVTPGNSVSLSCRASQISGNLNLHWYQOKSHSPRLLIKYSQISGIPS 60
QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107

```

Db 61 RFSGSGCTDFTLSINSVETEDFGMYCQSQNSWPYTFGGTKLDIK 107
|||||
; TITLE OF INVENTION: Modified Antibody Variable Domains (as amended)
; NUMBER OF SEQUENCES: 67
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: United States of America
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/472,788A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/082,842
; FILING DATE: 23-JUN-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/10906
; FILING DATE: 14-DEC-1992
; APPLICATION NUMBER: US 07/808,464
; FILING DATE: 13-DEC-1991
; NAME: Cimbala, Michele A.
; REGISTRATION NUMBER: 33,851
; REFERENCE/DOCKET NUMBER: 0610.1000003
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202/371-2540
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-472-788A-1

Query Match 92.0%; Score 516; DB 1; Length 107;
Best Local Similarity 91.6%; Pred. No. 1e-42;
Matches 98; Conservative 5; Mismatches 4; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQKSHSPRLIKYRSQISGIPS 60
|||||
Db 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQKSHSPRLIKYRSQISGIPS 60
|||||
QY 61 RFSGSGCTDFTLSINSVETEDFGMYCQSQNSWPYTFGGTKLEIK 107
|||||
Db 61 RFSGSGCTDFTLSINSVETEDFGMYCQSQNSWPYTFGGTKLDIK 107
|||||
RESULT 14
US-08-477-531B-1
; Sequence 1, Application US/08477531B
; Patent No. 5821123
; GENERAL INFORMATION:
; APPLICANT: Studnicka, Gary M.
; TITLE OF INVENTION: Modified Antibody Variable Domains
; NUMBER OF SEQUENCES: 89
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk

```

```

; TITLE OF INVENTION: Modified Antibody Variable Domains (as amended)
; NUMBER OF SEQUENCES: 67
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: United States of America
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,531B
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 436
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/107,669
; FILING DATE: 13-AUG-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/10906
; FILING DATE: 14-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/808,464
; FILING DATE: 13-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Michele A. Cimbala
; REGISTRATION NUMBER: 33,851
; REFERENCE/DOCKET NUMBER: 0610.1000004/MAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202/371-2600
; TELEFAX: 202/371-2540
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-477-531B-1

Query Match 92.0%; Score 516; DB 2; Length 107;
Best Local Similarity 91.6%; Pred. No. 1e-42;
Matches 98; Conservative 5; Mismatches 4; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQKSHSPRLIKYRSQISGIPS 60
|||||
Db 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQKSHSPRLIKYRSQISGIPS 60
|||||
QY 61 RFSGSGCTDFTLSINSVETEDFGMYCQSQNSWPYTFGGTKLEIK 107
|||||
Db 61 RFSGSGCTDFTLSINSVETEDFGMYCQSQNSWPYTFGGTKLDIK 107
|||||
RESULT 15
US-08-082-842A-1
; Sequence 1, Application US/08082842A
; Patent No. 5869619
; GENERAL INFORMATION:
; APPLICANT: Studnicka, Gary M.
; TITLE OF INVENTION: Modified Antibody Variable Domains
; NUMBER OF SEQUENCES: 89
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk

```

Search completed: March 28, 2001, 06:39:03
Job time: 757 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:49 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-48

Perfect score: 52

Sequence: 1 GTTFSSYDMS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	45	86.5	94	2 S14580	Ig heavy chain V r
2	41	78.8	97	2 S26890	Ig heavy chain V r
3	40	76.9	113	2 S26468	Ig heavy chain V r
4	40	76.9	117	1 HVMS34	Ig heavy chain pre
5	40	76.9	121	2 D27888	Ig heavy chain V r
6	40	76.9	124	2 C27888	Ig heavy chain V r
7	39	75.0	548	2 S38864	Ig epsilon chain C
8	38	73.1	40	2 S33406	Ig heavy chain V r
9	38	73.1	83	2 C25913	Ig heavy chain V r
10	38	73.1	98	2 S26891	Ig heavy chain V r
11	38	73.1	108	2 PL0248	Ig heavy chain V r
12	38	73.1	108	2 PH1006	Ig heavy chain V r
13	38	73.1	114	1 AVDCGM	Ig heavy chain V r
14	38	73.1	117	1 HVMS84	Ig heavy chain pre
15	38	73.1	117	2 PL0249	Ig heavy chain V r
16	38	73.1	119	2 PL0252	Ig heavy chain V r
17	38	73.1	117	2 F27888	Ig heavy chain V r
18	38	73.1	122	2 E27888	Ig heavy chain V r
19	38	73.1	138	2 S09258	Ig heavy chain V r
20	37	71.2	92	2 S56009	Ig heavy chain var
21	37	71.2	92	2 S56008	Ig heavy chain var
22	37	71.2	97	1 HVMS91	Ig heavy chain var
23	37	71.2	97	2 PH0872	Ig heavy chain V r
24	37	71.2	98	2 S26889	Ig heavy chain V r
25	37	71.2	100	2 D48223	Ig heavy chain V r
26	37	71.2	102	2 S14581	Ig heavy chain V r
27	37	71.2	108	2 PH1648	Ig heavy chain V r
28	37	71.2	108	2 PH1011	Ig heavy chain V r
29	37	71.2	109	2 PH1649	Ig heavy chain V r

30	37	71.2	111	2 PH1659	Ig heavy chain V r
31	37	71.2	111	2 S40090	Ig heavy chain - m
32	37	71.2	111	2 PH1007	Ig heavy chain V r
33	37	71.2	112	2 S26327	Ig heavy chain V r
34	37	71.2	112	2 PH1647	Ig heavy chain V r
35	37	71.2	113	2 S25571	Ig heavy chain V r
36	37	71.2	117	1 H3H026	Ig heavy chain pre
37	37	71.2	117	2 A45953	Ig heavy chain pre
38	37	71.2	117	2 B34964	Ig heavy chain pre
39	37	71.2	117	2 S34012	Ig heavy chain V r
40	37	71.2	118	2 S31121	Ig heavy chain - h
41	37	71.2	119	2 C36005	Ig heavy chain V r
42	37	71.2	119	2 D36005	Ig heavy chain V r
43	37	71.2	119	2 S31107	Ig heavy chain - h
44	37	71.2	119	2 S31108	Ig heavy chain - h
45	37	71.2	120	2 S48798	Ig heavy chain V r

ALIGNMENTS

RESULT 1

S14580

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C>Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 23-Jul-1999

C:Accession: S14580

R:Chen, Q.; Stenzel-Poore, M.; Rittenberg, M.B.

submitted to the EMBL Data Library, March 1991

A:Description: Natural polyreactive antibodies differ from Ag-induced antibodies in v

A:Reference number: S14484

A:Accession: S14580

A>Status: Preliminary

A:Molecule type: mRNA

A:Residues: 1-94 <CHE>

A:Cross-references: EMBL:X58652; NID:g51293; PIDN:CAA41509.1; PID:g51294

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotrimer; immunoglobulin

F:7-90/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 86.5%; Score 45; DB 2; Length 94;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10

DB 18 GTTFSSYDMS 27

RESULT 2

S26890

Ig heavy chain V region (DP-48) - human (fragment)

C:Species: Homo sapiens (man)

C>Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999

C:Accession: S26890

R:Tromlinson, I.M.; Walter, G.; Marks, J.D.; Llewelyn, M.B.; Winter, G.

J. Mol. Biol. 227, 776-798, 1992

A:Title: The repertoire of human germline V(H) sequences reveals about fifty groups o

A:Reference number: S26885; MUID:93021117

A:Accession: S26890

A>Status: Preliminary

A:Molecule type: DNA

A:Residues: 1-97 <TOM>

A:Cross-references: EMBL:212348; NID:g32916; PIDN:CAA78218.1; PID:g32917

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotrimer; immunoglobulin

F:15-97/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 78.8%; Score 41; DB 2; Length 97;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
| | | | |
DB 26 GTTFSSYDM 34

RESULT 3

S26468

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999

C:Accession: S26468

R:Kavaler, J.

submitted to the EMBL Data Library, April 1991

A:Reference number: S26459

A:Accession: S26468

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-113 <KAV>

A:Cross-references: EMBL:X59107; NID:g51944; PIDN:CAA41833.1; PID:g51945

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:11-94/Domain: immunoglobulin homology <IMM>

Query Match 76.9%; Score 40; DB 2; Length 113;

Best Local Similarity 80.0%; Pred. No. 0.72;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 10

| | | | |

DB 22 GFAFSSYDM 31

RESULT 4

HVMS34

Ig heavy chain precursor V region (345) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997

C:Accession: J070502

R:Levy, N.S.; Mallipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.

J. Exp. Med. 169, 2007-2019, 1989

A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary

A:Reference number: J070501; MUID:89279149

A:Accession: J070502

A>Status: translation not shown

A:Molecule type: mRNA

A:Residues: 1-117 <LEV>

A:Experimental source: strain BALB/cJ

A:Note: this sequence belongs to the VH7183 subfamily

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-19/Domain: signal sequence #status predicted <SIG>

F:20-117/Product: Ig heavy chain V region (345) #status predicted <MAT>

F:34-117/Domain: immunoglobulin homology <IMM>

F:41-115/Disulfide bonds: #status predicted

Query Match 76.9%; Score 40; DB 1; Length 117;

Best Local Similarity 80.0%; Pred. No. 0.74;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 10

| | | | |

DB 45 GFAFSSYDM 54

RESULT 5

D27888

Ig heavy chain V region (H37-60) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996

C:Accession: D27888

R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.

EMBO J. 5, 1577-1587, 1986

A:Title: Structural and functional implications of a restricted antibody response to

A:Reference number: A91043; MUID:86300658

A:Accession: D27888

A:Molecule type: DNA

A:Residues: 1-121 <CAT>

A:Experimental source: strain Balb/c

A:Note: this sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 76.9%; Score 40; DB 2; Length 121;

Best Local Similarity 80.0%; Pred. No. 0.77;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 10

| | | | |

DB 26 GFAFSSYDM 35

RESULT 6

C27888

Ig heavy chain V region (H37-62) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996

C:Accession: C27888

R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.

EMBO J. 5, 1577-1587, 1986

A:Title: Structural and functional implications of a restricted antibody response to

A:Reference number: A91043; MUID:86300658

A:Accession: C27888

A:Molecule type: DNA

A:Residues: 1-124 <CAT>

A:Experimental source: strain Balb/c

A:Note: this sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 76.9%; Score 40; DB 2; Length 124;

Best Local Similarity 80.0%; Pred. No. 0.79;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 10

| | | | |

DB 26 GFAFSSYDM 35

RESULT 7

S38864

Ig epsilon chain C region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 05-Nov-1999

C:Accession: S38864

R:Kipp, B.; Becker, W.; Schlaak, M.

submitted to the EMBL Data Library, November 1993

A:Description: Combination of a defined specificity and desired isotype by cloning of

A:Reference number: S38864

A:Accession: S38864

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-548 <KIP>

A:Cross-references: EMBL:D27397; NID:g416537; PIDN:CAA81788.1; PID:g940782

C:Superfamily: immunoglobulin homology

F:353-421/Domain: immunoglobulin homology <IMM>

Query Match 75.0%; Score 39; DB 2; Length 548;
 Best Local Similarity 80.0%; Pred. No. 6.2;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 | | | | | | | |
 Db 26 GLTFSSYDMS 35

RESULT 8

S33406
 Ig heavy chain V region - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 19-Mar-1997 #sequence_revision 24-Jul-1997 #text_change 17-Jul-1998
 C:Accession: S33406
 R:Kettleborough, C.A.; Saldanha, J.; Ansell, K.H.; Bendig, M.M.
 Eur. J. Immunol. 23, 206-211, 1993
 A:Title: Optimization of primers for cloning libraries of mouse immunoglobulin genes
 A:Reference number: S33391; MUID:93122092
 A:Accession: S33406
 A:Molecule type: mRNA
 A:Residues: 1-40 <KET>
 A:Cross-references: EMBL:X73009
 A:Experimental source: strain BALB/c
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:15-40/Domain: immunoglobulin homology (fragment) <IMM>

Query Match 73.1%; Score 38; DB 2; Length 40;
 Best Local Similarity 80.0%; Pred. No. 0.58;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 | | | | | | | |
 Db 26 GTTFSSYTMS 35

RESULT 9

C25913
 Ig heavy chain V region (BF114) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 16-Aug-1988 #sequence_revision 16-Aug-1988 #text_change 16-Aug-1996
 C:Accession: C25913
 R:Lawler, A.M.; Lin, P.S.; Gearhart, P.J.
 Proc. Natl. Acad. Sci. U.S.A. 84, 2454-2458, 1987
 A:Title: Adult B-cell repertoire is biased toward two heavy-chain variable-region genes
 A:Reference number: A94148; MUID:87175692
 A:Accession: C25913
 A:Molecule type: DNA
 A:Residues: 1-83 <LAW>
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin

Query Match 73.1%; Score 38; DB 2; Length 83;
 Best Local Similarity 80.0%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 | | | | | | | |
 Db 11 GTTFSSYDMS 20

RESULT 10

S26891
 Ig heavy chain V region (DP-58) - human (fragment)
 C:Species: Homo sapiens (man)
 C:Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
 C:Accession: S26891
 R:Tomlinson, I.M.; Walter, G.; Marks, J.D.; Llewellyn, M.B.; Winter, G.
 J. Mol. Biol. 227, 776-798, 1992
 A:Title: The repertoire of human germline V(H) sequences reveals about fifty groups of

A:Reference number: S26885; MUID:93021117
 A:Accession: S26891
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-98 <TOM>

A:Cross-references: EMBL:X12358; NID:932935; PIDN:CAA78226.1; PID:932936
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 73.1%; Score 38; DB 2; Length 98;
 Best Local Similarity 70.0%; Pred. No. 1.5;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 | | | | | | | |
 Db 26 GTTFSSYEMN 35

RESULT 11

PL0248
 Ig heavy chain V region (anti-DNA, DP12VH) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996
 C:Accession: PL0248
 R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein
 J. Exp. Med. 171, 265-297, 1990
 A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic

A:Reference number: PL0231; MUID:9011618
 A:Accession: PL0248
 A:Molecule type: mRNA
 A:Residues: 1-108 <SHL>

C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-24/Region: framework 1
 F:9-92/Domain: immunoglobulin homology <IMM>
 F:25-29/Region: complementarity-determining 1
 F:30-43/Region: framework 2
 F:44-60/Region: complementarity-determining 2
 F:61-92/Region: framework 3
 F:93-99/Region: complementarity-determining 3
 F:100-108/Region: framework 4

Query Match 73.1%; Score 38; DB 2; Length 108;
 Best Local Similarity 80.0%; Pred. No. 1.7;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 | | | | | | | |
 Db 20 GTTFSSYTMS 29

RESULT 12

PH1006
 Ig heavy chain V region (clone 202.33) - mouse (fragment)
 C:Species: Mus musculus (house mouse)

C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 16-Aug-1996
 C:Accession: PH1006
 R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.

J. Exp. Med. 176, 761-779, 1992

A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PH1006

A:Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-108 <PHI>

A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:10-93/Domain: immunoglobulin homology <IMM>

Query Match 73.1%; Score 38; DB 2; Length 108;
Best Local Similarity 80.0%; Pred. No. 1.7;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| / / / / / / / /
DB 21 GTTFSSYDMS 30

RESULT 13
AVDGM
Ig heavy chain V region (Gom) - dog (tentative sequence)
C:Species: Canis lupus familiaris (dog)
C:Date: 31-May-1979 #sequence_revision 31-May-1979 #text_change 31-Mar-2000
C:Accession: A02067
R:Wasserman, R.L.; Capra, J.D.
Biochemistry 16, 3160-3168, 1977
A:Title: Primary structure of the variable regions of two canine immunoglobulin heavy chain
A:Reference number: A90403; MUID:77242268
A:Accession: A02067
A:Molecule type: protein
A:Residues: 1-114 <WAS>
C:Comment: This chain was isolated from a myeloma protein.
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>
F:22-96/Disulfide bonds: #status predicted

Query Match 73.1%; Score 38; DB 1; Length 114;
Best Local Similarity 77.8%; Pred. No. 1.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
| / / / / / / / /
DB 26 GITFSGYDM 34

RESULT 14
HWS84
Ig heavy chain precursor V region (5-84) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
C:Accession: J00505
R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
J. Exp. Med. 169, 2007-2019, 1989
A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
A:Reference number: J00501; MUID:89279149
A:Accession: J00505
A:Status: translation not shown
A:Molecule type: mRNA
A:Residues: 1-117 <LEV>
A:Experimental source: strain BALB/cJ
A:Note: This sequence belongs to the VH7183 subfamily
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-117/Product: Ig heavy chain V region (5-84) #status predicted <MAT>
F:34-117/Domain: immunoglobulin homology <IMM>
F:41-115/Disulfide bonds: #status predicted

Query Match 73.1%; Score 38; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 1.9;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| / / / / / / / /
DB 45 GTTFSSYDMS 54

RESULT 15

PL0249
Ig heavy chain V region (anti-DNA, 3E12VH) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996
C:Accession: PL0249
R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein
J. Exp. Med. 171, 265-297, 1990
A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somat
A:Reference number: PL0231; MUID:90111618
A:Accession: PL0249
A:Molecule type: mRNA
A:Residues: 1-117 <SHL>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-30/Region: framework 1
F:15-98/Domain: immunoglobulin homology <IMM>
F:31-35/Region: complementarity-determining 1
F:36-49/Region: framework 2
F:50-66/Region: complementarity-determining 2
F:67-98/Region: framework 3
F:99-108/Region: complementarity-determining 3
F:109-117/Region: framework 4

Query Match 73.1%; Score 38; DB 2; Length 117;
Best Local Similarity 80.0%; Pred. No. 1.9;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| / / / / / / / /
DB 26 GTTFSSYDMS 35

Search completed: March 28, 2001, 06:41:49
Job time: 872 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:41 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-48
Perfect score: 52
Sequence: 1 GTTFSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	40	76.9	117	1	HV55_MOUSE
2	38	73.1	114	1	HV01_CANFA
3	38	73.1	117	1	HV54_MOUSE
4	37	71.2	97	1	HV56_MOUSE
5	37	71.2	117	1	HV3C_HUMAN
6	36	69.2	117	1	HV53_MOUSE
7	35	67.3	117	1	HV52_MOUSE
8	35	67.3	117	1	HV59_MOUSE
9	35	67.3	569	1	AMY_STRVL
10	34	65.4	114	1	HV00_MOUSE
11	34	65.4	153	1	RISC_METH
12	34	65.4	153	1	RISC_METH
13	34	65.4	527	1	GUAD_SCHPO
14	34	65.4	641	1	FIB2_PETMA
15	34	65.4	703	1	CDGT_BACS2
16	34	65.4	704	1	CDGT_BACOH
17	33	63.5	115	1	HV3D_HUMAN
18	33	63.5	650	1	RAEL_RAT
19	33	63.5	710	1	CDGT_THETU
20	33	63.5	1024	1	RIP3_MOUSE
21	33	63.5	2211	1	FA5_BOVIN
22	32	61.5	314	1	RHRA_RHME
23	32	61.5	441	1	DNB2_ADEG1
24	32	61.5	444	1	CIAB_STRPN
25	32	61.5	576	1	RICI_RICCO
26	31	59.6	116	1	HV1A_RABIT
27	31	59.6	117	1	HV2B_RABIT
28	31	59.6	120	1	HV3E_HUMAN
29	31	59.6	121	1	HV3J_HUMAN
30	31	59.6	326	1	YQBQ_BACSU
31	31	59.6	391	1	Y53A_METJA
32	31	59.6	401	1	ODO2_RICPR
33	31	59.6	409	1	ODO2_FUGRU

ALIGNMENTS

RESULT 1
HV55_MOUSE

ID HV55_MOUSE STANDARD; PRT; 117 AA.
AC P18526;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DE 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 345 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE: 89279149
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: J0502; HVMS34.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; ig: 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 345.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12902 MW; 49380E4627ACA99A CRC64;

Query Match 76.9%; Score 40; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.27;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
Db 45 GRAFSSYDMS 54

RESULT 2
HV01_CANFA

ID HV01_CANFA STANDARD; PRT; 114 AA.
AC P01784;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DE 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION GOM.
OS Canis familiaris (Dog).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.

RN SEQUENCE.
 RX MEDLINE; 77242268.
 RA Wasserman R.L., Capra J.D.;
 RT "Primary structure of the variable regions of two canine
 immunoglobulin heavy chains";
 RL Biochemistry 16:3160-3168(1977).
 CC -1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM A MYELOMA PROTEIN.
 DR PIR: A02067; AVDGM.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; ig: 1.
 KW Immunoglobulin V region.
 FT NON_TER 114 114
 SQ SEQUENCE 114 AA; 12430 MW; BID4745D2C4E13C4 CRC64;

 Query Match 73.1%; Score 38; DB 1; Length 114;
 Best Local Similarity 77.8%; Pred. No. 0.67;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

 QY 1 GTTFSSYDM 9
 Db 26 GTTFSSYDM 34

 RESULT 3
 HV54_MOUSE
 ID HV54_MOUSE STANDARD; PRT; 117 AA.
 AC P18525;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 5-84 PRECURSOR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Euthera; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JTO504; HVMS84.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; ig: 1.
 KW Immunoglobulin V region.
 FT NON_TER 111 111
 SQ SEQUENCE 117 AA; 12872 MW; 234055CB6A469861 CRC64;

Query Match 73.1%; Score 38; DB 1; Length 117;
 Best Local Similarity 80.0%; Pred. No. 0.69;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

 QY 1 GTTFSSYDMS 10
 Db 45 GTTFSSYDMS 54

 RESULT 4
 HV56_MOUSE
 ID HV56_MOUSE STANDARD; PRT; 97 AA.

AC P18527;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 914.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Euthera; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JTO504; HVMS91.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; ig: 1.
 KW Immunoglobulin V region.
 FT NON_TER 97 97
 SQ SEQUENCE 97 AA; 10661 MW; C23CB33FF55DA893 CRC64;

 Query Match 71.2%; Score 37; DB 1; Length 97;
 Best Local Similarity 80.0%; Pred. No. 0.89;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

 QY 1 GTTFSSYDMS 10
 Db 26 GTTFSSYDMS 35

 RESULT 5
 HV3C_HUMAN
 ID HV3C_HUMAN STANDARD; PRT; 117 AA.
 AC P01764;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V-III REGION VH26 PRECURSOR.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Euthera; Primates; Catarrhini; Hominiidae; Homo.
 RN
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 81101090.
 RA Matthyssens G., Rabbitts T.H.;
 RT "Structure and multiplicity of genes for the human immunoglobulin
 heavy chain variable region";
 RL Proc. Natl. Acad. Sci. U.S.A. 77:6561-6565(1980).
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@sib-sib.ch).
 CC
 CC EMBL; J00236; AAA53516.1; -.
 DR EMBL; M35415; AAA58735.1; -.
 DR PIR; A02047; H3H026.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; ig: 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V-III REGION VH26.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12582 MW; E826733F1A3CB0F1 CRC64;

Query Match 71.2%; Score 37; DB 1; Length 117;
 Best Local Similarity 80.0%; Pred. No. 1.1;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 Db 45 GTTFSSYAMS 54

RESULT 6
 HV53_MOUSE STANDARD; PRT; 117 AA.
 ID HV53_MOUSE
 AC P18524;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION RF PRECURSOR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Euthera; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN-BALB/CJ;
 RX MEDLINE: 89279149.
 RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response.";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JT0503; HVMSRF.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; Ig; 1.
 KW Immunoglobulin V region; Hybridoma; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V REGION RF.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12866 MW; 2CE3295F390F725B CRC64;

Query Match 69.2%; Score 36; DB 1; Length 117;
 Best Local Similarity 80.0%; Pred. No. 1.7;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 Db 45 GTTFSSYAMS 54

RESULT 7
 HV52_MOUSE STANDARD; PRT; 117 AA.
 ID HV52_MOUSE
 AC P06327;
 DT 01-JAN-1988 (Rel. 06, Created)
 DT 01-JAN-1988 (Rel. 06, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION VH558 A1/A4 PRECURSOR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Euthera; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 [1]
 RN SEQUENCE FROM N.A.
 RP MEDLINE: 85099340.
 RA Yancopoulos G.D., Alt F.W.;
 RT "Developmentally controlled and tissue-specific expression of
 unrearranged VH gene segments.";
 RL Cell 40:271-281(1985).
 CC

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@sib-sib.ch).
 CC -----

DR EMBL: M13787; AAA38499.1; -.
 DR PIR: A02029; HVMSA1.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; Ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V REGION VH558 A1/A4.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12971 MW; 8B0BC138856DFC9D CRC64;

Query Match 67.3%; Score 35; DB 1; Length 117;
 Best Local Similarity 60.0%; Pred. No. 2.8;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 Db 45 GTTFSSYDIN 54

RESULT 8
 HV59_MOUSE STANDARD; PRT; 117 AA.
 ID HV59_MOUSE
 AC P18530;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 7-39 PRECURSOR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Euthera; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN-BALB/CJ;
 RX MEDLINE: 89279149.
 RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response.";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JT0507; HVMS39.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; Ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V REGION 7-39.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12972 MW; D5CA4167D0F1774F CRC64;

Query Match 67.3%; Score 35; DB 1; Length 117;
 Best Local Similarity 70.0%; Pred. No. 2.8;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | |
Db 45 GFTFSNYGMS 54

RESULT 9
AMY_STRVL STANDARD; PRT; 569 AA.
AC P22998;
DT 01-AUG-1991 (Rel. 19, Created)
DT 01-AUG-1991 (Rel. 19, Last sequence update)
DT 01-APR-1993 (Rel. 25, Last annotation update)
DE ALPHA-AMYLASE PRECURSOR (EC 3.2.1.1) (1,4-ALPHA-D-GLUCAN
GLUCANOHYDROLASE).
GN AML.
OS Streptomyces violaceus (Streptomyces venezuelae).
OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
OC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
RN [1]
RC SEQUENCE FROM N.A.
RP STRAIN=ATCC 15068;
RX MEDLINE; 89232724.
RA Virolle M.-J., Long C.M., Chang S., Bibb M.J.;
RT "Cloning, characterization and regulation of an alpha-amylase gene
from Streptomyces venezuelae";
RL Gene 74:321-334(1988).
CC -1- CATALYTIC ACTIVITY: ENDOHYDROLYSIS OF 1,4-ALPHA-GLUCOSIDIC
LINKAGES IN OLIGOSACCHARIDES AND POLYSACCHARIDES.
CC -1- INDUCTION: BY MALTOSSE, AND REPRESSION BY GLUCOSE.
CC -1- SIMILARITY: BELONGS TO FAMILY 13 OF GLYCOSYL HYDROLASES, ALSO
KNOWN AS THE ALPHA-AMYLASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M25263; AAB36561.1; -
DR PIR; J50101; J50101.
DR HSSP; P00690; 10SE.
DR INTERPRO; IPR000461; -
DR INTERPRO; IPR002044; -
DR PFAM; PF00686; CBD_4; 1.
DR PFAM; PF00128; alpha-amylase; 1.
DR PRINTS; PR00110; ALPHAAMYLASE.
KW Hydrolase; Glycosidase; Carbohydrate metabolism; Signal.
FT SIGNAL 1 28 POTENTIAL.
FT CHAIN 29 569 ALPHA-AMYLASE.
FT ACT_SITE 205 205 BY SIMILARITY.
FT ACT_SITE 209 209 BY SIMILARITY.
FT ACT_SITE 296 296 BY SIMILARITY.
SQ SEQUENCE 569 AA; 60637 MW; 14CA5B1D56720043 CRC64;

Query Match 67.3%; Score 35; DB 1; Length 569;
Best Local Similarity 75.0%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYD 8
| | | | | | | |
Db 132 GTSFSKYD 139

RESULT 10
HV00_MOUSE STANDARD; PRT; 114 AA.
AC P01741;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)

DT 21-JUL-1986 (Rel. 01, Last annotation update)
DE IG HEAVY CHAIN V REGION (ANTI-ARSONATE ANTIBODY).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
RX MEDLINE; 79195438.
RA Capra J.D., Nisonoff A.;
RT "Structural studies on induced antibodies with defined idiotypic
specificities. VII. The complete amino acid sequence of the heavy
chain variable region of anti-p-azophenylarsenate antibodies from A/J
mice bearing a cross-reactive idiotype.";
RL J. Immunol. 123:279-284(1979).
CC -1- MISCELLANEOUS: ANTIBODY ISOLATED FROM TEN MICE WAS EXCLUSIVELY OF
THE IG G1 SUBCLASS. THERE WAS NO HETEROGENEITY IN THE HEAVY CHAIN V
REGION SEQUENCE.
CC PIR; A02022; GIMSAA.
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Antiarsenate antibody.
FT NON_TER 114 114
SQ SEQUENCE 114 AA; 12555 MW; 99DBF0B6A69F4BE CRC64;

Query Match 65.4%; Score 34; DB 1; Length 114;
Best Local Similarity 66.7%; Pred. No. 4.3;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
| | | | | | | |
Db 26 GYTFSSVEL 34

RESULT 11
RISC_METH STANDARD; PRT; 153 AA.
AC O26237;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE RIBOFLAVIN SYNTHASE (EC 2.5.1.9).
GN RIBC OR MTH134.
OS Methanobacterium thermoautotrophicum.
OC Archaea; Euryarchaeota; Methanobacteriales; Methanobacteriaceae;
OC Methanobacterium.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=DELTA H;
RX MEDLINE; 98037514.
RA Smith D.R., Doucette-Stamm L.A., DeLoughery C., Lee H.-M., DuBois J.,
RA Aldredge T., Bashirzadeh R., Blakely D., Cook R., Gilbert K.,
RA Harrison D., Hoang L., Keagle P., Lumm W., Pothier B., Qiu D.,
RA Spadafora R., Vicare R., Wang Y., Wierzbowski J., Gibson R.,
RA Jiواني N., Caruso A., Bush D., Safer H., Patwell D., Prabhakar S.,
RA McDougall S., Shimer G., Goyal A., Pietrovski S., Church G.M.,
RA Daniels C.J., Mao J.-I., Rice P., Nolling J., Reeve J.N.;
RT "Complete genome sequence of Methanobacterium thermoautotrophicum
deltaH: functional analysis and comparative genomics.";
RL J. Bacteriol. 179:7135-7155(1997).
CC -1- CATALYTIC ACTIVITY: 2,6,7-DIMETHYL-8-(1-D-RIBITYL) LUMAZINE -
RIBOFLAVIN + 4-(1-D-RIBITYLAMINO)-5-AMINO-2,6-DIHYDROXYPYRIMIDINE.
CC -1- COFACTOR: FLAVOPROTEIN AND MAGNESIUM (BY SIMILARITY).
CC -1- ENZYME REGULATION: INHIBITED BY EDTA (BY SIMILARITY).
CC -1- PATHWAY: FINAL STEP OF RIBOFLAVIN SYNTHESIS.
CC -1- SUBUNIT: HOMODIGOMER (BY SIMILARITY).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; AE000802; AAB84640.1; -
 DR INTERPRO; IPR002180; -
 DR PRAM; PF00885; DMRL_synthase; 1.
 KW Riboflavin biosynthesis; Transferase; Flavoprotein; Magnesium.
 SQ SEQUENCE 153 AA; 16908 MW; 79DD08CCBABB785 CRC64;

Query Match 65.4%; Score 34; DB 1; Length 153;
 Best Local Similarity 75.0%; Pred. No. 5.9;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 TTFSSYDM 9
 |||: |||
 Db 9 TTFARYDM 16

RESULT 12
 RISC_METTM STANDARD; PRT; 153 AA.
 AC Q59587:
 DT 01-OCT-2000 (Rel. 40, Created)
 DT 01-OCT-2000 (Rel. 40, Last sequence update)
 DE 01-OCT-2000 (Rel. 40, Last annotation update)
 DE RIBOFLAVIN SYNTHASE (EC 2.5.1.9).
 GN RIBC.
 OS Methanobacterium thermoautotrophicum (strain Marburg / DSM 2133).
 OC Archaea; Euryarchaeota; Methanobacteriales; Methanobacteriaceae;
 OC Methanobacterium.
 RN [1]
 RN SEQUENCE FROM N.A., AND SEQUENCE OF 1-42 AND 129-151.
 RA Eberhardt S., Korn S., Lottspeich F., Bacher A.;
 RT "Biosynthesis of riboflavin: an unusual riboflavin synthase of
 RT Methanobacterium thermoautotrophicum.";
 RL J. Bacteriol. 179:2938-2943(1997).
 CC -1- FUNCTION: THE RELATIVELY LOW ACTIVITY OF THIS ENZYME SUGGESTED
 CC THAT 6,7-DIMETHYL-8-RIBITYLLUMAZINE MIGHT NOT BE ITS NATURAL
 CC SUBSTRATE.
 CC -1- CATALYTIC ACTIVITY: 2,6,7-DIMETHYL-8-(1-D-RIBITYL)UMAZINE -
 CC RIBOFLAVIN + 4-(1-D-RIBITYLAMINO)-5-AMINO-2,6-DIHYDROXYPYRIMIDINE.
 CC -1- COFACTOR: FLAVOPROTEIN AND MAGNESIUM.
 CC -1- ENZYME REGULATION: INHIBITED BY EDTA.
 CC -1- PATHWAY: FINAL STEP OF RIBOFLAVIN SYNTHESIS.
 CC -1- SUBUNIT: HOMODIGLIMER.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; X94292; CAA63959.1; -
 DR INTERPRO; IPR002180; -
 DR PRAM; PF00885; DMRL_synthase; 1.
 KW Riboflavin biosynthesis; Transferase; Flavoprotein; Magnesium.
 SQ SEQUENCE 153 AA; 16969 MW; CAAE34FDA348F534 CRC64;

Query Match 65.4%; Score 34; DB 1; Length 153;
 Best Local Similarity 75.0%; Pred. No. 5.9;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 TTFSSYDM 9
 |||: |||
 Db 9 TTFARYDM 16

RESULT 13
 GUAD_SCHPO

ID GUAD_SCHPO STANDARD; PRT; 527 AA.
 AC O14057;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE PROBABLE GUANINE DEAMINASE (EC 3.5.4.3) (GUANASE) (GUANINE AMINASE)
 DE (GUANINE AMINOHYDROLASE) (GAH).
 GN SPCCL672.03C.
 OS Schizosaccharomyces pombe (Fission yeast).
 OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetales;
 OC Schizosaccharomycetaceae; Schizosaccharomycetes.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-972;
 RA Hilbert H., Duisterhoeft A., Wood V., Rajandream M.A., Barrell B.G.;
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: CATALYZES THE HYDROLYTIC DEAMINATION OF GUANINE,
 CC PRODUCING XANTHINE AND AMMONIA (BY SIMILARITY).
 CC -1- CATALYTIC ACTIVITY: GUANINE + H(2)O = XANTHINE + NH(3).
 CC -1- COFACTOR: CONTAINS 1 MOLE OF ZINC PER SUBUNIT (BY SIMILARITY).
 CC -1- PATHWAY: PURINE NUCLEOTIDE CATABOLISM.
 CC -1- SIMILARITY: BELONGS TO THE ATZ/TRZ FAMILY.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; AL031324; CAA20441.1; -
 DR INTERPRO; IPR002604; -
 DR PRAM; PF01685; ATZ_TRZ; 1.
 KW Hydrolase; Zinc.
 SQ SEQUENCE 527 AA; 58047 MW; 23D9A3F1117601C1 CRC64;

Query Match 65.4%; Score 34; DB 1; Length 527;
 Best Local Similarity 85.7%; Pred. No. 23;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 GTTFSSY 7
 |||: |||
 Db 132 GTTFASY 138

RESULT 14
 FIB2_PETMA STANDARD; PRT; 641 AA.
 ID FIB2_PETMA
 AC P33573;
 DT 01-FEB-1994 (Rel. 28, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DT 01-FEB-1994 (Rel. 28, Last annotation update)
 DE FIBRINOGEN ALPHA-2 CHAIN PRECURSOR.
 OS Petromyzon marinus (Sea lamprey).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Hypercartia;
 OC Petromyzontiformes; Petromyzontidae; Petromyzon.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=LIVER;
 RX MEDLINE; 92196058.

RA Pan Y., Doolittle R.F.;
 RT "cDNA sequence of a second fibrinogen alpha chain in lamprey: an
 RT archetypal version alignable with full-length beta and gamma
 RT chains.";
 RL Proc. Natl. Acad. Sci. U.S.A. 89:2066-2070(1992).
 CC -1- FUNCTION: FIBRINOGEN HAS A DOUBLE FUNCTION: YIELDING MONOMERS THAT
 CC POLYMERIZE INTO FIBRIN AND ACTING AS A COFACTOR IN PLATELET
 CC AGGREGATION.
 CC -1- SUBUNIT: HEXAMER CONTAINING 2 SETS OF 3 NONIDENTICAL CHAINS
 CC (ALPHA, BETA, & GAMMA), LINKED TO EACH OTHER BY DISULFIDE BONDS.
 CC -1- MISCELLANEOUS: CONVERSION OF FIBRINOGEN TO FIBRIN IS TRIGGERED BY

CC THROMBIN, WHICH CLEAVES FIBRINOPEPTIDES A AND B FROM ALPHA & BETA
 CC CHAINS, AND THUS EXPOSES THE N-TERMINAL POLYMERIZATION SITES
 CC RESPONSIBLE FOR THE FORMATION OF THE SOFT CLOT. THE SOFT CLOT IS
 CC CONVERTED INTO THE HARD CLOT BY FACTOR XIII WHICH CATALYZES THE
 CC EPSILON-(GAMMA-GLUTAMYL)LYSINE CROSS-LINKING BETWEEN GAMMA CHAINS
 CC (STRONGER) AND BETWEEN ALPHA CHAINS (WEAKER) OF DIFFERENT
 CC MONOMERS.
 CC
 CC -1- SIMILARITY: ITS N-TERMINAL HALF IS HOMOLOGOUS TO THE ALPHA CHAINS,
 CC WHILE ITS C-TERMINAL HALF IS HOMOLOGOUS TO THE C-TERMINI OF THE
 CC BETA AND THE GAMMA CHAINS.
 CC
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; M84565; AAA73183.1; -;
 CC EMBL; M84482; AAA49264.1; -;
 CC PIR; S27940; S27940.
 CC HSP; P02671; IZSD.
 CC
 CC INTERPRO: IPR002181; -;
 CC PFAM; PF00147; fibrinogen_C; 1.
 CC PROSITE; PS00514; FIBRIN_AG_C_DOMAIN; 1.
 CC Blood coagulation; Plasma; Signal; Repeat.
 CC SIGNAL 1 23 POTENTIAL.
 CC PEPTIDE 24 31 FIBRINOPEPTIDE A (BY SIMILARITY).
 CC CHAIN 32 641 FIBRINOGEN ALPHA-2 CHAIN.
 CC SITE 31 32 CLEAVAGE (BY THROMBIN; RELEASE
 CC FIBRINOPEPTIDE A).
 CC
 CC DOMAIN 293 316 SER-RICH.
 CC DISULFID 45 45 INTERCHAIN (WITH THE ALPHA CHAIN)
 CC (BY SIMILARITY).
 CC DISULFID 54 54 INTERCHAIN (WITH THE BETA CHAIN)
 CC (BY SIMILARITY).
 CC DISULFID 63 63 INTERCHAIN (WITH THE GAMMA CHAIN)
 CC (BY SIMILARITY).
 CC DISULFID 67 67 INTERCHAIN (WITH THE BETA CHAIN)
 CC (BY SIMILARITY).
 CC DISULFID 179 179 INTERCHAIN (WITH THE GAMMA CHAIN)
 CC (BY SIMILARITY).
 CC DISULFID 183 183 INTERCHAIN (WITH THE BETA CHAIN)
 CC (BY SIMILARITY).
 CC DISULFID 404 435 (BY SIMILARITY).
 CC DISULFID 571 584 BY SIMILARITY.
 CC CARBOHYD 271 271 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC CARBOHYD 397 397 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC CARBOHYD 458 458 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC SEQUENCE 641 AA; 70756 MW; CA991A8DD698BFB5 CRC64;
 CC
 CC Query Match 65.4%; Score 34; DB 1; Length 641;
 CC Best Local Similarity 75.0%; Pred. No. 29;
 CC Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 CC
 CC QY 1 GTTFSSYD 8
 CC I I I I I I
 CC Db 553 GMTFSTYD 560
 CC
 CC RESULT 15
 CC CDGT_BACS2
 CC ID CDGT_BACS2 STANDARD; PRT; 703 AA.
 CC AC P31746;
 CC DT 01-JUL-1993 (Rel. 26, Created)
 CC DT 01-JUL-1993 (Rel. 26, Last sequence update)
 CC DT 15-DEC-1998 (Rel. 37, Last annotation update)
 CC DE CYCLOMALTODEXTRIN GLUCANOTRANSFERASE PRECURSOR (EC 2.4.1.19)
 CC DE (CYCLODEXTRIN-GLYCOSYLTRANSFERASE) (CGTASE).
 CC GN CGT.
 CC OS Bacillus sp. (strain 1-1).

OC Bacteria; Firmicutes; Bacillus/Clostridium group;
 OC Bacillus/Staphylococcus group; Bacillus.
 RN [1]
 RN SEQUENCE FROM N.A., AND SEQUENCE OF 30-52.
 RA Schmid G., Englbrecht A., Schmid D.;
 RT "Cloning and nucleotide sequence of a cyclodextrin glycosyltransferase
 RT gene from the alkalophilic Bacillus 1-1.";
 RL (in) Huber O., Szejtli J. (eds.);
 RL Proceedings of the fourth international symposium on cyclodextrins,
 RL pp. 71-76, Kluwer Academic Publishers, Dordrecht and Boston (1988).
 CC -1- CATALYTIC ACTIVITY: DEGRADE STARCH TO CYCLODEXTRINS BY FORMATION
 CC OF A 1,4-ALPHA-D-GLUCOSIDIC BOND.
 CC -1- COFACTOR: BINDS TWO CALCIUM IONS.
 CC -1- SUBUNIT: MONOMER.
 CC -1- MISCELLANEOUS: CGTASE MAY CONSIST OF TWO PROTEIN DOMAINS: THE ONE
 CC IN THE AMINO-TERMINAL SIDE CLEAVES THE ALPHA-1,4-GLUCOSIDIC BOND
 CC IN STARCH, AND THE OTHER IN THE C-TERMINAL SIDE CATALYZES OTHER
 CC ACTIVITIES, INCLUDING THE RECONSTITUTION OF AN
 CC ALPHA-1,4-GLUCOSIDIC LINKAGE FOR CYCLIZING THE
 CC MALTOOLIGOSACCHARIDE PRODUCED.
 CC -1- SIMILARITY: BELONGS TO FAMILY 13 OF GLYCOSYL HYDROLASES, ALSO
 CC KNOWN AS THE ALPHA-AMYLASE FAMILY.
 CC PIR; S26399; ALBSX1.
 DR HSP; P31797; ILYG.
 DR INTERPRO: IPR000461; -;
 DR INTERPRO: IPR002044; -;
 DR INTERPRO: IPR002909; -;
 DR PFAM; PF00586; CBD_4; 1.
 DR PFAM; PF01833; TIG; 1.
 DR PFAM; PF00128; alpha-amylase; 1.
 KW Transferase; Glycosyltransferase; Calcium; Signal.
 FT SIGNAL 1 29
 FT CHAIN 30 703 CYCLOMALTODEXTRIN GLUCANOTRANSFERASE.
 FT DOMAIN 30 160 A1.
 FT DOMAIN 161 224 B.
 FT DOMAIN 225 428 A2.
 FT DOMAIN 429 516 C.
 FT DOMAIN 517 600 D.
 FT DOMAIN 601 703 E.
 FT DISULFID 68 75 BY SIMILARITY.
 FT ACT_SITE 251 251 BY SIMILARITY.
 FT ACT_SITE 279 279 BY SIMILARITY.
 FT ACT_SITE 350 350 BY SIMILARITY.
 SQ SEQUENCE 703 AA; 78663 MW; 4D973FB21D0D9B0A CRC64;

Query Match 65.4%; Score 34; DB 1; Length 703;
 Best Local Similarity 70.0%; Pred. No. 32;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 I I I I I I
 Db 202 GTDFSSYDMS 211

Search completed: March 28, 2001, 07:29:43
 Job time: 1650 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:27 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-48
Perfect score: 52
Sequence: 1 GTTFSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

- SPTREMBL_15:*
- 1: sp.archaea:*
 - 2: sp.bacteria:*
 - 3: sp.fungi:*
 - 4: sp.human:*
 - 5: sp.invertebrate:*
 - 6: sp.mammal:*
 - 7: sp.mhc:*
 - 8: sp.organelle:*
 - 9: sp.phage:*
 - 10: sp.plant:*
 - 11: sp.rodent:*
 - 12: sp.virus:*
 - 13: sp.vertebrate:*
 - 14: sp.unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	38	73.1	370	Q52474	Q52474 pseudomonas
2	37	71.2	437	Q9RIA4	Q9RIA4 mus musculus
3	36	69.2	118	Q9UL91	Q9UL91 homo sapien
4	35	67.3	95	Q9ULB6	Q9ULB6 homo sapien
5	35	67.3	125	Q9RZR0	Q9RZR0 deinococcus
6	35	67.3	147	Q9Y509	Q9Y509 homo sapien
7	35	67.3	892	P91644	P91644 drosophila
8	35	67.3	894	Q9VKG1	Q9VKG1 drosophila
9	34	65.4	92	Q9MXB2	Q9MXB2 barbus inte
10	34	65.4	113	Q9UL90	Q9UL90 homo sapien
11	34	65.4	191	Q9ZEB4	Q9ZEB4 rickettsia
12	34	65.4	217	Q9IHH6	Q9IHH6 frog adenov
13	34	65.4	314	Q97279	Q97279 plasmodium
14	34	65.4	481	Q9X405	Q9X405 streptococc
15	34	65.4	692	Q30565	Q30565 bacillus br
16	34	65.4	704	O82984	O82984 bacillus br
17	34	65.4	725	O59239	O59239 bacillus sp
18	34	65.4	855	O15797	O15797 p strain dd
19	34	65.4	1892	Q9QY40	Q9QY40 mus musculus

20	34	65.4	2325	10	Q41743	Q41743 zeu mayas (m
21	33	63.5	116	4	Q9UL93	Q9UL93 homo sapien
22	33	63.5	116	4	Q9UL89	Q9UL89 homo sapien
23	33	63.5	157	8	Q9MJR3	Q9MJR3 taenia pisl
24	33	63.5	159	5	Q9N7T2	Q9N7T2 leishmania
25	33	63.5	251	11	Q63800	Q63800 ratus norv
26	33	63.5	292	3	Q05533	Q05533 saccharomyc
27	33	63.5	297	2	Q70010	Q70010 salmonella
28	33	63.5	531	2	Q9RJ14	Q9RJ14 streptomyc
29	33	63.5	708	2	Q9RUA4	Q9RUA4 deinococcus
30	33	63.5	1837	5	Q9VC29	Q9VC29 drosophila
31	32	61.5	118	1	Q9Y9X2	Q9Y9X2 aeropyrum p
32	32	61.5	124	4	Q9UL92	Q9UL92 homo sapien
33	32	61.5	130	2	O25823	O25823 helicobacte
34	32	61.5	130	2	Q9ZK01	Q9ZK01 helicobacte
35	32	61.5	147	4	Q9NT38	Q9NT38 homo sapien
36	32	61.5	258	2	O83768	O83768 treponema p
37	32	61.5	373	10	Q9LZFO	Q9LZFO arabidopsis
38	32	61.5	377	5	Q9VDL7	Q9VDL7 drosophila
39	32	61.5	464	2	O66863	O66863 aquifex aeo
40	32	61.5	491	2	P94289	P94289 bacillus ci
41	32	61.5	541	10	Q41174	Q41174 ricinus com
42	32	61.5	558	2	Q9R9W8	Q9R9W8 pseudomonas
43	32	61.5	773	2	Q9PP35	Q9PP35 campylobact
44	32	61.5	820	12	Q89364	Q89364 paramecium
45	32	61.5	1318	5	Q9NE11	Q9NE11 leishmania

ALIGNMENTS

RESULT 1
Q52474
ID Q52474 PRELIMINARY; PRT; 370 AA.
AC Q52474;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update)
DE (STRAIN DC3000).
GN HRP2.
OS Pseudomonas syringae.
OC Bacteria; Proteobacteria; gamma subdivision; Pseudomonadaceae;
OC Pseudomonas.
OX NCBI_TaxID=317;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=DC3000;
RX MEDLINE=96025089; PubMed=7579616;
RA Preston G., Huang H.C., He S.Y., Collmer A.;
RT "The HrpZ proteins of Pseudomonas syringae pvs. syringae, glycinea,
RT and tomato are encoded by an operon containing Yersinia ysc homologs
RT and elicit the hypersensitive response in tomato but not soybean.";
RL Mol. Plant Microbe Interact. 8:717-732(1995).
DR EMBL: L41861; AAB00127.1;
SQ SEQUENCE 370 AA; 36584 MW; D22E43784ACDIE51 CRC64;

Query Match 73.1%; Score 38; DB 2; Length 370;
Best Local Similarity 88.9%; Pred. No. 11;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
Db 159 GTTFSSDDM 167
|||||

RESULT 2
Q9RIA4
ID Q9RIA4 PRELIMINARY; PRT; 437 AA.
AC Q9RIA4;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)

```

DE GAMMAL HEAVY CHAIN OF MAB7 (FRAGMENT).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Wilde K.G., Yu X., Ekramoddoullah A.K.M., Misra S.;
RT "Cloning of cDNAs encoding for anti-white pine blister rust monoclonal
RT antibody (Mab 7, its light and heavy chains) and construction of a
RT single chain antibody (scFv).";
RL Submitted (MAY-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF152372; AAD40243.1; -
DR HSSP; P01842; 7FAB.
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; Ig; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_1.
FT NON_TER 1
FT NON_TER 437
SQ SEQUENCE 437 AA; 48142 MW; 5C3A7BB3EE7D697C CRC64;

Query Match 71.2%; Score 37; DB 11; Length 437;
Best Local Similarity 80.0%; Pred. No. 22;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
Db 25 GTTFSSYAMS 34

RESULT 3
Q9UL91 PRELIMINARY; PRT; 118 AA.
AC Q9UL91;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Young D.C.;
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035023; AAD56259.1; -
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 118
SQ SEQUENCE 118 AA; 12843 MW; D0633949F2AC149D CRC64;

Query Match 69.2%; Score 36; DB 4; Length 118;
Best Local Similarity 70.0%; Pred. No. 7;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
Db 26 GTTFSSYSMN 35

RESULT 4
Q9ULB6 PRELIMINARY; PRT; 95 AA.
ID Q9ULB6
AC Q9ULB6;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)

```

```

DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE IMMUNOGLOBULIN HEAVY CHAIN (FRAGMENT).
GN VH.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Tange Y., Kayano H.;
RT "Human VH gene sequence.";
RL Submitted (NOV-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB035268; BAA87067.1; -
DR HSSP; P01772; 2FBA.
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 95
SQ SEQUENCE 95 AA; 10527 MW; 90A8C6D16D22574A CRC64;

Query Match 67.3%; Score 35; DB 4; Length 95;
Best Local Similarity 80.0%; Pred. No. 9;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
Db 25 GTTFSSYWS 34

RESULT 5
Q9RZR0 PRELIMINARY; PRT; 125 AA.
ID Q9RZR0
AC Q9RZR0;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE HYPOTHETICAL 13.7 KDA PROTEIN.
GN DRB0060.
OS Deinococcus radiodurans.
OG Plasmid MPI.
OC Bacteria; Thermus/Deinococcus group; Deinococcales; Deinococcus.
OX NCBI_TaxID=1299;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=RI;
RX MEDLINE=20036896; PubMed=10567266;
RA White O., Eisen J.A., Heidelberg J.F., Hickey E.K., Peterson J.D.,
RA Dodson R.J., Haft D.H., Gwinn M.L., Nelson W.C., Richardson D.L.,
RA Moffat K.S., Qin H., Jiang L., Pamphile W., Crosby M., Shen M.,
RA Vamathevan J.J., Lam P., McDonald L., Utterback T., Zaleski C., D.,
RA Makarova K.S., Aravind L., Daly M.J., Minton K.W., Fleischmann R.D.,
RA Ketchum K.A., Nelson K.E., Salzberg S., Smith H.O., Venter J.C.,
RA Fraser C.M.;
RT "Genome Sequence of the Radioresistant Bacterium Deinococcus
RT radiodurans RI.";
RL Science 286:1571-1577(1999).
DR EMBL; AF001826; AAF12636.1; -
DR TIGR; DRB0060; -
KW Hypothetical protein; Plasmid.
SQ SEQUENCE 125 AA; 13670 MW; 009E5806FAA172A0 CRC64;

Query Match 67.3%; Score 35; DB 2; Length 125;
Best Local Similarity 75.0%; Pred. No. 13;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYD 8
Db 23 GTTFGKYD 30

```

```

RESULT 6
Q9Y509 ID Q9Y509 PRELIMINARY: PRT: 147 AA.
AC Q9Y509;
DT 01-NOV-1999 (TrEMBLrel. 12, Created)
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE VH3 PROTEIN (FRAGMENT).
GN VH3.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
[1]
RN SEQUENCE FROM N.A.
RP MEDLINE=96071149; PubMed=7475288;
RA Cao J., Vescio R.A., Rettig M.B., Hong C.H., Kim A., Lee J.C.,
RA Lichtenstein A.K., Berenson J.R.;
RT "A CD10-positive subset of malignant cells is identified in multiple
RT myeloma using PCR with patient-specific immunoglobulin gene primers.";
RL Leukemia 9:1948-1953(1995).
DR EMBL: S80860; AAD14339.1; -.
DR HSSP: P01772; 2FB4.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig: 1.
DR NON_TER 1
SQ SEQUENCE 147 AA; 15768 MW; 8489FCAAA7BC925C CRC64;

Query Match 67.3%; Score 35; DB 4; Length 147;
Best Local Similarity 70.0%; Pred. No. 16;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSVDMS 10
DB 26 GTTFSTVGMS 35
| | | | | | | |

RESULT 7
P91644 ID P91644 PRELIMINARY: PRT: 892 AA.
AC P91644;
DT 01-MAY-1997 (TrEMBLrel. 03, Created)
DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE KEK2 PRECURSOR (FRAGMENT).
GN KEK2.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
[1]
RN SEQUENCE FROM N.A.
RP STRAIN=OREGON R;
RX MEDLINE=97223506; PubMed=8812109;
RA Musacchio M., Perrimon N.;
RT "The Drosophila kekkon genes: novel members of both the leucine-rich
RT repeat and immunoglobulin superfamilies expressed in the CNS.";
RL Dev. Biol. 178:63-76(1996).
DR EMBL: U42768; AAC47405.1; -.
DR FLYBASE: Fgn0015400; kek2.
DR INTERPRO: IPR000483; -.
DR INTERPRO: IPR001611; -.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig: 1.
DR PFAM: PF00560; LRR: 5.
DR PFAM: PF01463; LRRCT; 1.
KW Signal.
FT SIGNAL 1
FT SIGNAL <1 17 POTENTIAL.
FT CHAIN 18 892 KEK2.
SQ SEQUENCE 892 AA; 97294 MW; 61FB07968E9FF880 CRC64;

```

```

Query Match 67.3%; Score 35; DB 5; Length 892;
Best Local Similarity 66.7%; Pred. No. 1.2e+02;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
DB 349 GTTFSTNYTL 357
| | | | | | | |

RESULT 8
Q9VKGI ID Q9VKGI PRELIMINARY: PRT: 894 AA.
AC Q9VKGI;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE KEK2 PROTEIN.
GN KEK2.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
[1]
RN SEQUENCE FROM N.A.
RP STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celnikier S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Abrell J.F., Agbayani A., An H.-J., Andrews-Pfannkuch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.V., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Fostler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattel B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleib J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Spier B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Shue E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wasserman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL: AE003633; AAF53111.1; -.
DR FLYBASE: Fgn0015400; kek2.
DR INTERPRO: IPR000483; -.
DR INTERPRO: IPR001611; -.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig: 1.

```


DR PFAM: PF00560; LRR: 5.
 DR PFAM: PF01463; LRRCT: 1.
 SQ SEQUENCE 894 AA; 97466 MW; 58C04C0931B655B8 CRC64;

Query Match 67.3%; Score 35; DB 5; Length 894;
 Best Local Similarity 66.7%; Pred. No. 1.2e+02;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDM 9
 | | | | | | | | | |
 Db 351 GTTFSSNYTL 359

RESULT 9
 Q9MVB2 PRELIMINARY; PRT; 92 AA.
 AC Q9MVB2;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE MHC CLASS I ANTIGEN (FRAGMENT).
 GN BAIN-UA*L08.
 OS Barbus intermedius (Lake tana barbels).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
 OC Cypriniformes; Cyprinidae; Cyprininae; Barbus.
 OX NCBI_TaxID=40831;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Kruiwijk C.P., Stet R.J.M.;
 RT "Characterization of MHC genes in lake Tana barbus species.";
 RL Submitted (JUL-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AJ007892; CAB57336.1; -
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 92 92
 SQ SEQUENCE 92 AA; 10632 MW; ED7D11C82CBD35F7 CRC64;

Query Match 65.4%; Score 34; DB 7; Length 92;
 Best Local Similarity 60.0%; Pred. No. 15;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
 | | | | | | | | | |
 Db 29 GADFNSEFMS 38

RESULT 10
 Q9UL90 PRELIMINARY; PRT; 113 AA.
 AC Q9UL90;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal fetus".
 RT Clin. Immunol. Immunopathol. 87:184-192(1998).
 RL EMBL: AF035024; AAD56260.1; -
 DR INTERPRO: IPR003006; -
 DR PFAM: PF00047; Ig; 1.
 FT NON_TER 1 1

FT NON_TER 113 113
 SQ SEQUENCE 113 AA; 12437 MW; ED57FDD19086D07F CRC64;

Query Match 65.4%; Score 34; DB 4; Length 113;
 Best Local Similarity 77.8%; Pred. No. 19;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDM 9
 | | | | | | | | | |
 Db 26 GTTFSSYGM 34

RESULT 11
 Q9ZEB4 PRELIMINARY; PRT; 191 AA.
 AC Q9ZEB4;
 DT 01-MAY-1999 (TrEMBLrel. 10, Created)
 DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE SCO2 PROTEIN PRECURSOR (SCO2).
 GN RP031.
 OS Rickettsia prowazekii.
 OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
 OC Rickettsiaceae; Rickettsieae; Rickettsia.
 OX NCBI_TaxID=782;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=HADRID E;
 RX MEDLINE=99039499; PubMed=9823893;
 RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
 RA Sacheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
 RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
 RT "The genome sequence of Rickettsia prowazekii and the origin of
 RT mitochondria";
 RL Nature 396:133-140(1998).
 DR EMBL: AJ235270; CAA14502.1; -
 SQ SEQUENCE 191 AA; 22254 MW; 74B8EAD74CED2698 CRC64;

Query Match 65.4%; Score 34; DB 2; Length 191;
 Best Local Similarity 75.0%; Pred. No. 34;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYD 8
 | | | | | | | |
 Db 77 GTTYSLYD 84

RESULT 12
 Q9IIH6 PRELIMINARY; PRT; 217 AA.
 AC Q9IIH6;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE PVI PROTEIN.
 GN PVI.
 OS frog adenovirus 1.
 OC Viruses; dsDNA viruses, no RNA stage; Adenoviridae; Siadenovirus.
 OX NCBI_TaxID=114102;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Davison A.J., Wright K.M., Harrach B.;
 RT "Phylogenetic position of an amphibian adenovirus";
 RL Submitted (JAN-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AF224336; AAF86931.1; -
 SQ SEQUENCE 217 AA; 23529 MW; 9683496440E90087 CRC64;

Query Match 65.4%; Score 34; DB 12; Length 217;
 Best Local Similarity 75.0%; Pred. No. 39;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 TTFSYDM 9
 |||||
 Db 12 TTSGYDI 19

RESULT 13

O97279 ID O97279 PRELIMINARY; PRT; 314 AA.
 AC O97279;
 DT 01-MAY-1999 (TREMREL. 10, Created)
 DT 01-MAY-1999 (TREMREL. 10, Last sequence update)
 DT 01-NOV-1999 (TREMREL. 12, Last annotation update)
 DE PFC0885C.
 GN PFC0885C.
 OS Plasmodium falciparum.
 OC Eukaryota; Alveolata; Apicomplexa; Haemosporida; Plasmodium.
 OX NCBI_TaxID=5833;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=3D7;
 RA Oliver K., Bowman S., Harris D., Lawson D., Quail M., Barrell B.;
 RL Submitted (FEB-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AL034559; CAB39025.1; -;
 SQ SEQUENCE 314 AA; 36143 MW; C2E1ED6F14ED40F0 CRC64;

Query Match 65.4%; Score 34; DB 5; Length 314;
 Best Local Similarity 66.7%; Pred. No. 59;
 Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 2 TTFSYDMS 10
 :|||||:
 Db 70 TSFSYNNWT 78

RESULT 14

Q9X4U5 ID Q9X4U5 PRELIMINARY; PRT; 481 AA.
 AC Q9X4U5;
 DT 01-NOV-1999 (TREMREL. 12, Created)
 DT 01-NOV-1999 (TREMREL. 12, Last sequence update)
 DT 01-NOV-1999 (TREMREL. 12, Last annotation update)
 DE CPS2A.
 GN CPS2A.
 OS Streptococcus suis.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 OC Streptococcus.
 OX NCBI_TaxID=1307;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=10;
 RX MEDLINE=99184998; PubMed=10085014;
 RA Smith H.E., Damman M., Van der Velde J., Wagenaar F., Wisselink H.J.,
 RA Stockhofe-zurwieden N., Smits M.A.;
 RT "Identification and characterization of the cps locus of Streptococcus
 suis serotype 2: the capsule protects against phagocytosis and is an
 important virulence factor."
 RT Infect. Immun. 67:1750-1756(1999).
 RL EMBL; AF118389; AAD24447.1; -;
 DR EMBL; AF118389; AAD24447.1; -;
 SQ SEQUENCE 481 AA; 53291 MW; DFFE1BF750C56CA8 CRC64;

Query Match 65.4%; Score 34; DB 2; Length 481;
 Best Local Similarity 66.7%; Pred. No. 95;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 TTFSYDMS 10
 :|||||:
 Db 106 STFSEYEMS 114

RESULT 15

O30565 ID O30565 PRELIMINARY; PRT; 692 AA.
 AC O30565;
 DT 01-JAN-1998 (TREMREL. 05, Created)
 DT 01-JAN-1998 (TREMREL. 05, Last sequence update)
 DT 01-JUN-2000 (TREMREL. 14, Last annotation update)
 DE CYCLODEXTRIN GLYCOSYLTRANSFERASE (EC 2.4.1.19) (CYCLOMALTODEXTRIN
 GLUCANOTRANSFERASE) (CYCLODEXTRIN-GLYCOSYLTRANSFERASE) (BACILLUS
 MACERANS AMYLASE) (CYCLODEXTRIN GLUCANOTRANSFERASE).
 OS Bacillus brevis.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group;
 OC Bacillus/Staphylococcus group; Brevibacillus.
 OX NCBI_TaxID=1393;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CD162;
 RA Kim M.H., Sohn C.B., Oh T.K.;
 RL Submitted (JUN-1997) to the EMBL/GenBank/DBJ databases.
 CC -!- CATALYTIC ACTIVITY: DEGRADATES STARCH TO CYCLODEXTRINS BY FORMATION
 OF A 1,4-ALPHA-D- GLUCOSIDIC BOND.
 DR EMBL; AF011388; AAB65420.1; -;
 DR HSP; P31797; 1CYG.
 DR INTERPRO; IPR000461; -;
 DR INTERPRO; IPR002044; -;
 DR INTERPRO; IPR002909; -;
 DR PFAM; PF00128; alpha-amylase; 1.
 DR PFAM; PF00686; CBD_4; 1.
 DR PFAM; PF01833; TIG; 1.
 DR PRODOM; PD001568; -; 1.
 DR Transferrase; Glycosyltransferase.
 KW Transferrase; Glycosyltransferase.
 SQ SEQUENCE 692 AA; 77404 MW; 8CF5AD8CB9EFF57E CRC64;

Query Match 65.4%; Score 34; DB 2; Length 692;
 Best Local Similarity 70.0%; Pred. No. 14e+02;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 |||||
 Db 193 GTDFSSYEDS 202

Search completed: March 28, 2001, 07:27:30
 Job time: 1643 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:31 ; Search time 183.85 Seconds
(without alignments)
1.860 Million cell updates/sec

Title: US-09-016-061-48

Perfect score: 52

Sequence: 1 GTTFSSYDMS 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. NO. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	52	100.0	10	19	W76014
2	45	86.5	10	19	W76007
3	45	86.5	117	19	W76001
4	42	80.8	117	20	W86137
5	42	80.8	123	18	W15536
6	42	80.8	128	19	W54000
7	42	80.8	134	13	R24713
8	42	80.8	466	13	R24812
9	41	78.8	139	18	W21652
10	40	76.9	10	19	W76015
11	40	76.9	117	19	W76003
12	40	76.9	117	20	Y06381

13	40	76.9	130	20	Y06379	Murline monoclonal
14	40	76.9	239	14	R34511	Fv(FU25). Homo sa
15	40	76.9	247	16	W1917	Murline MAB SK48-E2
16	39	75.0	10	19	W76016	LM609 grafted anti
17	39	75.0	117	20	W86141	Protein sequence o
18	39	75.0	119	16	W1919	Humanised MAB SK48
19	39	75.0	123	19	W53998	Anti-CD4 antibody
20	38	73.1	10	21	Y73322	Anti-zeta-chain an
21	38	73.1	98	19	W59614	Anti-RSV F protein
22	38	73.1	116	16	R66307	Human immunoglobul
23	38	73.1	116	18	W13529	Anti-melanoma anti
24	38	73.1	118	19	W57591	Chimeric antibody
25	38	73.1	118	19	W57576	Chimeric H chain S
26	38	73.1	118	20	W89636	Human antibody hea
27	38	73.1	118	20	W89627	Mouse humanised an
28	38	73.1	118	21	Y77502	Peptide seq ID No:
29	38	73.1	118	21	Y77512	Peptide seq ID No:
30	38	73.1	119	16	R79876	Anti-EGFR antibody
31	38	73.1	119	16	R79887	Anti-EGFR antibody
32	38	73.1	119	16	R79888	Anti-EGFR antibody
33	38	73.1	121	20	W86122	Protein sequence o
34	38	73.1	122	15	R54301	Anti-HIV gp120 imm
35	38	73.1	122	17	W01259	VH region of HIV n
36	38	73.1	122	20	W78432	Antibody heavy cha
37	38	73.1	122	21	Y95111	Anti-gp120 antibod
38	38	73.1	122	21	Y98220	Anti-gp120 antibod
39	38	73.1	123	18	W08582	Human antibody C4.
40	38	73.1	123	21	Y78325	Anti-zeta-chain an
41	38	73.1	128	16	R69085	Anti-HIV Fab rev16
42	38	73.1	128	16	R69086	Anti-HIV Fab rev20
43	38	73.1	128	18	W08734	Human anti-HIV Fab
44	38	73.1	128	18	W08735	Human anti-HIV Fab
45	38	73.1	137	19	W57603	Chimeric antibody

ALIGNMENTS

RESULT 1

W76014
ID W76014 standard; Protein: 10 AA.

XX W76014;

DT 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR1 protein fragment #2.

XX Vitaxin; antibody; variable region; heavy chain; light chain; Integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer: V-H region; CDR;
KW complementarity determining region.

OS Mus sp.

XX WO9833919-A2.

PD 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

PR 30-JAN-1997; 97US-0791391.

PA (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; V49851.

XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PS angiogenesis or restenosis
PS Claim 60; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ
Query Match 100.0%; Score 52; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00058;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy 1 GTTFSSYDMS 10
| | | | | | | |
Db 1 gttfssyds 10
RESULT 2
W76007
ID W76007 standard; Protein; 10 AA.
XX
XX W76007;
XX
XX 02-NOV-1998 (first entry)
XX LM609 grafted antibody V-H region CDR1 protein fragment #1.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
XX Mus sp.
XX
XX WO9833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI; 1998-437472/37.
XX N-PSDB; V49844.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Disclosure; Page 40; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ
Query Match 86.5%; Score 45; DB 19; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.012;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 GTTFSSYDMS 10
| | | | | | | |
Db 1 gttfssyds 10
RESULT 3
W76001
ID W76001 standard; Protein; 117 AA.
XX
XX W76001;
AC
XX
XX 02-NOV-1998 (first entry)
XX Vitaxin antibody heavy chain variable region protein fragment.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.
XX
XX Mus sp.
XX
XX WO9833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI; 1998-437472/37.
XX N-PSDB; V49820.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 1; Fig 1a; 129pp; English.
XX
XX This sequence represents a fragment of the vitaxin antibody variable
CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
CC to a ligand and thus block integrin-mediated signal transduction. This is
CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
CC disease, specifically angiogenesis and restenosis (but also e.g.
CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC So are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;

Query Match 86.5%; Score 45; DB 19; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.16;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10

Db 26 gftfssydm 35

RESULT 4

ID W86137 standard; Protein; 117 AA.

AC W86137;

DT 03-MAR-1999 (first entry)

DE Protein sequence of de-immunised humanised A33 Vh.

XX Non-immunogenic; epitope; T-cell; immunogenicity; immune system; SK;

KW Immunogl bulin; therapeutic; streptokinase; humanised; de-immunised.

XX Homo sapiens.

OS Homo sapiens.

PN WO9852976-A1.

XX 26-NOV-1998.

PD 21-MAY-1998;

PF 98WO-GB01473.

XX 14-APR-1998;

PR 98GB-0007751.

PR 21-MAY-1997;

PR 97GB-0010480.

PR 31-JUL-1997;

PR 97GB-0016197.

PR 28-NOV-1997;

PR 97GB-0025270.

PR 02-DEC-1997;

PR 97US-0067235.

XX (BIOV-) BIOVATION LTD.

PA Carr FJ;

PI Carr FJ;

XX WPI; 1999-045301/04.

DR WPI; 1999-045301/04.

XX Reducing immunogenicity of proteins - by modifying the amino acid

PT sequence of the protein to eliminate potential epitopes for T-cells

PT of a given species

XX Example 5; Fig 25; 77pp; English.

PS The invention relates to a method for the production of non-immunogenic

XX proteins. The method comprises determining at least part of the amino

CC acid sequence of the protein; (b) identifying in the amino acid sequence

CC one or more potential epitopes for T-cells (T-cell epitopes) of the given

CC species; and (c) modifying the amino acid sequence to eliminate at least

CC one of the T-cell epitopes identified in step (b) thereby to eliminate or

CC reduce the immunogenicity of the protein when exposed to the immune

CC system of the given species. A method of analysing a pre-existing protein

CC to predict the basis for immunogenic responses is also provided. The

CC methods can be used particularly for reducing the immunogenicity of

CC immunoglobulins or therapeutic proteins, e.g. Streptokinase (SK). The

CC products can be used for diagnosis and therapy. The present sequence

CC represents the protein sequence of de-immunised humanised A33 Vh.

XX Sequence 117 AA;

Query Match 80.8%; Score 42; DB 20; Length 117;

Best Local Similarity 80.0%; Pred. No. 0.58;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Caps 0;

Qy 1 GTTFSSYDMS 10

Db 26 gftfssydm 35

RESULT 5

ID W15536 standard; Protein; 123 AA.

XX W15536;

AC W15536;

XX 27-NOV-1997 (first entry)

DT Anti-TGF beta-1 scFv antibody 27C1 VH domain.

DE Transforming growth factor beta-1; TGF-beta-1; human;

XX antibody engineering; scFv; phage display; lung fibrosis;

KW arterial injury; proliferative retinopathy; retinal detachment;

KW adult respiratory distress syndrome; liver cirrhosis;

KW post myocardial infarction; post-angioplasty restenosis;

KW scleroderma; vascular disease; cataract; glaucoma; scarring;

KW glomerulonephritis; osteoporosis; immune disease; inflammation;

KW rheumatoid arthritis; macrophage deficiency disease;

KW macrophage pathogen infection; therapy.

XX Homo sapiens.

OS Homo sapiens.

PN GB2305921-A.

XX 23-APR-1997.

PD 07-OCT-1996;

PF 96GB-0020920.

XX 19-JAN-1996;

PR 96GB-0001081.

PR 06-OCT-1995;

PR 95GB-0020486.

XX (CAMP-) CAMBRIDGE ANTIBODY TECHNOLOGY.

PA Bacon L, Green JA, Jackson RH, Johnson KS, Pope AR;

PI Tempest PR, Thompson JE, Vaughan TJ, Williams AJ;

PI Wilton AJ;

XX WPI; 1997-215360/20.

DR N-PSDB; T60382.

DR Agent contg. antigen-binding domain of human antibody to

XX transforming growth factor beta 1 or 2 - and nucleic acid encoding

PT it, used to neutralise effects of TGF, e.g. for control of fibrosis,

PT immune and inflammatory disease

XX Claim 16; Fig 1c(i); 184pp; English.

PS This polypeptide sequence comprises the VH domain of human scFv

XX antibody 31G9, which is specific for transforming growth factor

CC (TGF) beta-1. It is encoded by a gene (T60382) obtained from a

CC CDR3 spiking experiment. The antigen-binding domains of human

CC antibodies (see W15522-40) to TGF beta-1 and/or beta-2 can be

CC used to counter the adverse effects of TGF beta, such as (i)

CC promotion of fibrosis (in dermal, ocular or keloid scarring, lung

CC fibrosis, arterial injury, proliferative retinopathy, retinal

CC detachment, adult respiratory distress syndrome, liver cirrhosis,

CC post myocardial infarction, post-angioplasty restenosis,

CC scleroderma, vascular disorders, cataract, glaucoma, or esp. neural

CC scarring and glomerulonephritis, also (not claimed) osteoporosis,

CC or (ii) immune and inflammatory diseases (e.g. rheumatoid

CC arthritis, macrophage deficiency diseases or macrophage pathogen

CC infection). Nucleic acids encoding human antibody VH and VL can be

CC used for prodn. of recombinant antigen-binding domains. These are

CC highly specific, have low dissociation constants (pref. less than 5

CC nM) and low IC50s for neutralisation.

SQ Sequence 123 AA;

Query Match 80.8%; Score 42; DB 18; Length 123;
Best Local Similarity 88.9%; Pred. No. 0.61;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
| | | | | | | |
Db 26 gtfssydm 34

RESULT 6

ID W54000 standard; Protein; 128 AA.

XX AC W54000;

XX DT 29-JUL-1998 (first entry)

XX DE Anti-CD4 antibody VH3 monkey clone 3-40.

XX KW Anti-CD4 antibody; monkey; human; therapy; variable heavy domain;

XX KW Old World monkey; constant domain; eczema; immuno-modulated disease;

XX KW rheumatoid arthritis.

XX OS Primate sp.

XX FH Key Location/Qualifiers

FT Misc-difference 1..128

FT /note= "Xaa= unspecified amino acid"

XX PN US5750105-A.

XX PD 12-MAY-1998.

XX PF 07-JUN-1995; 95US-0476349.

XX PR 10-JUL-1992; 92US-0912292.

XX PR 25-JUL-1991; 91US-0735064.

XX PR 23-MAR-1992; 92US-0856281.

XX PR 05-DEC-1995; 95US-0379072.

XX PR 07-JUN-1995; 95US-0476349.

XX PA (IDEC-) IDEC PHARM CORP.

XX PI Hanna N, Newman RA, Raab RW;

XX DR WPI; 1998-296690/26.

XX PT Improved method for antibody treatment - uses an antibody comprising

XX PT an Old World monkey variable region and a human constant domain

XX PS Example 1; Fig 9c; 84pp; English.

XX CC This sequence represents the VH3 domain of an anti-CD4 antibody
XX CC (Ab). This sequence can be used in the method of the invention for
XX CC treating a subject, where the treatment comprises administration of an
XX CC Ab. The method comprises the administration of an antibody which has an
XX CC Old World monkey (e.g. baboon or macaque) variable region which binds to
XX CC an antigen (Ag) (or Ag binding portion), and a human constant domain. The
XX CC method is useful for the treatment of eczema and immuno-modulated
XX CC diseases and especially rheumatoid arthritis. The recombinant antibodies
XX CC used are sufficiently different from native monkey antibodies to allow
XX CC human antigens to raise these antibodies, but similar enough to human
XX CC antibody so there is no immune response to the antibodies in humans.
XX CC Compared to antibodies used in therapy in prior art, these antibodies do
XX CC not induce human anti-antibodies on repeated administration. They also
XX CC have longer half-lives and do not have a lack of effector function with
XX CC human cells.

XX SQ Sequence 128 AA;

Query Match 80.8%; Score 42; DB 19; Length 128;

Best Local Similarity 80.0%; Pred. No. 0.63;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | |
Db 26 gtfssydmn 35

RESULT 7

R24713

ID R24713 standard; Protein; 134 AA.

XX AC R24713;

XX DT 28-DEC-1992 (first entry)

XX DE Sequence encoded by the genomic chimeric heavy chain variable region

XX DE (VFH) gene.

XX KW Chimeric monoclonal antibody; anti-fibrin antibody; PCR;

XX KW antithrombotic agent; myocardial infarction therapy.

XX OS Mus musculus.

XX FH Key Location/Qualifiers

FT Peptide 1..19

FT /label= leader

FT Region 23..49

FT /label= Framework Region (FR) 1

FT Region 50..54

FT /label= Complementarity determining region(CDR)1

FT Region 55..68

FT /label= FR-2

FT Region 69..84

FT /label= CDR-2

FT Region 85..114

FT /label= FR-3

FT Region 115..123

FT /label= CDR-3

FT Region 124..134

FT /label= FR-4

XX EP491351-A.

XX PN

XX PD 24-JUN-1992.

XX PF 17-DEC-1991; 91EP-0121591.

XX PR 18-DEC-1990; 90JP-0413829.

XX PR 11-NOV-1991; 91JP-0294464.

XX PA (TAKE) TAKEDA CHEM IND LTD.

XX PI Iwasa S, Taka H, Watanabe T, Tada H;

XX DR WPI; 1992-209528/26.

XX DR N-PSDP; Q25666.

XX CC Chimeric monoclonal antibodies - contain anti-human fibrin
XX CC antibody light and heavy chain variable and constant for treating
XX CC thrombotic conditions e.g. myocardial infarction
XX CC Example; Figure 4; 87pp; English.

XX CC PCR primers 5'mVH and 3'mVH were used to produce a VH gene-contg.
XX CC fragment of about 330bp. The fragment was isolated and subcloned in
XX CC pUC119. The fragment was found to be a functional VH structural
XX CC gene, referred to as VFH, comprising a VH gene belonging to the
XX CC subgroup III (VHIII) and the DSP2 and JH4 genes. Northern blot
XX CC analysis using the whole RNA of FIB1-11 cells confirmed that VFH
XX CC was the gene expressed in FIB1-11 cells. The sequence is given in

```

CC *Q25666.
XX Sequence 134 AA;
SQ
    Query Match      80.8%; Score 42; DB 13; Length 134;
    Best Local Similarity 80.0%; Pred. No. 0.66;
    Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
   | |||:||||
Db 45 gtfssnydms 54

RESULT 8
R24812
ID R24812 standard; Protein; 466 AA.
XX
AC R24812;
XX
DT 28-DEC-1992 (first entry)
XX
DE Sequence encoded by the chimeric H chain cDNA contained in pTB1373.
XX
KW Chimeric monoclonal antibody; anti-fibrin antibody; primer;
KW antithrombotic agent; myocardial infarction therapy.
XX
OS Synthetic.
XX
FH Key Location/Qualifiers
FT Peptide 13..19
FT /label= Leader
FT Region 20..134
FT /label= VH
FT Region 135..232
FT /label= CH1
FT Region 233..247
FT /label= hinge
FT Region 248..357
FT /label= CH2
FT Region 358..464
FT /label= CH3
FT Misc-difference 465
FT /note= "translated stop codon"
XX
XX EP491351-A.
XX
XX 24-JUN-1992.
XX
XX 17-DEC-1991; 91EP-0121591.
XX
XX 18-DEC-1990; 90JP-0413829.
XX 11-NOV-1991; 91JP-0294464.
XX
XX (TAKE ) TAKEDA CHEM IND LTD.
XX
XX Iwasa S, Taka H, Watanabe T, Tada H;
XX WPI; 1992-209528/26.
XX N-PSDB; Q25692.
XX
XX Chimeric monoclonal antibodies - contain anti-human fibrin
XX antibody light and heavy chain variable and constant for treating
XX thrombotic conditions e.g. myocardial infarction
XX
XX Example; Figure 11; 87pp; English.
XX
XX Plasmid pTB1373 contains the whole length of a mouse-human
XX chimeric anti-human fibrin heavy chain cDNA open reading
XX frame. It was prepd. using Poly(A)+ RNA from the anti-fibrin
XX chimeric Ab-producing transformant FIB1-H01/X63 as a template
XX to clone human C-kappa cDNA, using the oligo-dT (Pharmacia) primer as
XX a primer for first strand cDNA synthesis and the 5'C2H and 3'EH

```

primers for the PCR. A human gamma-1 chain CH2-CH3 domain encoding cDNA was amplified. Similarly a human gamma-1 chain CH1 domain encoding cDNA and an anti-fibrin antibody VH cDNA and a leader peptide cDNA were amplified using the primers 3'EH, 3'C2H and 3'CIH respectively as a primer for first strand cDNA synthesis and the primer combination of 5'CIH and 3'C2H, of 5'EH and 3'CIH and of 5'SH and 3'EH respectively as primers for PCR. The amplified gene products were isolated and used to produce plasmids. After confirmation of the cDNA sequence of each plasmid, the cDNA encoding LH, VH, CH1 and CH2CH3 were joined together to give plasmid pTB1373 contg. the whole length chimeric H chain (LH, VH, CH1, CH2CH3), also abbreviated as Igh-FIB,

Query Match 80.8%; Score 42; DB 13; Length 466;
Best Local Similarity 80.0%; Pred. No. 2.5;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| |||:||||
Db 45 gtfssnydms 54

RESULT 9
W21652
ID W21652 standard; Protein; 139 AA.
XX
AC W21652;
XX
DT 03-JAN-1998 (first entry)
XX
DE Humanised reshaped Mab 15 heavy chain variable region.
XX
KW Humanised antibody; monoclonal antibody; Mab 15; tumour;
KW lung cancer; therapy.
XX
OS Chimeric Mus musculus.
OS Chimeric Homo sapiens.
OS Chimeric synthetic.
XX
FH Key Location/Qualifiers
FT Peptide 1..19
FT /label= Sig_peptide
FT Protein 20..139
FT /label= Mat_protein
FT Region 20..49
FT /label= Framework-1
FT Region 50..54
FT /label= CDR1
FT /note= "complementarity determining region 1"
FT Region 55..68
FT /label= Framework-2
FT Region 69..85
FT /label= CDR2
FT /note= "complementarity determining region 2"
FT Region 86..117
FT /label= Framework-3
FT Region 118..128
FT /label= CDR3
FT /note= "complementarity determining region 3"
FT Region 129..138
FT /label= Framework-4
XX
XX EP781847-A1.
XX
XX 02-JUL-1997.
XX
XX 25-OCT-1996; 96EP-0117154.
XX
XX 06-NOV-1995; 95EP-0117407.
XX

PA (MERE) MERCK PATENT GMBH.
 XX
 PI Bendig M, Jones T, Saidana J;
 XX
 DR WPI: 1997-334904/31.
 DR N-PSDB; T72237.
 XX
 PT Humanised form of murine monoclonal antibody MAB 15 - useful for
 PT treating lung cancer
 XX
 PS Claim 2; Fig 12; 71pp; English.
 XX
 CC This polypeptide comprises the heavy chain variable region VH
 CC of humanised reshaped monoclonal antibody (MAB) 15 comprising
 CC complementarity determining regions of murine MAB 15 (DSM ACC2117),
 CC and reshaped human 30p1 framework regions. It is expressed by a
 CC cDNA clone (see W72237) prepared using PCR mutagenesis methods. A
 CC claimed process for preparation of humanised reshaped MAB 15
 CC involves: cloning and sequencing murine MAB 15 VL and VH regions
 CC (see W21653 and W21654); constructing, expressing and analysing the
 CC chimeric MAB 15 antibody (see W21655-56); modelling the structure
 CC of murine MAB 15 variable regions; designing reshaped human MAB 15
 CC variable regions; preparing an oligonucleotide sequence which codes
 CC for the constant regions of the light and heavy chain of a human
 CC immunoglobulin; and constructing, expressing and analysing the
 CC complete reshaped human MAB 15. The humanised MAB can be used for
 CC treating tumours, especially lung cancer, and for the manufacture
 CC of a drug related to tumours, especially lung cancer.
 XX
 SQ Sequence 139 AA;

Query Match 78.8%; Score 41; DB 18; Length 139;
 Best Local Similarity 80.0%; Pred. No. 1.1;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 Db 45 gtfssydyms 54
 I I I I I I I I

RESULT 10
 W76015
 ID W76015 standard; Protein; 10 AA.
 AC W76015;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 DE LM609 grafted antibody V-H region CDR1 protein fragment #3.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI: 1998-437472/37.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 XX integrin - and related grafted antibodies based on murine monoclonal
 XX LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX angiogenesis or restenosis
 XX
 PS Claim 43; Fig 2a; 129pp; English.

DR N-PSDB; V49852.
 XX
 PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 60; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 76.9%; Score 40; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.1;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
 Db 1 gtfssydyms 10
 I I I I I I I I

RESULT 11
 W76003
 ID W76003 standard; Protein; 117 AA.
 XX
 AC W76003;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 DE LM609 antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI: 1998-437472/37.
 DR N-PSDB; V49822.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 XX integrin - and related grafted antibodies based on murine monoclonal
 XX LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX angiogenesis or restenosis
 XX
 PS Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

Query Match 76.9%; Score 40; DB 19; Length 117;
 Best Local Similarity 80.0%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Oy 1 GTTFSSYDMS 10
 I | | | | | | |
 Db 26 gfafssydms 35

RESULT 12
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 XX
 AC Y06381;
 XX
 DT 06-SEP-1999 (first entry)
 XX
 DE Murine monoclonal antibody LM609 VH region.
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Mus musculus.
 XX
 PN WO9929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 PA (SCRI) SCRIPPS RES INST.
 XX
 PI Barbas CF, Rader C;
 XX
 DR WPI; 1999-394979/33.
 XX
 PT Production of humanized mouse monoclonal antibodies
 XX
 PS Disclosure; Page 52-53; 55pp; English.
 XX
 CC This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 117 AA;

Query Match 76.9%; Score 40; DB 20; Length 117;
 Best Local Similarity 80.0%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Oy 1 GTTFSSYDMS 10
 I | | | | | | |
 Db 26 gfafssydms 35

RESULT 13
 Y06379
 ID Y06379 standard; Protein; 130 AA.
 XX
 AC Y06379;
 XX
 DT 06-SEP-1999 (first entry)
 XX
 DE Murine monoclonal antibody LM609 V kappa.
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Mus musculus.
 XX
 FH Key
 FT Peptide 1.2
 FT Region /note= "vector-encoded residues"
 FT Region 28..32
 FT Region /note= "CDR1"
 FT Region 47..63
 FT Region /note= "CDR2"
 FT Region 96..103
 FT Region /note= "CDR3"
 XX
 PN WO9929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 PA (SCRI) SCRIPPS RES INST.
 XX
 PI Barbas CF, Rader C;
 XX
 DR WPI; 1999-394979/33.
 XX
 PT Production of humanized mouse monoclonal antibodies
 XX
 PS Disclosure; Page 49-50; 55pp; English.
 XX
 CC This sequence represents the light chain V kappa region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 130 AA;

Query Match 76.9%; Score 40; DB 20; Length 130;
 Best Local Similarity 80.0%; Pred. No. 1.5;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10

Db 23 gfafssydsms 32

RESULT 14

R34511 ID R34511 standard; Protein; 239 AA.

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

XX AC

W11917;
 24-JUN-1997 (first entry)
 Murine MAb SK48-E26 heavy chain.
 Interleukin-1 beta; IL-1 beta; recombinant antibody;
 humanised antibody; chimeric antibody; antibody engineering;
 monoclonal antibody; MAb; SK48-E26; inflammation; therapy.
 Homo sapiens.
 Key Location/Qualifiers
 Peptide 1..19
 /label= Sig_peptide
 Region 20..49
 /label= FR1
 /note= "framework region 1"
 Region 50..54
 /label= CDR1
 /note= "complementarity determining region 1
 (Claim 10, page 48)"
 Region 55..68
 /label= FR2
 /note= "framework region 2"
 Region 69..85
 /label= CDR2
 /note= "complementarity determining region 2
 (Claim 10, page 48)"
 Region 86..117
 /label= FR3
 /note= "framework region 3"
 Region 118..127
 /label= CDR3
 /note= "complementarity determining region 3
 (Claim 10, page 48)"
 Region 128..138
 /label= FR4
 /note= "framework region 4"
 Region 139..247
 /label= Constant_region
 WO9501997-A1.
 19-JAN-1995.
 07-JUL-1994; 94WO-US07659.
 09-JUL-1993; 93US-0090534.
 04-MAR-1994; 94US-0206190.
 (SMIK) SMITHKLINE BEECHAM CORP.
 Gross MS, Hurie MR, Jackson JR, Jonak ZL, Theisen TW;
 Young PR;
 WPI; 1995-066868/09.
 N-PSDB; T51436.
 Recombinant and humanised chimeric antibodies against human
 interleukin-1-beta - for preventing and treating
 interleukin-mediated inflammatory disorders
 Claim 5; Page 36-37; 62pp; English.
 Amino acid sequences of the heavy chain (W11917) and light chain
 (W11918) of anti-human interleukin-1 beta (IL-1 beta) murine
 monoclonal antibody (MAb) SK48-E26 were deduced from nucleic acids
 (T51436-37) derived from hybridoma SK48-E26. The heavy and light
 chains, esp. the complementarity determining region sequences,
 can be utilised in novel recombinant chimeric and humanised
 antibodies (see also W11919-20) useful for the treatment and

CC Prevention of IL-1 mediated inflammatory disorders.

XX
SQ Sequence 247 AA;

Query Match 76.9%; Score 40; DB 16; Length 247;
Best Local Similarity 80.0%; Pred. No. 3;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | |
Db 45 gfafssydms 54

Search completed: March 28, 2001, 06:34:32
Job time: 512 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:09 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: us-09-016-061-48
Perfect score: 52
Sequence: 1 GTTFSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 / Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued_Patents_AA: *
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep: *
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep: *
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep: *
4: /cgnl_7/ptodata/1/iaa/PTUS_COMB.pep: *
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	42	80.8	128	1	US-08-478-039-73
2	42	80.8	128	1	US-08-478-039-73
3	42	80.8	128	1	US-08-476-349A-73
4	42	80.8	128	1	US-08-476-349A-102
5	40	76.9	239	2	US-07-956-399-4
6	40	76.9	247	4	PCT-US94-07659-2
7	39	75.0	119	4	PCT-US94-07659-6
8	39	75.0	123	1	US-08-478-039-71
9	39	75.0	123	1	US-08-478-039-104
10	39	75.0	123	1	US-08-476-349A-71
11	39	75.0	123	1	US-08-476-349A-104
12	38	73.1	98	2	US-08-665-202-31
13	38	73.1	116	3	US-08-545-809A-101
14	38	73.1	116	3	US-08-983-607-36
15	38	73.1	122	1	US-08-276-852-80
16	38	73.1	122	1	US-08-899-575-80
17	38	73.1	122	1	US-08-899-575-80
18	38	73.1	122	4	PCT-US93-08743-80
19	38	73.1	123	2	US-08-665-202-30
20	38	73.1	239	2	US-08-553-497A-18
21	37	71.2	35	2	US-08-765-179B-1
22	37	71.2	98	4	US-08-428-197-48
23	37	71.2	98	4	PCT-US93-10555-48
24	37	71.2	102	2	US-08-273-146-65
25	37	71.2	110	1	US-08-211-202-117
26	37	71.2	113	3	US-08-974-899-6
27	37	71.2	116	2	US-08-428-197-2
28	37	71.2	116	4	PCT-US93-10555-2

Sequence 109, Appl
Sequence 46, Appl
Sequence 12, Appl
Sequence 10, Appl
Sequence 2, Appl
Sequence 21, Appl
Sequence 21, Appl
Sequence 12, Appl
Sequence 14, Appl
Sequence 43, Appl
Sequence 38, Appl
Sequence 38, Appl
Sequence 51, Appl
Sequence 99, Appl
Sequence 99, Appl
Sequence 1, Appl

117 3 US-08-545-809A-109
117 3 US-08-983-607-46
118 2 US-08-652-816A-12
118 4 PCT-US93-08435-10
121 1 US-08-339-582-2
122 2 US-07-934-373C-21
122 3 US-08-437-642B-21
122 4 PCT-US93-07832-21
122 4 PCT-US93-08435-12
122 4 PCT-US93-08435-14
122 4 PCT-US93-08435-43
123 2 US-08-428-197-38
123 3 PCT-US93-10555-38
124 3 US-08-983-607-51
125 1 US-08-478-039-99
125 1 US-08-476-349A-99
125 2 US-08-428-197-1

ALIGNMENTS

RESULT 1
US-08-478-039-73
; Sequence 73, Application US/08478039
; Patent No. 5681722
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SNECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,039
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 73:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant

MOLECULE TYPE: peptide
ORIGINAL SOURCE:
ORGANISM: Monkey
POSITION IN GENOME:
CHROMOSOME/SEGMENT: VH3 clone 3-40
US-08-478-039-73

Query Match 80.8%; Score 42; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
Db 26 GTTFSSYDMN 35

RESULT 2
US-08-478-039-102
; Sequence 102, Application US/08478039
; Patent No. 5681722
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,039
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 102:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: #40

US-08-478-039-102

Query Match 80.8%; Score 42; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
Db 26 GTTFSSYDMN 35

RESULT 3
US-08-476-349A-73
; Sequence 73, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 73:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: VH3 clone 3-40
US-08-476-349A-73

Query Match 80.8%; Score 42; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.6;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | |
Db 26 GTTFSSYDMN 35

RESULT 4
US-08-476-349A-102
; Sequence 102, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/476,349A
FILING DATE: 07-JUN-1995
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/379,072
FILING DATE: 25-JAN-1995

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/912,292
FILING DATE: 10-JUL-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/856,281
FILING DATE: 23-MAR-1992

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/735,064
FILING DATE: 25-JUL-1991
ATTORNEY/AGENT INFORMATION:
NAME: Teskin Esq., Robin L.
REGISTRATION NUMBER: 35,030
REFERENCE/DOCKET NUMBER: 012712-161
TELEPHONE: 703-836-6620
TELEFAX: 703-836-6620

INFORMATION FOR SEQ ID NO: 102:
SEQUENCE CHARACTERISTICS:
LENGTH: 128 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: not relevant
MOLECULE TYPE: peptide
ORGANISM: Monkey
POSITION IN GENOME:
CHROMOSOME/SEGMENT: #40

Query Match 80.8%; Score 42; DB 1; Length 128;
Best Local Similarity 80.08; Pred. No. 0.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | |
Db 26 GTTFSSYDMN 35

RESULT 5
US-07-956-399-4
; Sequence 4, Application US/07956399
; Patent No. 5876717
; GENERAL INFORMATION:
; APPLICANT: SHIMAMURA, TOSHIRO
; APPLICANT: TAKI, SHINSUKE
; APPLICANT: HAMURO, JUNJI
; TITLE OF INVENTION: POLYPEPTIDES CAPABLE OF BINDING TO HEAVY
; CHAINS OF IL-2 RECEPTORS
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: OBLON, SPIVAK, MCCLELLAND, MATER & NEUSTADT,
; STREET: 1755 S. Jefferson Davis Highway, Suite 400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22202

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/956,399
FILING DATE: 19921005
CLASSIFICATION: 530
ATTORNEY/AGENT INFORMATION:
NAME: Oblon, No. 5876717man F.
REGISTRATION NUMBER: 24,618
REFERENCE/DOCKET NUMBER: 10-586-0
TELEPHONE: (703) 413-3000
TELEFAX: (703) 413-2220
TELEX: 248855 OPAT UR

INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 239 amino acids
TYPE: AMINO ACID
TOPOLOGY: linear
MOLECULE TYPE: protein
US-07-956-399-4

Query Match 76.9%; Score 40; DB 2; Length 239;
Best Local Similarity 80.08; Pred. No. 2.8;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | |
Db 148 GFAFSSYDMS 157

RESULT 6
PCT-US94-07659-2
; Sequence 2, Application PC/TUS9407659
; GENERAL INFORMATION:
; APPLICANT: Young, Peter
; APPLICANT: Gross, Mitchell
; APPLICANT: Jonak, Zdenka L.
; APPLICANT: Theisen, Timothy
; APPLICANT: Hurle, Mark
; APPLICANT: Jackson, Jeffrey R.

TITLE OF INVENTION: Recombinant and Humanized IL-1 beta
TITLE OF INVENTION: Antibodies for Treatment of IL-1 Mediated Inflammatory
Disorders in Man
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: SmithKline Beecham Corporation - Corp.
ADDRESSEE: Intellectual Property

STREET: 709 Swedeland Road
CITY: King of Prussia
STATE: PA
COUNTRY: USA
ZIP: 19406-2799
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US94/07659
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/090,534
FILING DATE: 09-JUL-1993
ATTORNEY/AGENT INFORMATION:
NAME: Sutton, Jeffrey A.
REGISTRATION NUMBER: 34,028
REFERENCE/DOCKET NUMBER: P50171-1
TELEPHONE: (610) 270-5024
TELEFAX: (610) 270-5024
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 247 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
PCT-US94-07659-2

Query Match 76.9%; Score 40; DB 4; Length 247;
Best Local Similarity 80.0%; Pred. No. 2.9;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | | | |
DB 45 GFAFSSYDMS 54

RESULT 7
PCT-US94-07659-6
Sequence 6, Application PC/TUS9407659
GENERAL INFORMATION:
APPLICANT: Young, Peter
APPLICANT: Gross, Mitchell
APPLICANT: Jonak, Zdenka L.
APPLICANT: Theisen, Timothy
APPLICANT: Hurle, Mark
APPLICANT: Jackson, Jeffrey R.
TITLE OF INVENTION: Recombinant and Humanized Il-1 beta
TITLE OF INVENTION: Antibodies for Treatment of Il-1 Mediated Inflammatory
TITLE OF INVENTION: Disorders in Man
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: SmithKline Beecham Corporation - Corp.
ADDRESSEE: Intellectual Property
STREET: 709 Swedeland Road
CITY: King of Prussia
STATE: PA
COUNTRY: USA
ZIP: 19406-2799
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US94/07659
FILING DATE:
CLASSIFICATION:

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/090,534
FILING DATE: 09-JUL-1993
ATTORNEY/AGENT INFORMATION:
NAME: Sutton, Jeffrey A.
REGISTRATION NUMBER: 34,028
REFERENCE/DOCKET NUMBER: P50171-1
TELEPHONE: (610) 270-5024
TELEFAX: (610) 270-5024
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
PCT-US94-07659-6
Query Match 75.0%; Score 39; DB 4; Length 119;
Best Local Similarity 80.0%; Pred. No. 1.9;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | | | |
DB 26 GTFFSSYDMS 35

RESULT 8
US-08-478-039-71
Sequence 71, Application US/08478039
Patent No. 5681722
GENERAL INFORMATION:
APPLICANT: Newman, Roland A.
APPLICANT: Hanna, Nabil
APPLICANT: Raab, Ronald W.
TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
NUMBER OF SEQUENCES: 114
CORRESPONDENCE ADDRESS:
ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
STREET: 699 Prince St.
CITY: Alexandria
STATE: VA
COUNTRY: USA
ZIP: 22313-1404
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/478,039
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/379,072
FILING DATE: 25-JAN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/912,292
FILING DATE: 10-JUL-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/856,281
FILING DATE: 23-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/735,064
FILING DATE: 25-JUL-1991
ATTORNEY/AGENT INFORMATION:
NAME: Teskin Esq., Robin L.
REGISTRATION NUMBER: 35,030
REFERENCE/DOCKET NUMBER: 012712-160
TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-836-6620
TELEFAX: 703-836-2021

INFORMATION FOR SEQ ID NO: 71:
SEQUENCE CHARACTERISTICS:
LENGTH: 123 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: not relevant
MOLECULE TYPE: peptide
ORIGINAL SOURCE:
ORGANISM: Monkey
POSITION IN GENOME:
CHROMOSOME/SEGMENT: VH3 clone 3-34
US-08-478-039-71

Query Match 75.0%; Score 39; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 2;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| |||:| | |
Db 26 GTTFSTYDMT 35

RESULT 9
US-08-478-039-104
Sequence 104, Application US/08478039
Patent No. 5681722
GENERAL INFORMATION:
APPLICANT: Newman, Roland A.
APPLICANT: Hanna, Nabil
APPLICANT: Raab, Ronald W.
TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
NUMBER OF SEQUENCES: 114
CORRESPONDENCE ADDRESS:
ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
STREET: 699 Prince St.
CITY: Alexandria
STATE: VA
COUNTRY: USA
ZIP: 22313-1404
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/478,039
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435
PRIOR APPLICATION NUMBER:
APPLICATION NUMBER: US 08/379,072
FILING DATE: 25-JAN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/912,292
FILING DATE: 10-JUL-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/856,281
FILING DATE: 23-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/735,064
FILING DATE: 25-JUL-1991
ATTORNEY/AGENT INFORMATION:
NAME: Teskin Esq., Robin L.
REGISTRATION NUMBER: 35,030
REFERENCE/DOCKET NUMBER: 012712-160
TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-836-6620
TELEFAX: 703-836-2021
INFORMATION FOR SEQ ID NO: 104:
SEQUENCE CHARACTERISTICS:
LENGTH: 123 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant

TOPOLOGY: not relevant
MOLECULE TYPE: peptide
ORIGINAL SOURCE:
ORGANISM: Monkey
POSITION IN GENOME:
CHROMOSOME/SEGMENT: #34
US-08-478-039-104

Query Match 75.0%; Score 39; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 2;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| |||:| | |
Db 26 GTTFSTYDMT 35

RESULT 10
US-08-476-349A-71
Sequence 71, Application US/08476349A
Patent No. 5750105
GENERAL INFORMATION:
APPLICANT: Newman, Roland A.
APPLICANT: Hanna, Nabil
APPLICANT: Raab, Ronald W.
TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
NUMBER OF SEQUENCES: 114
CORRESPONDENCE ADDRESS:
ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
STREET: 699 Prince St.
CITY: Alexandria
STATE: VA
COUNTRY: USA
ZIP: 22313-1404
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/476,349A
FILING DATE: 07-JUN-1995
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/379,072
FILING DATE: 25-JAN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/912,292
FILING DATE: 10-JUL-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/856,281
FILING DATE: 23-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/735,064
FILING DATE: 25-JUL-1991
ATTORNEY/AGENT INFORMATION:
NAME: Teskin Esq., Robin L.
REGISTRATION NUMBER: 35,030
REFERENCE/DOCKET NUMBER: 012712-161
TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-836-6620
TELEFAX: 703-836-2021
INFORMATION FOR SEQ ID NO: 71:
SEQUENCE CHARACTERISTICS:
LENGTH: 123 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: not relevant
MOLECULE TYPE: peptide
ORIGINAL SOURCE:
ORGANISM: Monkey
POSITION IN GENOME:

CHROMOSOME/SEGMENT: VH3 clone 3-34
US-08-476-349A-71

Query Match 75.0%; Score 39; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 2;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | | | |
Db 26 GFTFTYDWT 35

RESULT 11
US-08-476-349A-104
; Sequence 104, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476.349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 104:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: #34
US-08-476-349A-104

Query Match, 75.0%; Score 39; DB 1; Length 123;

Best Local Similarity 70.0%; Pred. No. 2;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | | | |
Db 26 GFTFTYDWT 35

RESULT 12
US-08-665-202-31
; Sequence 31, Application US/08665202
; Patent No. 5977322
; GENERAL INFORMATION:
; APPLICANT: Marks, James D.
; APPLICANT: Schier, Robert
; TITLE OF INVENTION: No. 5977322el High Affinity Human Antibodies to
; TITLE OF INVENTION: Tumor Antigens
; NUMBER OF SEQUENCES: 141
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crèw LLP
; STREET: Two Embarcadero Center, Eighth Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/665,202
; FILING DATE: 13-JUN-1996
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/000,238
; FILING DATE: 14-JUN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/000,250
; FILING DATE: 15-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Hunter, Tom
; REGISTRATION NUMBER: 38,498
; REFERENCE/DOCKET NUMBER: 02307E-061410
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 31:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 98 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-665-202-31

Query Match 73.1%; Score 38; DB 2; Length 98;
Best Local Similarity 70.0%; Pred. No. 2.4;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | | | | |
Db 26 GFTFTSYEMN 35

RESULT 13
US-08-545-809A-101
; Sequence 101, Application US/08545809A
; Patent No. 6096878
; GENERAL INFORMATION:
; APPLICANT: Honjo, Tasuku
; APPLICANT: Matsuda, Fumihiko

```
; TITLE OF INVENTION: HUMAN IMMUNOGLOBULIN VH GENE
; TITLE OF INVENTION: SEGMENTS AND DNA FRAGMENTS CONTAINING THE SAME
; NUMBER OF SEQUENCES: 145
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson, P.C.
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: MA
; COUNTRY: US
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows95
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/545,809A
; FILING DATE: 27-MAR-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/JP93/00603
; FILING DATE: 10-MAY-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Freeman, John W.
; REGISTRATION NUMBER: 29,066
; REFERENCE/DOCKET NUMBER: 06501/004001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-542-5070
; TELEFAX: 617-542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 101:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 116 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-545-809A-101

Query Match 73.1%; Score 38; DB 3; Length 116;
Best Local Similarity 77.8%; Pred. No. 2.9;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
Db 45 GTTFNSYDM 53

RESULT 14
US-08-983-607-36
; Sequence 36, Application US/08983607
; Patent No. 6140470
; GENERAL INFORMATION:
; APPLICANT: Alan Garen
; APPLICANT: Xiaohong Cai
; TITLE OF INVENTION: Human Anti-Tumor Monoclonal Anti-
; TITLE OF INVENTION: bodies
; NUMBER OF SEQUENCES: 51
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Department of Molecular Biophysics
; ADDRESSEE: and Biochemistry, Yale University
; STREET: 266 Whitney Avenue
; CITY: New Haven
; STATE: Connecticut
; COUNTRY: United States of America
; ZIP: 06520-8114
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5" 1.44 Mb diskette
; COMPUTER: IBM PC
; OPERATING SYSTEM: MS DOS
; SOFTWARE: Word Processing
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/983,607
; FILING DATE: April 27, 1998
```

```
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/IB96/01032
; FILING DATE: June 28, 1996
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Mary M. Krinsky
; REGISTRATION NUMBER: 32423
; REFERENCE/DOCKET NUMBER: OCR-679
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 203-773-9544
; TELEFAX: 203-773-1183
; INFORMATION FOR SEQ ID NO: 36:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 116 residues
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE:
; DESCRIPTION: polypeptide
; ORIGINAL SOURCE:
; ORGANISM: Homo sapiens (melanoma patient immu-
; ORGANISM: nized with autologous tumor cells)
; INDIVIDUAL ISOLATE: peripheral blood lymphocytes
; IMMEDIATE SOURCE:
; LIBRARY: DM414 scfv antibodies obtained from
; LIBRARY: fuses fusion phage construct
; CLONE: V474
; FEATURE:
; NAME/KEY: heavy chain
; US-08-983-607-36

Query Match 73.1%; Score 38; DB 3; Length 116;
Best Local Similarity 80.0%; Pred. No. 2.9;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
Db 26 GTTFSSYMS 35

RESULT 15
US-08-276-852-80
; Sequence 80, Application US/08276852
; Patent No. 5652138
; GENERAL INFORMATION:
; APPLICANT: Burton, Dennis R
; APPLICANT: Barbas, Carlos F
; APPLICANT: Lerner, Richard A
; TITLE OF INVENTION: HUMAN NEUTRALIZING MONOCLONAL ANTIBODIES
; TITLE OF INVENTION: TO HUMAN IMMUNODEFICIENCY VIRUS
; NUMBER OF SEQUENCES: 170
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: The Scripps Research Institute, Office of
; ADDRESSEE: Patent Counsel
; STREET: 10666 No. 5652138th Torrey Pines Road, Suite 220,
; STREET: Mail Drop TPC8
; CITY: La Jolla
; STATE: CA
; COUNTRY: USA
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/276,852
; FILING DATE: 18-JUL-1994
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/178,302
```

;; FILING DATE: 30-SEP-1993
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/954,148
;; FILING DATE: 30-SEP-1992
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Fitting, Thomas
;; REGISTRATION NUMBER: 34,163
;; REFERENCE/DOCKET NUMBER: SCR1452P
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 619-554-2937
;; TELEFAX: 619-554-6312
;; INFORMATION FOR SEQ ID NO: 80:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 122 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
US-08-276-852-80

Query Match 73.1%; Score 38; DB 1; Length 122;
Best Local Similarity 70.0%; Pred. No. 3;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| |||||:
Db 23 GTTFSSYEMN 32

Search completed: March 28, 2001, 06:39:09
Job time: 763 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:49 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-50

Perfect score: 58

Sequence: 1 GFTWSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 20000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	48	82.8	94	2 S14580	Ig heavy chain V r
2	44	75.9	97	2 S26890	Ig heavy chain V r
3	43	74.1	113	2 S26468	Ig heavy chain V r
4	43	74.1	117	1 HVMS34	Ig heavy chain pre
5	43	74.1	121	2 D27888	Ig heavy chain V r
6	43	74.1	124	2 C27888	Ig heavy chain V r
7	41	70.7	40	2 S33406	Ig heavy chain V r
8	41	70.7	83	2 C25913	Ig heavy chain V r
9	41	70.7	98	2 S26891	Ig heavy chain V r
10	41	70.7	108	2 PL0248	Ig heavy chain V r
11	41	70.7	108	2 PH1006	Ig heavy chain V r
12	41	70.7	117	1 HVMS84	Ig heavy chain pre
13	41	70.7	117	2 PL0249	Ig heavy chain V r
14	41	70.7	117	2 PL0252	Ig heavy chain V r
15	41	70.7	118	2 S38491	Ig heavy chain - h
16	41	70.7	119	2 F27888	Ig heavy chain V r
17	41	70.7	122	2 F27888	Ig heavy chain V r
18	41	70.7	138	2 S09258	Ig heavy chain V r
19	41	70.7	325	2 T25122	Ig heavy chain V r
20	40	69.0	92	2 S56009	hypothetical prote
21	40	69.0	92	2 S56008	Ig heavy chain var
22	40	69.0	97	1 HVMS91	Ig heavy chain var
23	40	69.0	97	2 PH0872	Ig heavy chain V r
24	40	69.0	98	2 S26889	Ig heavy chain V r
25	40	69.0	100	2 D48223	Ig heavy chain V r
26	40	69.0	102	2 S14581	Ig heavy chain V r
27	40	69.0	108	2 PH1648	Ig heavy chain V r
28	40	69.0	108	2 PH1011	Ig heavy chain V r
29	40	69.0	109	2 PH1649	Ig heavy chain V r

30 40 69.0 111 2 PH1659 Ig heavy chain V r
31 40 69.0 111 2 S40090 Ig heavy chain - m
32 40 69.0 111 2 PH1007 Ig heavy chain V r
33 40 69.0 112 2 S26327 Ig heavy chain V r
34 40 69.0 112 2 PH1647 Ig heavy chain V r
35 40 69.0 113 2 S25571 Ig heavy chain V r
36 40 69.0 117 1 H3HU26 Ig heavy chain pre
37 40 69.0 117 2 A45953 Ig heavy chain pre
38 40 69.0 117 2 B34964 Ig heavy chain pre
39 40 69.0 117 2 S34012 Ig heavy chain V r
40 40 69.0 118 2 S31121 Ig heavy chain - h
41 40 69.0 119 2 C36005 Ig heavy chain V r
42 40 69.0 119 2 D36005 Ig heavy chain V r
43 40 69.0 119 2 S31107 Ig heavy chain - h
44 40 69.0 119 2 S31108 Ig heavy chain - h
45 40 69.0 120 2 S48798 Ig heavy chain V r

ALIGNMENTS

RESULT 1

S14580
Ig heavy chain V region - mouse
C:Species: Mus musculus (house mouse)
C>Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 23-Jul-1999
C:Accession: S14580
R:Chen, Q.; Stenzel-Poore, M.; Rittenberg, M.B.
submitted to the EMBL Data Library, March 1991
A:Description: Natural polyclonal antibodies differ from Ag-Induced antibodies in v
A:Reference number: S14484
A:Accession: S14580
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-94 <CHE>
A:Cross-references: EMBL:X58652; NID:g51293; PIDN:CAA41509.1; PID:g51294
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotrimer; immunoglobulin
F:7-90/Domain: immunoglobulin homology <IMM>

Query Match 82.8%; Score 48; DB 2; Length 94;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||
DB 18 GFTFSYDMS 27

RESULT 2

S26890
Ig heavy chain V region (DP-48) - human (fragment)
C:Species: Homo sapiens (man)
C>Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C:Accession: S26890
R:Tominson, I.M.; Walter, G.; Marks, J.D.; Llewelyn, M.B.; Winter, G.
J. Mol. Biol. 227, 776-798, 1992
A:Title: The repertoire of human germline V(H) sequences reveals about fifty groups o
A:Reference number: S26885; MUID:93021117
A:Accession: S26890
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-97 <TOM>
A:Cross-references: EMBL:Z12348; NID:g32916; PIDN:CAA78218.1; PID:g32917
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotrimer; immunoglobulin
F:15-97/Domain: immunoglobulin homology <IMM>

Query Match 75.9%; Score 44; DB 2; Length 97;
Best Local Similarity 88.9%; Pred. No. 0.63;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDM 9
 |||:|||||
 Db 26 GFTSSYDM 34

RESULT 3

S26468

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999

C:Accession: S26468

R:Kavaler, J.

submitted to the EMBL Data Library, April 1991

A:Reference number: S26459

A:Accession: S26468

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-113 <KAV>

A:Cross-references: EMBL:X59107; NID:g51944; PIDN:CAA41833.1; PID:g51945

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:11-94/Domain: immunoglobulin homology <IMM>

Query Match 74.1%; Score 43; DB 2; Length 113;

Best Local Similarity 80.0%; Pred. No. 1.1;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDM 10

|||:|||||

Db 22 GFATSSYDM 31

RESULT 4

HVMS34

Ig heavy chain precursor V region (345) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997

C:Accession: J0502

R:Levy, N.S.; Malpiero, U.V.; Lebecque, S.G.; Gearhart, P.J.

J. Exp. Med. 169, 2007-2019, 1989

A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary

A:Reference number: J0501; MUID:89279149

A:Accession: J0502

A>Status: translation not shown

A:Molecule type: mRNA

A:Residues: 1-117 <LEV>

A:Experimental source: strain BALB/cJ

A:Note: This sequence belongs to the VH7183 subfamily

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-19/Domain: signal sequence #status predicted <SIG>

F:20-117/Product: Ig heavy chain V region (345) #status predicted <MAT>

F:34-117/Domain: immunoglobulin homology <IMM>

F:41-115/Disulfide bonds: #status predicted

Query Match

Best Local Similarity 74.1%; Score 43; DB 1; Length 117;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDM 10

|||:|||||

Db 45 GFATSSYDM 54

RESULT 5

D27888

Ig heavy chain V region (H37-60) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996

C:Accession: D27888

R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.

EMBO J. 5, 1577-1587, 1986

A:Title: Structural and functional implications of a restricted antibody response to

A:Reference number: A91043; MUID:86300658

A:Accession: D27888

A:Molecule type: DNA

A:Residues: 1-121 <CAT>

A:Experimental source: strain Balb/c

A:Note: This sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 74.1%; Score 43; DB 2; Length 121;

Best Local Similarity 80.0%; Pred. No. 1.2;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDM 10

|||:|||||

Db 26 GFATSSYDM 35

RESULT 6

C27888

Ig heavy chain V region (H37-62) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996

C:Accession: C27888

R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.

EMBO J. 5, 1577-1587, 1986

A:Title: Structural and functional implications of a restricted antibody response to

A:Reference number: A91043; MUID:86300658

A:Accession: C27888

A:Molecule type: DNA

A:Residues: 1-124 <CAT>

A:Experimental source: strain Balb/c

A:Note: This sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 74.1%; Score 43; DB 2; Length 124;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDM 10

|||:|||||

Db 26 GFATSSYDM 35

RESULT 7

S33406

Ig heavy chain V region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 19-Mar-1997 #sequence_revision 24-Jul-1997 #text_change 17-Jul-1998

C:Accession: S33406

R:Kettleborough, C.A.; Saldanha, J.; Ansell, K.H.; Bendig, M.M.

Eur. J. Immunol. 23, 206-211, 1993

A:Title: Optimization of primers for cloning libraries of mouse immunoglobulin genes

A:Reference number: S33391; MUID:93122092

A:Accession: S33406

A:Molecule type: mRNA

A:Residues: 1-40 <KET>

A:Cross-references: EMBL:X73009

A:Experimental source: strain BALB/c

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-40/Domain: immunoglobulin homology (fragment) <IMM>

Query Match 70.7%; Score 41; DB 2; Length 40;
 Best Local Similarity 80.0%; Pred. No. 0.83;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
 |||:||||
 Db 26 GFTFSSYTMS 35

RESULT 8

Ig heavy chain V region (BF114) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 16-Aug-1988 #sequence_revision 16-Aug-1988 #text_change 16-Aug-1996
 C:Accession: C25913
 R:Lawler, A.M.; Lin, P.S.; Gearhart, P.J.
 Proc. Natl. Acad. Sci. U.S.A. 84, 2454-2458, 1987
 A:Title: Adult B-cell repertoire is biased toward two heavy-chain variable-region genes
 A:Reference number: A94148; MUID:87175692
 A:Accession: C25913
 A:Molecule type: DNA
 A:Residues: 1-83 <LAW>
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin

Query Match 70.7%; Score 41; DB 2; Length 83;
 Best Local Similarity 80.0%; Pred. No. 1.8;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
 |||:||||
 Db 11 GFTFSSYCMS 20

RESULT 9

Ig heavy chain V region (DP-58) - human (fragment)
 C:Species: Homo sapiens (man)
 C:Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
 C:Accession: S26891
 R:Tomlinson, I.M.; Walter, G.; Marks, J.D.; Llewellyn, M.B.; Winter, G.
 J. Mol. Biol. 227, 776-798, 1992
 A:Title: The repertoire of human germline V(H) sequences reveals about fifty groups of V
 A:Reference number: S26895; MUID:93021117
 A:Accession: S26891
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-98 <TOM>
 C:Cross-references: EMBL:Z12358; NID:932935; PIDN:CAA78228.1; PID:932936
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 70.7%; Score 41; DB 2; Length 98;
 Best Local Similarity 70.0%; Pred. No. 2.1;
 Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
 |||:||||
 Db 26 GFTFSSYEMN 35

RESULT 10

Ig heavy chain V region (anti-DNA, DP12VH) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996
 C:Accession: PL0248
 R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.
 J. Exp. Med. 171, 265-297, 1990

A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somat
 A:Reference number: PL0231; MUID:90111618
 A:Accession: PL0248
 A:Molecule type: mRNA
 A:Residues: 1-108 <SHL>
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-24/Region: framework 1
 F:9-92/Domain: immunoglobulin homology <IMM>
 F:25-29/Region: complementarity-determining 1
 F:30-43/Region: framework 2
 F:44-60/Region: complementarity-determining 2
 F:61-92/Region: framework 3
 F:93-99/Region: complementarity-determining 3
 F:100-108/Region: framework 4

Query Match 70.7%; Score 41; DB 2; Length 108;
 Best Local Similarity 80.0%; Pred. No. 2.3;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
 |||:||||
 Db 20 GFTFSSYTMS 29

RESULT 11

Ig heavy chain V region (clone 202.33) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 16-Aug-1996
 C:Accession: PH1006
 R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marlon, T.N.
 J. Exp. Med. 176, 761-779, 1992
 A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PH1006
 A>Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-108 <TIL>
 A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:10-93/Domain: immunoglobulin homology <IMM>

Query Match 70.7%; Score 41; DB 2; Length 108;
 Best Local Similarity 80.0%; Pred. No. 2.3;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
 |||:||||
 Db 21 GFTFSSYCMS 30

RESULT 12

Ig heavy chain precursor V region (5-84) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
 C:Accession: JT0505
 R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
 J. Exp. Med. 169, 2007-2019, 1989
 A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primar
 A:Reference number: JT0501; MUID:89279149
 A:Accession: JT0505
 A>Status: translation not shown
 A:Molecule type: mRNA
 A:Residues: 1-117 <LEV>
 A:Experimental source: strain BALB/cJ
 A:Note: This sequence belongs to the VH7183 subfamily
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin

F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-117/Product: Ig heavy chain V region (5-84) #status predicted <MAT>
F:34-117/Domain: immunoglobulin homology <IMM>
F:41-115/Disulfide bonds: #status predicted

Query Match 70.7%; Score 41; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 2.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:||||||
DB 45 GFTFSSTMS 54

RESULT 13

PL0249
Ig heavy chain V region (anti-DNA, 3E12VH) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996
C:Accession: PL0249
R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.
J. Exp. Med. 171, 265-297, 1990
A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic
A:Reference number: PL0231; MUID:90111618
A:Accession: PL0249
A:Molecule type: mRNA
A:Residues: 1-117 <SHL>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-30/Region: framework 1
F:15-98/Domain: immunoglobulin homology <IMM>
F:31-35/Region: complementarity-determining 1
F:36-49/Region: framework 2
F:50-66/Region: complementarity-determining 2
F:67-98/Region: framework 3
F:99-108/Region: complementarity-determining 3
F:109-117/Region: framework 4

Query Match 70.7%; Score 41; DB 2; Length 117;
Best Local Similarity 80.0%; Pred. No. 2.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:||||||
DB 26 GFTFSSTMS 35

RESULT 14

PL0252
Ig heavy chain V region (anti-DNA, clones 2E3VH, 6B8VH, and 3G9VH) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996
C:Accession: PL0252
R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.
J. Exp. Med. 171, 265-297, 1990
A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic
A:Reference number: PL0231; MUID:90111618
A:Accession: PL0252
A:Molecule type: mRNA
A:Residues: 1-117 <SHL>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-30/Region: framework 1
F:15-98/Domain: immunoglobulin homology <IMM>
F:31-35/Region: complementarity-determining 1
F:36-49/Region: framework 2
F:50-66/Region: complementarity-determining 2
F:67-98/Region: framework 3
F:99-108/Region: complementarity-determining 3
F:109-117/Region: framework 4

Query Match 70.7%; Score 41; DB 2; Length 117;
Best Local Similarity 80.0%; Pred. No. 2.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:||||||
DB 26 GFTFSSTMS 35

RESULT 15

S38491
Ig heavy chain - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
C:Accession: S38491
R:Warks, J.D.; Ouweland, W.H.; Bye, J.M.; Finnern, R.; Gorick, B.D.; Voak, D.; Thorpe
submitted to the EMBL Data Library, June 1993
A:Description: Human antibody fragments specific for human blood group antigens from
A:Reference number: S38488
A:Accession: S38491
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-118 <WAR>
A:Cross-references: EMBL:223032; NID:9414029; PIDN:CAA80567.1; PID:9414030
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-97/Domain: immunoglobulin homology <IMM>

Query Match 70.7%; Score 41; DB 2; Length 118;
Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDM 9
|||:||||||
DB 26 GFTLSSYDM 34

Search completed: March 28, 2001, 06:41:49
Job time: 872 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:43 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-50

Perfect score: 58

Sequence: 1 GFTWSSYDMS 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	43	74.1	117	1 HV55_MOUSE	P18526 mus musculus
2	41	70.7	117	1 HV54_MOUSE	P18525 mus musculus
3	40	69.0	97	1 HV56_MOUSE	P18527 mus musculus
4	40	69.0	117	1 HV3C_HUMAN	P01764 homo sapien
5	39	67.2	117	1 HV53_MOUSE	P18524 mus musculus
6	38	65.5	117	1 HV59_MOUSE	P18530 mus musculus
7	38	65.5	304	1 NKR7_HUMAN	Q14952 homo sapien
8	38	65.5	450	1 NMT_CAEEL	P46548 caenorhabdi
9	37	63.8	116	1 HV1A_RABIT	P01826 oryctolagus
10	37	63.8	117	1 HV2B_RABIT	P18223 staphylococ
11	37	63.8	311	1 PLC_STAAR	P45723 homo sapien
12	36	62.1	115	1 HV3D_HUMAN	P01765 homo sapien
13	36	62.1	367	1 DIAC_RAT	Q01460 rattus norv
14	36	62.1	385	1 DIAC_HUMAN	Q01459 homo sapien
15	36	62.1	416	1 NMT1_HUMAN	P30419 homo sapien
16	36	62.1	423	1 IDH_BACSU	P39126 bacillus su
17	36	62.1	496	1 NMT1_MOUSE	O70310 mus musculus
18	36	62.1	503	1 AMYP_RAT	P00689 rattus norv
19	36	62.1	508	1 AMYP_MOUSE	P00688 mus musculus
20	36	62.1	511	1 AMYS_MOUSE	P00687 mus musculus
21	36	62.1	517	1 YB3C_SCHPO	O14342 schizosacch
22	36	62.1	565	1 SYG_METTH	O27874 methanobact
23	36	62.1	707	1 TRFL_MOUSE	P08071 mus musculus
24	36	62.1	781	1 GCS1_CAEEL	Q19426 caenorhabdi
25	35	60.3	117	1 HV52_MOUSE	P06327 mus musculus
26	35	60.3	396	1 CBG_RAT	P31211 rattus norv
27	35	60.3	434	1 SLS4_BRAOL	P17841 brassica ol
28	35	60.3	435	1 SLS2_BRAOA	P22553 brassica ol
29	35	60.3	558	1 AMAL_PLACH	P16445 plasmodium
30	34	58.6	105	1 ARSR_BACSU	P45949 bacillus su
31	34	58.6	114	1 HV00_MOUSE	P01741 mus musculus
32	34	58.6	114	1 HV01_CANFA	P01784 canis famil
33	34	58.6	118	1 ABBB_TRIAB	P81116 trimeresuru

RESULT 1

HV55_MOUSE
ID HV55_MOUSE STANDARD; PRT; 117 AA.
AC P18526;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 345 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALE/CJ;
RX MEDLINE; 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin V genes during the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR; J0502; HVMS34.
DR INTERPRO; IPR003006;
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 345.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12902 MW; 49380E4627ACA99A CRC64;

Query Match 74.1%; Score 43; DB 1; Length 117;

Best Local Similarity 80.0%; Pred. No. 0.71;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Caps 0;

QY 1 GFTWSSYDMS 10

DB 45 GFAFSSYDMS 54

RESULT 2

HV54_MOUSE
ID HV54_MOUSE STANDARD; PRT; 117 AA.
AC P18525;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 5-84 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.


```

RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=BALB/CJ;
RX  MEDLINE: 89279149.
RA  Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT  "Early onset of somatic mutation in immunoglobulin VH genes during
RL  the primary immune response.";
RL  J. Exp. Med. 169:2007-2019(1989).
CC  -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR  PIR: JT0505; HVMS84.
DR  INTERPRO: IPR003006; -.
DR  PFAM: PF00047; ig; 1.
KW  Immunoglobulin V region; Signal.
FT  SIGNAL 1 19
FT  CHAIN 20 117 IG HEAVY CHAIN V REGION 5-84.
FT  DOMAIN 20 49 FRAMEWORK 1.
FT  DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT  DOMAIN 55 68 FRAMEWORK 2.
FT  DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT  DOMAIN 86 117 FRAMEWORK 3.
FT  DISULFD 41 115 BY SIMILARITY.
FT  NON_TER 117 117
SQ  SEQUENCE 117 AA; 12872 MW; 234055CB6A469861 CRC64;

Query Match 70.7%; Score 41; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 1.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 45 GFTFSSYAMS 54
    |||:|||||
    |||:|||||

RESULT 3
ID HV56_MOUSE STANDARD; PRT; 97 AA.
AC P18527;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 914.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE: 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
RL the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: JT0504; HVMS91.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig; 1.
KW Immunoglobulin V region.
FT NON_TER 97 97
SQ SEQUENCE 97 AA; 10661 MW; C23CB33FF55DA893 CRC64;

Query Match 69.0%; Score 40; DB 1; Length 97;
Best Local Similarity 80.0%; Pred. No. 1.9;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSSYAMS 35
    |||:|||||
    |||:|||||

RESULT 4
ID HV3C_HUMAN STANDARD; PRT; 117 AA.
AC P01764;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION VH26 PRECURSOR.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Homidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RC MEDLINE: 81101090.
RX Mathysens G., Rabbitts T.H.;
RT "Structure and multiplicity of genes for the human immunoglobulin
RL heavy chain variable region.";
RL Proc. Natl. Acad. Sci. U.S.A. 77:6561-6565(1980).
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
DR EMBL: J00236; AA53516.1; -.
DR EMBL: M35415; AA58735.1; -.
DR PIR: A02047; H3HU26.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V-III REGION VH26.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12582 MW; E826733F1A3CB0F1 CRC64;

Query Match 69.0%; Score 40; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 2.3;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 45 GFTFSSYAMS 54
    |||:|||||
    |||:|||||

RESULT 5
ID HV53_MOUSE STANDARD; PRT; 117 AA.
AC P18324;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION RF PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE: 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
RL the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: JT0503; HVMSRF.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; ig; 1.
KW Immunoglobulin V region; Hybridoma; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION RF.
FT DOMAIN 20 49 FRAMEWORK 1.

```

FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12866 MW; 2CE3295F390F725B CRC64; -

Query Match 67.2%; Score 39; DB 1; Length 117;
 Best Local Similarity 80.0%; Pred. No. 3.4;
 Matches 8; Conservative -1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 |||:||||
 Db 45 GFTESNYGMS 54

RESULT 6

HV59_MOUSE STANDARD; PRT; 117 AA.
 AC P18530;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 13-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 7-39 PRECURSOR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-BALB/CJ;
 RX MEDLINE: 89279149.
 RA Levy N.S., Mallipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response.";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JTO507; HVMS39.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; Ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V REGION 7-39.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12972 MW; D5CA167D0F1774F CRC64;

Query Match 65.5%; Score 38; DB 1; Length 117;
 Best Local Similarity 70.0%; Pred. No. 5;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 |||:||||
 Db 45 GFTESNYGMS 54

RESULT 7

IKR7_HUMAN STANDARD; PRT; 304 AA.
 AC Q14952; O00644;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 13-JUL-1999 (Rel. 38, Last annotation update)
 DE MHC CLASS I NK CELL RECEPTOR PRECURSOR (NATURAL KILLER ASSOCIATED
 DE TRANSCRIPT 7) (NKAT7).
 OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE: 96270004.
 RA Doehring C., Samaridis J., Colonna M.;
 RT "Alternatively spliced forms of human killer inhibitory receptors.";
 RL Immunogenetics 44:227-230(1996).
 CC [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=LYMPHOID;
 RA Biassoni R.;
 CC -1- FUNCTION: RECEPTOR ON NATURAL KILLER (NK) CELLS FOR HLA-C
 CC ALLELES. INHIBITS THE ACTIVITY OF NK CELLS THUS PREVENTING
 CC CELL LYSIS.
 CC -1- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.
 CC -1- SIMILARITY: CONTAINS 2 IMMUNOGLOBULIN-LIKE C2-TYPE DOMAINS.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 DR EMBL: L76670; AAB36598.1;
 DR EMBL: X97231; CAA65870.1;
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; Ig; 2.
 KW Receptor; Immunoglobulin domain; Glycoprotein; Signal; Transmembrane;
 KW Multigene family.
 FT SIGNAL 1 21 BY SIMILARITY.
 FT CHAIN 22 304 MHC CLASS I NK CELL RECEPTOR.
 FT DOMAIN 22 245 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 246 264 POTENTIAL.
 FT DOMAIN 265 304 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 42 107 IG-LIKE C2-TYPE DOMAIN.
 FT DOMAIN 142 205 IG-LIKE C2-TYPE DOMAIN.
 FT DISULFID 49 100 BY SIMILARITY.
 FT DISULFID 149 198 BY SIMILARITY.
 FT CARBOHYD 67 67 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 84 84 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 178 178 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 304 AA; 33717 MW; 80693F79844F9E7E CRC64;

Query Match 65.5%; Score 38; DB 1; Length 304;
 Best Local Similarity 85.7%; Pred. No. 13;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 TWSSYDM 9
 :|||||
 Db 151 SWSSYDM 157

RESULT 8

NMT_CAEEL STANDARD; PRT; 450 AA.
 AC P46548;
 DT 01-NOV-1995 (Rel. 32, Created)
 DT 01-NOV-1995 (Rel. 32, Last sequence update)
 DT 01-NOV-1995 (Rel. 32, Last annotation update)
 DE PROBABLE GLYCYPEPTIDE N-TETRADECANOYLTRANSFERASE (EC 2.3.1.97)
 DE (PEPTIDE N-MYRISTOYLTRANSFERASE) (MYRISTOYL-COA:PROTEIN N-
 DE MYRISTOYLTRANSFERASE) (NMT).
 GN T1E9.2.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditidae;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 RN [1]
 RP SEQUENCE FROM N.A.

RC STRAIN-BRISTOL N2;
 RA Du 2.;
 RL Submitted (JUN-1994) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: ADDS MYRISTOYL GROUP TO N-TERMINAL GLYCINE RESIDUE
 CC OF CERTAIN CELLULAR AND VIRAL PROTEINS (BY SIMILARITY).
 CC -!- CATALYTIC ACTIVITY: TETRADECANOYL-COA + GLYCYL-PEPTIDE = COA +
 CC N-TETRADECANOYLGLYCYL-PEPTIDE.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC (POTENTIAL).
 CC -!- SIMILARITY: BELONGS TO THE NMT FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@sib-sib.ch).
 CC -----
 DR EMBL; U11280; AAA19436.1; .
 DR WORMPEP; T17E9.2; CE01406.
 DR INTERPRO; IPR000903; .
 DR PFAM; PF01233; NMT_1.
 DR PROSITE; PS00975; NMT_1; 1.
 DR PROSITE; PS00976; NMT_2; 1.
 KW Hypothetical protein; Transferase; Acyltransferase.
 SQ SEQUENCE 450 AA; 50889 MW; 5A639808F7DDA38E CRC64;

Query Match 65.5%; Score 38; DB 1; Length 450;
 Best Local Similarity 60.0%; Pred. No. 19;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 || || | | |
 DB 108 GFRWNVNLS 117

RESULT 9
 HV1A_RABIT STANDARD; PRT; 116 AA.
 ID HV1A_RABIT
 AC P01826;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DE IG HEAVY CHAIN V-AL REGION BS-5.
 OS Oryctolagus cuniculus (Rabbit).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
 RN [1]
 RP SEQUENCE OF 1-69.
 RX MEDLINE; 73220191.
 RA Jaton J.-C.;
 RT "Amino acid sequence of the N-terminal sixty-nine residues of heavy
 RT chain derived from a homogeneous rabbit antibody."
 RL Biochem. J. 130:539-546(1972).
 RN [2]
 RP SEQUENCE OF 64-116.
 RX MEDLINE; 75183340.
 RA Jaton J.-C.;
 RT "Completion of the analysis of the primary structure of the variable
 RT domain of a homogeneous rabbit antibody to type III pneumococcal
 RT polysaccharide."
 RL Biochem. J. 143:723-732(1974).
 CC -!- MISCELLANEOUS: THIS GAMMA CHAIN WAS OBTAINED FROM ANTIBODY TO TYPE
 CC III PNEUMOCOCCI AND WAS ISOLATED FROM THE SERUM OF A SINGLE
 CC RABBIT.
 DR PIR; A02102; GARB15.
 DR INTERPRO; IPR003006; .
 DR PFAM; PF00047; Ig; 1.
 KW Immunoglobulin V region.
 FT MOD_RES 1 1
 FT NON_TER 116 116
 SQ SEQUENCE 116 AA; 12349 MW; 95C6FAC93C788C42 CRC64;

Query Match 63.8%; Score 37; DB 1; Length 116;
 Best Local Similarity 77.8%; Pred. No. 7.4;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDM: 9
 || | | | | | |
 DB 25 GFSLSYDYM 33

RESULT 10
 HV2B_RABIT STANDARD; PRT; 117 AA.
 ID HV2B_RABIT
 AC P01828;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V-A2 REGION K-25.
 OS Oryctolagus cuniculus (Rabbit).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
 RN [1]
 RP SEQUENCE.
 RX MEDLINE; 76039436.
 RA Jaton J.-C.;
 RT "Comparison of the amino acid sequences of the variable domains of
 RT two homogeneous rabbit antibodies to type III pneumococcal
 RT polysaccharide."
 RL Biochem. J. 147:235-247(1975).
 CC -!- MISCELLANEOUS: THIS CHAIN WAS OBTAINED FROM ANTIBODY TO TYPE III
 CC PNEUMOCOCCI AND WAS ISOLATED FROM THE SERUM OF A SINGLE RABBIT.
 DR PIR; A02104; GARB2K.
 DR INTERPRO; IPR003006; .
 DR PFAM; PF00047; Ig; 1.
 KW Immunoglobulin V region.
 FT MOD_RES 1 1
 FT DISULFID 21 91
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12580 MW; 28DD87FDB7AEE9B8 CRC64;

Query Match 63.8%; Score 37; DB 1; Length 117;
 Best Local Similarity 70.0%; Pred. No. 7.4;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 || | | | | | |
 DB 25 GFSLSGYDMS 34

RESULT 11
 PLC_STAAU STANDARD; PRT; 311 AA.
 ID PLC_STAAU
 AC P45723;
 DT 01-NOV-1995 (Rel. 32, Created)
 DT 01-NOV-1995 (Rel. 32, Last sequence update)
 DT 15-JUL-1998 (Rel. 36, Last annotation update)
 DE 1-PHOSPHATIDYLINOSITOL PHOSPHOTERASE PRECURSOR (EC 3.1.4.10)
 DE (PHOSPHATIDYLINOSITOL-SPECIFIC PHOSPHOLIPASE C) (PI-PLC).
 GN PLC.
 OS Staphylococcus aureus.
 CC Bacteria; Firmicutes; Bacillus/Clostridium group;
 CC Bacillus/Staphylococcus group; Staphylococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-NEWMAN;
 RX MEDLINE; 94041628.
 RA Daugherty S., Low M.G.;
 RT "Cloning, expression, and mutagenesis of
 RT phosphatidylinositol-specific phospholipase C from Staphylococcus
 RT aureus: a potential staphylococcal virulence factor."
 RL Infect. Immun. 61:5078-5089(1993).

CC -!- FUNCTION: CLEAVES GLYCOSYLPHOSPHATIDYLINOSITOL (GPI) AND
 CC PHOSPHATIDYLINOSITOL (PI) ANCHORS BUT NOT PI PHOSPHATES. POTENTIAL
 CC VIRULENCE FACTOR.
 CC -!- CATALYTIC ACTIVITY: 1-PHOSPHATIDYL-D-MYO-INOSITOL = D-MYO-INOSITOL
 CC 1,2-CYCLIC PHOSPHATE + DIACYLGLYCEROL.
 CC -!- SUBCELLULAR LOCATION: SECRETED.
 CC -!- SIMILARITY: TO OTHER BACTERIAL PI-PLC.
 CC -!- SIMILARITY: DOMAIN X IS CONSERVED IN DIFFERENT FORMS OF PLC AND IS
 CC ESSENTIAL FOR CATALYTIC ACTIVITY.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----
 CC EMBL: L19298; AAA16442.1; -.
 CC HSP; P14262; 6PTD.
 CC INTERPRO: IPR000909; -.
 CC PFAM: PF00388; PI-PLC-X; 1.
 CC PROSITE: PS00007; PIP2C_X DOMAIN; 1.
 CC Hydrolase; Lipid degradation; Signal; Virulence.
 CC SIGNAL 1
 CC CHAIN 27 311 1-PHOSPHATIDYLINOSITOL PHOSPHODIESTERASE.
 CC DOMAIN 27 311
 CC FT DOMAIN 27 176
 CC FT ACT_SITE 40 40
 CC FT ACT_SITE 90 90
 CC FT ACT_SITE 90 90
 CC SEQUENCE 311 AA; 3235 MW; CC5A1F830776741F CRC64;

Query Match 63.8%; Score 37; DB 1; Length 311;
 Best Local Similarity 62.5%; Pred. No. 19;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTWSSVD 8

Db 293 GYTWPQYD 300

RESULT 12
 ID HV3D_HUMAN STANDARD; PRT; 115 AA.
 AC P01765;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 13-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V-III REGION TIL.
 OS Homo sapiens (Human).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 CC [1]
 RN
 RP
 RX MEDLINE; 78005528.
 RA Wang A.-C., Wang I.Y., Fudenberg H.H.;
 RT "Immunoglobulin structure and genetics. Identity between variable
 RT regions of a mu and a gamma2 chain.";
 RL J. Biol. Chem. 252:7192-7199(1977).
 CC -!- MISCELLANEOUS: THE SEQUENCES OF THE V REGIONS OF THE HEAVY CHAINS
 CC OF IGM AND IGG2 ISOLATED FROM A SINGLE PATIENT WITH BICLONAL
 CC GAMMOPATHY ARE IDENTICAL. THEIR LIGHT CHAINS ARE APPARENTLY ALSO
 CC IDENTICAL.

DR PIR: A02048; H3HUTL.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; Ig; 1.
 KW Immunoglobulin V region.
 FT NON_TER 115 115
 FT SEQUENCE 115 AA; 12356 MW; 4DCC67D179F62326 CRC64;

Query Match 62.1%; Score 36; DB 1; Length 115;
 Best Local Similarity 70.0%; Pred. No. 11;

Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 1 GFTWSSYDMS 10
 Db 26 GTFSTYVMS 35

RESULT 13

ID DIAC_RAT STANDARD; PRT; 367 AA.
 AC Q01460;
 DT 01-JUL-1993 (Rel. 26, Created)
 DT 01-JUL-1993 (Rel. 26, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE DI-N-ACETYLCHITOBIASE PRECURSOR (EC 3.2.1.-).
 GN CTBS OR CTB.
 OS Rattus norvegicus (Rat).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 CC [1]
 RN
 RP SEQUENCE FROM N.A., AND SEQUENCE OF 24-32.
 RC TISSUE=LIVER;
 RX MEDLINE; 92406917.
 RA Fisher K.J., Aronson N.N. Jr.;
 RT "Cloning and expression of the cDNA sequence encoding the lysosomal
 RT glycosidase di-N-acetylchitobiose.";
 RL J. Biol. Chem. 267:19607-19616(1992).
 CC -!- FUNCTION: INVOLVED IN THE DEGRADATION OF ASPARAGINE-LINKED
 CC GLYCOPROTEINS. HYDROLYSE OF N-ACETYL-BETA-D-GLUCOSAMINE
 CC (1-4)-N-ACETYLGLUCOSAMINE CHITOBIOSE CORE FROM THE REDUCING END
 CC OF THE BOND, IT REQUIRES PRIOR CLEAVAGE BY GLYCOSYLASPARAGINASE.
 CC -!- SUBCELLULAR LOCATION: LYSOSOMAL.
 CC -!- SIMILARITY: BELONGS TO FAMILY 18 OF GLYCOSYL HYDROLASES.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----
 CC EMBL: M95768; AAA0924.1; -.
 CC PIR: S27882; S27882.
 CC PIR: C44102; C44102.
 CC INTERPRO: IPR001223; -.
 CC INTERPRO: IPR001579; -.
 CC PFAM: PF00704; Glyco_hydro_18; 1.
 CC PROSITE: PS01095; CHITINASE_18; 1.
 CC Hydrolase; Glycosidase; Signal; Lysosome; Glycoprotein.
 CC SIGNAL 1 23
 CC CHAIN 24 367 DI-N-ACETYLCHITOBIASE.
 CC ACT_SITE 128 128 PROTON DONOR (BY SIMILARITY).
 CC CARBOHYD 100 100 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC CARBOHYD 178 178 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC CARBOHYD 213 213 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC CARBOHYD 247 247 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC CARBOHYD 284 284 N-LINKED (GLCNAC. . .) (POTENTIAL).
 CC SEQUENCE 367 AA; 41531 MW; 29AB8BE4FC157C16 CRC64;

Query Match 62.1%; Score 36; DB 1; Length 367;
 Best Local Similarity 75.0%; Pred. No. 34;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 TWSSYDMS 10
 Db 54 TWKSYDWS 61

RESULT 14

ID DIAC_HUMAN STANDARD; PRT; 385 AA.

AC Q01459;
 DT 01-JUL-1993 (Rel. 26, Created)
 DT 01-JUL-1993 (Rel. 26, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE DI-N-ACETYLCHITOBIASE PRECURSOR (EC 3.2.1.-).
 GN CTBS OR CTB.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=PLACENTA;
 RX MEDLINE; 92406917.
 RA Fisher K.J., Aronson N.N. Jr.;
 RT "Cloning and expression of the cDNA sequence encoding the lysosomal
 glycosidase di-N-acetylchitobiase";
 RL J. Biol. Chem. 267:19607-19616(1992).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA Liu B., Aronson N.N. Jr.;
 RT "Structure of the human gene for lysosomal di-N-acetylchitobiase";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: INVOLVED IN THE DEGRADATION OF ASPARAGINE-LINKED
 CC GLYCOPROTEINS. HYDROLYZE OF N-ACETYL-BETA-D-GLUCOSAMINE
 CC (1-4)-N-ACETYLGLUCOSAMINE CHITOBIOSE CORE FROM THE REDUCING END
 CC OF THE BOND, IT REQUIRES PRIOR CLEAVAGE BY GLYCOSYLASPARAGINASE.
 CC -!- SUBCELLULAR LOCATION: LYSOSOMAL.
 CC -!- SIMILARITY: BELONGS TO FAMILY 18 OF GLYCOSYL HYDROLASES.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; M95767; AAC35684.1; -
 CC EMBL; AF085706; AAC35852.1; -
 CC EMBL; AF085700; AAC35852.1; JOINED.
 CC EMBL; AF085701; AAC35852.1; JOINED.
 CC EMBL; AF085702; AAC35852.1; JOINED.
 CC EMBL; AF085703; AAC35852.1; JOINED.
 CC EMBL; AF085704; AAC35852.1; JOINED.
 CC EMBL; AF085705; AAC35852.1; JOINED.
 CC PIR; A44102; A44102.
 CC PIR; S27959; S27959.
 CC MIM; 600873; -
 CC INTERPRO: IPR001579; -
 CC PROSITE; PS01095; CHITINASE_18; 1.
 KW Hydrolase; Glycosidase; Signal; Lysosome; Glycoprotein.
 FT SIGNAL 1 38
 FT CHAIN 39 385
 FT ACT_SITE 143 143
 FT CARBOHYD 193 193
 FT CARBOHYD 228 228
 FT CARBOHYD 262 262
 FT CARBOHYD 299 299
 FT CARBOHYD 385 385
 SQ SEQUENCE 385 AA; 43759 MW; 0A9D14C8B26B52EE CRC64;

 Query Match 62.1%; Score 36; DB 1; Length 385;
 Best Local Similarity 75.0%; Pred. No. 36;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

 Qy 3 TWSSYDMS 10
 Db 69 TWKSYDWS 76

 RESULT 15
 ID NMT1_HUMAN STANDARD; PRT; 416 AA.

AC P30419;
 DT 01-APR-1993 (Rel. 25, Created)
 DT 01-APR-1993 (Rel. 25, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE 1 (EC 2.3.1.97) (PEPTIDE N-
 DE MYRISTOYLTRANSFERASE 1) (MYRISTOYL-COA:PROTEIN N-MYRISTOYLTRANSFERASE
 DE 1) (NMT 1).
 GN NMT1 OR NMT.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE FROM N.A., AND MUTAGENESIS OF GLY-412.
 RX MEDLINE; 92237320.
 RA Duronio R.J., Reed S.I., Gordon J.I.;
 RT "Mutations of human myristoyl-CoA:protein N-myristoyltransferase
 RT cause temperature-sensitive myristic acid auxotrophy in Saccharomyces
 RT cerevisiae";
 RL Proc. Natl. Acad. Sci. U.S.A. 89:4129-4133(1992).
 CC -!- FUNCTION: ADDS MYRISTOYL GROUP TO N-TERMINAL GLYCINE RESIDUE
 CC OF CERTAIN CELLULAR AND VIRAL PROTEINS.
 CC -!- CATALYTIC ACTIVITY: TETRADECANOYL-COA + GLYCYL-PEPTIDE - COA +
 CC N-TETRADECANOYLGLYCYL-PEPTIDE.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- TISSUE SPECIFICITY: HEART, GUT, KIDNEY, LIVER, AND PLACENTA.
 CC -!- SIMILARITY: BELONGS TO THE NMT FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; M86707; -; NOT_ANNOTATED_CDS.
 CC PIR; JC1343; JC1343.
 CC MIM; 160993; -
 CC INTERPRO: IPR000903; -
 CC PFAM; PF01233; NMT_1; 1.
 CC PROSITE; PS00975; NMT_1; 1.
 CC PROSITE; PS00976; NMT_2; 1.
 KW Transferase; Acyltransferase.
 FT MUTAGEN 412 412 G->D,K: REDUCED ACTIVITY.
 FT SEQUENCE 416 AA; 48140 MW; CF08D233B6DD9383 CRC64;

 Query Match 62.1%; Score 36; DB 1; Length 416;
 Best Local Similarity 55.6%; Pred. No. 38;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

 Qy 1 GFTWSSYDM 9
 Db 75 GFTWDALDL 83

Search completed: March 28, 2001, 07:29:45
 Job time: 1652 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:30 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-50
Perfect score: 58
Sequence: 1 GFTWSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mhc:*
- 8: sp_organelle:*
- 9: sp_phase:*
- 10: sp_plant:*
- 11: sp_rodent:*
- 12: sp_virus:*
- 13: sp_vertebrate:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	41	70.7	325	5	O02322
2	40	69.0	437	11	O9RLA4
3	39	67.2	118	4	O9UL91
4	39	67.2	511	2	O9PM91
5	38	65.5	95	4	O9ULB6
6	38	65.5	147	4	O9V509
7	38	65.5	228	5	O02109
8	38	65.5	325	5	O23244
9	38	65.5	327	10	O9S260
10	38	65.5	335	10	O64692
11	38	65.5	356	10	O04710
12	38	65.5	2408	5	O22184
13	37	63.8	113	4	O9UL90
14	37	63.8	256	10	O9S7P0
15	37	63.8	286	3	O60065
16	37	63.8	309	5	O9N7W6
17	37	63.8	476	5	O9V935
18	37	63.8	510	10	O9ST51
19	37	63.8	537	3	O42801

20	37	63.8	702	10	O9LNL6
21	37	63.8	889	5	O9NEE9
22	37	63.8	993	5	P91157
23	37	63.8	1156	5	O61137
24	36	62.1	116	4	O9UL93
25	36	62.1	159	10	O9SDR8
26	36	62.1	174	12	O9QRM4
27	36	62.1	232	11	O61297
28	36	62.1	422	2	O9K848
29	36	62.1	425	2	O06893
30	36	62.1	483	1	O9VEL8
31	36	62.1	497	6	O9N177
32	36	62.1	506	5	O9V7P1
33	36	62.1	509	5	O9W3F6
34	36	62.1	577	5	P91823
35	36	62.1	673	4	O43895
36	36	62.1	690	10	O9L1B7
37	36	62.1	876	2	O53576
38	36	62.1	1324	2	O44103
39	36	62.1	1372	5	P91526
40	35	60.3	101	1	O06103
41	35	60.3	263	13	O91622
42	35	60.3	275	10	O9ZUA6
43	35	60.3	282	5	O02335
44	35	60.3	299	4	O9NYW4
45	35	60.3	327	5	Q25688

ALIGNMENTS

RESULT 1
O02322 PRELIMINARY; PRT; 325 AA.
AC O02322;
DT 01-JUL-1997 (TREMBLrel. 04, Created)
DT 01-JUL-1997 (TREMBLrel. 04, Last sequence update)
DT 01-JAN-1999 (TREMBLrel. 09, Last annotation update)
DE T22G5.1 PROTEIN.
GN T22G5.1.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditidae;
OC Rhabditidae; Pelodermidae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA Smye R.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Showkeen R.,
RA Smalton N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohldman P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
elegans.";
RL Nature 368:32-38(1994).
DR EMBL; 281127; CAB03386.1;
SQ SEQUENCE 325 AA; 36754 MW; EE9D338E16F8AC9F CRC64;

Query Match 70.7%; Score 41; DB 5; Length 325;
Best Local Similarity 60.0%; Pred. No. 12;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

Db 218 GFTWSSYDMS 227
|||||:|:|:|

RESULT 2
Q9R1A4 PRELIMINARY; PRT; 437 AA.
ID Q9R1A4
AC Q9R1A4;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)
DE GAMMAL HEAVY CHAIN OF MAB7 (FRAGMENT).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Wilde K.G., Yu X., Ekramoddoullah A.K.M., Misra S.;
RT "Cloning of cDNAs encoding for anti-white pine blister rust monoclonal
RT antibody (Mab 7, its light and heavy chains) and construction of a
RT single chain antibody (scFV)".
RL Submitted (MAY-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF152372; AAD40243.1; -
DR HSSP; P01842; 7FAB.
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; ig; 4;
DR PROSITE; PS00290; IG_MHC; UNKNOWN_1.
FT NON_TER 1 437
SQ SEQUENCE 437 AA; 48142 MW; 5C3A7BB3EE7D697C CRC64;

Query Match 69.0%; Score 40; DB 11; Length 437;
Best Local Similarity 80.0%; Pred. No. 24;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 GFTWSSYDMS 10
Db 25 GFTSSYAMS 34
|||||:|:|:|

RESULT 3
Q9UL91 PRELIMINARY; PRT; 118 AA.
ID Q9UL91
AC Q9UL91;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2000 (TREMBlrel. 14, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035023; AAD56259.1; -
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; ig; 1.
FT NON_TER 1 118
SQ SEQUENCE 118 AA; 12843 MW; D0633949F2AC149D CRC64;

Query Match 67.2%; Score 39; DB 4; Length 118;
Best Local Similarity 70.0%; Pred. No. 9;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||||:|:|:|
Db 26 GFTSSYSMN 35
RESULT 4
Q9PM91 PRELIMINARY; PRT; 511 AA.
ID Q9PM91
AC Q9PM91;
DT 01-OCT-2000 (TREMBlrel. 15, Created)
DT 01-OCT-2000 (TREMBlrel. 15, Last sequence update)
DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)
DE PUTATIVE PEPTIDE ABC-TRANSPORT SYSTEM PERIPLASMIC PEPTIDE-BINDING
DE PROTEIN.
OC Campylobacter jejuni.
GN CJ1584C.
OS Campylobacter jejuni.
OC Bacteria; Proteobacteria; epsilon subdivision; Campylobacter group;
OC Campylobacter.
OX NCBI_TaxID=197;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NCTC 11168;
RX MEDLINE=20150912; PubMed=10688204;
RA Parkhill J., Wren B.W., Mungall K., Ketley J.M., Churcher C.,
RA Basham D., Chillingworth T., Davies R.M., Feltwell T., Holroyd S.,
RA Jagels K., Karlyshev A., Moule S., Pallen M.J., Penn C.W.,
RA Quail M.A., Rajandream M.A., Rutherford K.M., Van Vliet A.H.M.,
RA Whitehead S., Barrell B.G.;
RT "The genome sequence of the food-borne pathogen Campylobacter jejuni
RT reveals hypervariable sequences.";
RL Nature 403:665-668(2000).
DR EMBL; AL139079; CAB73572.1; -
DR INTERPRO; IPR000914; -
DR INTERPRO; IPR002052; -
DR PFAM; PF00496; SBP_bac_5; 2.
DR PROSITE; PS00092; N6_MTASE; UNKNOWN_1.
SQ SEQUENCE 511 AA; 58856 MW; 7139374B316CBBEB CRC64;

Query Match 67.2%; Score 39; DB 2; Length 511;
Best Local Similarity 60.0%; Pred. No. 43;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 GFTWSSYDMS 10
|||||:|:|:|
Db 501 GFTWVIEWS 510

RESULT 5
Q9ULB6 PRELIMINARY; PRT; 95 AA.
ID Q9ULB6
AC Q9ULB6;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)
DE IMMUNOGLOBULIN HEAVY CHAIN (FRAGMENT).
GN VH.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Tange Y., Kayano H.;
RT "Human VH gene sequence.";
RL Submitted (NOV-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB035268; BAA87067.1; -
DR HSSP; P01772; 2FBA.
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; ig; 1.
FT NON_TER 1 95
SQ SEQUENCE 95 AA; 10656 MW; 7139374B316CBBEB CRC64;

SQ SEQUENCE 95 AA; 10527 MW; 90A8C6D16D22574A CRC64;

Query Match 65.5%; Score 38; DB 4; Length 95;
Best Local Similarity 80.0%; Pred. No. 11;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
| | | | | | | |

Db 25 GFTFSSYMS 34

RESULT 6

QY509 PRELIMINARY; PRT; 147 AA.

AC QY509;

DT 01-NOV-1999 (TREMBlrel. 12, Created)

DT 01-NOV-1999 (TREMBlrel. 12, Last sequence update)

DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)

DE VH3 PROTEIN (FRAGMENT).

GN VH3.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=96071149; PubMed=7475288;

RA Cao J., Vescio R.A., Rettig M.B., Hong C.H., Kim A., Lee J.C.,

Lichtenstein A.K., Berenson J.R.;

"A CD10-positive subset of malignant cells is identified in multiple myeloma using PCR with patient-specific immunoglobulin gene primers.";

RT Leukemia 9:1948-1953(1995).

RL EMBL; S80860; AAD14339.1; -

DR HSP; P01772; 2FB4.

DR INTERPRO: IPR003006; -

DR PFAM: PF00047; ig; 1.

FT NON_TER 1

SQ SEQUENCE 147 AA; 15768 MW; 8489FCAAA7BC925C CRC64;

Query Match

Best Local Similarity 70.0%; Score 38; DB 4; Length 147;

Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

| | | | | | | |

Db 26 GFTFSSYMS 35

RESULT 7

QY509 PRELIMINARY; PRT; 228 AA.

AC QY509;

DT 01-JUL-1997 (TREMBlrel. 04, Created)

DT 01-JUL-1997 (TREMBlrel. 04, Last sequence update)

DT 01-NOV-1998 (TREMBlrel. 08, Last annotation update)

DE CODED FOR BY C. ELEGANS CDNA IK97B2.3.

GN W08F4.3.

OS Caenorhabditis elegans.

OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;

OC Rhabditidae; Peloderinae; Caenorhabditis.

OX NCBI_TaxID=6239;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=94150718; PubMed=7906398;

RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,

Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,

Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,

Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,

Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,

Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,

RA Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Showkeen R.,
RA Smaildon N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.,
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
elegans";
RL Nature 368:32-38(1994).

RN [2]

RP SEQUENCE FROM N.A.

RC STRAIN-BRISTOL N2;

RA Madsen C., Graves T.;

RL Submitted (JUN-1997) to the EMBL/GenBank/DBJ databases.

RN [3]

RP SEQUENCE FROM N.A.

RC STRAIN-BRISTOL N2;

RA Waterston R.;

RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.

DR EMBL; AF000266; AAC71167.1; -

SQ SEQUENCE 228 AA; 25615 MW; 2EC0801189EB1985 CRC64;

Query Match

Best Local Similarity 65.5%; Score 38; DB 5; Length 228;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

| | | | | | | |

Db 24 GLRWKSYDIS 33

RESULT 8

QY509 PRELIMINARY; PRT; 325 AA.

AC QY509;

DT 01-JAN-1998 (TREMBlrel. 05, Created)

DT 01-JAN-1998 (TREMBlrel. 05, Last sequence update)

DT 01-JAN-1998 (TREMBlrel. 05, Last annotation update)

DE HYPOTHETICAL 36.5 KDA PROTEIN ZC155.4 IN CHROMOSOME III.

GN ZC155.4.

OS Caenorhabditis elegans.

OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;

OC Rhabditidae; Peloderinae; Caenorhabditis.

OX NCBI_TaxID=6239;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN-BRISTOL N2;

RA Miller N.;

RL Submitted (MAY-1994) to the EMBL/GenBank/DBJ databases.

RN [2]

RP SEQUENCE FROM N.A.

RC STRAIN-BRISTOL N2;

RA Waterston R.;

RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.

DR EMBL; U00064; AAB52706.1; -

DR WORMPEP; ZC155.4; CE01434.

KW Hypothetical protein.

SQ SEQUENCE 325 AA; 36467 MW; A7285FFA1A97ACFA CRC64;

Query Match

Best Local Similarity 65.5%; Score 38; DB 5; Length 325;

Matches 5; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

| | | | | | | |

Db 218 GFTWRNWSLS 227

RESULT 9

QY509 PRELIMINARY; PRT; 327 AA.

ID QY509;

AC QY509;

DT 01-MAY-2000 (TREMBlrel. 13, Created)

DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
 DE 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
 GN HYPOTHEICAL 35.8 KDA PROTEIN.
 GN F16J13.20 OR AT4G11950.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Bevan M., Hilbert H., Braun M., Holzer E., Brandt A., Duesterhoeft A.,
 RA Bancroft I., Mewes H.W., Mayer K.F.X., Schueller C.;
 RL Submitted (APR-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (APR-1999) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RA Hilbert H., Braun M., Holzer E., Brandt A., Duesterhoeft A.,
 RA Mewes H.W., Lemcke K., Mayer K.F.X.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 RN [4]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AL049638; CAB40936.1; -;
 DR EMBL; AL161533; CAB78238.1; -;
 KW Hypothetical protein.
 SQ SEQUENCE 327 AA; 35845 MW; B2BB47DF4A83E635 CRC64;

 Query Match 65.5%; Score 38; DB 10; Length 327;
 Best Local Similarity 85.7%; Pred. No. 40;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

 QY 1 GFTWSSY 7
 II II II II II
 DB 107 GFNWSY 113

 RESULT 10
 O64692
 ID O64692 PRELIMINARY; PRT; 335 AA.
 AC O64692;
 DT 01-AUG-1998 (TREMBLrel. 07, Created)
 DT 01-AUG-1998 (TREMBLrel. 07, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE PUTATIVE GA4 PROTEIN.
 GN T31E10.11 OR GA20X3.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Rounsley S.D., Kaul S., Lin X., Ketchum K.A., Crosby M.L.,
 RA Brandon R.C., Sykes S.M., Mason T.M., Kerlavage A.R., Adams M.D.,
 RA Somerville C.R., Venter J.C.;
 RL Submitted (MAY-1998) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99218343; PubMed=10200325;
 RA Thomas S.G., Phillips A.L., Hedden P.;
 RT "Molecular cloning and functional expression of gibberellin 2-
 RT oxidases, multifunctional enzymes involved in gibberellin
 RT deactivation."
 RL Proc. Natl. Acad. Sci. U.S.A. 96:4698-4703(1999).
 DR EMBL; AC004077; AAC26696.1; -;
 DR EMBL; AJ132437; CAB41009.1; -;

DR INTERPRO; IPR002419; -;
 DR PFAM; PF00671; Fe_Asc_Oxidorel; 1.
 SQ SEQUENCE 335 AA; 38216 MW; 181F6EAA1EE1C331 CRC64;

 Query Match 65.5%; Score 38; DB 10; Length 335;
 Best Local Similarity 66.7%; Pred. No. 41;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

 QY 2 FTWSSYDMS 10
 IIII I I I
 DB 302 FTWSQYKLS 310

 RESULT 11
 O04710
 ID O04710 PRELIMINARY; PRT; 356 AA.
 AC O04710;
 DT 01-JUL-1997 (TREMBLrel. 04, Created)
 DT 01-JUL-1997 (TREMBLrel. 04, Last sequence update)
 DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
 DE ANIONIC PEROXIDASE.
 GN YPR9 OR API.
 OS Zea mays (Maize).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; Liliopsida; Poales; Poaceae; Zea.
 OX NCBI_TaxID=4577;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=97433264; PubMed=9288904;
 RA Teichmann T., Guan C., Kristoffersen P., Muster G., Tietz O.,
 RA Palme K.;
 RT "Cloning and biochemical characterization of an anionic peroxidase
 RT from Zea mays."
 RL Eur. J. Biochem. 247:826-832(1997).
 DR EMBL; Y13905; CAA74203.1; -;
 DR HSSP; P00433; 2ATJ.
 DR MENDEL; 14986; Zeama; Ypr9; 14986.
 DR INTERPRO; IPR002016; -;
 DR PFAM; PF00141; peroxidase; 1.
 DR PRINTS; PR00458; PEROXIDASE.
 DR PROSITE; PS00435; PEROXIDASE_1; 1.
 DR PROSITE; PS00436; PEROXIDASE_2; 1.
 KW Peroxidase.
 SQ SEQUENCE 356 AA; 37774 MW; A392241467C863F0 CRC64;

 Query Match 65.5%; Score 38; DB 10; Length 356;
 Best Local Similarity 60.0%; Pred. No. 44;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

 QY 1 GFTWSSYDMS 10
 I I I I I I I
 DB 36 GLSWSFYDVS 45

 RESULT 12
 Q22184
 ID Q22184 PRELIMINARY; PRT; 2408 AA.
 AC Q22184;
 DT 01-NOV-1996 (TREMBLrel. 01, Created)
 DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
 DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
 DE T05A1.4 PROTEIN.
 GN T05A1.4.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Lloyd C.;
 RL Submitted (DEC-1995) to the EMBL/GenBank/DBJ databases.

RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=94150718; PubMed=7906398;
 RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
 RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
 RA Craxton A., Dear S., Du Z., Durbin R., Favell A., Fulton L.,
 RA Gardner A., Green S., Hawkins T., Hillier L., Jier M., Johnston L.,
 RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
 RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
 RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Showkhen R.,
 RA Smalton N., Smith A., Sonnenhammer E., Staden R., Sulston J.,
 RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
 RA Watson A., Weinstock L., Wilkinson-Sproat J., Wheldman P.;
 -RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 RT elegans.";
 RL Nature 368:32-38(1994).
 DR EMBL: Z68219; CAA92477.1; -;
 DR INTERPRO: IPR001584; -;
 DR INTERPRO: IPR001969; -;
 DR INTERPRO: IPR002106; -;
 DR PFAM: PF00665; rve; 1.
 DR PROSITE: PS00141; ASP_PROTEASE; UNKNOWN1.
 DR PROSITE: PS00339; AA_TRNA_LIGASE_IL2; UNKNOWN1.
 SQ SEQUENCE 2408 AA; 269763 MW; 6C9542F1FA80AC09 CRC64;

 Query Match 65.5%; Score 38; DB 5; Length 2408;
 Best Local Similarity 62.5%; Pred. No. 3.3e+02;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

 QY 1 GFTWSSYD 8
 Db 1420 GTWDSFD 1427

 RESULT 13
 Q9UL90
 ID Q9UL90 PRELIMINARY; PRT; 113 AA.
 AC Q9UL90;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OC NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Werpe P.L., Kalis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
 RT fetus.";
 RL Clin. Immunol. Immunopathol. 87:184-192(1998).
 DR EMBL: AF035024; AAD56260.1; -;
 DR INTERPRO: IPR003006; -;
 DR PFAM: PF00047; 1g; 1.
 FT NON_TER 1
 FT NON_TER 113
 SQ SEQUENCE 113 AA; 12437 MW; ED57FDD19086D07F CRC64;

Query Match 63.8%; Score 37; DB 4; Length 113;
 Best Local Similarity 77.8%; Pred. No. 19;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

 QY 1 GFTWSSYD 9
 Db 26 GFTFSSYGM 34

 RESULT 14

Q9S7P0
 ID Q9S7P0 PRELIMINARY; PRT; 256 AA.
 AC Q9S7P0;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE EST D15337(C0514) CORRESPONDS TO A REGION OF THE PREDICTED GENE.
 OS Oryza sativa (Rice).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; Liliopsida; Poales; Poaceae; Oryza.
 OC NCBI_TaxID=4530;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. NIPPONBARE;
 RA Sasaki T., Matsumoto T., Yamamoto K.;
 RT "Oryza sativa nipponbare(GA3) genomic DNA, chromosome 1, PAC
 RT clone-P0711E10.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. NIPPONBARE;
 RA Sasaki T., Matsumoto T., Yamamoto K.;
 RT "Oryza sativa nipponbare(GA3) genomic DNA, chromosome 1, PAC
 RT clone:P0705D01.";
 RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AP000570; BAA85196.1; -;
 DR EMBL: AP000492; BAA84621.1; -;
 SQ SEQUENCE 256 AA; 29068 MW; 6D504E88F5BBB605 CRC64;

 Query Match 63.8%; Score 37; DB 10; Length 256;
 Best Local Similarity 85.7%; Pred. No. 46;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

 QY 2 FTWSSYD 8
 Db 116 FKSSYD 122

 RESULT 15
 O60065
 ID O60065 PRELIMINARY; PRT; 286 AA.
 AC O60065;
 DT 01-AUG-1998 (TrEMBLrel. 07, Created)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE PUTATIVE PEROXISOMAL MEMBRANE PROTEIN C13G1.03C.
 GN SPBC13G1.03C.
 OS Schizosaccharomyces pombe (Fission yeast).
 OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetales;
 OC Schizosaccharomycetaceae; Schizosaccharomycetes.
 OC NCBI_TaxID=4896;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=972;
 RA Lyne M., Wood V., Rajandream M.A., Barrell B.G., Badcock K.,
 RA Churcher C.M.;
 RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
 CC -1- SUBCELLULAR LOCATION: PEROXISOMAL MEMBRANE-ASSOCIATED. OUTER FACE
 CC (BY SIMILARITY).
 DR EMBL: AL022600; CAA18656.1; -;
 KW Hypothetical protein; Peroxisome; Membrane; Coiled coil.
 FT DOMAIN 107 177
 FT COILED COIL (POTENTIAL).
 SQ SEQUENCE 286 AA; 32813 MW; 26A73B1A935E6D77 CRC64;

 Query Match 63.8%; Score 37; DB 3; Length 286;
 Best Local Similarity 55.6%; Pred. No. 52;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

 QY 1 GFTWSSYD 9
 Db 81 GFANYSYL 89

Search completed: March 28, 2001, 07:27:33
Job time: 1646 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:32 ; Search time 183.85 Seconds
(without alignments)
1.860 Million cell updates/sec

Title: US-09-016-061-50
Perfect score: 58
Sequence: 1 GFTWSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

A_Geneseq_36: *
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT: *
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT: *
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT: *
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT: *
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT: *
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT: *
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT: *
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT: *
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT: *
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT: *
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT: *
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT: *
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT: *
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT: *
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT: *
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT: *
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT: *
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT: *
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT: *
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT: *
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT: *

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	58	100.0	10	19 W76015	LM609 grafted anti
2	48	82.8	10	19 W76007	LM609 grafted anti
3	48	82.8	117	19 W76001	Vitaxin antibody h
4	45	77.6	117	20 W86137	Protein sequence o
5	45	77.6	128	19 W54000	Anti-CD4 antibody
6	45	77.6	134	13 R24713	Sequence encoded b
7	45	77.6	466	13 R24812	Sequence encoded b
8	44	75.9	139	18 W21652	Humanised reshaped
9	43	74.1	117	19 W76003	Humanised antibody
10	43	74.1	117	20 Y06381	LM609 antibody hea
11	43	74.1	130	20 Y06379	Murine monoclonal
12	43	74.1	239	14 R34511	Fv(TU25). Homo sa

13	43	74.1	247	16 W11917	Murine MAB SK48-E2
14	42	72.4	10	19 W76016	LM609 grafted anti
15	42	72.4	117	20 W86141	Protein sequence o
16	42	72.4	119	16 W11919	Humanised MAB SK48
17	42	72.4	123	19 W53998	Anti-CD4 antibody
18	41	70.7	98	19 W59614	Anti-RSV F protein
19	41	70.7	116	16 R66307	Human immunoglobul
20	41	70.7	116	18 W13529	Anti-melanoma anti
21	41	70.7	118	19 W57591	Chimeric antibody
22	41	70.7	118	19 W57576	Chimeric H chain S
23	41	70.7	118	20 W89636	Human antibody hea
24	41	70.7	118	20 W89627	Mouse humanised an
25	41	70.7	118	21 Y77502	Peptide seq ID No:
26	41	70.7	118	21 Y77512	Peptide seq ID No:
27	41	70.7	119	16 R79876	Anti-EGFR antibody
28	41	70.7	119	16 R79887	Anti-EGFR antibody
29	41	70.7	119	16 R79888	Anti-EGFR antibody
30	41	70.7	121	20 W86122	Protein sequence o
31	41	70.7	122	15 R54301	Anti-HIV gp120 imm
32	41	70.7	122	17 W01259	VH region of HIV n
33	41	70.7	122	20 W78432	Antibody heavy cha
34	41	70.7	122	21 Y95111	Anti-gp120 antibod
35	41	70.7	122	21 Y98220	Anti-gp120 antibod
36	41	70.7	123	18 W08582	Human antibody C4.
37	41	70.7	128	16 R69085	Anti-HIV Fab rev16
38	41	70.7	128	16 R69086	Anti-HIV Fab rev20
39	41	70.7	128	18 W08734	Human anti-HIV Fab
40	41	70.7	128	18 W08735	Human anti-HIV Fab
41	41	70.7	137	19 W57603	Chimeric antibody
42	41	70.7	137	19 W57592	Chimeric antibody
43	41	70.7	137	20 W89635	Human antibody hea
44	41	70.7	137	20 W89625	Mouse humanised an
45	41	70.7	137	21 Y77513	Mouse antibody H c

ALIGNMENTS

RESULT 1

W76015 ID W76015 standard; Protein; 10 AA.

XX W76015;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR1 protein fragment #3.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI: 1998-437472/37.

XX N-PSDB; V49852.

XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Claim 60; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ
Query Match 100.0%; Score 58; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00036;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 GFTWSSYDMS 10
Db | | | | | | | | | |
1 gftwssydsms 10
RESULT 2
W76007
ID W76007 standard; Protein; 10 AA.
XX
XX W76007;
AC
XX 02-NOV-1998 (first entry)
DT
XX LM609-grafted antibody V-H region CDRI protein fragment #1.
DE
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
XX Mus sp.
OS
XX WO9833919-A2.
PN
XX 06-AUG-1998.
PD
XX 30-JAN-1998; 98WO-US01826.
PF
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
PA
XX Glaser SM, Huse WD;
PI
XX WPI; 1998-437472/37.
DR
XX N-PSDB; V49844.
DR
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Disclosure; Page 40; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ
Query Match 82.8%; Score 48; DB 19; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.017;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 1 GFTWSSYDMS 10
Db | | | | | | | | | |
1 gftwssydsms 10
RESULT 3
W76001
ID W76001 standard; Protein; 117 AA.
XX
XX W76001;
AC
XX 02-NOV-1998 (first entry)
DT
XX Vitaxin antibody heavy chain variable region protein fragment.
DE
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.
XX
XX Mus sp.
OS
XX WO9833919-A2.
PN
XX 06-AUG-1998.
PD
XX 30-JAN-1998; 98WO-US01826.
PF
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
PA
XX Glaser SM, Huse WD;
PI
XX WPI; 1998-437472/37.
DR
XX N-PSDB; V49820.
DR
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 1; Fig 1a; 129pp; English.
PS
XX This sequence represents a fragment of the vitaxin antibody variable
CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
CC to a ligand and thus block integrin-mediated signal transduction. This is
CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
CC disease, specifically angiogenesis and restenosis (but also e.g.
CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;

Query Match 82.88; Score 48; DB 19; Length 117;

Best Local Similarity 90.08; Pred. No. 0.26;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

DB 26 gftfssydm 35

RESULT 4

ID W86137 standard; Protein; 117 AA.

AC W86137;

XX 03-MAR-1999 (first entry)

DE Protein sequence of de-immunised humanised A33 Vh.

XX Non-immunogenic; epitope; T-cell; immunogenicity; immune system; SK;
 KW Immunogl bulin; therapeutic; streptokinase; humanised; de-immunised.

XX Homo sapiens.

XX WO9852976-A1.

XX 26-NOV-1998.

XX 21-MAY-1998; 98WO-GB01473.

XX 14-APR-1998; 98GB-0007751.

XX 21-MAY-1997; 97GB-0010480.

XX 31-JUL-1997; 97GB-0016197.

XX 28-NOV-1997; 97GB-0025270.

XX 02-DEC-1997; 97US-0067235.

XX (BIOV-) BIOVATION LTD.

XX Carr FJ;

XX WPI; 1999-045301/04.

XX Reducing immunogenicity of proteins - by modifying the amino acid
 PT sequence of the protein to eliminate potential epitopes for T-cells
 PT of a given species

XX Example 5; Fig 25; 77pp; English.

XX The invention relates to a method for the production of non-immunogenic
 CC proteins. The method comprises determining at least part of the amino
 CC acid sequence of the protein; (b) identifying in the amino acid sequence
 CC one or more potential epitopes for T-cells (T-cell epitopes) of the given
 CC species; and (c) modifying the amino acid sequence to eliminate at least
 CC one of the T-cell epitopes identified in step (b) thereby to eliminate or
 CC reduce the immunogenicity of the protein when exposed to the immune
 CC system of the given species. A method of analysing a pre-existing protein
 CC to predict the basis for immunogenic responses is also provided. The
 CC methods can be used particularly for reducing the immunogenicity of
 CC immunoglobulins or therapeutic proteins, e.g. streptokinase (SK). The
 CC products can be used for diagnosis and therapy. The present sequence
 CC represents the protein sequence of de-immunised humanised A33 Vh.

XX Sequence 117 AA;

Query Match 77.6%; Score 45; DB 20; Length 117;

Best Local Similarity 80.08; Pred. No. 0.83;

Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

DB 26 gftfssydm 35

RESULT 5

ID W54000 standard; Protein; 128 AA.

XX W54000;

XX 29-JUL-1998 (first entry)

XX Anti-CD4 antibody VH3 monkey clone 3-40.

XX Anti-CD4 antibody; monkey; human; therapy; variable heavy domain;
 KW Old World monkey; constant domain; eczema; immuno-modulated disease;
 KW rheumatoid arthritis.

XX Primate sp.

XX Location/Qualifiers

FT Misc-difference 1..128

FT /note= "Xaa= unspecified amino acid"

PN US5750105-A.

XX 12-MAY-1998.

XX 07-JUN-1995; 95US-0476349.

XX 10-JUL-1992; 92US-0912292.

XX 25-JUL-1991; 91US-0735064.

XX 23-MAR-1992; 92US-0856281.

XX 05-DEC-1995; 95US-0379072.

XX 07-JUN-1995; 95US-0476349.

XX (IDEC-) IDEC PHARM CORP.

XX Hanna N, Newman RA, Raab RW;

XX WPI; 1998-296690/26.

XX Improved method for antibody treatment - uses an antibody comprising
 PT an Old World monkey variable region and a human constant domain

XX Example 1; Fig 9c; 84pp; English.

XX This sequence represents the VH3 domain of an anti-CD4 antibody for
 CC (Ab). This sequence can be used in the method of the invention for
 CC treating a subject, where the treatment comprises administration of an
 CC Ab. The method comprises the administration of an antibody which has an
 CC Old World monkey (e.g. baboon or macaque) variable region which binds to
 CC an antigen (Ag) (or Ag binding portion), and a human constant domain. The
 CC method is useful for the treatment of eczema and immuno-modulated
 CC diseases and especially rheumatoid arthritis. The recombinant antibodies
 CC used are sufficiently different from native monkey antibodies to allow
 CC human antigens to raise these antibodies, but similar enough to human
 CC antibody so there is no immune response to the antibodies in humans.
 CC Compared to antibodies used in therapy in prior art, these antibodies do
 CC not induce human anti-antibodies on repeated administration. They also
 CC have longer half-lives and do not have a lack of effector function with
 CC human cells.

XX Sequence 128 AA;

Query Match 77.6%; Score 45; DB 19; Length 128;

Best Local Similarity 80.08; Pred. No. 0.92;

Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 |||:|||||
 Db 26 gftfssydmn 35

RESULT 6

R24713
 ID R24713 standard; Protein: 134 AA.

XX AC R24713;

XX DT 28-DEC-1992 (first entry)

XX DE Sequence encoded by the genomic chimeric heavy chain variable region (VFH) gene.

XX KW Chimeric monoclonal antibody; anti-fibrin antibody; PCR;
 XX KW antithrombotic agent; myocardial infarction therapy.

XX OS Mus musculus.

XX FH Key Location/Qualifiers

FT Peptide 1..19

FT /label= leader

FT Region 23..49

FT /label= Framework Region (FR) 1

FT Region 50..54

FT /label= Complementarity determining region(CDR)1

FT Region 55..68

FT /label= FR-2

FT Region 69..84

FT /label= CDR-2

FT Region 85..114

FT /label= FR-3

FT Region 115..123

FT /label= CDR-3

FT Region 124..134

FT /label= FR-4

XX EP491351-A.

XX PD 24-JUN-1992.

XX PF 17-DEC-1991; 91EP-0121591.

XX PR 18-DEC-1990; 90JP-0413829.

XX PR 11-NOV-1991; 91JP-0294464.

XX PA (TAKE) TAKEDA CHEM IND LTD.

XX PI Iwasa S, Taka H, Watanabe T, Tada H;

XX WPI; 1992-209528/26.

XX DR N-PSDP; Q25666.

XX Chimeric monoclonal antibodies - contain anti-human fibrin

XX PT antibody light and heavy chain variable and constant for treating

XX PT thrombotic conditions e.g. myocardial infarction

XX PS Example; Figure 4; 87pp; English.

XX CC PCR primers 5'mVH and 3'mVH were used to produce a VH gene-contg.

XX CC pUC119. The fragment was isolated and subcloned in

XX CC gene, referred to as VFH, comprising a VH gene belonging to the

XX CC subgroup III (VH11) and the DSP2 and JH4 genes. Northern blot

XX CC analysis using the whole RNA of FIB1-11 cells confirmed that VFH

XX CC was the gene expressed in FIB1-11 cells. The sequence is given in

XX CC Q25666.

XX SQ Sequence 134 AA;

Query Match 77.6%; Score 45; DB 13; Length 134;
 Best Local Similarity 80.0%; Pred. No. 0.96;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

Db 45 gftfssydmn 54

RESULT 7

R24812

ID R24812 standard; Protein: 466 AA.

XX AC R24812;

XX DT 28-DEC-1992 (first entry)

XX DE Sequence encoded by the chimeric H chain cDNA contained in pTBL373.

XX KW Chimeric monoclonal antibody; anti-fibrin antibody; primer;
 XX KW antithrombotic agent; myocardial infarction therapy.

XX OS Synthetic.

XX FH Key Location/Qualifiers

FT Peptide 13..19

FT /label= Leader

FT Region 20..134

FT /label= VH

FT Region 135..232

FT /label= CH1

FT Region 233..247

FT /label= hinge

FT Region 248..357

FT /label= CH2

FT Region 358..464

FT /label= CH3

FT Misc-difference 465

FT /note= "translated stop codon"

XX EP491351-A.

XX PD 24-JUN-1992.

XX PF 17-DEC-1991; 91EP-0121591.

XX PR 18-DEC-1990; 90JP-0413829.

XX PR 11-NOV-1991; 91JP-0294464.

XX PA (TAKE) TAKEDA CHEM IND LTD.

XX PI Iwasa S, Taka H, Watanabe T, Tada H;

XX WPI; 1992-209528/26.

XX DR N-PSDB; Q25692.

XX Chimeric monoclonal antibodies - contain anti-human fibrin

XX PT antibody light and heavy chain variable and constant for treating

XX PT thrombotic conditions e.g. myocardial infarction

XX PS Example; Figure 11; 87pp; English.

XX CC Plasmid pTBL373 contains the whole length of a mouse-human

XX CC chimeric anti-human fibrin heavy chain cDNA open reading

XX CC frame. It was prep. using Poly(A)+ RNA from the anti-fibrin

XX CC chimeric Ab-producing transformant FIB1-H01/X63 as a template

XX CC to clone human C-kappa cDNA, using the oligo-dT (Pharmacia) primer as

XX CC a primer for first strand cDNA synthesis and the 5'C2H and 3'EH

XX CC primers for the PCR. A human gamma-1 chain CH2-CH3 domain encoding

XX CC cDNA was amplified. Similarly a human gamma-1 chain CH1 domain

XX CC encoding cDNA and an anti-fibrin antibody VH cDNA and a leader

XX CC peptide cDNA were amplified using the primers 3'EH, 3'C2H and 3'CH

XX CC respectively as a primer for first strand cDNA synthesis and the

CC primer combination of 5'CH and 3'C2H, of 5' LH and 3'CH and of
 CC 5' SH and 3' LH respectively as primers for PCR. The amplified gene
 CC products were isolated and used to produce plasmids. After
 CC confirmation of the cDNA sequence of each plasmid, the cDNA
 CC encoding LH, VH, CH1 and CH2CH3 were joined together to give
 CC plasmid pTB1373 contg. the whole length chimeric H chain
 CC (LH, VH, CH1, CH2CH3), also abbreviated as Igh-FIB,
 XX
 SQ Sequence 466 AA;

Query Match 77.68; Score 45; DB 13; Length 466;
 Best Local Similarity 80.0%; Pred. No. 3.8;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 DB 45 gftfsdydms 54
 |||:|:||||

RESULT 8
 ID W21652 standard; Protein; 139 AA.
 XX AC W21652;
 XX
 DT 03-JAN-1998 (first entry)
 XX
 DE Humanised reshaped MAB 15 heavy chain variable region.
 XX
 KW Humanised antibody; monoclonal antibody; MAB 15; tumour;
 KW lung cancer; therapy.
 XX
 OS Chimeric Mus musculus.
 OS Chimeric Homo sapiens.
 OS Chimeric synthetic.

Key Location/Qualifiers
 FT Peptide 1..19
 FT /label= Sig_peptide
 FT Protein 20..139
 FT /label= Mat_protein
 FT Region 20..49
 FT /label= Framework-1
 FT Region 50..54
 FT /label= CDR1
 FT /note= "complementarity determining region 1"
 FT Region 55..68
 FT /label= Framework-2
 FT Region 69..85
 FT /label= CDR2
 FT /note= "complementarity determining region 2"
 FT Region 86..117
 FT /label= Framework-3
 FT Region 118..128
 FT /label= CDR3
 FT /note= "complementarity determining region 3"
 FT Region 129..138
 FT /label= Framework-4
 XX
 XX EP781847-A1.
 XX
 PD 02-JUL-1997.
 XX
 XX 25-OCT-1996; 96EP-0117154.
 XX
 XX 06-NOV-1995; 95EP-0117407.
 XX
 XX (MERE) MERCK PATENT GMBH.
 XX
 XX Bendig M, Jones T, Saldana J;
 XX WPI; 1997-334904/31.
 DR

DR N-PSDB; T72237.
 XX Humanised form of murine monoclonal antibody MAB 15 - useful for
 PT treating lung cancer
 PT
 XX Claim 2; Fig 12; 71pp; English.
 XX
 CC This polypeptide comprises the heavy chain variable region VH
 CC of humanised reshaped monoclonal antibody (MAB) 15 comprising
 CC complementarity determining regions of murine MAB 15 (DSM ACC2117),
 CC and reshaped human 30p1 framework regions. It is expressed by a
 CC cDNA clone (see T72237) prepared using PCR mutagenesis methods. A
 CC claimed process for preparation of humanised reshaped MAB 15
 CC involves: cloning and sequencing murine MAB 15 VL and VH regions
 CC (see W21653 and W21654); constructing, expressing and analysing
 CC chimeric MAB 15 antibody (see W21655-56); modelling the structure
 CC of murine MAB 15 variable regions; designing reshaped human MAB 15
 CC variable regions; preparing an oligonucleotide sequence which codes
 CC for the constant regions of the light and heavy chain of a human
 CC immunoglobulin; and constructing, expressing and analysing the
 CC complete reshaped human MAB 15. The humanised MAB can be used for
 CC treating tumours, especially lung cancer, and for the manufacture
 CC of a drug related to tumours, especially lung cancer.
 XX
 SQ Sequence 139 AA;

Query Match 75.9%; Score 44; DB 18; Length 139;
 Best Local Similarity 80.0%; Pred. No. 1.5;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 DB 45 gftfsdydms 54
 |||:|:||||

RESULT 9
 ID W76003 standard; Protein; 117 AA.
 XX AC W76003;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 XX
 XX Glaser SM, Huse WD;
 XX
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49822.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 74.1%; Score 43; DB 19; Length 117;
 Best Local Similarity 80.0%; Pred. No. 1.8;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 Db 26 gfaifssydm 35
 ||:|||||

RESULT 10
 Y06381
 ID Y06381 standard; Protein; 117 AA.

XX AC Y06381;

XX DT 06-SEP-1999 (first entry)

XX DE Murine monoclonal antibody LM609 VH region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Mus musculus.

XX PN W09929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX DR WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences

CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 74.1%; Score 43; DB 20; Length 117;
 Best Local Similarity 80.0%; Pred. No. 1.8;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 Db 26 gfaifssydm 35
 ||:|||||

RESULT 11
 Y06379
 ID Y06379 standard; Protein; 130 AA.

XX AC Y06379;

XX DT 06-SEP-1999 (first entry)

XX DE Murine monoclonal antibody LM609 V kappa.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Mus musculus.

XX FH Key Location/Qualifiers

FT Peptide 1..2 /note= "vector-encoded residues"

FT Region 28..32 /note= "CDR1"

FT Region 47..63 /note= "CDR2"

FT Region 96..103 /note= "CDR3"

XX W09929888-A1.

XX PN 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX DR WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 49-50; 55pp; English.

XX This sequence represents the light chain V kappa region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX
SQ Sequence 130 AA;

Query Match 74.1%; Score 43; DB 20; Length 130;
Best Local Similarity 80.0%; Pred. No. 2;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

OY 1 GFTWSSYDMS 10
||:|||||
Db 23 gfafssydm 32

RESULT 12

R34511
ID R34511 standard; Protein; 239 AA.

XX
AC R34511;

DT 20-AUG-1993 (first entry)

XX
DE Fv(TU25).

XX pFv(TU27)-DE; pFv(TU25)-DE; V region; antibody; binding;
KW heavy; beta; chain; interleukin; IL-2; receptor; inhibition;
KW immunomodulator; immunosuppressant; graft rejection; allergy;
KW autoimmune disease; leukemia; cyclosporin.

XX Homo sapiens.

XX EP539748-A.

XX 05-MAY-1993.

XX 30-SEP-1992; 92EP-0116746.

XX 03-OCT-1991; 91JP-0256335.

XX (AJIN) AJINOMOTO KK.

XX Hamuro J, Shimamura T, Taki S;

XX WPI; 1993-145163/18.

DR N-PSDB; Q40463.

XX Polypeptide(s) which bind H chain of human IL-2 receptors - for
PT treating inflammatory, allergic and auto-immune disorders,
PT leukaemias etc.

XX Claim 4; Page 19; 27pp; English.

XX The constructed plasmids pFv(TU27)-DE and pFv(TU25)-DE which express
CC polypeptides consisting only of the V regions were purified and
CC sequenced. The polypeptides are capable of binding to the beta
CC chain of IL-2 receptor and of inhibiting the binding of IL-2 to the
CC receptor. They are useful as immunomodulators and
CC immunosuppressants, e.g. to prevent graft rejection or to treat
CC inflammatory allergic and autoimmune diseases, or leukemia. Unlike
CC cyclosporin etc. they are both effective and safe.

XX Sequence 239 AA;

Query Match 74.1%; Score 43; DB 14; Length 239;
Best Local Similarity 80.0%; Pred. No. 3.9;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

OY 1 GFTWSSYDMS 10
||:|||||
Db 148 gfafssydm 157

RESULT 13

W11917

XX ID W11917 standard; Protein; 247 AA.

XX W11917;

DT 24-JUN-1997 (first entry)

XX Murine MAB SK48-E26 heavy chain.

XX Interleukin-1 beta; IL-1 beta; recombinant antibody;
KW humanised antibody; chimeric antibody; antibody engineering;
KW monoclonal antibody; MAB; SK48-E26; Inflammation; therapy.

XX Homo sapiens.

XX Location/Qualifiers

FT Key 1..19

FT Peptide /label= Sig_peptide

FT Region 20..49

FT /label= FR1

FT /note= "framework region 1"

FT Region 50..54

FT /label= CDR1

FT /note= "complementarity determining region 1
(Claim 10, page 48)"

FT Region 55..68

FT /label= FR2

FT /note= "framework region 2"

FT Region 69..85

FT /label= CDR2

FT /note= "complementarity determining region 2
(Claim 10, page 48)"

FT Region 86..117

FT /label= FR3

FT /note= "framework region 3"

FT Region 118..127

FT /label= CDR3

FT /note= "complementarity determining region 3
(Claim 10, page 48)"

FT Region 128..138

FT /label= FR4

FT /note= "framework region 4"

FT Region 139..247

FT /label= Constant_region

XX WO9501997-A1.

XX 19-JAN-1995.

XX 07-JUL-1994; 94WO-US07659.

XX 09-JUL-1993; 93US-0090534.

XX 04-MAR-1994; 94US-0206190.

XX (SMIK) SMITHKLINE BEECHAM CORP.

XX Gross MS, Hurler MR, Jackson JR, Jonak ZL, Theisen TW;

XX Young PR;

XX WPI; 1995-066868/09.

XX N-PSDB; T51436.

XX Recombinant and humanised chimeric antibodies against human
PT interleukin-1-beta - for preventing and treating
PT interleukin-mediated inflammatory disorders

XX Claim 5; Page 36-37; 62pp; English.

XX Amino acid sequences of the heavy chain (W11917) and light chain
CC (W11918) of anti-human interleukin-1 beta (IL-1 beta) murine
CC monoclonal antibody (MAB) SK48-E26 were deduced from nucleic acids
CC (T51436-37) derived from hybridoma SK48-E26. The heavy and light
CC chains, esp. the complementarity determining region sequences,

CC can be utilised in novel recombinant chimeric and humanised
 CC antibodies (see also W1919-20) useful for the treatment and
 CC prevention of IL-1 mediated inflammatory disorders.

XX
 SQ Sequence 247 AA;

Query Match 74.1%; Score 43; DB 16; Length 247;
 Best Local Similarity 80.0%; Pred. No. 4.1;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 ||:|||||
 Db 45 gtfssyds 54

RESULT 14

W76016
 ID W76016 standard; Protein; 10 AA.

XX
 AC W76016;

XX
 DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR1 protein fragment #4.

XX KW Vitaxin; antibody; variable region; heavy chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX PS WPI; 1998-437472/37.

DR N-PSDB; V49853.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 60; Page 41; 129pp; English.

XX CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 72.4%; Score 42; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.18;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 ||:|||||
 Db 1 gftflsydms 10

RESULT 15

W86141
 ID W86141 standard; Protein; 117 AA.

XX
 AC W86141;

XX
 DT 03-MAR-1999 (first entry)

XX DE Protein sequence of de-immunised murine A33 Vh.

XX KW Non-immunogenic; epitope; T-cell; immunogenicity; immune system; SK;
 KW immunogl bulin; therapeutic; streptokinase; murine; de-immunised.

XX OS Mus sp.

XX PN WO9852976-A1.

XX PD 26-NOV-1998.

XX PF 21-MAY-1998; 98WO-GB01473.

XX PR 14-APR-1998; 98GB-0007751.

XX PR 21-MAY-1997; 97GB-0010480.

XX PR 31-JUL-1997; 97GB-0016197.

XX PR 28-NOV-1997; 97GB-0025270.

XX PR 02-DEC-1997; 97US-0067235.

XX PA (BIOV-) BIOVATION LTD.

XX PI Carr FJ;

XX DR WPI; 1999-045301/04.

XX PT Reducing immunogenicity of proteins - by modifying the amino acid
 PT sequence of the protein to eliminate potential epitopes for T-cells
 PT of a given species

XX PS Example 6; Fig 27; 77pp; English.

XX CC The invention relates to a method for the production of non-immunogenic
 CC proteins. The method comprises determining at least part of the amino
 CC acid sequence of the protein; (b) identifying in the amino acid sequence
 CC one or more potential epitopes for T-cells (T-cell epitopes) of the given
 CC species; and (c) modifying the amino acid sequence to eliminate at least
 CC one of the T-cell epitopes identified in step (b) thereby to eliminate or
 CC reduce the immunogenicity of the protein when exposed to the immune
 CC system of the given species. A method of analysing a pre-existing protein
 CC to predict the basis for immunogenic responses is also provided. The
 CC methods can be used particularly for reducing the immunogenicity of
 CC immunoglobulins or therapeutic proteins, e.g. streptokinase (SK). The
 CC products can be used for diagnosis and therapy. The present sequence
 CC represents the protein sequence of de-immunised murine A33 Vh.

XX SQ Sequence 117 AA;

Query Match 72.4%; Score 42; DB 20; Length 117;
 Best Local Similarity 70.0%; Pred. No. 2.7;
 Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
 ||:|||||
 Db 26 gftfttydms 35

Search completed: March 28, 2001, 06:34:32
Job time: 512 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:09 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: US-09-016-061-50

Perfect score: 58

Sequence: 1 GFTWSSVDMS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA:*

1: /cgnl_7/prodata/1/1aa/5A_COMB.pep:*

2: /cgnl_7/prodata/1/1aa/5B_COMB.pep:*

3: /cgnl_7/prodata/1/1aa/6_COMB.pep:*

4: /cgnl_7/prodata/1/1aa/PCTUS_COMB.pep:*

5: /cgnl_7/prodata/1/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	45	77.6	128	1	US-08-478-039-73
2	45	77.6	128	1	US-08-478-039-102
3	45	77.6	128	1	US-08-476-349A-73
4	45	77.6	128	1	US-08-476-349A-102
5	43	74.1	239	2	US-07-956-399-4
6	43	74.1	247	4	PCT-US94-07659-2
7	42	72.4	119	4	PCT-US94-07659-6
8	42	72.4	123	1	US-08-478-039-71
9	42	72.4	123	1	US-08-478-039-104
10	42	72.4	123	1	US-08-476-349A-71
11	42	72.4	123	1	US-08-476-349A-104
12	41	70.7	98	2	US-08-665-202-31
13	41	70.7	116	3	US-08-545-809A-101
14	41	70.7	116	3	US-08-983-607-36
15	41	70.7	122	1	US-08-276-852-80
16	41	70.7	122	1	US-08-899-575-80
17	41	70.7	122	1	US-08-899-575-80
18	41	70.7	122	4	PCT-US95-08743-80
19	41	70.7	123	2	US-08-665-202-30
20	41	70.7	239	2	US-08-553-497A-18
21	40	69.0	35	2	US-08-765-179B-1
22	40	69.0	98	2	US-08-428-197-48
23	40	69.0	98	4	PCT-US93-10555-48
24	40	69.0	102	2	US-08-273-146-65
25	40	69.0	110	1	US-08-211-202-117
26	40	69.0	113	3	US-08-974-899-6
27	40	69.0	116	2	US-08-428-197-2
28	40	69.0	116	4	PCT-US93-10555-2

29 40 69.0 117 3 US-08-545-809A-109 Sequence 109, Appl
30 40 69.0 117 3 US-08-983-607-46 Sequence 46, Appl
31 40 69.0 118 2 US-08-652-816A-12 Sequence 12, Appl
32 40 69.0 118 4 PCT-US93-08435-10 Sequence 10, Appl
33 40 69.0 121 1 US-08-339-582-2 Sequence 2, Appl
34 40 69.0 122 2 US-07-934-373C-21 Sequence 21, Appl
35 40 69.0 122 3 US-08-437-642B-21 Sequence 21, Appl
36 40 69.0 122 4 PCT-US93-07832-21 Sequence 21, Appl
37 40 69.0 122 4 PCT-US93-08435-14 Sequence 14, Appl
38 40 69.0 122 4 PCT-US93-08435-14 Sequence 14, Appl
39 40 69.0 122 4 PCT-US93-08435-43 Sequence 43, Appl
40 40 69.0 123 2 US-08-428-197-38 Sequence 38, Appl
41 40 69.0 123 4 PCT-US93-10555-38 Sequence 38, Appl
42 40 69.0 124 3 US-08-983-607-51 Sequence 51, Appl
43 40 69.0 125 1 US-08-478-039-99 Sequence 99, Appl
44 40 69.0 125 1 US-08-476-349A-99 Sequence 99, Appl
45 40 69.0 125 2 US-08-428-197-1 Sequence 1, Appl

ALIGNMENTS

RESULT 1
US-08-478-039-73
; Sequence 73, Application US/08478039
; Patent No. 5681722
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,039
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 73:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant

; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:

; ORGANISM: Monkey

; POSITION IN GENOME:

; CHROMOSOME/SEGMENT: VH3 clone 3-40

US-08-478-039-73

Query Match 77.6%; Score 45; DB 1; Length 128;

Best Local Similarity 80.0%; Pred. No. 1.4; 0; Indels 0; Gaps 0;

Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

Db 26 GFTFSSYDMN 35

RESULT 2

US-08-478-039-102

; Sequence 102, Application US/08478039

; Patent No. 5681722

; GENERAL INFORMATION:

; APPLICANT: Newman, Roland A.

; APPLICANT: Hanna, Nabil

; APPLICANT: Raab, Ronald W.

; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy

; NUMBER OF SEQUENCES: 114

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS

; STREET: 699 Prince St.

; CITY: Alexandria

; STATE: VA

; COUNTRY: USA

; ZIP: 22313-1404

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/478,039

; FILING DATE: 07-JUN-1995

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/379,072

; FILING DATE: 25-JAN-1995

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/912,292

; FILING DATE: 10-JUL-1992

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/856,281

; FILING DATE: 23-MAR-1992

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/735,064

; FILING DATE: 25-JUL-1991

; ATTORNEY/AGENT INFORMATION:

; NAME: Teskin Esq., Robin L.

; REGISTRATION NUMBER: 35,030

; REFERENCE/DOCKET NUMBER: 012712-160

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 703-836-6620

; TELEFAX: 703-836-2021

; INFORMATION FOR SEQ ID NO: 102:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 128 amino acids

; TYPE: amino acid

; STRANDEDNESS: not relevant

; TOPOLOGY: not relevant

; MOLECULE TYPE: peptide

; ORIGINAL SOURCE:

; ORGANISM: Monkey

; POSITION IN GENOME:

; CHROMOSOME/SEGMENT: #40

US-08-478-039-102

Query Match 77.6%; Score 45; DB 1; Length 128;

Best Local Similarity 80.0%; Pred. No. 1.4; 0; Indels 0; Gaps 0;

Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

Db 26 GFTFSSYDMN 35

RESULT 3

US-08-476-349A-73

; Sequence 73, Application US/08476349A

; Patent No. 5750105

; GENERAL INFORMATION:

; APPLICANT: Newman, Roland A.

; APPLICANT: Hanna, Nabil

; APPLICANT: Raab, Ronald W.

; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy

; NUMBER OF SEQUENCES: 114

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS

; STREET: 699 Prince St.

; CITY: Alexandria

; STATE: VA

; COUNTRY: USA

; ZIP: 22313-1404

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/476,349A

; FILING DATE: 07-JUN-1995

; CLASSIFICATION: 514

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/379,072

; FILING DATE: 25-JAN-1995

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/912,292

; FILING DATE: 10-JUL-1992

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/856,281

; FILING DATE: 23-MAR-1992

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/735,064

; FILING DATE: 25-JUL-1991

; ATTORNEY/AGENT INFORMATION:

; NAME: Teskin Esq., Robin L.

; REGISTRATION NUMBER: 35,030

; REFERENCE/DOCKET NUMBER: 012712-161

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 703-836-6620

; TELEFAX: 703-836-2021

; INFORMATION FOR SEQ ID NO: 73:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 128 amino acids

; TYPE: amino acid

; STRANDEDNESS: not relevant

; TOPOLOGY: not relevant

; MOLECULE TYPE: peptide

; ORIGINAL SOURCE:

; ORGANISM: Monkey

; POSITION IN GENOME:

; CHROMOSOME/SEGMENT: VH3 clone 3-40

US-08-476-349A-73

Query Match 77.6%; Score 45; DB 1; Length 128;

Best Local Similarity 80.0%; Pred. No. 1.4;

Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
|||:|||||
Db 26 GFTSSYDMN 35

RESULT 4

US-08-476-349A-102
; Sequence 102, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30.
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 102:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: #40
US-08-476-349A-102

Query Match 77.6%; Score 45; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 1.4;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
|||:|||||
Db 26 GFTSSYDMN 35

RESULT 5

US-07-956-399-4
; Sequence 4, Application US/07956399
; Patent No. 5876717
; GENERAL INFORMATION:
; APPLICANT: SHIMAMURA, TOSHIRO
; APPLICANT: TAKI, SHINSUKE
; APPLICANT: HAMURO, JUNJI
; TITLE OF INVENTION: POLYPEPTIDES CAPABLE OF BINDING TO HEAVY
; CHAINS OF IL-2 RECEPTORS
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT,
; ADDRESSEE: P.C.
; STREET: 1755 S. Jefferson Davis Highway, Suite 400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/956,399
; FILING DATE: 19921005
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Oblon, No. 5876717man F.
; REGISTRATION NUMBER: 24,618
; REFERENCE/DOCKET NUMBER: 10-586-0
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 413-3000
; TELEFAX: (703) 413-2220
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 239 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-956-399-4

Query Match 74.1%; Score 43; DB 2; Length 239;
Best Local Similarity 80.0%; Pred. No. 5.3;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
||:|||||
Db 148 GFAPSSYDMS 157

RESULT 6

PCT-US94-07659-2
; Sequence 2, Application PC/TU9407659
; GENERAL INFORMATION:
; APPLICANT: Young, Peter
; APPLICANT: Gross, Mitchell
; APPLICANT: Jonak, Zdenka L.
; APPLICANT: Theisen, Timothy
; APPLICANT: Hurler, Mark
; APPLICANT: Jackson, Jeffrey R.
; TITLE OF INVENTION: Recombinant and Humanized IL-1 beta
; Antibodies for Treatment of IL-1 Mediated Inflammatory
; Disorders in Man
; TITLE OF INVENTION: Disorders in Man
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation - Corp.
; ADDRESSEE: Intellectual Property

STREET: 709 Swedeland Road
CITY: King of Prussia
STATE: PA
COUNTRY: USA
ZIP: 19406-2799
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US94/07659
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/090,534
FILING DATE: 09-JUL-1993
ATTORNEY/AGENT INFORMATION:
NAME: Sutton, Jeffrey A.
REGISTRATION NUMBER: 34,028
REFERENCE/DOCKET NUMBER: P50171-1
TELEPHONE: (610) 270-5024
TELEFAX: (610) 270-5090
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 247 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
PCT-US94-07659-2

Query Match 74.1%; Score 43; DB 4; Length 247;
Best Local Similarity .80.0%; Pred. No. 5.5;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 GFTWSSYDMS 10
DB 45 GFAPSSYDMS 54

RESULT 7
PCT-US94-07659-6
Sequence 6, Application PC/TUS9407659
GENERAL INFORMATION:
APPLICANT: Young, Peter
APPLICANT: Gross, Mitchell
APPLICANT: Jonak, Zdenka L.
APPLICANT: Theisen, Timothy
APPLICANT: Hurle, Mark
APPLICANT: Jackson, Jeffrey R.
TITLE OF INVENTION: Recombinant and Humanized Il-1 beta
TITLE OF INVENTION: Antibodies for Treatment of Il-1 Mediated Inflammatory
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: SmithKline Beecham Corporation - Corp.
ADDRESSEE: Intellectual Property
STREET: 709 Swedeland Road
CITY: King of Prussia
STATE: PA
COUNTRY: USA
ZIP: 19406-2799
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US94/07659
FILING DATE:
CLASSIFICATION:

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/090,534
FILING DATE: 09-JUL-1993
ATTORNEY/AGENT INFORMATION:
NAME: Sutton, Jeffrey A.
REGISTRATION NUMBER: 34,028
REFERENCE/DOCKET NUMBER: P50171-1
TELEPHONE: (610) 270-5024
TELEFAX: (610) 270-5090
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
PCT-US94-07659-6

Query Match 72.4%; Score 42; DB 4; Length 119;
Best Local Similarity 80.0%; Pred. No. 3.8;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
DB 26 GFIFSSYDMS 35

RESULT 8
US-08-478-039-71
Sequence 71, Application US/08478039
Patent No. 5681722
GENERAL INFORMATION:
APPLICANT: Newman, Roland A.
APPLICANT: Hanna, Nabil
APPLICANT: Raab, Ronald W.
TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
NUMBER OF SEQUENCES: 114
CORRESPONDENCE ADDRESS:
ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
STREET: 699 Prince St.
CITY: Alexandria
STATE: VA
COUNTRY: USA
ZIP: 22313-1404
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/478,039
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/379,072
FILING DATE: 25-JAN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/912,292
FILING DATE: 10-JUL-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/856,281
FILING DATE: 23-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/735,064
FILING DATE: 25-JUL-1991
ATTORNEY/AGENT INFORMATION:
NAME: Teskin Esq., Robin L.
REGISTRATION NUMBER: 35,030
REFERENCE/DOCKET NUMBER: 012712-160
TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-836-6620
TELEFAX: 703-836-2021

;; INFORMATION FOR SEQ ID NO: 71:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 123 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: not relevant
;; TOPOLOGY: not relevant
;; MOLECULE TYPE: peptide
;; ORIGINAL SOURCE:
;; ORGANISM: Monkey
;; POSITION IN GENOME:
;; CHROMOSOME/SEGMENT: VH3 clone 3-34
US-08-478-039-71

Query Match 72.4%; Score 42; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 3.9;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
| | | | |
Db 26 GFTFSTYDMT 35

RESULT 9
US-08-478-039-104
; Sequence 104, Application US/08478039
; Patent No. 5681722
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,039
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 104:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant

;; TOPOLOGY: not relevant
;; MOLECULE TYPE: peptide
;; ORIGINAL SOURCE:
;; ORGANISM: Monkey
;; POSITION IN GENOME:
;; CHROMOSOME/SEGMENT: #34
US-08-478-039-104

Query Match 72.4%; Score 42; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 3.9;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
| | | | |
Db 26 GFTFSTYDMT 35

RESULT 10
US-08-476-349A-71
; Sequence 71, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 71:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:

CHROMOSOME/SEGMENT: VH3 clone 3-34
US-08-476-349A-71

Query Match 72.4%; Score 42; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 3.9;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|:|:|:
Db 26 GFTFSTYDMT 35

RESULT 11
US-08-476-349A-104
; Sequence 104, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SNECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 104:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME: #34
; CHROMOSOME/SEGMENT: #34
US-08-476-349A-104

Query Match 72.4%; Score 42; DB 1; Length 123;

Best Local Similarity 70.0%; Pred. No. 3.9;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|:|:|:
Db 26 GFTFSTYDMT 35

RESULT 12
US-08-665-202-31
; Sequence 31, Application US/08665202
; Patent No. 5977322
; GENERAL INFORMATION:
; APPLICANT: Marks, James D.
; APPLICANT: Schlier, Robert
; TITLE OF INVENTION: No. 5977322el High Affinity Human Antibodies to
; TITLE OF INVENTION: Tumor Antigens
; NUMBER OF SEQUENCES: 141
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, Eighth Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/665,202
; FILING DATE: 13-JUN-1996
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/000,238
; FILING DATE: 14-JUN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/000,250
; FILING DATE: 15-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Hunter, Tom
; REGISTRATION NUMBER: 38,498
; REFERENCE/DOCKET NUMBER: 02307E-061410
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 31:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 98 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-665-202-31

Query Match 70.7%; Score 41; DB 2; Length 98;
Best Local Similarity 70.0%; Pred. No. 4.5;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|:|:|:
Db 26 GFTFSSYEMN 35

RESULT 13
US-08-545-809A-101
; Sequence 101, Application US/08545809A
; Patent No. 6096878
; GENERAL INFORMATION:
; APPLICANT: Honjo, Tasuku
; APPLICANT: Matsuda, Fumihiko

```
; TITLE OF INVENTION: HUMAN IMMUNOGLOBULIN VH GENE
; TITLE OF INVENTION: SEGMENTS AND DNA FRAGMENTS CONTAINING THE SAME
; NUMBER OF SEQUENCES: 145
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson, P.C.
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: MA
; COUNTRY: US
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows95
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/545,809A
; FILING DATE: 27-MAR-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/JP93/00603
; FILING DATE: 10-MAY-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Freeman, John W.
; REGISTRATION NUMBER: 29,066
; REFERENCE/DOCKET NUMBER: 06501/004001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-542-5070
; TELEFAX: 617-542-8906
; TELEX: 200134
; INFORMATION FOR SEQ ID NO: 101:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 116 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-545-809A-101

Query Match 70.7%; Score 41; DB 3; Length 116;
Best Local Similarity 77.8%; Pred. No. 5.3;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDM 9
   III:|:|
Db 45 GFTFSNYDM 53

RESULT 14
US-08-983-607-36
; Sequence 36, Application US/08983607
; Patent No. 6140470
; GENERAL INFORMATION:
; APPLICANT: Alan Garen
; APPLICANT: Xiaohong Cai
; TITLE OF INVENTION: Human Anti-Tumor Monoclonal Anti-
; TITLE OF INVENTION: bodies
; NUMBER OF SEQUENCES: 51
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Department of Molecular Biophysics
; ADDRESSEE: and Biochemistry, Yale University
; STREET: 266 Whitney Avenue
; CITY: New Haven
; STATE: Connecticut
; COUNTRY: United States of America
; ZIP: 06520-8114
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5" 1.44 Mb diskette
; COMPUTER: IBM PC
; OPERATING SYSTEM: MS DOS
; SOFTWARE: Word processing
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/983,607
; FILING DATE: April 27, 1998
```

```
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/IB96/01032
; FILING DATE: June 28, 1996
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Mary M. Krinsky
; REGISTRATION NUMBER: 32423
; REFERENCE/DOCKET NUMBER: OCR-679
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 203-773-9544.
; TELEFAX: 203-773-1183
; INFORMATION FOR SEQ ID NO: 36:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 116 residues
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE:
; DESCRIPTION: polypeptide
; ORIGINAL SOURCE:
; ORGANISM: Homo sapiens (melanoma patient immu-
; ORGANISM: nized with autologous tumor cells)
; INDIVIDUAL ISOLATE: peripheral blood lymphocytes
; IMMEDIATE SOURCE:
; LIBRARY: DM414 scFv antibodies obtained from
; LIBRARY: fUSE5 fusion phage construct
; CLONE: V474
; FEATURE:
; NAME/KEY: heavy chain
; US-08-983-607-36

Query Match 70.7%; Score 41; DB 3; Length 116;
Best Local Similarity 80.0%; Pred. No. 5.3;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
   III:|:|
Db 26 GFTFSYDMS 35

RESULT 15
US-08-276-852-80
; Sequence 80, Application US/08276852
; Patent No. 5652138
; GENERAL INFORMATION:
; APPLICANT: Burton, Dennis R
; APPLICANT: Barbas, Carlos F
; APPLICANT: Lerner, Richard A
; TITLE OF INVENTION: HUMAN NEUTRALIZING MONOCLONAL ANTIBODIES
; TITLE OF INVENTION: TO HUMAN IMMUNODEFICIENCY VIRUS
; NUMBER OF SEQUENCES: 170
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: The Scripps Research Institute, Office of
; ADDRESSEE: Patent Counsel
; STREET: 10666 No. 5652138th Torrey Pines Road, Suite 220,
; STREET: Mail Drop TPC8
; CITY: La Jolla
; STATE: CA
; COUNTRY: USA
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/276,852
; FILING DATE: 18-JUL-1994
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/178,302
```

; FILING DATE: 30-SEP-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/954,148
; FILING DATE: 30-SEP-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Fitting, Thomas
; REGISTRATION NUMBER: 34,163
; REFERENCE/DOCKET NUMBER: SC1452P
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-554-2937
; TELEFAX: 619-554-6312
; INFORMATION FOR SEQ ID NO: 80:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 122 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-276-852-80

Query Match 70.7%; Score 41; DB 1; Length 122;
Best Local Similarity 70.0%; Pred. No. 5.6;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:||||:
Db 23 GFTFSSYEMN 32

Search completed: March 28, 2001, 06:39:09
Job time: 763 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:49 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-52

Perfect score: 53

Sequence: 1 GFTFLSYDMS 10

Scoring table:

BLOSUM62
Gap 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 20000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66: *
1: pir1: *
2: pir2: *
3: pir3: *
4: pir4: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	47	88.7	94	2 S14580	Ig heavy chain V r
2	43	81.1	97	2 S26890	Ig heavy chain V r
3	42	79.2	113	2 S26468	Ig heavy chain V r
4	42	79.2	117	1 HVMS34	Ig heavy chain pre
5	42	79.2	121	2 D27888	Ig heavy chain V r
6	42	79.2	124	2 C27888	Ig heavy chain V r
7	40	75.5	40	2 S33406	Ig heavy chain V r
8	40	75.5	83	2 C25913	Ig heavy chain V r
9	40	75.5	98	2 S26891	Ig heavy chain V r
10	40	75.5	108	2 PL0248	Ig heavy chain V r
11	40	75.5	108	2 PH1006	Ig heavy chain V r
12	40	75.5	117	1 HVMS84	Ig heavy chain pre
13	40	75.5	117	2 PL0249	Ig heavy chain V r
14	40	75.5	117	2 PL0252	Ig heavy chain V r
15	40	75.5	119	2 F27888	Ig heavy chain V r
16	40	75.5	122	2 E27888	Ig heavy chain V r
17	40	75.5	138	2 S09258	Ig heavy chain V r
18	40	75.5	138	2 I47205	Ig heavy chain V r
19	39	73.6	92	2 S56009	Ig heavy chain var
20	39	73.6	92	2 S56008	Ig heavy chain var
21	39	73.6	97	1 HVMS91	Ig heavy chain V r
22	39	73.6	97	1 PH0872	Ig heavy chain V r
23	39	73.6	98	2 S26889	Ig heavy chain V r
24	39	73.6	100	2 D48223	Ig heavy chain V r
25	39	73.6	102	2 S14581	Ig heavy chain V r
26	39	73.6	108	2 PH1648	Ig heavy chain V r
27	39	73.6	108	2 PH1011	Ig heavy chain V r
28	39	73.6	109	2 PH1649	Ig heavy chain V r
29	39	73.6	111	2 PH1659	Ig heavy chain V r

30	39	73.6	111	2 S40090	Ig heavy chain - m
31	39	73.6	111	2 PH1007	Ig heavy chain V r
32	39	73.6	112	2 S26327	Ig heavy chain V r
33	39	73.6	112	2 PH1647	Ig heavy chain V r
34	39	73.6	113	2 S25571	Ig heavy chain V r
35	39	73.6	117	1 H3HU26	Ig heavy chain pre
36	39	73.6	117	2 A45953	Ig heavy chain pre
37	39	73.6	117	2 B34964	Ig heavy chain pre
38	39	73.6	117	2 S34012	Ig heavy chain V r
39	39	73.6	118	2 S31121	Ig heavy chain - h
40	39	73.6	119	2 C36005	Ig heavy chain V r
41	39	73.6	119	2 D36005	Ig heavy chain V r
42	39	73.6	119	2 S31107	Ig heavy chain - h
43	39	73.6	119	2 S31108	Ig heavy chain - h
44	39	73.6	120	2 S48798	Ig heavy chain V r
45	39	73.6	120	2 S55538	Ig heavy chain V r

ALIGNMENTS

RESULT 1

S14580

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C>Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 23-Jul-1999

C:Accession: S14580

R:Chen, Q.; Stenzel-Poore, M.; Rittenberg, M.B.

submitted to the EMBL Data Library, March 1991

A:Description: Natural polyreactive antibodies differ from Ag-induced antibodies in v

A:Reference number: S14484

A:Accession: S14580

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-94 <CHE>

A:Cross-references: EMBL:X58652; NID:g51293; PIDN:CAA41509.1; PID:g51294

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:7-90/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 88.7%; Score 47; DB 2; Length 94;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10

Db 18 GFTFLSYDMS 27

RESULT 2

S26890

Ig heavy chain V region (BP-48) - human (fragment)

C:Species: Homo sapiens (man)

C>Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999

C:Accession: S26890

R:Tomlinson, I.M.; Walter, G.; Marks, J.D.; Llewellyn, M.B.; Winter, G.

J. Mol. Biol. 227, 776-798, 1992

A:Title: The repertoire of human germline V(H) sequences reveals about fifty groups o

A:Reference number: S26885; MUID:93021117

A:Accession: S26890

A>Status: preliminary

A:Molecule type: DNA

A:Residues: 1-97 <TOM>

A:Cross-references: EMBL:212348; NID:g32916; PIDN:CAA78218.1; PID:g32917

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-97/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 81.1%; Score 43; DB 2; Length 97;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDM 9
 |||||
 Db 26 GFTFSSYDM 34

RESULT 3

S26458

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C>Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999

C:Accession: S26458

R:Kavalier, J.

Submitted to the EMBL Data Library, April 1991

A:Reference number: S26459

A:Accession: S26458

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-113 <KAV>

A:Cross-references: EMBL:X59107; NID:g51944; PIDN:CAA41833.1; PID:g51945

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:11-94/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 79.2%; Score 42; DB 2; Length 113;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

||| |

Db 22 GFAFSSYDMS 31

RESULT 4

HVMS34

Ig heavy chain precursor V region (345) - mouse

C:Species: Mus musculus (house mouse)

C>Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997

C:Accession: J70502

R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.

J. Exp. Med. 169, 2007-2019, 1989

A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary

A:Reference number: J70501; MUID:89279149

A:Accession: J70502

A>Status: translation not shown

A:Molecule type: mRNA

A:Residues: 1-117 <LEV>

A:Experimental source: strain BALB/cJ

A:Note: This sequence belongs to the VH7183 subfamily

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-19/Domain: signal sequence #status predicted <SIG>

F:20-117/Product: Ig heavy chain V region (345) #status predicted <MAT>

F:34-117/Domain: immunoglobulin homology <IMM>

F:41-115/Disulfide bonds: #status predicted

Query Match

Best Local Similarity 79.2%; Score 42; DB 1; Length 117;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

||| |

Db 45 GFAFSSYDMS 54

RESULT 5

D27888

Ig heavy chain V region (H37-60) - mouse

C:Species: Mus musculus (house mouse)

C>Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996

C:Accession: D27888

R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.

EMBO J. 5, 1577-1587, 1986

A:Title: Structural and functional implications of a restricted antibody response to

A:Reference number: A91043; MUID:86300658

A:Accession: D27888

A:Molecule type: DNA

A:Residues: 1-121 <CAT>

A:Experimental source: strain Balb/c

A:Note: This sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 79.2%; Score 42; DB 2; Length 121;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

||| |

Db 26 GFAFSSYDMS 35

RESULT 6

C27888

Ig heavy chain V region (H37-62) - mouse

C:Species: Mus musculus (house mouse)

C>Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996

C:Accession: C27888

R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.

EMBO J. 5, 1577-1587, 1986

A:Title: Structural and functional implications of a restricted antibody response to

A:Reference number: A91043; MUID:86300658

A:Accession: C27888

A:Molecule type: DNA

A:Residues: 1-124 <CAT>

A:Experimental source: strain Balb/c

A:Note: This sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 79.2%; Score 42; DB 2; Length 124;

Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

||| |

Db 26 GFAFSSYDMS 35

RESULT 7

S33406

Ig heavy chain V region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C>Date: 19-Mar-1997 #sequence_revision 24-Jul-1997 #text_change 17-Jul-1998

C:Accession: S33406

R:Kettleborough, C.A.; Saidanha, J.; Ansell, K.H.; Bendig, M.M.

Eur. J. Immunol. 23, 206-211, 1993

A:Title: Optimization of primers for cloning libraries of mouse immunoglobulin genes

A:Reference number: S33391; MUID:93122092

A:Accession: S33406

A:Molecule type: mRNA

A:Residues: 1-40 <KET>

A:Cross-references: EMBL:X73009

A:Experimental source: strain BALB/c

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-40/Domain: immunoglobulin homology (fragment) <IMM>

```

Query Match          75.5%; Score 40; DB 2; Length 40;
Best Local Similarity 80.0%; Pred. No. 0.18;
Matches      8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY      1 GFTFLSYDMS 10
DB      26 GFTFSSTMS 35
      |||| || ||
      |||| || ||

RESULT 8
C25913
Ig heavy chain V region (BFL14) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 16-Aug-1988 #sequence_revision 16-Aug-1988 #text_change 16-Aug-1996
C:Accession: C25913
R:Lawler, A.M.; Lin, P.S.; Gearhart, P.J.
Proc. Natl. Acad. Sci. U.S.A. 84, 2454-2458, 1987
A:Title: Adult B-cell repertoire is biased toward two heavy-chain variable-region genes
A:Reference number: A94148; MUID:87175692
A:Accession: C25913
A:Molecule type: DNA
A:Residues: 1-83 <LAW>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin

Query Match          75.5%; Score 40; DB 2; Length 83;
Best Local Similarity 80.0%; Pred. No. 0.4;
Matches      8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY      1 GFTFLSYDMS 10
DB      11 GFTFSYGMS 20
      |||| || ||
      |||| || ||

RESULT 9
S26891
Ig heavy chain V region (DP-58) - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C:Accession: S26891
R:Tominson, I.M.; Walter, G.; Marks, J.D.; Llewelyn, M.B.; Winter, G.
J. Mol. Biol. 227, 776-798, 1992
A:Title: The repertoire of human germline V(H) sequences reveals about fifty groups of V
A:Reference number: S26885; MUID:93021117
A:Accession: S26891
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-98 <TOM>
A:Cross-references: EMBL:Z12358; NID:932935; PIDN:CAA78228.1; PID:932936
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match          75.5%; Score 40; DB 2; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.48;
Matches      7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY      1 GFTFLSYDMS 10
DB      26 GFTFSSTMS 35
      |||| || ||
      |||| || ||

RESULT 10
PL0248
Ig heavy chain V region (anti-DNA, DP12VH) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996
C:Accession: PL0248
R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.
J. Exp. Med. 171, 265-297, 1990

```

```

A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somat
A:Reference number: PL0231; MUID:90111618
A:Accession: PL0248
A:Molecule type: mRNA
A:Residues: 1-108 <SHL>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-24/Region: framework 1
F:9-92/Domain: immunoglobulin homology <IMM>
F:25-29/Region: complementarity-determining 1
F:30-43/Region: framework 2
F:44-60/Region: complementarity-determining 2
F:61-92/Region: framework 3
F:93-99/Region: complementarity-determining 3
F:100-108/Region: framework 4

Query Match          75.5%; Score 40; DB 2; Length 108;
Best Local Similarity 80.0%; Pred. No. 0.54;
Matches      8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY      1 GFTFLSYDMS 10
DB      20 GFTFSSTMS 29
      |||| || ||
      |||| || ||

RESULT 11
PH1006
Ig heavy chain V region (clone 202.33) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 16-Aug-1996
C:Accession: PH1006
R:Tillman, D.M.; Jow, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PH1006
A>Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-108 <HIL>
A:Experimental source: B cell, strain [NZB x NZW]F1
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:10-93/Domain: immunoglobulin homology <IMM>

Query Match          75.5%; Score 40; DB 2; Length 108;
Best Local Similarity 80.0%; Pred. No. 0.54;
Matches      8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY      1 GFTFLSYDMS 10
DB      21 GFTFSYGMS 30
      |||| || ||
      |||| || ||

RESULT 12
HWS84
Ig heavy chain precursor V region (S-84) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
C:Accession: JT0505
R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
J. Exp. Med. 169, 2007-2019, 1989
A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primer
A:Reference number: JT0501; MUID:89279149
A:Accession: JT0505
A>Status: translation not shown
A:Molecule type: mRNA
A:Residues: 1-117 <LEV>
A:Experimental source: strain BALB/cJ
A:Note: This sequence belongs to the VH7183 subfamily
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin

```

F:1-19/Domain: signal sequence #status predicted <SIG>

F:20-117/Product: Ig heavy chain V region (5-84) #status predicted <MAT>

F:34-117/Domain: immunoglobulin homology <IMM>

F:41-115/Disulfide bonds: #status predicted

Query Match 75.5%; Score 40; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.59;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

Db 45 GFTFSSYTMS 54

RESULT 13

PL0249

Ig heavy chain V region (anti-DNA, 3E12VH) - mouse (fragment)

C:Species: Mus musculus (house mouse)

C>Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996

C:Accession: PL0249

R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.

J. Exp. Med. 171, 265-297, 1990

A>Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic

A:Reference number: PL0231; MUID:90111618

A:Accession: PL0249

A:Molecule type: mRNA

A:Residues: 1-117 <SHL>

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-30/Region: framework 1

F:15-98/Domain: immunoglobulin homology <IMM>

F:31-35/Region: complementarity-determining 1

F:36-49/Region: framework 2

F:50-66/Region: complementarity-determining 2

F:67-98/Region: framework 3

F:99-108/Region: complementarity-determining 3

F:109-117/Region: framework 4

Query Match 75.5%; Score 40; DB 2; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.59;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

Db 26 GFTFSSYTMS 35

RESULT 14

PL0252

Ig heavy chain V region (anti-DNA, clones 2E3VH, 6B8VH, and 3G9VH) - mouse (fragment)

C:Species: Mus musculus (house mouse)

C>Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996

C:Accession: PL0252

R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.

J. Exp. Med. 171, 265-297, 1990

A>Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic

A:Reference number: PL0231; MUID:90111618

A:Accession: PL0252

A:Molecule type: mRNA

A:Residues: 1-117 <SHL>

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-30/Region: framework 1

F:15-98/Domain: immunoglobulin homology <IMM>

F:31-35/Region: complementarity-determining 1

F:36-49/Region: framework 2

F:50-66/Region: complementarity-determining 2

F:67-98/Region: framework 3

F:99-108/Region: complementarity-determining 3

F:109-117/Region: framework 4

Query Match 75.5%; Score 40; DB 2; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.59;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

Db 26 GFTFSSYTMS 35

RESULT 15

F27888

Ig heavy chain V region (H158-89H4) - mouse

C:Species: Mus musculus (house mouse)

C>Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996

C:Accession: F27888

R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.

EMBO J. 5, 1577-1587, 1986

A>Title: Structural and functional implications of a restricted antibody response to

A:Reference number: A91043; MUID:86300658

A:Accession: F27888

A:Molecule type: DNA

A:Residues: 1-119 <CAT>

A:Experimental source: strain Balb/c

A>Note: this sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 75.5%; Score 40; DB 2; Length 119;
Best Local Similarity 80.0%; Pred. No. 0.6;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

Db 26 GFTFSSYTMS 35

Search completed: March 28, 2001, 06:41:49
Job time: 872 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:45 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-52
Perfect score: 53
Sequence: 1 GFTFLSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39.4

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	42	79.2	117	1 HV55_MOUSE	P18526 mus musculus
2	40	75.5	117	1 HV54_MOUSE	P18525 mus musculus
3	39	73.6	97	1 HV56_MOUSE	P18527 mus musculus
4	39	73.6	117	1 HV3C_HUMAN	P01764 homo sapien
5	38	71.7	117	1 HV52_MOUSE	P06327 mus musculus
6	38	71.7	117	1 HV53_MOUSE	P18524 mus musculus
7	37	69.8	117	1 HV59_MOUSE	P18530 mus musculus
8	36	67.9	3106	1 LMA2_MOUSE	Q60675 mus musculus
9	35	66.0	115	1 HV3D_HUMAN	P01765 homo sapien
10	35	66.0	117	1 HV17_MOUSE	P01786 mus musculus
11	34	64.2	117	1 HV58_MOUSE	P18529 mus musculus
12	34	64.2	326	1 YE08_SCHPO	O13805 schizosacch
13	34	64.2	451	1 ARP2_PLAFA	P13824 plasmodium
14	33	62.3	114	1 HV00_MOUSE	P01741 mus musculus
15	33	62.3	114	1 HV01_CANFA	P01784 canis famil
16	33	62.3	116	1 HV1A_RABIT	P01826 oryctolagus
17	33	62.3	117	1 HV2E_RABIT	P01828 oryctolagus
18	33	62.3	120	1 HV3E_HUMAN	P01766 homo sapien
19	33	62.3	121	1 HV3J_HUMAN	P01771 homo sapien
20	33	62.3	396	1 EFTU_STIAU	P42479 stigmatella
21	33	62.3	706	1 VGLH_EBV	P03231 epstein-bar
22	32	60.4	114	1 HV3E_HUMAN	P01763 homo sapien
23	32	60.4	117	1 HV14_MOUSE	P01758 mus musculus
24	32	60.4	122	1 HV3G_HUMAN	P01768 homo sapien
25	32	60.4	136	1 HV16_MOUSE	P01783 mus musculus
26	32	60.4	247	1 ATP6_ACACA	Q37385 acanthamoeb
27	32	60.4	281	1 Y373_MYCGE	P47613 mycoplasma
28	32	60.4	281	1 Y373_MYCPN	P75227 mycoplasma
29	32	60.4	465	1 YGLX_RHIME	O87394 rhizobium m
30	32	60.4	550	1 INV1_HANAN	P40912 hanseniella a
31	32	60.4	747	1 FHUA_EGOLI	P06971 escherichia
32	31	58.5	111	1 HV35_MOUSE	P01804 mus musculus
33	31	58.5	113	1 HV27_MOUSE	P01796 mus musculus

34 31 58.5 113 1 HV28_MOUSE P01797 mus musculus
35 31 58.5 113 1 HV29_MOUSE P01798 mus musculus
36 31 58.5 113 1 HV30_MOUSE P01799 mus musculus
37 31 58.5 113 1 HV31_MOUSE P01800 mus musculus
38 31 58.5 113 1 HV34_MOUSE P01803 mus musculus
39 31 58.5 115 1 HV32_MOUSE P01801 mus musculus
40 31 58.5 115 1 HV33_MOUSE P01802 mus musculus
41 31 58.5 117 1 HV02_CANFA P01785 canis famil
42 31 58.5 117 1 HV04_MOUSE P01748 mus musculus
43 31 58.5 117 1 HV05_MOUSE P01749 mus musculus
44 31 58.5 117 1 HV06_MOUSE P01750 mus musculus
45 31 58.5 117 1 HV09_MOUSE P01753 mus musculus

ALIGNMENTS

RESULT 1
HV55_MOUSE
ID HV55_MOUSE STANDARD; PRT; 117 AA.
AC P18526;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 345 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sclurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BALB/CJ;
RX MEDLINE: 89279149,
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during the primary immune response."
RL J. Exp. Med. 169:2007-2019(1989).
CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH17183 SUBFAMILY.
DR PIR: J0502; HVMS34
DR INTERPRO: IPR003006; -
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 345.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12902 MW; 49380E4627ACA99A CRC64;

Query Match 79.2%; Score 42; DB 1; Length 117;
Best Local Similarity 80.0%; Pred No. 0.17;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
|||
Db 45 GFATFLSYDMS 54

RESULT 2
HV54_MOUSE
ID HV54_MOUSE STANDARD; PRT; 117 AA.
AC P18525;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 5-84 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sclurognathi; Muridae; Murinae; Mus.

```

RN  [1]
RC  SEQUENCE FROM N.A.
RX  STRAIN=BALB/CJ;
RA  MEDLINE; 89279149.
RA  Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT  "Early onset of somatic mutation in immunoglobulin VH genes during
RT  the primary immune response.";
RL  J. Exp. Med. 169:2007-2019(1989).
CC  -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR  PIR; JT0505; HVMS84.
DR  INTERPRO; IPR003006; -.
DR  PFAM; PF00047; Ig; 1.
KW  Immunoglobulin V region; Signal.
FT  SIGNAL 1 19
FT  CHAIN 20 117 IG HEAVY CHAIN V REGION 5-84.
FT  DOMAIN 20 49 FRAMEWORK 1.
FT  DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT  DOMAIN 55 68 FRAMEWORK 2.
FT  DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT  DOMAIN 86 117 FRAMEWORK 3.
FT  DISULFID 41 115 BY SIMILARITY.
FT  NON_TER 117 117
SQ  SEQUENCE 117 AA; 12872 MW; 234055CB6A469861 CRC64;

Query Match 75.5%; Score 40; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.41;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
Db 45 GFTFSYTMS 54

RESULT 3
HV56_MOUSE
ID HV56_MOUSE STANDARD; PRT; 97 AA.
AC P18527;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 914.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=BALB/CJ;
RA MEDLINE; 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
RT the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR; JT0504; HVMS91.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT NON_TER 97 97
SQ SEQUENCE 97 AA; 10661 MW; C23CB33FF55DA893 CRC64;

Query Match 73.6%; Score 39; DB 1; Length 97;
Best Local Similarity 80.0%; Pred. No. 0.53;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
Db 26 GFTFSYAMS 35

RESULT 4
HV3C_HUMAN

```

```

ID HV3C_HUMAN STANDARD; PRT; 117 AA.
AC P01764;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION VH26 PRECURSOR.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 81101090.
RA Matthysens G., Rabbitts T.H.;
RT "Structure and multiplicity of genes for the human immunoglobulin
RT heavy chain variable region.";
RL Proc. Natl. Acad. Sci. U.S.A. 77:6561-6565(1980).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; J00236; AAA53516.1; -.
DR EMBL; M35415; AAA58735.1; -.
DR PIR; A02047; H3HU26.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V-III REGION VH26.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12582 MW; E826733F3A3CB0F1 CRC64;

Query Match 73.6%; Score 39; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.64;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
Db 45 GFTFSYAMS 54

RESULT 5
HV52_MOUSE
ID HV52_MOUSE STANDARD; PRT; 117 AA.
AC P06327;
DT 01-JAN-1988 (Rel. 06, Created)
DT 01-JAN-1988 (Rel. 06, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION VH558 A1/A4 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 85099340.
RA Yancopoulos G.D., Alt F.W.;
RT "Developmentally controlled and tissue-specific expression of
RT unarranged VH gene segments.";
RL Cell 40:271-281(1985).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----

```

```

DR EMBL: M13787; AAA38499.1; -.
DR PIR: A02029; HVMSAL.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION VH558 AL/M4.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 20 49 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 50 54 FRAMEWORK 2.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12971 MW; 8B0BC138856DFC9D CRC64;

Query Match 71.7%; Score 38; DB 1; Length 117;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
Db 45 GYTFSSYDMS 54

RESULT 6
HV53_MOUSE STANDARD; PRT; 117 AA.
AC P18524;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION RF PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
[1]
RN SEQUENCE FROM N.A.
RC STRAIN-BALB/CJ.
RX MEDLINE; 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: J0503; HVMSRF.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Hybridoma; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION RF.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 20 49 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 50 54 FRAMEWORK 2.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12866 MW; 2CE3295F390F725B CRC64;

Query Match 71.7%; Score 38; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 1;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
Db 45 GYTFSSYDMS 54

RESULT 7
HV59_MOUSE

```

```

ID HV59_MOUSE STANDARD; PRT; 117 AA.
AC P18530;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 7-39 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
[1]
RN SEQUENCE FROM N.A.
RC STRAIN-BALB/CJ.
RX MEDLINE; 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: J0507; HVMS39.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 7-39.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12972 MW; D5CA4167D0F1774F CRC64;

Query Match 69.8%; Score 37; DB 1; Length 117;
Best Local Similarity 70.0%; Pred. No. 1.6;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
Db 45 GYTFSSYDMS 54

RESULT 8
LMA2_MOUSE STANDARD; PRT; 3106 AA.
AC Q60675; Q05003; Q64061;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE LAMININ ALPHA-2 CHAIN PRECURSOR (LAMININ M CHAIN) (MEROSIN HEAVY
CHAIN).
DE CHAIN.
GN LAMA2.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
[1]
RN SEQUENCE FROM N.A.
RC STRAIN-FVB/N; TISSUE=EMBRYO, AND HEART;
RX MEDLINE; 95316259.
RA Bernier S.M., Utani A., Sugiyama S., Doi T., Polistina C.,
RA Yanada Y.;
RT "Cloning and expression of laminin alpha 2 chain (M-chain) in the
mouse.";
RL Matrix Biol. 14:447-455(1995).
[2]
RN SEQUENCE OF 2162-2279 FROM N.A.
RC STRAIN-C57BL/6; TISSUE=THYMUS;
RX MEDLINE; 93346725.
RA Chang A.C., Wadsworth S., Colligan J.E.;
RT "Expression of merosin in the thymus and its interaction with
thymocytes.";
RL J. Immunol. 151:1789-1801(1993).

```



```

FT DISULFID 1467 1490 BY SIMILARITY.
FT DISULFID 1493 1502 BY SIMILARITY.
FT DISULFID 1505 1520 BY SIMILARITY.
FT DISULFID 1523 1535 BY SIMILARITY.
FT DISULFID 1525 1542 BY SIMILARITY.
FT DISULFID 1544 1553 BY SIMILARITY.
FT DISULFID 1556 1567 BY SIMILARITY.
FT DISULFID 1570 1570 INTERCHAIN (PROBABLE).
FT DISULFID 1574 1574 INTERCHAIN (PROBABLE).
FT CARBOHYD 51 51 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 85 85 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 299 299 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 359 359 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 376 376 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 466 466 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 742 742 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 919 919 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1031 1031 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1057 1057 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1593 1593 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1610 1610 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1696 1696 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1806 1806 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1897 1897 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1912 1912 N-LINKED (GLCNAC. .) (POTENTIAL).
FT CARBOHYD 1916 1916 N-LINKED (GLCNAC. .) (POTENTIAL).

Query Match 67.9%; Score 36; DB 1; Length 3106;
Best Local Similarity 66.7%; Pred. No. 68;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDM 9
Db 2817 GPFPSYDL 2825

RESULT 9
HV3D_HUMAN STANDARD; PRT; 115 AA.
AC P01765;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION TIL.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Homnidae; Homo.
RN [1]
RP SEQUENCE.
RX MEDLINE; 78005528.
RA Wang A.-C., Wang I.-Y., Fudenberg H.H.;
RT "Immunoglobulin structure and genetics. Identity between variable
regions of a mu and a gamma2 chain.";
RL J. Biol. Chem. 252:7192-7199(1977).
CC -1- MISCELLANEOUS: THE SEQUENCES OF THE V REGIONS OF THE HEAVY CHAINS
OF IGM AND IGG2 ISOLATED FROM A SINGLE PATIENT WITH BICLONAL
CC GAMMOPATHY ARE IDENTICAL. THEIR LIGHT CHAINS ARE APPARENTLY ALSO
CC IDENTICAL.
CC
DR PIR; A02048; H3HUTL.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT NON_TER 115 115
SQ SEQUENCE 115 AA; 12356 MW; 4DCC67D179F62326 CRC64;

Query Match 66.0%; Score 35; DB 1; Length 115;
Best Local Similarity 70.0%; Pred. No. 3.8;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDM 10
Db 26 GFTFTSYVMS 35

RESULT 10
HV17_MOUSE STANDARD; PRT; 117 AA.
ID HV17_MOUSE
AC P01786;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION MOPC 47A.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RX MEDLINE; 80049769.
RA Robinson E.A., Appella E.;
RT "Amino acid sequence of a mouse myeloma immunoglobulin heavy chain
(MOPC 47 A) with a 100-residue deletion.";
RL J. Biol. Chem. 254:11418-11430(1979).
CC -1- MISCELLANEOUS: THIS ALPHA CHAIN WAS ISOLATED FROM A MYELOMA
CC PROTEIN THAT CONTAINS ONE LIGHT AND ONE HEAVY CHAIN PER MOLECULE,
CC LINKED BY A DISULFIDE BOND. IN CONTRAST, NORMAL MOUSE IGA
CC MOLECULES CONTAIN TWO LIGHT AND TWO HEAVY CHAINS AND LACK A
CC LIGHT-HEAVY CHAIN DISULFIDE BOND.
DR PIR; A02069; ALMS47.
DR HSSP; P01789; 2MCP.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12975 MW; 0C74B8BBI54BDF4 CRC64;

Query Match 66.0%; Score 35; DB 1; Length 117;
Best Local Similarity 70.0%; Pred. No. 3.9;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
Db 26 GFTFTDYMS 35

RESULT 11
HV58_MOUSE STANDARD; PRT; 117 AA.
ID HV58_MOUSE
AC P18529;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 5-76 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALEB/CJ;
RX MEDLINE; 89279149.
RA Levy N.S., Malipiero U.V., Lebecqec S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR; J70506; HVMS57.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 5-76.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.

```

```

FT DOMAIN      86 117 FRAMEWORK 3.
FT DISULFID    41 115 BY SIMILARITY.
FT NON_TER     117
SQ SEQUENCE    117 AA; 12991 MW; 93A04782B78B8FA0 CRC64;

Query Match      64.2%; Score 34; DB 1; Length 117;
Best Local Similarity 70.0%; Pred. No. 6;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
DB 45 GFTFNKIAMS 54

RESULT 12
YE08_SCHPO STANDARD; PRT; 326 AA.
AC 013805;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DE PUTATIVE MITOCHONDRIAL CARRIER C17H9.08.
GN SPAC17H9.08.
OS Schizosaccharomyces pombe (Fission yeast).
OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetales;
OC Schizosaccharomycetaceae; Schizosaccharomycetes.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=972;
RA Skelton J., Churcher C.M., Barrell B.G., Rajandream M.A., Wood V.;
RL Submitted (AUG-1997) to the EMBL/GenBank/DBJ databases.
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. MITOCHONDRIAL
CC -!- INNER MEMBRANE (POTENTIAL).
CC -!- DOMAIN: COMPOSED OF THREE HOMOLOGOUS DOMAINS.
CC -!- SIMILARITY: BELONGS TO THE MITOCHONDRIAL CARRIER FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M13021; AAA29485.1; -
CC PIR; A23535; A23535.
CC INTERPRO: IPR000504; -
CC PFAM; PF00076; rrm; 2.
CC Malaria.
KW
FT NON_TER 1
SQ SEQUENCE 451 AA; 52204 MW; B686354D85F8C293 CRC64;

Query Match      64.2%; Score 34; DB 1; Length 451;
Best Local Similarity 75.0%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYD 8
DB 407 GGFVSVSYD 414

RESULT 14
HV00_MOUSE STANDARD; PRT; 114 AA.
ID HV00_MOUSE
AC P01741;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 21-JUL-1986 (Rel. 01, Last annotation update)
DE IG HEAVY CHAIN V REGION (ANTI-ARSONATE ANTIBODY).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
RX MEDLINE; 79195438.
RA Capra J.D., Nisonoff A.;
RT "Structural studies on induced antibodies with defined idiotypic
RT specificities. VII. The complete amino acid sequence of the heavy
RT chain variable region of anti-p-azophenylarsenate antibodies from A/J
RT mice bearing a cross-reactive idioype."
RL J. Immunol. 123:279-284(1979).
CC -!- MISCELLANEOUS: ANTIBODY ISOLATED FROM TEN MICE WAS EXCLUSIVELY OF
CC THE IGK1 SUBCLASS. THERE WAS NO HETEROGENEITY IN THE HEAVY CHAIN V
CC REGION SEQUENCE.
CC PIR; A02022; GIMSAA.
DR INTERPRO: IPR003006; -
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT NON_TER 114
SQ SEQUENCE 114 AA; 12555 MW; 99DD8F0B6A69F4BE CRC64;

```

```

AC P13824;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 01-NOV-1995 (Rel. 32, Last annotation update)
DE CLUSTERED-ASPARAGINE-RICH PROTEIN (FRAGMENT).
OS Plasmodium falciparum.
OC Eukaryota; Alveolata; Apicomplexa; Haemosporida; Plasmodium.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 86206015.
RA Wahlgren M., Aaslund L., Franzen L., Sundvall M., Waehlin B.,
RA Berzins K., McNicol L.A., Bjoerkman A., Wigzell H., Perlmann P.,
RA Pettersson U.;
RT "A Plasmodium falciparum antigen containing clusters of asparagine
RT residues."
RL Proc. Natl. Acad. Sci. U.S.A. 83:2677-2681(1986).
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M13021; AAA29485.1; -
CC PIR; A23535; A23535.
CC INTERPRO: IPR000504; -
CC PFAM; PF00076; rrm; 2.
CC Malaria.
KW
FT NON_TER 1
SQ SEQUENCE 451 AA; 52204 MW; B686354D85F8C293 CRC64;

Query Match      64.2%; Score 34; DB 1; Length 451;
Best Local Similarity 75.0%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYD 8
DB 407 GGFVSVSYD 414

RESULT 14
HV00_MOUSE STANDARD; PRT; 114 AA.
ID HV00_MOUSE
AC P01741;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 21-JUL-1986 (Rel. 01, Last annotation update)
DE IG HEAVY CHAIN V REGION (ANTI-ARSONATE ANTIBODY).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RC STRAIN=A/J;
RX MEDLINE; 79195438.
RA Capra J.D., Nisonoff A.;
RT "Structural studies on induced antibodies with defined idiotypic
RT specificities. VII. The complete amino acid sequence of the heavy
RT chain variable region of anti-p-azophenylarsenate antibodies from A/J
RT mice bearing a cross-reactive idioype."
RL J. Immunol. 123:279-284(1979).
CC -!- MISCELLANEOUS: ANTIBODY ISOLATED FROM TEN MICE WAS EXCLUSIVELY OF
CC THE IGK1 SUBCLASS. THERE WAS NO HETEROGENEITY IN THE HEAVY CHAIN V
CC REGION SEQUENCE.
CC PIR; A02022; GIMSAA.
DR INTERPRO: IPR003006; -
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT NON_TER 114
SQ SEQUENCE 114 AA; 12555 MW; 99DD8F0B6A69F4BE CRC64;

```

Query Match 62.3%; Score 33; DB 1; Length 114;
 Best Local Similarity 55.6%; Pred. No. 9.2;
 Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTFELSYDM 9
 |::|::|::|
 Db 26 GYTSSVEL 34

RESULT 15
 HV01_CANFA
 ID HV01_CANFA STANDARD; PRT; 114 AA.
 AC P01784;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION GOM.
 OS Canis familiaris (Dog).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
 RN [1]
 RP SEQUENCE.
 RX MEDLINE; 77242268.
 RA Wasserman R.L., Capra J.D.;
 RT "Primary structure of the variable regions of two canine
 RT immunoglobulin heavy chains";
 RL Biochemistry 16:3160-3168(1977).
 CC -1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM A MYELOMA PROTEIN.
 DR PIR; A02067; AVDGM.
 DR INTERPRO; IPR003006; -.
 DR PFAM; PF00047; ig: 1.
 KW Immunoglobulin V region.
 FT NON_TER 114 114
 SQ SEQUENCE 114 AA; 12430 MW; BID4745D2C4E13C4 CRC64;

Query Match 62.3%; Score 33; DB 1; Length 114;
 Best Local Similarity 66.7%; Pred. No. 9.2;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 GTFELSYDM 9
 |::|::|::|
 Db 26 GTFESGYDM 34

Search completed: March 28, 2001, 07:29:46
 Job time: 1653 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:33 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-52

Perfect score: 53
Sequence: 1 GFTFLSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15:

- 1: sp_archaea:
- 2: sp_bacteria:
- 3: sp_fungi:
- 4: sp_human:
- 5: sp_invertebrate:
- 6: sp_mammal:
- 7: sp_mhc:
- 8: sp_organellae:
- 9: sp_phase:
- 10: sp_plant:
- 11: sp_rodent:
- 12: sp_virus:
- 13: sp_vertebrate:
- 14: sp_unclassified:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	73.6	437	11 Q9RIA4	Q9RIA4 mus musculus
2	38	71.7	118	4 Q9UL91	Q9UL91 homo sapien
3	37	69.8	95	4 Q9ULB6	Q9ULB6 homo sapien
4	37	69.8	147	4 Q9Y509	Q9Y509 homo sapien
5	36	67.9	113	4 Q9UL90	Q9UL90 homo sapien
6	36	67.9	312	12 Q67551	Q67551 garlic late
7	36	67.9	1924	12 Q67654	Q67654 garlic late
8	36	67.9	1967	12 Q65652	Q65652 blueberry s
9	36	67.9	2183	12 Q64962	Q64962 apple stem
10	35	66.0	116	4 Q9UL93	Q9UL93 homo sapien
11	35	66.0	314	10 Q9ZQR7	Q9ZQR7 arabidopsis
12	35	66.0	363	10 Q9ZU66	Q9ZU66 arabidopsis
13	35	66.0	577	5 P91823	P91823 caenorhabdi
14	34	64.2	289	10 Q9ZU04	Q9ZU04 arabidopsis
15	34	64.2	347	8 Q34096	Q34096 crithidia f
16	34	64.2	349	12 Q65125	Q65125 african swi
17	34	64.2	364	10 Q9LIR8	Q9LIR8 arabidopsis
18	34	64.2	398	5 Q9WLP8	Q9WLP8 drosophila
19	34	64.2	475	5 Q9XWR7	Q9XWR7 caenorhabdi

20	34	64.2	690	10 Q9LIB7	Q9LIB7 arabidopsis
21	34	64.2	702	10 Q9LNL6	Q9LNL6 arabidopsis
22	34	64.2	868	10 Q38710	Q38710 abies grand
23	34	64.2	1418	5 O01837	O01837 caenorhabdi
24	34	64.2	1456	5 O19127	O19127 caenorhabdi
25	33	62.3	85	2 Q53774	Q53774 stigmatella
26	33	62.3	128	3 Q94499	Q94499 schizosacch
27	33	62.3	223	12 Q9VP85	Q9VP85 sugarcane s
28	33	62.3	300	5 Q9V3G3	Q9V3G3 drosophila
29	33	62.3	315	5 Q20116	Q20116 caenorhabdi
30	33	62.3	355	8 Q34937	Q34937 leishmania
31	33	62.3	430	10 Q9M159	Q9M159 arabidopsis
32	33	62.3	455	2 O87953	O87953 vibrio algi
33	33	62.3	470	8 Q32371	Q32371 gracilaria
34	33	62.3	472	8 Q32364	Q32364 gracilario
35	33	62.3	491	2 P94289	P94289 bacillus ci
36	33	62.3	723	11 Q35193	Q35193 mus musculu
37	33	62.3	763	3 Q12653	Q12653 pichia caps
38	33	62.3	852	11 Q35192	Q35192 mus musculu
39	33	62.3	879	2 Q9PIG2	Q9PIG2 campylobact
40	33	62.3	928	2 O86164	O86164 chlamydia p
41	33	62.3	949	2 Q9K299	Q9K299 chlamydia p
42	33	62.3	968	10 Q04623	Q04623 arabidopsis
43	33	62.3	1045	5 Q9W124	Q9W124 drosophila
44	33	62.3	1378	11 Q07314	Q07314 rattus norv
45	33	62.3	1395	11 Q07313	Q07313 rattus norv

ALIGNMENTS

```

RESULT 1
Q9RIA4 PRELIMINARY: PRT: 437 AA.
AC Q9RIA4;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-OCT-2000 (Tremblrel. 15, Last annotation update)
DE GAMMAL HEAVY CHAIN OF MAB7 (FRAGMENT).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Wilde K.G., Yu X., Ekramoddoullah A.K.M., Misra S.;
RT "Cloning of cDNAs encoding for anti-white pine blister rust monoclonal
RT antibody (Mab 7, its light and heavy chains) and construction of a
RT single chain antibody (scFv).";
RL Submitted (MAY-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF152372; AAD40243.1; -
DR HSSP; P01842; 7FAB.
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; ig; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_1.
FT NON_TER 437
FT TER 437
SQ SEQUENCE 437 AA; 48142 MW; 5C3A7BB3EE7D697C CRC64;

```

Query Match 73.6%; Score 39; DB 11; Length 437;
Best Local Similarity 80.0%; Pred. No. 12;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
Db 25 GFTFLSYAMS 34

RESULT 2
ID Q9UL91 PRELIMINARY: PRT: 118 AA.
AC Q9UL91;

DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
 RT fetus";
 RL Clin. Immunol. Immunopathol. 87:184-192(1998).
 DR EMBL; AF035023; RAD56259.1; -;
 DR INTERPRO: IPR003006; -;
 DR PFAM: PF00047; ig; 1.
 FT NON_TER 1
 FT NON_TER 118
 SQ SEQUENCE 118 AA; 12843 MW; D0633949F2AC149D CRC64;

Query Match 71.7%; Score 38; DB 4; Length 118;
 Best Local Similarity 70.0%; Pred. No. 4.6;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
 QY 1 GTTFLSYDMS 10
 Db ||||| ||
 Db 26 GTTFSSYMN 35

RESULT 3
 Q9ULB6 PRELIMINARY; PRT; 95 AA.
 ID Q9ULB6
 AC Q9ULB6
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE IMMUNOGLOBULIN HEAVY CHAIN (FRAGMENT).
 GN VH.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Tange Y., Kayano H.;
 RT "Human VH gene sequence";
 RL Submitted (NOV-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB035268; BAA87067.1; -;
 DR HSP; P01772; 2FB4.
 DR INTERPRO: IPR003006; -;
 DR PFAM: PF00047; ig; 1.
 FT NON_TER 1
 FT NON_TER 95
 SQ SEQUENCE 95 AA; 10527 MW; 90A8C6D16D22574A CRC64;

Query Match 69.8%; Score 37; DB 4; Length 95;
 Best Local Similarity 80.0%; Pred. No. 5.7;
 Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFLSYDMS 10
 Db ||||| ||
 Db 25 GTTFSSYWN 34

RESULT 4
 Q9Y509 PRELIMINARY; PRT; 147 AA.
 ID Q9Y509
 AC Q9Y509;

DT 01-NOV-1999 (TReMBLrel. 12, Created)
 DT 01-NOV-1999 (TReMBLrel. 12, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE VH3 PROTEIN (FRAGMENT).
 GN VH3.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=96071149; PubMed=7475288;
 RA Cao J., Vescio R.A., Rettig M.B., Hong C.H., Kim A., Lee J.C.,
 RA Lichtenstein A.K., Berenson J.R.;
 RT "A CD10-positive subset of malignant cells is identified in multiple
 RT myeloma using PCR with patient-specific immunoglobulin gene primers";
 RL Leukemia 9:1948-1953(1995).
 DR EMBL; S80860; RAD14339.1; -;
 DR HSP; P01772; 2FB4.
 DR INTERPRO: IPR003006; -;
 DR PFAM: PF00047; ig; 1.
 FT NON_TER 1
 FT NON_TER 1
 SQ SEQUENCE 147 AA; 15768 MW; 8489FCAA7BC925C CRC64;

Query Match 69.8%; Score 37; DB 4; Length 147;
 Best Local Similarity 70.0%; Pred. No. 9.1;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFLSYDMS 10
 Db ||||| ||
 Db 26 GTTFSTYGM 35

RESULT 5
 Q9UL90 PRELIMINARY; PRT; 113 AA.
 ID Q9UL90
 AC Q9UL90
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
 RT fetus";
 RL Clin. Immunol. Immunopathol. 87:184-192(1998).
 DR EMBL; AF035024; AAD56260.1; -;
 DR INTERPRO: IPR003006; -;
 DR PFAM: PF00047; ig; 1.
 FT NON_TER 1
 FT NON_TER 113
 SQ SEQUENCE 113 AA; 12437 MW; ED57FDD19086D07F CRC64;

Query Match 67.9%; Score 36; DB 4; Length 113;
 Best Local Similarity 77.8%; Pred. No. 11;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFLSYDM 9
 Db ||||| ||
 Db 26 GTTFSSYGM 34

RESULT 6
 Q67551

```

ID Q67551 PRELIMINARY; PRT; 312 AA.
AC Q67551;
DT 01-NOV-1996 (TRENBLrel. 01, Created)
DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)
DE RNA REPLICASE (FRAGMENT).
OS garlic latent virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Carlavivirus.
OX NCBI_TaxID=12458;
RN [1]
RP SEQUENCE FROM N.A.
RA Tsuneyoshi T., Sumi S.;
RT "Differentiation among garlic viruses in mixed infections based on RT-PCR procedures and direct tissue blotting immunoassays.";
RL Phytopathology 86:253-259(1996).
DR EMBL; D11161; BAA01931.1; -
FT NON_TER
SQ SEQUENCE 312 AA; 36230 MW; C79E6563DA488175 CRC64;

Query Match 67.9%; Score 36; DB 12; Length 312;
Best Local Similarity 66.7%; Pred. No. 32;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 2 FTFLSYDMS 10
Db 168 FTFLRYDLN 176

RESULT 7
ID Q67654 PRELIMINARY; PRT; 1924 AA.
AC Q67654;
DT 01-NOV-1996 (TRENBLrel. 01, Created)
DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)
DE REPLICASE.
OS garlic latent virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Carlavivirus.
OX NCBI_TaxID=12458;
RN [1]
RP SEQUENCE FROM N.A.
RA Jin Nam C., Sang Ik S., Jong Seob L., Yang Do C.;
RL Submitted (JAN-1996) to the EMBL/GenBank/DDBI databases.
DR EMBL; Z68502; CA92815.1; -
DR MEROPS; C23.001; -
DR INTERPRO; IPR000606; -
DR INTERPRO; IPR000923; -
DR INTERPRO; IPR001202; -
DR PFAM; PF01443; Viral_helicase1; 1.
DR PROSITE; PS00196; COPPER_BLUE; UNKNOWN1.
DR PROSITE; PS01159; WW_DOMAIN1; UNKNOWN1.
SQ SEQUENCE 1924 AA; 218937 MW; 8C814AEC96526654 CRC64;

Query Match 67.9%; Score 36; DB 12; Length 1924;
Best Local Similarity 66.7%; Pred. No. 2.2e+02;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 2 FTFLSYDMS 10
Db 1780 FTFLRYDLN 1788

RESULT 8
ID Q65652 PRELIMINARY; PRT; 1967 AA.
AC Q65652;
DT 01-NOV-1996 (TRENBLrel. 01, Created)
DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)
DE 01-OCT-2000 (TRENBLrel. 15, Last annotation update)
DE BLUEBERRY SCORCH CARLAVIRUS MRNA.

```

```

OS blueberry scorch virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Carlavivirus.
OX NCBI_TaxID=31722;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NJ-2;
RX MEDLINE=94201746; PubMed=8151289;
RA Cavileer T.D., Halpern B.T., Lawrence D.M., Podleckis E.V.,
RA Martin R.R., Hillman B.I.;
RT "Nucleotide sequence of the carlavivirus associated with blueberry scorch and similar diseases.";
RL J. Gen. Virol. 75:711-720(1994).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=NJ-2;
RX MEDLINE=95176530; PubMed=7871721;
RA Lawrence D.M., Rozanov M.N., Hillman B.I.;
RT "Autocatalytic processing of the 223-kDa protein of blueberry scorch carlavirus by a papain-like proteinase.";
RL Virology 207:127-135(1995).
DR EMBL; L25658; AAA68984.1; -
DR MEROPS; C23.001; -
SQ SEQUENCE 1967 AA; 223428 MW; 4CEDD6AF14980188 CRC64;

Query Match 67.9%; Score 36; DB 12; Length 1967;
Best Local Similarity 75.0%; Pred. No. 2.3e+02;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 FTFLSYDM 9
Db 1823 FTFLQYDL 1830

RESULT 9
ID Q64962 PRELIMINARY; PRT; 2183 AA.
AC Q64962;
DT 01-NOV-1996 (TRENBLrel. 01, Created)
DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)
DE 01-OCT-2000 (TRENBLrel. 15, Last annotation update)
DE VIRAL RNA-DEPENDENT RNA POLYMERASE.
OS apple stem pitting virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Foveavirus.
OX NCBI_TaxID=35350;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ASPV;
RX MEDLINE=94292903; PubMed=8021584;
RA Telkmann W.;
RT "Nucleotide sequences of apple stem pitting virus and of the coat protein gene of a similar virus from pear associated with vein yellows disease and their relationship with potex- and carlaviruses.";
RL J. Gen. Virol. 75:1535-1542(1994).
DR EMBL; D21829; BAA04853.1; -
DR MEROPS; C23.001; -
DR INTERPRO; IPR000606; -
DR PFAM; PF01443; Viral_helicase1; 1.
KW RNA-directed RNA polymerase.
SQ SEQUENCE 2183 AA; 247259 MW; 2156D7A75A548CC5 CRC64;

Query Match 67.9%; Score 36; DB 12; Length 2183;
Best Local Similarity 66.7%; Pred. No. 2.6e+02;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 2 FTFLSYDMS 10
Db 2036 FTFLRYDLN 2044

RESULT 10
Q90L93

```

```

ID Q9UL93 PRELIMINARY; PRT; 116 AA.
AC Q9UL93;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035021; AAD56257.1; -
DR INTERPRO; IPR003006; -
DR PFAM; PF00047; 1g; 1.
FT NON_TER 1
FT NON_TER 116
SQ SEQUENCE 116 AA; 12434 MW; 0DA0348154DD6061 CRC64;

Query Match 66.0%; Score 35; DB 4; Length 116;
Best Local Similarity 77.8%; Pred. No. 17;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDM 9
Db 25 GFTFSYAM 33
|||||
| | | | |

RESULT 11
Q9ZQR7 PRELIMINARY; PRT; 314 AA.
ID Q9ZQR7;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE PUTATIVE SPLICEOSOMAL ASSOCIATED PROTEIN.
GN T13P21.7.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RA Lin X., Kaul S., Shea T.P., Fujii C.Y., Shen M., VanAken S.E.,
RA Barnstead M.E., Mason T.M., Bowman C.L., Ronning C.M., Benito M.,
RA Carrera A.J., Creasy T.H., Buell C.R., Town C.D., Nierman W.C.,
RA Fraser C.M., Venter J.C.;
RT "Arabidopsis thaliana chromosome II BAC T13P21 genomic sequence.";
RL Submitted (FEB-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC008067; AAD15475.1; -
DR HSSP; P09651; 1HA1.
DR INTERPRO; IPR000504; -
DR PFAM; PF00076; rtm; 2.
DR PRINTS; PR01217; PRICHEXTENS.
DR PROSITE; PS00030; RNP_1; UNKNOWN_1.
SQ SEQUENCE 314 AA; 35267 MW; 4C73056D0D6D0F47 CRC64;

Query Match 66.0%; Score 35; DB 10; Length 314;
Best Local Similarity 75.0%; Pred. No. 50;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYD 8
Db 128 GFGFISYD 135
|||||
| | | | |

RESULT 12
Q9ZU66 PRELIMINARY; PRT; 363 AA.
ID Q9ZU66;
AC Q9ZU66;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE PUTATIVE SPLICEOSOMAL PROTEIN (RNA BINDING PROTEIN).
GN F24H14.14.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RA Lin X., Kaul S., Shea T.P., Fujii C.Y., Shen M., VanAken S.E.,
RA Barnstead M.E., Mason T.M., Bowman C.L., Ronning C.M., Benito M.,
RA Carrera A.J., Creasy T.H., Buell C.R., Town C.D., Nierman W.C.,
RA Fraser C.M., Venter J.C.;
RT "Arabidopsis thaliana chromosome II BAC F24H14 genomic sequence.";
RL Submitted (FEB-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC006135; AAD12222.1; -
DR HSSP; P09651; 1HA1.
DR INTERPRO; IPR000504; -
DR INTERPRO; IPR002965; -
DR PFAM; PF00076; rtm; 2.
DR PRINTS; PR01217; PRICHEXTENS.
DR PROSITE; PS00030; RNP_1; UNKNOWN_1.
SQ SEQUENCE 363 AA; 39888 MW; 62F71DC136A7DFCE CRC64;

Query Match 66.0%; Score 35; DB 10; Length 363;
Best Local Similarity 75.0%; Pred. No. 58;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYD 8
Db 155 GFGFISYD 162
|||||
| | | | |

RESULT 13
P91823 PRELIMINARY; PRT; 577 AA.
ID P91823;
AC P91823;
DT 01-MAY-1997 (TrEMBLrel. 03, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE T22A3.6 PROTEIN.
GN T22A3.6.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA McMurray A.A.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RA none;
RT "Genome sequence of the nematode C.elegans: A platform for
RT investigating biology.";
RL Science 282:2012-2018(1998).
DR EMBL; Z81125; CAB03383.2; -
DR HSSP; P00749; 1KDU.
DR INTERPRO; IPR000001; -
DR PFAM; PF00051; kringle; 1.
DR PROSITE; PS00021; KRINGLE_1; UNKNOWN_1.
DR PROSITE; PS50070; KRINGLE_2; 1.

```

SQ SEQUENCE 577 AA; 66610 MW; 7A6E06364BF2C149 CRC64;

Query Match 66.0%; Score 35; DB 5; Length 577;
Best Local Similarity 60.0%; Pred. No. 96;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
|| : ||||
Db 292 GFGPYTDYDMS 301

RESULT 14

Q9ZU04 PRELIMINARY; PRT; 289 AA.
AC Q9ZU04;
DT 01-MAY-1999 (TREMBlrel. 10, Created)
DT 01-MAY-1999 (TREMBlrel. 10, Last sequence update)
DT 01-JUN-2000 (TREMBlrel. 14, Last annotation update)
DE PUTATIVE RNA BINDING PROTEIN.
GN F3G5.1.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsids.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RA Rounsley S.D., Lin X., Kaul S., Shea T.P., Fujii C.Y., Mason T.M.,
RA Shen M., Ronning C.M., Fraser C.M., Somerville C.R., Venter J.C.;
RT "Arabidopsis thaliana chromosome II BAC F3G5 genomic sequence."
RL Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC005896; AAC98043.1; -
DR HSP; P09651; I0P1.
DR MENDEL; 35355; Arath; 2406; 35355.
DR INTERPRO; IPR000504; -
DR PFAM; PF00076; rrm; 2.
DR PROSITE; PS00030; RNP_1; 2.
KW RNA-binding.
SQ SEQUENCE 289 AA; 30718 MW; E500C3C0518369AD CRC64;

Query Match 64.2%; Score 34; DB 10; Length 289;
Best Local Similarity 60.0%; Pred. No. 71;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
|| : ||||
Db 246 GFGFVYDSS 255

RESULT 15

Q34096 PRELIMINARY; PRT; 347 AA.
AC Q34096;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-NOV-1998 (TREMBlrel. 08, Last annotation update)
DE MURF2 PROTEIN.
OS Crithidia fasciculata.
OG Mitochondrion.
OC Eukaryota; Euglenozoa; Kinetoplastida; Trypanosomatidae; Crithidia.
OX NCBI_TaxID=5656;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=89315227; PubMed=2748342;
RA van der Spek H., Arts G.J., Van Den Burg J., Sloof P., Benne R.;
RT "The nucleotide sequence of mitochondrial maxicircle genes of
RT Crithidia fasciculata."
RL Nucleic Acids Res. 17:4876-4876(1989).
DR EMBL; X15081; CAA33190.1; -
KW Mitochondrion.

SQ SEQUENCE 347 AA; 42540 MW; 60291958B1FC711A CRC64;

Query Match 64.2%; Score 34; DB 8; Length 347;
Best Local Similarity 60.0%; Pred. No. 87;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
|| : ||||
Db 238 GFIELSYGLA 247

Search completed: March 28, 2001, 07:27:37
Job time: 1650 sec

Result No.	Score	Query Match	Length	DB ID	Description
1	53	100.0	10	19	W76016
2	47	88.7	10	19	W76007
3	47	88.7	117	19	W76001
4	45	84.9	117	20	W86141
5	44	83.0	117	20	W86137
6	44	83.0	128	19	W54000
7	44	83.0	134	13	R24713
8	44	83.0	225	11	R05710
9	44	83.0	225	11	R04678
10	44	83.0	225	14	R43675
11	44	83.0	225	17	R99645
12	44	83.0	236	11	R06479
					LM509 grafted anti
					LM509 grafted anti
					Vitaxin antibody h
					protein sequence o
					Anti-CD4 antibody
					Sequence encoded b
					TRY40. Mus muscul
					TRY40. Mus muscul
					Single chain polyp
					Single chain bindi
					TRY61. Mus muscul

Humanised antibody, Vitaxin, that binds selectively to α hvb β 3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 60; Page 41; 129pp; English.
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA:
 Query Match 100.0%; Score 53; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 7.4e-05;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 GFTFLSYDMS 10
 Db | | | | | | | | | |
 1 gftflsydms 10
 RESULT 2
 W76007
 ID W76007 standard; Protein; 10 AA.
 XX
 AC W76007;
 XX
 DT 02-NOV-1998 (first entry)
 DE LM609 grafted antibody V-H region CDR1 protein fragment #1.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49844.
 XX
 PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Disclosure; Page 40; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA:
 Query Match 88.7%; Score 47; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0012;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 GFTFLSYDMS 10
 Db | | | | | | | | | |
 1 gftflsydms 10
 RESULT 3
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 AC W76001;
 XX
 DT 02-NOV-1998 (first entry)
 DE Vitaxin antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49820.
 XX
 PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 1; Fig 1a; 129pp; English.
 XX
 CC This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC So are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;

Query Match 88.7%; Score 47; DB 19; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.017; Mismatches 1; Indels 0; Gaps 0;

Matches 9; Conservative 0;

QY 1 GFTFLSYDMS 10
 ||||| :|||||

Db 26 gftfssyds 35

RESULT 4

W86141
 ID W86141 standard; Protein; 117 AA.

AC W86141;

XX 03-MAR-1999 (first entry)

XX Protein sequence of de-immunised murine A33 Vh.

XX Non-immunogenic; epitope; T-cell; immunogenicity; immune system; SK;
 KW immunogl bulin; therapeutic; streptokinase; murine; de-immunised.

XX Mus sp.

XX WO9852976-A1.

XX 26-NOV-1998.

XX 21-MAY-1998; 98WO-GB01473.

XX 14-APR-1998; 98GB-0007751.

XX 21-MAY-1997; 97GB-0010480.

XX 31-JUL-1997; 97GB-0016197.

XX 28-NOV-1997; 97GB-0025270.

XX 02-DEC-1997; 97US-0067235.

XX (BIOV-) BIOVATION LTD.

XX Carr FJ;

XX WPI; 1999-045301/04.

XX Reducing immunogenicity of proteins - by modifying the amino acid
 PT sequence of the protein to eliminate potential epitopes for T-cells
 PT of a given species

XX Example 6; Fig 27; 77pp; English.

XX The invention relates to a method for the production of non-immunogenic
 CC proteins. The method comprises determining at least part of the amino
 CC acid sequence of the protein; (b) identifying in the amino acid sequence
 CC one or more potential epitopes for T-cells (T-cell epitopes) of the given
 CC species; and (c) modifying the amino acid sequence to eliminate at least
 CC one of the T-cell epitopes identified in step (b) thereby to eliminate or
 CC reduce the immunogenicity of the protein when exposed to the immune
 CC system of the given species. A method of analysing a pre-existing protein
 CC to predict the basis for immunogenic responses is also provided. The
 CC methods can be used particularly for reducing the immunogenicity of
 CC immunoglobulins or therapeutic proteins, e.g. Streptokinase (SK). The
 CC products can be used for diagnosis and therapy. The present sequence
 CC represents the protein sequence of de-immunised murine A33 Vh.

XX Sequence 117 AA;

Query Match 84.9%; Score 45; DB 20; Length 117;

Best Local Similarity 80.0%; Pred. No. 0.044;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 ||||| :|||||

Db 26 gftftsydms 35

RESULT 5

W86137
 ID W86137 standard; Protein; 117 AA.

XX W86137;

XX 03-MAR-1999 (first entry)

XX Protein sequence of de-immunised humanised A33 Vh.

XX Non-immunogenic; epitope; T-cell; immunogenicity; immune system; SK;
 KW immunogl bulin; therapeutic; streptokinase; humanised; de-immunised.

XX Homo sapiens.

XX WO9852976-A1.

XX 26-NOV-1998.

XX 21-MAY-1998; 98WO-GB01473.

XX 14-APR-1998; 98GB-0007751.

XX 21-MAY-1997; 97GB-0010480.

XX 31-JUL-1997; 97GB-0016197.

XX 28-NOV-1997; 97GB-0025270.

XX 02-DEC-1997; 97US-0067235.

XX (BIOV-) BIOVATION LTD.

XX Carr FJ;

XX WPI; 1999-045301/04.

XX Reducing immunogenicity of proteins - by modifying the amino acid
 PT sequence of the protein to eliminate potential epitopes for T-cells
 PT of a given species

XX Example 5; Fig 25; 77pp; English.

XX The invention relates to a method for the production of non-immunogenic
 CC proteins. The method comprises determining at least part of the amino
 CC acid sequence of the protein; (b) identifying in the amino acid sequence
 CC one or more potential epitopes for T-cells (T-cell epitopes) of the given
 CC species; and (c) modifying the amino acid sequence to eliminate at least
 CC one of the T-cell epitopes identified in step (b) thereby to eliminate or
 CC reduce the immunogenicity of the protein when exposed to the immune
 CC system of the given species. A method of analysing a pre-existing protein
 CC to predict the basis for immunogenic responses is also provided. The
 CC methods can be used particularly for reducing the immunogenicity of
 CC immunoglobulins or therapeutic proteins, e.g. Streptokinase (SK). The
 CC products can be used for diagnosis and therapy. The present sequence
 CC represents the protein sequence of de-immunised humanised A33 Vh.

XX Sequence 117 AA;

Query Match 83.0%; Score 44; DB 20; Length 117;

Best Local Similarity 80.0%; Pred. No. 0.07;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 ||||| :|||||

Db 26 gftftsydms 35

RESULT 6

W54000
ID W54000 standard; Protein; 128 AA.

XX
AC W54000;

XX
DT 29-JUL-1998 (first entry)

XX
DE Anti-CD4 antibody VH3 monkey clone 3-40.

XX
KW Anti-CD4 antibody; monkey; human; therapy; variable heavy domain;
KW Old World monkey; constant domain; eczema; immuno-modulated disease;
KW rheumatoid arthritis.

XX
OS Primate sp.

XX
FH Key Location/Qualifiers

FT Misc-difference 1..128
FT /note= "Xaa= unspecified amino acid"

XX
PN US5750105-A.

XX
PD 12-MAY-1998.

XX
PF 07-JUN-1995; 95US-0476349.

XX
PR 10-JUL-1992; 92US-0912292.

XX
PR 25-JUL-1991; 91US-0735064.

XX
PR 23-MAR-1992; 92US-0856281.

XX
PR 05-DEC-1995; 95US-0379072.

XX
PR 07-JUN-1995; 95US-0476349.

XX
PA (IDEC-) IDEC PHARM CORP.

XX
PI Hanna N, Newman RA, Raab RW;

XX
DR WPI; 1998-296690/26.

XX
PT Improved method for antibody treatment - uses an antibody comprising
PT an Old World monkey variable region and a human constant domain

XX
PS Example 1; Fig 9c; 84pp; English.

XX
CC This sequence represents the VH3 domain of an anti-CD4 antibody
CC (Ab). This sequence can be used in the method of the invention for
CC treating a subject, where the treatment comprises administration of an
CC Ab. The method comprises the administration of an antibody which has an
CC Old World monkey (e.g. baboon or macaque) variable region which binds to
CC an antigen (Ag) (or Ag binding portion), and a human constant domain. The
CC method is useful for the treatment of eczema and immuno-modulated
CC diseases and especially rheumatoid arthritis. The recombinant antibodies
CC used are sufficiently different from native monkey antibodies to allow
CC human antigens to raise these antibodies, but similar enough to human
CC antibody so there is no immune response to the antibodies in humans.
CC Compared to antibodies used in therapy in prior art, these antibodies do
CC not induce human anti-antibodies on repeated administration. They also
CC have longer half-lives and do not have a lack of effector function with
CC human cells.

XX
SQ Sequence 128 AA;

Query Match 83.0%; Score 44; DB 19; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.077;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
|||||
Db 26 gftfssydmn 35

RESULT 7

R24713
ID R24713 standard; Protein; 134 AA.

XX
AC R24713;

XX
DT 28-DEC-1992 (first entry)

XX
DE Sequence encoded by the genomic chimeric heavy chain variable region
DE (VFH) gene.

XX
KW Chimeric monoclonal antibody; anti-fibrin antibody; PCR;
KW antithrombotic agent; myocardial infarction therapy.

XX
OS Mus musculus.

XX
FH Key Location/Qualifiers

FT Peptide 1..19

FT /label= leader

FT Region 23..49

FT /label= Framework Region (FR) 1

FT Region 50..54

FT /label= Complementarity determining region(CDR)1

FT Region 55..68

FT /label= FR-2

FT Region 69..84

FT /label= CDR-2

FT Region 85..114

FT /label= FR-3

FT Region 115..123

FT /label= CDR-3

FT Region 124..134

FT /label= FR-4

XX
PN EP491351-A.

XX
PD 24-JUN-1992.

XX
PF 17-DEC-1991; 91EP-0121591.

XX
PR 18-DEC-1990; 90JP-0413829.

XX
PR 11-NOV-1991; 91JP-0294464.

XX
PA (TAKE) TAKEDA CHEM IND LTD.

XX
PI Iwasa S, Taka H, Watanabe T, Tada H;

XX
DR WPI; 1992-209528/26.

XX
DR N-PSDP; Q25666.

XX
PT Chimeric monoclonal antibodies - contain anti-human fibrin
PT antibody light and heavy chain variable and constant for treating
PT thrombotic conditions e.g. myocardial infarction

XX
PS Example; Figure 4; 87pp; English.

XX
CC PCR primers 5'mvh and 3'mvh were used to produce a VH gene-contg.
CC fragment of about 330bp. The fragment was isolated and subcloned in
CC pUC119. The fragment was found to be a functional VH structural
CC gene, referred to as VFH, comprising a VH gene belonging to the
CC subgroup III (VHIII) and the DSP2 and JH4 genes. Northern blot
CC analysis using the whole RNA of FIB1-11 cells confirmed that VFH
CC was the gene expressed in FIB1-11 cells. The sequence is given in
CC Q25666.

XX
SQ Sequence 134 AA;

Query Match 83.0%; Score 44; DB 13; Length 134;
Best Local Similarity 80.0%; Pred. No. 0.081; 1; Indels 0; Gaps 0;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 GFTFLSYDMS 10
|||||
Db 45 gftfssydmn 54

```

..
RESULT 8
R05710
ID R05710 standard; protein; 225 AA.
XX
AC R05710;
XX
DT 07-JAN-1991 (first entry)
XX
DE TRY40.
XX
KW Monoclonal antibody; variable chain anti-bovine growth hormone.
XX
OS Mus musculus.
XX
FH Key Location/Qualifier
FT Region 4..126
FT Peptide /label= LCVR(1-41)
FT Peptide 127..147
FT Region /label= linker
FT Peptide 148..471
FT Region /label= HCVR(8-115)
FT Peptide 472..483
FT Region /label= linker
FT Peptide 484..678
FT Region /label= LCVR(45-109)
XX
XX US4946778-A.
XX
PN 07-AUG-1990.
XX
PD
XX
PF 19-JAN-1989; 89US-0299617.
XX
PR 19-JAN-1989; 89US-0299617.
XX
PR 02-SEP-1986; 86US-0902971.
XX
PR 02-SEP-1987; 87US-0092110.
XX
XX (GENE-) GENEX CORP.
XX
XX Ladner RC, Bird RE, Hardman K;
XX
XX WPI; 1990-260350/34.
XX
XX N-PSDB; Q05710.
XX
XX Single polypeptide chain binding molecules - having light chain
PT variable region of antibody linked by peptide to heavy chain
PT variable region.
XX
XX Disclosure; Fig 24; 68pp; English.
XX
XX The sequence was constructed from the variable regions of a MAB
CC produced by the cell line 3C2, an IgG1 with a gamma 1 heavy chain
CC and kappa light chain. The sequence encodes a single chain binding
CC molecule comprising the variable regions of heavy and light chains
CC linked by a peptides. The variable region of each DNA chain was
CC prep'd by introducing a ClaI site and an initiation codon (atcgatg)
CC prior to the first codon of the mature sequence and a HindIII site
CC and termination codon (taagctt) after codon 123 (heavy chain) or
CC 109 (light chain). The plasmids constructed to contain these
CC portions were pGX3772 and pGX3773 (heavy and light resp.). TRY40
CC has the following polypeptide structure:
CC Met-[LCVR(1-41)]-I-A-K-A-F-K-N-[HCVR(8-115)]-P-G-S-[LCVR(45-109)].
XX See also Q05708-19.
XX
XX Sequence 225 AA;
SQ
Query Match 83.0%; Score 44; DB 11; Length 225;
Best Local Similarity 80.0%; Pred. No. 0.14;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 GFTFLSYDMS 10
||||:||||

```

```

Db 68 gftflsygms 77
RESULT 9
R06478
ID R06478 standard; protein; 225 AA.
XX
AC R06478;
XX
DT 07-JAN-1991 (first entry)
XX
DE TRY40.
XX
KW Monoclonal antibody; variable chain anti-bovine growth hormone.
XX
OS Mus musculus.
XX
FH Key Location/Qualifier
FT misc_RNA 2..42
FT Peptide /label= LCVR(1-41)
FT Peptide 43..49
FT Peptide /label= linker
FT misc_RNA 50..157
FT Peptide /label= HCVR(8-115)
FT Peptide 158..160
FT misc_RNA /label= linker
FT Peptide 161..225
FT Peptide /*tag= e
XX /label= LCVR(45-109)
XX
XX US4946778-A.
XX
PN 07-AUG-1990.
XX
PD
XX
PF 19-JAN-1989; 89US-0299617.
XX
PR 19-JAN-1989; 89US-0299617.
XX
PR 02-SEP-1986; 86US-0902971.
XX
PR 02-SEP-1987; 87US-0092110.
XX
XX (GENE-) GENEX CORP.
XX
XX Ladner RC, Bird RE, Hardman K;
XX
XX WPI; 1990-260350/34.
XX
XX N-PSDB; Q05710.
XX
XX Single polypeptide chain binding molecules - having light chain
PT variable region of antibody linked by peptide to heavy chain
PT variable region.
XX
XX Disclosure; Fig 24; 68pp; English.
XX
XX The sequence was constructed from the variable regions of a MAB
CC produced by the cell line 3C2, an IgG1 with a gamma 1 heavy chain
CC and kappa light chain. The sequence encodes a single chain binding
CC molecule comprising the variable regions of heavy and light chains
CC linked by a peptides. The variable region of each DNA chain was
CC prep'd by introducing a ClaI site and an initiation codon (atcgatg)
CC prior to the first codon of the mature sequence and a HindIII site
CC and termination codon (taagctt) after codon 123 (heavy chain) or
CC 109 (light chain). The plasmids constructed to contain these
CC portions were pGX3772 and pGX3773 (heavy and light resp.). TRY40
CC has the following polypeptide structure:
CC Met-[LCVR(1-41)]-I-A-K-A-F-K-N-[HCVR(8-115)]-P-G-S-[LCVR(45-109)].
XX See also R06476-R06484.
XX
XX Sequence 225 AA;
SQ
Query Match 83.0%; Score 44; DB 11; Length 225;
Best Local Similarity 80.0%; Pred. No. 0.14;

```

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
||||:| | |
Db 68 gftflsygms 77

RESULT 10
R43675
ID R43675 standard; Protein; 225 AA.

XX R43675;

DT 23-MAY-1994 (first entry)

DE Single chain polypeptide with affinity for bovine growth hormone.

KW Monoclonal antibody; MAb; affinity; binding; antigen; diagnostics;
KW therapy; imaging; purification; biosensors.

XX Synthetic.

XX US5260203-A.

PN 09-NOV-1993.

XX 02-SEP-1986; 86US-0902971.

XX 02-SEP-1986; 86US-0902971.

PR 02-SEP-1987; 87US-0092110.

PR 19-JAN-1989; 89US-0299617.

PR 25-APR-1990; 90US-0512910.

XX (ENZO-) ENZON INC.

PA Bird RE, Hardman K, Ladner RC;

XX WPI: 1993-367875/46.

DR N-PSDB; Q51536.

XX Single chain poly:peptide for binding antigen - comprising light
PT and heavy chain antigen binding portions linked by peptide linker

PS Example 1; Figure 24; 78pp; English.

XX The single chain polypeptide is derived from the mature light and
CC heavy chains of a mouse monoclonal antibody (MAb) and has affinity
CC for a given antigen (Bovine growth hormone). It comprises a first
CC polypeptide comprising the antigen binding portion of of the light
CC chain variable region of an antibody and a second polypeptide
CC comprising the antigen binding portion of the heavy chain variable
CC region of an antibody and at least one peptide linker linking the
CC first and second polypeptide chains. The resulting single chain
CC polypeptide can be used in diagnostics, therapy
CC (in vivo and in vitro), imaging, purifications and biosensors.
CC This particular single chain binding molecule was designated TRV40
CC and contains two linker peptides.

XX Sequence 225 AA;

Query Match 83.0%; Score 44; DB 14; Length 225;
Best Local Similarity 80.0%; Pred. No. 0.14;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
||||:| | |
Db 68 gftflsygms 77

RESULT 11

R99645

ID R99645 standard; Protein; 225 AA.

XX R99645;
AC 11-OCT-1996 (first entry)
DT Single chain binding molecule TRV40.
XX
DE
XX
KW Antibody engineering; single polypeptide chain binding molecule;
KW heavy chain; light chain; monoclonal antibody; MAb;
KW bovine growth hormone; bGH; immunoaffinity purification; TRV40.
XX
OS Chimeric Mus sp.;
OS Chimeric synthetic.
XX
XX Location/Qualifiers
FH 2..42
FT /label= L-chain
FT /note= "Mab 3C2 VL amino acids 1-41"
FT Region 43..49
FT /label= Linker
FT /note= "linker derived from MCPC-603"
FT Domain 50..157
FT /label= H-chain
FT /note= "Mab 3C2 VH amino acids 8-105"
FT Region 158..160
FT /label= Linker
FT /note= "linker derived from MCPC-603 Fv region"
FT Domain 161..225
FT /label= L-chain
FT /note= "Mab 3C2 VL amino acids 45-109"
XX
XX US5534621-A.
XX
XX 09-JUL-1996.
XX
XX 02-SEP-1986; 86US-0902971.
XX
XX 19-JAN-1989; 89US-0299617.
XX 02-SEP-1986; 86US-0902971.
XX 02-SEP-1987; 87US-0092110.
XX 25-APR-1990; 90US-0512910.
XX 01-APR-1993; 93US-0040440.
XX 06-JUN-1995; 95US-0468992.
XX (ENZO-) ENZON LABS INC.
XX
XX Bird RE, Hardman K, Ladner RC;
XX
XX WPI: 1996-333309/33.
XX N-PSDB; T13735.
XX
XX Immuno:purific. using single binding chain molecule including
XX antigen-binding parts of antibody light and heavy chain variable
XX regions connected by a linker - is smaller, stabler and less
XX expensive than complete antibodies
XX
XX Example 1; Fig 24; 78pp; English.
XX
XX A novel single chain binding molecule (R99645), designated TRV40,
XX is a 2-linker construction incorporating VL and VH regions from
XX 19G1 anti-bovine growth hormone mouse IgG1 monoclonal antibody 3C2,
XX and peptide linkers from the Fv region of the IgA anti-phosphoryl
XX choline myeloma antibody MCPC-603. The single chain binding
XX molecule was expressed in E.coli transformants carrying pGX3776,
XX which incorporates encoding DNA (T13735), at a level of 7-2% of total
XX cell protein. Single chain binding molecules (see also R99646-51)
XX retain the binding specificity and affinity of the light and heavy
XX chain aggregate variable region of the native antibody but have the
XX advantages of smaller size, greater stability and reduced cost.
XX
XX Sequence 225 AA;

ID W02188 standard; Protein; 236 AA.
 XX W02188;
 AC
 DT 13-NOV-1996 (first entry)
 XX
 DE TRY61 single chain binding protein.
 XX
 KW Antibody engineering; monoclonal antibody; MAB;
 KW single chain antibody; immunoassay; bovine growth hormone; BGH;
 KW TRY61; single chain binding protein.
 XX
 OS Chimeric Mus musculus;
 OS Chimeric synthetic.
 XX
 FH Key Location/Qualifiers
 FT Domain 2..105
 FT /label= L-chain
 FT /note= "MAB light chain aal-104"
 FT 106..119
 FT /label= Linker
 FT 120..236
 FT /label= H-chain
 FT /note= "MAB heavy chain aa7-123"
 XX
 PN US518889-A.
 XX
 PD 21-MAY-1996.
 XX
 PF 02-SEP-1986; 86US-0902971.
 XX
 PR 19-JAN-1989; 89US-0299617.
 PR 02-SEP-1986; 86US-0902971.
 PR 02-SEP-1987; 87US-0092110.
 PR 25-APR-1990; 90US-0512910.
 PR 01-APR-1993; 93US-0040440.
 PR 06-JUN-1995; 95US-0468988.
 XX
 PA (ENZO-) ENZON LABS INC.
 XX
 PI Bird RE, Hardman K, Ladner RC;
 XX
 PI WPI; 1996-259060/26.
 DR N-PSDB; T36460.
 XX
 PT Immunoassay using single chain antigen binding mol. - as replacement
 PT for labelled or immobilised antibody, are less immunogenic, easier
 PT to engineer, more stable and less expensive
 XX
 PS Example 2; Fig 26; 78pp;
 XX
 CC Computer-designed single chain antigen binding molecule TRY61
 CC (W02188), encoded by the DNA sequence given in T36460, has the
 CC formula Met-(L-chain 1-104)-linker-(H-chain 7-123). The L (light)
 CC and H (heavy) chains are from a murine monoclonal antibody (see also
 CC R97377 and R97376) specific for bovine growth hormone (BGH). Plasmid
 CC pGX3772 (contg. the heavy chain variable region) was cloned into
 CC pGX3773 (contg. the light chain sequence) with 2 synthetic
 CC oligonucleotides that encoded the linker. The resulting plasmid was
 CC inserted into vector pGX3703 and introduced into E. coli. TRY61 was
 CC expressed at over 2% of total cellular protein. It was able to
 CC bind BGH as effectively as the original monoclonal antibody.
 XX
 SQ Sequence 236 AA;
 XX
 Query Match 83.0%; Score 44; DB 17; Length 236;
 Best Local Similarity 80.0%; Pred. No. 0.15; Length 236;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 GFTFLSYDMS 10
 Db 139 gftfisygms 148
 1111111111

RESULT 15
 R99646
 ID R99646 standard; Protein; 236 AA.
 XX
 AC R99646;
 XX
 DT 11-OCT-1996 (first entry)
 XX
 DE Single chain binding molecule TRY61.
 XX
 KW Antibody engineering; single polypeptide chain binding molecule;
 KW heavy chain; light chain; monoclonal antibody; MAB;
 KW bovine growth hormone; BGH; immunoaffinity purification; TRY61.
 XX
 OS Chimeric Mus sp.
 OS Chimeric synthetic.
 XX
 FH Key Location/Qualifiers
 FT Domain 2..105
 FT /label= L-chain
 FT /note= "MAB 3C2 VL amino acids 1-104"
 FT 106..119
 FT /label= Linker
 FT /note= "linker derived from MCPC-603"
 FT 120..236
 FT /label= H-chain
 FT /note= "MAB 3C2 VH amino acids 7-123"
 XX
 PN US534621-A.
 XX
 PD 09-JUL-1996.
 XX
 PF 02-SEP-1986; 86US-0902971.
 XX
 PR 19-JAN-1989; 89US-0299617.
 PR 02-SEP-1986; 86US-0902971.
 PR 02-SEP-1987; 87US-0092110.
 PR 25-APR-1990; 90US-0512910.
 PR 01-APR-1993; 93US-0040440.
 PR 06-JUN-1995; 95US-0468992.
 XX
 PA (ENZO-) ENZON LABS INC.
 XX
 PI Bird RE, Hardman K, Ladner RC;
 XX
 PI WPI; 1996-333309/33.
 DR N-PSDB; T13736.
 XX
 PT Immuno:purificn. using single binding chain molecule including
 PT antigen-binding parts of antibody light and heavy chain variable
 PT regions connected by a linker - is smaller, stabler and less
 PT expensive than complete antibodies
 XX
 PS Example 2; Fig 26; 78pp; English.
 XX
 CC A novel single chain binding molecule (R99646), designated TRY61,
 CC incorporates VL and VH regions from IgG1 anti-bovine growth hormone
 CC mouse IgG1 monoclonal antibody 3C2, and a peptide linker from the Fv
 CC region of the IgA anti-phosphorylcholine myeloma antibody MCPC-603.
 CC The single chain binding molecule was expressed in E.coli transformants
 CC carrying pGX4904, which incorporates encoding DNA (T13736), at a level
 CC of below 2.0% of total cell protein. Single chain binding molecules
 CC (see also R99645 and R99647-51) retain the binding specificity and
 CC affinity of the aggregate of the original light and heavy chains of
 CC the variable region of the antibody but have the advantages of
 CC smaller size, greater stability and reduced cost.
 XX
 SQ Sequence 236 AA;
 XX

Query Match 83.0%; Score 44; DB 17; Length 236;

Best Local Similarity 80.0%; Pred. No. 0.15;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
Qy 1 GFTFLSYDMS 10
 ||||:||||
Db 139 gftflsygms 148

Search completed: March 28, 2001, 06:34:32
Job time: 512 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:09 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: us-09-016-061-52

Perfect score: 53

Sequence: 1 GPTFLSYDMS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued_Patents_AA:*
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep:*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep:*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep:*
4: /cgnl_7/ptodata/1/iaa/PCITUS_COMB.pep:*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	44	83.0	128	1	US-08-478-039-73
2	44	83.0	128	1	US-08-478-039-73
3	44	83.0	128	1	US-08-476-349A-73
4	44	83.0	128	1	US-08-476-349A-102
5	44	83.0	225	5	5455030-5
6	44	83.0	236	5	5455030-7
7	44	83.0	247	5	5455030-9
8	44	83.0	447	5	5455030-1
9	42	79.2	239	2	US-07-956-399-4
10	42	79.2	247	4	PCT-US94-07659-2
11	41	77.4	119	4	PCT-US94-07659-6
12	41	77.4	123	1	US-08-478-039-71
13	41	77.4	123	1	US-08-478-039-104
14	41	77.4	123	1	US-08-476-349A-71
15	41	77.4	123	1	US-08-476-349A-104
16	40	75.5	98	2	US-08-665-202-31
17	40	75.5	116	3	US-08-545-809A-101
18	40	75.5	116	3	US-08-983-607-36
19	40	75.5	122	1	US-08-276-852-80
20	40	75.5	122	1	US-08-899-575-80
21	40	75.5	122	1	US-08-899-575-80
22	40	75.5	122	4	PCT-US95-08743-80
23	40	75.5	123	2	US-08-665-202-30
24	40	75.5	124	3	US-08-983-607-47
25	40	75.5	239	2	US-08-553-497A-18
26	39	73.6	35	2	US-08-765-179B-1
27	39	73.6	98	2	US-08-428-197-48
28	39	73.6	98	4	PCT-US93-10555-48

Sequence 65, Appl
Sequence 117, App
Sequence 6, Appl
Sequence 2, Appl
Sequence 2, Appl
Sequence 109, App
Sequence 46, Appl
Sequence 12, Appl
Sequence 10, Appl
Sequence 2, Appl
Sequence 21, Appl
Sequence 21, Appl
Sequence 12, Appl
Sequence 14, Appl
Sequence 43, Appl
Sequence 38, Appl

29 39 73.6 102 2 US-08-273-146-65
30 39 73.6 110 1 US-08-211-202-117
31 39 73.6 113 3 US-08-974-899-6
32 39 73.6 116 2 US-08-428-197-2
33 39 73.6 116 4 PCT-US93-10555-2
34 39 73.6 117 3 US-08-545-809A-109
35 39 73.6 117 3 US-08-983-607-46
36 39 73.6 118 2 US-08-652-816A-12
37 39 73.6 118 4 PCT-US93-08435-10
38 39 73.6 121 1 US-08-339-582-2
39 39 73.6 122 2 US-07-934-373C-21
40 39 73.6 122 3 US-08-437-642B-21
41 39 73.6 122 4 PCT-US93-07832-21
42 39 73.6 122 4 PCT-US93-08435-12
43 39 73.6 122 4 PCT-US93-08435-14
44 39 73.6 122 4 PCT-US93-08435-43
45 39 73.6 123 2 US-08-428-197-38

ALIGNMENTS

RESULT 1
US-08-478-039-73
; Sequence 73, Application US/08478039
; Patent No. 5681722
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US 08/478,039
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 73:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant

MOLECULE TYPE: peptide
ORIGINAL SOURCE:
ORGANISM: Monkey
POSITION IN GENOME:
CHROMOSOME/SEGMENT: VH3 clone 3-40
US-08-478-039-73

Query Match 83.0%; Score 44; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.19;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||
Db 26 GFTFSSYDMN 35

RESULT 2
US-08-478-039-102
; Sequence 102, Application US/08478039
; Patent No. 5681722
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,039
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 102:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: #40

US-08-478-039-102

Query Match 83.0%; Score 44; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.19;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||
Db 26 GFTFSSYDMN 35

RESULT 3
US-08-476-349A-73
; Sequence 73, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 73:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: VH3 clone 3-40
US-08-476-349A-73

Query Match 83.0%; Score 44; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.19;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
 |||||
Db 26 GFTFSSYDMN 35

RESULT 4
US-08-476-349A-102
; Sequence 102, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 102:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 128 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: #40

Query Match 83.0%; Score 44; DB 1; Length 128;
Best Local Similarity 80.0%; Pred. No. 0.19;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
 |||||
Db 26 GFTFSSYDMN 35

RESULT 5
5455030-5
; Patent No. 5455030
; APPLICANT: LADNER, ROBERT C.; BIRD, ROBERT E.; HARDMAN, KARL
; TITLE OF INVENTION: IMMUNOTHERAPY USING SINGLE CHAIN
; POLYPEPTIDE BINDING MOLECULES
; NUMBER OF SEQUENCES: 24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/40,440
; FILING DATE: 1-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 512,910
; FILING DATE: 25-APR-1990
; APPLICATION NUMBER: 299,617
; FILING DATE: 19-JAN-1989
; APPLICATION NUMBER: 92,110
; FILING DATE: 02-SEP-1987
; APPLICATION NUMBER: 902,971
; FILING DATE: 01-SEP-1986
; SEQ ID NO: 5:
; LENGTH: 225
5455030-5

Query Match 83.0%; Score 44; DB 5; Length 225;
Best Local Similarity 80.0%; Pred. No. 0.34;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
 |||||
Db 68 GFTFISYGMS 77

RESULT 6
5455030-7
; Patent No. 5455030
; APPLICANT: LADNER, ROBERT C.; BIRD, ROBERT E.; HARDMAN, KARL
; TITLE OF INVENTION: IMMUNOTHERAPY USING SINGLE CHAIN
; POLYPEPTIDE BINDING MOLECULES
; NUMBER OF SEQUENCES: 24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/40,440
; FILING DATE: 1-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 512,910
; FILING DATE: 25-APR-1990
; APPLICATION NUMBER: 299,617
; FILING DATE: 19-JAN-1989
; APPLICATION NUMBER: 92,110
; FILING DATE: 02-SEP-1987
; APPLICATION NUMBER: 902,971
; FILING DATE: 01-SEP-1986
; SEQ ID NO: 7:
; LENGTH: 236
5455030-7

Query Match 83.0%; Score 44; DB 5; Length 236;
Best Local Similarity 80.0%; Pred. No. 0.36;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
 |||||
Db 138 GFTFISYGMS 147

RESULT 7
5455030-9
; Patent No. 5455030
; APPLICANT: LADNER, ROBERT C.; BIRD, ROBERT E.; HARDMAN, KARL
; TITLE OF INVENTION: IMMUNOTHERAPY USING SINGLE CHAIN

; POLYPEPTIDE BINDING MOLECULES
; NUMBER OF SEQUENCES: 24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/40,440
; FILING DATE: 1-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 512,910
; FILING DATE: 25-APR-1990
; APPLICATION NUMBER: 299,617
; FILING DATE: 19-JAN-1989
; APPLICATION NUMBER: 92,110
; FILING DATE: 02-SEP-1987
; APPLICATION NUMBER: 902,971
; FILING DATE: 01-SEP-1986
; SEQ ID NO:9:
; LENGTH: 247
5455030-9

Query Match 83.0%; Score 44; DB 5; Length 247;
Best Local Similarity 80.0%; Pred. No. 0.38;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
||||:||||
Db 150 GFTFSYGMS 159

RESULT 8
5455030-1
; Patent No. 5455030
; APPLICANT: LADNER, ROBERT C.; BIRD, ROBERT E.; HARDMAN, KARL
; TITLE OF INVENTION: IMMUNOTHERAPY USING SINGLE CHAIN
; POLYPEPTIDE BINDING MOLECULES
; NUMBER OF SEQUENCES: 24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/40,440
; FILING DATE: 1-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 512,910
; FILING DATE: 25-APR-1990
; APPLICATION NUMBER: 299,617
; FILING DATE: 19-JAN-1989
; APPLICATION NUMBER: 92,110
; FILING DATE: 02-SEP-1987
; APPLICATION NUMBER: 902,971
; FILING DATE: 01-SEP-1986
; SEQ ID NO:1:
; LENGTH: 447
5455030-1

Query Match 83.0%; Score 44; DB 5; Length 447;
Best Local Similarity 80.0%; Pred. No. 0.7;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
||||:||||
Db 25 GFTFSYGMS 34

RESULT 9
US-07-956-399-4
; Sequence 4, Application US/07956399
; Patent No. 5876717
; GENERAL INFORMATION:
; APPLICANT: SHIMAMURA, TOSHIRO
; APPLICANT: TAKI, SHINSUKE
; APPLICANT: HAMURO, JUNJI
; TITLE OF INVENTION: POLYPEPTIDES CAPABLE OF BINDING TO HEAVY
; CHAINS OF IL-2 RECEPTORS
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:

; ADDRESSEE: OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT,
; ADDRESSEE: P.C.
; STREET: 1755 S. Jefferson Davis Highway, Suite 400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/956,399
; FILING DATE: 19921005
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: OBLON, NO. 5876717man P.
; REGISTRATION NUMBER: 24,618
; REFERENCE/DOCKET NUMBER: 10-586-0
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 413-3000
; TELEFAX: (703) 413-2220
; TELEX: 248855 OPAT UR
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 239 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-956-399-4

Query Match 79.2%; Score 42; DB 2; Length 239;
Best Local Similarity 80.0%; Pred. No. 0.86;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
|||:|||||
Db 148 GFAFSSYDMS 157

RESULT 10
PCT-US94-07659-2
; Sequence 2, Application PC/TUS9407659
; GENERAL INFORMATION:
; APPLICANT: Young, Peter
; APPLICANT: Gross, Mitchell
; APPLICANT: Jonak, Zdenka L.
; APPLICANT: Theisen, Timothy
; APPLICANT: Hurle, Mark
; APPLICANT: Jackson, Jeffrey R.
; TITLE OF INVENTION: Recombinant and Humanized IL-1 beta
; TITLE OF INVENTION: Antibodies for Treatment of IL-1 Mediated Inflammatory
; TITLE OF INVENTION: Disorders in Man
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation - Corp.
; ADDRESSEE: Intellectual Property
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-2799
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/07659
; FILING DATE:
; CLASSIFICATION:

; POLYPEPTIDE BINDING MOLECULES
; NUMBER OF SEQUENCES: 24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/40,440
; FILING DATE: 1-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 512,910
; FILING DATE: 25-APR-1990
; APPLICATION NUMBER: 299,617
; FILING DATE: 19-JAN-1989
; APPLICATION NUMBER: 92,110
; FILING DATE: 02-SEP-1987
; APPLICATION NUMBER: 902,971
; FILING DATE: 01-SEP-1986
; SEQ ID NO:9:
; LENGTH: 247
5455030-9

;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/090,534
;; FILING DATE: 09-JUL-1993
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Sutton, Jeffrey A.
;; REGISTRATION NUMBER: 34,028
;; REFERENCE/DOCKET NUMBER: P50171-1
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (610) 270-5024
;; TELEFAX: (610) 270-5090
;; INFORMATION FOR SEQ ID NO: 2:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 247 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
PCT-US94-07659-2

Query Match 79.28; Score 42; DB 4; Length 247;
Best Local Similarity 80.08; Pred. No. 0.89;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
||| |||||
Db 45 GFAFSSYDMS 54

RESULT 11
PCT-US94-07659-6
;; Sequence 6, Application PC/TUS9407659
;; GENERAL INFORMATION:
;; APPLICANT: Young, Peter
;; APPLICANT: Gross, Mitchell
;; APPLICANT: Jonak, Zdenka L.
;; APPLICANT: Theisen, Timothy
;; APPLICANT: Hurlie, Mark
;; APPLICANT: Jackson, Jeffrey R.
;; TITLE OF INVENTION: Recombinant and Humanized IL-1 beta
;; TITLE OF INVENTION: Antibodies for Treatment of IL-1 Mediated Inflammatory
;; TITLE OF INVENTION: Disorders in Man
;; NUMBER OF SEQUENCES: 21
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: SmithKline Beecham Corporation - Corp.
;; ADDRESSEE: Intellectual Property
;; STREET: 709 Swedeland Road
;; CITY: King of Prussia
;; STATE: PA
;; COUNTRY: USA
;; ZIP: 19406-2799
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: PCT/US94/07659
;; FILING DATE:
;; CLASSIFICATION:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/090,534
;; FILING DATE: 09-JUL-1993
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Sutton, Jeffrey A.
;; REGISTRATION NUMBER: 34,028
;; REFERENCE/DOCKET NUMBER: P50171-1
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (610) 270-5024
;; TELEFAX: (610) 270-5090
;; INFORMATION FOR SEQ ID NO: 6:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 119 amino acids
;; TYPE: amino acid

;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
PCT-US94-07659-6
Query Match 77.4%; Score 41; DB 4; Length 119;
Best Local Similarity 80.0%; Pred. No. 0.64;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 1 GFTFLSYDMS 10
||| |||||
Db 26 GFISSYDMS 35
RESULT 12
US-08-478-039-71
;; Sequence 71, Application US/08478039
;; Patent No. 5681722
;; GENERAL INFORMATION:
;; APPLICANT: Newman, Roland A.
;; APPLICANT: Hanna, Nabil
;; APPLICANT: Raab, Ronald W.
;; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
;; NUMBER OF SEQUENCES: 114
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
;; STREET: 699 Prince St.
;; CITY: Alexandria
;; STATE: VA
;; COUNTRY: USA
;; ZIP: 22313-1404
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.30
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/478,039
;; FILING DATE: 07-JUN-1995
;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/379,072
;; FILING DATE: 25-JAN-1995
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/912,292
;; FILING DATE: 10-JUL-1992
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/856,281
;; FILING DATE: 23-MAR-1992
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/735,064
;; FILING DATE: 25-JUL-1991
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Teskin Esq., Robin L.
;; REGISTRATION NUMBER: 35,030
;; REFERENCE/DOCKET NUMBER: 012712-160
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 703-836-6620
;; TELEFAX: 703-836-2021
;; INFORMATION FOR SEQ ID NO: 71:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 123 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: not relevant
;; TOPOLOGY: not relevant
;; MOLECULE TYPE: peptide
;; ORIGINAL SOURCE:
;; ORGANISM: Monkey
;; POSITION IN GENOME:
;; CHROMOSOME/SEGMENT: VH3 clone 3-34
US-08-478-039-71

Query Match 77.4%; Score 41; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 0.66;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
Db 26 GFTFSTDYDMT 35

RESULT 13
US-08-478-039-104
; Sequence 104, Application US/08478039
; Patent No. 5681722
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,039
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-160
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 104:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: #34

US-08-478-039-104

Query Match 77.4%; Score 41; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 0.66;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10

Db 26 GFTFSTDYDMT 35

RESULT 14
US-08-476-349A-71
; Sequence 71, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 71:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: VH3 clone 3-34

Query Match 77.4%; Score 41; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 0.66;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
Db 26 GFTFSTDYDMT 35

RESULT 15

US-08-476-349A-104
; Sequence 104, Application US/08476349A
; Patent No. 5750105
; GENERAL INFORMATION:
; APPLICANT: Newman, Roland A.
; APPLICANT: Hanna, Nabil
; APPLICANT: Raab, Ronald W.
; TITLE OF INVENTION: Recombinant Antibodies for Human Therapy
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: 699 Prince St.
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,349A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/379,072
; FILING DATE: 25-JAN-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/912,292
; FILING DATE: 10-JUL-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/856,281
; FILING DATE: 23-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/735,064
; FILING DATE: 25-JUL-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Teskin Esq., Robin L.
; REGISTRATION NUMBER: 35,030
; REFERENCE/DOCKET NUMBER: 012712-161
; TELEPHONE: 703-836-6620
; TELEFAX: 703-836-2021
; INFORMATION FOR SEQ ID NO: 104:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; ORGANISM: Monkey
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: #34
US-08-476-349A-104

Query Match 77.4%; Score 41; DB 1; Length 123;
Best Local Similarity 70.0%; Pred. No. 0.66;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
QY 1 GFTFLSYDMS 10
| | | | : | | |
Db 26 GFTFTYDMT 35

Search completed: March 28, 2001, 06:39:09
Job time: 763 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:49 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-54

Perfect score: 55

Sequence: 1 WVAKVSGGG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	80.0	118	2 S20641	Ig heavy chain V r
2	43	78.2	108	2 PL0248	Ig heavy chain V r
3	43	78.2	138	2 S09258	Ig heavy chain V r
4	42	76.4	111	2 S40090	Ig heavy chain - m
5	42	76.4	111	2 PH1007	Ig heavy chain V r
6	42	76.4	113	2 S26468	Ig heavy chain V r
7	42	76.4	117	1 HVM534	Ig heavy chain pre
8	40	72.7	254	2 B31790	Ig heavy chain V r
9	39	70.9	108	2 PH1006	Ig heavy chain V r
10	39	70.9	117	1 HVM584	Ig heavy chain pre
11	39	70.9	121	2 H27888	Ig heavy chain V r
12	39	70.9	123	2 G27888	Ig heavy chain V r
13	39	70.9	391	2 B83203	arginate o-acetyl
14	39	70.9	408	2 D70549	hypothetical prote
15	38	69.1	92	2 S56009	Ig heavy chain var
16	38	69.1	92	2 S56008	Ig heavy chain var
17	38	69.1	97	1 HVM591	Ig heavy chain V r
18	38	69.1	112	2 S26327	Ig heavy chain V r
19	38	69.1	121	2 H27887	Ig heavy chain V r
20	38	69.1	128	2 PH0094	Ig heavy chain V r
21	38	69.1	128	2 PH0095	Ig kappa chain V r
22	38	69.1	194	2 H83060	peptidyl-tRNA hydr
23	38	69.1	509	2 C49094	methylmalonyl-CoA
24	37	67.3	83	2 S25913	Ig heavy chain V r
25	37	67.3	108	2 PH1010	Ig heavy chain V r
26	37	67.3	108	2 PH1011	Ig heavy chain V r
27	37	67.3	114	2 PH1009	Ig heavy chain V r
28	37	67.3	117	1 HVM557	Ig heavy chain pre
29	37	67.3	118	2 PH0096	Ig heavy chain V r

30	37	67.3	118	2 PH0097	Ig heavy chain V r
31	37	67.3	119	2 F27888	Ig heavy chain V r
32	37	67.3	120	2 S55536	Ig heavy chain V r
33	37	67.3	120	2 S55537	Ig heavy chain V r
34	37	67.3	121	2 B27888	Ig heavy chain V r
35	37	67.3	121	2 I27887	Ig heavy chain V r
36	37	67.3	121	2 D27888	Ig heavy chain V r
37	37	67.3	121	2 A27888	Ig heavy chain V r
38	37	67.3	122	2 E27888	Ig heavy chain V r
39	37	67.3	123	2 S63597	Ig heavy chain, V
40	37	67.3	124	2 C27888	Ig heavy chain V r
41	37	67.3	124	2 I27888	Ig heavy chain V r
42	37	67.3	137	2 S78054	Ig heavy chain pre
43	37	67.3	186	2 T29117	hypothetical prote
44	37	67.3	238	2 T04166	thamatin-like pro
45	37	67.3	256	2 S11878	chlorophyll a/b-b1

ALIGNMENTS

RESULT 1

S20641 Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C>Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 23-Jul-1999

C:Accession: S20641

R:Lozman, M.; Fasy, T.M.; Novick, K.E.; Monestier, M.

submitted to the EMBL Data Library, February 1992

A:Description: Relationships among antinuclear antibodies from autoimmune MRL mice re

A:Reference number: S20639

A:Accession: S20641

A>Status: preliminary

A:Molecule type: DNA

A:Residues: 1-118 <LOS>

A:Cross-references: EMBL:X65003; NID:g52602; PIDN:CAA46136.1; PID:g52603

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 80.0%; Score 44; DB 2; Length 118;
Best Local Similarity 70.0%; Pred. NO. 0.76;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10

||| : ||||

Db 47 WVANISSGGG 56

RESULT 2

PL0248

Ig heavy chain V region (anti-DNA, Dp12VH) - mouse (fragment)

C:Species: Mus musculus (house mouse)

C>Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 16-Aug-1996

C:Accession: PL0248

R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein

J. Exp. Med. 171, 265-297, 1990

A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somat

A:Reference number: PL0231; MUID:90111618

A:Accession: PL0248

A:Molecule type: mRNA

A:Residues: 1-108 <SHL>

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-24/Region: framework 1

F:9-92/Domain: immunoglobulin homology <IMM>

F:25-29/Region: complementarity-determining 1

F:30-43/Region: framework 2

F:44-60/Region: complementarity-determining 2

F:61-92/Region: framework 3

F:93-99/Region: complementarity-determining 3

F:100-108/Region: framework 4

Query Match 78.2%; Score 43; DB 2; Length 108;
 Best Local Similarity 70.0%; Pred. No. 1.1;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 ||| : ||||
 Db 41 WVAITSSGGG 50

RESULT 3

S09258
 Ig heavy chain V region precursor - mouse (fragment)

C:Species: Mus musculus (house mouse)
 C:Date: 29-Jan-1993 #sequence_revision 29-Jan-1993 #text_change 23-Jul-1999
 C:Accession: S09258

R:Hamada, H.; Maezawa, K.; Tsuruo, T.

Nucleic Acids Res. 18, 1900, 1990

A:Title: Nucleotide sequences of the variable regions of a mouse monoclonal antibody MRK
 A:Reference number: S09258; MUID:90245594

A:Accession: S09258

A:Molecule type: DNA

A:Residues: 1-138 <HAM>

A:Cross-references: EMBL:X51719; NID:g53207; PIDN:CAA36012.1; PID:g297545

C:Genetics:

A:Introns: 16/1

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:34-117/Domain: immunoglobulin homology <IMM>

Query Match 78.2%; Score 43; DB 2; Length 138;
 Best Local Similarity 70.0%; Pred. No. 1.3;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 ||| : ||||
 Db 66 WVAITSSGGG 75

RESULT 4

S40090
 Ig heavy chain - mouse

C:Species: Mus musculus (house mouse)

C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999

C:Accession: S40090

R:Maier, C.C.; Galin, F.S.; Jarpe, M.A.; Jackson, P.; Krishna, N.R.; Gautam, A.M.; Zhou,
 submitted to the EMBL Data Library, December 1993

A:Description: A V-lambda x-bearing monoclonal antibody with similar specificity and seq

A:Reference number: S40090

A:Accession: S40090

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-111 <MAI>

A:Cross-references: EMBL:X76751; NID:g435680; PIDN:CAA54154.1; PID:g1334154

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:7-90/Domain: immunoglobulin homology <IMM>

Query Match 76.4%; Score 42; DB 2; Length 111;
 Best Local Similarity 70.0%; Pred. No. 1.7;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 ||| : ||||
 Db 39 WVAATKSNGG 48

RESULT 5

PH1007

Ig heavy chain V region (clone 163-cl) - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 16-Aug-1996

C:Accession: PH1007

R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.

J. Exp. Med. 176, 761-779, 1992

A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective

A:Reference number: PH0971; MUID:92381444

A:Accession: PH1007

A>Status: nucleic acid sequence not shown

A:Molecule type: mRNA

A:Residues: 1-111 <TIL>

A:Experimental source: B cell, strain [NZB x NZW]F1

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 76.4%; Score 42; DB 2; Length 111;
 Best Local Similarity 70.0%; Pred. No. 1.7;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 ||| : ||||
 Db 47 WVAITSSGGG 56

RESULT 6

S26468

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999

C:Accession: S26468

R:Kavaler, J.

submitted to the EMBL Data Library, April 1991

A:Reference number: S26459

A:Accession: S26468

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-113 <KAV>

A:Cross-references: EMBL:X59107; NID:g51944; PIDN:CAA41833.1; PID:g51945

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:11-94/Domain: immunoglobulin homology <IMM>

Query Match 76.4%; Score 42; DB 2; Length 113;
 Best Local Similarity 70.0%; Pred. No. 1.7;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 ||| : ||||
 Db 43 WVAITSSGGG 52

RESULT 7

HVMS34

Ig heavy chain precursor V region (345) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997

C:Accession: JT0502

R:Levy, N.S.; Malpiero, U.V.; Lebecque, S.G.; Gearhart, P.J.

J. Exp. Med. 169, 2007-2019, 1989

A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primar

A:Reference number: JT0501; MUID:89279149

A:Accession: JT0502

A>Status: translation not shown

A:Molecule type: mRNA

A:Residues: 1-117 <LEV>

A:Experimental source: strain BALB/cJ

A>Note: this sequence belongs to the VH7183 subfamily

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-19/Domain: signal sequence #status predicted <SIG>

F:20-117/Product: Ig heavy chain V region (345) #status predicted <MAT>
 F:34-117/Domain: immunoglobulin homology <IMM>
 F:41-115/Disulfide bonds: #status predicted

Query Match 76.4%; Score 42; DB 1; Length 117;
 Best Local Similarity 70.0%; Pred. No. 1.7;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVKGSGG 10
 ||| : ||||
 Db 66 WVAIISGGG 75

RESULT 8

Ig heavy chain V region (17/9) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 31-Mar-1990 #sequence_revision 31-Mar-1990 #text_change 23-May-1997
 C:Accession: B31790
 R:Schulze-Gahmen, U.; Rini, J.M.; Arevalo, J.; Stura, E.A.; Kenten, J.H.; Willson, I.A.
 A:Title: Preliminary crystallographic data, primary sequence, and binding data for an an
 A:Reference number: A92886; MUID:89034213
 A:Accession: B31790
 A:Molecule type: mRNA
 A:Residues: 1-254 <SCH>
 C:Superfamily: immunoglobulin C region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 72.7%; Score 40; DB 2; Length 254;
 Best Local Similarity 60.0%; Pred. No. 8.1;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVKGSGG 10
 ||| : ||||
 Db 47 WVAIISGGG 56

RESULT 9

PH1006
 Ig heavy chain V region (clone 202.33) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 16-Aug-1996
 C:Accession: PH1006
 R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
 A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective B c
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PH1006
 A:Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-108 <TIL>
 A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:10-93/Domain: immunoglobulin homology <IMM>

Query Match 70.9%; Score 39; DB 2; Length 108;
 Best Local Similarity 60.0%; Pred. No. 5.6;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 WVAKVKGSGG 10
 ||| : ||||
 Db 42 WVAIISGGG 51

RESULT 10

HVMS84
 Ig heavy chain precursor V region (5-84) - mouse

C:Species: Mus musculus (house mouse)
 C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
 C:Accession: JT0505
 R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
 J. Exp. Med. 169, 2007-2019, 1989
 A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primar
 A:Reference number: JT0501; MUID:89279149
 A:Accession: JT0505
 A:Status: translation not shown
 A:Molecule type: mRNA
 A:Residues: 1-117 <LEV>
 A:Experimental source: strain BALB/cJ
 A:Note: this sequence belongs to the VH7183 subfamily
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-19/Domain: signal sequence #status predicted <SIG>
 F:20-117/Product: Ig heavy chain V region (5-84) #status predicted <MAT>
 F:34-117/Domain: immunoglobulin homology <IMM>
 F:41-115/Disulfide bonds: #status predicted

Query Match 70.9%; Score 39; DB 1; Length 117;
 Best Local Similarity 60.0%; Pred. No. 6;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVKGSGG 10
 ||| : ||||
 Db 66 WVAIISGGG 75

RESULT 11

H27888
 Ig heavy chain V region (H37-40) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
 C:Accession: H27888
 R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
 EMBO J. 5, 1577-1587, 1986
 A:Title: Structural and functional implications of a restricted antibody response to
 A:Reference number: A91043; MUID:86300658
 A:Accession: H27888
 A:Molecule type: DNA
 A:Residues: 1-121 <CAT>
 A:Experimental source: strain Balb/c
 A:Note: this sequence was determined from the germline gene
 C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 70.9%; Score 39; DB 2; Length 121;
 Best Local Similarity 66.7%; Pred. No. 6.2;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 WVAKVKGSGG 9
 ||| : ||||
 Db 47 WVAEISGGG 55

RESULT 12

G27888
 Ig heavy chain V region (H28-A2) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
 C:Accession: G27888
 R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
 EMBO J. 5, 1577-1587, 1986
 A:Title: Structural and functional implications of a restricted antibody response to
 A:Reference number: A91043; MUID:86300658
 A:Accession: G27888
 A:Molecule type: DNA
 A:Residues: 1-123 <CAT>

A:Experimental source: strain Balb/c

A>Note: this sequence was determined from the germline gene

C:Comment: This chain was isolated from a hybridoma protein that binds influenza virus H

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 70.9%; Score 39; DB 2; Length 123;

Best Local Similarity 66.7%; Pred. No. 6.3;

Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGG 9

Db 47 WVAEISSGG 55

RESULT 13

B83203 arginate o-acetyltransferase AlgJ PA3549 [imported] - Pseudomonas aeruginosa (strain PAQ

C:Species: Pseudomonas aeruginosa

C:Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 15-Sep-2000

C:Accession: B83203

R:Stover, C.K.; Pham, X.Q.; Erwin, A.L.; Mizoguchi, S.D.; Warren, P.; Hickey, M.J.; Bq

adman, S.; Yuan, Y.; Brody, L.L.; Coulter, K.R.; Folger, K.R.; Kas, A.; Larbig, K.; Lim,

; Lory, S.; Olson, M.V.

Nature 406, 959-964, 2000

A:Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic patho

A:Reference number: A82950

A:Accession: B83203

A>Status: preliminary

A:Molecule type: DNA

A:Residues: 1-391 <STO>

A:Cross-references: GB:AE004775; GB:AE004091; NID:g9949692; PIDN:AAG06937.1; GSPDB:GN001

A:Experimental source: strain PA01

C:Genetics:

A:Gene: algJ; PA3549

Query Match

Best Local Similarity 70.9%; Score 39; DB 2; Length 391;

Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGG 10

Db 371 WVAQLKASGG 380

RESULT 14

D70549

hypothetical protein RV0561c - Mycobacterium tuberculosis (strain H37RV)

C:Species: Mycobacterium tuberculosis

C:Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 20-Jun-2000

C:Accession: D70549

R:Cole, S.T.; Brosch, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S.

; Connor, R.; Davies, R.; Devlin, K.; Beldwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.

Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.

Nature 393, 537-544, 1998

A:Authors: Squires, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrell, B.G.

A:Title: Deciphering the biology of Mycobacterium tuberculosis from the complete genome

A:Reference number: A70500; MUID:98295987

A:Accession: D70549

A>Status: preliminary; nucleic acid sequence not shown; translation not shown

A:Molecule type: DNA

A:Residues: 1-408 <COL>

A:Cross-references: GB:Z95558; GB:AL123456; NID:g3261781; PIDN:CAB08972.1; PID:g2114023

A:Experimental source: strain H37RV

C:Genetics:

A:Gene: RV0561c

C:Superfamily: fixC protein

Query Match

70.9%; Score 39; DB 2; Length 408;

Best Local Similarity 70.0%; Pred. No. 19;

Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGG 10

Db 386 WVARWRGGG 395

RESULT 15

S56009

Ig heavy chain variable region against dystrophin - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 27-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 07-May-1999

C:Accession: S56009

R:Morris, G.E.; Nguyen, C.; Man, N.T.

Biochem. J. 309, 355-359, 1995

A:Title: Specificity and V(H) sequence of two monoclonal antibodies against the N-ter

A:Reference number: S56008; MUID:95344393

A:Accession: S56009

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-92 <MOR>

A:Cross-references: EMBL:Z46661

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:6-86/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 69.1%; Score 38; DB 2; Length 92;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGG 9

Db 38 WVASISSGG 46

Search completed: March 28, 2001, 06:41:50

Job time: 873 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:46 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-54
Perfect score: 55
Sequence: 1 WVAKVSGGG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	42	76.4	117	1 HV55_MOUSE	P18526 mus musculus
2	40	72.7	438	1 TRPE_AERPE	Q9Y8T0 aeropyrum p
3	39	70.9	117	1 HV54_MOUSE	P18525 mus musculus
4	39	70.9	188	1 YLAI_LACAC	P29470 lactobacill
5	38	69.1	97	1 HV56_MOUSE	P18527 mus musculus
6	37	67.3	117	1 HV58_MOUSE	P18529 mus musculus
7	37	67.3	256	1 CB4B_LYCES	P27525 lycopersico
8	36	65.5	37	1 THHS_HORVU	P33045 hordeum vul
9	36	65.5	247	1 HS77_HUMAN	P48741 homo sapien
10	35.5	64.5	196	1 SODE_TETPY	P19666 tetrahymena
11	35	63.6	593	1 CSG_METFE	P27373 methanother
12	35	63.6	593	1 CSG_METSC	P27374 methanother
13	35	63.6	3432	1 POLG_JAEV1	P27395 j genome po
14	35	63.6	3432	1 POLG_JAEV5	P19110 j genome po
15	35	63.6	3432	1 POLG_JAEVJ	P23286 j genome po
16	34	61.8	121	1 NLTP_BOVIN	P07857 bos taurus
17	34	61.8	135	1 RM16_PROVI	P46751 prototheca
18	34	61.8	202	1 P21_SOYBN	P25096 glycine max
19	34	61.8	206	1 IAAT_MAIZE	P13867 zea mays (m
20	34	61.8	227	1 ZEAM_MAIZE	P33679 zea mays (m
21	34	61.8	301	1 YFE4_YEAST	P43558 saccharomyc
22	34	61.8	311	1 BLAC_STRAU	P10509 streptomyce
23	34	61.8	311	1 BLAC_STRCE	Q06650 streptomyce
24	34	61.8	547	1 NLTP_CHICK	Q07598 gallus gall
25	34	61.8	547	1 NLTP_HUMAN	P22307 homo sapien
26	34	61.8	547	1 NLTP_MOUSE	P32020 mus musculus
27	34	61.8	547	1 NLTP_RAT	P11915 rattus norv
28	34	61.8	621	1 TRPX_ARATH	P32069 arabidopsis
29	34	61.8	867	1 NIA_ASPNG	P36858 aspergillus
30	34	61.8	893	1 NIA_LEPMC	P36842 leptosphaer
31	34	61.8	905	1 NIA_FUSOX	P39863 fusarium ox
32	34	61.8	3411	1 POLG_YEFV1	P03314 y genome po
33	34	61.8	3411	1 POLG_YEFV2	P19901 y genome po

34	34	61.8	3430	1 POLG_MNV	P06935 w genome po
35	34	61.8	3433	1 POLG_KUNJM	P14335 k genome po
36	33	60.0	98	1 HV57_MOUSE	P18528 mus musculus
37	33	60.0	122	1 MPP2_PHLPR	P43214 phleum prat
38	33	60.0	137	1 RL16_SPICI	O31162 spiroplasma
39	33	60.0	138	1 RL16_MYCBO	O06049 mycobacteri
40	33	60.0	138	1 RL16_MYCTU	P95036 mycobacteri
41	33	60.0	194	1 PTH_ECOLI	P23932 escherichia
42	33	60.0	194	1 PTH_HAETN	P44692 haemophilus
43	33	60.0	194	1 PTH_SALTI	O60001 salmonella
44	33	60.0	234	1 RL6_MESCR	P34091 mesembryant
45	33	60.0	261	1 CB4_SPIOL	P36494 spinacia ol

ALIGNMENTS

RESULT 1.
HV55_MOUSE STANDARD; PRT; 117 AA.
AC P18526;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 345 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BALB/CJ;
RX MEDLINE; 89279149.
RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: J70502; HWS34.
DR INTERPRO: IPR003006; -.
DR PFW; PF00047; ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 345.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12902 MW; 49380E4627ACA99A CRC64;

Query Match 76.4%; Score 42; DB 1; Length 117;
Best Local Similarity 70.0%; Pred. No. 0.38;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 66 WVAIVSGGG 75

RESULT 2
TRPE_AERPE STANDARD; PRT; 438 AA.
ID TRPE_AERPE
AC Q9Y8T0;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE ANTHRANILATE SYNTHASE COMPONENT I (EC 4.1.3.27).
GN TRPE OR APE2553.
OS Aeropyrum pernix.
OC Archaea; Crenarchaeota; Desulfurococcales; Desulfurococcaceae;

```
OC Aeropyrum.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K1.
RX MEDLINE: 99310339.
RA Kawarabayasi Y., Hino Y., Horikawa H., Yamazaki S., Haikawa Y.,
RA Jin'no K., Takahashi M., Sekine M., Baba S.-I., Ankai A., Kosugi H.,
RA Hosoyama A., Fukui S., Nagai Y., Nishijima K., Nakazawa H.,
RA Takamiya M., Masuda S., Funahashi T., Tanaka T., Kudoh Y.,
RA Yamazaki J., Kushida N., Oguchi A., Aoki K.-I., Kubota K.,
RA Nakamura Y., Nomura N., Sako Y., Kikuchi H.
RT "Complete genome sequence of an aerobic hyper-thermophilic
RT crenarchaeon, Aeropyrum pernix K1."
RL DNA Res. 6:83-101(1999).
CC -!- CATALYTIC ACTIVITY: CHORISMATE + L-GLUTAMINE = ANTHRANILATE +
CC PYRUVATE + L-GLUTAMATE.
CC -!- PATHWAY: FIRST STEP IN BIOSYNTHESIS OF TRYPTOPHAN.
CC -!- SUBUNIT: Tetramer of two components I and two components II (by
CC similarity).
CC -!- MISCELLANEOUS: COMPONENT I CATALYZES THE FORMATION OF ANTHRANILATE
CC USING AMMONIA RATHER THAN GLUTAMINE, WHEREAS COMPONENT II PROVIDES
CC GLUTAMINE AMIDOTRANSFERASE ACTIVITY.
CC -!- SIMILARITY: BELONGS TO THE ANTHRANILATE SYNTHASE COMPONENT I
CC FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: AP000064; BAA81570.1; ALT_INIT.
CC INTERPRO: IPR000350; -.
CC PFAM: PF00425; chorismate_bind; 1.
CC PRINTS: PR00095; ANTSNTHASE1.
CC KW Tryptophan biosynthesis; Lyase.
CC SEQUENCE 438 AA; 48309 MW; 16559013EFDFAED CRC64;
CC -----
CC Query Match 72.7%; Score 40; DB 1; Length 438;
CC Best Local Similarity 60.0%; Pred. No. 3.5;
CC Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;
CC -----
CC QY 1 WYAKVKGSGG 10
CC I : : : : :
CC Bb 39 WIALLESGGG 48
CC -----
CC RESULT 3
CC HV54_MOUSE
CC ID HV54_MOUSE STANDARD; PRT; 117 AA.
CC AC P18525;
CC DT 01-NOV-1990 (Rel. 16, Created)
CC DT 01-NOV-1990 (Rel. 16, Last sequence update)
CC DT 15-JUL-1999 (Rel. 38, Last annotation update)
CC DE IG HEAVY CHAIN V REGION 5-84 PRECURSOR.
CC OS Mus musculus (Mouse).
CC OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
CC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
CC [1]
CC RP SEQUENCE FROM N.A.
CC RC STRAIN=BALB/CJ;
CC RX MEDLINE: 89279149.
CC RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
CC RT "Early onset of somatic mutation in immunoglobulin VH genes during
CC the primary immune response."
CC RL J. Exp. Med. 169:2007-2019(1989).
CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
CC PIR: JT0505; HVMS84.
CC DR INTERPRO: IPR003006; -.
CC DR PFAM: PF00047; Ig; 1.
```

```
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 5-84.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12872 MW; 234055CB6A469861 CRC64;
CC -----
CC Query Match 70.9%; Score 39; DB 1; Length 117;
CC Best Local Similarity 60.0%; Pred. No. 1.4;
CC Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
CC -----
CC QY 1 WYAKVKGSGG 10
CC I : : : : :
CC Bb 66 WYAVISNGGG 75
CC -----
CC RESULT 4
CC YLAI_LACAC STANDARD; PRT; 188 AA.
CC ID YLAI_LACAC
CC AC P29470;
CC DT 01-APR-1993 (Rel. 25, Created)
CC DT 01-APR-1993 (Rel. 25, Last sequence update)
CC DT 01-APR-1993 (Rel. 25, Last annotation update)
CC DE HYPOTHETICAL PROTEIN IN IAF 5' REGION (ORF1) (FRAGMENT).
CC OG Lactobacillus acidophilus.
CC OG Plasmid pTRK160.
CC OC Bacteria; Firmicutes; Bacillus/Clostridium group; Lactobacillaceae;
CC OC Lactobacillus.
CC [1]
CC RP SEQUENCE FROM N.A.
CC RC STRAIN=11088;
CC RX Fremaux C., Ahn C., Kjaenhammer T.R.;
CC RT "Molecular analysis of the lactacin F operon."
CC APPL. Environ. Microbiol. 59:3906-3915(1993).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: M57961; AAA16635.1; -.
CC DR Hypothetical protein; Plasmid.
CC KW NON_TER 1 1
CC FT SEQUENCE 188 AA; 21073 MW; D7A1FABE073C1081 CRC64;
CC -----
CC Query Match 70.9%; Score 39; DB 1; Length 188;
CC Best Local Similarity 70.0%; Pred. No. 2.3;
CC Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
CC -----
CC QY 1 WYAKVKGSGG 10
CC I : : : : :
CC Bb 70 WVAHVDOGGG 79
CC -----
CC RESULT 5
CC HV56_MOUSE
CC ID HV56_MOUSE STANDARD; PRT; 97 AA.
CC AC P18527;
CC DT 01-NOV-1990 (Rel. 16, Created)
CC DT 01-NOV-1990 (Rel. 16, Last sequence update)
CC DT 15-JUL-1999 (Rel. 38, Last annotation update)
CC DE IG HEAVY CHAIN V REGION 914.
```

OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JT0504; HVM591.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; Ig: 1.
 KW Immunoglobulin V region.
 FT NON_TER 97
 SQ SEQUENCE 97 AA; 10661 MW; C23CB33FF55DA893 CRC64;

Query Match 69.1%; Score 38; DB 1; Length 97;
 Best Local Similarity 66.7%; Pred. No. 1.8;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVKSGG 9
 ||| : |||
 Db 47 WVASISSGG 55

RESULT 6
 HV58_MOUSE
 ID HV58_MOUSE STANDARD; PRT; 117 AA.
 AC P18529;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DE 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 5-76 PRECURSOR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JT0506; HVM557.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; Ig: 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V REGION 5-76.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12991 MW; 93A04782B78B8FA0 CRC64;

Query Match 67.3%; Score 37; DB 1; Length 117;
 Best Local Similarity 66.7%; Pred. No. 3.4;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVKSGG 9
 ||| : |||
 Db 66 WVASISSGG 74

RESULT 7
 CB4B_LYCES
 ID CB4B_LYCES STANDARD; PRT; 256 AA.
 AC P27525;
 DT 01-AUG-1992 (Rel. 23, Created)
 DT 01-AUG-1992 (Rel. 23, Last sequence update)
 DT 01-JUN-1994 (Rel. 29, Last annotation update)
 DE CHLOROPHYLL A-B BINDING PROTEIN CP24 10B PRECURSOR (CAB-10B)
 DE (LHCP).
 GN CAB10B.
 OS Lycopersicon esculentum (Tomato).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae; euasterids I;
 OC Solanales; Solanaceae; Solanum.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 91355849.
 RA Schwartz E., Pichersky E.;
 RT "Sequence of two tomato nuclear genes encoding chlorophyll
 a/b-binding proteins of CP24, a PSII antenna component";
 RL Plant Mol. Biol. 15:157-160(1990).
 CC -1- SIMILARITY: TO A FAMILY OF PROTEINS INCLUDING THE CP24/CP29, THE
 CAB I/II AND ELIP (EARLY LIGHT-INDUCIBLE PROTEINS) PROTEINS.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See http://www.isb-sib.ch/announce/
 or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; M32606; AAA34146.1; -.
 DR PIR: S11878; S11878.
 DR INTERPRO: IPR001344; -.
 DR PFAM: PF00504; chloroa_b-bind: 1.
 KW Chlorophyll; Photosynthesis; Photosystem II; Thylakoid membrane;
 KW Chloroplast; Transit peptide; Multigene family; Transmembrane.
 FT TRANSIT 1 45 CHLOROPLAST (POTENTIAL).
 FT CHAIN 46 256 CHLOROPHYLL A-B BINDING PROTEIN CP24 10B.
 SQ SEQUENCE 256 AA; 27470 MW; 3332556486496726 CRC64;

Query Match 67.3%; Score 37; DB 1; Length 256;
 Best Local Similarity 66.7%; Pred. No. 7.5;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVKSGG 9
 | : |||||
 Db 55 WIPAVKSGG 63

RESULT 8
 THHS_HORVU
 ID THHS_HORVU STANDARD; PRT; 37 AA.
 AC P33045;
 DT 01-OCT-1993 (Rel. 27, Created)
 DT 01-OCT-1993 (Rel. 27, Last sequence update)
 DT 01-FEB-1994 (Rel. 28, Last annotation update)
 DE ANTIFUNGAL PROTEIN S (FRAGMENT).
 OS Hordeum vulgare (Barley).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; Liliopsida; Poales; Poaceae; Hordeum.
 RN [1]
 RP SEQUENCE.
 RC STRAIN=CV. BOMI RISO 1508;
 RX MEDLINE; 92037994.
 RA Hejgaard J., Jacobsen S., Svendsen I.;
 RT "Two antifungal thaumatin-like proteins from barley grain";
 RL FEBS Lett. 291:127-131(1991).
 CC -1- FUNCTION: HAS ANTIFUNGAL ACTIVITY. INHIBITS THE GROWTH OF
 TRICHODERMA VIRIDAE AND CANDIDA ALBICANS.

CC -1- SIMILARITY: BELONGS TO THE THAUMATIN FAMILY.

DR PIR; S17684; S17684.

DR HSP; P25871; 1AUN.

DR INTERPRO: IPR001938; -

DR PRAM; PF00314; thaumat; 1. PARTIAL.

DR PROSITE; PS00316; THAUMATIN; PARTIAL.

KW Fungicide.

FT NON_TER 37

SQ SEQUENCE 37 AA; 3871 MW; 7BE164CCB8A9881 CRC64;

Query Match 65.5%; Score 36; DB 1; Length 37;

Best Local Similarity 60.0%; Pred. No. 1.6;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

OY 1 WVAVKSGGG 10

DB 14 WAAAVPAGGG 23

RESULT 9

HS77_HUMAN

ID HS77_HUMAN STANDARD; PRT; 247 AA.

AC P48741; P19790;

DT 01-FEB-1991 (Rel. 17, Created)

DT 01-FEB-1991 (Rel. 17, Last sequence update)

DT 01-FEB-1996 (Rel. 33, Last annotation update)

DE HEAT SHOCK 70 KDA PROTEIN 7 (HEAT SHOCK 70 KDA PROTEIN B) (FRAGMENT).

GN HSPA7 OR HSP70B.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

RN [1]

SEQUENCE FROM N.A.

RX MEDLINE; 85270444.

RA Voellmy R., Ahmed A., Schiller P., Bromley P., Rungger D.;

RT "Isolation and functional analysis of a human 70,000-dalton heat

shock protein gene segment."

RL Proc Natl. Acad. Sci. U.S.A. 82:4949-4953(1985).

CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

between the Swiss Institute of Bioinformatics and the EMBL outstation -

the European Bioinformatics Institute. There are no restrictions on its

use by non-profit institutions as long as its content is in no way

modified and this statement is not removed. Usage by and for commercial

entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

or send an email to license@isb-sib.ch).

CC -----

DR EMBL; M11236; AAA52696.1; -

DR PIR; A25773; A25773.

DR HSP; P19120; IMG1.

DR MIM; 140556; -

DR INTERPRO: IPR001023; -

DR PRAM; PF00012; HSP70; 1.

DR PROSITE; PS00297; HSP70_1; 1.

DR PROSITE; PS00329; HSP70_2; 1.

DR PROSITE; PS01036; HSP70_3; PARTIAL.

KW ATP-binding; Heat shock; Multigene family.

FT NON_TER 247

SQ SEQUENCE 247 AA; 26906 MW; 354EE237F6750DD7 CRC64;

Query Match

Best Local Similarity 65.5%; Score 36; DB 1; Length 247;

Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

OY 1 WVAVKSGGG 10

DB 92 WPFVWVSGGG 101

RESULT 10

SQF_TETPY

ID SQF_TETPY STANDARD; PRT; 196 AA.

AC P19666;

DT 01-FEB-1991 (Rel. 17, Created)

DT 01-FEB-1991 (Rel. 17, Last sequence update)

DT 01-OCT-1994 (Rel. 30, Last annotation update)

DE SUPEROXIDE DISMUTASE [FE] (EC 1.15.1.1).

OS Tetrahymena pyriformis.

OC Eukaryota; Alveolata; Ciliophora; Oligohymenophorea; Hymenostomatida;

OC Tetrahymenina; Tetrahymena.

RN [1]

SEQUENCE.

RX MEDLINE; 91009226.

RA Barra D., Schinina M.E., Bossa F., Puget K., Durosay P., Guissani A.,

RA Michelson A.M.;

RT "A tetrameric iron superoxide dismutase from the eucaryote

Tetrahymena pyriformis."

RL J. Biol. Chem. 265:17680-17687(1990).

CC -1- FUNCTION: DESTROYS RADICALS WHICH ARE NORMALLY PRODUCED WITHIN THE

CELLS AND ARE TOXIC TO BIOLOGICAL SYSTEMS.

CC -1- CATALYTIC ACTIVITY: 2 PEROXIDE RADICAL + 2 H(+) = O(2) + H(2)O(2).

CC -1- COFACTOR: THE TETRAMER CONTAINS 2.5 G ATOMS OF FERRIC IRON.

CC -1- SUBUNIT: HOMOTETRAMER.

CC -1- SIMILARITY: BELONGS TO THE IRON/MANGANESE SUPEROXIDE DISMUTASE

FAMILY.

DR PIR; A39223; A39223.

DR HSP; P04179; 1MSD.

DR INTERPRO: IPR001189; -

DR PFAM; PF00081; sofde; 1.

DR PROSITE; PS00088; SOD_MN; 1.

KW Oxidoreductase; Iron.

FT METAL 20 20 IRON (BY SIMILARITY).

FT METAL 68 68 IRON (BY SIMILARITY).

FT METAL 157 157 IRON (BY SIMILARITY).

FT METAL 161 161 IRON (BY SIMILARITY).

SQ SEQUENCE 196 AA; 22657 MW; FC1F2F67893D8DC7 CRC64;

Query Match

Best Local Similarity 64.5%; Score 35.5; DB 1; Length 196;

Matches 8; Conservative 1; Mismatches 1; Indels 5; Gaps 1;

OY 1 WV-----AKVKSGG 10

DB 69 WIYWDNLAPVKSGG 83

RESULT 11

CSG_METFE

ID CSG_METFE STANDARD; PRT; 593 AA.

AC P27373;

DT 01-AUG-1992 (Rel. 23, Created)

DT 01-AUG-1992 (Rel. 23, Last sequence update)

DT 01-OCT-2000 (Rel. 40, Last annotation update)

DE CELL SURFACE GLYCOPROTEIN PRECURSOR (S-LAYER PROTEIN).

GN SLGA.

OS Methanothermus fervidus.

OC Archaea; Euryarchaeota; Methanobacteriales; Methanothermaceae;

OC Methanothermus.

RN [1]

RP SEQUENCE FROM N.A., AND SEQUENCE OF 23-42.

RC STRAIN-DSM 2088 / V24S;

RX MEDLINE; 91293115.

RA Broeckl G., Behr M., Fabry S., Hensel R., Kaudewitz H., Biendl E.,

RA Koenig H.;

RT "Analysis and nucleotide sequence of the genes encoding the surface-

layer glycoproteins of the hyperthermophilic methanogens

Methanothermus fervidus and Methanothermus sociabilis."

RL Eur. J. Biochem. 199:147-152(1991).

RN [2]

RP CARBOHYDRATE-LINKAGE SITES.

RX MEDLINE; 94086483.

RA Karcher U., Schroder H., Haslinger E., Allmaier G., Schreiner R.,

RA Wleland F., Haselbeck A., Konig H.;
 RT "Primary structure of the heterosaccharide of the surface glycoprotein
 of Methanothermobacter ferrooxidans";
 RL J. Biol. Chem. 268:26821-26826(1993).
 CC -1- FUNCTION: THE S-LAYER IS A PARACRYSTALLINE MONO-LAYERED ASSEMBLY
 OF PROTEINS WHICH COAT THE SURFACE OF THE CELL.
 CC -1- SUBCELLULAR LOCATION: CELL WALL. THIS ARCHAEA IS COVERED BY A
 S-LAYER WITH HEXAGONAL SYMMETRY.
 CC -1- PTM: PROTEIN CONTAINS ABOUT 10 N-LINKED GLYCANS WHICH CONSIST OF
 METHYL-MAN, MAN AND GALNAC RESIDUES IN A MOLAR RATIO OF 2:3:1.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X58297; CA441230.1; -
 DR PIR; S16225; S16225.
 KW Glycoprotein; Cell wall; S-layer; Signal.
 FT SIGNAL 1 22
 FT CHAIN 23 593 CELL SURFACE GLYCOPROTEIN.
 FT CARBOHYD 29 29 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 58 58 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 66 66 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 74 74 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 114 114 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 122 122 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 145 145 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 148 148 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 158 158 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 176 176 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 208 208 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 231 231 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 326 326 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 336 336 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 340 340 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 366 366 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 431 431 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 471 471 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 500 500 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT CARBOHYD 516 516 N-LINKED (GALNAC. . .) (POTENTIAL).
 FT SEQUENCE 593 AA; 65481 MW; E064669967B7611C CRC64;

Query Match 63.6%; Score 35; DB 1; Length 593;
 Best Local Similarity 60.0%; Pred. No. 42;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 : : | | | |
 DB 228 YIANVSSGGG 237

RESULT 12

CSG_METSC
 ID CSG_METSC STANDARD; PRT; 593 AA.
 AC P27374;
 DT 01-AUG-1992 (Rel. 23, Created)
 DT 01-AUG-1992 (Rel. 23, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE CELL SURFACE GLYCOPROTEIN PRECURSOR (S-LAYER PROTEIN).
 GN SLAG.
 OS Methanothermobacter sociabilis.
 OC Archaea; Euryarchaeota; Methanobacteriales; Methanothermaceae;
 OC Methanothermobacter.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=DSM 3496 / KF1-FL;
 RX MEDLINE; 91293115.
 RA Broeckl G., Behr M., Fabry S., Hensel R., Kaudewitz H., Blendl E.,
 RA Koenig H.;

RT "Analysis and nucleotide sequence of the genes encoding the surface-
 layer glycoproteins of the hyperthermophilic methanogens
 Methanothermobacter ferrooxidans and Methanothermobacter sociabilis";
 RL Eur. J. Biochem. 199;147-152(1991).
 CC -1- SUBUNIT: ASSEMBLE INTO MONO-LAYERED CRYSTALLINE ARRAYS.
 CC -1- SUBCELLULAR LOCATION: CELL WALL.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; X58296; CA441229.1; -

DR PIR; S16375; S16375.

KW Glycoprotein; Cell wall; S-layer; Signal.

FT SIGNAL 1 22
 FT CHAIN 23 593 CELL SURFACE GLYCOPROTEIN.
 FT CARBOHYD 29 29 N-LINKED (POTENTIAL).
 FT CARBOHYD 58 58 N-LINKED (POTENTIAL).
 FT CARBOHYD 66 66 N-LINKED (POTENTIAL).
 FT CARBOHYD 74 74 N-LINKED (POTENTIAL).
 FT CARBOHYD 114 114 N-LINKED (POTENTIAL).
 FT CARBOHYD 122 122 N-LINKED (POTENTIAL).
 FT CARBOHYD 145 145 N-LINKED (POTENTIAL).
 FT CARBOHYD 148 148 N-LINKED (POTENTIAL).
 FT CARBOHYD 158 158 N-LINKED (POTENTIAL).
 FT CARBOHYD 176 176 N-LINKED (POTENTIAL).
 FT CARBOHYD 208 208 N-LINKED (POTENTIAL).
 FT CARBOHYD 231 231 N-LINKED (POTENTIAL).
 FT CARBOHYD 326 326 N-LINKED (POTENTIAL).
 FT CARBOHYD 336 336 N-LINKED (POTENTIAL).
 FT CARBOHYD 340 340 N-LINKED (POTENTIAL).
 FT CARBOHYD 431 431 N-LINKED (POTENTIAL).
 FT CARBOHYD 471 471 N-LINKED (POTENTIAL).
 FT CARBOHYD 500 500 N-LINKED (POTENTIAL).
 FT CARBOHYD 516 516 N-LINKED (POTENTIAL).
 FT SEQUENCE 593 AA; 65503 MW; DFCDFB357E10F2EB CRC64;

Query Match 63.6%; Score 35; DB 1; Length 593;
 Best Local Similarity 60.0%; Pred. No. 42;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 : : | | | |
 DB 228 YIANVSSGGG 237

RESULT 13

POLG_JAEV1
 ID POLG_JAEV1 STANDARD; PRT; 3432 AA.
 AC P27395; Q82920; Q82921; Q82922; Q82923; Q82924; Q82925; Q82926;
 AC Q82927; Q82928;
 DT 01-AUG-1992 (Rel. 23, Created)
 DT 01-AUG-1992 (Rel. 23, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GENOME POLYPROTEIN [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX
 PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL
 DE PROTEINS NS1, NS2B, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED
 DE RNA POLYMERASE (PC 2.7.7.48) (NS5)].
 OS Japanese encephalitis virus (strain SA-14).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Flaviviridae;
 OC Flavivirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 90320126.
 RA Nitayaphan S., Grant J.A., Chang G.J.J., Trent D.W.;
 RT "Nucleotide sequence of the virulent SA-14 strain of Japanese
 encephalitis virus and its attenuated vaccine derivative,
 SA-14-14-2";

RL Virology 177:541-552(1990).

CC -1- FUNCTION: THE SMALL PROTEINS NS2A, NS2B, NS4A AND NS4B ARE

CC HYDROPHOBIC, SUGGESTING A POSSIBLE MEMBRANE-RELATED FUNCTION.

CC NS3 AND NS5 MAY PLAY A ROLE IN THE VIRAL RNA REPLICATION.

CC -1- SUBUNIT: THE VIRION OF THIS VIRUS IS A NUCLEOCAPSID COVERED BY A

CC LIPOPROTEIN ENVELOPE. THE ENVELOPE CONSISTS OF TWO PROTEINS:

CC PROTEIN M AND GLYCOPROTEIN E. THE NUCLEOCAPSID IS A COMPLEX OF

CC PROTEIN C AND MRNA.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).

CC -----

DR EMBL; M55506; AAA46248.1; -

DR EMBL; M55506; AAA46249.1; ALT_INIT.

DR PIR; A35519; GNVVJS.

DR HSSP; P14336; LSVB.

DR INTERPRO; IPR000069; -

DR INTERPRO; IPR000208; -

DR INTERPRO; IPR000336; -

DR INTERPRO; IPR000404; -

DR INTERPRO; IPR000487; -

DR INTERPRO; IPR000752; -

DR INTERPRO; IPR001122; -

DR INTERPRO; IPR001157; -

DR INTERPRO; IPR001528; -

DR INTERPRO; IPR001850; -

DR INTERPRO; IPR002535; -

DR PFAM; PF01004; Flavi_M; 1.

DR PFAM; PF00948; Flavi_NSL; 1.

DR PFAM; PF01005; Flavi_NS2A; 1.

DR PFAM; PF01002; Flavi_NS2B; 1.

DR PFAM; PF01350; Flavi_NS4A; 1.

DR PFAM; PF01349; Flavi_NS4B; 1.

DR PFAM; PF00972; Flavi_NS5; 1.

DR PFAM; PF01003; Flavi_capsid; 1.

DR PFAM; PF00869; Flavi_glycoprot; 1.

DR PFAM; PF00949; Flavi_helicase; 1.

DR PFAM; PF01570; Flavi_propep; 1.

DR PFAM; PF01570; Flavi_propep; 1.

KW Polypeptide; Glycoprotein; Transferase; RNA-directed RNA polymerase;

KW Core protein; Coat protein; Envelope protein; Helicase; ATP-binding;

KW Transmembrane; Nonstructural

FT INIT_MET 1 1

FT CHAIN 1 127

FT PROPEP 128 219

FT CHAIN 220 294

FT CHAIN 295 794

FT CHAIN 795 1206

FT CHAIN 1207 1373

FT CHAIN 1374 1504

FT CHAIN 1505 2123

FT CHAIN 2124 2412

FT CHAIN 2413 2527

FT CHAIN 2528 3432

FT NP_BIND 1698 1705

FT SITE 1789 1792

FT TRANSMEM 44 60

FT TRANSMEM 112 127

FT TRANSMEM 280 294

FT TRANSMEM 774 790

FT DISULFID 297 324

FT DISULFID 354 410

FT DISULFID 368 399

FT DISULFID 386 415

FT DISULFID 484 581

FT DISULFID 598 629

FT CARBOHYD 142 142

FT CARBOHYD 448 448

FT CARBOHYD 924 924

FT CARBOHYD 1001 1001

FT CARBOHYD 1594 1594

FT CARBOHYD 2463 2463

FT CARBOHYD 2491 2491

FT CARBOHYD 2761 2761

FT CARBOHYD 2866 2866

FT CARBOHYD 2904 2904

SQ SEQUENCE 3432 AA; 380205 MW; 11B9423735B1B5FE CRC64;

Query Match 63.6%; Score 35; DB 1; Length 3432;

Best Local Similarity 50.0%; Pred. No. 2.5e+02;

Matches 5; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10

DB 3026 WLSRENSGGG 3035

RESULT 14

POLG_JAEV5 STANDARD; PRT; 3432 AA;

ID POLG_JAEV5

AC P19110;

DT 01-NOV-1990 (Rel. 16, Created)

DT 01-NOV-1990 (Rel. 16, Last sequence update)

DT 15-DEC-1998 (Rel. 37, Last annotation update)

DE GENOME POLYPEPTIDE [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX

DE PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL

DE PROTEINS NS1, NS2A, NS2B, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED

DE RNA POLYMERASE (EC 2.7.7.48) (NS5)].

OS Japanese encephalitis virus (strain SA(V)).

OC Viruses; ssRNA positive-strand viruses, no DNA stage; Flaviviridae;

OC Flavivirus.

OC [1]

RN SEQUENCE FROM N.A.

RP MEDLINE; 91280801.

RX Aihara S., Rao C., Yu Y.X., Lee T., Watanabe K., Komiya T.,

RA Sumiyoshi H., Hashimoto H., Nomoto A.;

RT "Identification of mutations that occurred on the genome of Japanese

RT encephalitis virus during the attenuation process."

RL Virus Genes 5:95-109(1991).

CC -1- FUNCTION: THE SMALL PROTEINS NS2A, NS2B, NS4A AND NS4B ARE

CC NS3 AND NS5 MAY PLAY A ROLE IN THE VIRAL RNA REPLICATION.

CC -1- SUBUNIT: THE VIRION OF THIS VIRUS IS A NUCLEOCAPSID COVERED BY A

CC LIPOPROTEIN ENVELOPE. THE ENVELOPE CONSISTS OF TWO PROTEINS:

CC PROTEIN M AND GLYCOPROTEIN E. THE NUCLEOCAPSID IS A COMPLEX OF

CC PROTEIN C AND MRNA.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).

CC -----

DR EMBL; D90194; BAA14218.1; -

DR HSSP; P14336; LSVB.

DR INTERPRO; IPR000069; -

DR INTERPRO; IPR000208; -

DR INTERPRO; IPR000336; -

DR INTERPRO; IPR000404; -

DR INTERPRO; IPR000487; -

DR INTERPRO; IPR000752; -

DR INTERPRO; IPR001122; -

DR INTERPRO; IPR001157; -

DR INTERPRO; IPR001528; -

DR INTERPRO; IPR001850; -

DR INTERPRO; IPR002535; -

DR PFAM; PF01004; Flavi_M; 1.

DR PFAM; PF00948; Flavi_NSL; 1.

DR PFAM; PF01005; Flavi_NS2A; 1.
 DR PFAM; PF01002; Flavi_NS2B; 1.
 DR PFAM; PF01350; Flavi_NS4A; 1.
 DR PFAM; PF01349; Flavi_NS4B; 1.
 DR PFAM; PF00972; Flavi_NS5; 1.
 DR PFAM; PF01003; Flavi_capsid; 1.
 DR PFAM; PF00869; Flavi_glycoprot; 1.
 DR PFAM; PF00949; Flavi_helicase; 1.
 DR PFAM; PF01570; Flavi_propep; 1.
 KW Polyprotein; Glycoprotein; Transferase; RNA-directed RNA polymerase;
 KW Core protein; Coat protein; Envelope protein; Helicase; ATP-binding;
 KW Transmembrane; Nonstructural protein.
 FT INIT_MET 1 1
 FT CHAIN 1 127
 FT PROPEP 128 219
 FT CHAIN 220 294
 FT CHAIN 295 794
 FT CHAIN 1207 1373
 FT CHAIN 1374 1504
 FT CHAIN 1505 2123
 FT CHAIN 2124 2412
 FT CHAIN 2413 2527
 FT CHAIN 2528 3432
 FT NP_BIND 1698 1705
 FT SITE 1789 1792
 FT TRANSMEM 44 60
 FT TRANSMEM 112 127
 FT TRANSMEM 280 294
 FT TRANSMEM 774 790
 FT DISULFID 297 324
 FT DISULFID 354 410
 FT DISULFID 368 399
 FT DISULFID 386 415
 FT DISULFID 484 581
 FT DISULFID 598 629
 FT CARBOHYD 142 142
 FT CARBOHYD 448 448
 FT CARBOHYD 924 924
 FT CARBOHYD 1001 1001
 FT CARBOHYD 2463 2463
 FT CARBOHYD 2491 2491
 SQ SEQUENCE 3432 AA; 380176 MW; AB8A63E0C00C4674 CRC64;

Query Match 63.6%; Score 35; DB 1; Length 3432;
 Best Local Similarity 50.0%; Pred. No. 2.5e+02;
 Matches 5; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGG 10
 Db 3026 WLSRENSGG 3035
 1:::|||||

RESULT 15
 POLG_JAEVJ
 ID POLG_JAEVJ STANDARD; PRT; 3432 AA.
 AC P32886; P08769;
 DT 01-NOV-1988 (Rel. 09, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE GENOME POLYPROTEIN [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX
 DE PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL
 DE PROTEINS NS1, NS2A, NS2B, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED
 DE RNA POLYMERASE (EC 2.7.7.48) (NS5)].
 OS Japanese encephalitis virus (strain Jaoc8982).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Flaviviridae;
 OC Flavivirus.
 [1]
 RN SEQUENCE FROM N.A.
 RX MEDLINE; 88072090.
 RA Sumiyoshi H., Mori C., Fuke I., Morita K., Kuhara S., Kondou J.,

RA Kikuchi Y., Nagamatsu H., Igarashi A.;
 RT "Complete nucleotide sequence of the Japanese encephalitis virus
 RT genome RNA.";
 RL Virology 161:497-510(1987).
 RN [2].
 RP SEQUENCE OF 1-969 FROM N.A.
 RX MEDLINE; 87163522.
 RA Sumiyoshi H., Morita K., Mori C., Fuke I., Shiba T., Sakaki Y.,
 RA Igarashi A.;
 RT "Sequence of 3000 nucleotides at the 5' end of Japanese encephalitis
 RT virus RNA.";
 RL Gene 48:195-201(1986).
 CC -1- FUNCTION: THE SMALL PROTEINS NS2A, NS2B, NS4A AND NS4B ARE
 CC HYDROPHOBIC, SUGGESTING A POSSIBLE MEMBRANE-RELATED FUNCTION.
 CC NS3 AND NS5 MAY PLAY A ROLE IN THE VIRAL RNA REPLICATION.
 CC -1- SUBUNIT: THE VIRION OF THIS VIRUS IS A NUCLEOCAPSID COVERED BY A
 CC LIPOPROTEIN ENVELOPE. THE ENVELOPE CONSISTS OF TWO PROTEINS:
 CC PROTEIN M AND GLYCOPROTEIN E. THE NUCLEOCAPSID IS A COMPLEX OF
 CC PROTEIN C AND MRNA.
 CC -----
 CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M15337; AAA46247.1; -;
 DR EMBL; M18370; AAA81554.1; -;
 DR PIR; A27403; GNVVJE.
 DR HSP; P14336; 1SVB.
 DR INTERPRO; IPR000069; -;
 DR INTERPRO; IPR000208; -;
 DR INTERPRO; IPR000336; -;
 DR INTERPRO; IPR000404; -;
 DR INTERPRO; IPR000487; -;
 DR INTERPRO; IPR001122; -;
 DR INTERPRO; IPR001157; -;
 DR INTERPRO; IPR001528; -;
 DR INTERPRO; IPR001850; -;
 DR INTERPRO; IPR002535; -;
 DR PFAM; PF01004; Flavi_M; 1.
 DR PFAM; PF00948; Flavi_NS1; 1.
 DR PFAM; PF01005; Flavi_NS2A; 1.
 DR PFAM; PF01002; Flavi_NS2B; 1.
 DR PFAM; PF01350; Flavi_NS4A; 1.
 DR PFAM; PF01349; Flavi_NS4B; 1.
 DR PFAM; PF00972; Flavi_NS5; 1.
 DR PFAM; PF01003; Flavi_capsid; 1.
 DR PFAM; PF00869; Flavi_glycoprot; 1.
 DR PFAM; PF00949; Flavi_helicase; 1.
 DR PFAM; PF01570; Flavi_propep; 1.
 KW Polyprotein; Glycoprotein; Transferase; RNA-directed RNA polymerase;
 KW Core protein; Coat protein; Envelope protein; Helicase; ATP-binding;
 KW Transmembrane; Nonstructural protein.
 FT INIT_MET 1 1
 FT CHAIN 1 127
 FT PROPEP 128 219
 FT CHAIN 220 294
 FT CHAIN 295 794
 FT CHAIN 1207 1373
 FT CHAIN 1374 1504
 FT CHAIN 1505 2123
 FT CHAIN 2124 2412
 FT CHAIN 2413 2527
 FT CHAIN 2528 3432
 FT DOMAIN 392 405
 FT NP_BIND 1698 1705
 FT SITE 1789 1792

FT	TRANSMEM	44	60	POTENTIAL.
FT	TRANSMEM	112	127	POTENTIAL.
FT	TRANSMEM	280	294	POTENTIAL.
FT	TRANSMEM	774	790	POTENTIAL.
FT	DISULFID	297	324	BY SIMILARITY.
FT	DISULFID	354	410	BY SIMILARITY.
FT	DISULFID	368	399	BY SIMILARITY.
FT	DISULFID	386	415	BY SIMILARITY.
FT	DISULFID	484	581	BY SIMILARITY.
FT	DISULFID	598	629	BY SIMILARITY.
FT	CARBOHYD	142	142	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CARBOHYD	448	448	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CARBOHYD	924	924	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CARBOHYD	1001	1001	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CARBOHYD	2463	2463	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CARBOHYD	2491	2491	N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ	SEQUENCE	3432 AA;	380160 MW; EEFA26DBF54BF991 CRC64;	

Query Match 63.6%; Score 35; DB 1; Length 3432;
 Best Local Similarity 50.0%; Pred. No. 2.5e+02;
 Matches 5; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 |::: ||||
 Db 3026 WLSRENSGGG 3035

Search completed: March 28, 2001, 07:29:48
 Job time: 1655 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:37 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-54
Perfect score: 55
Sequence: 1 WVAKVSGGG 10

Scoring table: BLOSUM62
Gap 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues
Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_15:
1: sp_archaea:
2: sp_bacteria:
3: sp_fungi:
4: sp_human:
5: sp_invertebrate:
6: sp_mammal:
7: sp_mhc:
8: sp_organelle:
9: sp_phase:
10: sp_plant:
11: sp_rodent:
12: sp_virus:
13: sp_vertebrate:
14: sp_unclassified:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	41	74.5	352	12 Q9IR97	Q9IR97 Japanese ir
2	39	70.9	134	8 Q9T232	Q9T232 phytophthor
3	39	70.9	342	12 Q55810	Q55810 meaban viru
4	39	70.9	391	2 Q51393	Q51393 pseudomonas
5	39	70.9	408	2 Q06427	Q06427 mycobacteri
6	38	69.1	509	2 Q57079	Q57079 vellionella
7	38	69.1	691	12 Q72120	Q72120 canine cali
8	38	69.1	907	3 Q00303	Q00303 botrytis ci
9	37	67.3	186	2 Q86545	Q86545 streptomyce
10	37	67.3	238	10 Q04364	Q04364 oryza sativ
11	37	67.3	289	2 Q9X2P4	Q9X2P4 mycobacteri
12	37	67.3	345	12 Q55828	Q55828 sepiik virus
13	37	67.3	409	2 Q54496	Q54496 streptomyce
14	37	67.3	1008	2 Q9X082	Q9X082 thermotoga
15	37	67.3	1350	10 Q04013	Q04013 volvox cart
16	37	67.3	1765	11 Q88457	Q88457 rattus norv
17	36.5	66.4	375	10 Q9XH01	Q9XH01 arabidopsis
18	36	65.5	71	10 P93234	P93234 lycopersico
19	36	65.5	171	2 Q9PMU1	Q9PMU1 campylobact

20	36	65.5	175	10	O81927	clcer ariet
21	36	65.5	225	5	P92048	periplaneta
22	36	65.5	235	5	P92047	periplaneta
23	36	65.5	303	2	Q9LCJ1	photobacter
24	36	65.5	303	2	Q9LCJ0	vibrio para
25	36	65.5	303	2	Q9LCI9	vibrio mari
26	36	65.5	386	5	Q9VNY4	drosophila
27	36	65.5	407	2	Q56584	vibrio aigl
28	36	65.5	411	2	O05012	haemophilus
29	36	65.5	443	10	Q9SB43	arabidopsis
30	36	65.5	521	5	Q9ULN6	caenorhabdi
31	36	65.5	616	10	O81533	nicotiana t
32	36	65.5	639	2	Q9RB48	clostridium
33	36	65.5	683	12	Q9JE42	rhizoctonia
34	36	65.5	1244	2	Q55576	synecocyst
35	36	65.5	1376	5	Q9W5D0	drosophila
36	36	65.5	1765	11	Q9R053	mus musculu
37	36	65.5	1765	11	Q9JMD4	mus musculu
38	35	63.6	140	8	Q9TLT9	cyamidium c
39	35	63.6	163	1	Q9YBA8	aeropyrum p
40	35	63.6	196	2	Q9KQ21	vibrio chol
41	35	63.6	301	2	Q9LCI7	shevanella
42	35	63.6	303	10	Q42912	malus domes
43	35	63.6	303	10	Q9SX52	arabidopsis
44	35	63.6	303	10	Q9LHE7	arabidopsis
45	35	63.6	343	12	O55830	spodweni v

ALIGNMENTS

RESULT 1
Q9IR97 PRELIMINARY; PRT: 352 AA.
AC Q9IR97;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE CAPSID PROTEIN (P38).
OS Japanese iris necrotic ring virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Tombusviridae;
OC Carnovirus.
OX NCBI_TaxID=77344;
RN [1]
RP SEQUENCE FROM N.A.
RA Takemoto Y.;
RL Submitted (JUN-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RA Takemoto Y., Kanehira T., Shinohara M., Yamashita S., Hibi T.;
RT "The nucleotide sequence and genome organization of Japanese iris
necrotic ring virus, a new species in the genus Carnovirus.";
RL Arch. Virol. 145:651-657(2000).
DR EMBL; D86123; BAA92796.1;
SQ SEQUENCE 352 AA; 37682 MW; 7A34087A0AEF2CE8 CRC64;

Query Match 74.5%; Score 41; DB 12; Length 352;
Best Local Similarity 60.0%; Pred. No. 12;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
DB 19 WVAKVSGGG 28
| |:::|
| |:::|

RESULT 2
Q9T232 PRELIMINARY; PRT: 134 AA.
ID Q9T232
AC Q9T232;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)

DE RIBOSOMAL PROTEIN L16 (RPL16 PROTEIN).
GN RPL16.
OS Phytophthora infestans (Potato late blight fungus).
OC Mitochondrion.
OC Eukaryota; stramenopiles; Oomycetes; Pythiales; Pythiaceae;
OC Phytophthora.
OX NCBI_TaxID=4787;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-WEST VIRGINIA 4;
RA Lang B.F., Forget L.;
RT "The mitochondrial genome of Phytophthora infestans.";
RL (In) O'Brien S.J. (eds.);
RL Genetic Maps, pp.133-135, Cold Spring Harbor Laboratory Press,
RL NY (1992).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-WEST VIRGINIA 4;
RA Paquin B., Roewer I., Wang Z., Lang B.F.;
RT "A robust fungal phylogeny using the mitochondrially encoded nad5
protein sequence.";
RL Can. J. Bot. 73:S180-S185(1995).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN-WEST VIRGINIA 4;
RX MEDLINE=97306266; PubMed=9162109;
RA Paquin B., Laforest M.J., Forget L., Roewer I., Wang Z., Longcore J.,
RA Lang B.F.;
RT "The fungal mitochondrial genome project: evolution of fungal
mitochondrial genomes and their gene expression.";
RL Curr. Genet. 31:380-395(1997).
DR EMBL: U17009; AAF24799.1;
DR INTERPRO: IPR000114;
DR PFAM: PF00252; Ribosomal_L16; 1.
DR PRINTS: PR00060; RIBOSOMAL_L16.
DR PROSITE: PS00701; RIBOSOMAL_L16_2; 1.
DR Ribosomal protein; Mitochondrion.
KW RIBOSOMAL
SQ SEQUENCE 134 AA; 15364 MW; 63CC5239B51095EA CRC64;

Query Match 70.9%; Score 39; DB 8; Length 134;
Best Local Similarity 87.5%; Pred. No. 9.6;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 WVAKVKG 8
|||||
DB 93 WVAKVKG 100

RESULT 3
ID O55810 PRELIMINARY; PRT; 342 AA.
AC O55810;
DT 01-JUN-1998 (TrEMBLrel. 06, Created)
DT 01-JUN-1998 (TrEMBLrel. 06, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE NS5 PROTEIN (FRAGMENT).
GN NS5.
OS Meaban virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Flaviviridae;
OC Flavivirus.
OX NCBI_TaxID=35279;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BREST ART707;
RX MEDLINE=98080391; PubMed=9420202;
RA Kuno G., Chang G.-J., Tsuchiya K.R., Karabatsos N., Cropp C.B.;
RT "Phylogeny of the genus Flavivirus.";
RL J. Virol. 72:73-83(1998).
DR EMBL: AF013386; AAC58774.1;
DR INTERPRO: IPR000208;
DR PFAM: PF00972; Flav_NS5; 1.
FT NON_TER 1

FT NON_TER 342 342
SQ SEQUENCE 342 AA; 38615 MW; D06D642B4CFEE7CC CRC64;

Query Match 70.9%; Score 39; DB 12; Length 342;
Best Local Similarity 60.0%; Pred. No. 26;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 1 WVAKVKSGGG 10
|:::|||||
DB 37 WASREKSGGG 46

RESULT 4
ID O51393 PRELIMINARY; PRT; 391 AA.
AC O51393;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-NOV-1996 (TrEMBLrel. 01, Last annotation update)
DE ALGJ.
GN ALGJ.
OS Pseudomonas aeruginosa.
OC Bacteria; Proteobacteria; gamma subdivision; Pseudomonadaceae;
OC Pseudomonas.
OX NCBI_TaxID=287;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=PRDI;
RA Franklin M.J., Ohman D.E.;
RL J. Bacteriol. 178:0-0(0).
DR EMBL: U50202; AAB09782.1;
SQ SEQUENCE 391 AA; 43106 MW; AE048823947D5503 CRC64;

Query Match 70.9%; Score 39; DB 2; Length 391;
Best Local Similarity 60.0%; Pred. No. 31;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

OY 1 WVAKVKSGGG 10
||||:|:
DB 371 WVAQLKASGG 380

RESULT 5
ID O06427 PRELIMINARY; PRT; 408 AA.
AC O06427;
DT 01-JUL-1997 (TrEMBLrel. 04, Created)
DT 01-JUL-1997 (TrEMBLrel. 04, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE HYPOTHETICAL 43.8 KDA PROTEIN.
GN RV0561C OR MTCY25D10.40C.
OS Mycobacterium tuberculosis.
OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
OC Actinomycetales; Corynebacterineae; Mycobacteriaceae; Mycobacterium.
OX NCBI_TaxID=1773;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=H37RV;
RX MEDLINE=98295987; PubMed=9634230;
RA Cole S.T., Brosch R., Parkhill J., Garnier T., Churcher C., Harris D.,
RA Gordon S.V., Eiglmeier K., Gas S., Barry C.E. III, Tekala F.,
RA Badcock K., Basham D., Brown D., Chillingworth T., Connor R.,
RA Davies R., Devlin K., Feltwell T., Gentles S., Hamlin N., Holroyd S.,
RA Hornsby T., Jagels K., Krogh A., McLean J., Moule S., Murphy L.,
RA Oliver S., Osborne J., Quail M.A., Rajandream M.A., Rogers J.,
RA Rutter S., Seeger K., Skelton S., Squares S., Sultston J.E.,
RA Taylor K., Whitehead S., Barrell B.G.;
RT "Deciphering the biology of Mycobacterium tuberculosis from the
complete genome sequence.";
RL Nature 393:537-544(1998).
DR EMBL: Z95558; CAB08972.1;

DR TUBERCULIST; RV0561c; -
DR INTERPRO; IPR00205; -
DR EMBL; AF053720; AAC16446.1; -
DR PFAM; PF01494; FAD_binding_3; 1.
KW Hypothetical protein.
SQ SEQUENCE 408 AA; 43869 MW; B2F61E46A656EA8C CRC64;

Query Match 70.9%; Score 39; DB 2; Length 408;
Best Local Similarity 70.0%; Pred. No. 32;
Matches 7; Conservative 1; Mismatches 0; Gaps 0;

QY 1 WVAKVSGGG 10
|:|:| |

DB 386 WVARVRRGG 395

RESULT 6

Q57079 PRELIMINARY; PRT; 509 AA.
AC Q57079;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE ALPHA-SUBUNIT, METHYLMALONYL-CoA DECARBOXYLASE.
OS Veillonella parvula.
OC Bacteria; Firmicutes; Bacillus/Clostridium group; Sporomusa subbranch;
OC Veillonella.
OX NCBI_TaxID=29466;
RN [1]
RP SEQUENCE FROM N.A.
RA Huder J.B., Dimroth P.;
RL J. Biol. Chem. 0:0-0(1993).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94043308; PubMed=8227015;
RA Huder J.B., Dimroth P.;
RT "Sequence of the sodium ion pump methylmalonyl-CoA decarboxylase from
Veillonella parvula."
RL J. Biol. Chem. 268:24564-24571(1993).
DR EMBL; Z24754; CAA80872.1; -
DR EMBL; L22208; AAC36820.1; -
DR INTERPRO; IPR00022; -
DR INTERPRO; IPR002203; -
DR PFAM; PF01039; Carboxyl_trans_1.
DR PROSITE; PS00881; PROTEIN_SPLICING; UNKNOWN_1.
SQ SEQUENCE 509 AA; 55100 MW; B9F85266A422B03B CRC64;

Query Match 69.1%; Score 38; DB 2; Length 509;
Best Local Similarity 77.8%; Pred. No. 62;
Matches 7; Conservative 2; Mismatches 0; Gaps 0;

QY 2 VAKVSGGG 10
|:|:| |

DB 15 LAKVAGGG 23

RESULT 7

O72120 PRELIMINARY; PRT; 691 AA.
AC O72120;
DT 01-AUG-1998 (TrEMBLrel. 07, Created)
DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE CAPSID PROTEIN PRECURSOR.
OS Canine calicivirus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Caliciviridae;
OC Calicivirus.
OX NCBI_TaxID=74724;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NO. 48;

RA Roerink F., Hashimoto M., Tohya Y., Mochizuki M.;
RL Submitted (MAR-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF053720; AAC16446.1; -
DR INTERPRO; IPR001643; -
DR PFAM; PF00915; Calici_coat; 2.
SQ SEQUENCE 691 AA; 76181 MW; FLC9774C9217AEF4 CRC64;

Query Match 69.1%; Score 38; DB 12; Length 691;
Best Local Similarity 60.0%; Pred. No. 87;
Matches 6; Conservative 2; Mismatches 0; Gaps 0;

QY 1 WVAKVSGGG 10
|:|:| |

DB 549 WIAKEQAGG 558

RESULT 8

Q00303 PRELIMINARY; PRT; 907 AA.
AC Q00303;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE NITRATE REDUCTASE.
OS NIAD.
GN Botrytis cinerea (Botryotinia fuckelliana).
OC Eukaryota; Fungi; Ascomycota; Leotiales; Sclerotiniaceae; Botryotinia.
OX NCBI_TaxID=40359;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=T4;
RA Lewis C., Dutertre M., Fortini D., Brygoo Y.;
RL Submitted (DEC-1995) to the EMBL/GenBank/DBJ databases.
DR EMBL; U43783; AAC02633.1; -
DR HSP; P17571; 2CND.
DR INTERPRO; IPR000572; -
DR INTERPRO; IPR001199; -
DR INTERPRO; IPR001433; -
DR INTERPRO; IPR001834; -
DR PFAM; PF00173; heme_1; 1.
DR PFAM; PF00174; oxidored_molyb; 1.
DR PFAM; PF00175; oxidored_fad; 1.
DR PFAM; PF00970; Cyt_reductase; 1.
DR PRINTS; PR00363; CYTOCHROME_B5.
DR PRINTS; PR00406; CYTB5RDTASE.
DR PRINTS; PR00407; EUMOPTERIN.
DR PROSITE; PS00191; CYTOCHROME_B5_1; UNKNOWN_1.
DR PROSITE; PS00559; MOLYBDOPTERIN_EUK; 1.
SQ SEQUENCE 907 AA; 101896 MW; 9E04BA54B5084FAD CRC64;

Query Match 69.1%; Score 38; DB 3; Length 907;
Best Local Similarity 60.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 2; Mismatches 0; Gaps 0;

QY 1 WVAKVSGGG 10
|:|:| |

DB 494 WMERVKSAGG 503

RESULT 9

O86545 PRELIMINARY; PRT; 186 AA.
AC O86545;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
DE HYPOTHETICAL 19.9 KDA PROTEIN.
OS SCIF2.08C.
GN Streptomyces coelicolor.
OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
OC Actinomycetales; Streptomycineae; Streptomyces.

OX NCBI_TaxID=1902;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=A3(2);
 RA Seeger K.J., Harris D.;
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=A3(2);
 RA Parkhill J., Barrell B.G., Rajandream M.A.;
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=A3(2);
 RX MEDLINE=97000351; PubMed=8843436;
 RA Redenbach M., Kieser H.M., Denapante D., Eichner A., Cullum J.,
 RA Kinashi H., Hopwood D.A.;
 RT "A set of ordered cosmids and a detailed genetic and physical map for
 RT the 8 Mb Streptomyces coelicolor A3(2) chromosome."
 RL Mol. Microbiol. 21:77-96(1996).
 KW EMBL; AL031350; CAA20499.1; -;
 DR Hypothetical protein.
 SQ SEQUENCE 186 AA; 19874 MW; A32B4FE734D48FB2 CRC64;

Query Match 67.3%; Score 37; DB 2; Length 186;
 Best Local Similarity 60.0%; Pred. No. 32;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 || | |||
 DB 51 WVTVRPGG 60

RESULT 10
 ID 004364 PRELIMINARY; PRT; 238 AA.
 AC 004364;
 DT 01-JUL-1997 (TEMBLrel. 04, Created)
 DT 01-JUL-1997 (TEMBLrel. 04, Last sequence update)
 DT 01-OCT-2000 (TEMBLrel. 15, Last annotation update)
 DE PATHOGENESIS-RELATED THAUMATIN-LIKE PROTEIN.
 GN YPR5.
 OS Oryza sativa (Rice).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; Liliopsida; Poales; Poaceae; Oryza.
 OX NCBI_TaxID=4530;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Cole K.C., Velazhahan R., Anuratha C.S., Muthukrishnan S.;
 RL Submitted (NOV-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U77657; AAB53368.1; -;
 DR HSSP; P33679; IDU5.
 DR MENDEL; 13787; Oryza.Ypr5;13787.
 DR INTERPRO; IPR001938; -;
 DR PFAM; PF00314; thaumatin; 1.
 DR PROSITE; PS00316; THAUMATIN; 1.
 DR PRODOM; PD001321; -; 1.
 SQ SEQUENCE 238 AA; 24779 MW; EF8BF22F7F76B53E CRC64;

Query Match 67.3%; Score 37; DB 10; Length 238;
 Best Local Similarity 70.0%; Pred. No. 42;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 | | | ||||
 DB 45 WPAVPSGG 54

RESULT 11
 Q9X2P4 PRELIMINARY; PRT; 289 AA.
 ID Q9X2P4

AC Q9X2P4;
 DT 01-NOV-1999 (TEMBLrel. 12, Created)
 DT 01-NOV-1999 (TEMBLrel. 12, Last sequence update)
 DT 01-MAY-2000 (TEMBLrel. 13, Last annotation update)
 DE ALKANAL MONOOXYGENASE-LIKE HYPOTHETICAL PROTEIN.
 GN AMLP.
 OS Mycobacterium smegmatis.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Corynebacteriaceae; Mycobacterium.
 OX NCBI_TaxID=1772;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MC2155;
 RA Kim B.-K., Choi K.-P., Daniels L.;
 RT "The gene for F420-dependent glucose-6-phosphate dehydrogenase (fgd)
 RT and a conserved upstream gene coding for a beta-lactamase-like protein
 RT in Mycobacterium species."
 RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MC2155;
 RA Purwanti E., Daniels L.;
 RL Submitted (MAY-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF041061; AAD31326.1; -;
 KW Monooxygenase.
 SQ SEQUENCE 289 AA; 31630 MW; 28776602C9BEFA1E CRC64;

Query Match 67.3%; Score 37; DB 2; Length 289;
 Best Local Similarity 50.0%; Pred. No. 52;
 Matches 5; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 || : ||||
 DB 203 WYISIRAGG 212

RESULT 12
 ID 055828 PRELIMINARY; PRT; 345 AA.
 AC 055828;
 DT 01-JUN-1998 (TEMBLrel. 06, Created)
 DT 01-JUN-1998 (TEMBLrel. 06, Last sequence update)
 DT 01-MAY-2000 (TEMBLrel. 13, Last annotation update)
 DE NS5 PROTEIN (FRAGMENT).
 GN NS5.
 OS Sepik virus.
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Flaviviridae;
 OC Flavivirus.
 OX NCBI_TaxID=44026;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MK7148;
 RX MEDLINE=98080391; PubMed=9420202;
 RA Kuno G., Chang G.-J., Tsuchiya K.R., Karabatsos N., Cropp C.B.;
 RT "Phylogeny of the genus Flavivirus."
 RL J. Virol. 72:73-83(1998).
 DR EMBL; AF013404; AAC58792.1; -;
 DR INTERPRO; IPR000208; -;
 DR PFAM; PF00972; Flavi_N5; 1.
 DR NON_TER 1.
 FT NON_TER 345 345
 SQ SEQUENCE 345 AA; 39170 MW; E2A274071CF8AA16 CRC64;

Query Match 67.3%; Score 37; DB 12; Length 345;
 Best Local Similarity 60.0%; Pred. No. 63;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
 || : ||||
 DB 37 WVSRRGNSGG 46

```

RESULT 13
Q54496          PRELIMINARY;          PRT;    409 AA.
ID   Q54496
AC   Q54496;
DT   01-NOV-1996 (TRENBLrel. 01, Created)
DT   01-NOV-1996 (TRENBLrel. 01, Last sequence update)
DT   01-OCT-2000 (TRENBLrel. 15, Last annotation update)
DE   SN02 PROTEIN.
GN   SN02.
OS   Streptomyces nogalater.
OC   Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
OC   Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
OX   NCBI_TaxID=38314;
[1]
RN   SEQUENCE FROM N.A.
RP   STRAIN=ATCC 27451.
RC   MEDLINE=96242142; PubMed=8668120;
RA   Ylihanko K., Tuikka J., Jussila S., Cong L., Mantsala P.;
RT   "A gene cluster involved in nogalmycin biosynthesis from Streptomyces
RT   nogalater: sequence analysis and complementation of early-block
RT   mutations in the anthracycline pathway.";
RL   Mol. Gen. Genet. 251:113-120(1996).
[3]
RN   SEQUENCE FROM N.A.
RP   STRAIN=ATCC 27451.
RC   MEDLINE=96349102; PubMed=8760909;
RA   Ylihanko K., Hakala J., Kunnari T., Mantsala P.;
RT   "Production of hybrid anthracycline antibiotics by heterologous
RT   expression of Streptomyces nogalater nogalmycin biosynthesis genes.";
RL   Microbiology 142:1965-1972(1996).
[4]
RN   SEQUENCE FROM N.A.
RP   STRAIN=ATCC 27451.
RC   MEDLINE=98007868; PubMed=9349712;
RA   Tokkell S., Ylihanko K., Hakala J., Skurnik M., Mantsala P.;
RT   "Characterization of Streptomyces nogalater genes encoding enzymes
RT   involved in glycosylation steps in nogalmycin biosynthesis.";
RL   Mol. Gen. Genet. 256:203-209(1997).
DR   EMBL; AJ224512; CAA12018.1;
DR   HSSP; P39435; 1KAS.
DR   INTERPRO; IPR000794; -.
DR   PFAM; PF00109; ketoacyl-synt; 1.
SQ   SEQUENCE 409 AA; 42583 MW; 93A8784508E15717 CRC64;

Query Match          67.3%; Score 37; DB 2; Length 409;
Best Local Similarity 56.7%; Pred. No. 75;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Oy   1 WVAKVKGSG 9
Db   198 WVAQLSSGG 206
      |||::|||
      |||::|||

RESULT 14
O9X082          PRELIMINARY;          PRT;    1008 AA.
ID   O9X082
AC   O9X082;
DT   01-NOV-1999 (TRENBLrel. 12, Created)
DT   01-NOV-1999 (TRENBLrel. 12, Last sequence update)
DT   01-MAY-2000 (TRENBLrel. 13, Last annotation update)
DE   CONSERVED HYPOTHETICAL PROTEIN.
GN   TM0987.
OS   Thermotoga maritima.
OC   Bacteria; Thermotogales; Thermotoga.
OX   NCBI_TaxID=2336;
[1]

```

```

RP   SEQUENCE FROM N.A.
RC   STRAIN=MSB8 / DSM 3109;
RX   MEDLINE=99287316; PubMed=10360571;
RA   Nelson K.E., Clayton R.A., Gill S.R., Gwinn M.L., Dodson R.J.,
RA   Haft D.H., Hickey E.K., Peterson J.D., Nelson W.C., Ketchum K.A.,
RA   McDonald L., Uitterback T.R., Malek J.A., Linher K.D., Garrett M.M.,
RA   Stewart A.M., Cotton M.D., Pratt M.S., Phillips C.A., Richardson D.,
RA   Heidelberg J., Sutton G.G., Fleischmann R.D., Eisen J.A., White O.,
RA   Salzberg S.L., Smith H.O., Venter J.C., Fraser C.M.;
RT   "Evidence for lateral gene transfer between Archaea and Bacteria from
RT   genome sequence of Thermotoga maritima.";
RL   Nature 399:323-329(1999).
DR   EMBL; AE001760; AAD36066.1; -.
DR   TIGR; TM0987; -.
DR   INTERPRO; IPR002052; -.
DR   PROSITE; PS00092; N6_MTASE; UNKNOWN_1.
SQ   SEQUENCE 1008 AA; 115760 MW; 4D640F610123B614 CRC64;

Query Match          67.3%; Score 37; DB 2; Length 1008;
Best Local Similarity 60.0%; Pred. No. 2e+02;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Oy   1 WVAKVKGSG 10
Db   196 WLARVKDKG 205
      |||::|||
      |||::|||

RESULT 15
O04013          PRELIMINARY;          PRT;    1350 AA.
ID   O04013
AC   O04013;
DT   01-JUL-1997 (TRENBLrel. 04, Created)
DT   01-JUL-1997 (TRENBLrel. 04, Last sequence update)
DT   01-OCT-2000 (TRENBLrel. 15, Last annotation update)
DE   REVERSE TRANSCRIPTASE, GAG, POLYPROTEIN.
OS   Volvox carteri.
OC   Eukaryota; Viridiplantae; Chlorophyta; Chlorophyceae; Volvocales;
OC   Volvocaceae; Volvox.
OX   NCBI_TaxID=3067;
[1]
RN   SEQUENCE FROM N.A.
RP   STRAIN=HK10; TRANSPOSON=LUECKENBUESSE;
RA   Koehl G., Putz E., Schmitt R.;
RL   Submitted (FEB-1997) to the EMBL/GenBank/DBJ databases.
DR   EMBL; U90320; AAB51275.1; -.
DR   MENDEL; 15899; Volca; 2432:15899.
DR   INTERPRO; IPR001584; -.
DR   INTERPRO; IPR001878; -.
DR   PFAM; PF000098; zf-CCHC; 1.
DR   PFAM; PF00665; rve; 1.
KW   Polyprotein; RNA-directed DNA polymerase.
SQ   SEQUENCE 1350 AA; 149847 MW; BE7299C85BFFFA013 CRC64;

Query Match          67.3%; Score 37; DB 10; Length 1350;
Best Local Similarity 87.5%; Pred. No. 2.7e+02;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy   1 WVAKVKGSG 8
Db   892 WYKVKSG 899
      |||::|||
      |||::|||

Search completed: March 28, 2001, 07:27:42
Job time: 1655 sec

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:32 ; Search time 183.85 Seconds
(without alignments)
1.860 Million cell updates/sec

Title: US-09-016-061-54
Perfect score: 55
Sequence: 1 WYAKVKSOGG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 segs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	55	100.0	10	19	W76017
2	50	90.9	10	19	W76008
3	50	90.9	117	19	W76001
4	50	90.9	117	19	W76003
5	50	90.9	117	20	Y06381
6	50	90.9	130	20	Y06379
7	43	78.2	119	19	W69322
8	43	78.2	119	20	I32832
9	43	78.2	119	20	W73503
10	43	78.2	138	13	R20064
11	42	76.4	119	16	W11919
12	42	76.4	123	19	W66099

13	42	76.4	247	16	W11917	Murine MAb SK48-E2
14	41	74.5	110	18	W06207	Rat antibody heavy
15	41	74.5	118	18	W06208	Xenograft antibody
16	41	74.5	140	18	W06205	Xenograft antibody
17	39	70.9	119	14	R32240	Humanised MAB heav
18	39	70.9	119	14	R32243	Humanised MAB heav
19	39	70.9	119	14	R32244	Humanised MAB heav
20	39	70.9	119	18	W27144	Mature heavy chain
21	39	70.9	119	21	Y87570	Humanised ABL 364
22	39	70.9	120	17	W00240	EGF receptor chine
23	39	70.9	122	13	R25722	Humanised VH regio
24	39	70.9	131	16	R70466	VH sequence of ant
25	39	70.9	138	14	R32242	Chimeric MAB heavy
26	39	70.9	138	14	R32246	BR55-2 murine IgG3
27	39	70.9	139	14	R31588	BR55-2 heavy chain
28	39	70.9	139	15	R52773	Murine KC-4 immuno
29	39	70.9	139	15	R52791	Murine KC-4 immuno
30	39	70.9	139	15	R52823	Humanised murine K
31	39	70.9	139	16	R70471	Humanised anti-KC-
32	39	70.9	141	21	Y43869	Heavy chain (VH) g
33	39	70.9	623	17	W02284	Candida albicans l
34	38	69.1	115	11	R04939	Chelate-specific h
35	38	69.1	115	11	R05039	Metal chelate spec
36	38	69.1	115	15	R54137	CHA255 heavy chain
37	37	67.3	13	20	W86105	Peptide from human
38	37	67.3	13	20	W86092	Peptide from human
39	37	67.3	13	20	W86100	Peptide from human
40	37	67.3	98	16	R72075	OF7H1.19 VH-3 H ch
41	37	67.3	98	21	Y56664	Partial peptide fr
42	37	67.3	108	17	R95283	Anti-proenkephalin
43	37	67.3	108	17	R91364	Anti-proenkephalin
44	37	67.3	116	16	R79245	Heavy chain variab
45	37	67.3	116	16	R79246	Heavy chain variab

ALIGNMENTS

RESULT 1
W76017
ID W76017 standard; Protein: 10 AA.
XX W76017;
AC
XX
XX
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-H region CDR2 protein fragment #3.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
OS Mus sp.
XX
XX WO9833919-A2.
PN
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
XX WPI; 1998-437472/37.
DR N-PSDB; V49854.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX angiogenesis or restenosis
 PS Claim 61; Page 41; 129pp; English.
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC vitaxin mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 100.0%; Score 55; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0013;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 WVAKVSGGG 10
 |||||
 Db 1 wvakvsggg 10
 |||||
 RESULT 2
 W76008
 ID W76008 standard; Protein; 10 AA.
 XX
 AC W76008;
 XX
 XX
 DT 02-NOV-1998 (first entry)
 DE LM609 grafted antibody V-H region CDR2 protein fragment #1.
 XX
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX W09833919-A2.
 PN
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49845.
 DR
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Disclosure; Page 40; 129pp; English.
 XX
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.009;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 WVAKVSGGG 10
 |||||
 Db 1 wvakvsggg 10
 |||||
 RESULT 3
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 AC W76001;
 XX
 XX
 DT 02-NOV-1998 (first entry)
 DE Vitaxin antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX W09833919-A2.
 PN
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49820.
 DR
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 1; Fig 1a; 129pp; English.
 XX
 XX This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;

Query Match 90.9%; Score 50; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 WVAKVSGGG 10
 ||||| ||||
 Db 47 wvakvsggg 56

RESULT 4

W76003
 ID W76003 standard; Protein; 117 AA.

XX
 AC W76003;

DT 02-NOV-1998 (first entry)

DE LM609 antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX Mus sp.

XX WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; V49822.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC ecc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 90.9%; Score 50; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 WVAKVSGGG 10
 ||||| ||||
 Db 47 wvakvsggg 56

RESULT 5

Y06381
 ID Y06381 standard; Protein; 117 AA.

XX
 AC Y06381;

XX DT 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 VII region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Mus musculus.

XX PN WO9929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 90.9%; Score 50; DB 20; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.11;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 WVAKVSGGG 10
 ||||| ||||
 Db 47 wvakvsggg 56

RESULT 6

Y06379
 ID Y06379 standard; Protein; 130 AA.

XX
 AC Y06379;

DT 06-SEP-1999 (first entry)
DE Murine monoclonal antibody LM609 V kappa.
XX
XX Humanised antibody; antibody humanisation; antibody engineering;
XX LM609; monoclonal antibody; complementarity determining region;
XX CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
XX cancer; therapy; diagnosis.
XX
XX Mus musculus.
OS
XX
XX
XX Key Location/Qualifiers
FH Peptide 1..2
FT /note= "vector-encoded residues"
FT Region 28..32
FT /note= "CDR1"
FT Region 47..63
FT /note= "CDR2"
FT Region 96..103
FT /note= "CDR3"
FT
FT
PN W09929888-A1.
XX
XX 17-JUN-1999.
PD
XX 04-DEC-1998; 98WO-US25828.
XX PF
XX 05-DEC-1997; 97US-0986016.
XX PR
XX (SCRI) SCRIPPS RES INST.
XX PA
XX Barbas CF, Rader C;
XX PI
XX WPT; 1999-394979/33.
XX DR
XX
XX Production of humanized mouse monoclonal antibodies
XX
XX Disclosure; Page 49-50; 55pp; English.
XX
XX This sequence represents the light chain V kappa region of murine
CC monoclonal antibody LM609. LM609 is directed to integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
XX Sequence 130 AA;
SQ
Query Match 90.9%; Score 50; DB 20; Length 130;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
OY 1 WVAVKVSGGG 10
DB 44 wvakvsggg 53
RESULT 7
ID W69322 standard; Protein; 119 AA.
XX
XX W69322;
XX AC
XX
XX 19-NOV-1998 (first entry)
XX

DE 15D3 antibody heavy chain.
XX
XX Hybridoma 15D3; 15D3' antibody; complementarity-determining region; scFv;
KW single-chain antibody molecule; multidrug-resistant human tumour cell;
KW MDR tumour; CDR; therapy; heavy chain.
XX
XX Homo sapiens.
OS
XX
XX Key Location/Qualifiers
FH Region 1..30
FT /note= "HFR1"
FT Region 31..35
FT /note= "HCDR1"
FT Region 36..49
FT /note= "HFR2"
FT Region 50..66
FT /note= "HCDR2"
FT Region 67..98
FT /note= "HFR3"
FT Region 99..108
FT /note= "HCDR3"
FT Region 109..119
FT /note= "HFR4"
FT
XX US5811267-A.
XX
XX 22-SEP-1998.
XX PD
XX
XX 07-JUN-1995; 95US-0475000.
XX PF
XX 07-JUN-1995; 95US-0475000.
XX PR
XX 29-OCT-1990; 90US-0605399.
XX PR
XX 22-OCT-1993; 93US-0141375.
XX PR
XX 17-OCT-1994; 94US-0323566.
XX
XX (CHIR) CHIRON CORP.
XX
XX Ring DB;
XX
XX WPI; 1998-530873/45.
XX DR
XX N-PSDB; V44997.
XX
XX DNA encoding single-chain antibody molecule - specific for
PT multidrug-resistant tumour cells, useful in diagnosis or therapy
XX
XX Disclosure; Fig 1; 26pp; English.
XX
XX This sequence represents the VH chain of the antibody
CC produced by hybridoma cell line 15D3. It is part of the nucleic acid of
CC the invention which encodes a single-chain antibody molecule (scFv)
CC comprising the heavy-chain complementarity-determining regions (CDRs) of
CC the monoclonal antibody produced by hybridoma cell line 15D3, where the
CC monoclonal antibody and scFv are capable of binding to
CC multidrug-resistant (MDR) human tumour cells. The CDR sequences from both
CC the heavy and light chains (HCDR1, HCDR2, HCDR3, LCDR1, LCDR2, and LCDR3)
CC are all used in an expression cassette that can be used in a method for
CC inducing the production of a polypeptide. The method is useful for
CC producing recombinant scFv, which can be used for diagnosis or therapy
CC (e.g. in the form of an immunotoxin) for MDR tumours.
XX
XX Sequence 119 AA;
SQ

Query Match 78.2%; Score 43; DB 19; Length 119;
Best Local Similarity 70.0%; Pred. No. 1.7;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
OY 1 WVAVKVSGGG 10
DB 47 wvatissggg 56
RESULT 8

Y32832
ID Y32832 standard; Protein; 119 AA.
XX AC Y32832;
XX DT 27-OCT-1999 (first entry)
XX DE 15D3 VH chain protein sequence.
XX KW Complementarity determining region; CDR; framework region; FR; antibody;
KW 15D3; immunoglobulin; human tumour cell; multiple drug resistance;
KW MDR phenotype; cancer; retroviral vector development; gene therapy;
KW murine antigen binding site.
XX OS Mus sp.
XX PN US5948647-A.
XX PD 07-SEP-1999.
XX PF 07-JUN-1995; 95US-0484508.
XX PR 07-JUN-1995; 95US-0484508.
XX PR 29-OCT-1990; 90US-0605399.
XX PR 22-OCT-1993; 93US-0141375.
XX PR 17-OCT-1994; 94US-0323566.
XX PA (CHIR) CHIRON CORP.
XX PI Ring DB;
XX WPI; 1999-517953/43.
XX N-PSDB; Z10957.
XX PT Nucleic acids encoding antibody binding sites of immunoglobulins
XX with affinity for cancer antigens useful in cancer therapy
XX PS Disclosure; Fig 1; 27pp; English.
XX CC This sequence is the antibody 15D3 VH chain. The invention relates
XX to isolated nucleic acid molecules comprising complementarity determining
XX regions (CDRs) and framework regions (FRs) from humans and mice encoding
XX a monomeric polypeptide that exhibits the immunological binding
XX properties of an immunoglobulin which binds to a human tumour cell
XX displaying the multiple drug resistance (MDR) phenotype. The recombinant
XX nucleotide sequences can be used to transfect mammalian cells for the
XX expression of recombinant human antibodies which exhibit the antigen
XX specificity of the murine antibody molecule. The polypeptides produced
XX can be used in specific binding assays, affinity purification schemes,
XX drug or toxin targeting, imaging and genetic or immunological
XX therapeutics for various cancers. The CDRs can be used in single chain Fv
XX (scFv) molecules which can be used in the development of retroviral
XX vectors that target human cancer cells expressing the MDR phenotype for
XX gene therapy. The recombinantly veneered murine antigen binding sites
XX consist of the selective replacement of FR residues from a rodent light
XX or heavy chain V region with human FR residues to provide a xenogeneic
XX molecule comprising an antigen binding site which retains substantially
XX all of the native FR polypeptide folding structure. The nucleic acids
XX encode molecules with altered or enhanced antigen-binding capabilities
XX and/or reduced immunogenicity.
XX SQ Sequence 119 AA;

Query Match 78.2%; Score 43; DB 20; Length 119;
Best Local Similarity 70.0%; Pred. No. 1.7;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 1 WVAKVSGGG 10
III : IIII
DB 47 wvatissggg 56

RESULT 10
R20064
ID R20064 standard; Protein; 138 AA.
XX AC R20064;
XX DT 27-MAR-1992 (first entry)
XX DE MRK16-H chain.
XX KW Monoclonal antibody; light; heavy; chain; cancer; drug resistance.
XX OS Chimeric Homo sapiens;
XX OS Chimeric Mus musculus.
XX PN JP03254691-A.

RESULT 9
W73503
ID W73503 standard; Protein; 119 AA.
XX AC W73503;
XX DT 26-FEB-1999 (first entry)
XX DE Antibody 15D3 heavy chain protein sequence.
XX KW Antibody; 15D3; human; tumour cell; multiple drug resistance; cancer;
KW immunotherapy; heavy chain.
XX OS Homo sapiens.
XX PN US5849877-A.
XX PD 15-DEC-1998.
XX PF 07-JUN-1995; 95US-0483199.
XX PR 07-JUN-1995; 95US-0483199.
XX PR 29-OCT-1990; 90US-0605399.
XX PR 22-OCT-1993; 93US-0141375.
XX PR 17-OCT-1994; 94US-0323566.
XX PA (CHIR) CHIRON CORP.
XX PI Ring DB;
XX WPI; 1999-069806/06.
XX N-PSDB; V08933.
XX PT Monomeric and dimeric poly:peptide(s) - which bind to human tumour
XX cell displaying multiple drug resistance
XX PS Claim 1; Fig 1; 26pp; English.
XX CC This sequence represents the heavy chain of the antibody produced by
XX the hybridoma 15D3. The protein is an example of a monomeric
XX polypeptide of the invention that binds to a human tumour cell displaying
XX multiple drug resistance. The polypeptides are used in specific binding
XX assays, affinity purification, drug or toxin targeting, imaging or
XX immunotherapy of various cancers.
XX SQ Sequence 119 AA;

Query Match 78.2%; Score 43; DB 20; Length 119;
Best Local Similarity 70.0%; Pred. No. 1.7;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 1 WVAKVSGGG 10
III : IIII
DB 47 wvatissggg 56

RESULT 10
R20064
ID R20064 standard; Protein; 138 AA.
XX AC R20064;
XX DT 27-MAR-1992 (first entry)
XX DE MRK16-H chain.
XX KW Monoclonal antibody; light; heavy; chain; cancer; drug resistance.
XX OS Chimeric Homo sapiens;
XX OS Chimeric Mus musculus.
XX PN JP03254691-A.

XX 13-NOV-1991.
 XX
 XX 02-MAR-1990; 90JP-0051563.
 PF
 XX 02-MAR-1990; 90JP-0051563.
 PR
 XX (GANK-) 2H GAN KENYUKAI.
 PA (FUJI-) FUJITA GAKUEN GH.
 PA
 XX WPI; 1992-002461/01.
 XX N-PSDB; Q20070.
 DR
 XX
 XX Chimera antibody against drug resistant cancer - comprises
 PT variable region homologous to region in mouse monoclonal antibody
 PT and constant region homologous to region in human immunoglobulin
 XX
 XX Disclosure; Fig 4; 20pp; Japanese.
 PS
 XX A chimeric antibody against drug-resistant cancer consists of
 CC (1) a variable region having an amino acid sequence homologous to
 CC a variable region in the mouse monoclonal antibody against drug-
 CC resistance and (2) a constant region having an amino acid sequence
 CC homologous to the constant region in human immunoglobulin;
 CC The chimeric antibody selectively inhibits the growth of cancer
 CC cells showing drug resistance or enhances the sensitivity to the
 CC drug. The antibody is very low in immunogenicity.
 CC The MRK16-L chain is shown in Q20071.
 XX
 XX Sequence 138 AA;
 SQ

Query Match 78.2%; Score 43; DB 13; Length 138;
 Best Local Similarity 70.0%; Pred. No. 2;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 10
 Db 66 wvatissggg 75

RESULT 11
 W11919
 ID W11919 standard; Protein; 119 AA.
 XX AC
 XX W11919;
 XX
 DT 24-JUN-1997 (first entry)
 XX
 DE Humanised MAB SK48-E26 heavy chain.
 XX
 XX Interleukin-1 beta; IL-1 beta; recombinant antibody;
 KW humanised antibody; chimeric antibody; antibody engineering;
 KW monoclonal antibody; MAB; SK48-E26; inflammation; therapy.
 XX
 OS Chimeric Homo sapiens;
 OS Chimeric Mus sp.
 XX
 FH Key Location/Qualifiers
 FT Region 1..30
 FT /label= FR1
 FT /note= "framework region 1"
 FT 31..35
 FT /label= CDR1
 FT /note= "complementarity determining region 1
 (Claim 10, page 48)"
 FT Region 36..49
 FT /label= FR2
 FT /note= "framework region 2"
 FT 50..66
 FT /label= CDR2
 FT /note= "complementarity determining region 2
 (Claim 10, page 48)"
 FT

FT Region 67..98
 FT /label= FR3
 FT /note= "framework region 3"
 FT 99..108
 FT /label= CDR3
 FT /note= "complementarity determining region 3
 (Claim 10, page 48)"
 FT Region 109..119
 FT /label= FR4
 FT /note= "framework region 4"
 XX
 XX WO9501997-A1.
 XX
 XX 19-JAN-1995.
 PD
 XX
 XX 07-JUL-1994; 94WO-US07659.
 PF
 XX
 PR 09-JUL-1993; 93US-0090534.
 PR 04-MAR-1994; 94US-0206190.
 XX (SMIK) SMITHKLINE BEECHAM CORP.
 PA
 PI Gross MS, Hurler MR, Jackson JR, Jonak ZL, Theisen TW;
 PI Young PR;
 XX
 DR WPI; 1995-066868/09.
 DR N-PSDB; T51438.
 XX
 PT Recombinant and humanised chimeric antibodies against human
 PT interleukin-1-beta - for preventing and treating
 PT interleukin-mediated inflammatory disorders
 XX
 PS Claim 39; Page 40-41; 62pp; English.
 XX
 CC The heavy chain variable region (W11919) and light chain variable
 CC region (W11920) of humanised anti-human interleukin-1 beta (IL-1
 CC beta) murine monoclonal antibody (MAB) SK48-E26 comprise the
 CC complementarity determining regions from MAB SK48-E26 (see also
 CC W11917-18) grafted into human frameworks. The humanised antibody
 CC can be produced in e.g. COS cells transfected with vectors carrying
 CC humanised heavy and light chain nucleic acids (T51437-39) for use
 CC in the treatment and prevention of IL-1 mediated inflammatory
 CC disorders.
 XX
 XX Sequence 119 AA;
 SQ

Query Match 76.4%; Score 42; DB 16; Length 119;
 Best Local Similarity 70.0%; Pred. No. 2.5;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 10
 Db 47 wwayissggg 56

RESULT 12
 W66099
 ID W66099 standard; Protein; 123 AA.
 XX AC
 XX W66099;
 XX
 DT 10-DEC-1998 (first entry)
 XX
 DE anti-CD22 monoclonal antibody heavy chain variable region.
 XX
 KW anti-CD22 monoclonal antibody heavy chain variable region; VL;
 KW Pseudomonas exotoxin; variable heavy chain; VH; variable light chain;
 KW malignant B-cell; immunodiagnosis; RF84 IgG.
 XX
 OS Mammalia.
 XX
 XX Key Location/Qualifiers
 FH

FT Misc-difference 121 /note= "Encoded by gtc"
 FT XX WO9841641-A1.
 FT PN 24-SEP-1998.
 FT PD 19-MAR-1998; 98WO-US05453.
 FT XX 20-MAR-1997; 97US-0041437.
 FT PR (USSH) US DEPT HEALTH & HUMAN SERVICES.
 FT PA Fitzgerald D, Kreitman R, Mansfield E, Pastan I;
 FT XX WPI; 1998-521227/44.
 FT DR N-PSDB; V07642.
 FT XX Recombinant anti-CD22 antibodies and immuno-conjugates - of
 FT PT antibodies linked to a therapeutic agent, e.g. Pseudomonas exotoxin
 FT PT or a label; for inhibiting malignant B-cells
 FT XX Claim 6; Fig 1; 71pp; English.
 FT XX The invention claims for a recombinant immunoconjugate comprising
 CC of a therapeutic agent (e.g Pseudomonas exotoxin) or a detectable
 CC label peptide bonded to a recombinant anti-CD22 antibody (RFB4 IgG)
 CC having the present variable heavy (VH) chain with a cysteine residue
 CC at amino acid 44 and a variable light (VL; W66098) chain with a
 CC cysteine residue at amino acid 100. The immunoconjugate is claimed
 CC to inhibit the growth of malignant B-cells in vivo, such as rodent,
 CC canine or primate B-cells. The anti-CD22 antibody is claimed useful
 CC for detecting CD22 protein in a sample or in vivo in a mammal, and
 CC can be used in diagnostic kits.
 FT XX Sequence 123 AA;
 FT SQ

Query Match 76.4%; Score 42; DB 19; Length 123;
 Best Local Similarity 70.0%; Pred. No. 2.6;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVKGSGG 10
 III : IIII
 Db 47 wwayissggg 56

RESULT 13
 ID W11917
 XX W11917 standard; Protein; 247 AA.
 AC W11917;
 XX 24-JUN-1997 (first entry)
 DE Murine MAb SK48-E26 heavy chain.
 XX Interleukin-1 beta; IL-1 beta; recombinant antibody;
 KW humanised antibody; chimeric antibody; antibody engineering;
 KW monoclonal antibody; MAb; SK48-E26; inflammation; therapy.
 XX Homo sapiens.
 OS
 XX Key Location/Qualifiers
 FH Peptide 1..19
 FT /label= Sig_peptide
 FT Region 20..49
 FT /label= FR1
 FT /note= "framework region 1"
 FT 50..54
 FT /label= CDR1
 FT /note= "complementarity determining region 1
 FT (Claim 10, page 48)"

FT Region 55..68
 FT /label= FR2
 FT /note= "framework region 2"
 FT 69..85
 FT /label= CDR2
 FT /note= "complementarity determining region 2
 FT (Claim 10, page 48)"
 FT Region 86..117
 FT /label= FR3
 FT /note= "framework region 3"
 FT 118..127
 FT /label= CDR3
 FT /note= "complementarity determining region 3
 FT (Claim 10, page 48)"
 FT Region 128..138
 FT /label= FR4
 FT /note= "framework region 4"
 FT 139..247
 FT /label= Constant_region
 FT WO9501997-A1.
 PN 19-JAN-1995.
 PD 07-JUL-1994; 94WO-US07659.
 XX 09-JUL-1993; 93US-0090534.
 PR 04-MAR-1994; 94US-0206190.
 XX (SMIK) SMITHKLINE BEECHAM CORP.
 PA Gross MS, Hurle MR, Jackson JR, Jonak ZL, Theisen TW;
 PI Young PR;
 PI WPI; 1995-066868/09.
 XX N-PSDB; T51436.
 DR Recombinant and humanised chimeric antibodies against human
 XX interleukin-1-beta - for preventing and treating
 PT interleukin-mediated inflammatory disorders
 PS Claim 5; Page 36-37; 62pp; English.
 XX Amino acid sequences of the heavy chain (W11917) and light chain
 CC (W11918) of anti-human interleukin-1 beta (IL-1 beta) murine
 CC monoclonal antibody (MAb) SK48-E26 were deduced from nucleic acids
 CC (T51436-37) derived from hybridoma SK48-E26. The heavy and light
 CC chains, esp. the complementarity determining region sequences,
 CC can be utilised in novel recombinant chimeric and humanised
 CC antibodies (see also W11919-20) useful for the treatment and
 CC prevention of IL-1 mediated inflammatory disorders.
 XX Sequence 247 AA;
 FT SQ

Query Match 76.4%; Score 42; DB 16; Length 247;
 Best Local Similarity 70.0%; Pred. No. 5.3;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVKGSGG 10
 III : IIII
 Db 66 wwayissggg 75

RESULT 14
 W06207
 ID W06207 standard; Protein; 110 AA.
 XX W06207;
 AC 17-FEB-1997 (first entry)
 FT Rat antibody heavy chain variable region.

XX Xenograft rejection; xenotransplantation; organ transplant;
 KW animal model; hamster; monoclonal antibody; HAR-1.
 XX
 XX Rattus sp.
 XX
 FH Location/Qualifiers
 FT Region 1..19
 FT /label= Leader
 FT Misc-difference 11
 FT /note= "amino acid 11 is Leu in HAR-1 VH encoded
 FT by a cDNA clone"
 FT Region 20..49
 FT /label= FR-1
 FT /note= "framework region 1"
 FT Region 50..54
 FT /label= CDR-1
 FT /note= "complementarity determining region 1"
 FT Region 55..68
 FT /label= FR-2
 FT /note= "framework region 2"
 FT Region 69..85
 FT /label= CDR-2
 FT /note= "complementarity determining region 2"
 FT Region 86..110
 FT /label= FR-3
 FT /note= "framework region 3"
 XX W09636358-A1.
 XX 21-NOV-1996.
 XX 14-MAY-1996; 96WO-US06804.
 XX 15-MAY-1995; 95US-0440621.
 XX (CEDA-) CEDARS SINAI MEDICAL CENT.
 XX Cramer DV, Makowka L, Wu G;
 XX WPI; 1997-011852/01.
 DR N-PSDB; T43416.
 XX
 XX Inhibiting xenograft rejection by modifying antigen expression of
 PT the graft - prevents binding of anti-donor antibody and prolongs
 PT graft survival
 XX
 PS Disclosure; Page 102-103; 135pp; English.
 XX
 XX A polypeptide (W06207) comprises the variable heavy chain segment
 CC of a LEW rat antibody, and is encoded by a genomic DNA clone
 CC (T43416) obt'd. from a newborn LEW rat. It differs in 1 position
 CC from the VH region of LEW rat anti-hamster xenograft antibody
 CC HAR-1 (W06205). Evidence is provided that the hyperacute
 CC rejection of xenografts is mediated by polyreactive anti-donor
 CC xenograft antibodies having VH germline configurations.
 XX
 XX Sequence 110 AA;
 SQ
 Query Match 74.5%; Score 41; DB 18; Length 110;
 Best Local Similarity 60.0%; Pred. No. 3.5;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 Qy 1 WVAKVSGG 10
 Db 66 wvasistgg 75
 III : III
 RESULT 15
 W06208
 ID W06208 standard; Protein; 118 AA.
 XX

AC W06208;
 XX 17-FEB-1997 (first entry)
 XX
 XX Xenograft antibody ID12BF3 heavy chain variable region.
 DE
 XX
 KW Xenograft rejection; xenotransplantation; organ transplant;
 KW animal model; hamster; monoclonal antibody; ID12BF3.
 XX
 OS Rattus sp.
 XX
 FH Location/Qualifiers
 FT Region 1..98
 FT /label= VH-Segment
 FT /note= "variable segment of heavy chain variable
 FT region"
 FT Region 99..103
 FT /label= D-Segment
 FT /note= "diversity segment of heavy chain variable
 FT region"
 FT Region 104..118
 FT /label= JH-Segment
 FT /note= "joining segment of heavy chain variable
 FT region"
 FT Region 1..30
 FT /label= FR-1
 FT /note= "framework region 1"
 FT Region 31..35
 FT /label= CDR-1
 FT /note= "complementarity determining region 1"
 FT Region 36..49
 FT /label= FR-2
 FT /note= "framework region 2"
 FT Region 50..66
 FT /label= CDR-2
 FT /note= "complementarity determining region 2"
 FT Region 67..98
 FT /label= FR-3
 FT /note= "framework region 3"
 FT Region 99..107
 FT /label= CDR-3
 FT /note= "complementarity determining region 3"
 FT Region 108..118
 FT /label= FR-4
 FT /note= "framework region 4"
 XX W09636358-A1.
 PN
 XX 21-NOV-1996.
 XX
 XX 14-MAY-1996; 96WO-US06804.
 XX 15-MAY-1995; 95US-0440621.
 XX (CEDA-) CEDARS SINAI MEDICAL CENT.
 XX
 XX Cramer DV, Makowka L, Wu G;
 XX WPI; 1997-011852/01.
 DR N-PSDB; T43417.
 XX
 XX Inhibiting xenograft rejection by modifying antigen expression of
 PT the graft - prevents binding of anti-donor antibody and prolongs
 PT graft survival
 XX
 PS Claim 13; Page 96; 135pp; English.
 XX
 CC A polypeptide (W06208) comprises the variable heavy chain segment
 CC of the LEW rat anti-hamster xenograft monoclonal antibody ID12BF3.
 CC It is encoded by a cDNA clone (T43417) obt'd. from a ID12BF3
 CC hybridoma heavy chain cDNA library; the hybridoma was produced by
 CC fusing spleen cells of a LEW rat that had received a hamster heart
 CC transplant, with rat myeloma cells. Recombinant fragments, e.g.

CC Fab'2 and Fab', of the antibody block binding of preformed
CC anti-donor xenograft antibodies in a recipient animal serum to
CC antigen expressed by endothelial cells of the xenograft, i.e. they
CC inhibit antibody-mediated rejection, thereby prolonging the
CC survival of the hamster xenograft in the recipient.

xx

SQ Sequence 118 AA;

Query Match 74.5%; Score 41; DB 18; Length 118;
Best Local Similarity 60.0%; Pred. No. 3.7;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 1 WVAKVKS GGG 10
||| : |||
Db 47 wvasistggg 56

Search completed: March 28, 2001, 06:34:33
Job time: 513 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:09 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: US-09-016-061-54
Perfect score: 55
Sequence: 1 WVAKVSGGG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA:*

1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep:*

2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep:*

3: /cgnl_7/ptodata/1/iaa/6_COMB.pep:*

4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep:*

5: /cgnl_7/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	43	78.2	119	2	US-08-475-000-16
2	43	78.2	119	2	US-08-483-199-16
3	43	78.2	119	2	US-08-484-508-16
4	42	76.4	119	4	PCT-US94-07659-6
5	42	76.4	247	4	PCT-US94-07659-2
6	39	70.9	119	1	US-08-053-171-12
7	39	70.9	119	1	US-08-053-171-13
8	39	70.9	119	1	US-08-053-171-14
9	39	70.9	119	1	US-08-053-171-17
10	39	70.9	119	3	US-08-815-190A-13
11	39	70.9	122	1	US-07-634-278-48
12	39	70.9	122	1	US-07-634-278-49
13	39	70.9	122	1	US-08-477-728-48
14	39	70.9	122	1	US-08-477-728-49
15	39	70.9	122	1	US-08-474-040-48
16	39	70.9	122	1	US-08-474-040-49
17	39	70.9	122	1	US-08-487-200-48
18	39	70.9	122	1	US-08-487-200-49
19	39	70.9	125	1	US-08-331-398A-65
20	39	70.9	125	2	US-08-331-397B-65
21	39	70.9	125	2	US-08-759-804A-64
22	39	70.9	138	1	US-08-053-171-7
23	39	70.9	138	1	US-08-053-171-11
24	39	70.9	139	1	US-08-129-930B-96
25	39	70.9	623	1	US-08-332-838-2
26	37	67.3	109	2	US-08-793-490-6
27	37	67.3	116	2	US-08-888-366-10
28	37	67.3	116	2	US-08-888-366-12

29	37	67.3	116	3	US-09-184-658-48	Sequence 48, Appl
30	37	67.3	119	1	US-08-207-996-18	Sequence 18, Appl
31	37	67.3	119	1	US-08-207-996-19	Sequence 19, Appl
32	37	67.3	119	1	US-08-207-996-20	Sequence 20, Appl
33	37	67.3	119	1	US-08-207-996-21	Sequence 21, Appl
34	37	67.3	119	1	US-08-207-996-22	Sequence 22, Appl
35	37	67.3	119	1	US-08-207-996-27	Sequence 27, Appl
36	37	67.3	119	1	US-08-497-312-20	Sequence 20, Appl
37	37	67.3	119	2	US-08-760-840A-18	Sequence 18, Appl
38	37	67.3	119	2	US-08-760-840A-19	Sequence 19, Appl
39	37	67.3	119	2	US-08-760-840A-20	Sequence 20, Appl
40	37	67.3	119	2	US-08-760-840A-21	Sequence 21, Appl
41	37	67.3	119	2	US-08-760-840A-22	Sequence 22, Appl
42	37	67.3	119	2	US-08-760-840A-28	Sequence 28, Appl
43	37	67.3	119	3	US-09-266-119-18	Sequence 18, Appl
44	37	67.3	119	3	US-09-266-119-19	Sequence 19, Appl
45	37	67.3	119	3	US-09-266-119-20	Sequence 20, Appl

ALIGNMENTS

RESULT 1

US-08-475-000-16

; Sequence 16, Application US/08475000

; Patent No. 5811267

; GENERAL INFORMATION:

; APPLICANT: RING, DAVID B.

; TITLE OF INVENTION: ANTIGEN-BINDING SITES OF ANTIBODY

; TITLE OF INVENTION: MOLECULES SPECIFIC FOR CANCER ANTIGENS

; NUMBER OF SEQUENCES: 18

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: CHIRON CORPORATION

; STREET: INTELLECTUAL PROPERTY R440 - P.O. BOX 8097

; CITY: Emeryville

; STATE: CA

; COUNTRY: USA

; ZIP: 94662-8097

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/475,000

; FILING DATE: 07-JUN-1995

; CLASSIFICATION: 424

; ATTORNEY/AGENT INFORMATION:

; NAME: SAVERIDE, PAUL

; REGISTRATION NUMBER: 36,914

; REFERENCE/DOCKET NUMBER: 0850.007

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (510) 601-2585

; TELEFAX: (510) 655-3542

; INFORMATION FOR SEQ ID NO: 16:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 119 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-08-475-000-16

Query Match: 78.2%; Score 43; DB 2; Length 119;
Best Local Similarity 70.0%; Pred. No. 1.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 47 WVAITSSGGG 56

RESULT 2

US-08-483-199-16
; Sequence 16, Application US/08483199
; Patent No. 5849877
; GENERAL INFORMATION:
; APPLICANT: RING, DAVID B.
; TITLE OF INVENTION: ANTIGEN-BINDING SITES OF ANTIBODY
; TITLE OF INVENTION: MOLECULES SPECIFIC FOR CANCER ANTIGENS
; NUMBER OF SEQUENCES: 18
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CHIRON CORPORATION
; STREET: INTELLECTUAL PROPERTY - R440, P.O. BOX 8097
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94662-8097
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/483,199
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: SAVERIDE, PAUL
; REGISTRATION NUMBER: 36,914
; REFERENCE/DOCKET NUMBER: 0850.009
; TELEPHONE: (510) 601-2585
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-483-199-16

Query Match 78.2%; Score 43; DB 2; Length 119;
Best Local Similarity 70.0%; Pred. No. 1.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 47 WVAISSGGG 56

RESULT 3
US-08-484-508-16
; Sequence 16, Application US/08484508
; Patent No. 5948647
; GENERAL INFORMATION:
; APPLICANT: RING, DAVID B.
; TITLE OF INVENTION: ANTIGEN-BINDING SITES OF ANTIBODY
; TITLE OF INVENTION: MOLECULES SPECIFIC FOR CANCER ANTIGENS
; NUMBER OF SEQUENCES: 18
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CHIRON CORPORATION
; STREET: INTELLECTUAL PROPERTY - R440, P.O. BOX 8097
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94662-8097
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,508
; FILING DATE: 07-JUN-1995

; CLASSIFICATION: 536
; ATTORNEY/AGENT INFORMATION:
; NAME: SAVERIDE, PAUL
; REGISTRATION NUMBER: 36,914
; REFERENCE/DOCKET NUMBER: 0850.008
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 601-585
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-484-508-16

Query Match 78.2%; Score 43; DB 2; Length 119;
Best Local Similarity 70.0%; Pred. No. 1.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 47 WVAISSGGG 56

RESULT 4
PCT-US94-07659-6
; Sequence 6, Application PC/YUS9407659
; GENERAL INFORMATION:
; APPLICANT: Young, Peter
; APPLICANT: Gross, Mitchell
; APPLICANT: Jonak, Zdenka L.
; APPLICANT: Theisen, Timothy
; APPLICANT: Hurle, Mark
; APPLICANT: Jackson, Jeffrey R.
; TITLE OF INVENTION: Recombinant and Humanized Il-1 beta
; TITLE OF INVENTION: Antibodies for Treatment of Il-1 Mediated Inflammatory
; TITLE OF INVENTION: Disorders in Man
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation - Corp.
; ADDRESSEE: Intellectual Property
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-2799
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/07659
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/090,534
; FILING DATE: 09-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Sutton, Jeffrey A.
; REGISTRATION NUMBER: 34,028
; REFERENCE/DOCKET NUMBER: P50171-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (610) 270-5024
; TELEFAX: (610) 270-5090
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein

PCT-US94-07659-6

Query Match 76.4%; Score 42; DB 4; Length 119;

Best Local Similarity 70.0%; Pred. No. 1.7;

Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10

||| : ||||

Db 47 WWAYISSGGG 56

RESULT 5

PCT-US94-07659-2

; Sequence 2, Application PC/TUS9407659

; GENERAL INFORMATION:

; APPLICANT: Young, Peter

; APPLICANT: Gross, Mitchell

; APPLICANT: Jonak, Zdenka L.

; APPLICANT: Theisen, Timothy

; APPLICANT: Hurler, Mark

; APPLICANT: Jackson, Jeffrey R.

; TITLE OF INVENTION: Recombinant and Humanized IL-1 beta

; TITLE OF INVENTION: Antibodies for Treatment of IL-1 Mediated Inflammatory

; NUMBER OF SEQUENCES: 21

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: SmithKline Beecham Corporation - Corp.

; ADDRESSEE: Intellectual Property

; STREET: 709 Swedeland Road

; CITY: King of Prussia

; STATE: PA

; COUNTRY: USA

; ZIP: 19406-2799

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: PCT/US94/07659

; FILING DATE:

; CLASSIFICATION:

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/090,534

; FILING DATE: 09-JUL-1993

; ATTORNEY/AGENT INFORMATION:

; NAME: Sutton, Jeffrey A.

; REGISTRATION NUMBER: 34,028

; REFERENCE/DOCKET NUMBER: P50171-1

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (610) 270-5024

; TELEFAX: (610) 270-5090

; INFORMATION FOR SEQ ID NO: 2:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 247 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

PCT-US94-07659-2

Query Match

Best Local Similarity 76.4%; Score 42; DB 4; Length 247;

Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10

||| : ||||

Db 66 WWAYISSGGG 75

RESULT 6

US-08-053-171-12

; Sequence 12, Application US/08053171

; Patent No. 5562903

; GENERAL INFORMATION:

; APPLICANT: Co. Loibner

; TITLE OF INVENTION: Antibody Derivatives

; NUMBER OF SEQUENCES: 32

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Townsend and Townsend Kourie and Crew

; STREET: 379 Lytton Avenue

; CITY: Palo Alto

; STATE: California

; COUNTRY: US

; ZIP: 94301

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/053,171

; FILING DATE: 22-APR-1993

; CLASSIFICATION: 424

; ATTORNEY/AGENT INFORMATION:

; NAME: Smith, William M

; REGISTRATION NUMBER: 30,223

; REFERENCE/DOCKET NUMBER: 11823-54-1

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (415) 326-2400

; TELEFAX: (415) 326-2422

; INFORMATION FOR SEQ ID NO: 12:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 119 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

; HYPOTHETICAL: NO

; FEATURE:

; NAME/KEY: Peptide

; LOCATION: 1..119

; OTHER INFORMATION: /note= "Sequence of Humanized

; Patent No. 5562903

; OTHER INFORMATION: BR55-2 Antibody, Heavy Chain Variant

; OTHER INFORMATION: H-hu-BR55-2/1"

; FEATURE:

; NAME/KEY: Region

; LOCATION: 31..35

; OTHER INFORMATION: /note= "Complementarity-determining

; OTHER INFORMATION: region"

; FEATURE:

; NAME/KEY: Region

; LOCATION: 50..66

; OTHER INFORMATION: /note= "Complementarity-determining

; OTHER INFORMATION: region"

; FEATURE:

; NAME/KEY: Region

; LOCATION: 99..108

; OTHER INFORMATION: /note= "Complementarity-determining

; OTHER INFORMATION: region"

; US-08-053-171-12

Query Match

Best Local Similarity 70.9%; Score 39; DB 1; Length 119;

Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10

||| : ||||

Db 47 WWAYISSGGG 56

RESULT 7

US-08-053-171-13

; Sequence 13, Application US/08053171

Patent No. 5562903
GENERAL INFORMATION:
APPLICANT: Co, Loibner
TITLE OF INVENTION: Antibody Derivatives
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Kourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/053,171
FILING DATE: 22-APR-1993
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-54-1
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..119
OTHER INFORMATION: /note= "Sequence of Humanized
Patent No. 5562903
OTHER INFORMATION: BR55-2 Antibody, Heavy Chain Variant H-hu-BR5-2/2"
FEATURE:
NAME/KEY: Region
LOCATION: 31..35
OTHER INFORMATION: /note= "Complementarity-determining
OTHER INFORMATION: region"
FEATURE:
NAME/KEY: Region
LOCATION: 50..66
OTHER INFORMATION: /note= "Complementarity-determining
OTHER INFORMATION: region"
FEATURE:
NAME/KEY: Region
LOCATION: 99..108
OTHER INFORMATION: /note= "Complementarity-determining
OTHER INFORMATION: region"
US-08-053-171-13

Query Match 70.9%; Score 39; DB 1; Length 119;
Best Local Similarity 60.0%; Pred. No. 5,6;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 WYAKVSGGG 10
DB 47 WWAYISNGGG 56

RESULT 8
US-08-053-171-14
Sequence 14, Application US/08053171
Patent No. 5562903
GENERAL INFORMATION:
APPLICANT: Co, Loibner

APPLICANT: Co, Loibner
TITLE OF INVENTION: Antibody Derivatives
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Kourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/053,171
FILING DATE: 22-APR-1993
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-54-1
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 14:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..119
OTHER INFORMATION: /note= "Sequence of Humanized
Patent No. 5562903
OTHER INFORMATION: BR55-2 Antibody, Heavy Chain Variant H-hu-BR55-2/3"
FEATURE:
NAME/KEY: Region
LOCATION: 31..35
OTHER INFORMATION: /note= "Complementarity-determining
OTHER INFORMATION: region"
FEATURE:
NAME/KEY: Region
LOCATION: 50..66
OTHER INFORMATION: /note= "Complementarity-determining
OTHER INFORMATION: region"
FEATURE:
NAME/KEY: Region
LOCATION: 99..108
OTHER INFORMATION: /note= "Complementarity-determining
OTHER INFORMATION: region"
US-08-053-171-14

Query Match 70.9%; Score 39; DB 1; Length 119;
Best Local Similarity 60.0%; Pred. No. 5,6;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 WYAKVSGGG 10
DB 47 WWAYISNGGG 56

RESULT 9
US-08-053-171-17
Sequence 17, Application US/08053171
Patent No. 5562903
GENERAL INFORMATION:
APPLICANT: Co, Loibner

;; TITLE OF INVENTION: Antibody Derivatives
;; NUMBER OF SEQUENCES: 32
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Townsend and Townsend Kourie and Crew
;; STREET: 379 Lytton Avenue
;; CITY: Palo Alto
;; STATE: California
;; COUNTRY: US
;; ZIP: 94301
;;
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/053,171
;; FILING DATE: 22-APR-1993
;; CLASSIFICATION: 424
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Smith, William M
;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 11823-54-1
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 326-2400
;; TELEFAX: (415) 326-2422
;; INFORMATION FOR SEQ ID NO: 17:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 119 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; HYPOTHETICAL: NO
;; FEATURE:
;; NAME/KEY: Peptide
;; LOCATION: 1..119
;; OTHER INFORMATION: /note= "Sequence of the heavy chain
;; Patent No. 5562903
;; OTHER INFORMATION: of humanized BR55-2/3 antibody."
;; FEATURE:
;; NAME/KEY: Region
;; LOCATION: 31..35
;; OTHER INFORMATION: /note= "Complementarity-determining
;; OTHER INFORMATION: region"
;; FEATURE:
;; NAME/KEY: Region
;; LOCATION: 50..66
;; OTHER INFORMATION: /note= "Complementarity-determining
;; OTHER INFORMATION: region"
;; FEATURE:
;; NAME/KEY: Region
;; LOCATION: 99..108
;; OTHER INFORMATION: /note= "Complementarity-determining
;; OTHER INFORMATION: region"
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 42
;; OTHER INFORMATION: /note= "Residue in the framework
;; OTHER INFORMATION: replaced with mouse amino acid in the humanized
;; OTHER INFORMATION: antibody."
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 44
;; OTHER INFORMATION: /note= "Residue replaced with mouse
;; OTHER INFORMATION: amino acid in humanized antibody."
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 73..75
;; OTHER INFORMATION: /note= "Residues replaced with
;; OTHER INFORMATION: mouse amino acids in humanized antibody."
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 82
;; OTHER INFORMATION: /note= "Residue replaced with mouse

;; OTHER INFORMATION: amino acids in humanized antibody."
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 87
;; OTHER INFORMATION: /note= "Residue replaced with mouse
;; OTHER INFORMATION: amino acid in humanized antibody."
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 109
;; OTHER INFORMATION: /note= "Residue replaced with mouse
;; OTHER INFORMATION: amino acid in humanized antibody."
;; US-08-053-171-17
;;
;; Query Match 70.9%; Score 39; DB 1; Length 119;
;; Best Local Similarity 60.0%; Pred. No. 5.6;
;; Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
;;
;; Qy 1 WYAKVSGGG 10
;; III : III
;; Db 47 WYATISNGG 56
;;
;; RESULT 10
;; US-08-815-190A-13
;; Sequence 13, Application US/08815190A
;; Patent No. 6046310
;; GENERAL INFORMATION:
;; APPLICANT: Queen, Cary L.
;; APPLICANT: Schneider, William P.
;; APPLICANT: Vasquez, Maximiliano
;; TITLE OF INVENTION: Fas Ligand Fusion Proteins and Their
;; TITLE OF INVENTION: Uses
;; NUMBER OF SEQUENCES: 17
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Townsend and Townsend and Crew LLP
;; STREET: Two Embarcadero Center, Eighth Floor
;; CITY: San Francisco
;; STATE: California
;; COUNTRY: USA
;; ZIP: 94111-3834
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.30
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/815,190A
;; FILING DATE: 11-MAR-1997
;; CLASSIFICATION: 536
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/614,584
;; FILING DATE: 13-MAR-1996
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Apple, Randolph T.
;; REGISTRATION NUMBER: 36,429
;; REFERENCE/DOCKET NUMBER: 011823-006710US
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 576-0200
;; TELEFAX: (415) 576-0300
;; INFORMATION FOR SEQ ID NO: 13:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 119 amino acids
;; TYPE: amino acid
;; STRANDEDNESS:
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; FEATURE:
;; NAME/KEY: Peptide
;; LOCATION: 1..119
;; OTHER INFORMATION: /note= "mature heavy chain variable
;; OTHER INFORMATION: region of humanized ABL 364 antibody"
;; US-08-815-190A-13

Query Match 70.9%; Score 39; DB 3; Length 119;
Best Local Similarity 60.0%; Pred. No. 5.6;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVSGGG 10
||| : |||
Db 47 WWAYISGGG 56

RESULT 11
US-07-634-278-48
; Sequence 48, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 48:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 122 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-48

Query Match 70.9%; Score 39; DB 1; Length 122;
Best Local Similarity 60.0%; Pred. No. 5.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 WVAKVSGGG 10
||| : |||
Db 47 WWAYISGGG 56

RESULT 12
US-07-634-278-49
; Sequence 49, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 49:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 122 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-49

Query Match 70.9%; Score 39; DB 1; Length 122;
Best Local Similarity 60.0%; Pred. No. 5.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 WVAKVSGGG 10
||| : |||
Db 47 WWAYISGGG 56

RESULT 13
US-08-477-728-48
; Sequence 48, Application US/08477728
; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.

APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 48:
SEQUENCE CHARACTERISTICS:
LENGTH: 122 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-48

Query Match 70.9%; Score 39; DB 1; Length 122;
Best Local Similarity 60.0%; Pred. No. 5.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
DB 47 WVASIRGGG 56

RESULT 14
US-08-477-728-49
Sequence 49, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US

ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 49:
SEQUENCE CHARACTERISTICS:
LENGTH: 122 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-49

Query Match 70.9%; Score 39; DB 1; Length 122;
Best Local Similarity 60.0%; Pred. No. 5.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
DB 47 WVASIRGGG 56

RESULT 15
US-08-474-040-48
Sequence 48, Application US/08474040
Patent No. 5693761
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25

;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/474,040
;; FILING DATE: 07-JUN-1995
;; CLASSIFICATION: 536
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/634,278
;; FILING DATE: 19-DEC-1990
;; APPLICATION NUMBER: US 07/590,274
;; FILING DATE: 28-SEP-1990
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/310,252
;; FILING DATE: 13-FEB-1989
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/290,975
;; FILING DATE: 28-DEC-1988
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Smith, William M
;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 11823-002600
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 326-2400
;; TELEFAX: (415) 326-2422
;; INFORMATION FOR SEQ ID NO: 48:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 122 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
US-08-474-040-48

Query Match 70.9%; Score 39; DB 1; Length 122;
Best Local Similarity 60.0%; Pred No 5.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 WVAKVKGSGG 10
Db 47 WVASIRGGG 56

Search completed: March 28, 2001, 06:39:10
Job time: 764 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:50 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-56
Perfect score: 56
Sequence: 1 STYYPDTVQG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	52	92.9	111	2 S51211	Ig heavy chain v r
2	52	92.9	113	2 S0217	Ig heavy chain v r
3	52	92.9	113	2 S26468	Ig heavy chain v r
4	52	92.9	115	2 PH1538	Ig H chain v regio
5	52	92.9	117	1 HVMSRF	Ig heavy chain pre
6	52	92.9	117	1 HVMS84	Ig heavy chain pre
7	52	92.9	117	1 HVMS34	Ig heavy chain pre
8	52	92.9	117	2 PH1552	Ig H chain v regio
9	52	92.9	119	2 PH1548	Ig H chain v regio
10	52	92.9	119	2 PH1549	Ig H chain v regio
11	49	87.5	108	2 PH1006	Ig heavy chain v r
12	49	87.5	118	2 PH1532	Ig H chain v regio
13	49	87.5	118	2 PH1550	Ig H chain v regio
14	49	87.5	119	2 PH1544	Ig H chain v regio
15	49	87.5	119	2 PH1551	Ig H chain v regio
16	49	87.5	119	2 PH1547	Ig H chain v regio
17	49	87.5	119	2 PH1555	Ig H chain v regio
18	49	87.5	119	2 PH1531	Ig H chain v regio
19	49	87.5	119	2 PH1533	Ig H chain v regio
20	49	87.5	120	2 PH1534	Ig H chain v regio
21	49	87.5	122	2 PH1537	Ig H chain v regio
22	48	85.7	70	2 PL0250	Ig heavy chain v r
23	48	85.7	97	1 HVMS91	Ig heavy chain v r
24	48	85.7	108	2 PL0248	Ig heavy chain v r
25	48	85.7	111	2 PH1007	Ig heavy chain v r
26	48	85.7	112	2 S26327	Ig heavy chain v r
27	48	85.7	117	2 PH1535	Ig H chain v regio
28	48	85.7	117	2 PH1553	Ig H chain v regio
29	48	85.7	117	2 PH1542	Ig H chain v regio

30	48	85.7	117	2 PL0249	Ig heavy chain v r
31	48	85.7	117	2 PL0252	Ig heavy chain v r
32	48	85.7	118	2 PH1539	Ig H chain v regio
33	48	85.7	119	2 PH1554	Ig H chain v regio
34	48	85.7	119	2 PH0098	Ig heavy chain v r
35	48	85.7	120	2 B49715	Ig heavy chain v r
36	46	82.1	108	2 PH1011	Ig heavy chain v r
37	46	82.1	111	2 S40090	Ig heavy chain - m
38	46	82.1	112	2 A27889	Ig heavy chain v r
39	46	82.1	119	2 PH1541	Ig H chain v regio
40	46	82.1	119	2 PH1546	Ig H chain v regio
41	46	82.1	121	2 H27888	Ig heavy chain v r
42	46	82.1	123	2 G27888	Ig heavy chain v r
43	46	82.1	124	2 I27888	Ig heavy chain v r
44	45	80.4	103	2 PH1528	Ig H chain v regio
45	45	80.4	114	2 PH1009	Ig heavy chain v r

ALIGNMENTS

RESULT 1

S51211

Ig heavy chain V region (AC7) - mouse

C:Species: Mus musculus (house mouse)

C>Date: 01-Aug-1995 #sequence_revision 01-Dec-1995 #text_change 30-May-1997

C:Accession: S51211; S58929

R:Jarvin, A.; Andrieux, A.; Chapel, A.; Buchou, T.; Marguerie, G.

FEBS Lett. 354; 169-172, 1994

A:Title: A synthetic peptide with anti-platelet activity derived from a CDR of an ant

A:Reference number: S51210; MUID:95046326

A:Accession: S51211

A:Molecule type: mRNA

A:Residues: 9-111 <JAR>

A:Accession: S58929

A:Molecule type: protein

A:Residues: 1-20 <JAR2>

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 92.9%; Score 52; DB 2: Length 111;
Best Local Similarity 90.0%; Pred. No. 0.016;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
|||||||:1
Db 57 STYYPDTVKG 66

RESULT 2

S02717

Ig heavy chain V region (clone pH62) - mouse

C:Species: Mus musculus (house mouse)

C>Date: 07-Sep-1990 #sequence_revision 07-Sep-1990 #text_change 20-Jun-2000

C:Accession: S02717

R:Sollazzo, M.; Hasemann, C.A.; Meek, K.D.; Glotz, D.; Capra, J.D.; Zanetti, M.

submitted to the EMBL Data Library, February 1989

A:Reference number: S02717

A:Accession: S02717

A:Molecule type: DNA

A:Residues: 1-113 <SOL>

A:Cross-references: EMBL:Y00744; NID:g52472; PIDN:CAA68713.1; PID:g1334095

A>Note: this sequence was determined from the differentiated gene

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 92.9%; Score 52; DB 2: Length 113;
Best Local Similarity 90.0%; Pred. No. 0.017;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 Db 57 STYYPDTVKG 66

RESULT 3

Ig heavy chain V region - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
 C:Accession: S26468
 R:Kavaler, J.
 submitted to the EMBL Data Library, April 1991
 A:Reference number: S26459
 A:Accession: S26468
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-113 <KAV>
 A:Cross-references: EMBL:X59107; NID:g51944; PDB:CAA41833.1; PID:g51945
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:11-94/Domain: immunoglobulin homology <IMM>

Query Match 92.9%; Score 52; DB 2; Length 113;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 Db 53 STYYPDTVKG 62

RESULT 4

Ig H chain V region (clone 13G12) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 21-Jan-2000
 C:Accession: PH1538
 R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
 J. Exp. Med. 177, 1105-1116, 1993
 A:Title: Molecular characterization of the humoral responses to Cryptococcus neoformans
 A:Reference number: PH1528; MUID:93210465
 A:Accession: PH1538
 A:Molecule type: mRNA
 A:Residues: 1-115 <MUK>
 A:Note: the stop codons X appear in residues 82, 85 and 106
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin
 F:14-99/Domain: immunoglobulin homology <IMM>

Query Match 92.9%; Score 52; DB 2; Length 115;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 Db 56 STYYPDTVKG 65

RESULT 5

Ig heavy chain precursor V region (RF) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
 C:Accession: JT0503
 R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
 J. Exp. Med. 169, 2007-2019, 1989
 A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
 A:Reference number: JT0501; MUID:89279149
 A:Accession: JT0503

A:Status: translation not shown
 A:Molecule type: mRNA
 A:Residues: 1-117 <LEV>

A:Experimental source: strain BALB/cJ
 A:Note: this sequence belongs to the VH7183 subfamily
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; hybridoma; immunoglobulin
 F:1-19/Domain: signal sequence #status predicted <SIG>
 F:20-117/Product: Ig heavy chain V region (RF) #status predicted <MAT>
 F:34-117/Domain: immunoglobulin homology <IMM>
 F:41-115/Disulfide bonds: #status predicted

Query Match 92.9%; Score 52; DB 1; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 Db 76 STYYPDTVKG 85

RESULT 6

Ig heavy chain precursor V region (5-84) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
 C:Accession: JT0505
 R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
 J. Exp. Med. 169, 2007-2019, 1989
 A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
 A:Reference number: JT0501; MUID:89279149
 A:Accession: JT0505

A:Status: translation not shown
 A:Molecule type: mRNA
 A:Residues: 1-117 <LEV>

A:Experimental source: strain BALB/cJ
 A:Note: this sequence belongs to the VH7183 subfamily
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-19/Domain: signal sequence #status predicted <SIG>
 F:20-117/Product: Ig heavy chain V region (5-84) #status predicted <MAT>
 F:34-117/Domain: immunoglobulin homology <IMM>
 F:41-115/Disulfide bonds: #status predicted

Query Match 92.9%; Score 52; DB 1; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 Db 76 STYYPDTVKG 85

RESULT 7

Ig heavy chain precursor V region (345) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
 C:Accession: JT0502
 R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
 J. Exp. Med. 169, 2007-2019, 1989
 A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
 A:Reference number: JT0501; MUID:89279149
 A:Accession: JT0502

A:Status: translation not shown
 A:Molecule type: mRNA
 A:Residues: 1-117 <LEV>

A:Experimental source: strain BALB/cJ
 A:Note: this sequence belongs to the VH7183 subfamily
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin

F:1-19/Domain: signal sequence #status predicted <SIG>
 F:20-117/Product: Ig heavy chain V region (345) #status predicted <MAT>
 F:34-117/Domain: immunoglobulin homology <IMM>
 F:41-115/Disulfide bonds: #status predicted

Query Match 92.9%; Score 52; DB 1; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTQVQ 10
 |||||:|
 DB 76 STYYPDVTQVQ 85

RESULT 8

PH1552
 Ig H chain V region (clone 16E4) - mouse (fragment)

C:Species: Mus musculus (house mouse)
 C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 21-Jan-2000
 C:Accession: PH1552
 R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
 J. Exp. Med. 177, 1105-1116, 1993

A:Title: Molecular characterization of the humoral responses to *Cryptococcus neoformans*
 A:Reference number: PH1528; MUID:93210465

A:Accession: PH1552
 A:Molecule type: mRNA
 A:Residues: 1-117 <MUK>

A:Note: the stop codon X appears in residue 87
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin
 F:15-97/Domain: immunoglobulin homology <IMM>

Query Match 92.9%; Score 52; DB 2; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTQVQ 10
 |||||:|
 DB 57 STYYPDVTQVQ 66

RESULT 9

PH1548
 Ig H chain V region (clone 12F4) - mouse (fragment)

C:Species: Mus musculus (house mouse)
 C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 17-Mar-1999
 C:Accession: PH1548
 R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
 J. Exp. Med. 177, 1105-1116, 1993

A:Title: Molecular characterization of the humoral responses to *Cryptococcus neoformans*
 A:Reference number: PH1528; MUID:93210465

A:Accession: PH1548
 A:Molecule type: mRNA
 A:Residues: 1-119 <MUK>

C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin
 F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 92.9%; Score 52; DB 2; Length 119;
 Best Local Similarity 90.0%; Pred. No. 0.018;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTQVQ 10
 |||||:|
 DB 57 STYYPDVTQVQ 66

RESULT 10

PH1549
 Ig H chain V region (clone 13F1) - mouse (fragment)

C:Species: Mus musculus (house mouse)
 C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 17-Mar-1999
 C:Accession: PH1549
 R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
 J. Exp. Med. 177, 1105-1116, 1993

A:Title: Molecular characterization of the humoral responses to *Cryptococcus neoformans*
 A:Reference number: PH1528; MUID:93210465

A:Accession: PH1549
 A:Molecule type: mRNA
 A:Residues: 1-119 <MUK>

C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin
 F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 92.9%; Score 52; DB 2; Length 119;
 Best Local Similarity 90.0%; Pred. No. 0.018;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTQVQ 10
 |||||:|
 DB 57 STYYPDVTQVQ 66

RESULT 11

PH1006

Ig heavy chain V region (clone 202.33) - mouse (fragment)

C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 16-Aug-1996
 C:Accession: PH1006
 R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
 J. Exp. Med. 176, 761-779, 1992

A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
 A:Reference number: PH0971; MUID:92381444

A:Accession: PH1006
 A:Status: nucleic acid sequence not shown
 A:Molecule type: mRNA

A:Residues: 1-108 <TIL>
 A:Experimental source: B cell, strain (NZB x NZW)F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:10-93/Domain: immunoglobulin homology <IMM>

Query Match 87.5%; Score 49; DB 2; Length 108;
 Best Local Similarity 80.0%; Pred. No. 0.057;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTQVQ 10
 :|||:|
 DB 52 NTYYPDVTQVQ 61

RESULT 12

PH1532

Ig H chain V region (clone 4B4) - mouse (fragment)

C:Species: Mus musculus (house mouse)
 C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 17-Mar-1999
 C:Accession: PH1532
 R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
 J. Exp. Med. 177, 1105-1116, 1993

A:Title: Molecular characterization of the humoral responses to *Cryptococcus neoformans*
 A:Reference number: PH1528; MUID:93210465

A:Accession: PH1532
 A:Molecule type: mRNA
 A:Residues: 1-118 <MUK>

A:Note: the stop codons X appear in residues 82 and 85
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin

Query Match 87.5%; Score 49; DB 2; Length 118;
 Best Local Similarity 80.0%; Pred. No. 0.062;

Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
:|||||:|
Db 56 NTYYPDTVKG 65

RESULT 13

PH1550
Ig H chain V region (clone 14E1) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 17-Mar-1999
C:Accession: PH1550
J. Exp. Med. 177, 1105-1116, 1993
R: Mukherjee, J.; Casadevall, A.; Scharff, M.D.
A:Title: Molecular characterization of the humoral responses to Cryptococcus neoformans
A:Reference number: PH1528; MUID:93210465
A:Accession: PH1550
A:Molecule type: mRNA
A:Residues: 1-118 <MUK>
A:Note: the stop codon X appears in residue 30
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin

Query Match 87.5%; Score 49; DB 2; Length 118;
Best Local Similarity 80.0%; Pred. No. 0.063;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
:|||||:|
Db 56 NTYYPDTVKG 65

RESULT 14

PH1544
Ig H chain V region (clone 9E11) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 17-Mar-1999
C:Accession: PH1544
J. Exp. Med. 177, 1105-1116, 1993
R: Mukherjee, J.; Casadevall, A.; Scharff, M.D.
A:Title: Molecular characterization of the humoral responses to Cryptococcus neoformans
A:Reference number: PH1528; MUID:93210465
A:Accession: PH1544
A:Molecule type: mRNA
A:Residues: 1-119 <MUK>
A:Note: the stop codons X appear in residues 83, 86 and 107
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin

Query Match 87.5%; Score 49; DB 2; Length 119;
Best Local Similarity 80.0%; Pred. No. 0.063;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
:|||||:|
Db 57 NTYYPDTVKG 66

RESULT 15

PH1551
Ig H chain V region (clone 15E8) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 21-Jan-2000
C:Accession: PH1551
J. Exp. Med. 177, 1105-1116, 1993
R: Mukherjee, J.; Casadevall, A.; Scharff, M.D.
A:Title: Molecular characterization of the humoral responses to Cryptococcus neoformans
A:Reference number: PH1528; MUID:93210465
A:Accession: PH1551
A:Molecule type: mRNA

A:Residues: 1-119 <MUK>
A:Note: the stop codons X appear in residues 88, 100 and 107
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 87.5%; Score 49; DB 2; Length 119;
Best Local Similarity 80.0%; Pred. No. 0.063;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
:|||||:|
Db 57 NTYYPDTVKG 66

Search completed: March 28, 2001, 06:41:50
Job time: 873 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:48 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-56
Perfect score: 56
Sequence: 1 STYYPDTVQG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39.*

pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	52	92.9	117	1 HV53_MOUSE	P18524 mus musculus
2	52	92.9	117	1 HV54_MOUSE	P18525 mus musculus
3	52	92.9	117	1 HV55_MOUSE	P18526 mus musculus
4	48	85.7	97	1 HV56_MOUSE	P18527 mus musculus
5	44	78.6	98	1 HV57_MOUSE	P18528 mus musculus
6	44	78.6	117	1 HV58_MOUSE	P18529 mus musculus
7	44	78.6	117	1 HV59_MOUSE	P18530 mus musculus
8	40	71.4	116	1 HV05_CARAU	P19181 carassius a
9	39	69.6	117	1 HV3C_HUMAN	P01764 homo sapien
10	39	69.6	706	1 HDAL_YEAST	P53973 saccharomyc
11	37	66.1	115	1 HV3F_HUMAN	P01767 homo sapien
12	37	66.1	426	1 GUNZ_ERWCH	P07103 erwinia chr
13	37	66.1	517	1 FGR_MOUSE	P14234 mus musculus
14	37	66.1	3433	1 POLG_KUNJM	P14335 k genome po
15	36	64.3	119	1 PV3L_HUMAN	P01773 homo sapien
16	36	64.3	329	1 HV22_CAEEL	Q09201 caenorhabdi
17	36	64.3	624	1 YE70_METJA	Q58855 methanococc
18	36	64.3	889	1 IREB_CHICK	Q90875 gallus gall
19	35	62.5	117	1 HV02_CANFA	P01785 canis famil
20	35	62.5	121	1 HV3J_HUMAN	P01771 homo sapien
21	35	62.5	519	1 ACH4_DROME	P25162 drosophila
22	34	61.6	507	1 VLL_HPV09	Q02480 human papil
23	34	60.7	352	1 GBAL_CORPO	P30675 coprinus co
24	34	60.7	358	1 COQ2_SCHPO	Q10252 schizosacch
25	34	60.7	566	1 Y397_MYCGE	P47637 mycoplasma
26	34	60.7	763	1 DPOL_HPEVP	Q02314 hepatitis b
27	34	60.7	969	1 SCU1_YEAST	P39112 saccharomyc
28	33	58.9	214	1 SC14_SCHCO	P35795 schizophyll
29	33	58.9	434	1 TRB2_AQUAE	Q67490 aquifex aeo
30	33	58.9	477	1 YQ06_CAEEL	Q09296 caenorhabdi
31	33	58.9	481	1 MEC2_CAEEL	Q27433 caenorhabdi
32	33	58.9	532	1 HEXA_DICDI	P13723 dictyosteli
33	33	58.9	608	1 YLP5_CAEEL	P34385 caenorhabdi

RESULT 1
HV53_MOUSE

ID HV53_MOUSE STANDARD; PRT; 117 AA.

AC P18524;

DT 01-NOV-1990 (Rel. 16, Created)

DT 01-NOV-1990 (Rel. 16, Last sequence update)

DE 15-JUL-1999 (Rel. 38, Last annotation update)

OS IG HEAVY CHAIN V REGION RF PRECURSOR.

OC Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sclurognathi; Muridae; Mus.

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=BALB/CJ;

RX MEDLINE: 89279149.

RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;

RT "Early onset of somatic mutation in immunoglobulin VH genes during

the primary immune response.";

RL J. Exp. Med. 169:2007-2019(1989).

CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.

DR PIR: J0503; HVMSRF.

DR INTERPRO: IPR003006;

DR PFAM: PF00047; Ig 1.

KW Immunoglobulin V region; Hybridoma; Signal.

FT SIGNAL 1..19

FT CHAIN 20..117 IG HEAVY CHAIN V REGION RF.

FT DOMAIN 20..49 FRAMEWORK 1.

FT DOMAIN 50..54 COMPLEMENTARITY-DETERMINING 1.

FT DOMAIN 55..68 FRAMEWORK 2.

FT DOMAIN 69..85 COMPLEMENTARITY-DETERMINING 2.

FT DOMAIN 86..117 FRAMEWORK 3.

FT DISULFID 41..115 BY SIMILARITY.

FT NON_TER 117..117

SQ SEQUENCE 117 AA; 12866 MW; 2CR3295F390F725B CRC64;

Query Match

Best Local Similarity 92.9%; Score 52; DB 1; Length 117;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10

Db 76 STYYPDTVKG 85

RESULT 2

HV54_MOUSE

ID HV54_MOUSE STANDARD; PRT; 117 AA.

AC P18525;

DT 01-NOV-1990 (Rel. 16, Created)

DT 01-NOV-1990 (Rel. 16, Last sequence update)

DE 15-JUL-1999 (Rel. 38, Last annotation update)

OS IG HEAVY CHAIN V REGION 5-84 PRECURSOR.

OC Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sclurognathi; Muridae; Mus.

```

RN  SEQUENCE FROM N.A.
RC  STRAIN=BALB/CJ;
RX  MEDLINE: 89279149.
RA  Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
RT  "Early onset of somatic mutation in immunoglobulin VH genes during
RL  the primary immune response.";
RL  J. Exp. Med. 169:2007-2019(1989).
CC  -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR  INTERPRO: IPR003006; -.
DR  PFAM: PF00047; Ig: 1.
KW  Immunoglobulin V region; Signal.
FT  SIGNAL 1 19
FT  CHAIN 20 117 IG HEAVY CHAIN V REGION 5-84.
FT  DOMAIN 20 49 FRAMEWORK 1.
FT  DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT  DOMAIN 55 68 FRAMEWORK 2.
FT  DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT  DOMAIN 86 117 FRAMEWORK 3.
FT  DISULFID 41 115 BY SIMILARITY.
FT  NON_TER 117 117
SQ  SEQUENCE 117 AA; 12872 MW; 234055CB6A469861 CRC64;

Query Match 92.9%; Score 52; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.0039;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTVOG 10
DB 76 STYYPDVTVKG 85

RESULT 3
HV55_MOUSE STANDARD; PRT; 117 AA.
AC P18526;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 345 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE: 89279149.
RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
RL the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig: 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 345.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12902 MW; 49380E4627ACA99A CRC64;

Query Match 92.9%; Score 52; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.0039;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 STYYPDVTVOG 10
DB 76 STYYPDVTVKG 85

RESULT 4
HV56_MOUSE STANDARD; PRT; 97 AA.
ID P18527;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 914.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE: 89279149.
RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
RL the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: J70504; HVMS91.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig: 1.
KW Immunoglobulin V region.
FT NON_TER 97 97
SQ SEQUENCE 97 AA; 10661 MW; C23CB33FF55DA893 CRC64;

Query Match 85.7%; Score 48; DB 1; Length 97;
Best Local Similarity 80.0%; Pred. No. 0.018;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTVOG 10
DB 56 STYYPDVTVKG 65

RESULT 5
HV57_MOUSE STANDARD; PRT; 98 AA.
ID P18528;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 6.96.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE: 89279149.
RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
RL the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: J70501; HVMS96.
DR INTERPRO: IPR003006; -.
DR PFAM: PF00047; Ig: 1.
KW Immunoglobulin V region.
FT NON_TER 98 98
SQ SEQUENCE 98 AA; 11007 MW; B8644F7F92FBF95B CRC64;

Query Match 78.6%; Score 44; DB 1; Length 98;
Best Local Similarity 77.8%; Pred. No. 0.11;

```

Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDVTQVG 10
|||||:|

Db 58 TYYPDSVKG 66

RESULT 6

ID HV58_MOUSE STANDARD; PRT; 117 AA.
AC P18529;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 5-76 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE; 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: JT0506; HVM557.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 5-76.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 FRAMEWORK 3.
FT DOMAIN 86 117 BY SIMILARITY.
FT DISULFID 41 115
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12991 MW; 93A04782B7888FA0 CRC64;

Query Match 78.6%; Score 44; DB 1; Length 117;
Best Local Similarity 77.8%; Pred. No. 0.13;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDVTQVG 10
|||||:|

Db 77 TYYPDSVKG 85

RESULT 7

ID HV59_MOUSE STANDARD; PRT; 117 AA.
AC P18530;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 7-39 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/CJ;
RX MEDLINE; 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: JT0507; HVM539.

DR INTERPRO: IPR003006;
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 7-39.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12972 MW; D5CA4167D0F1774F CRC64;

Query Match 78.6%; Score 44; DB 1; Length 117;
Best Local Similarity 77.8%; Pred. No. 0.13;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDVTQVG 10
|||||:|

Db 77 TYYPDSVKG 85

RESULT 8

ID HV05_CARAU STANDARD; PRT; 116 AA.
AC P19181;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 5A PRECURSOR.
OS Carassius auratus (Goldfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
OC Cypriniformes; Cyprinidae; Cyprininae; Carassius.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 88144476.
RA Wilson M.R., Middleton D., Warr G.W.;
RT "Immunoglobulin heavy chain variable region gene evolution: structure
and family relationships of two genes and a pseudogene in a teleost
fish.";
RL Proc. Natl. Acad. Sci. U.S.A. 85:1566-1570(1988).
DR PIR: B28966; B28966.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 116 IG HEAVY CHAIN V REGION 5A.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 84 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 85 116 FRAMEWORK 3.
FT DISULFID 41 114 BY SIMILARITY.
FT NON_TER 116 116
SQ SEQUENCE 116 AA; 12808 MW; 9C2279E2DF199B12 CRC64;

Query Match 71.4%; Score 40; DB 1; Length 116;
Best Local Similarity 70.0%; Pred. No. 0.73;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYPDVTQVG 10
|||||:|

Db 75 STYYADSVKG 84

RESULT 9

HV3C_HUMAN
ID HV3C_HUMAN STANDARD; PRT; 117 AA.
AC P01764;

21-JUL-1986 (Rel. 01, Created)
21-JUL-1986 (Rel. 01, Last sequence update)
15-JUL-1999 (Rel. 38, Last annotation update)
IG HEAVY CHAIN V-III REGION VH26 PRECURSOR.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 81101090.
RA Matthysens G., Rabbitts T.H.;
RT "Structure and multiplicity of genes for the human immunoglobulin
heavy chain variable region.";
RL Proc. Natl. Acad. Sci. U.S.A. 77:6561-6565(1980).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch)
CC -----
DR EMBL; J00236; AAA53516.1; -;
DR EMBL; M35415; AAA58735.1; -;
DR PIR; A02047; H3HU26.
DR INTERPRO; IPR003006; -;
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 19
FT CHAIN 20 117 IG HEAVY CHAIN V-III REGION VH26.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12582 MW; E826733FIA3CB0F1 CRC64;

Query Match 69.6%; Score 39; DB 1; Length 117;
Best Local Similarity 70.0%; Pred. No. 1.1;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYPDTVOG 10
Db 76 STYYGDSVKG 85

RESULT 10
HDAL_YEAST STANDARD; PRT; 706 AA.
AC P53973;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE HISTONE DEACETYLASE HDAL.
GN HDAL OR YNL021W OR N2819.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomycetes.
RN [1]
RP SEQUENCE FROM N.A.
RA Andre B., Iraqi Houssaini I., Urrestarazu L.A., Vissers S.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RP CHARACTERIZATION.
RX MEDLINE; 97121415.
RA Rundlett S.E., Carmen A.A., Kobayashi R., Bavykin S., Turner B.M.,
RA Grunstein M.;
RT "HDAL and RPD3 are members of distinct yeast histone deacetylase
complexes that regulate silencing and transcription.";
RL Proc. Natl. Acad. Sci. U.S.A. 93:14503-14508(1996).
CC -1- FUNCTION: RESPONSIBLE FOR THE DEACETYLATION OF LYSINE RESIDUES ON
THE N-TERMINAL PART OF THE CORE HISTONES (H2A, H2B, H3 AND H4).
CC HISTONE DEACETYLATION PLAYS AN IMPORTANT ROLE IN TRANSCRIPTIONAL
REGULATION AND CELL CYCLE PROGRESSION.
CC -1- SUBCELLULAR LOCATION: NUCLEAR.

CC -1- SIMILARITY: BELONGS TO THE HISTONE DEACETYLASE / ACUC / APHA
FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch)
CC -----
DR EMBL; 271297; CAA95883.1; -;
DR SGD; S0004966; HDAL.
DR INTERPRO; IPR000286; -;
DR PFAM; PF00850; Hist.deacetyl; 1.
DR PRINTS; PR01270; HDASUPER.
KW Hydrolase; Nuclear protein.
SQ SEQUENCE 706 AA; 80069 MW; 4E7069E66D03264D CRC64;

Query Match 69.6%; Score 39; DB 1; Length 706;
Best Local Similarity 75.0%; Pred. No. 8.4;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 YYPDTVOG 10
Db 275 YYPGTIQG 282

RESULT 11
HV3F_HUMAN STANDARD; PRT; 115 AA.
AC P01767;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION BUT.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE.
RX MEDLINE; 78137069.
RA Torano A., Putnam F.W.;
RT "Complete amino acid sequence of the alpha 2 heavy chain of a human
IgA2 immunoglobulin of the A2m (2) allotype.";
RL Proc. Natl. Acad. Sci. U.S.A. 75:966-969(1978).
CC -1- MISCELLANEOUS: THE SEQUENCE OF THE ALPHA-2, A2M(2) ALLOTYPE, C
REGION OF THIS MYELOMA PROTEIN IS ALSO GIVEN.
DR PIR; A02050; A2HUBU.
DR INTERPRO; IPR003006; -;
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region.
FT NON_TER 115 115
SQ SEQUENCE 115 AA; 12379 MW; 208876A7DF52DCF4 CRC64;

Query Match 66.1%; Score 37; DB 1; Length 115;
Best Local Similarity 60.0%; Pred. No. 2.7;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYPDTVOG 10
Db 56 TTYADSVK 65

RESULT 12
GUNZ_ERWCH STANDARD; PRT; 426 AA.
ID GUNZ_ERWCH
AC P07103;
DT 01-APR-1988 (Rel. 07, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)

DE ENDOGLUCANASE Z PRECURSOR (EC 3.2.1.4) (ENDO-1,4-BETA-GLUCANASE Z)
 GN (CELLULOSE Z) (EGZ).
 OS CELZ OR CEL5.
 OC Erwinia chrysanthemi.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Pectobacterium.
 [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN=3937;
 RX MEDLINE; 88216177.
 RA Guisepi A., Cami B., Aymeric J.-L., Ball G., Creuzet N.;
 RT "Homology between endoglucanase Z of Erwinia chrysanthemi and
 RT endoglucanases of Bacillus subtilis and alkalophilic Bacillus";
 RL Mol. Microbiol. 2:159-164(1988).
 RN [2]
 RP REVISIONS, AND DISULFIDE BOND.
 RC STRAIN=3937;
 RX MEDLINE; 94203057.
 RA Bortoli-German I., Brun E., Py B., Chippaux M., Barras F.;
 RT "Periplasmic disulphide bond formation is essential for cellulase
 RT secretion by the plant pathogen Erwinia chrysanthemi.";
 RL Mol. Microbiol. 11:545-553(1994).
 RN [3]
 RP MUTAGENESIS, AND DOMAINS.
 RX MEDLINE; 91312880.
 RA Py B., Bortoli-German I., Haiech J., Chippaux M., Barras F.;
 RT "Cellulase EGZ of Erwinia chrysanthemi: structural organization and
 RT importance of His98 and Glu133 residues for catalysis.";
 RL Protein Eng. 4:325-333(1991).
 RN [4]
 RP STEREOCHEMISTRY OF THE REACTION.
 RX MEDLINE; 92225124.
 RA Barras F., Bortoli-German I., Bauzan M., Rouvier J., Gey C.,
 RA Heyraud A., Henrissat B.;
 RT "Stereochemistry of the hydrolysis reaction catalyzed by
 RT endoglucanase Z from Erwinia chrysanthemi.";
 RL FEBS Lett. 300:145-148(1992).
 RN [5]
 RP STRUCTURE BY NMR OF 365-426.
 RX MEDLINE; 98070232.
 RA Brun E., Moriad F., Gans P., Blackledge M.J., Barras F., Marlon D.;
 RT "Solution structure of the cellulose-binding domain of the
 RT endoglucanase Z secreted by Erwinia chrysanthemi.";
 RL Biochemistry 36:16074-16086(1997).
 RN [6]
 RP X-RAY CRYSTALLOGRAPHY (2.30 ANGSTROMS) OF 44-335.
 RA Czjzek M., el Hassouni M., Py B., Juy M., Bortoli-German I.,
 RA Barras F.;
 RT "Protein secretion in Gram-negative pathogenic bacteria: the study of
 RT the structure/function relationships of the Erwinia chrysanthemi
 RT cellulase cel5 (former egz).";
 RL Submitted (MAR-1999) to the PDB data bank.
 CC -!- FUNCTION: REPRESENTS 97% OF THE GLOBAL CELLULOSE ACTIVITY.
 CC -!- CATALYTIC ACTIVITY: ENDOHYDROLYSIS OF 1,4-BETA-D-GLUCOSIDIC
 CC LINKAGES IN CELLULOSE.
 CC -!- SUBCELLULAR LOCATION: SECRETED.
 CC -!- SIMILARITY: BELONGS TO CELLULOSE FAMILY A (FAMILY 5 OF GLYCOSYL
 CC HYDROLASES).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; Y00540; CAA68604.1; -
 DR PIR; S03767; S03767.
 DR PDB; 1AIW; 06-MAY-98.
 DR PDB; 1EGZ; 26-MAR-99.
 DR INTERPRO; IPR001547; -
 DR PFAM; PF00150; cellulase; 1.

DR PROSITE; PS00659; GLYCOSYL_HYDROL_F5; 1.
 KW Cellulose degradation; Hydrolase; Glycosidase; Signal; 3D-structure.
 FT SIGNAL 1 43
 FT CHAIN 44 426 ENDOGLUCANASE Z.
 FT DOMAIN 44 332 CATALYTIC.
 FT DOMAIN 333 366 LINKER.
 FT DOMAIN 367 426 CELLULOSE-BINDING.
 FT ACT_SITE 176 176 PROTON DONOR.
 FT ACT_SITE 263 263 NUCLEOPHILE (BY SIMILARITY).
 FT MUTAGEN 141 141 H->A: LOSS OF ACTIVITY.
 FT MUTAGEN 176 176 E->A: LOSS OF ACTIVITY.
 FT DISULFID 368 425
 FT CONFLICT 293 295
 FT CONFLICT 350 364
 FT REF. 1).
 FT SNA -> QLTQ (IN REF. 1).
 FT TDTTVDPTTDTTPA -> MTPPLTNRPQPTHQ (IN
 FT REF. 1).
 FT THNEAGOSIVVKNLYTANWYTASVPGSDSSKTVGSCN
 FT -> LITQANSSKATCIPQTGPHPPRAALIPGRRLV
 FT AVTN (IN REF. 1).
 SQ SEQUENCE 426 AA; 46418 MW; E78F2EE021FCA5DA CRC64;
 Query Match 66.1%; Score 37; DB 1; Length 426;
 Best Local Similarity 85.7%; Pred. No. 12;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 STYYPDT 7
 Db 307 STYYPDS 313
 RESULT 13
 FGR_MOUSE
 ID FGR_MOUSE STANDARD; PRT; 517 AA.
 AC P14234;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 01-NOV-1995 (Rel. 32, Last annotation update)
 DE PROTO-ONCOGENE TYROSINE-PROTEIN KINASE FGR (EC 2.7.1.112) (P55-FGR)
 DE (C-FGR).
 GN FGR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=DBA/2J;
 RX MEDLINE; 89385605.
 RA Yi T.L., Willman C.L.;
 RT "Cloning of the murine c-fgr proto-oncogene cDNA and induction of
 RT c-fgr expression by proliferation and activation factors in normal
 RT bone marrow-derived monocytic cells.";
 RL Oncogene 4:1081-1087(1989).
 CC -!- CATALYTIC ACTIVITY: ATP + A PROTEIN TYROSINE - ADP +
 CC PROTEIN TYROSINE PHOSPHATE.
 CC -!- SIMILARITY: CONTAINS 1 SH2 DOMAIN.
 CC -!- SIMILARITY: CONTAINS 1 SH3 DOMAIN.
 CC -!- SIMILARITY: TO OTHER PROTEIN-TYROSINE KINASES IN THE CATALYTIC
 CC DOMAIN. BELONGS TO THE SRC SUBFAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X16440; CAA34463.1; -
 DR PIR; A33127; A33127.
 DR PIR; S10072; S10072.
 DR HSP; P00523; 2PTK.
 DR MGD; MGI:95527; FGR.
 DR INTERPRO; IPR000719; -


```
DR INTERPRO: IPR000980; -
DR INTERPRO: IPR001245; -
DR INTERPRO: IPR001452; -
DR PFAM: PF00017; SH2; 1.
DR PFAM: PF00018; SH3; 1.
DR PFAM: PF00069; pkinase; 1.
DR PRINTS: PR00109; TYRKINASE.
DR PRINTS: PR00401; SH2DOMAIN.
DR PRINTS: PR00452; SH3DOMAIN.
DR PROSITE: PS00107; PROTEIN_KINASE_ATP; 1.
DR PROSITE: PS00109; PROTEIN_KINASE_TYR; 1.
DR PROSITE: PS00011; PROTEIN_KINASE_DOM; 1.
DR PROSITE: PS00001; SH2; 1.
DR PROSITE: PS00002; SH3; 1.
DR TRANSFERASE: Tyrosine-protein kinase; Proto-oncogene; ATP-binding;
KW Phosphorylation; SH2 domain; SH3 domain.
FT DOMAIN 65 126
FT DOMAIN 132 229
FT DOMAIN 251 504
FT NP_BIND 257 265
FT BINDING 279 279
FT ACT_SITE 370 370
FT MOD_RES 400 400
SQ SEQUENCE 517 AA; 5867 MW; F655BDB4510F3076 CRC64;

Query Match 66.1%; Score 37; DB 1; Length 517;
Best Local Similarity 75.0%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 YYPDTVQG 10
Db 32 YYPDTQG 39

RESULT 14
POLG_KUNJM STANDARD; PRT; 3433 AA.
AC P14335; Q82983;
DT 01-JAN-1990 (Rel. 13, Created)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE GENOME POLYPEPTIDE [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN)]; MATRIX
DE PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL
DE PROTEINS NS1, NS2, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA
DE POLYMERASE (EC 2.7.7.48) (NS5)].
OS Kunjin virus (strain MRM61C).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Flaviviridae;
OC Flavivirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 88089524.
RA Cola G., Parker M.D., Byrne M.E., Westaway E.G.;
RT "Nucleotide and complete amino acid sequences of Kunjin virus:
RT definitive gene order and characteristics of the virus-specified
RT proteins";
RL J. Gen. Virol. 69:1-21(1988).
CC -!- FUNCTION: THE SMALL PROTEINS NS2A, NS2B, NS4A AND NS4B ARE
CC HYDROPHOBIC, SUGGESTING A POSSIBLE MEMBRANE-RELATED FUNCTION.
CC NS3 AND NS5 MAY PLAY A ROLE IN THE VIRAL RNA REPLICATION.
CC -!- SUBUNIT: THE VIRION OF THIS VIRUS IS A NUCLEOCAPSID COVERED BY A
CC LIPOPROTEIN ENVELOPE. THE ENVELOPE CONSISTS OF TWO PROTEINS:
CC PROTEIN M AND GLYCOPROTEIN E. THE NUCLEOCAPSID IS A COMPLEX OF
CC PROTEIN C AND MRNA.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL: D00246; BAA00176.1; -
DR PIR: A28697; GNWVKV.
DR HSP: P14336; 1SVB.
DR INTERPRO: IPR000069; -
DR INTERPRO: IPR000208; -
DR INTERPRO: IPR000336; -
DR INTERPRO: IPR000404; -
DR INTERPRO: IPR000487; -
DR INTERPRO: IPR000752; -
DR INTERPRO: IPR001122; -
DR INTERPRO: IPR001157; -
DR INTERPRO: IPR001528; -
DR INTERPRO: IPR001850; -
DR INTERPRO: IPR002535; -
DR PFAM: PF01004; Flavi_M; 1.
DR PFAM: PF00948; Flavi_NS1; 1.
DR PFAM: PF01005; Flavi_NS2A; 1.
DR PFAM: PF01002; Flavi_NS2B; 1.
DR PFAM: PF01350; Flavi_NS4; 1.
DR PFAM: PF01349; Flavi_NS4B; 1.
DR PFAM: PF00972; Flavi_NS5; 1.
DR PFAM: PF01003; Flavi_capsid; 1.
DR PFAM: PF00869; Flavi_glycoprot; 1.
DR PFAM: PF00949; Flavi_helicase; 1.
DR PFAM: PF01570; Flavi_propep; 1.
KW Polyprotein; Glycoprotein; Transferase; RNA-directed RNA polymerase;
KW Core protein; Coat protein; Envelope protein; Helicase; ATP-binding;
KW Transmembrane; Nonstructural protein.
INIT_MET 1
CHAIN 1 123
PROPEP 124 215
CHAIN 216 290
CHAIN 291 791
CHAIN 792 1143
CHAIN 1144 1374
CHAIN 1375 1505
CHAIN 1506 2124
CHAIN 2125 2273
CHAIN 2274 2528
CHAIN 2529 3433
CHAIN 3434 401
NP_BIND 1699 1706
SITE 1750 1793
DISULFID 293 320
DISULFID 350 406
DISULFID 364 395
DISULFID 382 411
DISULFID 480 578
DISULFID 595 626
CARBOHYD 138 138
CARBOHYD 921 921
CARBOHYD 966 966
CARBOHYD 998 998
SEQUENCE 3433 AA; 381363 MW; EE4B888A7D040B99 CRC64;

Query Match 66.1%; Score 37; DB 1; Length 3433;
Best Local Similarity 75.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 YYPDTVQG 10
Db 825 YYPETPQG 832

RESULT 15
HV3L_HUMAN STANDARD; PRT; 119 AA.
ID HV3L_HUMAN
AC P01773;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
```

DE IG HEAVY CHAIN V-III REGION BUR.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE (MYELOMA PROTEIN BUR).
 RX MEDLINE; 79151016.
 RA Putnam F.W., Liu Y.-S.V., Low T.L.K.;
 RT "Primary structure of a human IgA1 immunoglobulin. IV. Streptococcal
 RT IgA1 protease, digestion, Fab and Fc fragments, and the complete
 RT amino acid sequence of the alpha 1 heavy chain.";
 RL J. Biol. Chem. 254:2865-2874 (1979).
 DR PIR; A02056; ALHUBR.
 DR HSSP; P01772; 2IG2.
 DR INTERPRO; IPR003006; -.
 DR PFAM; PF00047; ig; 1.
 KW Immunoglobulin V region; Glycoprotein.
 FT MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
 FT DISULFID 22 96
 FT CARBOHYD 28 28 N-LINKED (GLCNAC. . .).
 FT NON_TER 119 119
 SQ SEQUENCE 119 AA; 12981 MW; 12A709A75344D024 CRC64;

Query Match 64.3%; Score 36; DB 1; Length 119;
 Best Local Similarity 66.7%; Pred. No. 4.3;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 TYPDPTVOG 10
 ||| |:
 Db 58 TYADSVRG 66

Search completed: March 28, 2001, 07:29:49
 Job time: 1656 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:42 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-56

Perfect score: 56

Sequence: 1 STYYPDTVQG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL15.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phage.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_vertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	40	71.4	77	4 075728	075728 homo sapien
2	40	71.4	121	4 09UL71	09ul71 homo sapien
3	40	71.4	426	2 09REW0	09rew0 erwinia chr
4	40	71.4	1151	11 09QVNS	09qvn5 rattus sp.
5	39	69.6	594	8 09T3A0	09t3a0 nephroselmi
6	39	69.6	3839	3 09P4Z1	09p4z1 neurospora
7	38	67.9	534	5 09VM10	09vm10 drosophila
8	38	67.9	2126	4 09UD02	09udg2 homo sapien
9	38	67.9	3460	4 078509	078509 homo sapien
10	37	66.1	262	13 09PWW6	09pww6 brachydanio
11	37	66.1	517	11 063206	063206 rattus norv
12	37	66.1	517	11 061404	061404 mus musculu
13	37	66.1	622	5 09NBC7	09nbc7 helisoma tr
14	37	66.1	962	12 089443	089443 african swi
15	37	66.1	3209	13 093574	093574 gallus gall
16	37	66.1	3433	12 09Q6P4	09q6p4 west nile v
17	37	66.1	3433	12 09Q5I9	09q5i9 west nile v
18	37	66.1	3433	12 09Q3G9	09q3g9 west nile v
19	37	66.1	3461	11 060841	060841 mus musculu

ALIGNMENTS

```

RESULT 1
075728 1
ID 075728 PRELIMINARY; PRT; 77 AA.
AC 075728;
DT 01-NOV-1998 (TREMBLrel. 08, Created)
DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)
DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
DE IG HEAVY CHAIN VARIABLE REGION (FRAGMENT).
GN VH.
OS Homo sapiens (human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=INTESTINE;
RA Fischer M., Kueppers R.;
RT "Human Iga and Igm secreting intestinal plasma cells carry heavily
RT mutated VH region genes.";
RL Submitted (JUL-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AJ009525; CAA08732.1;
DR INTERPRO; IPR003006;
DR PFAM; PF00047; ig: 1.
DR NON_TER 1
FT NON_TER 77
SQ SEQUENCE 77 AA; 8925 MW; 08EA6F6F1ECEFB66 CRC64;

Query Match 71.4%; Score 40; DB 4; Length 77;
Best Local Similarity 66.7%; Pred. No. 2;
Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY. 2 TYYPDTVQG 10
Db 27 TFVPDSVKG 35

RESULT 2
09UL71 PRELIMINARY; PRT; 121 AA.
ID 09UL71
AC 09UL71;
DT 01-MAY-2000 (TREMBLrel. 13, Created)

```

075741 homo sapien
09jh40 tobacco lea
Q91f73 eupatorium-
09ul72 homo sapien
016565 caenorhabdl
017863 caenorhabdl
005938 pseudomonas
09kw96 bacillus ha
09w326 drosophila
09y0e9 drosophila
09vr49 drosophila
09vc71 drosophila
Q9sfb8 arabidopsis
074693 neurospora
09p0u2 homo sapien
09y2r2 homo sapien
095063 homo sapien
092993 vibrio chol
09kuv0 vibrio chol
015943 drosophila
075732 homo sapien
060111 y 6-phospho
P89125 sida golden
P89130 sida golden
Q9wry2 echovirus 1
Q9wry1 echovirus 1

DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DE 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=96277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
 RT fetus";
 RL Clin. Immunol. Immunopathol. 87:184-192(1998).
 DR EMBL; AF035043; AAD56279.1; -;
 DR HSSP; P01772; 2FB4.
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00047; 19; 1.
 FT NON_TER 1
 FT NON_TER 121
 SQ SEQUENCE 121 AA; 13154 MW; 2F045CCFA5D50736 CRC64;

Query Match 71.4%; Score 40; DB 4; Length 121;
 Best Local Similarity 70.0%; Pred. No. 3.3;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYPDVTQV 10
 ||||| I:I:I
 Db 57 STYYADSVKG 66

RESULT 3

Q9REW0 PRELIMINARY; PRT; 426 AA.
 AC Q9REW0;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DE 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE ENDO-1,4-BETA-GLUCANASE PRECURSOR (EC 3.2.1.4).
 GN CEL52.
 OS Erwinia chrysanthemi.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Pectobacterium.
 OX NCBI_TaxID=556;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=PY35;
 RA Park S.R., Yun H.D.;
 RT "Beta-(1,4)-glucan glucanohydrolase precursor (cel52).";
 RL Submitted (NOV-1999) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF208495; AAF18152.1; -;
 DR HSSP; P07103; IEGZ.
 DR INTERPRO; IPR001547; -;
 DR PFAM; PF00150; cellulase.1.
 DR PROSITE; PS00659; GLYCOSYL-HYDROL_F5; UNKNOWN_1.
 KW Hydrolase; Glycosidase.
 SQ SEQUENCE 426 AA; 46501 MW; 60217A1C6C05FE16 CRC64;

Query Match 71.4%; Score 40; DB 2; Length 426;
 Best Local Similarity 75.0%; Pred. No. 14;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDVT 8
 ||||| I:
 Db 307 STYYPDSI 314

RESULT 4

Q9QVN5 PRELIMINARY; PRT; 1151 AA.
 ID Q9QVN5

AC Q9QVN5;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DE 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE NEUROFASCIN ISOFORM.
 OS Rattus sp.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10118;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=97103184; PubMed=8947556;
 RA Davis J.Q., Lambert S., Bennett V.;
 RT "Molecular composition of the node of Ranvier: identification of
 RT ankyrin-binding cell adhesion molecules neurofascin (mucin+/third
 RT FNIII domain-) and NrCAM at nodal axon segments.";
 RL J. Cell Biol. 135:1355-1367(1996).
 DR HSSP; P20241; ICFB.
 DR INTERPRO; IPR001777; -;
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00041; fn3; 4.
 DR PFAM; PF00047; iq; 6.
 SQ SEQUENCE 1151 AA; 129732 MW; 770BD492C4A4ECC5 CRC64;

Query Match 71.4%; Score 40; DB 11; Length 1151;
 Best Local Similarity 100.0%; Pred. No. 44;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 YPDTVQV 10
 ||||| I:
 Db 823 YPDTVQV 829

RESULT 5

Q9T3A0 PRELIMINARY; PRT; 594 AA.
 ID Q9T3A0;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DE 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
 DE HYPOTHETICAL 67.7 KDA PROTEIN.
 OS Nephroselmis olivacea.
 OG Chloroplast.
 OC Eukaryota; Viridiplantae; Chlorophyta; Prasinophyceae;
 OC Chlorodendrales; Chlorodendraceae; Nephroselmis.
 OX NCBI_TaxID=31312;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Turnel M., Otis C., Lemieux C.;
 RT "The complete chloroplast DNA sequence of the green alga Nephroselmis
 RT olivacea: Insights into the architecture of ancestral chloroplast
 RT genomes.";
 RL Proc. Natl. Acad. Sci. U.S.A. 96:10248-10253(1999).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA Turnel M., Otis C., Lemieux C.;
 RL Submitted (MAR-1999) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF137379; AAD54924.1; -;
 DR EMBL; AF137379; AAD54865.1; -;
 KW Hypothetical protein; Chloroplast.
 SQ SEQUENCE 594 AA; 67671 MW; C6AD240A53F19231 CRC64;

Query Match 69.6%; Score 39; DB 8; Length 594;
 Best Local Similarity 70.0%; Pred. No. 32;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 STYYPDVTQV 10
 I: ||||| I
 Db 223 SSLYPDVTVG 232

```

RESULT 6
Q9P4Z1 ID Q9P4Z1 PRELIMINARY; PRT; 3839 AA.
AC Q9P4Z1;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE RELATED TO TOM1 PROTEIN.
GN B1B22.10.
OS Neurospora crassa.
OC Eukaryota; Fungi; Ascomycota; Sordariales; Sordariaceae; Neurospora.
OX NCBI_TaxID=5141;
RN [1]
RP SEQUENCE FROM N.A.
RA Schulte U., Aign V., Hoheisel J., Brandt P., Fartmann B., Holland R.,
RA Nyakatura G., Mewes H.W., Mannhaupt G.;
RL Submitted (MAY-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RA German Neurospora genome project;
RL Submitted (MAY-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AL356834; CAB92704.1; -;
SQ SEQUENCE 3839 AA; 427187 MW; 6A9E57DEB48A5D9D CRC64;

Query Match 69.6%; Score 39; DB 3; Length 3839;
Best Local Similarity 66.7%; Pred. No. 2.7e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 TYPPDTVOG 10
:|||||:
DB 286 SYPPDTTNG 294

RESULT 7
Q9VM10 ID Q9VM10 PRELIMINARY; PRT; 534 AA.
AC Q9VM10;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE CG12789 PROTEIN.
GN CG12789.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Ananides P.G., Scher S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA April J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
Durlin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Fosler C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,

```

```

RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Paclet J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wasserman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL; AE003617; AAF52518.1; -;
DR FLYBASE; FBgn0031915; CG12789.
DR INTERPRO; IPR002159; -;
DR PFAM; PF01130; CD36; 1.
SQ SEQUENCE 534 AA; 59828 MW; 163A3E2DF27D5CBE CRC64;

Query Match 67.9%; Score 38; DB 5; Length 534;
Best Local Similarity 75.0%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 YYPDVTVOG 10
:|||||:
DB 338 YYPDQVEG 345

RESULT 8
Q9UDQ2 ID Q9UDQ2 PRELIMINARY; PRT; 2126 AA.
AC Q9UDQ2;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE EXTRACELLULAR MATRIX PROTEIN REELIN (FRAGMENT).
GN RELN.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=99063792; PubMed=9847074;
RA Sulston J.E., Waterston R.;
RT "Toward a complete human genome sequence.";
RL Genome Res. 8:1097-1108(1998).
RN [2]
RP SEQUENCE FROM N.A.
RA Maas J., Bauer C., Sapetti L.;
RT "The sequence of Homo sapiens PAC clone RP4-672011.";
RL Submitted (JAN-1999) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RA Waterston R.H.;
RL Submitted (JAN-1999) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE FROM N.A.
RA Waterston R.;
RL Submitted (DEC-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC006316; AAD29127.1; -;
DR INTERPRO; IPR000561; -;
DR INTERPRO; IPR002860; -;
DR PFAM; PF00008; EGF; 3.
DR PFAM; PF02012; BNR; 11.
DR PROSITE; PS00022; EGF_1; UNKNOWN_5.
DR PROSITE; PS01186; EGF_2; 5.
KW Matrix protein.

```

```

FT NON_TER      1      1
SQ SEQUENCE      2126 AA; 238614 MW; 07F73154549C36C5 CRC64;

Query Match      67.9%; Score 38; DB 4; Length 2126;
Best Local Similarity 70.0%; Pred. No. 2;ler+02;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
||||| |::|
Db 1647 STYYACTWQG 1656

RESULT 9
ID P78509 PRELIMINARY; PRT; 3460 AA.
AC P78509;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE RELIN.
GN RELN.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA DeSilva U., D'Arcangelo G., Braden V.V., Chen J., Miao G.G.,
RA Curran T., Green E.D.;
RL Submitted (DEC-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE OF 194-430 FROM N.A.
RA Lamar B., Wamsley P., Gibson A.;
RL Submitted (FEB-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; U79716; AAC51105.1; -.
DR EMBL; AC000121; AAB46357.1; -.
DR INTERPRO; IPR000561; -.
DR INTERPRO; IPR002860; -.
DR INTERPRO; IPR002861; -.
DR PFAM; PF00008; EGF; 5.
DR PFAM; PF02012; BNR; 15.
DR PFAM; PF02014; Reeler; 1.
DR PROSITE; PS00022; EGF_1; UNKNOWN_7.
DR PROSITE; PS01186; EGF_2; 6.
KW Glycoprotein.
SQ SEQUENCE 3460 AA; 388399 MW; BB2C0BA415AB93C1 CRC64;

Query Match      67.9%; Score 38; DB 4; Length 3460;
Best Local Similarity 70.0%; Pred. No. 3;7e+02;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
||||| |::|
Db 2077 STYYACTWQG 2086

RESULT 10
ID Q9PWN6 PRELIMINARY; PRT; 262 AA.
AC Q9PWN6;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE HOMEBOX PROTEIN.
GN HOXD9A.
OS Brachydanio rerio (Zebrafish) (Zebra danio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
OC Cypriniformes; Cyprinidae; Rasbora; Danio.
OX NCBI_TaxID=7955;

```

```

RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=99051425; PubMed=9831563;
RA Amores A., Force A., Yan Y.-L., Wang Y.-L., Fritz A., Prince V.,
RA Ho R., Amemiya C., Langeland J., Westerfield M., Ekker M.,
RA Postlethwait J.;
RT "zebrafish hox clusters and vertebrate genome evolution.";
RL Science 282:1711-1714(1998).
DR EMBL; AF071268; AAD15961.1; -.
DR HSSP; P02834; 1B81.
DR INTERPRO; IPR000047; -.
DR INTERPRO; IPR001356; -.
DR PFAM; PF00046; homeobox; 1.
DR PRINTS; PR00024; HOMEBOX.
DR PRINTS; PR00031; HTHREPRESSR.
DR PROSITE; PS00027; HOMEBOX_1; 1.
DR PROSITE; PS00071; HOMEBOX_2; 1.
KW Homeobox; DNA-binding; Nuclear protein.
SQ SEQUENCE 262 AA; 29731 MW; 93BC979F8677CA27 CRC64;

Query Match      66.1%; Score 37; DB 13; Length 262;
Best Local Similarity 60.0%; Pred. No. 30;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
|::| |::|
Db 8 SSYYVDITMG 17

RESULT 11
Q63206 PRELIMINARY; PRT; 517 AA.
ID Q63206
AC Q63206;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE FGR MRNA.
GN FGR.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=F344; TISSUE=LEUKEMIA;
RA Yue C.C., Labash J.D., Jaye M.;
RL Nucleic Acids Res. 0:0-0(1990).
DR EMBL; X57018; CAA40337.1; -.
DR HSSP; P12931; 1FMK.
DR INTERPRO; IPR000719; -.
DR INTERPRO; IPR000980; -.
DR INTERPRO; IPR001245; -.
DR INTERPRO; IPR001452; -.
DR PFAM; PF00017; SH2; 1.
DR PFAM; PF00018; SH3; 1.
DR PFAM; PF00069; PKinase; 1.
DR PRINTS; PR00109; TYRKINASE.
DR PRINTS; PR00401; SH2DOMAIN.
DR PRINTS; PR00452; SH3DOMAIN.
DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
DR PROSITE; PS00109; PROTEIN_KINASE_TYR; 1.
DR PROSITE; PS50001; SH2; 1.
DR PROSITE; PS50002; SH3; 1.
DR PROSITE; PS50011; PROTEIN_KINASE_DOM; 1.
DR PROSITE; PS50011; PROTEIN_KINASE_DOM; 1.
SQ SEQUENCE 517 AA; 58792 MW; 852F8BF3778C403F CRC64;

Query Match      66.1%; Score 37; DB 11; Length 517;
Best Local Similarity 75.0%; Pred. No. 65;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 3 YYPDTVQG 10

```

```

|||||
32 YPDPQTQ 39

Db

RESULT 12
Q61404 PRELIMINARY; PRT; 517 AA.
ID Q61404;
AC Q61404;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE C-FGR PROTEIN.
GN FGR OR C-FGR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90191719; PubMed=2179817;
RA King F.J., Cole M.D.;
RT "Molecular cloning and sequencing of the murine c-fgr gene.";
RL Oncogene 5:337-344(1990).
DR EMBL; X52191; CAA36437.1; -.
DR HSSP; P00523; 2PTK.
DR MGD; MGI:95527; Fgr.
DR INTERPRO; IPR000719; -.
DR INTERPRO; IPR000980; -.
DR INTERPRO; IPR001245; -.
DR INTERPRO; IPR001452; -.
DR PFAM; PF00017; SH2; 1.
DR PFAM; PF00018; SH3; 1.
DR PFAM; PF00069; pkinase; 1.
DR PRINTS; PR00109; TYRKINASE.
DR PRINTS; PR00401; SH2DOMAIN.
DR PRINTS; PR00452; SH3DOMAIN.
DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
DR PROSITE; PS00109; PROTEIN_KINASE_TVR; 1.
DR PROSITE; PS50001; SH2; 1.
DR PROSITE; PS50002; SH3; 1.
DR PROSITE; PS50011; PROTEIN_KINASE_DOM; 1.
DR Proto-oncogene; Tyrosine-protein kinase.
KW SEQUENCE 517 AA; 58882 MW; AD21F4F3469AAEC0 CRC64;

Query Match 66.1%; Score 37; DB 11; Length 517;
Best Local Similarity 75.0%; Pred. No. 65;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 YPDPVTQ 10
|||||
Db 32 YPDPQTQ 39

RESULT 13
Q9NBC7 PRELIMINARY; PRT; 622 AA.
ID Q9NBC7;
AC Q9NBC7;
DT 01-OCT-2000 (TREMBlrel. 15, Created)
DT 01-OCT-2000 (TREMBlrel. 15, Last sequence update)
DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)
DE FMRFAMIBE-GATED NA+ CHANNEL.
OS Helisoma trivolvis (Snail).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Pulmonata; Basommatophora;
OC Planorbidae; Helisoma.
OX NCBI_TaxID=27815;
RN [1]
RP SEQUENCE FROM N.A.
RX Jeziorski M.C., Green K.A., Sommerville J., Cottrell G.A.;
RA "Cloning and expression of a FMRFamide-gated Na+ channel from Helisoma
RT trivolvis and comparison with the native neuronal channel.";
RL J. Physiol. 526:13-25(2000).
DR EMBL; AF254118; AAF80601.1; -.

SQ SEQUENCE 622 AA; 70407 MW; 2F995EFA0E98EB13 CRC64;

Query Match 66.1%; Score 37; DB 5; Length 622;
Best Local Similarity 100.0%; Pred. No. 80;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDT 7
|||||
Db 601 TYYPDT 606

RESULT 14
Q89443 PRELIMINARY; PRT; 962 AA.
ID Q89443;
AC Q89443;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-JUN-2000 (TREMBlrel. 14, Last annotation update)
DE HELICASE.
GN B962L.
OS African swine fever virus (ASFV).
OC Viruses; dsDNA viruses, no RNA stage;
OC African swine fever-like viruses.
OX NCBI_TaxID=10497;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=BA71V;
RX MEDLINE=96036500; PubMed=7483270;
RA Yanez R.J., Rodriguez J.M., Nogal M.L., Yuste L., Enriquez C.,
RT Rodriguez J.F., Vinuela E.;
RT "Immune protection conferred by the baculovirus-related glycoprotein
RT of Thogoto virus (Orthomyxoviridae).";
RL Virology 208:249-278(1995).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=BA71V;
RX MEDLINE=94233765; PubMed=8178480;
RA La Vega I., Gonzalez A., Blasco R., Calvo V., Vinuela E.;
RT "Nucleotide sequence and variability of the inverted terminal
RT repetitions of African swine fever virus DNA.";
RL Virology 201:152-156(1994).
RN [3]
RP SEQUENCE FROM N.A.
RX STRAIN=BA71V;
RX MEDLINE=90219205; PubMed=2325203;
RA Gonzalez A., Calvo V., Almazan F., Almendral J.M., Ramirez J.C.,
RA La Vega I., Blasco R., Vinuela E.;
RT "Multigene families in African swine fever virus: family 360.";
RL J. Virol. 64:2073-2081(1990).
RN [4]
RP SEQUENCE FROM N.A.
RX STRAIN=BA71V;
RX MEDLINE=90219204; PubMed=2325202;
RA Almendral J.M., Almazan F., Blasco R., Vinuela E.;
RT "Multigene families in African swine fever virus: family 110.";
RL J. Virol. 64:2064-2072(1990).
RN [5]
RP SEQUENCE FROM N.A.
RX STRAIN=BA71V;
RX MEDLINE=91134988; PubMed=1994575;
RA Canacho A., Vinuela E.;
RT "Protein p22 of African swine fever virus: an early structural protein
RT that is incorporated into the membrane of infected cells.";
RL Virology 181:251-257(1991).
RN [6]
RP SEQUENCE FROM N.A.
RX STRAIN=BA71V;
RA Almazan F., Murguía J.R., Rodriguez J.M., La Vega I., Vinuela E.;
RL Submitted (APR-1995) to the EMBL/GenBank/DBSJ databases.
RN [7]
RP SEQUENCE FROM N.A.
RX STRAIN=BA71V;

```

RX MEDLINE-94187118; PubMed-8139051;
 RA Rodriguez J.M., Yanez R.J., Pan R., Rodriguez J.F., Salas M.L.,
 RA Vinuela E.;
 RT "Multigene families in African swine fever virus: family 505.";
 RL J. Virol. 68:2746-2751(1994).
 RN [8]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93346971; PubMed-8393914;
 RA Yanez R.J., Rodriguez J.M., Rodriguez J.F., Salas M.L., Vinuela E.;
 RT "African swine fever virus thymidylate kinase gene: sequence and
 RT transcriptional mapping.";
 RL J. Gen. Virol. 74:1633-1638(1993).
 RN [9]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-94065656; PubMed-8245848;
 RA Alcamí A., Angulo A., Vinuela E.;
 RT "Mapping and sequence of the gene encoding the African swine fever
 RT virion protein of Mr 11500.";
 RL J. Gen. Virol. 74:2317-2324(1993).
 RN [10]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93277388; PubMed-8503790;
 RA Munoz M., Freije J.M., Salas M.L., Vinuela E., Lopez-Otin C.;
 RT "Structure and expression in E. coli of the gene coding for protein
 RT p10 of African swine fever virus.";
 RL Arch. Virol. 130:93-107(1993).
 RN [11]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-90357780; PubMed-2389555;
 RA Blasco R., Lopez-Otin C., Munoz M., Bockamp E.O., Simon-Mateo C.,
 RA Vinuela E.;
 RT "Sequence and evolutionary relationships of African swine fever virus
 RT thymidine kinase.";
 RL Virology 178:301-304(1990).
 RN [12]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93281390; PubMed-8506138;
 RA Yanez R.J., Boursnell M., Nogal M.L., Yuste L., Vinuela E.;
 RT "African swine fever virus encodes two genes which share significant
 RT homology with the two largest subunits of DNA-dependent RNA
 RT polymerases.";
 RL Nucleic Acids Res. 21:2423-2427(1993).
 RN [13]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93353606; PubMed-8102411;
 RA Rodriguez J.M., Yanez R.J., Almazan F., Vinuela E., Rodriguez J.F.;
 RT "African swine fever virus encodes a CD2 homolog responsible for the
 RT adhesion of erythrocytes to infected cells.";
 RL J. Virol. 67:5312-5320(1993).
 RN [14]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-94085774; PubMed-8262374;
 RA Yanez R.J., Rodriguez J.M., Boursnell M., Boursnell M., Vinuela E.;
 RT "Two putative African swine fever virus helicases similar to yeast
 RT 'DBA', pre-mRNA processing proteins and vaccinia virus ATPases D1L
 RT and D6R.";
 RL Gene 134:161-174(1993).
 RN [15]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-90223993; PubMed-2327074;
 RA Lopez-Otin C., Freije J.M., Parra F., Mendez E., Vinuela E.;
 RT "Mapping and sequence of the gene coding for protein p72, the major
 RT capsid protein of African swine fever virus.";
 RL Virology 175:477-484(1990).
 RN [16]

RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-94123986; PubMed-8293992;
 RA Rodriguez J.M., Yanez R.J., Rodriguez J.F., Vinuela E., Salas M.L.;
 RT "The DNA polymerase-encoding gene of African swine fever virus:
 RT sequence and transcriptional analysis.";
 RL Gene 136:103-110(1993).
 RN [17]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93327788; PubMed-8335009;
 RA Simon-Mateo C., Andres G., Vinuela E.;
 RT "Polyprotein processing in African swine fever virus: a novel gene
 RT expression strategy for a DNA virus.";
 RL EMBO J. 12:2977-2987(1993).
 RN [18]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93233210; PubMed-8474154;
 RA Prados F.J., Vinuela E., Alcamí A.;
 RT "Sequence and characterization of the major early phosphoprotein p32
 RT of African swine fever virus.";
 RL J. Virol. 67:2475-2485(1993).
 RN [19]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-92260660; PubMed-1583732;
 RA Alcamí A., Angulo A., Lopez-Otin C., Munoz M., Freije J.M.,
 RA Carrascosa A.L., Vinuela E.;
 RT "Amino acid sequence and structural properties of protein p12, an
 RT African swine fever virus attachment protein.";
 RL J. Virol. 66:3860-3868(1992).
 RN [20]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93174976; PubMed-8438592;
 RA Yanez R.J., Vinuela E.;
 RT "African swine fever virus encodes a DNA ligase.";
 RL Virology 193:531-536(1993).
 RN [21]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-93174941; PubMed-8382399;
 RA Pena L., Yanez R.J., Revilla Y., Vinuela E., Salas M.L.;
 RT "African swine fever virus guanylyltransferase.";
 RL Virology 193:319-328(1993).
 RN [22]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-95159428; PubMed-7856088;
 RA Simon-Mateo C., Freije J.M., Andres G., Lopez-Otin C., Vinuela E.;
 RT "Mapping and sequence of the gene encoding protein p17, a major
 RT African swine fever virus structural protein.";
 RL Virology 206:1140-1144(1995).
 RN [23]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-92263807; PubMed-1316688;
 RA Garcia-Beato R., Freije J.M., Lopez-Otin C., Blasco R., Vinuela E.,
 RA Salas M.L.;
 RT "A gene homologous to topoisomerase II in African swine fever virus.";
 RL Virology 188:938-947(1992).
 RN [24]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BA71V;
 RX MEDLINE-94091056; PubMed-8266720;
 RA Freije J.M., Lain S., Vinuela E., Lopez-Otin C.;
 RT "Nucleotide sequence of a nucleoside triphosphate phosphohydrolase

Query Match 66.1%; Score 37; DB 12; Length 962;
 Best Local Similarity 60.0%; Pred. No. 1.3e+02;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 ||||| : |
 Db 110 STYPMILG 119

RESULT 15

O93574 PRELIMINARY; PRT; 3209 AA.
 AC O93574;
 DT 01-NOV-1998 (TrEMBLrel. 08, Created)
 DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE EXTRACELLULAR REELIN (FRAGMENT).
 GN RELN.
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Bernier B., Goffinet A.M.;
 RT "Comparative study of reelin in vertebrates.";
 RL Submitted (SEP-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF090441; AAC35559.1; -
 DR INTERPRO; IPR000561; -
 DR INTERPRO; IPR002860; -
 DR PFAM; PF00008; EGF; 5
 DR PFAM; PF02012; BNR; 15
 DR PROSITE; PS00022; EGF_1; UNKNOWN_7.
 DR PROSITE; PS01186; EGF_2; 7.
 KW Glycoprotein.
 FT NON_TER 1 1
 SQ SEQUENCE 3209 AA; 361291 MW; 81A7B6675BCAA3D1 CRC64;

Query Match 66.1%; Score 37; DB 13; Length 3209;
 Best Local Similarity 70.0%; Pred. No. 5.3e+02;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 ||||| : ||
 Db 1826 STYTGTTQG 1835

Search completed: March 28, 2001, 07:27:48
 Job time: 1661 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:33 ; Search time 193.85 Seconds
(without alignments)
1.860 Million cell updates/sec

Title: US-09-016-061-56

Perfect score: 56

Sequence: 1 STYYPDTVOG 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	56	100.0	10	19 W76018	LM609 grafted anti
2	52	92.9	17	18 W27342	CDR2 from murine a
3	52	92.9	117	16 W79155	Human IgE receptor
4	52	92.9	117	18 W27357	Heavy chain variab
5	52	92.9	117	18 W27526	Heavy chain variab
6	52	92.9	117	18 W27354	Heavy chain variab
7	52	92.9	118	16 W79161	Human IgE receptor
8	52	92.9	120	17 W00240	Egf receptor chime
9	52	92.9	139	18 W21652	Humanised reshaped
10	52	92.9	139	18 W21656	Chimeric MAb 15 PC
11	52	92.9	140	18 W21654	Mouse MAb 15 heavy
12	52	92.9	158	18 W19577	Mouse anti-idiotyp

13	52	92.9	158	18 W19579	Mouse anti-idiotyp
14	52	92.9	239	20 W73874	Human antiFc epsil
15	52	92.9	242	20 W73876	Human antiFc epsil
16	52	92.9	260	16 R77617	Anti-C5 MAb N19/8
17	50	89.3	117	16 R79157	Human IgE receptor
18	49	87.5	98	14 R36526	Heavy chain VH 718
19	49	87.5	123	19 R66099	Anti-CD22 monoclon
20	49	87.5	136	11 R06251	Variable region of
21	48	85.7	119	16 W19119	Humanised MAb SK48
22	48	85.7	121	15 R60626	ME1-14 heavy chain
23	48	85.7	121	18 W22951	Monoclonal antibod
24	48	85.7	121	18 W16648	Anti-cancer specif
25	48	85.7	121	20 W86124	Protein sequence o
26	48	85.7	121	20 W86125	Protein sequence o
27	48	85.7	121	20 W86122	Protein sequence o
28	48	85.7	121	20 W86120	Protein sequence o
29	48	85.7	121	20 W86118	Murine 340 Vh amin
30	48	85.7	130	16 R86318	Anti-IL-8 MAb 5.12
31	48	85.7	130	18 W42318	Anti IL-8 antibody
32	48	85.7	130	18 W31575	Anti IL-8 monoclon
33	48	85.7	130	18 W23785	Monoclonal antibod
34	48	85.7	130	19 W69306	Murine anti-IL-8 M
35	48	85.7	130	19 W40121	Murine monoclonal
36	48	85.7	130	19 W33740	Anti IL-8 monoclon
37	48	85.7	130	20 Y29438	Murine 5.12.14 ant
38	48	85.7	130	21 Y77743	Murine anti-IL-8 a
39	48	85.7	138	17 W03722	Anti-human gp39 MA
40	48	85.7	139	13 R27053	Anti-CEA specific
41	48	85.7	139	14 R30480	hCEA specific mous
42	48	85.7	144	15 R61239	Monoclonal antibod
43	48	85.7	247	16 W19117	Murine MAb SK48-E2
44	48	85.7	251	16 R86320	Anti-IL-8 MAb 5.12
45	48	85.7	251	18 W42320	Murine variable an

ALIGNMENTS

RESULT 1

W76018 ID W76018 standard; Protein; 10 AA.

XX W76018;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR2 protein fragment #4.

XX Vitaxin; antibody; variable region; heavy chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

XX complementarity determining region.

OS Mus sp.

XX W09833919-A2.

XX 06-AUG-1998.

PD 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

PA (IXSV-) IXSVS INC.

PI Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; V49855.

XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
PS Claim 61; Page 41; 129pp; English.
XX
CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 56; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00011;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
Db 1 STYYPDTVQG 10

RESULT 2
W27342
ID W27342 standard; peptide; 17 AA.
XX
AC W27342;
DT 12-DEC-1997 (first entry)
XX
DE CDR2 from murine anti-human IgE receptor antibody heavy chain.
XX
KW Complementarity determining region; CDR2; murine; mouse; human;
KW high affinity; immunoglobulin E; receptor; monoclonal antibody;
KW IgE; Mab; heavy chain; variable region; humanised; semi-chimeric;
KW chimeric; treatment; prevention; disease; allergy.
XX
OS Mus spp.
XX
PN JP09191886-A.
XX
PD 29-JUL-1997.
XX
PF 19-JAN-1996; 96JP-0024816.
XX
PR 19-JAN-1996; 96JP-0024816.
XX
PA (ASAK) ASahi BREWERIES LTD.
PA (NIKK-) NIKKA WHISKEY KK.
PA (TORI) TORII YAKUHIN KK.
PA (TSUR/) TSURA T.
XX
DR WPI; 1997-429186/40.
XX
PT Humanised, semi-chimeric and chimeric antibodies against human
PT high-affinity IgE receptor - useful medicinally and have low
PT antigenicity in humans
XX
PS Claim 1; Page 12; 26pp; Japanese.
XX
CC The present complementarity determining region 2 (CDR2), which is
CC from a murine, anti-human high affinity immunoglobulin E (IgE)
CC receptor, monoclonal antibody (Mab) heavy chain variable region,
CC can be used in the preparation of humanised or semi-chimeric

CC anti-human high affinity IgE receptor Mab. The Mab can be used to
CC treat or prevent diseases, specifically allergies, associated with
CC the receptor. The humanised, semi-chimeric or chimeric Mab have
CC very low antigenicity in humans.
XX
SQ Sequence 17 AA;

Query Match 92.9%; Score 52; DB 18; Length 17;
Best Local Similarity 90.0%; Pred. No. 0.0012;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
Db 8 STYYPDTVKG 17

RESULT 3
R79155
ID R79155 standard; peptide; 117 AA.
XX
AC R79155;
XX
DT 04-MAR-1996 (first entry)
XX
DE Human IgE receptor-binding antibody-related peptide heavy chain.
XX
KW Immunoglobulin E; antibody; receptor; monoclonal; detection;
KW complementarity determining region.
XX
OS Mus sp.
XX
FH Key Location/Qualifiers
FT Region 31..35
FT /label= CDR1H
FT /note= "all CDR regions are claimed"
FT Region 50..66
FT /label= CDR2H
FT /note= "all CDR regions are claimed"
FT Region 99..106
FT /label= CDR3H
FT /note= "all CDR regions are claimed"
XX
PN JP07165799-A.
XX
PD 27-JUN-1995.
XX
PF 22-OCT-1993; 93JP-0264792.
XX
PR 22-OCT-1993; 93JP-0264792.
XX
PA (ASAK) ASahi BREWERIES LTD.
PA (NIKK-) NIKKA WHISKEY KK.
PA (TORI) TORII YAKUHIN KK.
PA (TSUR/) TSURA T.
XX
DR WPI; 1995-261292/34.
DR N-PSDB; Q96282.
XX
PT Novel monoclonal antibody against human high-affinity IgE receptor -
PT and DNA fragment encoding the Mab, for the specific identification
PT of human Fc-epsilon RI
XX
PS Claim 3; Page 13; 20pp; Japanese.
XX
CC Polypeptides which specifically recognise human IgE receptor (Fc-
CC epsilon-RI) have been isolated and sequenced. The new peptides are
CC related to a monoclonal antibody against Fc-epsilon RI and are
CC either heavy or light chain molecules. The heavy chain molecules
CC have the general formula FRI-CDRIH-FR2-CDR2H-FR3-CDR3H-FR4 (corresp.
CC to R79153, R79155, R79157, R79159 and R79161) and are encoded by
CC Q96280, Q96282, Q96284, Q96286 and Q96288. FRI is a polypeptide
CC having 29-36 amino acids (aa), FR2 is a 10-16 aa polypeptide, FR3 is

CC a 33-35 aa polypeptide and FR4 is a 12-14 aa polypeptide. Similarly
 CC the light chains have the general formula FR5-CDRL-FR6-CDRL-FR7-
 CC CDR3L-FR8, (corresp. to R79154, R79156, R79158, R79160 and R79162)
 CC and are encoded by Q96281, Q96283, Q96285, Q96287 and Q96289. FR5
 CC is a 23-28 aa polypeptide, FR6 is a 14-16 aa polypeptide, FR7 is a
 CC 30-34 aa polypeptide and FR8 is a 9-11 aa polypeptide. All the
 CC peptides are derived from mouse hybridoma cells and are useful in
 CC the detection of the human FC-epsilonRI or for the elucidation of
 CC an antigen recognising region of a monoclonal antibody against
 CC human FC-epsilonRI.

XX SQ Sequence 117 AA;

Query Match 92.9%; Score 52; DB 16; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.01;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTVOG 10

Db 57 styyptdvtkg 66

RESULT 4

W27357 ID W27357 standard; Protein; 117 AA.

XX AC W27357;

XX DT 16-DEC-1997 (first entry)

XX DE Heavy chain variable region of chimeric human CRA2 antibody.

XX KW Complementarity determining region; CDR; murine; mouse; human;

XX KW high affinity; immunoglobulin E; receptor; monoclonal antibody;

XX KW IgE; MAb; heavy chain; variable region; humanised; semi-chimeric;

XX KW chimeric; treatment; prevention; disease; allergy; CRA2.

XX OS Chimeric - Homo sapiens.

XX OS Chimeric - Mus spp.

XX OS Synthetic.

XX PN JP09191886-A.

XX PD 29-JUL-1997.

XX PF 19-JAN-1996; 96JP-0024816.

XX PR 19-JAN-1996; 96JP-0024816.

XX PA (ASAK) ASahi BREWERIES LTD.

XX PA (NIKK-) NIKKA WHISKEY KK.

XX PA (TORI) TORII YAKUHIIN KK.

XX PA (TSUR/) TSURA T.

XX DR WPI; 1997-429186/40.

XX PT Humanised, semi-chimeric and chimeric antibodies against human

PT high-affinity IgE receptor - useful medicinally and have low

PT antigenicity in humans

XX PS Claim 8; Page 15; 26pp; Japanese.

XX CC The present sequence, the heavy chain variable region of a

CC chimeric human CRA2 antibody (Ab), comprises complementarity

CC determining regions (CDR) from a murine, anti-human high affinity

CC immunoglobulin E (IgE) receptor, monoclonal Ab (MAB). The

CC humanised chimeric MAB can be used to treat or prevent diseases,

CC specifically allergies, associated with the receptor, and has very

XX low antigenicity in humans.

XX SQ Sequence 117 AA;

Query Match 92.9%; Score 52; DB 18; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.01;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTVOG 10

Db 57 styyptdvtkg 66

RESULT 5

W27526 ID W27526 standard; Protein; 117 AA.

XX AC W27526;

XX DT 16-DEC-1997 (first entry)

XX DE Heavy chain variable region of human CRA2 antibody.

XX KW Complementarity determining region; CDR; murine; mouse; human;

XX KW high affinity; immunoglobulin E; receptor; monoclonal antibody;

XX KW IgE; MAB; heavy chain; variable region; humanised; semi-chimeric;

XX KW chimeric; treatment; prevention; disease; allergy; CRA2.

XX OS Homo sapiens.

XX PN JP09191886-A.

XX PD 29-JUL-1997.

XX PF 19-JAN-1996; 96JP-0024816.

XX PR 19-JAN-1996; 96JP-0024816.

XX PA (ASAK) ASahi BREWERIES LTD.

XX PA (NIKK-) NIKKA WHISKEY KK.

XX PA (TORI) TORII YAKUHIIN KK.

XX PA (TSUR/) TSURA T.

XX DR WPI; 1997-429186/40.

XX PT Humanised, semi-chimeric and chimeric antibodies against human

PT high-affinity IgE receptor - useful medicinally and have low

PT antigenicity in humans

XX PS Claim 2; Page 13; 26pp; Japanese.

XX CC The present sequence, the heavy chain variable region of the human

CC antibody (Ab) CRA2, was used in the preparation of a humanised or

CC semi-chimeric monoclonal Ab (MAB), comprising complementarity

CC determining regions (CDR) from a murine, anti-human high affinity

CC immunoglobulin E (IgE) receptor, MAB. The humanised, semi-chimeric

CC or chimeric MAB can be used to treat or prevent diseases,

CC specifically allergies, associated with the receptor, and has very

XX low antigenicity in humans.

Query Match 92.9%; Score 52; DB 18; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.01;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTVOG 10

Db 57 styyptdvtkg 66

RESULT 6

W27354 ID W27354 standard; Protein; 117 AA.

XX

AC W27354;
 XX 16-DEC-1997 (first entry)
 XX DE Heavy chain variable region of human CRA2 antibody.
 XX KW Complementarity determining region; CDR; murine; mouse; human;
 KW high affinity; immunoglobulin E; receptor; monoclonal antibody;
 KW IgE; MAb; heavy chain; variable region; humanised; semi-chimeric;
 KW chimeric; treatment; prevention; disease; allergy; CRA2.
 XX OS Homo sapiens.
 XX PN JP09191886-A.
 XX PD 29-JUL-1997.
 XX PF 19-JAN-1996; 96JP-0024816.
 XX PR 19-JAN-1996; 96JP-0024816.
 XX PA (ASAK) ASahi BREWERIES LTD.
 PA (NIKK-) NIKKA WHISKEY KK.
 PA (TORI) TORII YAKOHIN KK.
 PA (TSUR/) TSURA T.
 XX WPI; 1997-429186/40.
 DR N-PSDB; T90025.
 XX Humanised, semi-chimeric and chimeric antibodies against human
 PT high-affinity IgE receptor - useful medicinally and have low
 PT antigenicity in humans
 XX Disclosure; Fig 1; 26pp; Japanese.
 XX The cDNA encoding the present sequence, the heavy chain variable
 CC region of the human antibody (Ab) CRA2, was used in the preparation
 CC of a humanised or semi-chimeric monoclonal Ab (MAb), comprising
 CC complementarity determining regions (CDR) from a murine, anti-human
 CC high affinity immunoglobulin E (IgE) receptor, MAb. The humanised,
 CC semi-chimeric or chimeric MAb can be used to treat or prevent
 CC diseases, specifically allergies, associated with the receptor, and
 CC has very low antigenicity in humans.
 XX Sequence 117 AA;
 SQ
 Query Match 92.9%; Score 52; DB 18; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.01;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 STYPPDTVQG 10
 Db 57 styppdtvkg 66
 |||||||:
 RESULT 7
 R79161 ID R79161 standard; peptide; 118 AA.
 XX AC R79161;
 XX DT 04-MAR-1996 (first entry)
 XX DE Human IgE receptor-binding antibody-related peptide heavy chain.
 XX KW Immunoglobulin E; antibody; receptor; monoclonal; detection;
 KW complementarity determining region.
 XX OS Mus sp.
 XX FH Key Location/Qualifiers
 FT Region 29..33

FT FT /label= CDR1H
 FT /note= "all CDR regions are claimed"
 FT Region 48..64
 FT FT /label= CDR2H
 FT /note= "all CDR regions are claimed"
 FT Region 97..107
 FT FT /label= CDR3H
 FT /note= "all CDR regions are claimed"
 XX JP07165799-A.
 XX PD 27-JUN-1995.
 XX PF 22-OCT-1993; 93JP-0264792.
 XX PR 22-OCT-1993; 93JP-0264792.
 XX PA (ASAK) ASahi BREWERIES LTD.
 PA (NIKK-) NIKKA WHISKEY KK.
 PA (TORI) TORII YAHUKIN KK.
 PA (TSUR/) TSURA T.
 XX WPI; 1995-261292/34.
 DR N-PSDB; Q96288.
 XX Novel monoclonal antibody against human high-affinity IgE receptor -
 PT and DNA fragment encoding the MAb, for the specific identification
 PT of human Fc-epsilon RI
 XX Claim 9; Page 16; 20pp; Japanese.
 XX Polypeptides which specifically recognise human IgE receptor (Fc-
 CC epsilon-RI) have been isolated and sequenced. The new peptides are
 CC related to a monoclonal antibody against Fc-epsilon-RI and are
 CC either heavy or light chain molecules. The heavy chain molecules
 CC have the general formula FRI-CDRIH-FR2-CDR2H-FR3-CDR3H-FR4 (corresp.
 CC to R79153, R79155, R79157, R79159 and R79161) and are encoded by
 CC Q96280, Q96282, Q96284, Q96286 and Q96288. FRI is a polypeptide
 CC having 29-36 amino acids (aa), FR2 is a 10-16 aa polypeptide, FR3 is
 CC a 33-35 aa polypeptide and FR4 is a 12-14 aa polypeptide. Similarly
 CC the light chains have the general formula FR5-CDRIL-FR6-CDR2L-FR7-
 CC CDR3L-FR8, (corresp. to R79154, R79156, R79158, R79160 and R79162)
 CC and are encoded by Q96281, Q96283, Q96285, Q96287 and Q96289. FR5
 CC is a 23-28 aa polypeptide, FR6 is a 14-16 aa polypeptide, FR7 is a
 CC 30-34 aa polypeptide and FR8 is a 9-11 aa polypeptide. All the
 CC peptides are derived from mouse hybridoma cells and are useful in
 CC the detection of the human Fc-epsilon-RI or for the elucidation of
 CC an antigen recognising region of a monoclonal antibody against
 CC human Fc-epsilon-RI.
 XX Sequence 118 AA;
 SQ
 Query Match 92.9%; Score 52; DB 16; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.01;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 STYPPDTVQG 10
 Db 55 styppdtvkg 64
 |||||||:
 RESULT 8
 W00240 ID W00240 standard; Protein; 120 AA.
 XX AC W00240;
 XX DT 22-NOV-1996 (first entry)
 XX DE EGF receptor chimeric MAB chMint5 VH chain.
 XX KW Mouse-human chimeric antibody; monoclonal antibody; chMint5;

KW epidermal growth factor receptor; EGF-R; diagnosis; therapy;
 KW immunotoxin; immunocytokine; tumour; cancer.

XX Mus musculus.

XX Key Location/Qualifiers
 FT Region 31..35
 FT /label= CDR1
 FT Region 51..66
 FT /label= CDR2
 FT Region 99..109
 FT /label= CDR3

XX W09627010-A1.

PN 06-SEP-1996.

XX 01-MAR-1996; 96WO-EP00805.

XX 01-MAR-1995; 95IT-OFI0036.

XX (ITUY-) ITAL MIN UNIV RICERCA SCI & TECNOLOGICA.

XX Anastasi AM, Colnaghi MI, De Santis R, Di Massimo AM;
 PI Ferrer Marsal C, Mele A;

XX WPI; 1996-412776/41.

XX N-PSDB; T33445.

XX Murine/human chimeric monoclonal antibody, chMint5 specific for
 PT EGF-R - shows a lower immunogenicity when administered to humans

XX Claim 7; Page 15; 28pp; English.

XX The amino acid sequence (W00240) of the heavy chain variable region
 CC (VH) of the epidermal growth factor receptor (EGF-R)-specific mouse-
 CC human chimeric antibody chMint5 was deduced from a cDNA clone
 CC (T33445) obtd. by PCR amplification of murine Mint5 hybridoma DSM
 CC ACC2150 cDNA. chMint5 comprises Mint5 VH and VL regions fused
 CC to human C-gamma1 and CK regions. Constructs were expressed in
 CC CHO cell transfectants. chMint5 shows lower immunogenicity than
 CC Mint5 when administered to humans. It can be used in diagnostic
 CC assays or used to produce immunotoxins or immunocytokines useful
 CC for tumour therapy.

XX Sequence 120 AA;

Query Match 92.9%; Score 52; DB 17; Length 120;
 Best Local Similarity 90.0%; Pred. No. 0.01;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
 Db 57 styypdvtvg 66
 |||||

RESULT 9

W21652 ID W21652 standard; Protein: 139 AA.

XX AC W21652;

XX 03-JAN-1998 (first entry)

XX Humanised reshaped MAb 15 heavy chain variable region.

XX Humanised antibody; monoclonal antibody; MAB 15; tumour;
 KW lung cancer; therapy.

XX Chimeric Mus musculus.

OS Chimeric Homo sapiens.

OS Chimeric synthetic.

XX Key Location/Qualifiers
 FH Peptide 1..19
 FT /label= Sig_peptide
 FT Protein 20..139
 FT /label= Mat_protein
 FT Region 20..49
 FT /label= Framework-1
 FT Region 50..54
 FT /label= CDR1
 FT /note= "complementarity determining region 1"
 FT Region 55..68
 FT /label= Framework-2
 FT Region 69..85
 FT /label= CDR2
 FT /note= "complementarity determining region 2"
 FT Region 86..117
 FT /label= Framework-3
 FT Region 118..128
 FT /label= CDR3
 FT /note= "complementarity determining region 3"
 FT Region 129..138
 FT /label= Framework-4

XX EP781847-A1.

XX 02-JUL-1997.

XX 25-OCT-1996; 96EP-0117154.

XX 06-NOV-1995; 95EP-0117407.

XX (MERE) MERCK PATENT GMBH.

XX Bendig M, Jones T, Saldana J;

XX WPI; 1997-334904/31.

XX N-PSDB; T72237.

XX Humanised form of murine monoclonal antibody MAb 15 - useful for
 PT treating lung cancer

XX Claim 2; Fig 12; 71pp; English.

XX This polypeptide comprises the heavy chain variable region VH
 CC of humanised reshaped monoclonal antibody (MAB) 15 comprising
 CC complementarity determining regions of murine MAB 15 (DSM ACC2117),
 CC and reshaped human 30P1 framework regions. It is expressed by a
 CC cDNA clone (see T72237) prepared using PCR mutagenesis methods. A
 CC claimed process for preparation of humanised reshaped MAB 15
 CC involves: cloning and sequencing murine MAB 15 VL and VH regions
 CC (see W21653 and W21654); constructing, expressing and analysing
 CC chimeric MAB 15 antibody (see W21655-56); modelling the structure
 CC of murine MAB 15 variable regions; designing reshaped human MAB 15
 CC variable regions; preparing an oligonucleotide sequence which codes
 CC for the constant regions of the light and heavy chain of a human
 CC immunoglobulin; and constructing, expressing and analysing the
 CC complete reshaped human MAB 15. The humanised MAB can be used for
 CC treating tumours, especially lung cancer, and for the manufacture
 CC of a drug related to tumours, especially lung cancer.

XX Sequence 139 AA;

Query Match 92.9%; Score 52; DB 18; Length 139;
 Best Local Similarity 90.0%; Pred. No. 0.012;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10

Db 76 styypdvtvg 85

RESULT 10

W21656
ID W21656 standard; Protein: 139 AA.

XX AC W21656;

XX DT 03-JAN-1998 (first entry)

XX DE Chimeric MAb 15 PCR-modified heavy chain variable region.

XX KW Humanised antibody; monoclonal antibody; MAb 15; tumour;

XX KW lung cancer; therapy.

XX OS Chimeric Mus musculus.

XX OS Chimeric synthetic.

XX FH Key Location/Qualifiers

FT Peptide

FT /label= Sig_peptide

FT Protein

FT 25..139

FT /label= Mat_protein

FT Region

FT 20..49

FT /label= Framework-1

FT Region

FT 50..54

FT /label= CDR1

FT /note= "complementarity determining region 1"

FT Region

FT 55..68

FT /label= Framework-2

FT Region

FT 69..86

FT /label= CDR2

FT /note= "complementarity determining region 2"

FT Region

FT 87..117

FT /label= Framework-3

FT Region

FT 118..128

FT /label= CDR3

FT /note= "complementarity determining region 3"

FT Region

FT 129..138

FT /label= Framework-4

XX EP781847-A1.

XX PD 02-JUL-1997.

XX PF 25-OCT-1996; 96EP-0117154.

XX PR 06-NOV-1995; 95EP-0117407.

XX PA (MERE) MERCK PATENT GMBH.

XX PI Bendig M, Jones T, Saldana J;

XX DR WPI; 1997-334904/31.

XX DR N-PSDB; T72269.

XX PT Humanised form of murine monoclonal antibody MAb 15 - useful for

XX PT treating lung cancer

XX PS Disclosure; Fig 5; 71pp; English.

XX CC This polypeptide comprises the heavy chain variable region VH

XX CC region of murine monoclonal antibody (MAb) 15 (DSM ACC2117). It is

XX CC encoded by a MAb 15 VH cDNA sequence (T72269) modified for the

XX CC expression of chimeric antibody. The VL sequence was similarly

XX CC obtained (see W21655). The modified VH and VL sequences were used

XX CC in a claimed process to model and design novel humanised, reshaped

XX CC MAb 15 having humanised, reshaped VH and VL sequences (see W21652

XX CC and W21651), which can be used for treating tumours, especially

XX CC lung cancer, and for the manufacture of a drug related to tumours,

XX CC especially lung cancer.

XX SQ Sequence 139 AA;

Query Match 92.9%; Score 52; DB 18; Length 139;

Best Local Similarity 90.0%; Pred. No. 0.012;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVOG 10

DB 76 styypdtvkq 85

RESULT 11

W21654

ID W21654 standard; Protein: 140 AA.

XX AC W21654;

XX DT 03-JAN-1998 (first entry)

XX DE Mouse MAb 15 heavy chain variable region.

XX KW Humanised antibody; monoclonal antibody; MAb 15; tumour;

XX KW lung cancer; therapy.

XX OS Mus musculus.

XX FH Key Location/Qualifiers

FT Peptide

FT 1..19

FT /label= Sig_peptide

FT Protein

FT 20..140

FT /label= Mat_protein

FT Region

FT 20..49

FT /label= Framework-1

FT Region

FT 50..53

FT /label= CDR1

FT /note= "complementarity determining region 1"

FT Region

FT 54..68

FT /label= Framework-2

FT Region

FT 69..86

FT /label= CDR2

FT /note= "complementarity determining region 2"

FT Region

FT 87..117

FT /label= Framework-3

FT Region

FT 118..128

FT /label= CDR3

FT /note= "complementarity determining region 3"

FT Region

FT 129..139

FT /label= Framework-4

XX EP781847-A1.

XX PD 02-JUL-1997.

XX PF 25-OCT-1996; 96EP-0117154.

XX PR 06-NOV-1995; 95EP-0117407.

XX PA (MERE) MERCK PATENT GMBH.

XX PI Bendig M, Jones T, Saldana J;

XX DR WPI; 1997-334904/31.

XX DR N-PSDB; T72267.

XX PT Humanised form of murine monoclonal antibody MAb 15 - useful for

XX PT treating lung cancer

XX PS Example 1; Fig 2; 71pp; English.

XX CC This polypeptide comprises the heavy chain variable region VH

XX CC of murine monoclonal antibody (MAb) 15 (DSM ACC2117), a MAb that

XX CC shows a therapeutic effect on human tumour cells, especially human

XX CC lung cancer. Its sequence was deduced from an isolated cDNA

XX CC clone (see T72267). The MAb 15 VL region sequence (W21653)

XX CC has also been determined. Amplified VH and VL cDNA sequences were

CC used in a claimed process for the production of novel humanised,
 CC reshaped MAB 15 having humanised, reshaped VH and VL regions (see
 CC W21652 and W21651), which can be used for treating tumours, (see
 CC especially lung cancer, and for the manufacture of a drug related
 CC to tumours, especially lung cancer.

XX SQ Sequence 140 AA;

Query Match 92.9%; Score 52; DB 18; Length 140;
 Best Local Similarity 90.0%; Pred. No. 0.012; Indels 0; Gaps 0;
 Matches 9; Conservative 1; Mismatches 0;

Qy 1 STYYPDTVQG 10
 |||||:|
 Db 76 styyptvtkg 85

RESULT 12
 W19577
 ID W19577 standard; Protein; 158 AA.
 XX AC W19577;
 XX DT 30-JUL-1997 (first entry)
 DE Mouse anti-idiotypic antibody 386 heavy chain variable region.
 XX KW Anti-idiotypic; anti-EGFR; epidermal growth factor receptor; tumour;
 KW cancer; neoplasia; glioma; melanoma; carcinoma; drug manufacture; ss.
 XX OS Mus musculus.

Key	Location/Qualifiers
Peptide	1..19
Region	/label= sig_peptide
Region	20..49
Region	/label= FR1
Region	/note= "framework region 1"
Region	50..53
Region	/label= CDR1
Region	/note= "complementarity determining region 1"
Region	54..68
Region	/label= FR2
Region	/note= "framework region 2"
Region	69..85
Region	/label= CDR2
Region	/note= "complementarity determining region 2"
Region	86..117
Region	/label= FR3
Region	/note= "framework region 3"
Region	118..133
Region	/label= CDR3
Region	/note= "complementarity determining region 3"
Region	134..144
Region	/label= FR4
Region	/note= "framework region 4"
Region	145..158
Region	/note= "mouse constant IgG1 region"

EP745612-A1.
 04-DEC-1996.
 14-MAY-1996; 96EP-0107651.
 26-MAY-1995; 95EP-0107967.
 (MERE) MERCK PATENT GMBH.
 Adan J, Carceller A, Gomez A, Piulats J, Rosell E;
 WPI; 1997-013659/02.

DR N-PSDB: T70808.

XX Monoclonal anti-idiotypic antibodies mimicking epidermal growth
 PT factor receptor - useful for tumour therapy

XX Claim 6; Fig 5C; 28pp; English.

XX Murine monoclonal anti-idiotypic antibodies, 15H8, 3B6 and 5A6 are
 CC new. They induce an immune response against epidermal growth factor
 CC receptor (EGFR). The sequences of the heavy and light chain variable
 CC regions of these antibodies are given in the specification. The
 CC antibodies are used for the manufacture of drugs directed against
 CC tumours that express EGFR on their surface, including melanomas,
 CC gliomas and carcinomas.

XX SQ Sequence 158 AA;

Query Match 92.9%; Score 52; DB 18; Length 158;
 Best Local Similarity 90.0%; Pred. No. 0.014;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
 |||||:|
 Db 76 styyptvtkg 85

RESULT 13
 W19579
 ID W19579 standard; Protein; 158 AA.
 XX AC W19579;

XX DT 30-JUL-1997 (first entry)
 XX Mouse anti-idiotypic antibody 5A6 heavy chain variable region.
 DE Anti-idiotypic; anti-EGFR; epidermal growth factor receptor; tumour;
 KW cancer; neoplasia; glioma; melanoma; carcinoma; drug manufacture; ss.
 XX OS Mus musculus.

Key	Location/Qualifiers
Peptide	1..19
Region	/label= sig_peptide
Region	20..49
Region	/label= FR1
Region	/note= "framework region 1"
Region	50..54
Region	/label= CDR1
Region	/note= "complementarity determining region 1"
Region	55..68
Region	/label= FR2
Region	/note= "framework region 2"
Region	69..85
Region	/label= CDR2
Region	/note= "complementarity determining region 2"
Region	86..117
Region	/label= FR3
Region	/note= "framework region 3"
Region	118..133
Region	/label= CDR3
Region	/note= "complementarity determining region 3"
Region	134..144
Region	/label= FR4
Region	/note= "framework region 4"
Region	145..158
Region	/note= "mouse constant IgG1 region"

EP745612-A1.
 04-DEC-1996.

PF 14-MAY-1996; 96EP-0107651.
 XX
 PR 26-MAY-1995; 95EP-0107967.
 XX
 PA (MERE) MERCK PATENT GMBH.
 XX
 PI Adan J, Carceller A, Gomez A, Piulats J, Rosell E;
 XX
 DR WPI; 1997-013659/02.
 DR N-PSDB; T70810.
 XX
 XX Monoclonal anti-idiotypic antibodies mimicking epidermal growth
 PT factor receptor - useful for tumour therapy
 XX
 PS Claim 6; Fig 5E; 28pp; English.
 XX
 CC Murine monoclonal anti-idiotypic antibodies, 15H8, 3B6 and 5A6 are
 CC new. They induce an immune response against epidermal growth factor
 CC receptor (EGFR). The sequences of the heavy and light chain variable
 CC regions of these antibodies are given in the specification. The
 CC antibodies are used for the manufacture of drugs directed against
 CC tumours that express EGFR on their surface, including melanomas,
 CC gliomas and carcinomas.
 XX
 SQ Sequence 158 AA;

Query Match 92.9%; Score 52; DB 18; Length 158;
 Best Local Similarity 90.0%; Pred. No. 0.014; Mismatches 0; Indels 0; Gaps 0;
 Matches 9; Conservative 1;

Oy 1 STYYPDTVQG 10
 |||||||:
 Db 76 styypdtkvg 85

RESULT 14
 W73874
 ID W73874 standard; Protein; 239 AA.
 XX
 AC W73874;
 XX
 XX 31-MAR-1999 (first entry)
 XX
 XX Human antiFc epsilon RI alpha chain antibody #2.
 XX
 KW AntiFc epsilon RI alpha chain antibody; antibody production; human.
 XX
 OS Homo sapiens.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..19
 FT /note= "signal peptide"
 FT Protein 20..239
 FT /note= "mature protein"
 XX JPI1000174-A.
 XX
 PD 06-JAN-1999.
 XX
 PF 13-JUN-1997; 97JP-0171232.
 XX
 PR 13-JUN-1997; 97JP-0171232.
 XX
 PA (ASAK) ASahi BREWERIES LTD.
 PA (NIKK-) NIKKA WHISKEY KK.
 PA (TORI) TORII YAKUHIN KK.
 PA (TSUR/) TSURA T.
 XX WPI; 1999-124394/11.
 DR N-PSDB; X01214.
 XX
 PT Preparing an antibody Fab fragment using yeast - in high yield

XX Claim 6; Page 7; 13pp; Japanese.
 PS
 CC This sequence represents a human antiFc epsilon RI alpha chain antibody,
 CC produced using the method of the invention. The method is for preparing
 CC an antibody Fab fragment using the yeast Pichia pastoris as the host
 CC cell. The method can prepare an antibody Fab fragment cost efficiently
 CC and in high yield.
 XX
 SQ Sequence 239 AA;

Query Match 92.9%; Score 52; DB 20; Length 239;
 Best Local Similarity 90.0%; Pred. No. 0.022; Mismatches 0; Indels 0; Gaps 0;
 Matches 9; Conservative 1;

Oy 1 STYYPDTVOG 10
 |||||||:
 Db 76 styypdtkvg 85

RESULT 15
 W73876
 ID W73876 standard; Protein; 242 AA.
 XX
 AC W73876;
 XX
 DT 31-MAR-1999 (first entry)
 XX
 XX Human antiFc epsilon RI alpha chain antibody #4.
 DE
 KW AntiFc epsilon RI alpha chain antibody; antibody production; human.
 XX
 OS Homo sapiens.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..22
 FT /note= "signal peptide"
 FT Protein 23..242
 FT /note= "mature protein"
 XX JPI1000174-A.
 XX
 PD 06-JAN-1999.
 XX
 PF 13-JUN-1997; 97JP-0171232.
 XX
 PR 13-JUN-1997; 97JP-0171232.
 XX
 PA (ASAK) ASahi BREWERIES LTD.
 PA (NIKK-) NIKKA WHISKEY KK.
 PA (TORI) TORII YAKUHIN KK.
 PA (TSUR/) TSURA T.
 XX WPI; 1999-124394/11.
 DR N-PSDB; X01216.
 XX
 PT Preparing an antibody Fab fragment using yeast - in high yield

XX Claim 6; Page 9-10; 13pp; Japanese.
 PS
 CC This sequence represents a human antiFc epsilon RI alpha chain antibody,
 CC produced using the method of the invention. The method is for preparing
 CC an antibody Fab fragment using the yeast Pichia pastoris as the host
 CC cell. The method can prepare an antibody Fab fragment cost efficiently
 CC and in high yield.
 XX
 SQ Sequence 242 AA;

Query Match 92.9%; Score 52; DB 20; Length 242;
 Best Local Similarity 90.0%; Pred. No. 0.022; Mismatches 0; Indels 0; Gaps 0;
 Matches 9; Conservative 1;

Qy 1 STYYPDTVQG 10
| | | | | | | | | |
Db 79 styyptvkg 88

Search completed: March 28, 2001, 06:34:34
Job time: 514 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:10 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: US-09-016-061-56
Perfect score: 56
Sequence: 1 STYPTDTVQG 10
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	52	92.9	125	1	US-08-331-398A-65
2	52	92.9	125	2	US-08-331-397B-65
3	52	92.9	125	2	US-08-759-804A-64
4	52	92.9	158	2	US-08-653-402B-6
5	52	92.9	158	2	US-08-653-402B-10
6	48	85.7	119	4	PCT-US94-07659-6
7	48	85.7	121	1	US-08-339-582-2
8	48	85.7	130	1	US-08-398-613A-22
9	48	85.7	130	1	US-08-398-612A-22
10	48	85.7	130	1	US-08-398-611A-22
11	48	85.7	130	2	US-08-491-334A-22
12	48	85.7	130	3	US-09-027-449-19
13	48	85.7	130	3	US-08-804-444A-19
14	48	85.7	130	3	US-09-026-985-19
15	48	85.7	138	2	US-08-379-057-14
16	48	85.7	247	4	PCT-US94-07659-2
17	48	85.7	251	1	US-08-398-612A-30
18	48	85.7	251	1	US-08-398-611A-30
19	48	85.7	251	2	US-08-491-334A-30
20	48	85.7	251	3	US-09-027-449-27
21	48	85.7	251	3	US-08-804-444A-27
22	48	85.7	251	3	US-09-026-985-27
23	48	85.7	252	1	US-08-398-613A-30
24	48	85.7	443	4	PCT-US96-13152-4
25	46	82.1	17	4	PCT-US93-08435-18
26	46	82.1	118	4	PCT-US93-08435-10
27	46	82.1	122	4	PCT-US93-08435-12
28	46	82.1	122	4	PCT-US93-08435-14

29 46 82.1 122 4 PCT-US93-08435-43 Sequence 43, Appl
30 45 80.4 119 2 US-08-475-000-16 Sequence 16, Appl
31 45 80.4 119 2 US-08-483-199-16 Sequence 16, Appl
32 45 80.4 119 2 US-08-484-508-16 Sequence 16, Appl
33 45 80.4 467 1 US-08-704-744-81 Sequence 81, Appl
34 44 78.6 109 2 US-08-793-490-6 Sequence 6, Appl
35 44 78.6 113 1 US-07-789-344A-10 Sequence 10, Appl
36 44 78.6 116 2 US-08-888-366-10 Sequence 10, Appl
37 44 78.6 116 2 US-08-888-366-12 Sequence 12, Appl
38 44 78.6 225 5 5455030-5 Patent No. 5455030
39 44 78.6 236 5 5455030-7 Patent No. 5455030
40 44 78.6 247 5 5455030-9 Patent No. 5455030
41 44 78.6 248 5 5455030-11 Patent No. 5455030
42 44 78.6 300 2 US-08-661-052-4 Sequence 4, Appl
43 44 78.6 301 2 US-08-661-052-14 Sequence 14, Appl
44 44 78.6 447 5 5455030-1 Patent No. 5455030
45 44 78.6 553 2 US-08-661-052-16 Sequence 16, Appl

ALIGNMENTS

RESULT 1
US-08-331-398A-65
: Sequence 65, Application US/08331398A
: Patent No. 5608039
: GENERAL INFORMATION:
: APPLICANT: Pastan, Ira
: APPLICANT: Willingham, Mark
: APPLICANT: Fitzgerald, David
: APPLICANT: Brinkmann, Ulrich
: APPLICANT: Pai, Lee
: TITLE OF INVENTION: Single Chain B3 Antibody Fusion Proteins
: TITLE OF INVENTION: and Their Uses (as amended)
: NUMBER OF SEQUENCES: 68
: CORRESPONDENCE ADDRESS:
: ADDRESSEE: Townsend and Townsend and Crew
: STREET: One Market Plaza, Steuart Street Plaza
: CITY: San Francisco
: STATE: California
: COUNTRY: USA
: ZIP: 94105-1492
: COMPUTER READABLE FORM:
: MEDIUM TYPE: Floppy disk
: COMPUTER: IBM PC compatible
: OPERATING SYSTEM: PC-DOS/MS-DOS
: SOFTWARE: PatentIn Release #1.0, Version #1.30
: CURRENT APPLICATION DATA:
: APPLICATION NUMBER: US/08/331.398A
: FILING DATE: 28-OCT-1994
: CLASSIFICATION: 435
: PRIOR APPLICATION DATA:
: APPLICATION NUMBER: US 07/767,331
: FILING DATE: 30-SEP-1991
: PRIOR APPLICATION DATA:
: APPLICATION NUMBER: US 07/596,289
: FILING DATE: 12-OCT-1990
: ATTORNEY/AGENT INFORMATION:
: NAME: Hunter, Tom
: REGISTRATION NUMBER: 38,498
: REFERENCE/DOCKET NUMBER: 015280-1261100S
: TELECOMMUNICATION INFORMATION:
: TELEPHONE: (415) 543-9600
: TELEFAX: (415) 543-5043
: INFORMATION FOR SEQ ID NO: 65:
: SEQUENCE CHARACTERISTICS:
: LENGTH: 125 amino acids
: TYPE: amino acid
: STRANDEDNESS:
: TOPOLOGY: linear
: MOLECULE TYPE: protein
: FEATURE:
: NAME/KEY: Region

LOCATION: 1..125
OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
OTHER INFORMATION: Heavy chain region"
US-08-331-398A-65

Query Match 92.9%; Score 52; DB 1; Length 125;
Best Local Similarity 90.0%; Pred. No. 0.026;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 57 STYYPDTVKG 66

RESULT 2

US-08-331-397B-65
Sequence 65, Application US/08331397B
Patent No. 5981726
GENERAL INFORMATION:
APPLICANT: Pastan, Ira
APPLICANT: Benhar, Itai
TITLE OF INVENTION: Chimeric and Mutationally Stabilized Tumor-Specific Antibody Fragments, Fusion Proteins, and Uses
TITLE OF INVENTION: Thereof
NUMBER OF SEQUENCES: 68
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: One Market Plaza, Steuart Street Plaza
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105-1492
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/331,397B
FILING DATE: 28-OCT-1994
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/767,331
FILING DATE: 30-SEP-1991
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/596,289
FILING DATE: 12-OCT-1990
ATTORNEY/AGENT INFORMATION:
NAME: Hunter, Tom
REGISTRATION NUMBER: 38,498
REFERENCE/DOCKET NUMBER: 015280-12612005
TELEPHONE: (415) 543-9600
TELEFAX: (415) 543-5043
INFORMATION FOR SEQ ID NO: 65:
SEQUENCE CHARACTERISTICS:
LENGTH: 125 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Region
LOCATION: 1..125
OTHER INFORMATION:
OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
OTHER INFORMATION: Heavy chain region"
US-08-331-397B-65

Query Match 92.9%; Score 52; DB 2; Length 125;
Best Local Similarity 90.0%; Pred. No. 0.026;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 57 STYYPDTVKG 66

RESULT 3

US-08-759-804A-64
Sequence 64, Application US/08759804A
Patent No. 5990296
GENERAL INFORMATION:
APPLICANT: Pastan, Ira
APPLICANT: Willingham, Mark
APPLICANT: Fitzgerald, David J.
APPLICANT: Brinkmann, Ulrich
APPLICANT: Pai, Lee
TITLE OF INVENTION: Tumor-Specific Antibody Fragments,
TITLE OF INVENTION: Fusion Proteins, and Uses Thereof
NUMBER OF SEQUENCES: 68
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, Eighth Floor
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94111-3834
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/759,804A
FILING DATE: 03-DEC-1996
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/331,398
FILING DATE: 28-OCT-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/767,331
FILING DATE: 30-SEP-1991
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/596,289
FILING DATE: 12-OCT-1990
ATTORNEY/AGENT INFORMATION:
NAME: Weber, Ellen L.
REGISTRATION NUMBER: 32,762
REFERENCE/DOCKET NUMBER: 015280-12614005
TELEPHONE: (415) 576-0200
TELEFAX: (415) 576-0300
INFORMATION FOR SEQ ID NO: 64:
SEQUENCE CHARACTERISTICS:
LENGTH: 125 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Region
LOCATION: 1..125
OTHER INFORMATION:
OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
OTHER INFORMATION: Heavy chain region"
US-08-759-804A-64

Query Match 92.9%; Score 52; DB 2; Length 125;
Best Local Similarity 90.0%; Pred. No. 0.026;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 57 STYYPDTVKG 66

```
RESULT 4
US-08-653-402B-6
; Sequence 6, Application US/08653402B
; Patent No. 5969107
; GENERAL INFORMATION:
; APPLICANT: CARCELLER, Ana
; APPLICANT: ROSELL, Elisabeth
; APPLICANT: GOMEZ, Alicia
; APPLICANT: ADEN, Jaume
; APPLICANT: PIULATS, Jaume
; TITLE OF INVENTION: Anti-idiotypic antibodies which induce an
; immune response against epidermal growth factor receptor.
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
; STREET: 2200 Clarendon Boulevard, Suite 1400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/653,402B
; FILING DATE: 24-MAY-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95107967.2
; FILING DATE: 26-MAY-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lebovitz, Richard M.
; REGISTRATION NUMBER: 37,067
; REFERENCE/DOCKET NUMBER: MERCK 1781
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-243-6333
; TELEFAX: 703-243-6410
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 158 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-653-402B-6

Query Match 92.9%; Score 52; DB 2; Length 158;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 76 STYYPDTVKG 85

RESULT 5
US-08-653-402B-10
; Sequence 10, Application US/08653402B
; Patent No. 5969107
; GENERAL INFORMATION:
; APPLICANT: CARCELLER, Ana
; APPLICANT: ROSELL, Elisabeth
; APPLICANT: GOMEZ, Alicia
; APPLICANT: ADEN, Jaume
; APPLICANT: PIULATS, Jaume
; TITLE OF INVENTION: Anti-idiotypic antibodies which induce an
; immune response against epidermal growth factor receptor.
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation - Corp.
; STREET: Intellectual Property
; ADDRESS: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-2799
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/07659
; FILING DATE:
```

```
; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
; STREET: 2200 Clarendon Boulevard, Suite 1400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/653,402B
; FILING DATE: 24-MAY-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95107967.2
; FILING DATE: 26-MAY-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lebovitz, Richard M.
; REGISTRATION NUMBER: 37,067
; REFERENCE/DOCKET NUMBER: MERCK 1781
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-243-6333
; TELEFAX: 703-243-6410
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 158 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-653-402B-10

Query Match 92.9%; Score 52; DB 2; Length 158;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 76 STYYPDTVKG 85

RESULT 6
PCT-US94-07659-6
; Sequence 6, Application PC/TUS9407659
; GENERAL INFORMATION:
; APPLICANT: Young, Peter
; APPLICANT: Gross, Mitchell
; APPLICANT: Jonak, Zdenka L.
; APPLICANT: Theisen, Timothy
; APPLICANT: Hurie, Mark
; APPLICANT: Jackson, Jeffrey R.
; TITLE OF INVENTION: Recombinant and Humanized IL-1 beta
; TITLE OF INVENTION: Antibodies for Treatment of IL-1 Mediated Inflammatory
; TITLE OF INVENTION: Disorders in Man
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation - Corp.
; STREET: Intellectual Property
; ADDRESS: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-2799
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/07659
; FILING DATE:
```

CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/090,534
FILING DATE: 09-JUL-1993
ATTORNEY/AGENT INFORMATION:
NAME: Sutton, Jeffrey A.
REGISTRATION NUMBER: 34,028
REFERENCE/DOCKET NUMBER: P50171-1
TELECOMMUNICATION INFORMATION:
TELEPHONE: (610) 270-5024
TELEFAX: (610) 270-5090
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
PCT-US94-07659-6

Query Match 85.7%; Score 48; DB 4; Length 119;
Best Local Similarity 88.9%; Pred. No. 0.12;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDVTVOG 10
DB 58 TYYPDVTGK 66

RESULT 7
US-08-339-582-2
Sequence 2, Application US/08339582
Patent No. 5558952
GENERAL INFORMATION:
APPLICANT: Bigner, Darell D.
APPLICANT: Zalutsky, Michael R.
APPLICANT: Carrel, Stefan
TITLE OF INVENTION: METHOD OF TREATMENT
NUMBER OF SEQUENCES: 4
CORRESPONDENCE ADDRESS:
ADDRESSEE: Kenneth D. Sibley
STREET: P.O. Drawer 34009
CITY: Charlotte
STATE: No. 5558852th Carolina
COUNTRY: USA
ZIP: 28234
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/339,582
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/033,864
FILING DATE: 19-MAR-1993
ATTORNEY/AGENT INFORMATION:
NAME: Sibley, Kenneth D.
REGISTRATION NUMBER: 31,665
REFERENCE/DOCKET NUMBER: 5405-89
TELECOMMUNICATION INFORMATION:
TELEPHONE: 919-420-2200
TELEFAX: 919-881-3175
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 121 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-339-582-2

Query Match 85.7%; Score 48; DB 1; Length 121;
Best Local Similarity 80.0%; Pred. No. 0.13;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTVOG 10
DB 60 STYYPDSVKG 69

RESULT 8
US-08-398-613A-22
Sequence 22, Application US/08398613A
Patent No. 5677426
GENERAL INFORMATION:
APPLICANT: Fong, Sherman
APPLICANT: Hebert, Caroline Alice
APPLICANT: Kim, Kyung Jin
APPLICANT: Leong, Steven R.
TITLE OF INVENTION: Anti-IL-8 Monoclonal Antibodies for Treatment of Inflammato
NUMBER OF SEQUENCES: 58
CORRESPONDENCE ADDRESS:
ADDRESSEE: Genentech, Inc.
STREET: 460 Point San Bruno Blvd
CITY: South San Francisco
STATE: California
COUNTRY: USA
ZIP: 94080
COMPUTER READABLE FORM:
MEDIUM TYPE: 5.25 inch, 360 kb floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: patin (Genentech)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/398,613A
FILING DATE: 01-MAR-1994
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/205864
FILING DATE: 03-MAR-1994
ATTORNEY/AGENT INFORMATION:
NAME: Fitts, Renee A.
REGISTRATION NUMBER: 35,136
REFERENCE/DOCKET NUMBER: 874P1-3
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415/225-1489
TELEFAX: 415/952-9881
TELEX: 910/371-7168
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 130 amino acids
TYPE: amino acid
TOPOLOGY: linear
US-08-398-613A-22

Query Match 85.7%; Score 48; DB 1; Length 130;
Best Local Similarity 80.0%; Pred. No. 0.14;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTVOG 10
DB 57 STYYPDSVKG 66

RESULT 9
US-08-398-612A-22
Sequence 22, Application US/08398612A
Patent No. 5686070
GENERAL INFORMATION:
APPLICANT: Doershuk, Claire M.
APPLICANT: Fong, Sherman
APPLICANT: Hebert, Caroline Alice

APPLICANT: Kim, Kyung Jin
APPLICANT: Leong, Steven R.
TITLE OF INVENTION: Anti-IL-8 Monoclonal Antibodies for
TITLE OF INVENTION: Treatment of Inflammatory Disorders
NUMBER OF SEQUENCES: 58
CORRESPONDENCE ADDRESS:
ADDRESSEE: Genentech, Inc.
STREET: 460 Point San Bruno Blvd
CITY: South San Francisco
STATE: California
COUNTRY: USA
ZIP: 94080
COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: WinPatIn (Genentech)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/398,612A
FILING DATE: 01-MAR-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/398611
FILING DATE: 01-MAR-1995
ATTORNEY/AGENT INFORMATION:
NAME: Love, Richard B.
REGISTRATION NUMBER: 34,659
REFERENCE/DOCKET NUMBER: P0874P1
TELEPHONE: 415/225-5530
TELEFAX: 415/952-9881
TELEX: 910/371-7168
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 130 amino acids
TYPE: Amino Acid
TOPOLOGY: Linear
US-08-398-612A-22

Query Match 85.7%; Score 48; DB 1; Length 130;
Best Local Similarity 80.0%; Pred. No. 0.14;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
|||||:|
Db 57 STYYPDSVKG 66

RESULT 10
US-08-398-611A-22
Sequence 22, Application US/08398611A
Patent No. 5702946
GENERAL INFORMATION:
APPLICANT: Doershuk, Claire M.
APPLICANT: Fong, Sherman
APPLICANT: Hebert, Caroline Alice
APPLICANT: Kim, Kyung Jin
APPLICANT: Leong, Steven R.
TITLE OF INVENTION: Anti-IL-8 Monoclonal Antibodies for Treatment
NUMBER OF SEQUENCES: 58
CORRESPONDENCE ADDRESS:
ADDRESSEE: Genentech, Inc.
STREET: 460 Point San Bruno Blvd
CITY: South San Francisco
STATE: California
COUNTRY: USA
ZIP: 94080
COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk

COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: WinPatIn (Genentech)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/398,611A
FILING DATE: 01-MAR-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/205864
FILING DATE: 03-MAR-1994
ATTORNEY/AGENT INFORMATION:
NAME: Love, Richard B.
REGISTRATION NUMBER: 34,659
REFERENCE/DOCKET NUMBER: P0874P1
TELEPHONE: 415/225-5530
TELEFAX: 415/952-9881
TELEX: 910/371-7168
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 130 amino acids
TYPE: Amino Acid
TOPOLOGY: Linear
US-08-398-611A-22

Query Match 85.7%; Score 48; DB 1; Length 130;
Best Local Similarity 80.0%; Pred. No. 0.14;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
|||||:|
Db 57 STYYPDSVKG 66

RESULT 11
US-08-491-334A-22
Sequence 22, Application US/08491334A
Patent No. 5874080
GENERAL INFORMATION:
APPLICANT: Hebert, Caroline A.
APPLICANT: Kabakoff, Rhona C.
APPLICANT: Moore, Mark W.
TITLE OF INVENTION: IL-8 Antagonists for Treatment of Inflammatory
TITLE OF INVENTION: Disorders and Asthma
NUMBER OF SEQUENCES: 58
CORRESPONDENCE ADDRESS:
ADDRESSEE: Genentech, Inc.
STREET: 460 Point San Bruno Blvd
CITY: South San Francisco
STATE: California
COUNTRY: USA
ZIP: 94080
COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: WinPatIn (Genentech)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/491,334A
FILING DATE: 27-Jun-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/398611
FILING DATE: 01-MAR-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/205864
FILING DATE: 03-MAR-1994
ATTORNEY/AGENT INFORMATION:
NAME: Love, Richard B.
REGISTRATION NUMBER: 34,659
REFERENCE/DOCKET NUMBER: P0874P2
TELECOMMUNICATION INFORMATION:

TELEPHONE: 415/225-5530
 TELEFAX: 415/952-9881
 TELEX: 910/371-7168
 INFORMATION FOR SEQ ID NO: 22:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 130 amino acids
 TYPE: Amino Acid
 TOPOLOGY: Linear
 US-08-491-334A-22

Query Match 85.7%; Score 48; DB 2; Length 130;
 Best Local Similarity 80.0%; Pred. No. 0.14;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYPTDVG 10
 Db 57 STYPTDVG 66

RESULT 12
 US-09-027-449-19
 Sequence 19, Application US/09027449
 Patent No. 6025158
 GENERAL INFORMATION:
 APPLICANT: Gonzalez, Tania R.
 APPLICANT: Leong, Steven R.
 APPLICANT: Presta, Leonard G.
 TITLE OF INVENTION: Antibody Fragment-Polymer Conjugates and
 TITLE OF INVENTION: Humanized Anti-IL-8 Monoclonal Antibodies
 NUMBER OF SEQUENCES: 72
 CORRESPONDENCE ADDRESS:
 ADDRESSEE: Genentech, Inc.
 STREET: 1 DNA Way
 CITY: South San Francisco
 STATE: California
 COUNTRY: USA
 ZIP: 94080

COMPUTER READABLE FORM:
 MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: WinPatIn (Genentech)
 CURRENT APPLICATION DATA:
 APPLICATION NUMBER: US/09/027,449
 FILING DATE: 20-Feb-1998
 CLASSIFICATION: 435
 PRIOR APPLICATION NUMBER: 60/074,330
 FILING DATE: 22-Jan-1998
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: 60/038,664
 FILING DATE: 21-Feb-1997
 ATTORNEY/AGENT INFORMATION:
 NAME: Love, Richard B.
 REGISTRATION NUMBER: 34,659
 REFERENCE/DOCKET NUMBER: P1085R3-2
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: 650/225-5530
 TELEFAX: 650/952-9881
 INFORMATION FOR SEQ ID NO: 19:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 130 amino acids
 TYPE: Amino Acid
 TOPOLOGY: Linear
 US-09-027-449-19

Query Match 85.7%; Score 48; DB 3; Length 130;
 Best Local Similarity 80.0%; Pred. No. 0.14;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYPTDVG 10

Db 57 STYPTDVG 66

RESULT 13
 US-08-804-444A-19
 Sequence 19, Application US/08804444A
 Patent No. 6117980
 GENERAL INFORMATION:
 APPLICANT: Gonzalez, Tania N
 APPLICANT: Leong, Steven R.
 APPLICANT: Presta, Leonard G.
 TITLE OF INVENTION: Humanized Anti-IL-8 Monoclonal Antibodies
 NUMBER OF SEQUENCES: 61
 CORRESPONDENCE ADDRESS:
 ADDRESSEE: Genentech, Inc.
 STREET: 1 DNA Way
 CITY: South San Francisco
 STATE: California
 COUNTRY: USA
 ZIP: 94080

COMPUTER READABLE FORM:
 MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: WinPatIn (Genentech)
 CURRENT APPLICATION DATA:
 APPLICATION NUMBER: US/08/804,444A
 FILING DATE: 21-Feb-1997
 CLASSIFICATION: 530
 ATTORNEY/AGENT INFORMATION:
 NAME: Love, Richard B.
 REGISTRATION NUMBER: 34,659
 REFERENCE/DOCKET NUMBER: P1085
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: 650/225-5530
 TELEFAX: 650/952-9881
 INFORMATION FOR SEQ ID NO: 19:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 130 amino acids
 TYPE: Amino Acid
 TOPOLOGY: Linear
 US-08-804-444A-19

Query Match 85.7%; Score 48; DB 3; Length 130;
 Best Local Similarity 80.0%; Pred. No. 0.14;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYPTDVG 10
 Db 57 STYPTDVG 66

RESULT 14
 US-09-026-985-19
 Sequence 19, Application US/09026985
 Patent No. 6133426
 GENERAL INFORMATION:
 APPLICANT: Gonzalez, Tania R.
 APPLICANT: Leong, Steven R.
 APPLICANT: Presta, Leonard G.
 TITLE OF INVENTION: Antibody Fragment-Polymer Conjugates and
 TITLE OF INVENTION: Humanized Anti-IL-8 Monoclonal Antibodies
 NUMBER OF SEQUENCES: 72
 CORRESPONDENCE ADDRESS:
 ADDRESSEE: Genentech, Inc.
 STREET: 1 DNA Way
 CITY: South San Francisco
 STATE: California
 COUNTRY: USA
 ZIP: 94080
 COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatIn (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/026,985
; FILING DATE: 20-Feb-1998
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Love, Richard B.
; REGISTRATION NUMBER: 34,659
; REFERENCE/DOCKET NUMBER: PI085R3-1
; TELEPHONE: 650/225-5530
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 130 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; US-09-026-985-19

Query Match 85.7%; Score 48; DB 3; Length 130;
Best Local Similarity 80.0%; Pred. No. 0.14;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 57 STYYPDSVKG 66

RESULT 15

US-08-379-057-14
; Sequence 14, Application US/08379057
; Patent No. 5876950
; GENERAL INFORMATION:
; APPLICANT: Siadak, Anthony W.
; APPLICANT: Hollenbaugh, Diane L.
; APPLICANT: Gilliland, Lisa K.
; APPLICANT: Gordon, Marcia L.
; APPLICANT: Bajorath, Jorgen
; APPLICANT: Aruffo, Alejandro A.
; TITLE OF INVENTION: Monoclonal Antibodies Specific For
; TITLE OF INVENTION: Different Epitopes of Human gp39 and Methods For Their Use
; TITLE OF INVENTION: In Diagnosis and Therapy
; NUMBER OF SEQUENCES: 57
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Bristol-Myers Squibb Company
; STREET: 3005 First Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98121
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/379,057
; FILING DATE: 26-JAN-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Poor, Brian W.
; REGISTRATION NUMBER: 32,928
; REFERENCE/DOCKET NUMBER: ON0133-
; TELEPHONE: (206) 727-3670
; TELEFAX: (206) 727-3601
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 138 amino acids

; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FRAGMENT TYPE: N-terminal
; US-08-379-057-14

Query Match 85.7%; Score 48; DB 2; Length 138;
Best Local Similarity 80.0%; Pred. No. 0.14;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 75 STYYPDSVRG 84

Search completed: March 28, 2001, 06:39:10
Job time: 764 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:50 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-58
Perfect score: 53
Sequence: 1 STYVLDTVKG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_66:.*
1: pir1:.*
2: pir2:.*
3: pir3:.*
4: pir4:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	43	81.1	83	2 S21593	Ig heavy chain V r
2	42	79.2	111	2 S51211	Ig heavy chain V r
3	42	79.2	113	2 S02717	Ig heavy chain V r
4	42	79.2	113	2 S26468	Ig heavy chain V r
5	42	79.2	115	2 PH1538	Ig H chain V regio
6	42	79.2	117	1 HVMSRF	Ig heavy chain pre
7	42	79.2	117	1 HVMS84	Ig heavy chain pre
8	42	79.2	117	1 HVMS34	Ig heavy chain pre
9	42	79.2	117	2 PH1552	Ig H chain V regio
10	42	79.2	119	2 PH1548	Ig H chain V regio
11	42	79.2	119	2 PH1549	Ig H chain V regio
12	41	77.4	92	2 S56009	Ig heavy chain var
13	41	77.4	150	2 I47200	Ig heavy chain var
14	40	75.5	90	2 S24248	Ig heavy chain V r
15	40	75.5	97	2 S26935	Ig heavy chain V r
16	40	75.5	97	2 S46462	Ig heavy chain V r
17	40	75.5	98	2 S26929	Ig heavy chain V r
18	40	75.5	98	2 S26889	Ig heavy chain V r
19	40	75.5	98	2 S54856	Ig heavy chain V r
20	40	75.5	99	2 S24359	Ig heavy chain V r
21	40	75.5	100	2 S24258	Ig heavy chain V r
22	40	75.5	101	2 S24257	Ig heavy chain V r
23	40	75.5	102	2 S24260	Ig heavy chain V r
24	40	75.5	104	2 S24255	Ig heavy chain V r
25	40	75.5	105	2 S24249	Ig heavy chain V r
26	40	75.5	106	2 S24256	Ig heavy chain V r
27	40	75.5	108	2 PH1648	Ig heavy chain V r
28	40	75.5	109	2 PH1649	Ig heavy chain V r
29	40	75.5	109	2 S24254	Ig heavy chain V r

30	40	75.5	109	2 S24253	Ig heavy chain V r
31	40	75.5	110	2 S24250	Ig heavy chain V r
32	40	75.5	112	2 PH1647	Ig heavy chain V r
33	40	75.5	113	2 S24247	Ig heavy chain V r
34	40	75.5	115	2 S09382	Ig heavy chain - c
35	40	75.5	116	2 B28966	Ig heavy chain pre
36	40	75.5	116	2 S31110	Ig heavy chain - h
37	40	75.5	117	2 A45953	Ig heavy chain pre
38	40	75.5	117	2 A34964	Ig heavy chain pre
39	40	75.5	118	2 S00700	Ig heavy chain V r
40	40	75.5	118	2 S31121	Ig heavy chain - h
41	40	75.5	119	2 C36005	Ig heavy chain V r
42	40	75.5	119	2 D36005	Ig heavy chain V r
43	40	75.5	119	2 S31107	Ig heavy chain - h
44	40	75.5	119	2 S31108	Ig heavy chain - h
45	40	75.5	120	2 E49590	Ig heavy chain V r

ALIGNMENTS

RESULT 1
S21593
Ig heavy chain V region (10C5) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 23-Jul-1999
C:Accession: S21593
R:Kaartinen, M.
submitted to the EMBL Data Library, May 1992
A:Reference number: S21591
A:Accession: S21593
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-83 <KAA>
A:Cross-references: EMBL:X66457; NID:g51598; PIDN:CAA47072.1; PID:g51599
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin

Query Match 81.1%; Score 43; DB 2; Length 83;
Best Local Similarity 80.0%; Pred. No. 0.28;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYVLDTVKG 10
Db 27 STYVSDTVKG 36

RESULT 2
S51211
Ig heavy chain V region (AC7) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 01-Aug-1995 #sequence_revision 01-Dec-1995 #text_change 30-May-1997
C:Accession: S51211; S58929
R:Jarrin, A.; Andrieux, A.; Chapel, A.; Buchou, T.; Marguerie, G.
FEBS Lett. 354, 169-172, 1994
A:Title: A synthetic peptide with anti-platelet activity derived from a CDR of an ant
A:Reference number: S51210; MUID:95046326
A:Accession: S51211
A:Molecule type: mRNA
A:Residues: 9-111 <JAR>
A:Accession: S58929
A:Molecule type: protein
A:Residues: 1-20 <JAR2>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 79.2%; Score 42; DB 2; Length 111;
Best Local Similarity 80.0%; Pred. No. 0.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVVEG 10
Db 57 STYYPDTVKG 66

RESULT 3

S02717
Ig heavy chain V region (clone pH62) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 07-Sep-1990 #sequence_revision 07-Sep-1990 #text_change 20-Jun-2000
C:Accession: S02717
R:Sollazzo, M.; Hasemann, C.A.; Meek, K.D.; Glotz, D.; Capra, J.D.; Zanetti, M.
submitted to the EMBL Data Library, February 1989
A:Reference number: S02717
A:Accession: S02717
A:Molecule type: DNA
A:Residues: 1-113 <SOL>
A:Cross-references: EMBL:Y00744; NID:52472; PID:CAA68713.1; PID:g13334095
A:Note: this sequence was determined from the differentiated gene
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 79.2%; Score 42; DB 2; Length 113;
Best Local Similarity 80.0%; Pred. NO. 0.61;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVVEG 10
Db 57 STYYPDTVKG 66

RESULT 4

S26468
Ig heavy chain V region - mouse
C:Species: Mus musculus (house mouse)
C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
C:Accession: S26468
R:Kavaler, J.
submitted to the EMBL Data Library, April 1991
A:Reference number: S26459
A:Accession: S26468
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-113 <KAV>
A:Cross-references: EMBL:X59107; NID:g51944; PID:CAA41833.1; PID:g51945
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:11-94/Domain: immunoglobulin homology <IMM>

Query Match 79.2%; Score 42; DB 2; Length 113;
Best Local Similarity 80.0%; Pred. NO. 0.61;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVVEG 10
Db 53 STYYPDTVKG 62

RESULT 5

PH1538
Ig H chain V region (clone 13G12) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 21-Jan-2000
C:Accession: PH1538
R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
J. Exp. Med. 177, 1105-1116, 1993
A:Title: Molecular characterization of the humoral responses to Cryptococcus neoformans
A:Reference number: PH1528; MUID:93210465
A:Accession: PH1538
A:Molecule type: mRNA

A:Residues: 1-115 <MUK>
A:Note: the stop codons X appear in residues 82, 85 and 106
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin
F:14-99/Domain: immunoglobulin homology <IMM>

Query Match 79.2%; Score 42; DB 2; Length 115;
Best Local Similarity 80.0%; Pred. NO. 0.62;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVVEG 10
Db 56 STYYPDTVKG 65

RESULT 6

HWSRF
Ig heavy chain precursor V region (RF) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
C:Accession: JT0503
R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
J. Exp. Med. 169, 2007-2019, 1989
A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
A:Reference number: JT0501; MUID:89279149
A:Accession: JT0503
A:Status: translation not shown
A:Molecule type: mRNA
A:Residues: 1-117 <LEV>
A:Experimental source: strain BALB/cJ
A:Note: this sequence belongs to the VH7183 subfamily
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; hybridoma; immunoglobulin
F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-117/Product: Ig heavy chain V region (RF) #status predicted <MAT>
F:34-117/Domain: immunoglobulin homology <IMM>
F:41-115/Disulfide bonds: #status predicted

Query Match 79.2%; Score 42; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. NO. 0.63;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVVEG 10
Db 76 STYYPDTVKG 85

RESULT 7

HWS84
Ig heavy chain precursor V region (5-84) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
C:Accession: JT0505
R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
J. Exp. Med. 169, 2007-2019, 1989
A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
A:Reference number: JT0501; MUID:89279149
A:Accession: JT0505
A:Status: translation not shown
A:Molecule type: mRNA
A:Residues: 1-117 <LEV>
A:Experimental source: strain BALB/cJ
A:Note: this sequence belongs to the VH7183 subfamily
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-117/Product: Ig heavy chain V region (5-84) #status predicted <MAT>
F:34-117/Domain: immunoglobulin homology <IMM>
F:41-115/Disulfide bonds: #status predicted

```

Query Match          79.2%; Score 42; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.63;
Matches 8; Conservative 1; Mismatches 0; Gaps 0;

QY 1 STYYLDTVG 10
   |||| ||||:
Db 76 STYYPDVKG 85

RESULT 8
HVMS34
Ig heavy chain precursor V region (345) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
C:Accession: J0502
R:Levy, N.S.; Malipiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
J. Exp. Med. 169, 2007-2019, 1989
A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
A:Reference number: J0501; MUID:89279149
A:Accession: J0502
A:Status: translation not shown
A:Molecule type: mRNA
A:Residues: 1-117 <LEV>
A:Experimental source: strain BALB/cJ
A:Note: this sequence belongs to the VH7183 subfamily
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-117/Product: Ig heavy chain V region (345) #status predicted <MAT>
F:34-117/Domain: immunoglobulin homology <IMM>
F:41-115/Disulfide bonds: #status predicted

Query Match          79.2%; Score 42; DB 1; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.63;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVG 10
   |||| ||||:
Db 76 STYYPDVKG 85

RESULT 9
PH1552
Ig H chain V region (clone 16E4) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 21-Jan-2000
C:Accession: PH1552
R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
J. Exp. Med. 177, 1105-1116, 1993
A:Title: Molecular characterization of the humoral responses to Cryptococcus neoformans
A:Reference number: PH1528; MUID:93210465
A:Accession: PH1552
A:Molecule type: mRNA
A:Residues: 1-117 <MUK>
A:Note: the stop codon X appears in residue 87
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin
F:15-97/Domain: immunoglobulin homology <IMM>

Query Match          79.2%; Score 42; DB 2; Length 117;
Best Local Similarity 80.0%; Pred. No. 0.63;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVG 10
   |||| ||||:
Db 57 STYYPDVKG 66

RESULT 10
PH1548
Ig H chain V region (clone 12F4) - mouse (fragment)

```

```

C:Species: Mus musculus (house mouse)
C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 17-Mar-1999
C:Accession: PH1548
R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
J. Exp. Med. 177, 1105-1116, 1993
A:Title: Molecular characterization of the humoral responses to Cryptococcus neoforma
A:Reference number: PH1528; MUID:93210465
A:Accession: PH1548
A:Molecule type: mRNA
A:Residues: 1-119 <MUK>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match          79.2%; Score 42; DB 2; Length 119;
Best Local Similarity 80.0%; Pred. No. 0.65;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVG 10
   |||| ||||:
Db 57 STYYPDVKG 66

RESULT 11
PH1549
Ig H chain V region (clone 13F1) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Jun-1994 #sequence_revision 27-Jun-1994 #text_change 17-Mar-1999
C:Accession: PH1549
R:Mukherjee, J.; Casadevall, A.; Scharff, M.D.
J. Exp. Med. 177, 1105-1116, 1993
A:Title: Molecular characterization of the humoral responses to Cryptococcus neoforma
A:Reference number: PH1528; MUID:93210465
A:Accession: PH1549
A:Molecule type: mRNA
A:Residues: 1-119 <MUK>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match          79.2%; Score 42; DB 2; Length 119;
Best Local Similarity 80.0%; Pred. No. 0.65;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVG 10
   |||| ||||:
Db 57 STYYPDVKG 66

RESULT 12
S56009
Ig heavy chain variable region against dystrophin - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 07-May-1999
C:Accession: S56009
R:Morris, G.E.; Nguyen, C.; Man, N.T.
Biochem. J. 309, 355-359, 1995
A:Title: Specificity and V(H) sequence of two monoclonal antibodies against the N-ter
A:Reference number: S56008; MUID:95344393
A:Accession: S56009
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-92 <MOR>
A:Cross-references: EMBL:246661
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:6-86/Domain: immunoglobulin homology <IMM>

Query Match          77.4%; Score 41; DB 2; Length 92;
Best Local Similarity 77.8%; Pred. No. 0.76;

```

Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 2 TYLDTVEG 10
|||||:|:
Db 48 TYLDSVKG 56

RESULT 13

Ig heavy chain variable VDJ region - pig (fragment)
C:Species: Sus scrofa domestica (domestic pig)
C:Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 21-Jan-2000
C:Accession: I47200
R:Sun, J.; Kacskovics, I.; Brown, W.R.; Butler, J.E.
J. Immunol. 153, 5618-5627, 1994
A:Title: Expressed swine VH genes belong to a small VH gene family homologous to human V
A:Reference number: I47177; MUID:95081609
A:Accession: I47200
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-150 <SUN>
A:Cross-references: EMBL:U15459; NID:g571404; PIDN:AAA67025.1; PID:g571405
C:Superfamily: immunoglobulin V region; immunoglobulin homology
F:34-119/Domain: immunoglobulin homology <IMM>

Query Match 77.4%; Score 41; DB 2; Length 150;
Best Local Similarity 77.8%; Pred. No. 1.3;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 2 TYLDTVEG 10
|||||:|:
Db 79 TYLDSVKG 87

RESULT 14

S24248
Ig heavy chain V region (VH26) - human
C:Species: Homo sapiens (man)
C:Date: 19-Feb-1994 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C:Accession: S24248
R:Stewart, A.K.; Huang, C.; Stollár, B.D.; Schwartz, R.S.
submitted to the EMBL Data Library, June 1992
A:Description: A single VH gene predominates in the rearranged and expressed human B cell
A:Reference number: S24247
A:Accession: S24248
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-90 <STE>
A:Cross-references: EMBL:X67069; NID:g38395; PIDN:CAA47454.1; PID:g38396
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin

Query Match 75.5%; Score 40; DB 2; Length 90;
Best Local Similarity 70.0%; Pred. No. 1.2;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Oy 1 STYLDTVEG 10
|||||:|:
Db 56 STYADSVKG 65

RESULT 15

S26935
Ig heavy chain V region (DP-42) - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C:Accession: S26935
R:Tomlinson, I.M.; Walter, G.; Marks, J.D.; Llewelyn, M.B.; Winter, G.
J. Mol. Biol. 227, 776-798, 1992
A:Title: The repertoire of human germline V(H) sequences reveals about fifty groups of
A:Reference number: S26885; MUID:93021117

A:Accession: S26935
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-97 <TOM>
A:Cross-references: EMBL:Z12342; NID:g32905; PIDN:CAA78212.1; PID:g32906
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-97/Domain: immunoglobulin homology <IMM>

Query Match 75.5%; Score 40; DB 2; Length 97;
Best Local Similarity 70.0%; Pred. No. 1.3;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Oy 1 STYLDTVEG 10
|||||:|:
Db 56 STYADSVKG 65

Search completed: March 28, 2001, 06:41:50
Job time: 873 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:49 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-58
Perfect score: 53
Sequence: 1 STYYLDTVEG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues
Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	42	79.2	117	1 HV53_MOUSE	P18524 mus musculu
2	42	79.2	117	1 HV54_MOUSE	P18525 mus musculu
3	42	79.2	117	1 HV55_MOUSE	P18526 mus musculu
4	40	75.5	116	1 HV05_CARAU	P19181 carassius a
5	38	71.7	97	1 HV56_MOUSE	P18527 mus musculu
6	37	69.8	115	1 HV3E_HUMAN	P01767 homo sapien
7	37	69.8	117	1 HV3C_HUMAN	P01764 homo sapien
8	37	69.8	470	1 GLNA_FREDI	P33035 fremyella d
9	37	69.8	473	1 GLNA_SYNP2	P28605 synchococc
10	36	67.9	473	1 GLNA_ANASP	P00964 anabena sp
11	36	67.9	523	1 YB34_YEAST	P38299 saccharomyc
12	35	66.0	117	1 HV02_CANFA	P01785 canis famil
13	35	66.0	119	1 HV3L_HUMAN	P01773 homo sapien
14	35	66.0	364	1 YK27_AQUAE	O67821 aquifex aeo
15	35	66.0	508	1 YBCK_ECOLI	P77698 escherichia
16	35	66.0	1062	1 CERU_MOUSE	O61147 mus musculu
17	34	64.2	98	1 HV57_MOUSE	P18528 mus musculu
18	34	64.2	117	1 HV58_MOUSE	P18529 mus musculu
19	34	64.2	117	1 HV59_MOUSE	P18530 mus musculu
20	34	64.2	353	1 GBQ_LYNST	P38411 lymnaea sta
21	34	64.2	711	1 YRFE_ECOLI	P45800 escherichia
22	34	64.2	4488	1 RRPB_CVNHJ	P19751 murine coro
23	33	62.3	121	1 HV3J_HUMAN	P01771 homo sapien
24	33	62.3	318	1 ALYS_BPHB3	P32762 streptococc
25	33	62.3	318	1 ALYS_STRPN	P06653 streptococc
26	33	62.3	329	1 PSBO_PEA	P14226 pisum sativ
27	33	62.3	332	1 PSBO_ARATH	P23321 arabidopsis
28	33	62.3	332	1 PSBO_SPIOL	P12359 spinacia ol
29	33	62.3	333	1 PSBO_SOLTU	P26320 solanum tub
30	33	62.3	471	1 TNAA_ECOLI	P00913 escherichia
31	33	62.3	473	1 GLNA_SYNY3	P77961 synchocyst
32	33	62.3	654	1 BFR2_HUMAN	O01742 homo sapien
33	33	62.3	821	1 FGR2_HUMAN	P21802 homo sapien

34	33	62.3	821	1 FGR2_MOUSE	P21803 mus musculu
35	33	62.3	823	1 CER3_CHICK	P18461 gallus gall
36	33	62.3	1008	1 DPOL_HSV2	P52367 equine herp
37	32	60.4	250	1 LFA3_HUMAN	P19256 homo sapien
38	32	60.4	331	1 PUR7_ARCFU	O28996 archaeoglob
39	32	60.4	332	1 GALT_HAEIN	P31766 haemophilus
40	32	60.4	354	1 GBQ_LOLFO	P38412 loligo forb
41	32	60.4	457	1 YMS9_YEAST	O03648 saccharomyc
42	32	60.4	553	1 DPOL_BPPRD	P10479 bacterioph
43	32	60.4	631	1 OE66_NPVLS	P89518 leucania se
44	32	60.4	813	1 FGR2_XENLA	O03364 xenopus lae
45	32	60.4	1005	1 MANA_DICDI	P34098 dictyostell

ALIGNMENTS

RESULT 1
HV53_MOUSE
ID HV53_MOUSE STANDARD; PRT; 117 AA.
AC P18524;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION RF PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BALB/CJ;
RX MEDLINE: 89273149;
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during the primary immune response."
RL J. Exp. Med. 169:2007-2019(1989).
CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR: J0503; HVMSRF.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; 19; 1.
KW Immunoglobulin V region; Hybridoma; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION RF.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFD 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12866 MW; 2CE3295F390F725B CRC64;

Query Match 79.2%
Best Local Similarity 80.0%
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
Qy 1 STYYLDTVEG 10
Db 76 STYYPDTVKG 85

RESULT 2
HV54_MOUSE
ID HV54_MOUSE STANDARD; PRT; 117 AA.
AC P18525;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 5-84 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.

RN SEQUENCE FROM N.A.
 RP STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 RL the primary immune response.";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JT0505; HVMS84.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V REGION 5-84.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12872 MW; 234055CBB6A469861 CRC64;

 Query Match 79.2%; Score 42; DB 1; Length 117;
 Best Local Similarity 80.0%; Pred. No. 0.17;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 Db 76 STYYPDTVKG 85

 RESULT 4
 HV05_CARAU STANDARD; PRT; 116 AA.
 ID HV05_CARAU
 AC P19181;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 5A PRECURSOR.
 OS Carassius auratus (Goldfish).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
 OC Cypriniformes; Cyprinidae; Cyprinidae; Cyprinus; Carassius.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 88144476.
 RA Wilson M.R., Middleton D., Warr G.W.;
 RT "Immunoglobulin heavy chain variable region gene evolution: structure
 RT and family relationships of two genes and a pseudogene in a teleost
 RT fish.";
 RL Proc. Natl. Acad. Sci. U.S.A. 85:1566-1570(1988).
 DR PIR: B28966; B28966.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 116 IG HEAVY CHAIN V REGION 5A.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 84 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 85 116 FRAMEWORK 3.
 FT DISULFID 41 114 BY SIMILARITY.
 FT NON_TER 116 116
 SQ SEQUENCE 116 AA; 12808 MW; 9C2279E2DF199B12 CRC64;

 Query Match 75.5%; Score 40; DB 1; Length 116;
 Best Local Similarity 70.0%; Pred. No. 0.41;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 Db 75 STYYADSVKG 84

 RESULT 5
 HV56_MOUSE STANDARD; PRT; 97 AA.
 ID HV56_MOUSE
 AC P18527;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 914.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 RT the primary immune response.";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: JT0504; HVMS91.
 DR INTERPRO: IPR003006;

```
DR PFAM: PF00047; ig: 1.
KW Immunoglobulin V region.
FT NON_TER 97
SQ SEQUENCE 97 AA; 10661 MW; C23CB33FF55DA893 CRC64;

Query Match 71.7%; Score 38; DB 1; Length 97;
Best Local Similarity 70.0%; Pred. No. 0.84;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
   ||||| I:I:I
Db 56 STYYPDSVKG 65

RESULT 6
HV3F_HUMAN STANDARD; PRT; 115 AA.
AC P01767;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION BUT.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
RN [1]
RP MEDLINE; 78137069.
RA Torano A., Putnam F.W.;
RT "Complete amino acid sequence of the alpha 2 heavy chain of a human
RT IgA2 immunoglobulin of the A2m (2) allotype."
RL Proc. Natl. Acad. Sci. U.S.A. 75:966-969(1978).
CC -1- MISCELLANEOUS: THE SEQUENCE OF THE ALPHA-2, A2m(2) ALLOTYPE, C
CC REGION OF THIS MYELOMA PROTEIN IS ALSO GIVEN.
DR PIR; A02050; A2HUBU.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig: 1.
KW Immunoglobulin V region.
FT NON_TER 115
SQ SEQUENCE 115 AA; 12379 MW; 208876A7DF52DCF4 CRC64;

Query Match 69.8%; Score 37; DB 1; Length 115;
Best Local Similarity 60.0%; Pred. No. 1.6;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
   ||||| I:I:I
Db 56 TTYVADSVKG 65

RESULT 7
HV3C_HUMAN STANDARD; PRT; 117 AA.
AC P01764;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION VH26 PRECURSOR.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
RN [1]
RP MEDLINE; 81101090.
RA Matthysens G., Rabbitts T.H.;
RT "Structure and multiplicity of genes for the human immunoglobulin
RT heavy chain variable region."
RL Proc. Natl. Acad. Sci. U.S.A. 77:6561-6565(1980).
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
EMBL; J00236; AAA53516.1; -.
DR EMBL; M35415; AAA58735.1; -.
DR PIR; A02047; H3HU26.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig: 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1
FT CHAIN 20 117 IG HEAVY CHAIN V-III REGION VH26.
FT NON_TER 117
SQ SEQUENCE 117 AA; 12582 MW; E826733F1A3CB0F1 CRC64;

Query Match 69.8%; Score 37; DB 1; Length 117;
Best Local Similarity 70.0%; Pred. No. 1.6;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
   ||||| I:I:I
Db 76 STYYGDSVKG 85

RESULT 8
GLNA_FREDI STANDARD; PRT; 470 AA.
AC P33035;
DT 01-OCT-1993 (Rel. 27, Created)
DT 01-OCT-1993 (Rel. 27, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE GLUTAMINE SYNTHETASE (EC 6.3.1.2) (GLUTAMATE--AMMONIA LIGASE).
GN GLNA.
OS Fremyella diplosiphon (Calothrix PCC 7601).
OC Bacteria; Cyanobacteria; Nostocales; Rivulariaceae; Fremyella.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 93129187.
RA Elmorjani K., Liotenberg S., Houmard J., de Marsac N.T.;
RT "Molecular characterization of the gene encoding glutamine synthetase
RT in the cyanobacterium Calothrix sp. PCC 7601."
RL Biochem. Biophys. Res. Commun. 189:1296-1302(1992).
CC -1- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + NH(3) -> ADP + GLUTAMINE +
CC ORTHOPHOSPHATE.
CC -1- SUBUNIT: OLIGOMER OF 12 SUBUNITS ARRANGED IN THE FORM OF TWO
CC HEXAGON.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE GLUTAMINE SYNTHETASE FAMILY.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL; L05609; AAA23288.1; -.
DR PIR; JC1403; JC1403.
DR HSSP; P06201; 2LGS.
DR INTERPRO; IPR001637; -.
DR INTERPRO; IPR001691; -.
DR PFAM; PF00120; gln-synt; 1.
DR PROSITE; PS00180; GLNA_1; 1.
DR PROSITE; PS00181; GLNA_ATP; 1.
DR PROSITE; PS00182; GLNA_ADENYLATION; 1.
KW Ligase.
FT INIT_MET 0
FT INIT_MET 0 BY SIMILARITY.
SQ SEQUENCE 470 AA; 52919 MW; ADD7B49A7769E832 CRC64;
```


Query Match 69.8%; Score 37; DB 1; Length 470;
 Best Local Similarity 75.0%; Pred. No. 8;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 YLDTVEG 10
 ||:|:|

Db 150 YVDSVEG 157

RESULT 9
 ID GLNA_SYN2 STANDARD; PRT; 473 AA.
 AC P28605;
 DT 01-DEC-1992 (Rel. 24, Created)
 DT 01-DEC-1992 (Rel. 24, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE GLUTAMINE SYNTHETASE (EC 6.3.1.2) (GLUTAMATE--AMMONIA LIGASE).
 GN GLNA.
 OS Synechococcus sp. (strain PCC 7002) (Agmenellum quadruplicatum).
 CC Bacteria; Cyanobacteria; Chroococcales; Synechococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-PR-6;
 RX MEDLINE; 93139025.
 RA Wagner S.J., Thomas S.P., Kaufman R.I., Nixon B.T., Stevens S.E. Jr.;
 RT "The glnA gene of the cyanobacterium Agmenellum quadruplicatum PR-6
 is nonessential for ammonium assimilation."
 RL J. Bacteriol. 175:604-612(1993).
 CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + NH(3) = ADP + GLUTAMINE +
 ORTHOPHOSPHATE.
 CC -!- SUBUNIT: OLIGOMER OF 12 SUBUNITS ARRANGED IN THE FORM OF TWO
 HEXAGON.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE GLUTAMINE SYNTHETASE FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 or send an email to license@isb-sib.ch).
 CC EMBL; Z13965; CAA78366.1; -
 DR PIR; S23852; S23852.
 DR PIR; A47050; A47050.
 DR HSSP; P06201; 2LGS.
 DR INTERPRO; IPR001691; -
 DR PFAM; PF00120; gln-synt; 1.
 DR PROSITE; PS00180; GLNA_1; 1.
 DR PROSITE; PS00181; GLNA_ATP; 1.
 DR KW Nitrogen fixation; Ligase; Heterocyst.
 FT INIT MET 0
 FT CONFLICT 106 106 R -> P (IN CAA24982).
 FT SEQUENCE 473 AA; 53030 MW; 495C6C7A1EDBC576 CRC64;

Query Match 69.8%; Score 37; DB 1; Length 473;
 Best Local Similarity 75.0%; Pred. No. 8;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 YLDTVEG 10
 ||:|:|

Db 152 YVDSVEG 159

RESULT 10
 ID GLNA_ANASP STANDARD; PRT; 473 AA.
 AC P00964;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-FEB-1991 (Rel. 17, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLUTAMINE SYNTHETASE (EC 6.3.1.2) (GLUTAMATE--AMMONIA LIGASE).

GN GLNA.
 OS Anabaena sp. (strain PCC 7120).
 CC Bacteria; Cyanobacteria; Nostocales; Nostocaceae; Anabaena.
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Tumer N.E., Robinson S.J., Haselkorn R.;
 RT "Different promoters for the Anabaena glutamine synthetase gene
 during growth using molecular or fixed nitrogen."
 RL Nature 306:337-342(1983).
 CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + NH(3) = ADP + GLUTAMINE +
 ORTHOPHOSPHATE.
 CC -!- SUBUNIT: OLIGOMER OF 12 SUBUNITS ARRANGED IN THE FORM OF TWO
 HEXAGON.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- MISCELLANEOUS: IN ANABAENA, IT IS PRESENT IN AMMONIA-GROWN
 VEGETATIVE CELLS AS WELL AS IN HETEROCYSTIS (FOR NITROGEN
 FIXATION).
 CC -!- SIMILARITY: BELONGS TO THE GLUTAMINE SYNTHETASE FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 or send an email to license@isb-sib.ch).
 CC EMBL; X00147; CAA24982.1; -
 DR PIR; A01192; AJA10.
 DR HSSP; P06201; 2LGS.
 DR INTERPRO; IPR001637; -
 DR INTERPRO; IPR001691; -
 DR PFAM; PF00120; gln-synt; 1.
 DR PROSITE; PS00180; GLNA_1; 1.
 DR PROSITE; PS00181; GLNA_ATP; 1.
 DR PROSITE; PS00182; GLNA_ADENYLATION; 1.
 DR KW Nitrogen fixation; Ligase; Heterocyst.
 FT INIT MET 0
 FT CONFLICT 106 106 R -> P (IN CAA24982).
 FT SEQUENCE 473 AA; 53005 MW; 373C7F949443A4E9 CRC64;

Query Match 67.9%; Score 36; DB 1; Length 473;
 Best Local Similarity 75.0%; Pred. No. 13;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 YLDTVEG 10
 ||:|:|

Db 150 YLDSVEG 157

RESULT 11
 ID YB34_YEAST STANDARD; PRT; 523 AA.
 AC P38299;
 DT 01-OCT-1994 (Rel. 30, Created)
 DT 01-OCT-1994 (Rel. 30, Last sequence update)
 DT 15-JUL-1998 (Rel. 36, Last annotation update)
 DE HYPOTHETICAL 60.6 KDA PROTEIN IN SMP1-MB1 INTERGENIC REGION.
 GN YBR184W OR YBR1306.
 OS Saccharomyces cerevisiae (Baker's yeast).
 CC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 CC Saccharomycetaceae; Saccharomycetes.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-S288C;
 RX MEDLINE; 95176710.
 RA Demolis N., Jacquet M., Mallet L.;
 RT "A 12.5 kb fragment of the yeast chromosome II contains two adjacent
 genes encoding ribosomal proteins and six putative new genes, one of
 which encodes a putative transcriptional factor."
 RL Yeast 10:1511-1525(1994).
 CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; U02073; AAB60278.1; -;
 DR EMBL; Z36053; CAA85145.1; -;
 DR PIR; S46056; S46056.
 DR SGD; S0000388; YBR184W.
 KW Hypothetical protein.
 SQ SEQUENCE 523 AA; 60642 MW; 9BFFBD192C85472F CRC64;

Query Match 67.9%; Score 36; DB 1; Length 523;
 Best Local Similarity 70.0%; Pred. No. 14;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
 QY 1 STYLDVTEG 10
 ||| ||: ||
 DB 441 STYLDVTEG 450

RESULT 12
 HV02_CANFA STANDARD; PRT; 117 AA.
 ID HV02_CANFA
 AC P01785;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION MOO.
 OS Canis familiaris (Dog).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
 RN [1]
 RP SEQUENCE OF 1-112.
 RX MEDLINE; 77242268.
 RA Wasserman R.L., Capra J.D.;
 RT "Primary structure of the variable regions of two canine
 RT immunoglobulin heavy chains.";
 RL Biochemistry 16:3160-3168(1977).
 RN [2]
 RP SEQUENCE OF 113-117.
 RX MEDLINE; 80077682.
 RA McCumber L.J., Capra J.D.;
 RT "The complete amino-acid sequence of a canine mu chain.";
 RL Mol. Immunol. 16:565-570(1979).
 CC -1- MISCELLANEOUS: THIS MU CHAIN WAS ISOLATED FROM A MYELOMA PROTEIN.
 DR PIR; A02068; MHDGMO.
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00047; ig; 1.
 KW Immunoglobulin V region.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12703 MW; FCE07309E0A84B35 CRC64;

Query Match 66.0%; Score 35; DB 1; Length 117;
 Best Local Similarity 66.7%; Pred. No. 4.1;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
 QY 2 TYVLDVTEG 10
 ||| | |:
 DB 57 TYVADVKG 65

RESULT 13
 HV3L_HUMAN STANDARD; PRT; 119 AA.
 ID HV3L_HUMAN
 AC P01773;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)

DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V-III REGION BUR.
 OS Homo sapiens (Human).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE (MYELOMA PROTEIN BUR).
 RX MEDLINE; 79151016.
 RA Putnam F.W., Liu Y.-S.V., Low T.L.K.;
 RT "Primary structure of a human IgA1 immunoglobulin. IV. Streptococcal
 RT IgA1 protease, digestion, Fab and Fc fragments, and the complete
 RT amino acid sequence of the alpha 1 heavy chain.";
 RL J. Biol. Chem. 254:2865-2874(1979).
 DR PIR; A02056; ALHUBR.
 DR HSSP; P01772; 2IG2.
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00047; ig; 1.
 KW Immunoglobulin V region; Glycoprotein.
 FT MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
 FT DISULFID 22 96
 FT CARBOHYD 28 28 N-LINKED (GLCNAC. .).
 FT NON_TER 119 119
 SQ SEQUENCE 119 AA; 12981 MW; 12A709A75344D024 CRC64;

Query Match 66.0%; Score 35; DB 1; Length 119;
 Best Local Similarity 66.7%; Pred. No. 4.2;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
 QY 2 TYVLDVTEG 10
 ||| | |:
 DB 58 TYVADVSRG 66

RESULT 14
 YK27_AQUAE STANDARD; PRT; 364 AA.
 ID YK27_AQUAE
 AC O67821;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE HYPOTHETICAL PROTEIN AQ_2027.
 GN AQ_2027.
 OS Aquifex aeolicus.
 CC Bacteria; Aquificales; Aquificaceae; Aquifex.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-VF5;
 RX MEDLINE; 98196666.
 RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
 RA Graham D.E., Overbeek R., Shead M.A., Keller M., Aufay M., Huber R.,
 RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
 RT "The complete genome of the hyperthermophilic bacterium Aquifex
 RT aeolicus".
 RL Nature 392:353-358(1998).
 CC -1- SIMILARITY: TO B.BURGDORFFERI BB0374.
 CC -----

This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; AE000768; AAC07788.1; -;
 DR INTERPRO; IPR002819; -;
 DR PFAM; PF01966; HD; 1.
 KW Hypothetical protein.
 SQ SEQUENCE 364 AA; 42016 MW; 4022756E079B7276 CRC64;

Query Match 66.0%; Score 35; DB 1; Length 364;

Best Local Similarity 60.0%; Pred. No. 15;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
| | | | | : |
Db 203 SPYLDSTIG 212

RESULT 15
YBCK_ECOLI STANDARD; PRT; 508 AA.
AC P77698;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 57.5 KDA PROTEIN IN EMRE-RUS INTERGENIC REGION.
GN YBCK.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-K12 / MG1655;
RX MEDLINE; 97426617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;
RT "The complete genome sequence of Escherichia coli K-12.";
RL Science 277:1453-1474(1997).
RN [2]
RP SEQUENCE FROM N.A.
RA Chung E., Allen E., Araujo R., Aparicio A., Davis K., Duncan M.,
RA Federspiel N., Hyman R., Kalman S., Komp C., Kurdi O., Lew H., Lin D.,
RA Namath A., Oefner P., Roberts D., Schramm S., Davis R.W.;
RL Submitted (JAN-1997) to the EMBL/GenBank/DBJ databases.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See [http://www.isb-sib.ch/](http://www.isb-sib.ch/announce/)
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AE000160; AAC73645.1; -.
DR EMBL; U82598; AAB40741.1; -.
DR ECOGENE; EGI3627; YBCK.
KW Hypothetical protein.
SQ SEQUENCE 508 AA; 57526 MW; F85C07DBF45105CD CRC64;

Query Match 66.0%; Score 35; DB 1; Length 508;
Best Local Similarity 75.0%; Pred. No. 22;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTV 8
| | | | | :
Db 36 SDYYLDTI 43

Search completed: March 28, 2001, 07:29:50
Job time: 1657 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:48 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-58
Perfect score: 53
Sequence: 1 STYVLDTVEG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

- Database : SPTREMBL_15.*
- 1: sp_archaea.*
 - 2: sp_bacteria.*
 - 3: sp_fungi.*
 - 4: sp_human.*
 - 5: sp_invertebrate.*
 - 6: sp_mammal.*
 - 7: sp_mhc.*
 - 8: sp_organelle.*
 - 9: sp_phase.*
 - 10: sp_plant.*
 - 11: sp_rodent.*
 - 12: sp_virus.*
 - 13: sp_vertebrate.*
 - 14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	75.5	121	4 Q9UL71	Q9ul71 homo sapien
2	40	75.5	1642	13 Q91132	Q91132 naja naja (
3	38	71.7	262	13 Q9PWW6	Q9pww6 brachydanio
4	38	71.7	473	2 O50210	O50210 synechococc
5	37	69.8	116	10 Q9LHW3	Q9lhw3 oryza sativ
6	37	69.8	752	5 O62534	O62534 drosophila
7	37	69.8	755	5 Q9M0V3	Q9m0v3 drosophila
8	36	67.9	77	4 O75741	O75741 homo sapien
9	36	67.9	118	4 Q9UL72	Q9ul72 homo sapien
10	36	67.9	258	2 Q9RA41	Q9ra41 trichodesmi
11	36	67.9	268	2 Q9RS44	Q9rs44 deinococcus
12	36	67.9	339	2 O32822	O32822 listeria mo
13	36	67.9	474	2 Q9RH21	Q9rh21 anabaena az
14	36	67.9	934	5 P91438	P91438 caenorhabdi
15	35	66.0	195	5 Q9VZM0	Q9vzm0 drosophila
16	35	66.0	214	5 O18547	O18547 drosophila
17	35	66.0	290	5 Q9VRT2	Q9vrt2 drosophila
18	35	66.0	328	2 O68786	O68786 versinia pe
19	35	66.0	499	2 Q55174	Q55174 synechocyst

20	35	66.0	867	13 Q9PW49	Q9pw49 gallus gall
21	35	66.0	1170	10 O48573	O48573 arabidopsis
22	35	66.0	2126	4 Q9UDQ2	Q9udd2 homo sapien
23	35	66.0	3460	4 P78509	P78509 homo sapien
24	35	66.0	4472	2 O33954	O33954 streptomyce
25	34	64.2	82	4 O75732	O75732 homo sapien
26	34	64.2	227	2 Q9X319	Q9x319 bacillus an
27	34	64.2	259	2 P94454	P94454 bacillus st
28	34	64.2	308	5 O16503	O16503 caenorhabdi
29	34	64.2	324	2 Q9X834	Q9x834 chlamydia p
30	34	64.2	329	2 O84436	O84436 chlamydia t
31	34	64.2	349	2 Q9L8M5	Q9l8m5 prochloroco
32	34	64.2	366	4 Q9UF84	Q9uf84 homo sapien
33	34	64.2	522	1 O27026	O27026 methanobact
34	34	64.2	633	1 Q9UYG6	Q9uyg6 pyrococcus
35	34	64.2	641	1 O58238	O58238 pyrococcus
36	34	64.2	665	3 O07799	O07799 saccharomyc
37	34	64.2	671	11 Q63711	Q63711 rattus norv
38	34	64.2	705	11 Q63710	Q63710 rattus norv
39	34	64.2	877	4 Q9UF51	Q9uf51 homo sapien
40	34	64.2	907	10 Q9LHL0	Q9lhl0 arabidopsis
41	34	64.2	949	3 O14093	O14093 schizosacch
42	34	64.2	985	5 O01590	O01590 caenorhabdi
43	34	64.2	989	4 Q9P271	Q9p271 homo sapien
44	34	64.2	1096	10 Q9MAG3	Q9mag3 arabidopsis
45	34	64.2	1281	11 Q9R1P5	Q9rip5 mus musculu

ALIGNMENTS

RESULT 1					
Q9UL71					
ID Q9UL71	PRELIMINARY;	PRT;	121 AA.		
AC Q9UL71;					
DT 01-MAY-2000 (TREMBLrel. 13, Created)					
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)					
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)					
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).					
OS Homo sapiens (Human).					
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;					
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.					
OX NCBI_TaxID=9606;					
RN [1]					
RP SEQUENCE FROM N.A.					
RX MEDLINE=98277139; PubMed=9614934;					
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,					
RA Young D.C.;					
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal					
RT fetus.";					
RL Clin. Immunol. Immunopathol. 87:184-192(1998).					
DR EMBL; AF035043; AAD56279.1; -					
DR HSSP; P01772; 2F84.					
DR INTERPRO: IPR003006; -					
DR PFAM: PF00047; ig; 1.					
FT NON_TER 1					
FT NON_TER 121					
SQ SEQUENCE 121 AA; 13154 MW; 2F045CCFA5D50736 CRC64;					
Query Match	75.5%	Score 40;	DB 4;	Length 121;	
Best Local Similarity	70.0%;	Pred. No. 2.1;			
Matches 7;	Conservative 2;	Mismatches 1;	Indels 0;	Gaps 0;	
Qy 1 STYVLDTVEG 10					
Db 57 STYVADSVKG 66					
RESULT 2					
Q91132					
ID Q91132	PRELIMINARY;	PRT;	1642 AA.		
AC Q91132;					

DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE COBRA VENOM FACTOR PRECURSOR.
OS Naja naja (Indian cobra).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Lepidosauria; Squamata; Scleroglossa; Serpentes; Colubroidea;
OC Elapidae; Elapinae; Naja.
OX NCBI_TaxID=35670;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=VENOM GLAND;
RX MEDLINE=95108041; PubMed=7809120;
RA Fritzinger D.C., Bredehorst R., Vogel C.W.;
RT "Molecular cloning and derived primary structure of cobra venom
factor."
RL Proc. Natl. Acad. Sci. U.S.A. 91:12775-12779(1994).
DR EMBL; 009969; AAA68989.1; -;
DR HSSP; P01024; IC3D.
DR INTERPRO; IPR000020; -;
DR INTERPRO; IPR001134; -;
DR INTERPRO; IPR001599; -;
DR INTERPRO; IPR001840; -;
DR INTERPRO; IPR002048; -;
DR INTERPRO; IPR002890; -;
DR PFAM; PF00207; A2M; 1.
DR PFAM; PF01759; NTR; 1.
DR PFAM; PF01821; ANATO; 1.
DR PFAM; PF01835; A2M_N; 1.
DR PRINTS; PR00004; ANAPHYLATOXN.
DR PROSITE; PS00018; EF_HAND; UNKNOWN_1.
DR PROSITE; PS00477; ALPHA_2_MACROGLOBULIN; 1.
DR PROSITE; PS01178; ANAPHYLATOXIN_2; 1.
DR PRODOM; PD003264; -; 1.
KW Signal.
FT SIGNAL 1 22 POTENTIAL.
FT CHAIN 23 648 ALPHA CHAIN OF COBRA VENOM FACTOR.
FT CHAIN 1264 1642 BETA CHAIN OF COBRA VENOM FACTOR.
SQ SEQUENCE 1642 AA; 184516 MW; 2A71B2BD61D612A3 CRC64;

Query Match 75.5%; Score 40; DB 13; Length 1642;
Best Local Similarity 77.8%; Pred. No. 45;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVE 9
Db 1007 ATYYLDTTE 1015

RESULT 3
Q9PWW6 PRELIMINARY; PRT; 262 AA.
ID Q9PWW6
AC Q9PWW6
DT 01-MAY-2000 (TReMBLrel. 13, Created)
DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE HOMEBOX PROTEIN.
GN HOXD9A.
OS Brachydanio rerio (Zebrafish) (Zebra danio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
OC Cypriniformes; Cyprinidae; Rasbora; Danio.
OX NCBI_TaxID=7955;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=99051425; PubMed=9831563;
RA Amores A., Force A., Yan Y.-L., Wang Y.-L., Fritz A., Prince V.,
RA Ho R., Amemiya C., Langeland J., Westerfield M., Ekker M.,
RA Postlethwait J.;
RT "Zebrafish hox clusters and vertebrate genome evolution."
RL Science 282:1711-1714(1998).
DR EMBL; AF071268; AAD15961.1; -;

DR HSSP; P02834; 1B8I.
DR INTERPRO; IPR000047; -;
DR INTERPRO; IPR001356; -;
DR PFAM; PF00046; HOMEBOX; 1.
DR PRINTS; PR00024; HOMEBOX
DR PRINTS; PR00031; HTHREPRESSR.
DR PROSITE; PS00027; HOMEBOX_1; 1.
DR PROSITE; PS00071; HOMEBOX_2; 1.
KW Homeobox; DNA-binding; Nuclear protein.
SQ SEQUENCE 262 AA; 29731 MW; 93BC979F8677CA27 CRC64;

Query Match 71.7%; Score 38; DB 13; Length 262;
Best Local Similarity 60.0%; Pred. No. 13;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
Db 8 SSYYVDITMG 17

RESULT 4
O50210 PRELIMINARY; PRT; 473 AA.
ID O50210
AC O50210
DT 01-JUN-1998 (TReMBLrel. 06, Created)
DT 01-JUN-1998 (TReMBLrel. 06, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE GLUTAMINE SYNTHETASE.
GN GLNA.
OS Synecococcus sp. (strain PCC 7942) (Anacystis nidulans R2).
OC Bacteria; Cyanobacteria; Chroococcales; Synecococcus.
OX NCBI_TaxID=1140;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=PCC 7942;
RA Cohen-Kupiec R.;
RL Thesis (1993), Unknown Institution.
RN [2]
RP PARTIAL SEQUENCE FROM N.A.
RC STRAIN=PCC 7942;
RA Phung L.T.;
RL Thesis (1997), Unknown Institution.
RN [3]
RP SEQUENCE OF 1-4 FROM N.A.
RC STRAIN=PCC 7942;
RX MEDLINE=94064573; PubMed=7902350;
RA Cohen-Kupiec R., Gurevitz M., Zilberstein A.;
RT "Expression of glnA in the cyanobacterium Synecococcus sp. strain PCC
7942 is initiated from a single nif-like promoter under various
nitrogen conditions."
RL J. Bacteriol. 175:7727-7731(1993).
RN [4]
RP SEQUENCE FROM N.A.
RC STRAIN=PCC 7942;
RA Phung L.T., Cohen-Kupiec R.;
RL Submitted (OCT-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF031129; AAB87965.1; -;
DR HSSP; P06201; ILGR.
DR INTERPRO; IPR001637; -;
DR INTERPRO; IPR001691; -;
DR PFAM; PF00120; gln-synt; 1.
DR PROSITE; PS00180; GLNA_1; 1.
DR PRODOM; PD001057; -; 1.
SQ SEQUENCE 473 AA; 53045 MW; F228C865640D2555 CRC64;

Query Match 71.7%; Score 38; DB 2; Length 473;
Best Local Similarity 60.0%; Pred. No. 26;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
Db 11111111

Db 150 SYYVDSIEG 159

```

RESULT 5
Q9LHW3
ID Q9LHW3 PRELIMINARY; PRT; 116 AA.
AC Q9LHW3;
DT 01-OCT-2000 (TREMBlrel. 15, Created)
DT 01-OCT-2000 (TREMBlrel. 15, Last sequence update)
DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)
DE HYPOTHETICAL PROTEIN.
OS Oryza sativa (Rice)
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; Liliopsida; Poales; Poaceae; Oryza.
OX NCBI_TaxID=4530;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. NIPPONBARE;
RA Sasaki T., Matsumoto T., Yamamoto K.;
RT "Oryza sativa nipponbare(GA3) genomic DNA, chromosome 1, PAC
clone:PO515G01.";
RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AP001633; BAA94223.1; -;
SQ SEQUENCE 116 AA; 12974 MW; 628AFFC798CBB8EC CRC64;

```

Query Match 69.8%; Score 37; DB 10; Length 116;
 Best Local Similarity 66.78; Pred. No. 7.9;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVE 9
 |||||
 Db 44 STYYVDTLD 52

```

RESULT 6
O62534
ID O62534 PRELIMINARY; PRT; 752 AA.
AC O62534;
DT 01-AUG-1998 (TREMBlrel. 07, Created)
DT 01-AUG-1998 (TREMBlrel. 07, Last sequence update)
DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)
DE SERINE/THREONINE PROTEIN KINASE.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Prorygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RA MacDougall C.N.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL: Y07908; CAA69216.1; -;
DR HSP; P05132; IRLX.
DR FLYBASE: FBgn0020386; PK61C.
DR INTERPRO: IPR000719; -;
DR INTERPRO: IPR002290; -;
DR PFAM: PF00069; pkinase; 1.
DR PROSITE: PS00107; PROTEIN_KINASE_ATP; UNKNOWN_1.
DR PROSITE: PS00108; PROTEIN_KINASE_ST; 1.
DR PROSITE: PS50011; PROTEIN_KINASE_DOM; 1.
KW Serine/threonine-protein kinase.
SQ SEQUENCE 752 AA; 85422 MW; 95E6DDE3AAE7C068 CRC64;

```

Query Match 69.8%; Score 37; DB 5; Length 752;
 Best Local Similarity 77.88; Pred. No. 70;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 TYILDTEG 10
 |||||
 Db 655 TYILDDPEG 663

```

RESULT 7
Q9W0V3
ID Q9W0V3 PRELIMINARY; PRT; 755 AA.
AC Q9W0V3;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)
DE CG1201 PROTEIN.
GN CG1201.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Fandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Brill J.F., Aqbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Baller R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadeu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Flier C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacieb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskaas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
CC -!- ALTERNATIVE PRODUCTS: THREE ISOFORMS; ISOFORM 1 (SHOWN HERE),
CC ISOFORM 2 AND ISOFORM 3; ARE PRODUCED BY ALTERNATIVE SPLICING.
DR EMBL: AE003467; AAF47327.1; -;
DR EMBL: AE003467; AAF47330.1; -;
DR EMBL: AE003467; AAF47331.1; -;
DR HSP; P05132; IRLX.
DR FLYBASE: FBgn0035098; CG1201.
DR INTERPRO: IPR000719; -;
DR INTERPRO: IPR002290; -;
DR PFAM: PF00069; pkinase; 1.
DR PROSITE: PS00107; PROTEIN_KINASE_ATP; UNKNOWN_1.
DR PROSITE: PS00108; PROTEIN_KINASE_ST; 1.
DR PROSITE: PS50011; PROTEIN_KINASE_DOM; 1.
KW Alternative splicing; Hypothetical protein.
FT VARSPLIC 1 3 MISSING (IN ISOFORM 2).
FT VARSPLIC 1 216 MISSING (IN ISOFORM 3).

```

SQ SEQUENCE 755 AA; 85613 MW; 6375A99A25089FDD CRC64;

Query Match 69.8%; Score 37; DB 5; Length 755;

Best Local Similarity 77.8%; Pred. No. 71;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 TYVLDTVEG 10
||||| 11
Db 658 TYVLDDEG 666

RESULT 8

Q75741 ID O75741 PRELIMINARY; PRT; 77 AA.

AC O75741;

DT 01-NOV-1998 (TREMBLrel. 08, Created)

DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)

DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)

DE IG HEAVY CHAIN VARIABLE REGION (FRAGMENT).

GN VH.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RC TISSUE=INTESTINE;

RA Fischer M., Kueppers R.;

RT "Human IgA and Igm secreting intestinal plasma cells carry heavily

mutated VH region genes.";

RL Submitted (JUL-1998) to the EMBL/GenBank/DBJ databases.

DR EMBL: AJ009540; CAA08745.1; -

DR INTERPRO: IPR003006; -

DR PFAM: PF00047; 19; 1.

FT NON_TER 1 1

FT NON_TER 77 77

SQ SEQUENCE 77 AA; 8734 MW; 9858BD6D428BD049 CRC64;

Query Match 67.9%; Score 36; DB 4; Length 77;

Best Local Similarity 66.7%; Pred. No. 7.8;

Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 TYVLDTVEG 10
||||| 11
Db 26 TYVADSVKG 34

RESULT 9

Q90L72 ID Q90L72 PRELIMINARY; PRT; 118 AA.

AC Q90L72;

DT 01-MAY-2000 (TREMBLrel. 13, Created)

DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)

DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)

DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=98277139; PubMed=9614934;

RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,

RA Young D.C.;

RT "Myosin-reactive autoantibodies in rheumatic carditis and normal

fetus.";

RL Clin. Immunol. Immunopathol. 87:184-192(1998).

DR EMBL: AF035042; AAD56278.1; -

DR HSSP: P01772; 2FB4.

DR INTERPRO: IPR003006; -

DR PFAM: PF00047; 19; 1.

FT NON_TER 1 1
FT NON_TER 118 118
SQ SEQUENCE 118 AA; 12872 MW; B4D1A5944B2D5CCA CRC64;

Query Match 67.9%; Score 36; DB 4; Length 118;

Best Local Similarity 60.0%; Pred. No. 13;

Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYVLDTVEG 10
||||| 11
Db 56 SSYVADSVKG 65

RESULT 10

Q9RA41 ID Q9RA41 PRELIMINARY; PRT; 258 AA.

AC Q9RA41;

DT 01-MAY-2000 (TREMBLrel. 13, Created)

DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)

DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)

DE GLUTAMINE SYNTHASE (FRAGMENT).

GN GLNA.

OS Trichodesmium sp. IMS101.

OC Bacteria; Cyanobacteria; Oscillatoriales; Trichodesmium.

OX NCBI_TaxID=57878;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=IMS101;

RA Dominic B., Zehr J.P.;

RT "Transcriptional analysis of the global nitrogen control gene ntca and

RT nitrogen assimilation gene glna in relation to nif genes of

Trichodesmium sp. IMS101.";

RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.

DR EMBL: AF169960; AAD53079.1; -

DR HSSP: P06201; 1LGR.

DR INTERPRO: IPR001691; -

DR PFAM: PF00120; gln-synt; 1.

DR PROSITE: PS00181; GLNA_ATP; 1.

FT NON_TER 1 1

FT NON_TER 258 258

SQ SEQUENCE 258 AA; 28741 MW; A9A98E7AA78E9CC2 CRC64;

Query Match 67.9%; Score 36; DB 2; Length 258;

Best Local Similarity 62.5%; Pred. No. 32;

Matches 5; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 3 YVLDTVEG 10
||||| 11
Db 24 YVVDSEIG 31

RA Makarova K.S., Aravind L., Daly M.J., Minton K.W., Fleischmann R.D.,
 RA Ketchum K.A., Nelson K.E., Salzberg S., Smith H.O., Venter J.C.,
 RA Fraser C.M.;
 RT "Genome Sequence of the Radioresistant Bacterium Deinococcus
 RT radiodurans R1";
 RL Science 286:1571-1577(1999).
 DR EMBL: AE002060; AAF11829.1; -;
 DR TIGR: DR2283; -;
 DR INTERPRO: IPR001626; -;
 DR PFAM: PF00950; ABC-3; 1.
 SQ SEQUENCE 268 AA; 27919 MW; 2D16BE531E8D9033 CRC64;

Query Match 67.9%; Score 36; DB 2; Length 268;
 Best Local Similarity 60.0%; Pred. No. 33;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 STYLYDTVEG 10
 :|||:|
 DB 239 ASYLDTPAG 248

RESULT 12
 O32822 ID O32822 PRELIMINARY; PRT; 339 AA.
 AC O32822;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE HYPOPHETICAL 39.7 KDA PROTEIN (FRAGMENT).
 OS Listeria monocytogenes.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group;
 OC Bacillus/Staphylococcus group; Listeria.
 OX NCBI_TaxID=1639;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=EGD;
 RA Borovok I., Mislovati M., Cohen G., Aharonowitz Y.;
 RL Submitted (JUN-1997) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AF009622; AAB63803.1; -;
 DR INTERPRO: IPR001440; -;
 KW Hypothetical protein.
 FT NON_TER 1
 SQ SEQUENCE 339 AA; 39702 MW; 601CE3B46B06D006 CRC64;

Query Match 67.9%; Score 36; DB 2; Length 339;
 Best Local Similarity 70.0%; Pred. No. 44;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 STYLYDTVEG 10
 :|||:|
 DB 148 SSYLGDVEG 157

RESULT 13
 Q9RHZ1 ID Q9RHZ1 PRELIMINARY; PRT; 474 AA.
 AC Q9RHZ1;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE GLUTAMINE SYNTHETASE (EC 6.3.1.2).
 GN GLNA.
 OS Anabaena azollae.
 OC Bacteria; Cyanobacteria; Nostocales; Nostocaceae; Anabaena.
 OX NCBI_TaxID=1164;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Francisco F.J.;
 RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.

RA Crespo J.L., Guerrero M.G., Florencio F.J.;
 RT "Mutational analysis of Asp-51 of Anabaena azollae glutamine
 RT synthetase. D51E mutation confers resistance to the active site
 RT inhibitors L-methionine-DL-sulfoximine and phosphinothricin";
 RL Eur. J. Biochem. 266:1202-1209(1999).
 DR EMBL: AJ249658; CAB64594.1; -;
 DR HSSP: P06201; ILGR.
 DR INTERPRO: IPR001637; -;
 DR PFAM: PF00120; gln-synt; 1.
 DR PROSITE: PS00180; GLNA_1; 1.
 DR PROSITE: PS00181; GLNA_ATP; 1.
 DR PROSITE: PS00182; GLNA_ADENYLATION; 1.
 KW Ligase.
 SQ SEQUENCE 474 AA; 52993 MW; 54FDF2975DF5EFBC CRC64;

Query Match 67.9%; Score 36; DB 2; Length 474;
 Best Local Similarity 75.0%; Pred. No. 65;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 YYLDTVEG 10
 :|||:|
 DB 151 YELDSVEG 158

RESULT 14
 P91438 ID P91438 PRELIMINARY; PRT; 934 AA.
 AC P91438;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
 DE CODED FOR BY C. ELEGANS CDNA YK29C11.5.
 GN T07F8.3.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditidae;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BRISTOL N2;
 RX MEDLINE=94150718; PubMed=7906398;
 RA Wilson R., Alnsough R., Anderson K., Baynes C., Berks M.,
 RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
 RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
 RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
 RA Jones M., Kershaw J., Kirsten J., Laister N., Latrelle P.,
 RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
 RA Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Showkneen R.,
 RA Smaldon N., Smith A., Sonhammer E., Staden K., Sulston J.,
 RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
 RA Watson A., Wellstock L., Wilkinson-Sproat J., Wohlman P.;
 RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 RT elegans";
 RL Nature 368:32-38(1994).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BRISTOL N2;
 RA Pauley A.;
 RN Submitted (JAN-1997) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BRISTOL N2;
 RA Waterston R.;
 RL Submitted (DEC-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL: U00954; AAB38098.1; -;
 SQ SEQUENCE 934 AA; 106811 MW; 1ACAB327A514DC73 CRC64;

Query Match 67.9%; Score 36; DB 5; Length 934;
 Best Local Similarity 70.0%; Pred. No. 14e+02;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 |||||
 Db 234 STYYVDQVILG 243

RESULT 15
 Q9VZM0 PRELIMINARY; PRT; 195 AA.

AC Q9VZM0;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
 DE AWH PROTEIN.

GN AWH.

OS Drosophila melanogaster (Fruit fly).

OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.

OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.

RC STRAIN=BERKELEY;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Ceiniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Vandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Foster C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodok A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Helman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.:

RT "The genome sequence of Drosophila melanogaster."
 RL Science 287:2185-2195(2000).
 DR EMBL: AE003479; AAF47800.1; -;
 DR FLYBASE: FBgn0013751; Awh.
 DR INTERPRO: IPR001356; -;
 DR DR INTERPRO: IPR001781; -;
 DR PFAM: PF00046; homeobox; 1.
 DR DR PFAM: PF00412; LIM; 2.
 DR PROSITE: PS00478; LIM_DOMAIN_1; 1.
 DR DR PROSITE: PS00023; LIM_DOMAIN_2; 1.
 DR PROSITE: PS50071; HOMEBOX_2; 1.
 SQ SEQUENCE 195 AA; 21806 MW; 105A341C68530FF7 CRC64;

Query Match 56.0%; Score 35; DB 5; Length 195;
 Best Local Similarity 75.0%; Pred. No. 36;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 YLDTVEG 10
 :||:||||
 Db 84 HYLETVEG 91

Search completed: March 28, 2001, 07:27:52
 Job time: 1665 sec

Result	Query	Score	Match	Length	DB	ID	Description
1	53	100.0	10	19	W76019	LM609 grafted anti	
2	50	94.3	10	19	W76009	LM609 grafted anti	
3	50	94.3	117	19	W76001	vitaxin antibody h	
4	50	94.3	117	19	W76003	LM609 antibody hea	
5	50	94.3	117	20	Y06381	Murine monoclonal	
6	50	94.3	130	20	Y06379	Murine monoclonal	
7	43	81.1	10	19	W76018	LM609 grafted anti	
8	43	81.1	21	20	W99565	Immunoglobulin IgG	
9	43	81.1	30	20	W99570	Immunoglobulin IgG	
10	43	81.1	30	21	Y78332	Anti-DNA monoclonal	
11	43	81.1	31	20	W99572	Immunoglobulin IgG	
12	43	81.1	33	20	W99571	Immunoglobulin IgG	

Humanised antibody, Vitaxin, that binds selectively to α phavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 61; Page 41; 129pp; English.
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC vitaxin mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX SQ Sequence 10 AA;
 SQ
 Query Match 100.0%; Score 53; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00074;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 STYYLDTVEG 10
 Db 1 styyldtveg 10
 |||||
 1 styyldtveg 10
 RESULT 2
 W76009
 ID W76009 standard; Protein; 10 AA.
 AC W76009;
 XX
 XX '02-NOV-1998 (first entry)
 DT
 DE LM609 grafted antibody V-H region CDR2 protein fragment #2.
 XX
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX W09833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI: 1998-437472/37.
 DR
 DR N-PSDB; V49846.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Disclosure; Page 40; 129pp; English.
 PS
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX SQ Sequence 10 AA;
 SQ
 Query Match 94.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0026;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 STYYLDTVEG 10
 Db 1 styyldtveg 10
 |||||
 1 styyldtveg 10
 RESULT 3
 W76001
 ID W76001 standard; Protein; 117 AA.
 AC W76001;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 DE Vitaxin antibody heavy chain variable region protein fragment.
 XX
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX W09833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI: 1998-437472/37.
 DR
 DR N-PSDB; V49820.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 1; Fig 1a; 129pp; English.
 PS
 XX This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;

Query Match 94.3%; Score 50; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.041;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 |||||:|
 Db 57 styyltdvqg 66

RESULT 4

W76003
 ID W76003 standard; Protein; 117 AA.

XX AC W76003;

XX AC W76003;

XX 02-NOV-1998 (first entry)

XX LM609 antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX Mus sp.

XX W09833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49822.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 94.3%; Score 50; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.041;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 |||||:|
 Db 57 styyltdvqg 66

RESULT 5

Y06381
 ID Y06381 standard; Protein; 117 AA.

XX AC Y06381;

XX 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609.VH region.
 DE Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus. musculus.

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 94.3%; Score 50; DB 20; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.041;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 |||||:|
 Db 57 styyltdvqg 66

RESULT 6

Y06379
 ID Y06379 standard; Protein; 130 AA.

XX AC Y06379;

DT 06-SEP-1999 (first entry)

DE Murine monoclonal antibody LM609 V kappa.

XX Humanised antibody; antibody humanisation; antibody engineering;

DE LM609; monoclonal antibody; complementarity determining region;

XX CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;

XX cancer; therapy; diagnosis.

OS Mus musculus.

XX

XX Key Location/Qualifiers

FT Peptide 1..2

FT /note= "vector-encoded residues"

FT Region 28..32

FT /note= "CDR1"

FT Region 47..63

FT /note= "CDR2"

FT Region 96..103

FT /note= "CDR3"

XX W09929888-A1.

PN 17-JUN-1999.

PD

XX 04-DEC-1998; 98WO-US25828.

PF

XX 05-DEC-1997; 97US-0986016.

PR

XX (SCRI) SCRIPPS RES INST.

PA

XX Barbas CF, Rader C;

PI

XX WPI; 1999-394979/33.

DR

XX Production of humanized mouse monoclonal antibodies

PT

XX Disclosure; Page 49-50; 55pp; English.

PS

XX This sequence represents the light chain V kappa region of murine

CC monoclonal antibody LM609. LM609 is directed to integrin

CC alpha-v beta-3. It selectively promotes apoptosis of vascular

CC cells that have been stimulated to undergo angiogenesis, making it

CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized

CC antibodies, a light chain CDR from a mouse antibody such as LM609 is

CC grafted onto a human light chain, and a heavy chain CDR from a mouse

CC antibody is grafted onto a human antibody heavy chain to produce

CC libraries from which a humanised murine antibody having the desired

CC specificity is selected. By preserving the original CDR sequences

CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the

CC humanisation strategy ensures epitope conservation.

XX

SQ Sequence 130 AA;

Query Match 94.3%; Score 50; DB 20; Length 130;

Best Local Similarity 90.0%; Pred. No. 0.046;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYLYDTEVG 10

Db |||||:|

54 stylydvtvg 63

RESULT 7

W76018

XX W76018 standard; Protein; 10 AA.

XX W76018;

AC

XX 02-NOV-1998 (first entry)

DT

XX

DE LM609 grafted antibody V-H region CDR2 protein fragment #4.

XX

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

KW complementarity determining region.

XX

OS Mus sp.

XX

XX W09833919-A2.

PN

XX 06-AUG-1998.

PD

XX 30-JAN-1998; 98WO-US01826.

PF

XX 30-JAN-1997; 97US-0791391.

PR

XX (IXSY-) IXSYS INC.

PA

XX Glaser SM, Huse WD;

PI

XX WPI; 1998-437472/37.

DR

XX N-PSDB; V49855.

DR

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

PS

XX Claim 61; Page 41; 129pp; English.

XX

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

CC that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 81.1%; Score 43; DB 19; Length 10;

Best Local Similarity 80.0%; Pred. No. 0.049;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYLYDTEVG 10

Db |||||:|

1 stylydvtvg 10

RESULT 8

W99565

XX W99565 standard; peptide; 21 AA.

XX

AC W99565;

XX

XX 22-JUN-1999 (first entry)

DT

XX Immunoglobulin IgG2a CDR2-derived peptide #1.

DE

XX Primer; PCR; amplification; immunoglobulin; IgG2a; repeat motif;

KW antibody; cell penetration; vector; gene therapy; antigen; vaccination.

XX

XX Synthetic.

OS

XX Homo sapiens.

XX PR2766826-A1.
 XX 05-FEB-1999.
 PD
 XX 04-AUG-1997; 97FR-0009972.
 XX
 PR 04-AUG-1997; 97FR-0009972.
 XX
 PA (INSP) INST PASTEUR.
 XX
 PI Avrameas A, Avrameas S, Buttin G, Ternynck T;
 XX WPI; 1999-156194/14.
 DR
 XX New polypeptide including sequence from single antibody chain and
 PT able to penetrate a cell - used as vector for delivering attached
 PT components, e.g. nucleic acid or antigen, to cells, useful in gene
 PT therapy and vaccination
 XX
 PS Example 2; Page 20; 36pp; French.
 CC This sequence corresponds to a peptide derived from the complementary
 CC determining region 2 (CDR2) of an immunoglobulin IgG2a protein and is
 CC used in the production of a polypeptide that (i) comprises a unique or
 CC repeated peptide motif; (ii) includes a sequence consisting of one or
 CC more different antibody fragments and (iii) can penetrate into cells.
 CC The polypeptides are vectors for delivering a substance to cells
 CC (in vivo, in vitro or ex vivo), particularly for use as pharmaceutical
 CC (gene therapy, or where the substance is an antigen, for vaccination,
 CC in which case the polypeptide acts effectively as an adjuvant).
 XX
 SQ Sequence 21 AA;
 Query Match 81.1%; Score 43; DB 20; Length 21;
 Best Local Similarity 80.0%; Pred. No. 0.11;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 STYYLDTVEG 10
 Db ||||| |||:|
 10 styyldtvgk 19
 RESULT 9
 W99570
 ID W99570 standard; peptide; 30 AA.
 AC W99570;
 XX
 XX 22-JUN-1999 (first entry)
 DT
 XX Immunoglobulin IgG2a CDR2-derived peptide #6.
 DE
 XX Primer: PCR; amplification; immunoglobulin; IgG2a: repeat motif;
 KW antibody; cell penetration; vector; gene therapy; antigen; vaccination.
 KW
 XX Synthetic.
 OS Homo sapiens.
 XX
 XX PR2766826-A1.
 PN
 XX 05-FEB-1999.
 PD
 XX 04-AUG-1997; 97FR-0009972.
 XX
 PR 04-AUG-1997; 97FR-0009972.
 XX
 XX (INSP) INST PASTEUR.
 PA
 XX Avrameas A, Avrameas S, Buttin G, Ternynck T;
 PI WPI; 1999-156194/14.
 XX
 DR

XX New polypeptide including sequence from single antibody chain and
 PT able to penetrate a cell - used as vector for delivering attached
 PT components, e.g. nucleic acid or antigen, to cells, useful in gene
 PT therapy and vaccination
 XX
 PS Example 2; Page 20; 36pp; French.
 XX
 CC This sequence corresponds to a peptide derived from the complementary
 CC determining region 2 (CDR2) of an immunoglobulin IgG2a protein and is
 CC used in the production of a polypeptide that (i) comprises a unique or
 CC repeated peptide motif; (ii) includes a sequence consisting of one or
 CC more different antibody fragments and (iii) can penetrate into cells.
 CC The polypeptides are vectors for delivering a substance to cells
 CC (in vivo, in vitro or ex vivo), particularly for use as pharmaceutical
 CC (gene therapy, or where the substance is an antigen, for vaccination,
 CC in which case the polypeptide acts effectively as an adjuvant).
 XX
 SQ Sequence 30 AA;
 Query Match 81.1%; Score 43; DB 20; Length 30;
 Best Local Similarity 80.0%; Pred. No. 0.17;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 STYYLDTVEG 10
 Db ||||| |||:|
 10 styyldtvgk 19
 RESULT 10
 Y78332
 ID Y78332 standard; peptide; 30 AA.
 AC Y78332;
 XX
 XX 04-MAY-2000 (first entry)
 DT
 XX Anti-DNA monoclonal antibody heavy chain variable region peptide.
 DE
 XX Cell membrane permeant; medical imaging; diagnosis; radiotherapy;
 KW pharmaceutical therapy; drug delivery.
 KW
 XX Unidentified.
 OS
 XX WO9967284-A2.
 PN
 XX 29-DEC-1999.
 PD
 XX 18-JUN-1999; 99WO-US13660.
 PF
 XX 20-JUN-1998; 98US-0090087.
 PR
 XX (UNITW) UNIV WASHINGTON.
 PA
 XX Pivnica-Worms D;
 PI
 XX WPI; 2000-160576/14.
 DR
 XX New membrane permanent peptide complexes for medical imaging,
 PT diagnostics and therapy
 PT
 XX Claim 3; Page 17; 65pp; English.
 PS
 XX The present invention describes compound comprising a cell membrane
 CC permeant peptide, a diagnostic or an active substance and a functional
 CC linker moiety linking them, where the functional linker moiety confers
 CC target cell specificity to the compound or a salt of the compound. The
 CC compounds and compositions are useful in the fields of medical imaging,
 CC diagnostics and pharmaceutical therapy. The composition are for medical
 CC imaging, evaluating intracellular processes, radiotherapy of
 CC intracellular targets and drug delivery. The cell membrane permeant
 CC peptides conjugate coordination and covalent complexes have target cell

CC specificity, therefore, the Tat peptide and other cell membrane permeant
 CC peptides can be used to selectively deliver non- or poorly permeant
 CC drugs, diagnostic substances such as oligonucleotides, peptides, peptide
 CC nucleic acids, fluorochromes, dyes, enzyme substrates and metals useful
 CC in medical therapy, imaging and/or diagnostics selectively to cells
 CC in vivo only when functional linkers are introduced into permeant peptide
 CC constructs. The present sequence represents a specifically claimed
 CC cell membrane permeant peptide from the present invention.

XX Sequence 30 AA;

Query Match 81.1%; Score 43; DB 21; Length 30;
 Best Local Similarity 80.0%; Pred. No. 0.17;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 DB 10 stysydtvkg 19

RESULT 11
 W99572
 ID W99572 standard; peptide; 31 AA.

AC W99572;
 XX
 XX
 DT 22-JUN-1999 (first entry)

DE Immunoglobulin IgG2a CDR2-derived peptide #8.

KW Primer; PCR; amplification; immunoglobulin; IgG2a; repeat motif;
 KW antibody; cell penetration; vector; gene therapy; antigen; vaccination.

OS Synthetic.
 OS Homo sapiens.

XX FR2766826-A1.

XX 05-FEB-1999.

PF 04-AUG-1997; 97FR-0009972.

XX 04-AUG-1997; 97FR-0009972.

XX (INSP) INST PASTEUR.

XX Avrameas A, Avrameas S, Buttin G, Ternynck T;

XX WPI; 1999-156194/14.

XX New polypeptide including sequence from single antibody chain and
 PT able to penetrate a cell - used as vector for delivering attached
 PT components, e.g. nucleic acid or antigen, to cells, useful in gene
 PT therapy and vaccination

PS Example 2; Page 21; 36pp; French.

XX This sequence corresponds to a peptide derived from the complementary
 CC determining region 2 (CDR2) of an immunoglobulin IgG2a protein and is
 CC used in the production of a polypeptide that (i) comprises a unique or
 CC repeated peptide motif; (ii) includes a sequence consisting of one or
 CC more different antibody fragments and (iii) can penetrate into cells.
 CC The polypeptides are vectors for delivering a substance to cells
 CC (in vivo, in vitro or ex vivo), particularly for use as pharmaceutical
 CC (gene therapy, or where the substance is an antigen, for vaccination,
 CC in which case the polypeptide acts effectively as an adjuvant).

XX Sequence 31 AA;

Query Match 81.1%; Score 43; DB 20; Length 31;
 Best Local Similarity 80.0%; Pred. No. 0.18;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 DB 11 stysydtvkg 20

RESULT 12
 W99571
 ID W99571 standard; peptide; 33 AA.

XX W99571;

XX 22-JUN-1999 (first entry)

XX Immunoglobulin IgG2a CDR2-derived peptide #7.

KW Primer; PCR; amplification; immunoglobulin; IgG2a; repeat motif;
 KW antibody; cell penetration; vector; gene therapy; antigen; vaccination.

OS Synthetic.
 OS Homo sapiens.

XX FR2766826-A1.

XX 05-FEB-1999.

PF 04-AUG-1997; 97FR-0009972.

XX 04-AUG-1997; 97FR-0009972.

XX (INSP) INST PASTEUR.

XX Avrameas A, Avrameas S, Buttin G, Ternynck T;

XX WPI; 1999-156194/14.

XX New polypeptide including sequence from single antibody chain and
 PT able to penetrate a cell - used as vector for delivering attached
 PT components, e.g. nucleic acid or antigen, to cells, useful in gene
 PT therapy and vaccination

PS Example 2; Page 20; 36pp; French.

XX This sequence corresponds to a peptide derived from the complementary
 CC determining region 2 (CDR2) of an immunoglobulin IgG2a protein and is
 CC used in the production of a polypeptide that (i) comprises a unique or
 CC repeated peptide motif; (ii) includes a sequence consisting of one or
 CC more different antibody fragments and (iii) can penetrate into cells.
 CC The polypeptides are vectors for delivering a substance to cells
 CC (in vivo, in vitro or ex vivo), particularly for use as pharmaceutical
 CC (gene therapy, or where the substance is an antigen, for vaccination,
 CC in which case the polypeptide acts effectively as an adjuvant).

XX Sequence 33 AA;

Query Match 81.1%; Score 43; DB 20; Length 33;
 Best Local Similarity 80.0%; Pred. No. 0.19;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 DB 10 stysydtvkg 19

RESULT 13
 W99573
 ID W99573 standard; peptide; 49 AA.

XX W99573;

XX 22-JUN-1999 (first entry)

XX Immunoglobulin IgG2a CDR2-3 derived peptide CDR2-3-PL19.
DE XX
XX Primer; PCR; amplification; immunoglobulin; IgG2a; repeat motif;
KW antibody; cell penetration; vector; gene therapy; antigen; vaccination.
XX
XX Synthetic.
OS Homo sapiens.
OS
XX FR2766826-A1.
PN
XX
XX 05-FEB-1999.
PD
XX 04-AUG-1997; 97FR-0009972.
PF
XX 04-AUG-1997; 97FR-0009972.
PR
XX
XX (INSP) INST PASTEUR.
PA
XX Avrameas A, Avrameas S, Buttin G, Ternynck T;
PI
XX WPI; 1999-156194/14.
DR
XX
XX New polypeptide including sequence from single antibody chain and
PT able to penetrate a cell - used as vector for delivering attached
PT components, e.g. nucleic acid or antigen, to cells, useful in gene
PT therapy and vaccination
PT
XX
XX Example 5; Page 23; 36pp; French.
PS
XX
XX This sequence corresponds to a peptide derived from the complementary
CC determining region 2/3 (CDR2/3) of an immunoglobulin IgG2a protein and
CC is used in the production of a polypeptide that (i) comprises a unique
CC or repeated peptide motif; (ii) includes a sequence consisting of one
CC or more different antibody fragments and (iii) can penetrate into cells.
CC The polypeptides are vectors for delivering a substance to cells
CC (in vivo, in vitro or ex vivo), particularly for use as pharmaceutical
CC (gene therapy, or where the substance is an antigen, for vaccination,
CC in which case the polypeptide acts effectively as an adjuvant).
XX
XX Sequence 49 AA;
SQ

Query Match 81.1%; Score 43; DB 20; Length 49;
Best Local Similarity 80.0%; Pred. No. 0.29;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
||| |||:
Db 29 styysdtvkg 38

RESULT 14
W27342
ID W27342 standard; peptide; 17 AA.
XX
AC W27342;
XX
XX 12-DEC-1997 (first entry)
DT
XX CDR2 from murine anti-human IgE receptor antibody heavy chain.
DE
XX Complementarity determining region; CDR2; murine; mouse; human;
KW high affinity; immunoglobulin E; receptor; monoclonal antibody;
KW IgE; MAB; heavy chain; variable region; humanised; semi-chimeric;
KW chimeric; treatment; prevention; disease; allergy.
XX
XX Mus spp.
OS
XX JP09191886-A.
PN
XX 29-JUL-1997.
PD
XX

PF 19-JAN-1996; 96JP-0024816.
XX
PR 19-JAN-1996; 96JP-0024816.
XX
XX (ASAK) ASahi BREWERIES LTD.
PA (NIKK-) NIKKA WHISKEY KK.
PA (TORI) TORII YAKOHIN KK.
PA (TSURU) TSURA T.
XX
XX WPI; 1997-429186/40.
DR
XX Humanised, semi-chimeric and chimeric antibodies against human
PT high-affinity IgE receptor - useful medicinally and have low
PT antigenicity in humans
PT
XX Claim 1; Page 12; 26pp; Japanese.
PS
XX The present complementarity determining region 2 (CDR2), which is
CC from a murine, anti-human high affinity immunoglobulin E (IgE)
CC receptor, monoclonal antibody (MAB) heavy chain variable region,
CC can be used in the preparation of humanised or semi-chimeric
CC anti-human high affinity IgE receptor MAB. The MAB can be used to
CC treat or prevent diseases, specifically allergies, associated with
CC the receptor. The humanised, semi-chimeric or chimeric MAB have
CC very low antigenicity in humans.
XX
XX Sequence 17 AA;
SQ

Query Match 79.2%; Score 42; DB 18; Length 17;
Best Local Similarity 80.0%; Pred. No. 0.14;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
||| |||:
Db 8 styypdtvkg 17

RESULT 15
R79155
ID R79155 standard; peptide; 117 AA.
XX
AC R79155;
XX
XX 04-MAR-1996 (first entry)
DT
XX Human IgE receptor-binding antibody-related peptide heavy chain.
DE
XX Immunoglobulin E; antibody; receptor; monoclonal; detection;
KW complementarity determining region.
KW
XX Mus sp.
XX
XX Key Location/Qualifiers
FH Region 31..35
FT /label= CDR1H
FT /note= "all CDR regions are claimed"
FT 50..66
FT /label= CDR2H
FT /note= "all CDR regions are claimed"
FT 99..106
FT /label= CDR3H
FT /note= "all CDR regions are claimed"
FT
XX JP07165799-A.
PN
XX 27-JUN-1995.
PD
XX 22-OCT-1993; 93JP-0264792.
XX
XX 22-OCT-1993; 93JP-0264792.
PR
XX (ASAK) ASahi BREWERIES LTD.
PA

PA (NIKK-) NIKKA WHISKEY KK.
 PA (TORI) TORII YAHUKIN KK.
 PA (TSUR/) TSURA T.

XX
 DR WPI: 1995-261292/34.
 DR N-PSDB; Q96282.

XX
 PT Novel monoclonal antibody against human high-affinity IgE receptor -
 PT and DNA fragment encoding the MAb, for the specific identification
 PT of human Fc-epsilon RI

XX PS Claim 3; Page 13; 20pp; Japanese.

XX
 CC Polypeptides which specifically recognise human IgE receptor (Fc-
 CC epsilon-RI) have been isolated and sequenced. The new peptides are
 CC related to a monoclonal antibody against Fc-epsilon-RI and are
 CC either heavy or light chain molecules. The heavy chain molecules
 CC have the general formula FRI-CDRLH-FR2-CDR2H-FR3-CDR3H-FR4 (corresp.
 CC to R79153, R79155, R79157, R79159 and R79161) and are encoded by
 CC Q96280, Q96282, Q96284, Q96286 and Q96288. FR1 is a polypeptide
 CC having 29-36 amino acids (aa), FR2 is a 10-16 aa polypeptide, FR3 is
 CC a 33-35 aa polypeptide and FR4 is a 12-14 aa polypeptide. Similarly
 CC the light chains have the general formula FR5-CDRLH-FR6-CDR2L-FR7-
 CC CDR3L-FR8, (corresp. to R79154, R79156, R79158, R79160 and R79162)
 CC and are encoded by Q96281, Q96283, Q96285, Q96287 and Q96289. FR5
 CC is a 23-28 aa polypeptide, FR6 is a 14-16 aa polypeptide, FR7 is a
 CC 30-34 aa polypeptide and FR8 is a 9-11 aa polypeptide. All the
 CC peptides are derived from mouse hybridoma cells and are useful in
 CC the detection of the human Fc-epsilon-RI or for the elucidation of
 CC an antigen recognising region of a monoclonal antibody against
 CC human Fc-epsilon-RI.

XX SQ Sequence 117 AA;

Query Match 79.2%; Score 42; DB 16; Length 117;
 Best Local Similarity 80.0%; Pred. No. 1.2;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

OY 1 STYYLDTVEG 10
 ||||| |||:|
 Db 57 styyptvkg 66

Search completed: March 28, 2001, 06:34:34
 Job time: 514 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:10 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: US-09-016-061-58

Perfect score: 53

Sequence: 1 STYLDTRVEG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*

1: /cgnl_7/ptodata/1/1aa/5A_COMB.pep.*
2: /cgnl_7/ptodata/1/1aa/5B_COMB.pep.*
3: /cgnl_7/ptodata/1/1aa/6_COMB.pep.*
4: /cgnl_7/ptodata/1/1aa/PTCUS_COMB.pep.*
5: /cgnl_7/ptodata/1/1aa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	42	79.2	125	1	US-08-331-398A-65
2	42	79.2	125	2	US-08-331-397B-65
3	42	79.2	125	2	US-08-759-804A-64
4	42	79.2	158	2	US-08-653-402B-6
5	42	79.2	158	2	US-08-653-402B-10
6	41	77.4	136	1	US-08-253-877C-57
7	41	77.4	136	2	US-08-452-164A-57
8	41	77.4	237	2	US-08-224-591-16
9	41	77.4	237	2	US-08-926-789-16
10	41	77.4	241	2	US-08-224-591-18
11	41	77.4	241	2	US-08-926-789-18
12	40	75.5	17	1	US-08-264-093-22
13	40	75.5	95	3	US-09-043-514-2
14	40	75.5	113	3	US-08-974-899-6
15	40	75.5	116	3	US-08-545-809A-135
16	40	75.5	116	3	US-08-983-607-36
17	40	75.5	117	2	US-08-428-197-36
18	40	75.5	117	3	US-08-545-809A-109
19	40	75.5	117	3	US-08-983-607-46
20	40	75.5	117	4	PCT-US93-10555-36
21	40	75.5	118	2	US-08-652-816A-11
22	40	75.5	118	2	US-08-652-816A-12
23	40	75.5	118	2	US-08-379-057-30
24	40	75.5	118	3	US-08-545-809A-125
25	40	75.5	119	3	US-08-983-607-22
26	40	75.5	120	1	US-08-264-093-14
27	40	75.5	120	2	US-08-428-197-20
28	40	75.5	120	2	US-08-428-197-22

29	40	75.5	120	2	US-08-428-197-24	Sequence 24, Appl
30	40	75.5	120	2	US-08-428-197-26	Sequence 26, Appl
31	40	75.5	120	2	US-08-428-197-28	Sequence 28, Appl
32	40	75.5	120	2	US-08-428-197-30	Sequence 30, Appl
33	40	75.5	120	2	US-08-428-197-32	Sequence 32, Appl
34	40	75.5	120	2	US-08-428-197-34	Sequence 34, Appl
35	40	75.5	120	2	PCT-US93-10555-20	Sequence 40, Appl
36	40	75.5	120	4	PCT-US93-10555-20	Sequence 20, Appl
37	40	75.5	120	4	PCT-US93-10555-22	Sequence 22, Appl
38	40	75.5	120	4	PCT-US93-10555-24	Sequence 24, Appl
39	40	75.5	120	4	PCT-US93-10555-26	Sequence 26, Appl
40	40	75.5	120	4	PCT-US93-10555-28	Sequence 28, Appl
41	40	75.5	120	4	PCT-US93-10555-30	Sequence 30, Appl
42	40	75.5	120	4	PCT-US93-10555-32	Sequence 32, Appl
43	40	75.5	120	4	PCT-US93-10555-34	Sequence 34, Appl
44	40	75.5	120	4	PCT-US93-10555-40	Sequence 40, Appl
45	40	75.5	122	2	US-07-934-373C-21	Sequence 21, Appl

ALIGNMENTS

RESULT 1
US-08-331-398A-65
; Sequence 65, Application US/08331398A
; Patent No. 5608039
; GENERAL INFORMATION:
; APPLICANT: Pastan, Ira
; APPLICANT: Willingham, Mark
; APPLICANT: Fitzgerald, David
; APPLICANT: Brinkmann, Ulrich
; APPLICANT: Pai, Lee
; TITLE OF INVENTION: Single Chain B3 Antibody Fusion Proteins
; TITLE OF INVENTION: and their Uses (as amended)
; NUMBER OF SEQUENCES: 68
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: One Market Plaza, Steuart Street Plaza
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105-1492
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/331,398A
; FILING DATE: 28-OCT-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/767,331
; FILING DATE: 30-SEP-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/596,289
; FILING DATE: 12-OCT-1990
; ATTORNEY/AGENT INFORMATION:
; NAME: Hunter, Tom
; REGISTRATION NUMBER: 38,498
; REFERENCE/DOCKET NUMBER: 015280-126110US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 543-9600
; TELEFAX: (415) 543-5043
; INFORMATION FOR SEQ ID NO: 65:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 125 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: Region

LOCATION: 1..125
OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
OTHER INFORMATION: Heavy chain region"
US-08-331-398A-65

Query Match 79.2%; Score 42; DB 1; Length 125;
Best Local Similarity 80.0%; Pred. No. 0.99;
Matches 8; Conservative 1; Mismatches 0; Gaps 0;

QY 1 STYLYDVEG 10
|||||:|
Db 57 STYYPDTVKG 66

RESULT 2

US-08-331-397B-65
Sequence 65, Application US/08331397B
Patent No. 5981726
GENERAL INFORMATION:
APPLICANT: Pastan, Ira
APPLICANT: Benhar, Itai
TITLE OF INVENTION: Chimeric and Mutationally Stabilized Tumor-
TITLE OF INVENTION: Specific Antibody Fragments, Fusion Proteins, and Uses
TITLE OF INVENTION: Thereof
NUMBER OF SEQUENCES: 68
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: One Market Plaza, Steuart Street Plaza
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105-1492
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/331.397B
FILING DATE: 28-OCT-1994
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/767,331
FILING DATE: 30-SEP-1991
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/596,289
FILING DATE: 12-OCT-1990
ATTORNEY/AGENT INFORMATION:
NAME: Hunter, Tom
REGISTRATION NUMBER: 38,498
REFERENCE/DOCKET NUMBER: 015280-126120US
TELEPHONE: (415) 543-9600
TELEFAX: (415) 543-5043
INFORMATION FOR SEQ ID NO: 65:
SEQUENCE CHARACTERISTICS:
LENGTH: 125 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Region
LOCATION: 1..125
OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
OTHER INFORMATION: Heavy chain region"
US-08-331-397B-65

Query Match 79.2%; Score 42; DB 2; Length 125;
Best Local Similarity 80.0%; Pred. No. 0.99;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYLYDVEG 10
|||||:|
Db 57 STYYPDTVKG 66

RESULT 3

US-08-759-804A-64
Sequence 64, Application US/08759804A
Patent No. 5990296
GENERAL INFORMATION:
APPLICANT: Pastan, Ira
APPLICANT: Willingham, Mark
APPLICANT: Fitzgerald, David J.
APPLICANT: Brinkmann, Ulrich
APPLICANT: Pai, Lee
TITLE OF INVENTION: Tumor-Specific Antibody Fragments,
TITLE OF INVENTION: Fusion Proteins, and Uses Thereof
NUMBER OF SEQUENCES: 68
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, Eighth Floor
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94111-3834
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/759,804A
FILING DATE: 03-DEC-1996
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/331,398
FILING DATE: 28-OCT-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/767,331
FILING DATE: 30-SEP-1991
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/596,289
FILING DATE: 12-OCT-1990
ATTORNEY/AGENT INFORMATION:
NAME: Weber, Ellen L.
REGISTRATION NUMBER: 32,762
REFERENCE/DOCKET NUMBER: 015280-126140US
TELEPHONE: (415) 576-0200
TELEFAX: (415) 576-0300
INFORMATION FOR SEQ ID NO: 64:
SEQUENCE CHARACTERISTICS:
LENGTH: 125 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Region
LOCATION: 1..125
OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
OTHER INFORMATION: Heavy chain region"
US-08-759-804A-64

Query Match 79.2%; Score 42; DB 2; Length 125;
Best Local Similarity 80.0%; Pred. No. 0.99; 1; Indels 0; Gaps 0;
Matches 8; Conservative 1; Mismatches 1

QY 1 STYLYDVEG 10
|||||:|
Db 57 STYYPDTVKG 66

```
RESULT 4
US-08-653-402B-6
; Sequence 6, Application US/08653402B
; Patent No. 5969107
; GENERAL INFORMATION:
; APPLICANT: CARCELLER, Ana
; APPLICANT: ROSELL, Elisabet
; APPLICANT: GOMEZ, Alicia
; APPLICANT: ADEN, Jaume
; APPLICANT: PIULATS, Jaume
; TITLE OF INVENTION: Anti-idiotypic antibodies which induce an
; immune response against epidermal growth factor receptor.
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
; STREET: 2200 Clarendon Boulevard, Suite 1400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/653,402B
; FILING DATE: 24-MAY-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95107967.2
; FILING DATE: 26-MAY-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lebovitz, Richard M.
; REGISTRATION NUMBER: 37,067
; REFERENCE/DOCKET NUMBER: MERCK 1781
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-243-6333
; TELEFAX: 703-243-6410
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 158 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-653-402B-6

Query Match 79.2%; Score 42; DB 2; Length 158;
Best Local Similarity 80.0%; Pred. No. 1.3;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYLDVEG 10
Db 76 STYPTVKG 85

RESULT 5
US-08-653-402B-10
; Sequence 10, Application US/08653402B
; Patent No. 5969107
; GENERAL INFORMATION:
; APPLICANT: CARCELLER, Ana
; APPLICANT: ROSELL, Elisabet
; APPLICANT: GOMEZ, Alicia
; APPLICANT: ADEN, Jaume
; APPLICANT: PIULATS, Jaume
; TITLE OF INVENTION: Anti-idiotypic antibodies which induce an
; immune response against epidermal growth factor receptor.
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
```

```
; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
; STREET: 2200 Clarendon Boulevard, Suite 1400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/653.402B
; FILING DATE: 24-MAY-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95107967.2
; FILING DATE: 26-MAY-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lebovitz, Richard M.
; REGISTRATION NUMBER: 37,067
; REFERENCE/DOCKET NUMBER: MERCK 1781
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-243-6333
; TELEFAX: 703-243-6410
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 158 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-653-402B-10

Query Match 79.2%; Score 42; DB 2; Length 158;
Best Local Similarity 80.0%; Pred. No. 1.3;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYLDVEG 10
Db 76 STYPTVKG 85

RESULT 6
US-08-253-877C-57
; Sequence 57, Application US/08253877C
; Patent No. 5773001
; GENERAL INFORMATION:
; APPLICANT: Hamann, Philip R.
; APPLICANT: Hinman, Lois
; APPLICANT: Hollander, Irwin
; APPLICANT: Holcomb, Ryan
; APPLICANT: Hallett, William
; APPLICANT: Tsou, Hwei-Ru
; APPLICANT: Weiss, Martin J.
; TITLE OF INVENTION: Conjugates of Methyltrithio Antitumor
; Agents and Intermediates for Their Synthesis
; NUMBER OF SEQUENCES: 73
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: American Cyanamid Company
; STREET: One Cyanamid Plaza
; CITY: Wayne
; STATE: New Jersey
; COUNTRY: U.S.A.
; ZIP: 07470-8426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/253.877C
; FILING DATE: 03-JUN-1994
```

CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Barnhard, Elizabeth M.
REGISTRATION NUMBER: 31,088
REFERENCE/DOCKET NUMBER: 32,368
TELECOMMUNICATION INFORMATION:
TELEPHONE: 201-831-3246
TELEFAX: 201-831-3305
INFORMATION FOR SEQ ID NO: 57:
SEQUENCE CHARACTERISTICS:
LENGTH: 136 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-253-877C-57

Query Match 77.4%; Score 41; DB 1; Length 136;
Best Local Similarity 77.8%; Pred. No. 1.6;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
QY 2 TYLDTVEG 10
DB 77 TYLDSVKG 85

RESULT 7
US-08-452-164A-57
Sequence 57, Application US/08452164A
Patent No. 5877296
GENERAL INFORMATION:
APPLICANT: Hamann, Philip R.
APPLICANT: Hinman, Lois
APPLICANT: Hollander, Irwin
APPLICANT: Holcomb, Ryan
APPLICANT: Hallett, William
APPLICANT: Tsou, Hwei-Ru
APPLICANT: Weiss, Martin J.
TITLE OF INVENTION: Conjugates of Methylthio Antitumor
TITLE OF INVENTION: Agents and Intermediates for Their Synthesis
NUMBER OF SEQUENCES: 73
CORRESPONDENCE ADDRESS:
ADDRESSEE: American Home Products Corporation
STREET: One Campus Drive
CITY: Parsippany
STATE: New Jersey
COUNTRY: U.S.A.
ZIP: 07054
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/452.164A
FILING DATE: 26-MAY-1995
CLASSIFICATION: 530
ATTORNEY/AGENT INFORMATION:
NAME: Barnhard, Elizabeth M.
REGISTRATION NUMBER: 31,088
REFERENCE/DOCKET NUMBER: 32,368-04
TELECOMMUNICATION INFORMATION:
TELEPHONE: 201-683-2158
TELEFAX: 201-683-4117
INFORMATION FOR SEQ ID NO: 57:
SEQUENCE CHARACTERISTICS:
LENGTH: 136 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-452-164A-57

Query Match 77.4%; Score 41; DB 2; Length 136;
Best Local Similarity 77.8%; Pred. No. 1.6;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
QY 2 TYLDTVEG 10
DB 77 TYLDSVKG 85
RESULT 8
US-08-224-591-16
Sequence 16, Application US/08224591
Patent No. 5856456
GENERAL INFORMATION:
APPLICANT: Whitlow, Marc
APPLICANT: Filpula, David
TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
NUMBER OF SEQUENCES: 25
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sterne, Kessler, Goldstein & Fox
STREET: 1100 New York Avenue, Suite 600
CITY: Washington
STATE: D.C.
COUNTRY: U.S.A.
ZIP: 20005
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/224,591
FILING DATE: Herewith
CLASSIFICATION: 530
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/002,845
FILING DATE: 15-JAN-1993
APPLICATION NUMBER: US 07/980,529
FILING DATE: 20-NOV-1992
ATTORNEY/AGENT INFORMATION:
NAME: Goldstein, Jorge A.
REGISTRATION NUMBER: 29,021
REFERENCE/DOCKET NUMBER: 0977.1920002/JAG
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202) 371-2600
TELEFAX: (202) 371-2540
INFORMATION FOR SEQ ID NO: 16:
SEQUENCE CHARACTERISTICS:
LENGTH: 237 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-224-591-16

Query Match 77.4%; Score 41; DB 2; Length 237;
Best Local Similarity 77.8%; Pred. No. 3;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
QY 2 TYLDTVEG 10
DB 179 TYLDSVKG 187

RESULT 9
US-08-926-789-16
Sequence 16, Application US/08926789
Patent No. 5950275
GENERAL INFORMATION:
APPLICANT: Whitlow, Marc
APPLICANT: Filpula, David
TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
NUMBER OF SEQUENCES: 25

```
;
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
; STREET: 1100 New York Avenue, Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/926,789
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/224,591
; FILING DATE:
; APPLICATION NUMBER: US 08/002,845
; FILING DATE: 15-JAN-1993
; FILING DATE: 15-JAN-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/980,529
; FILING DATE: 20-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 237 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-926-789-16

Query Match 77.4%; Score 41; DB 2; Length 237;
Best Local Similarity 77.8%; Pred. No. 3;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYIYLDTVVEG 10
Db 179 TYIYLDVSKG 187

RESULT 10
US-08-224-591-18
; Sequence 18, Application US/08224591
; Patent No. 5856456
; GENERAL INFORMATION:
; APPLICANT: Whitlow, Marc
; APPLICANT: Filpula, David
; TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
; STREET: 1100 New York Avenue, Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/224,591
; FILING DATE: Herewith
```

```
;
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/002,845
; FILING DATE: 15-JAN-1993
; APPLICATION NUMBER: US 07/980,529
; FILING DATE: 20-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 241 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-224-591-18

Query Match 77.4%; Score 41; DB 2; Length 241;
Best Local Similarity 77.8%; Pred. No. 3;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYIYLDTVVEG 10
Db 183 TYIYLDVSKG 191

RESULT 11
US-08-926-789-18
; Sequence 18, Application US/08926789
; Patent No. 5990275
; GENERAL INFORMATION:
; APPLICANT: Whitlow, Marc
; APPLICANT: Filpula, David
; TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
; STREET: 1100 New York Avenue, Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/926,789
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/224,591
; FILING DATE:
; APPLICATION NUMBER: US 08/002,845
; FILING DATE: 15-JAN-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/980,529
; FILING DATE: 20-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION/DOCKET NUMBER: 29,021
; REFERENCE/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 241 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-224-591-18
```

;
; LENGTH: 241 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-926-789-18

Query Match 77.4%; Score 41; DB 2; Length 241;
Best Local Similarity 77.8%; Pred. No. 3;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYVLDTVEG 10
 |||||1:1|
DB 183 TYVLDVSKG 191

RESULT 12
US-08-264-093-22
; Sequence 22, Application US/08264093
; Patent No. 5639863
; GENERAL INFORMATION:
; APPLICANT: Michael D. Dan
; TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES SPECIFIC TO
; TITLE OF INVENTION: CELL CYCLE-INDEPENDENT GLIOMA SURFACE
; TITLE OF INVENTION: ANTIGEN
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Ridout & Maybee
; STREET: 2300 Richmond-Adelaide Centre
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5H 2J7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette - 3.5 inch, 1.4 Mb storage
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: MS-DOS 6.00
; SOFTWARE: ASCII Editor
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/264,093
; FILING DATE:
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA: No. 5639863 applicable
; ATTORNEY/AGENT INFORMATION:
; NAME: Lake, James R.
; REGISTRATION NUMBER: 31081
; REFERENCE/DOCKET NUMBER: NOVOP/106A/7551
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 868-1482
; TELEFAX: (416) 362-0823
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 17 amino acids
; TYPE: amino acid
; STRANDEDNESS: not applicable
; TOPOLOGY: linear
US-08-264-093-22

Query Match 75.5%; Score 40; DB 1; Length 17;
Best Local Similarity 70.0%; Pred. No. 0.26;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 |||||1:1|
DB 8 STYYADSVKG 17

RESULT 13
US-09-043-514-2
; Sequence 2, Application US/09043514A
; Patent No. 6153745

;
; GENERAL INFORMATION:
; APPLICANT: WILLIAMS, David
; APPLICANT: BROWN, Daniel
; APPLICANT: ZACCOLO, Manuela C.
; APPLICANT: GHERARDI, Ermanno
; TITLE OF INVENTION: IMPROVEMENTS IN OR RELATING TO MUTAGENESIS OF NUCLEIC
; TITLE OF INVENTION: ACIDS
; FILE REFERENCE: 41301/251704
; CURRENT APPLICATION NUMBER: US/09/043,514A
; CURRENT FILING DATE: 1998-07-06
; EARLIER APPLICATION NUMBER: GB 9519425.4
; EARLIER FILING DATE: 1995-09-22
; EARLIER APPLICATION NUMBER: GB 9602011.0
; EARLIER FILING DATE: 1996-02-01
; EARLIER APPLICATION NUMBER: PCT/GB96/02333
; EARLIER FILING DATE: 1996-09-19
; NUMBER OF SEQ ID NOS: 5
; SOFTWARE: Patentin Ver. 2.1
; SEQ ID NO 2
; LENGTH: 95
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Primer
; FEATURE:
; OTHER INFORMATION: Primer
US-09-043-514-2

Query Match 75.5%; Score 40; DB 3; Length 95;
Best Local Similarity 70.0%; Pred. No. 1.7;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
 |||||1:1|
DB 51 STYYADSVKG 60

RESULT 14
US-08-974-899-6
; Sequence 6, Application US/08974899
; Patent No. 6037454
; GENERAL INFORMATION:
; APPLICANT: Presta, Leonard G.
; APPLICANT: Jardieu, Paula M.
; TITLE OF INVENTION: Humanized Anti-CD11a Antibodies
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Winpatin (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/974,899
; FILING DATE:
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA: 60/031971
; APPLICATION NUMBER: 60/031971
; FILING DATE: 11/27/96
; ATTORNEY/AGENT INFORMATION:
; NAME: Lee, Wendy M.
; REGISTRATION NUMBER: 40,378
; REFERENCE/DOCKET NUMBER: P1014R1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-1994
; TELEFAX: 650/952-9881

Job time: 764 sec

; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 113 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear
; US-08-974-899-6

Query Match 75.5%; Score 40; DB 3; Length 113;
Best Local Similarity 70.0%; Pred. No. 2;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVVEG 10
| | | | | | : | : |
Db 57 STYYADSVKG 66

RESULT 15
US-08-545-809A-135
; Sequence 135, Application US/08545809A
; Patent No. 6096878
; GENERAL INFORMATION:
; APPLICANT: Honjo, Tasuku
; APPLICANT: Matsuda, Fumihiko
; TITLE OF INVENTION: HUMAN IMMUNOGLOBULIN VH GENE
; TITLE OF INVENTION: SEGMENTS AND DNA FRAGMENTS CONTAINING THE SAME
; NUMBER OF SEQUENCES: 145
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson, P.C.
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: MA
; COUNTRY: US
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows95
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/545.809A
; FILING DATE: 27-MAR-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/JP93/00603
; FILING DATE: 10-MAY-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Freeman, John W.
; REGISTRATION NUMBER: 29,066
; REFERENCE/DOCKET NUMBER: 06501/004001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-542-5070
; TELEFAX: 617-542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 135:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 116 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-545-809A-135

Query Match 75.5%; Score 40; DB 3; Length 116;
Best Local Similarity 70.0%; Pred. No. 2.1;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDTVVEG 10
| | | | | | : | : |
Db 75 STYYADSVKG 84

Search completed: March 28, 2001, 06:39:10

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:50 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-60
Perfect score: 58
Sequence: 1 ARNHGSEFAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_66:.*
1: pir1:.*
2: pir2:.*
3: pir3:.*
4: pir4:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	39	67.2	196	2 H64968	acetyl CoA acetyl
2	39	67.2	222	2 G81124	DnaA-related prote
3	39	67.2	243	2 B81896	hypothetical prote
4	37	63.8	150	2 D69081	deoxyuridine 5-tri
5	37	63.8	257	2 B81155	conserved hypothet
6	37	63.8	257	2 C81949	hypothetical prote
7	37	63.8	731	1 JC2464	probable copper-tr
8	36	62.1	108	2 S26316	Ig heavy chain v r
9	36	62.1	110	2 S26317	Ig heavy chain v r
10	36	62.1	470	2 H71667	glutamate--tRNA li
11	36	62.1	473	2 D70405	glutamate--tRNA li
12	35	60.3	233	2 H82163	arginyl-tRNA-prote
13	35	60.3	272	2 S27819	vitelline B1 precu
14	35	60.3	272	2 S27820	vitelline B2 precu
15	35	60.3	282	2 T46541	hypothetical prote
16	35	60.3	448	1 A60003	nucleocapsid prote
17	35	60.3	480	2 C69438	hypothetical prote
18	35	60.3	483	2 TS1272	hypothetical prote
19	35	60.3	538	2 T28874	hypothetical prote
20	35	60.3	628	1 A56707	protein-tyrosine k
21	35	60.3	722	2 S64492	hypothetical prote
22	35	60.3	736	2 T06757	hypothetical prote
23	35	60.3	1797	2 T21889	hypothetical prote
24	35	60.3	1805	2 T21888	hypothetical prote
25	34	58.6	129	2 H70727	conserved hypothet
26	34	58.6	154	2 E72126	hypothetical prote
27	34	58.6	170	2 D75554	hypothetical prote
28	34	58.6	219	1 QOECAS	hypothetical 23.4K
29	34	58.6	231	1 ISECP4	L-ribulose-phospha

30	34	58.6	231	2 S47804	L-ribulose-phospha
31	34	58.6	231	2 T51130	hypothetical prote
32	34	58.6	236	2 S16389	sporamin - sweet p
33	34	58.6	243	2 H64108	L-ribulose-phospha
34	34	58.6	248	1 ISEB4T	L-ribulose-phospha
35	34	58.6	284	2 S62931	probable membrane
36	34	58.6	284	2 S62955	hypothetical prote
37	34	58.6	297	2 S37636	probable membrane
38	34	58.6	339	1 MUBPC9	N-acetylmuramoyl-L
39	34	58.6	339	1 MUBPC9	hypothetical prote
40	34	58.6	349	1 S52763	site-specific DNA-
41	34	58.6	379	1 F64633	type II DNA modifi
42	34	58.6	381	2 A71882	conserved hypothet
43	34	58.6	426	2 F82315	hypothetical prote
44	34	58.6	446	2 T19625	hypothetical prote
45	34	58.6	538	2 T46863	L-aspartate oxidas

ALIGNMENTS

RESULT 1

H64968
acetyl CoA acetyltransferase - Escherichia coli
C:Species: Escherichia coli
C:Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 18-Jun-1999
C:Accession: H64968; I69646; I69656
R:Blattner, F.N.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.;
.A.; Rose, D.J.; Mau, B.; Shao, Y.
Science 277, 1453-1462, 1997
A:Title: The complete genome sequence of Escherichia coli K-12.
A:Reference number: A64720; MUID:97426617
A:Accession: H64968
A:Status: nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-196 <BLAT>
A:Cross-references: GB:A6000294; GB:U00096; NID:g1788338; PIDN:AAC75094.1; PID:g17883
A:Experimental source: strain K-12, substrain MG1655
R:Yao, Z.; Valvano, M.A.
J. Bacteriol. 176, 4133-4143, 1994
A:Title: Genetic analysis of the O-specific lipopolysaccharide biosynthesis region (r
erotypes Y and 4a.
A:Reference number: I55053; MUID:94292434
A:Accession: I69646
A:Status: translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-167, 'LFRKYCHC', 177-186, 'IMR', 190-196 <RES>
A:Cross-references: EMBL:U03041; NID:g501028; PIDN:AAC31635.1; PID:g510256
R:Stevenson, G.; Neal, B.; Liu, D.; Hobbs, M.; Packer, N.H.; Batley, M.; Redmond, J.W
J. Bacteriol. 176, 4144-4156, 1994
A:Title: Structure of the O antigen of Escherichia coli K-12 and the sequence of its
A:Reference number: I55054; MUID:94292435
A:Accession: I69656
A:Status: translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-167, 'LFRKYCHC', 177-186, 'IMR', 190-196 <RE2>
A:Cross-references: EMBL:U09876; NID:g508236; PID:g508245
C:Genetics:
A:Gene: yefH
A:Map position: 45 min
C:Superfamily: galactoside acetyltransferase

Query Match 67.2%; Score 39; DB 2; Length 196;
Best Local Similarity 75.0%; Pred. No. 5.2;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Oy 3 HNHGSFAY 10
|||||

Db 105 HNHGSFKH 112

RESULT 2

G81124
 DNaA-related protein NMB1076 [imported] - Neisseria meningitidis (group B strain MD58)
 C:Species: Neisseria meningitidis
 C>Date: 31-Mar-2000 #sequence_revision 31-Mar-2000 #text_change 31-Mar-2000
 C:Accession: G81124
 R:Tettelin, H.; Saunders, N.J.; Heidelberg, J.; Jeffries, A.C.; Nelson, K.E.; Eisen, J.A.
 Hickey, E.K.; Haft, D.H.; Salzberg, S.L.; White, O.; Fleischmann, R.D.; Dougherty, B.A.;
 ri, H.; Qin, H.; Vamathevan, J.; Gill, J.; Scarlato, V.; Maignani, V.; Pizza, M.;
 Science 287, 1809-1815, 2000
 A:Authors: Grandi, G.; Sun, L.; Smith, H.O.; Fraser, C.M.; Moxon, E.R.; Rappuoli, R.; Ve
 A:Title: Complete genome sequence of Neisseria meningitidis serogroup B strain MC58.
 A:Reference number: AB1000; MUID:20175755
 A:Accession: G81124
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-222 <TET>
 A:Cross-references: GB:AE002458; GB:AE002098; NID:g7226311; PIDN:AAF41471.1; PID:g722631
 A:Experimental source: serogroup B, strain MMD58
 C:Genetics:
 A:Gene: NMB1076

Query Match 67.2%; Score 39; DB 2; Length 222;
 Best Local Similarity 66.7%; Pred. No. 5.9;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNGSFAY 10
 || || || ||
 Db 32 RHKHGQFIY 40

RESULT 3
 B81896
 hypothetical protein NMA1279 [imported] - Neisseria meningitidis (group A strain Z2491)
 C:Species: Neisseria meningitidis
 C>Date: 05-May-2000 #sequence_revision 05-May-2000 #text_change 05-May-2000
 C:Accession: B81896
 R:Parkhill, J.; Achtman, M.; James, K.D.; Bentley, S.D.; Churcher, C.; Klee, S.R.; Morel
 Holroyd, S.; Jagels, K.; Leather, S.; Moule, S.; Mungall, K.; Quail, M.A.; Rajandream,
 Nature 404, 502-506, 2000
 A:Title: Complete DNA sequence of a serogroup A strain of Neisseria meningitidis Z2491.
 A:Reference number: AB1775; MUID:20222556
 A:Accession: B81896
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-243 <PAR>
 A:Cross-references: GB:AL162755; GB:AL157959; NID:g7379742; PIDN:CAB84531.1; PID:g737995
 A:Experimental source: serogroup A, strain Z2491
 C:Genetics:
 A:Gene: NMA1279

Query Match 67.2%; Score 39; DB 2; Length 243;
 Best Local Similarity 66.7%; Pred. No. 6.4;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNGSFAY 10
 || || || || || || || ||
 Db 53 RHKHGQFIY 61

RESULT 4
 D69081
 deoxyuridine 5-triphosphate nucleotidohydrolase related protein MTH1605 [imported] - Meth
 C:Species: Methanobacterium thermoautotrophicum
 C>Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 31-Mar-2000
 C:Accession: D69081
 R:Smith, D.R.; Doucette-Stamm, L.A.; Deloughery, C.; Lee, H.; Dubois, J.; Aldredge, T.;
 Qiu, D.; Spadafora, R.; Vicaire, R.; Wang, Y.; Wierzbowski, J.; Gibson, R.; Jiwani, N.
 ki, S.; Church, G.W.; Daniels, C.J.; Mao, J.; Rice, P.; Noelling, J.; Reeve, J.N.
 J. Bacteriol. 179, 7135-7155, 1997
 A:Title: Complete genome sequence of Methanobacterium thermoautotrophicum Delta H: funct
 A:Reference number: A69000; MUID:98037514

A:Accession: D69081
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-150 <MTH>
 A:Cross-references: GB:AE000920; GB:AE000666; NID:g2622729; PIDN:AA86078.1; PID:g2622
 C:Experimental source: strain Delta H
 C:Genetics:
 A:Gene: MTH1605
 C:Superfamily: dCTP deaminase

Query Match 63.8%; Score 37; DB 2; Length 150;
 Best Local Similarity 62.5%; Pred. No. 9.3;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 3 HHNGSFAY 10
 || || || || || || || ||
 Db 115 HHNGEVEY 122

RESULT 5
 B81155
 conserved hypothetical protein NMB0803 [imported] - Neisseria meningitidis (group B s
 C:Species: Neisseria meningitidis
 C>Date: 31-Mar-2000 #sequence_revision 31-Mar-2000 #text_change 31-Mar-2000
 C:Accession: B81155
 R:Tettelin, H.; Saunders, N.J.; Heidelberg, J.; Jeffries, A.C.; Nelson, K.E.; Eisen,
 Hickey, E.K.; Haft, D.H.; Salzberg, S.L.; White, O.; Fleischmann, R.D.; Dougherty, B.
 ri, H.; Qin, H.; Vamathevan, J.; Gill, J.; Scarlato, V.; Maignani, V.; Pizza, M.;
 Science 287, 1809-1815, 2000
 A:Authors: Grandi, G.; Sun, L.; Smith, H.O.; Fraser, C.M.; Moxon, E.R.; Rappuoli, R.;
 A:Title: Complete genome sequence of Neisseria meningitidis serogroup B strain MC58.
 A:Reference number: AB1000; MUID:20175755
 A:Accession: B81155
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-257 <TET>
 A:Cross-references: GB:AE002435; GB:AE002098; NID:g7226049; PIDN:AAF41216.1; PID:g722
 A:Experimental source: serogroup B, strain MMB58
 C:Genetics:
 A:Gene: NMB0803

Query Match 63.8%; Score 37; DB 2; Length 257;
 Best Local Similarity 62.5%; Pred. No. 16;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HHNGSFAY 10
 || || || || || || || ||
 Db 245 HHNSAYAY 253

RESULT 6
 CB1949
 hypothetical protein NMA1013 [imported] - Neisseria meningitidis (group A strain Z249
 C:Species: Neisseria meningitidis
 C>Date: 05-May-2000 #sequence_revision 05-May-2000 #text_change 05-May-2000
 C:Accession: CB1949
 R:Parkhill, J.; Achtman, M.; James, K.D.; Bentley, S.D.; Churcher, C.; Klee, S.R.; Mo
 Holroyd, S.; Jagels, K.; Leather, S.; Moule, S.; Mungall, K.; Quail, M.A.; Rajandre
 Nature 404, 502-506, 2000
 A:Title: Complete DNA sequence of a serogroup A strain of Neisseria meningitidis Z2491
 A:Reference number: AB1775; MUID:20222556
 A:Accession: CB1949
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-257 <PAR>
 A:Cross-references: GB:AL162754; GB:AL157959; NID:g7379424; PIDN:CAB84282.1; PID:g737
 C:Experimental source: serogroup A, strain Z2491
 C:Genetics:
 A:Gene: NMA1013

Query Match 63.8%; Score 37; DB 2; Length 257;
 Best Local Similarity 62.5%; Pred. No. 16;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNHGSPAY 10
 |||::|||

Db 246 HNHGSPAY 253

RESULT 7

JC2464

Probable copper-transporting ATPase (EC 3.6.1.-) HRA-1 - Enterobacteriaceae spp.

C:Species: Enterobacteriaceae spp.

C>Date: 16-Oct-1998 #sequence_revision 16-Oct-1998 #text_change 18-Jun-1999

C:Accession: JC2464

R:Trenor III., C.; Lin, W.; Andrews, N.C.

Biochem. Biophys. Res. Commun. 205, 1644-1650, 1994

A:Title: Novel bacterial P-type ATPases with histidine-rich heavy-metal-associated sequence

A:Reference number: JC2464; MUID:95110304

A:Accession: JC2464

A:Molecule type: mRNA

A:Residues: 1-731 <PRE>

A:Cross-references: GB:U16658; NID:g643612; PIDN:AAA62113.1; PID:g643613

A:Experimental source: human small intestine cDNA library

A>Note: the source species is uncertain; the cloned sequence did not hybridize with human

C:Superfamily: Enterococcus copper-transporting ATPase copB; ATPase nucleotide-binding d

C:Keywords: ATP; copper transport; hydrolase; ion transport; phosphoprotein; transmembra

F:7-92/Region: His-rich

F:135-477/Domain: ATPase transduction domain homology <ATT>

F:544-685/Domain: ATPase nucleotide-binding domain homology <ATN>

F:287/Active site: Glu #status predicted

F:431/Active site: Asp (aspartylphosphate intermediate) #status predicted

Query Match

Best Local Similarity 63.8%; Score 37; DB 1; Length 731;

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNHGSF 8

| | | | |

Db 88 AHHHGSF 95

RESULT 8

S26316

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C>Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000

C:Accession: S26316

R:Stark, S.E.; Caton, A.J.

J. Exp. Med. 174, 613-624, 1991

A:Title: Antibodies that are specific for a single amino acid interchange in a protein e

A:Reference number: S26309; MUID:91341421

A:Accession: S26316

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-108 <STA>

A:Cross-references: EMBL:X59190; NID:g52066; PIDN:CAA41900.1; PID:g1334035

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:2-85/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 62.1%; Score 36; DB 2; Length 108;

Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNHGSFAY 10

| | | | |

Db 84 ARGNYGNAV 93

RESULT 9

S26317

Ig heavy chain V region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C>Date: 19-Mar-1998 #sequence_revision 19-Mar-1998 #text_change 21-Jan-2000

C:Accession: S26317

R:Stark, S.E.; Caton, A.J.

J. Exp. Med. 174, 613-624, 1991

A:Title: Antibodies that are specific for a single amino acid interchange in a protei

A:Reference number: S26309; MUID:91341421

A:Accession: S26317

A:Molecule type: mRNA

A:Residues: 1-110 <STA>

A:Cross-references: EMBL:X59186

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:4-87/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 62.1%; Score 36; DB 2; Length 110;

Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNHGSFAY 10

| | | | |

Db 86 ARGNYGNAV 95

RESULT 10

H71667

glutamate--tRNA ligase (EC 6.1.1.17) (gltX2) RP623 - Rickettsia prowazekii

C:Species: Rickettsia prowazekii

C>Date: 21-Nov-1998 #sequence_revision 21-Nov-1998 #text_change 20-Jun-2000

C:Accession: H71667

R:Andersson, S.G.E.; Zomorodipour, A.; Andersson, J.O.; Slicheritz-Ponten, T.; Alsmark

Nature 396, 133-140, 1998

A:Title: The genome sequence of Rickettsia prowazekii and the origin of mitochondria.

A:Reference number: A71630; MUID:99039499

A:Accession: H71667

A>Status: preliminary; nucleic acid sequence not shown; translation not shown

A:Molecule type: DNA

A:Residues: 1-470 <AND>

A:Cross-references: GB:AJ235272; GB:AJ235269; NID:g3861033; PIDN:CAA15066.1; PID:g386

A:Experimental source: strain Madrid E

C:Genetics:

A:Gene: gltX2; RP623

C:Superfamily: glutamate--tRNA ligase; glutamine--tRNA ligase homology

C:Keywords: aminoacyl-tRNA synthetase; ligase; protein biosynthesis

F:4-281/Domain: glutamine--tRNA ligase homology <EGL>

Query Match

Best Local Similarity 62.1%; Score 36; DB 2; Length 470;

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNHGSF 8

| | | | |

Db 31 ARHNHGSF 38

RESULT 11

D70405

glutamate--tRNA ligase (EC 6.1.1.17) - Aquifex aeolicus

C:Species: Aquifex aeolicus

C>Date: 08-May-1998 #sequence_revision 08-May-1998 #text_change 21-Jan-2000

C:Accession: D70405

R:Deckert, G.; Warren, P.V.; Gaasterland, T.; Young, W.G.; Lenox, A.L.; Graham, D.E.;

V.

Nature 392, 353-358, 1998

A:Title: The complete genome of the hyperthermophilic bacterium Aquifex aeolicus.

A:Reference number: A70300; MUID:98196666

A:Accession: D70405

A>Status: preliminary; nucleic acid sequence not shown; translation not shown

A:Molecule type: DNA

A:Residues: 1-473 <AOF>

A:Cross-references: GB:AE000729; NID:g2983659; PIDN:AAC07230.1; PID:g2983664; GB:AE00065

A:Experimental source: strain VF5

C:Genetics:

A:Gene: gltX

C:Superfamily: glutamate--tRNA ligase; glutamine--tRNA ligase homology

C:Keywords: aminoacyl-tRNA synthetase; ligase; protein biosynthesis

F:4-276/Domain: glutamine--tRNA ligase homology <EGL>

Query Match 62.1%; Score 36; DB 2; Length 473;

Best Local Similarity 75.0%; Pred. No. 44;

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8

|||||

Db 31 ARHNNGGF 38

RESULT 12

H82163 arginyl-tRNA-protein transferase-related protein VC1736 [imported] - Vibrio cholerae (gr

C:Species: Vibrio cholerae

C:Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 15-Sep-2000

C:Accession: H82163

R:Heidelberg, J.F.; Eisen, J.A.; Nelson, W.C.; Clayton, R.A.; Gwinn, M.L.; Dodson, R.J.;

chardson, D.; Ermolaeva, M.D.; Vamathevan, J.; Bass, S.; Qin, H.; Dragoi, I.; Sellers, B.

1, R.R.; Mekalanos, J.J.; Venter, J.C.; Fraser, C.M.

Nature 406, 477-483, 2000

A:Title: DNA sequence of both chromosomes of the cholera pathogen Vibrio cholerae.

A:Reference number: A82035; MUID:20406833

A:Accession: H82163

A>Status: preliminary

A:Molecule type: DNA

A:Residues: 1-233 <HEI>

A:Cross-references: GB:AE004251; GB:AE003852; NID:g9656248; PIDN:AAF94886.1; GSPDB:GN001

A:Experimental source: serogroup O1; strain N16961; biotype El Tor

C:Genetics:

A:Gene: VC1736

A:Map position: 1

Query Match 60.3%; Score 35; DB 2; Length 233;

Best Local Similarity 85.7%; Pred. No. 33;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNHGS 7

|||||

Db 117 ARHRRGS 123

RESULT 13

S27819

vitelline B1 precursor - liver fluke

N:Alternate names: eggshell protein B1

C:Species: Fasciola hepatica (liver fluke)

C:Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 04-Feb-2000

C:Accession: A48436; A48437; B48437; A59161; S27819

R:Rice-Ficht, A.C.; Dusek, K.A.; Kochevar, G.J.; Waite, J.H.

Mol. Biochem. Parasitol. 54, 129-141, 1992

A:Title: Eggshell precursor proteins of Fasciola hepatica, I. Structure and expression c

A:Reference number: A48436; MUID:93063029

A:Accession: A48436

A:Molecule type: mRNA; protein

A:Residues: 1-272 <RIC>

A:Cross-references: EMBL:M93024; NID:gl59065; PIDN:AAA29143.1; PID:gl59066

A>Note: sequence extracted from NCBI backbone (NCBIN:117208, NCBIP:117210)

R:Waite, J.H.; Rice-Ficht, A.C.

Mol. Biochem. Parasitol. 54, 143-151, 1992

A:Title: Eggshell precursor proteins of Fasciola hepatica, II. Microheterogeneity in vit

A:Reference number: A48437; MUID:93063030

A:Accession: A48437

A>Status: preliminary

A:Map position: 1

A:Accession: A48437

A:Map position: 1

A:Accession: A48437

A:Map position: 1

A:Accession: A48437

A:Map position: 1

A:Molecule type: protein

A:Residues: 20-47 <WALI>

A:Cross-references: PID:g259030; PIDN:AAB23982.1

A>Note: sequence extracted from NCBI backbone (NCBIP:117211)

A:Accession: B48437

A>Status: preliminary

A:Molecule type: protein

A:Residues: 172-193 <WA2>

A:Cross-references: PID:g259031; PIDN:AAB23983.1

A>Note: sequence extracted from NCBI backbone (NCBIP:117213)

R:Waite, J.H.

Anal. Biochem. 192, 429-433, 1991

A:Title: Detection of peptidyl-3,4-dihydroxyphenylalanine by amino acid analysis and

A:Reference number: A59161; MUID:91241559

A:Accession: A59161

A:Molecule type: protein

A:Residues: 62-70 <WA3>

A:Experimental source: egg shell

C:Keywords: egg shell

F:1-19/Domain: signal sequence #status predicted <SIG>

F:20-272/Product: vitelline B1 #status predicted <MAT>

F:63/Modified site: 3',4'-dihydroxyphenylalanine (Tyr) #status experimental

Query Match 60.3%; Score 35; DB 2; Length 272;

Best Local Similarity 75.0%; Pred. No. 39;

Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8

|||||

Db 19 ARHPHGKF 26

RESULT 14

S27820

vitelline B2 precursor - liver fluke

N:Alternate names: eggshell protein B2

C:Species: Fasciola hepatica (liver fluke)

C:Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 04-Feb-2000

C:Accession: S27820

R:Rice-Ficht, A.C.; Dusek, K.A.; Kochevar, G.J.; Waite, J.H.

submitted to the EMBL Data Library, May 1992

A:Description: Eggshell precursor proteins of Fasciola hepatica: I. structure and exp

A:Reference number: S27819

A:Accession: S27820

A:Molecule type: mRNA

A:Residues: 1-272 <RIC>

A:Cross-references: EMBL:M93025; NID:gl59067; PIDN:AAA29144.1; PID:gl59068

C:Keywords: egg shell

F:1-19/Domain: signal sequence #status predicted <SIG>

F:20-272/Product: vitelline B2 #status predicted <MAT>

Query Match 60.3%; Score 35; DB 2; Length 272;

Best Local Similarity 75.0%; Pred. No. 39;

Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8

|||||

Db 19 ARHPHGKF 26

RESULT 15

T46541

hypothetical protein gra-orf30 [imported] - Streptomyces violaceoruber

C:Species: Streptomyces violaceoruber

C:Date: 04-Feb-2000 #sequence_revision 04-Feb-2000 #text_change 11-May-2000

C:Accession: T46541

R:Ichinose, K.; Bedford, D.J.; Tornus, D.; Bechthold, A.; Bibb, M.J.; Revill, W.P.; F

Chem. Biol. 5, 647-659, 1998

A:Title: The granaticin biosynthetic gene cluster of Streptomyces violaceoruber Tu22:

A:Reference number: Z23045; MUID:99051446

A:Accession: T46541

A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-282 <ICH>
A:Cross-references: EMBL:AJ011500; PIDN:CAA09657.1
A:Experimental source: strain Tu22
C:Genetics:
A:Note: gra-orf30

Query Match 60.3%; Score 35; DB 2; Length 282;
Best Local Similarity 100.0%; Pred. No. 40;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy 5 HGSPAY 10
| | | | |
Db 162 HGSPAY 167

Search completed: March 28, 2001, 06:41:52
Job time: 875 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:50 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-60

Perfect score: 58

Sequence: 1 ARHNGSPAY 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	39	67.2	196	1 WBBJ_ECOLI	P37750 escherichia
2	36	62.1	218	1 Y4VH_RHISN	Q53216 rhizobium s
3	36	62.1	470	1 SYE2_RICPR	Q92ct8 rickettsia
4	36	62.1	470	1 SYE_AQUAE	O67271 aquifex aeo
5	35	60.3	197	1 EGG5_FASHE	P07915 fasciola he
6	35	60.3	448	1 NCAP_CVHOC	P33469 human coron
7	35	60.3	567	1 CC45_XENLA	Q39hz6 xenopus lae
8	35	60.3	629	1 KSYK_RAT	O64725 rattus norv
9	35	60.3	722	1 PBPI_YEAST	P53297 saccharomyc
10	34	58.6	129	1 YP56_MYCTU	Q50742 mycobacteri
11	34	58.6	213	1 PNCA_ECOLI	P21369 escherichia
12	34	58.6	231	1 ARAD_ECOLI	P08203 escherichia
13	34	58.6	231	1 ARAD_SALTY	P06190 salmonella
14	34	58.6	231	1 SGBE_ECOLI	P37680 escherichia
15	34	58.6	231	1 SGBE_HAEIN	P44989 haemophilus
16	34	58.6	284	1 YNB9_YEAST	P53975 saccharomyc
17	34	58.6	284	1 YND3_YEAST	P33964 saccharomyc
18	34	58.6	297	1 YC24_ANTSP	Q02857 antithamnio
19	34	58.6	339	1 LYCA_BPCP1	P15057 bacterioph
20	34	58.6	339	1 LYCA_BPCP9	P19386 bacterioph
21	34	58.6	349	1 YJY9_YEAST	P41903 saccharomyc
22	34	58.6	538	1 NADB_PSEAE	Q51363 pseudomonas
23	34	58.6	1446	1 IE18_PRVKA	P33479 pseudorabie
24	34	58.6	1461	1 IE18_PRVIF	P11675 pseudorabie
25	33.5	57.8	172	1 LGUL_PSEPU	P16635 pseudomonas
26	33	56.9	302	1 YEQ6_YEAST	P40049 saccharomyc
27	33	56.9	480	1 SYE_HAEIN	P43818 haemophilus
28	33	56.9	966	1 M172_HUMAN	Q44596 homo sapien
29	33	56.9	1403	1 YDF3_SCHPO	Q10475 schizosacch
30	32	55.2	190	1 SLYD_HAEIN	P44830 haemophilus
31	32	55.2	235	1 NHAB_RHOSO	Q53117 rhodococcus
32	32	55.2	316	1 YX12_CAEEL	Q11123 caenorhabdi
33	32	55.2	322	1 FATB_VIBAN	P11460 vibrio angu

RESULT 1

WBBJ_ECOLI
ID WBBJ_ECOLI STANDARD; PRT; 196 AA.
AC P37750; P76375;
DT 01-OCT-1994 (Rel. 30, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE PUTATIVE LIPOPOLYSACCHARIDE BIOSYNTHESIS O-ACETYL TRANSFERASE WBBJ
DE (EC 2.3.1.-).
GN WBBJ.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / W3110;
RX MEDLINE; 94292434.
RA Yao Z., Valvano M.A.;
RT "Genetic analysis of the O-specific lipopolysaccharide biosynthesis
region (rfb) of Escherichia coli K-12 W3110: identification of genes
that confer group 6 specificity to Shigella flexneri serotypes Y and
4a.";
RT J. Bacteriol. 176:4133-4143(1994).
RL [2]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / W3110;
RX MEDLINE; 94292435.
RA Stevenson G., Neal B., Liu D., Hobbs M., Packer N.H., Batley M.,
RA Remond J.W., Lindquist L., Reeves P.R.;
RT "Structure of the O antigen of Escherichia coli K-12 and the sequence
of its rfb gene cluster.";
RT J. Bacteriol. 176:4144-4156(1994).
RN [3]
RP REVISIONS TO 168-176 AND 187-189.
RC STRAIN=K12 / W3110;
RX Stevenson G.;
RL Submitted (DEC-1997) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / W3110;
RX MEDLINE; 97426617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;
RT "The complete genome sequence of Escherichia coli K-12.";
RT Science 277:1453-1474(1997).
RN [5]
RP SEQUENCE FROM N.A.
RC STRAIN=K12;
RX MEDLINE; 97251358.
RA Itoh T., Aiba H., Baba T., Fujita K., Hayashi K., Inada T.,
RA Isono K., Kasai H., Kimura S., Kitakawa M., Kitagawa M.,
RA Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,
RA Nakade S., Nakamura Y., Nishimoto H., Nishio Y., Oshima T.,
RA Salto N., Sampei G., Seki Y., Sivasubramanian S., Tagami H.,

P08431 saccharomyc
O08376 mycobacteri
P29723 treponema p
O13969 schizosacch
P51689 homo sapien
P43405 homo sapien
Q46684 e periplasm
P20030 trypanosoma
O70423 mus musculu
P48308 mouse adeno
O09822 schizosacch
Q13370 homo sapien

ALIGNMENTS

Query Match 62.1%; Score 36; DB 1; Length 470;
 Best Local Similarity 75.0%; Pred. No. 19;
 Matches 6; Conservative 1; Mismatches 0; Gaps 0;

QY 1 ARNHGGSF 8
 |||||
 DB 31 ARHNGKF 38

RESULT 4

ID SVE_AQUAE STANDARD; PRT; 473 AA.
 AC 06721;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)
 DE (GLURS)
 GN GLTX OR AQ_1221.
 OS Aquifex aeolicus.
 OC Bacteria; Aquificales; Aquificaceae; Aquifex.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=VF5;
 RX MEDLINE; 98196666.
 RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
 RA Graham D.E., Overbeek R., Sneed M.A., Keller M., Aujay M., Huber R.,
 RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
 RT "The complete genome of the hyperthermophilic bacterium Aquifex
 RT aeolicus.";
 RL Nature 392:353-358(1998).
 CC -1- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
 CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
 CC -1- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

EMBL: AE000729; AAC07230.1;
 DR INTERPRO: IPR000924;
 DR INTERPRO: IPR001412;
 DR PFAM: PF00749; trna-synt_lc; 1.
 DR PRINTS: PR00987; TRNASYNTHGLU.
 DR PROSITE: PS00178; AA_TRNA_LIGASE_I; 1.
 KW Aminoacyl-trna synthetase; Protein biosynthesis; Ligase; ATP-binding.
 FT SIMILAR 10 20 "HIGH" REGION.
 FT SIMILAR 242 246 "KMSKS" REGION.
 FT BINDING 245 245 ATP (BY SIMILARITY).
 SQ SEQUENCE 473 AA; 55121 MW; 5CB4D1590973E07A CRC64;

Query Match 62.1%; Score 36; DB 1; Length 473;
 Best Local Similarity 75.0%; Pred. No. 19;
 Matches 6; Conservative 1; Mismatches 0; Indels 1; Gaps 0;

QY 1 ARNHGGSF 8
 |||||
 DB 31 ARHNGGF 38

RESULT 5

EGGS_FASHE STANDARD; PRT; 197 AA.
 ID EGGS_FASHE
 AC P07915;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-AUG-1988 (Rel. 08, Last sequence update)

DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE PUTATIVE EGGSHELL PROTEIN PRECURSOR.
 OS Fasciola hepatica (Liver fluke).
 OC Eukaryota; Metazoa; Platyhelminthes; Neodermata; Trematoda; Digenea;
 OC Echinostomida; Echinostomata; Fasciolidae; Fasciola.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 87175670.
 RA Zurita M., Bieher D., Ringold G., Mansour T.E.;
 RT "Cloning and characterization of a female genital complex cDNA from
 RT the liver fluke Fasciola hepatica";
 RL Proc. Natl. Acad. Sci. U.S.A. 84:2340-2344(1987).
 CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

EMBL: M15871; AAA29138.1;
 DR Eggshell; Signal.
 KW SIGNAL 1 17 PUTATIVE EGGSHELL PROTEIN.
 FT CHAIN 18 197
 SQ SEQUENCE 197 AA; 22470 MW; 72033ED203FCIA3E CRC64;

Query Match 60.3%; Score 35; DB 1; Length 197;
 Best Local Similarity 75.0%; Pred. No. 12;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
 |||||
 DB 17 ARHPGKF 24

RESULT 6

NCAP_CVHOC STANDARD; PRT; 448 AA.
 ID NCAP_CVHOC
 AC P33469;
 DT 01-FEB-1994 (Rel. 28, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DE NUCLEOCAPSID PROTEIN.
 GN N.

OS Human coronavirus (strain OC43).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
 OC Coronaviridae; Coronavirus.
 RN [1]

RP SEQUENCE FROM N.A.
 RX MEDLINE; 89243809.
 RA Kanahora T., Soe L.H., Lai M.M.C.;
 RT "Sequence analysis of nucleocapsid gene and leader RNA of human
 RT coronavirus OC43";
 RL Virus Res. 12:1-9(1989).
 DR PIR: A60003; A60003.
 DR INTERPRO: IPR001218;
 DR PFAM: PF00937; Corona_nucleoca; 1.
 KW Nucleocapsid.
 SQ SEQUENCE 448 AA; 49316 MW; 5193ABIAE0D75626 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 448;
 Best Local Similarity 85.7%; Pred. No. 27;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSF 8
 |||||
 DB 103 RHNHGSF 109

RESULT 7

CC45_XENLA STANDARD; PRT; 567 AA.
 ID CC45_XENLA STANDARD; PRT; 567 AA.
 AC Q9VHZ6;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE CDC45-RELATED PROTEIN.
 GN CDC45.
 OS Xenopus laevis (African clawed frog).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Amphibia; Batrachia; Anura; Mesobatrachia; Pipidae; Pipidae;
 CC Xenopodinae; Xenopus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE: 98429493.
 RA Minura S., Takisawa H.;
 RT "Xenopus Cdc45-dependent loading of DNA polymerase alpha onto
 RT chromatin under the control of S-phase cdk.";
 RL EMBO J. 17:5699-5707(1998).
 CC -1- FUNCTION: REQUIRED FOR INITIATION OF CHROMOSOMAL DNA REPLICATION.
 CC -1- SUBCELLULAR LOCATION: NUCLEAR.
 CC -1- SIMILARITY: BELONGS TO THE CDC45 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>)
 CC or send an email to license@isb-sib.ch.
 CC -----
 DR EMBL: AF062494; AAC67520.1;
 KW DNA replication; Cell cycle; Nuclear protein.
 SQ SEQUENCE 567 AA; 65444 MW; 9A32FB20097F7C86 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 567;
 Best Local Similarity 71.4%; Pred. No. 35;
 Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARNHGS 7
 :|||||
 DB 251 SRHNGN 257

RESULT 8
 KSYK_RAT STANDARD; PRT; 629 AA.
 ID KSYK_RAT STANDARD; PRT; 629 AA.
 AC Q64725;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE TYROSINE-PROTEIN KINASE SYK (EC 2.7.1.12) (SPLEEN TYROSINE KINASE).
 GN SYK.
 OS Rattus norvegicus (Rat).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE: 95279402.
 RA Rowley R.B., Bolen J.B., Fargnoli J.;
 RT "Molecular cloning of rodent p72Syk. Evidence of alternative mRNA
 RT splicing.";
 RL J. Biol. Chem. 270:12659-12664(1995).
 CC -1- FUNCTION: MAY PARTICIPATE IN SIGNALING PATHWAYS. PLAYS A ROLE IN
 CC LYMPHOCYTE ACTIVATION.
 CC -1- CATALYTIC ACTIVITY: ATP + A PROTEIN TYROSINE = ADP + PROTEIN
 CC TYROSINE PHOSPHATE.
 CC -1- ALTERNATIVE PRODUCTS: 2 ISOFORMS; SYKA AND SYKB (SHOWN HERE);
 CC ARE PRODUCED BY ALTERNATIVE SPLICING.
 CC -1- PTM: AUTOPHOSPHORYLATED (BY SIMILARITY).
 CC -1- SIMILARITY: CONTAINS 2 SH2 DOMAINS.
 CC -1- SIMILARITY: TO OTHER PROTEIN-TYROSINE KINASES IN THE CATALYTIC

CC DOMAIN. BELONGS TO THE SYK/ZAP-70 SUBFAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>)
 CC or send an email to license@isb-sib.ch.
 CC -----
 DR EMBL: U21684; AAA75167.1;
 DR EMBL: U21683; AAA75166.1;
 DR HSSP: P43405; ICSY.
 DR INTERPRO: IPR000719;
 DR INTERPRO: IPR000980;
 DR INTERPRO: IPR001245;
 DR PFAM: PF00017; SH2; 2.
 DR PFAM: PF00069; kinase; 1.
 DR PRINTS: PR00401; SH2DOMAIN.
 DR PROSITE: PS00107; PROTEIN_KINASE_ATP; 1.
 DR PROSITE: PS00109; PROTEIN_KINASE_TYR; 1.
 DR PROSITE: PS50011; PROTEIN_KINASE_DOM; 1.
 DR PROSITE: PS50001; SH2; 2.
 KW Transferase; Tyrosine-protein kinase; ATP-binding; Phosphorylation;
 KW SH2 domain; Alternative splicing.
 FT DOMAIN 14 106
 FT SH2.
 FT DOMAIN 167 258
 FT SH2.
 FT DOMAIN 365 625
 FT NP_BIND 371 379
 FT ATP (BY SIMILARITY).
 FT BINDING 396 396
 FT ATP (BY SIMILARITY).
 FT ACT_SITE 488 488
 FT BY_SIMILARITY.
 FT MOD_RES 519 519
 FT PHOSPHORYLATION (AUTO-) (BY SIMILARITY).
 FT VARSEPLIC 277 299
 FT MISSING (IN ISOFORM SYKA).
 SQ SEQUENCE 629 AA; 71528 MW; 81169A643EC6A6FE CRC64;

Query Match 60.3%; Score 35; DB 1; Length 629;
 Best Local Similarity 77.8%; Pred. No. 38;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 ARNHGSFA 9
 :|||||
 DB 195 ARDNGSFA 203

RESULT 9
 PBPI_YEAST STANDARD; PRT; 722 AA.
 ID PBPI_YEAST STANDARD; PRT; 722 AA.
 AC P53297;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE PAB1-BINDING PROTEIN 1.
 GN PBPI OR MRS16 OR YGR178C.
 OS Saccharomyces cerevisiae (Baker's yeast).
 CC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 CC Saccharomycetaceae; Saccharomycetes.
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hebling U., Hofmann B., Delli H.;
 RL Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=DSBY747;
 RA Mecklenbrauer I.;
 RT "Sequencing and characterization of a suppressor of the pet- phenotype
 RT in a Saccharomyces cerevisiae strain without mitochondrial group II
 RT introns.";
 RL Thesis (1996), Vienna Biocentre, Austria.
 RN [3]
 RP CHARACTERIZATION.
 RX MEDLINE: 99038243.
 RX Mangus D.A., Amrani N., Jacobson A.;

RT "Pbplp, a factor interacting with Saccharomyces cerevisiae poly(A)-
 binding protein, regulates polyadenylation.";
 RL Mol. Cell. Biol. 18:7383-7396(1998).
 CC -!- FUNCTION: APPEARS TO PROMOTE PROPER POLYADENYLATION. IN THE
 CC ABSENCE OF PBPLP, THE 3'TERMINI OF PRE-MRNAS ARE PROPERLY CLEAVED
 CC BUT LACK FULL-LENGTH POLY(A) TAILS. MAY ACT TO REPRESS THE ABILITY
 CC OF PAB1 TO NEGATIVELY REGULATE POLYADENYLATION.
 CC -!- SUBUNIT: INTERACTS WITH PAB1.
 CC -!- SUBCELLULAR LOCATION: NUCLEAR AND CYTOPLASMIC.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL; 272963; CAA97204.1; -;
 DR EMBL; U46931; AAB94294.1; -;
 DR SGD; S0003410; PBPL.
 KW Nuclear protein.
 SQ SEQUENCE 722 AA; 78781 MW; 92005F3A2346193E CRC64;
 Query Match 60.3%; Score 35; DB 1; Length 722;
 Best Local Similarity 85.7%; Pred. No. 44;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 2 RHNHGSF 8
 Db 474 RRNHGSF 480
 RESULT 10
 YP56_MYCTU STANDARD; PRT; 129 AA.
 AC Q50742;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE HYPOTHETICAL 13.9 KDA PROTEIN RV2556C.
 GN RV2556C OR MTCY9C4.12.
 OS Mycobacterium tuberculosis.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Corynebacterineae; Mycobacteriaceae; Mycobacterium.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=H37RV;
 RX MEDLINE; 98295987.
 RA Cole S.T., Brosch R., Parkhill J., Garnier T., Churcher C., Harris D.,
 RA Gordon S.V., Eiglmeier K., Gas S., Barry C.E. III, Tekalia F.,
 RA Badcock K., Basham D., Brown D., Chillingworth T., Connor R.,
 RA Davies K., Devlin K., Feltwell T., Gentles S., Hamlin N., Holroyd S.,
 RA Hornsby T., Jagels K., Krogh A., McLean J., Moule S., Murphy L.,
 RA Oliver S., Osborne J., Quail M.A., Rajandream M.A., Rogers J.,
 RA Rutter S., Seeger K., Skelton S., Squares S., Squires R., Sulston J.E.,
 RA Taylor K., Whitehead S., Barrell B.G.;
 RT "Deciphering the biology of Mycobacterium tuberculosis from the
 RT complete genome sequence.";
 RL Nature 393:537-544(1998).
 CC -!- SIMILARITY: BELONGS TO THE UPF0047 FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL; 277250; CAB01048.1; -;
 DR TUBERCULLIST; RV2556C; -;

DR INTERPRO; IPR001602; -;
 DR PFAM; PF01894; UPF0047; 1.
 DR PROSITE; PS01314; UPF0047; 1.
 KW Hypothetical protein.
 SQ SEQUENCE 129 AA; 13925 MW; AAB57AEB76B6923 CRC64;
 Query Match 58.6%; Score 34; DB 1; Length 129;
 Best Local Similarity 55.6%; Pred. No. 12;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 Qy 2 RHNHGSFAY 10
 Db 69 RHAHGSYGH 77
 RESULT 11
 PNCA_ECOLI STANDARD; PRT; 213 AA.
 ID PNCA_ECOLI
 AC P21369; P76229; P76910;
 DT 01-MAY-1991 (Rel. 18, Created)
 DT 01-MAY-1991 (Rel. 18, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE PYRAZINAMIDASE/NICOTINAMIDASE [INCLUDES: PYRAZINAMIDASE (EC 3.5.1.-)
 DE (PZASE); NICOTINAMIDASE (EC 3.5.1.19) (NICOTINE DEAMIDASE)].
 GN PNCA OR NAM.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12;
 RX MEDLINE; 89357501.
 RA Jerlstroem P.G., Bezjak D.A., Jennings M.P., Beacham I.R.;
 RT "Structure and expression in Escherichia coli K-12 of the
 RT L-asparaginase I-encoding ansA gene and its flanking regions.";
 RL Gene 78:37-46(1989).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 96338362.
 RA Frothingham R., Meeker-O'Connell W.A., Talbot E.A., George J.W.,
 RA Kreuzer K.N.;
 RT "Identification, cloning, and expression of the Escherichia coli
 RT pyrazinamidase and nicotinamidase gene, pncA";
 RL Antimicrob. Agents Chemother. 40:1426-1431(1996).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12 / MG1655;
 RX MEDLINE; 97426617.
 RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
 RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
 RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
 RA Mau B., Shao Y.;
 RT "The complete genome sequence of Escherichia coli K-12.";
 RL Science 277:1453-1474(1997).
 RN [4]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12;
 RA Aiba H., Baba T., Fujita K., Hayashi K., Honjo A., Horiuchi T.,
 RA Ikemoto K., Inada T., Isono K., Isono S., Itoh T., Kanai K.,
 RA Kasai H., Kashimoto K., Kim S., Kimura S., Kitagawa M.,
 RA Kitakawa M., Makino K., Masuda S., Miki T., Mizobuchi K., Mori H.,
 RA Motomura K., Nakamura Y., Nishimoto H., Nishio Y., Oshima T.,
 RA Saito N., Sampei G., Seki Y., Tagami H., Takemoto K., Wada C.,
 RA Yanamoto Y., Yano M.;
 RL Submitted (DEC-1996) to the EMBL/GenBank/DBJ databases.
 CC -!- CATALYTIC ACTIVITY: NICOTINAMIDE + H(2)O = NICOTINATE + NH(3).
 CC -!- PATHWAY: PYRIDINE NUCLEOTIDE CYCLE.
 CC -!- SIMILARITY: TO YEAST YGL037C.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; M26934; AAA23447.1; -;
 DR EMBL; AE000271; AAC74838.1; ALT_INIT.
 DR EMBL; D90820; BAA1559.1; -;
 DR EMBL; D90821; BAA1556.1; -;
 DR PIR; JU0048; QOECAS.
 DR ECGENE; EG11135; PNCA.
 DR INTERPRO; IPR000868; -;
 DR PFAM; PF00857; Isochorismatase; 1.
 KW Hydrolase.
 SQ SEQUENCE 213 AA; 23362 MW; B9F8D946FA18433F CRC64;

Query Match 58.6%; Score 34; DB 1; Length 213;
 Best Local Similarity 100.0%; Pred. No. 20;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 NHGSFA 9
 |||||

Db 57 NHGSFA 62

RESULT 12

ARAD_ECOLI STANDARD; PRT; 231 AA.
 AC P08203;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-AUG-1991 (Rel. 19, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE L-RIBULOSE-5-PHOSPHATE 4-EPIMERASE (EC 5.1.3.4).
 GN ARAD.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=B;
 RX MEDLINE; 87163495.
 RA Lee N., Gielow W., Martin R., Hamilton E., Fowler A.;
 RT "The organization of the arabAD operon of Escherichia coli.";
 RL Gene 47:231-244(1986).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12;
 RX MEDLINE; 91083835.
 RA Chen H., Sun Y., Stark T., Beattie W., Moses R.E.;
 RT "Nucleotide sequence and deletion analysis of the polB gene of
 RT Escherichia coli.";
 RL DNA Cell Biol. 9:631-635(1990).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12;
 RX MEDLINE; 91067495.
 RA Mineno J., Fukui H., Ishino Y., Kato I., Shinagawa H.;
 RT "Nucleotide sequence of the arad gene of Escherichia coli K12
 RT encoding the L-ribulose 5-phosphate 4-epimerase.";
 RL Nucleic Acids Res. 18:6722-6722(1990).
 RN [4]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12;
 RX MEDLINE; 92334977.
 RA Yura T., Mori H., Nagai H., Nagata T., Ishihama A., Fujita N.,
 RA Isono K., Mizobuchi K., Nakata A.;
 RT "Systematic sequencing of the Escherichia coli genome: analysis of
 RT the 0-2.4 min region.";
 RL Nucleic Acids Res. 20:3305-3308(1992).
 RN [5]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12 / MG1655;

RX MEDLINE; 97426617.
 RA Blattner F., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
 RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
 RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
 RA Mau B., Shao Y.;
 RT "The complete genome sequence of Escherichia coli K-12.";
 RL Science 277:1453-1474(1997).
 RN [6]
 RP SEQUENCE OF 222-231 FROM N.A.
 RC STRAIN=K12;
 RX MEDLINE; 91017565.
 RA Bonner C.A., Hays S., McEntee K., Goodman M.F.;
 RT "DNA polymerase II is encoded by the DNA damage-inducible dinA gene
 RT of Escherichia coli.";
 RL Proc. Natl. Acad. Sci. U.S.A. 87:7663-7667(1990).
 RN [7]
 RP SEQUENCE OF 158-231 FROM N.A.
 RC STRAIN=K12 / W3110;
 RX MEDLINE; 91238699.
 RA Iwasaki H., Ishino Y., Toh H., Nakata A., Shinagawa H.;
 RT "Escherichia coli DNA polymerase II is homologous to alpha-like DNA
 RT polymerases.";
 RL Mol. Gen. Genet. 226:24-33(1991).
 CC -!- CATALYTIC ACTIVITY: L-RIBULOSE 5-PHOSPHATE - D-XYLOSE 5-PHOSPHATE.
 CC -!- COFACTOR: BINDS ONE ZINC ION PER MOLECULE (POTENTIAL).
 CC -!- PATHWAY: THIRD STEP OF L-ARABINOSE CATABOLISM.
 CC -!- SIMILARITY: BELONGS TO THE ARAD / FUCA FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; M15263; AAA23464.1; -;
 DR EMBL; M35371; -; NOT_ANNOTATED_CDS.
 DR EMBL; M62646; AAA24405.1; -;
 DR EMBL; D10483; BAA01332.1; -;
 DR EMBL; AE000116; AAC73172.1; -;
 DR EMBL; M37727; AAA23683.1; -;
 DR EMBL; M38283; AAA63763.1; -;
 DR EMBL; X56048; CAA39519.1; -;
 DR PIR; D29022; ISECP4.
 DR PIR; S13593; ISECK4.
 DR PIR; A36236; A36236.
 DR PIR; S40577; S40577.
 DR ECO2DBASE; G028.1; 6TH EDITION.
 DR ECGENE; EG10055; ARAD.
 DR INTERPRO; IPR001303; -;
 DR PFAM; PF00596; Aldolase_II; 1.
 KW Arabinose catabolism; Isomerase; Zinc.
 FT METAL 76 76 ZINC (BY SIMILARITY).
 FT METAL 95 95 ZINC (BY SIMILARITY).
 FT METAL 97 97 ZINC (BY SIMILARITY).
 FT METAL 171 171 ZINC (BY SIMILARITY).
 FT VARIANT 50 50 V -> I.
 FT VARIANT 70 70 T -> A.
 FT VARIANT 216 216 D -> N.
 SQ SEQUENCE 231 AA; 25519 MW; 1753F75958332163 CRC64;

Query Match 58.6%; Score 34; DB 1; Length 231;
 Best Local Similarity 62.5%; Pred. No. 21;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 NHGSFA 10
 |::|::|

Db 169 HSHGPPAW 176

RESULT 13

```

4
ARAD_SALTY
ID ARAD_SALTY STANDARD; PRT; 231 AA.
AC P06190;
DT 01-JAN-1988 (Rel. 06, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE L-RIBULOSE-5-PHOSPHATE 4-EPIMERASE (EC 5.1.3.4).
GN ARAD.
OS Salmonella typhimurium.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Salmonella.
[1]
SEQUENCE FROM N.A.
RC STRAIN=LT2;
RX MEDLINE; 85232046.
RA Lin H.-C., Lei S.-P., Studnicka G., Wilcox G.;
RT "The arabad operon of Salmonella typhimurium LT2. III. Nucleotide
sequence of arabd and its flanking regions, and primary structure of
its product, L-ribulose-5-phosphate 4-epimerase."
RL Gene 34:129-134(1985).
[2]
IDENTIFICATION OF PROBABLE FRAMESHIFT.
RN
RP Bairoch A.;
RA Unpublished observations (AUG-1995).
CC -1- CATALYTIC ACTIVITY: L-RIBULOSE 5-PHOSPHATE = D-XULOSE 5-PHOSPHATE.
CC -1- COFACTOR: BINDS ONE ZINC ION PER MOLECULE (POTENTIAL).
CC -1- PATHWAY: THIRD STEP OF L-ARABINOSE CATABOLISM.
CC -1- SIMILARITY: BELONGS TO THE ARAD / FUCA FAMILY.
CC -1- CAUTION: REF.1 SEQUENCE DIFFERS FROM THAT SHOWN FROM POSITION 204
ONWARD AND IS LONGER (248 AA) DUE TO A FRAMESHIFT.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL; M11047; AAA27025.1; ALT_FRAME.
DR PIR; A24986; ISEB4T.
DR STYGENE; SGI10015; ARAD.
DR INTERPRO; IPR001303; -.
DR PFAM; PF00596; Aldolase_II; 1.
KW Arabinose catabolism; Isomerase; Zinc.
FT METAL 76 76 ZINC (BY SIMILARITY).
FT METAL 95 95 ZINC (BY SIMILARITY).
FT METAL 97 97 ZINC (BY SIMILARITY).
FT METAL 171 171 ZINC (BY SIMILARITY).
SQ SEQUENCE 231 AA; 25540 MW; DA473505738A1570 CRC64;

Query Match 58.6%; Score 34; DB 1; Length 231;
Best Local Similarity 62.5%; Pred. No. 21;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNHGSFAY 10
Db 169 HSHGPFAY 176
:|:|:|:|:

RESULT 14
SGBE_ECOLI
ID SGBE_ECOLI STANDARD; PRT; 231 AA.
AC P37680;
DT 01-OCT-1994 (Rel. 30, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE PROBABLE SUGAR ISOMERASE SGBE (EC 5.1.-.-).
GN SGBE.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.

```

```

RN
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / MG1655;
RX MEDLINE; 94316500.
RA Sofia H.J., Burland V., Daniels D.L., Plunkett G. III, Blattner F.R.;
RT "Analysis of the Escherichia coli genome. V. DNA sequence of the
region from 76.0 to 81.5 minutes."
RL Nucleic Acids Res. 22:2576-2586(1994).
[2]
DISCUSSION OF SEQUENCE.
RN
RP Reizer J., Charbit A., Reizer A., Saler M.H. Jr.;
RT "Novel phosphotransferases system genes revealed by bacterial genome
analysis: operons encoding homologues of sugar-specific permease
domains of the phosphotransferase system and pentose catabolic
enzymes."
RL Genome Sci. Technol. 1:53-75(1996).
CC -1- FUNCTION: PROBABLE PENTULOSE-5-PHOSPHATE-4-EPIMERASE.
CC -1- COFACTOR: BINDS ONE ZINC ION PER MOLECULE (POTENTIAL).
CC -1- SIMILARITY: BELONGS TO THE ARAD / FUCA FAMILY.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL; U00039; AAB18560.1; -.
DR EMBL; AE000435; AAC76607.1; -.
DR ECOGENE; EG12287; SGBE.
DR INTERPRO; IPR001303; -.
DR PFAM; PF00596; Aldolase_II; 1.
KW Isomerase; Zinc.
FT METAL 76 76 ZINC (BY SIMILARITY).
FT METAL 95 95 ZINC (BY SIMILARITY).
FT METAL 97 97 ZINC (BY SIMILARITY).
FT METAL 171 171 ZINC (BY SIMILARITY).
SQ SEQUENCE 231 AA; 25561 MW; F4FF4D7EC2A80B3A CRC64;

Query Match 58.6%; Score 34; DB 1; Length 231;
Best Local Similarity 62.5%; Pred. No. 21;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNHGSFAY 10
Db 169 HSHGPFAY 176
:|:|:|:|:

RESULT 15
SGBE_HAEIN
ID SGBE_HAEIN STANDARD; PRT; 231 AA.
AC P44989;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE PROBABLE SUGAR ISOMERASE SGBE (EC 5.1.-.-).
GN SGBE OR H11025.
OS Haemophilus influenzae.
OC Bacteria; Proteobacteria; gamma subdivision; Pasteurellaceae;
OC Haemophilus.
[1]
SEQUENCE FROM N.A.
RC STRAIN=RD / KW20;
RX MEDLINE; 95350630.
RA Fleischmann R.D., Bult C.J., Tomb J.-F., Dougherty B.A., Merrick J.M.,
RA Kerlavage A.R., Bult C.J., Fitzhugh W., Fields C.A., Cocayne J.D.,
RA McKenney K., Sutton G., Fritchman J.L., Glodex A., Keiley J.M.,
RA Scott J.D., Shirley R., Liu L.-I., Glodex A., Keiley J.M.,
RA Weidman J.F., Phillips C.A., Spriggs T., Hedblom E., Cotton M.D.,
RA Utterback T.R., Hanna M.C., Nguyen D.T., Saudek D.M., Brandon R.C.,
RA Fine L.D., Fritchman J.L., Fuhrmann J.L., Geoghagen N.S.M.,

```

```

RA Gnehm C.L., McDonald L.A., Small K.V., Fraser C.M., Smith H.O.,
RA Venter J.C.;
RT "Whole-genome random sequencing and assembly of Haemophilus
RL influenzae Rd.";
RL Science 269:496-512(1995).
CC -!- FUNCTION: PROBABLE PENTULOSE-5-PHOSPHATE-4-EPIMERASE.
CC -!- COPACTOR: BINDS ONE ZINC ION PER MOLECULE (POTENTIAL).
CC -!- SIMILARITY: BELONGS TO THE ARAD / FUCA FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U32783; AAC22685.1; -.
DR TIGR; H11025; -.
DR INTERPRO; IPR001303; -.
DR PFAM; PF00596; Aldolase_II; 1.
KW Isomerase; Zinc.
FT METAL 76 76 ZINC (BY SIMILARITY).
FT METAL 95 95 ZINC (BY SIMILARITY).
FT METAL 97 97 ZINC (BY SIMILARITY).
FT METAL 171 171 ZINC (BY SIMILARITY).
SQ SEQUENCE 231 AA; 25980 MW; 9DE3485E54B10DC7 CRC64;
OY 3 HNHGSFAY 10
Db 169 HSHGPFAY 176

```

```

Query Match          58.6%; Score 34; DB 1; Length 231;
Best Local Similarity 62.5%; Pred. NO. 21;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

```

```

Search completed: March 28, 2001, 07:29:52
Job time: 1659 sec

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:52 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: us-09-016-061-62
Perfect score: 58
Sequence: 1 ARHNYGSYAY 10
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 segs, 67900655 residues
Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_66:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	45	77.6	108	2 S26316	Ig heavy chain V r
2	45	77.6	110	2 S26317	Ig heavy chain V r
3	42	72.4	446	2 T19625	hypothetical prote
4	40	69.0	316	2 T15395	hypothetical prote
5	38	65.5	236	2 T27233	hypothetical prote
6	38	65.5	428	2 T03934	DNA binding protei
7	38	65.5	482	2 T01932	RNA binding protei
8	37	63.8	289	2 T34688	probable lipoprote
9	37	63.8	420	2 T51088	L-SF precursor - J
10	37	63.8	1144	2 A36968	PI-like adhesin pr
11	36	62.1	9	2 S36850	Ig heavy chain V r
12	36	62.1	113	2 S26458	Ig heavy chain V r
13	36	62.1	143	1 HSUR52	histone H2B.2, spe
14	36	62.1	301	2 JW0079	heterogeneous nucl
15	36	62.1	349	1 S52763	hypothetical prote
16	36	62.1	349	2 T33263	hypothetical prote
17	36	62.1	349	2 T18733	hypothetical prote
18	35	60.3	119	2 E30562	Ig heavy chain V r
19	35	60.3	119	2 C30562	Ig heavy chain V r
20	35	60.3	119	2 D30562	Ig heavy chain V r
21	35	60.3	150	2 D69081	deoxyuridine 5-tri
22	35	60.3	155	2 T03042	hypothetical prote
23	35	60.3	241	2 T16802	hypothetical prote
24	35	60.3	245	1 C64705	gerC2 protein - He
25	35	60.3	246	2 C71815	ubiquitinone/menai
26	35	60.3	257	2 B81155	conserved hypothet
27	35	60.3	257	2 C81949	hypothetical prote
28	35	60.3	281	2 S71251	C-5 sterol desatur
29	35	60.3	293	2 F64969	glucose-1-phosphat

30	35	60.3	299	2 G82393	transcription regu
31	35	60.3	326	2 S47248	site-specific DNA-
32	35	60.3	377	2 T12042	cysteine proteinas
33	35	60.3	417	2 T20199	hypothetical prote
34	35	60.3	521	2 F64522	conserved hypothet
35	35	60.3	544	2 S75388	probable phenylala
36	35	60.3	808	2 JQ2205	U1A7n protein - Ma
37	34	58.6	45	2 PC2006	amelogenin TRAP -
38	34	58.6	150	2 F81740	conserved hypothet
39	34	58.6	150	2 G71477	hypothetical prote
40	34	58.6	162	2 T49417	hypothetical prote
41	34	58.6	195	2 S62519	hypothetical prote
42	34	58.6	205	2 T05713	dehydrin - barley
43	34	58.6	213	1 JMBO	amelogenin I precu
44	34	58.6	225	2 S05546	dehydrin 18 - barl
45	34	58.6	448	2 D83533	succinylarginine d

ALIGNMENTS

RESULT 1
S26316

Ig heavy chain V region - mouse
C:Species: Mus musculus (house mouse)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
C:Accession: S26316
R:Stark, S.E.; Caton, A.J.
J. Exp. Med. 174, 613-624, 1991
A:Title: Antibodies that are specific for a single amino acid interchange in a protei
A:Reference number: S26309; MUID:91341421
A:Accession: S26316
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-108 <STA>
A:Cross-references: EMBL:X59190; NID:g52066; PIDN:CAA41900.1; PID:g1334035
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:2-85/Domain: immunoglobulin homology <IMM>

Query Match 77.6%; Score 45; DB 2; Length 108;
Best Local Similarity 80.0%; Pred. No. 0.35;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
|||
Db 84 ARGNYGNAY 93

RESULT 2
S26317

Ig heavy chain V region - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 19-Mar-1998 #sequence_revision 19-Mar-1998 #text_change 21-Jan-2000
C:Accession: S26317
R:Stark, S.E.; Caton, A.J.
J. Exp. Med. 174, 613-624, 1991
A:Title: Antibodies that are specific for a single amino acid interchange in a protei
A:Reference number: S26309; MUID:91341421
A:Accession: S26317
A:Molecule type: mRNA
A:Residues: 1-110 <STA>
A:Cross-references: EMBL:X59186
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:4-87/Domain: immunoglobulin homology <IMM>

Query Match 77.6%; Score 45; DB 2; Length 110;
Best Local Similarity 80.0%; Pred. No. 0.36;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
||| ||| ||| |||
Db 86 ARNGYNYAY 95

RESULT 3

T19625
hypothetical protein C31H5.6 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000
C:Accession: T19625
R:Kershaw, J.
submitted to the EMBL Data Library, April 1997
A:Reference number: Z19153
A:Accession: T19625
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-446 <WIL>
A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6
A:Experimental source: clone C31H5
C:Genetics:
A:Gene: CESP:C31H5.6
A:Map position: 1
A:Introns: 49/2; 85/1; 120/2; 183/3; 218/3; 255/3; 285/2; 331/3; 360/3
C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 72.4%; Score 42; DB 2; Length 446;
Best Local Similarity 87.5%; Pred. No. 4.8;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGSYA 9
||||| |||
Db 51 RHNYGSHA 58

RESULT 4

T15395
hypothetical protein C03F11.2 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 20-Sep-1999 #sequence_revision 20-Sep-1999 #text_change 20-Sep-1999
C:Accession: T15395
R:Bentley, D.
submitted to the EMBL Data Library, October 1995
A:Description: The sequence of C. elegans cosmid C03F11.
A:Reference number: Z18342
A:Accession: T15395
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-316 <BEN>
A:Cross-references: EMBL:U39744; NID:g1049465; PID:g1049467; PIDN:AAA80440.1; CESP:C03F11.2
A:Gene: CESP:C03F11.2
A:Introns: 90/3; 133/2; 171/1; 227/1; 262/1; 309/2

Query Match 69.0%; Score 40; DB 2; Length 316;
Best Local Similarity 70.0%; Pred. No. 7.9;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
||| ||| ||| |||
Db 69 ARHFGSYEY 78

RESULT 5

T27233
hypothetical protein Y57G11C.21 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999
C:Accession: T27233
R:McMurray, A.
submitted to the EMBL Data Library, September 1997

A:Reference number: Z20330
A:Accession: T27233
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-236 <WIL>
A:Cross-references: EMBL:Z99281; PIDN:CAB1522.1; GSPDB:GN00022; CESP:Y57G11C.21
A:Experimental source: clone Y57G11C
C:Genetics:
A:Gene: CESP:Y57G11C.21
A:Map position: 4

Query Match 65.5%; Score 38; DB 2; Length 236;
Best Local Similarity 60.0%; Pred. No. 13;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
||| ||| ||| |||
Db 118 AYHNFNYAY 127

RESULT 6

T03934
DNA binding protein ACBF - common tobacco
C:Species: Nicotiana tabacum (common tobacco)
C:Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 11-May-2000
C:Accession: T03934
R:Sequin, A.; Laible, G.; Leyva, A.; Dixon, R.A.; Lamb, C.J.
Plant Mol. Biol. 35, 281-291, 1997
A:Title: Characterization of a gene encoding a DNA-binding protein that interacts in
A:Reference number: Z15144; MUID:98009965
A:Accession: T03934
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-428 <SEG>
A:Cross-references: EMBL:U90212; NID:g1899187; PIDN:AAC49850.1; PID:g1899188
A:Experimental source: tissue-type stem
A:Note: interacts in vitro with vascular-specific cis-elements of the phenylalanine a
C:Superfamily: unassigned ribonucleoprotein repeat-containing proteins; ribonucleopro

Query Match 65.5%; Score 38; DB 2; Length 428;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSYAY 10
||| ||| ||| |||
Db 387 RQNYGGYGY 395

RESULT 7

T01932
RNA binding protein homolog - common tobacco (fragment)
C:Species: Nicotiana tabacum (common tobacco)
C:Date: 26-Feb-1999 #sequence_revision 26-Feb-1999 #text_change 26-May-2000
C:Accession: T01932
R:Deslandes, L.; Manevski, A.; Lescure, B.; Marco, Y.; Tremousaygue, D.
submitted to the EMBL Data Library, October 1997
A:Reference number: Z14459
A:Accession: T01932
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-482 <DES>
A:Cross-references: EMBL:AF029351; NID:g2708531; PID:g2708532
C:Genetics:
A:Gene: QRBP-1
C:Superfamily: unassigned ribonucleoprotein repeat-containing proteins; ribonucleopro

Query Match 65.5%; Score 38; DB 2; Length 482;
Best Local Similarity 66.7%; Pred. No. 27;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSYAY 10
| | | | |
Db 442 RQNYGGYGY 450

RESULT 8

T34688 probable lipoprotein - Streptomyces coelicolor

C:Species: Streptomyces coelicolor
C:Date: 05-Nov-1999 #sequence_revision 05-Nov-1999 #text_change 05-Nov-1999

C:Accession: T34688

R:Harris, D.; Taylor, K.; Parkhill, J.; Barrell, B.G.; Rajandream, M.A.

submitted to the EMBL Data Library, May 1998

A:Reference number: Z21553

A:Accession: T34688

A:Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: DNA

A:Residues: 1-289 <HAR>

A:Cross-references: EMBL:AL023517; PIDN:CAA18984.1; GSPDB:GN000070; SCOEDB:SC1B5.10C

A:Experimental source: strain A3(2)

C:Genetics:

A:Gene: SCOEDB:SC1B5.10C

Query Match

Best Local Similarity 63.8%; Score 37; DB 2; Length 289;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10

| | | | |

Db 144 ANHSYSHYAY 153

RESULT 9

I51088

L-Sr precursor - Japanese medaka

C:Species: Oryzias latipes (Japanese medaka)

C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 20-Aug-1999

C:Accession: I51088

R:Murata, K.; Sasaki, T.; Yasumasu, S.; Iuchi, I.; Enami, J.; Yasumasu, I.; Yamagami, K.

Dev. Biol. 167, 9-17, 1995

A:Title: Cloning of cDNAs for the precursor protein of a low-molecular-weight subunit of

A:Reference number: I51088; MUID:95154588

A:Accession: I51088

A:Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-420 <MUR>

A:Cross-references: GB:D38630; NID:gi1060937; PIDN:BAA07610.1; PID:gi1060938

A:Gene: l-sf

C:Genetics:

C:Superfamily: sperm-binding glycoprotein zp3; ZP domain homology

F:84-338/Domain: ZP domain homology <ZPH>

Query Match

Best Local Similarity 63.8%; Score 37; DB 2; Length 420;

Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10

| | | | |

Db 21 AQHNYGKPSY 30

RESULT 10

A36968

P1-like adhesin precursor - Mycoplasma pirum

C:Species: Mycoplasma pirum

C:Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 07-Dec-1999

C:Accession: A36968

R:Tham, T.N.; Ferris, S.; Bahraoui, E.; Canarelli, S.; Montagnier, L.; Blanchard, A.

J. Bacteriol. 176, 781-788, 1994

A:Title: Molecular characterization of the P1-like adhesin gene from Mycoplasma pirum.

A:Reference number: A36968; MUID:94131957

A:Accession: A36968
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-1144 <THA>
A:Cross-references: GB:L19685; NID:g404770; PIDN:AAC36866.1; PID:g404771
C:Genetics:
A:Genetic code: SGC3

Query Match

Best Local Similarity 63.8%; Score 37; DB 2; Length 1144;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSYAY 10

| | | | |

Db 885 RQNYGSYFY 893

RESULT 11

S36850

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C:Date: 06-Jan-1994 #sequence_revision 01-Dec-1995 #text_change 05-Nov-1999

C:Accession: S36850

R:Jacob, J.; Kelsoe, G.

submitted to the EMBL Data Library, July 1992

A:Description: In situ studies on the primary immune response to (4-hydroxy-3-nitrophenyl)

A:Reference number: S25024

A:Accession: S36850

A:Status: preliminary

A:Molecule type: nucleic acid

A:Residues: 1-9 <JAC>

A:Cross-references: EMBL:X67387; NID:g50113; PIDN:CAA47799.1; PID:e51594; PID:g133387

C:Keywords: heterotetramer; immunoglobulin

Query Match

Best Local Similarity 62.1%; Score 36; DB 2; Length 9;

Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSY 8

| | | | |

Db 1 ARYDYGSY 8

RESULT 12

S26468

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999

C:Accession: S26468

R:Kavaler, J.

submitted to the EMBL Data Library, April 1991

A:Reference number: S26459

A:Accession: S26468

A:Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-113 <KAV>

A:Cross-references: EMBL:X59107; NID:g51944; PIDN:CAA41833.1; PID:g51945

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:11-94/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 62.1%; Score 36; DB 2; Length 113;

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSY 8

| | | | |

Db 93 ARHPYGNV 100

RESULT 13

HSURB2
histone H2B.2, sperm - sea urchin (Lytechinus pictus)
C:Species: Lytechinus pictus (painted urchin)
C:Date: 30-Sep-1998 #sequence_revision 30-Sep-1998 #text_change 22-Jun-1999
C:Accession: A24329; B25381
R:Lai, Z.C.; Childs, G.
Nucleic Acids Res. 14, 6845-6856, 1986
A:Title: Isolation and characterization of the gene encoding the testis specific histone H2B
A:Reference number: A93637; MUID:87016329
A:Accession: A24329
A:Molecule type: DNA
A:Residues: 1-143 <LAI>
A:Cross-references: GB:X04384; NID:g9618; PIDN:CAA27971.1; PID:g9619
A:Experimental source: testis
R:Lieber, T.; Weisser, K.; Childs, G.
Mol. Cell. Biol. 6, 2602-2612, 1986
A:Title: Analysis of histone gene expression in adult tissues of the sea urchins Strongylocentrotus purpuratus
A:Reference number: A93078; MUID:87064560
A:Accession: B25381
A:Molecule type: mRNA
A:Residues: 59-75, 'A', '77-137, 'N', 139-143 <LIE>
A:Cross-references: GB:W13635; NID:g161315; PIDN:AAA30001.1; PID:g161316
A:Experimental source: testis
A:Note: this sequence most likely represents an alternative allele of the same gene
C:Superfamily: histone H2B
C:Keywords: chromosomal protein; DNA binding; nucleosome core
F:2-143/Product: histone H2B.2, sperm #status predicted <MAT>

Query Match 62.1%; Score 36; DB 1; Length 143;
Best Local Similarity 66.7%; Pred. NO. 19;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSYAY 10
I :|||||
Db 52 RESYGSYIY 60

RESULT 14

JW0079
heterogeneous nuclear ribonucleoprotein homolog JKTEP [imported] - human
N:Alternate names: JKTEP
C:Species: Homo sapiens (man)
C:Date: 17-Jun-1998 #sequence_revision 10-Jul-1998 #text_change 02-Sep-2000
C:Accession: JW0079
R:Tsuchiya, N.; Kamei, D.; Takano, A.; Matsui, T.; Yamada, M.
J. Biochem. 123, 499-507, 1998
A:Title: Cloning and characterization of a cDNA encoding a novel heterogeneous nuclear ribonucleoprotein
A:Reference number: JW0079; MUID:98207031
A:Accession: JW0079
A:Molecule type: mRNA
A:Residues: 1-301 <TSU>
A:Cross-references: DBJ:D89092; NID:g2780747; PIDN:BA24361.1; PID:dl025273; PID:g278074
C:Superfamily: unassigned ribonucleoprotein repeat-containing proteins; ribonucleoprotein repeat
F:28-101,113-187/Domain: RNA-binding #status predicted <RNA>
F:30-96/Domain: ribonucleoprotein repeat homology <RRM1>

Query Match 62.1%; Score 36; DB 2; Length 301;
Best Local Similarity 62.5%; Pred. NO. 39;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSYAY 10
I :|||:
Db 263 YNYGNYGY 270

RESULT 15

S52763
hypothetical protein YJR019c - yeast (Saccharomyces cerevisiae)
N:Alternate names: hypothetical protein J1456
C:Species: Saccharomyces cerevisiae

C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000
C:Accession: S52763; S55209; S57034; S65928
R:Hani, J.; Stumpf, G.; Domdey, H.
Submitted to the EMBL Data Library, March 1995
A:Description: PFT1 encodes an essential protein in Saccharomyces cerevisiae, which is
A:Reference number: S52762
A:Accession: S52763
A:Molecule type: DNA
A:Residues: 1-349 <HAN>
A:Cross-references: EMBL:X85972; NID:g758283; PID:g758285
R:de Haan, M.; Smits, P.H.M.; Grivell, L.A.
Submitted to the EMBL Data Library, May 1995
A:Reference number: S55183
A:Accession: S55209
A:Molecule type: DNA
A:Residues: 1-349 <DEM>
A:Cross-references: EMBL:X87611; NID:g854567; PID:g854594
R:de Haan, M.; Grivell, L.A.; Smits, P.H.M.
Submitted to the Protein Sequence Database, September 1995
A:Reference number: S56771
A:Accession: S57034
A:Molecule type: DNA
A:Residues: 1-349 <ZAG>
A:Cross-references: EMBL:Z49519; NID:g1015654; PID:g1015655; GSPDB:GN00010; MIPS:YJR0
R:Hani, J.; Stumpf, G.; Domdey, H.
FEBS Lett. 365, 198-202, 1995
A:Title: PFT1 encodes an essential protein in Saccharomyces cerevisiae, which shows s
A:Reference number: S65927; MUID:95300974
A:Accession: S65928
A>Status: nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-349 <HAW>
A:Cross-references: EMBL:X85972; NID:g758283; PIDN:CAA59960.1; PID:g758285
A:Note: the nucleotide sequence was submitted to the EMBL Data Library, March 1995
C:Genetics:
A:Gene: SGD:TES1; MIPS:YJR019c
A:Cross-references: SGD:S0003780; MIPS:YJR019c
A:Map position: 10R
C:Superfamily: acyl-CoA thioesterase II

Query Match 62.1%; Score 36; DB 1; Length 349;
Best Local Similarity 60.0%; Pred. NO. 45;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
I :|||:
Db 247 ARNYVAFAY 256

Search completed: March 28, 2001, 06:41:55
Job time: 878 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:52 ; Search time 124.69 Seconds
(without alignments) .
2.562 Million cell updates/sec

Title: US-09-016-061-62
Perfect score: 58
Sequence: 1 ARHNYGSYAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	41	70.7	909	1	HEX_ADEM1
2	40	69.0	316	1	YX12_CAEEL
3	36	62.1	142	1	H2B2_LXTPI
4	36	62.1	202	1	AMEL_MONDO
5	36	62.1	349	1	YJY9_YEAST
6	35	60.3	233	1	RBA1_ECOLI
7	34	58.6	150	1	Y736_CHLTR
8	34	58.6	189	1	AMEL_PIG
9	34	58.6	213	1	AMEX_BOVIN
10	34	58.6	218	1	Y4VH_RHISN
11	34	58.6	225	1	DH4_HORVU
12	34	58.6	448	1	ASTE_PSEAE
13	34	58.6	456	1	KICH_SCHPO
14	34	58.6	576	1	PX5_PICPA
15	34	58.6	1150	1	C9EA_BACTA
16	34	58.6	1156	1	C9AA_BACTG
17	34	58.6	1157	1	C9CA_BACTO
18	34	58.6	1169	1	C9DA_BACTP
19	33	56.9	180	1	CH19_DROSO
20	33	56.9	405	1	VGLM_EBV
21	33	56.9	419	1	YMD2_CAEEL
22	33	56.9	425	1	PURA_FUSNU
23	33	56.9	520	1	PAX7_HUMAN
24	33	56.9	629	1	KSYK_MOUSE
25	33	56.9	635	1	KSYK_HUMAN
26	33	56.9	649	1	GPDM_SCHPO
27	33	56.9	786	1	EXOP_RHIME
28	33	56.9	809	1	UBP1_YEAST
29	33	56.9	1569	1	GLI3_XENLA
30	33	56.9	1596	1	GLI3_HUMAN
31	33	56.9	1596	1	GLI3_MOUSE
32	32	55.2	79	1	CYB_DIPCA
33	32	55.2	79	1	CYB_DIPHE

34	32	55.2	79	1	CYB_DIPPA	P16357 dipodomys p
35	32	55.2	129	1	YP56_MYCTU	O50742 mycobacteri
36	32	55.2	134	1	CYB_DRYNI	O03713 dryomys nit
37	32	55.2	198	1	H22G_HUMAN	P01911 homo sapien
38	32	55.2	202	1	DHSC_BACSU	P08064 bacillus su
39	32	55.2	263	1	CYBB_BACTU	O32322 bacillus th
40	32	55.2	266	1	H22A_HUMAN	P01913 homo sapien
41	32	55.2	266	1	H22B_HUMAN	P01912 homo sapien
42	32	55.2	266	1	H22C_HUMAN	P01914 homo sapien
43	32	55.2	266	1	H22D_CANFA	P18470 canis famli
44	32	55.2	266	1	H22D_HUMAN	P13759 homo sapien
45	32	55.2	266	1	H22E_HUMAN	P04229 homo sapien

ALIGNMENTS

RESULT 1

HEX_ADEM1	STANDARD;	PRT;	909 AA.
AC	P48308; O11839;		
DT	01-FEB-1996 (Rel. 33, Created)		
DT	01-NOV-1997 (Rel. 35, Last sequence update)		
DT	01-NOV-1997 (Rel. 35, Last annotation update)		
DE	HEXON PROTEIN (LATE PROTEIN 2).		
GN	PII.		
OS	Mouse adenovirus type 1 (MAV-1).		
OC	Viruses; dsDNA viruses, no RNA stage; Adenoviridae; Mastadenovirus.		
RN	[1]		
RP	SEQUENCE FROM N.A.		
RC	STRAIN=FL;		
RX	MEDLINE: 94157453.		
RA	Weber J.M., Cai F., Murali R., Burnett R.M.;		
RF	"Sequence and structural analysis of murine adenovirus type 1 hexon.";		
RL	J. Gen. Virol. 75:141-147(1994).		
RN	[2]		
RP	REVISIONS TO 443.		
RA	Weber J.M.;		
RL	Submitted (JAN-1997) to the EMBL/GenBank/DBJ databases.		
CC	-!- FUNCTION: THIS PROTEIN IS ONE OF THE STRUCTURAL PROTEINS IN THE		
CC	-!- VIRAL COAT AND IS SYNTHESIZED DURING LATE INFECTION.		
CC	-!- SUBUNIT: HOMOTRIMER (BY SIMILARITY).		
CC	-----		
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration		
CC	between the Swiss Institute of Bioinformatics and the EMBL outstation -		
CC	the European Bioinformatics Institute. There are no restrictions on its		
CC	use by non-profit institutions as long as its content is in no way		
CC	modified and this statement is not removed. Usage by and for commercial		
CC	entities requires a license agreement (See http://www.isb-sib.ch/announce/		
CC	or send an email to license@isb-sib.ch).		
CC	-----		
DR	EMBL; M81889; AAB48187.1; -		
DR	HSSP; P03277; IDHX.		
DR	INTERPRO; IPR000736; -		
DR	PFAM; PF01065; Adeno_hexon.1.		
KW	Coat protein; Hexon protein; Late protein.		
SQ	SEQUENCE 909 AA; 102368 MW; 7E1C17DF7F0E95A0 CRC64;		

Query Match 70.7%; Score 41; DB 1; Length 909;
Best Local Similarity 100.0%; Pred. No. 11;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NYGSYAY 10
|||||||
Db 210 NYGSYAY 216

RESULT 2

YX12_CAEEL	STANDARD;	PRT;	316 AA.
ID	YX12_CAEEL		
AC	Q11123;		
DT	01-NOV-1997 (Rel. 35, Created)		

DT 01-NOV-1997 (Rel. 35, Last sequence update)
DE 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 35.1 KDA PROTEIN C03F11.2 IN CHROMOSOME X.
GN C03F11.2.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RA Bentley D.;
RL Submitted (OCT-1995) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: WEAK, IN THE N-TERMINUS, TO C.ELEGANS F53B1.5.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: U39744; AAA80440.1; -
DR WORKPEP; C03F11.2; CE03914.
KW Hypothetical protein.
SQ SEQUENCE 316 AA; 35107 MW; 6A725FCAC21CF676 CRC64;

Query Match 69.0%; Score 40; DB 1; Length 316;
Best Local Similarity 70.0%; Pred. No. 6.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
| | | : | | | |
DB 69 ARHFGSYEY 78

RESULT 3
H2B2_LYTP1 ID H2B2_LYTP1 STANDARD; PRT; 142 AA.
AC P08146;
DT 01-JAN-1998 (Rel. 06, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HISTONE H2B-2, SPERM.
OS Lytechinus pictus (Painted sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Temnopleuroidea; Toxopneustidae;
OC Lytechinus.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-TESTIS;
RA MEDLINE; 87016329.
RA Lai Z.-C., Childs G.J.;
RT "Isolation and characterization of the gene encoding the testis
RT specific histone protein H2B-2 from the sea urchin Lytechinus
RT pictus."
RL Nucleic Acids Res. 14:5845-5856(1986).
RN [2]
RP SEQUENCE OF 58-142 FROM N.A.
RC TISSUE-TESTIS;
RA MEDLINE; 87064560.
RA Lieber T., Weisser K., Childs G.;
RT "Analysis of histone gene expression in adult tissues of the sea
RT urchin Strongylocentrotus purpuratus and Lytechinus pictus:
RT tissue-specific expression of sperm histone genes."
RL Mol. Cell. Biol. 6:2602-2612(1986).
CC -!- SUBUNIT: THE NUCLEOSOME IS AN OCTAMER CONTAINING TWO MOLECULES OF
CC H2A, H2B, H3, AND H4; WHICH WRAP APPROXIMATELY 146 BP OF DNA.
CC -!- SUBCELLULAR LOCATION: NUCLEAR.
CC -!- SIMILARITY: BELONGS TO THE HISTONE H2B FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X04384; CAA27971.1; -
DR EMBL: M13635; AAA30001.1; -
DR PIR: A24329; HSURB2.
DR INTERPRO: IPR000166; -
DR INTERPRO: IPR000558; -
DR PFAM: PF00125; histone; 1.
DR PRINTS: PR00621; HISTONEH2B.
DR PROSITE: PS00357; HISTONE_H2B; 1.
KW Chromosomal protein; Nucleosome core; Nuclear protein; DNA-binding;
KW Multigene family.
FT INIT-MET 0 0
FT VARIANT 75 75 G -> A.
FT VARIANT 137 137 K -> N.
SQ SEQUENCE 142 AA; 15805 MW; 8BF47E2C5EB878D5 CRC64;

Query Match 62.1%; Score 36; DB 1; Length 142;
Best Local Similarity 66.7%; Pred. No. 14;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSYAY 10
| : | | | | |
DB 51 RESYGSYIY 59

RESULT 4
AMEL_MONDO ID AMEL_MONDO STANDARD; PRT; 202 AA.
AC Q28462;
DT 15-JUL-1999 (Rel. 38, Created)
DT 15-JUL-1999 (Rel. 38, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE AMELOGENIN.
GN AMEL.
OS Monodelphis domestica (Short-tailed grey opossum).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Metatheria; Didelphimorphia; Didelphidae; Monodelphis.
RN [1]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 1-42.
RX MEDLINE; 97113826.
RA Hu C.C., Zhang C., Qian Q., Ryu O.H., Moradian-Oldak J., Fincham A.G.,
RA Simmer J.P.;
RT "Cloning, DNA sequence, and alternative splicing of opossum
RT amelogenin mRNAs".
RL J. Dent. Res. 75:1728-1734(1996).
CC -!- FUNCTION: PLAYS A ROLE IN THE BIOMINERALIZATION OF TOOTH. SEEMS
CC TO REGULATE THE FORMATION OF CRYSTALLITES DURING THE SECRETORY
CC STAGE OF TOOTH ENAMEL DEVELOPMENT. THOUGHT TO PLAY A MAJOR ROLE IN
CC THE STRUCTURAL ORGANIZATION AND MINERALIZATION OF DEVELOPING
CC ENAMEL.
CC -!- SUBCELLULAR LOCATION: EXTRACELLULAR MATRIX.
CC -!- ALTERNATIVE PRODUCTS: VARIOUS FORMS ARE PRODUCED BY ALTERNATIVE
CC SPLICING.
CC -!- SIMILARITY: BELONGS TO THE AMALOGENIN FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: U43407; AAB41109.1; -
DR INTERPRO: IPR002965; -
DR PRINTS: PR01217; PRICHEXTENSN.

KW	Extracellular matrix; Phosphorylation; Enamel; Repeat;
KW	Alternative splicing.
MOD_RES	16 16 PHOSPHORYLATION (BY SIMILARITY).
CONFLICT	32 33 HE -> QQ (IN AA SEQUENCE).
FT	SEQUENCE 202 AA; 22996 MW; 277FD2935211A6C6 CRC64;
SQ	

Query Match 62.1%; Score 36; DB 1; Length 202;
Best Local Similarity 66.7%; Pred. No. 19;
Matches 6; Conservative 0; Mismatches 3; Indels

QY 2 RHNYGSYAY 10
DB 31 RHEYPSYGY 39

RESULT	5	
YJY9_YEAST		
ID	YJY9_YEAST	
STANDARD;		PRT; 349 AA.

DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE HYPOTHETICAL 40.3 KDA PROTEIN IN ESS1-MER2 INTERGENIC REGION.
GN YR019C OR J1456.

OS *Saccharomyces cerevisiae* (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomyces.

RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=DH484;
RA Hani J., Stumpf G., Domdey H.;
RL Submitted (MAR-1995) to the EMBL/GenBank/DBI databases

RN
 RP
 RC
 RC
 RA
 RL
 RL

SEQUENCE FROM N.A.
 STRAIN-S288C / EYL679;
 de Haan M., Smits P.H.M., Grivell L.A.;
 Submitted (May-1995) to the EMBL/Genbank/DBJ databases.

[2]

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC at the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@sib-sib.ch).

CC	-----	
EMBL:	X85972; CAA59960.1;	-
DR	EMBL: X87611; CAA60943.1;	-
DR	EMBL: Z49519; CAA89543.1;	-
DR	EMBL: Z49519; CAA89543.1;	-
DR	SGD; S0003780; YJR019C.	

KW Hypothetical protein.
SQ SEQUENCE 349 AA; 40259 MW; F1B5A51C9A46783E CRC64;

Query Match 62.1%; Score 36; DB 1; Length 349;
Best Local Similarity 60.0%; Pred. No. 32;
Matches 6; Conservative 3; Mismatches 1; Indels

Qy	1	ARHNYGSYAY	10
		: : :	
Db	247	ARYNYVAEAY	256

RESULT 6
RBAL_ECOLI
ID RBAL_ECOLI STANDARD; PRT; 293 AA.

AC - p37744; P78081;
DT 01-OCT-1994 (Rel. 30, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUCOSE-1-PHOSPHATE THYMIDYLTRANSFERASE (EC 2.7.7.24) (DTDP-GLUCOSE
DE SYNTHASE) (DTDP-GLUCOSE PYROPHOSPHYLASE).

GN	RFBA OR RMLA.
OS	<i>Escherichia coli</i> .
OC	Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
QC	<i>Escherichia</i> .
RN	[1].
RP	SEQUENCE FROM N.A.
RC	STRAIN-K12 / WG1;
RX	MEDLINE; 94292435.
RA	Stevenson G., Neal B., Liu D., Hobbs M., Packer N.H., Batley M.,
RA	Redmond J.W., Lindquist L., Reeves P.R.,
RT	"Structure of the O antigen of <i>Escherichia coli</i> K-12 and the sequence
RT	of its rfb gene cluster.",
RL	J. Bacteriol. 176:4144-4156(1994).

RN [2]

RP REVJSTON TO 288

PC STRPATN=K13 / WC1:
REVISION IS 200;

25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858

RA Stevenson G.;

RL Submitted (DEC-1997) to the EMBL/GenBank/DBJ databases.

RN [3]

RP SEQUENCE FROM N. A.

RC STRATN-K12 / MG1655:

BY MEDLINE: 07126617

RA MEDLINE, 3/420017.

RA BLANCHET F.R., FLUNKETT G. III, BLOCH C.A., PERNA N.T., BU

RA Riley M., Collado-Vides J

RA Gregor J., Davis N.W., Kirkpa

RA Mau B., Shao Y.;

RT "The complete genome sequence of *Escherichia coli* K-12.";
RL Science 277:1453-1474 (1997).

RN [4]

RP SEQUENCE FROM N.A.

RC STRAIN=K12:

RX MEDLINE: Q7251358

RA Itoh T., Alba H., Baba T., Fujita K., Hayashi K., Inada T.,
RA Isono K., Kasai H., Kimura S., Kitakawa M., Kitagawa M.,
RA Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,
RA Nakade S., Nakamura Y., Nashimoto H., Nishio Y., Oshima T.,
RA Saito N., Sampei G., Seki Y., Sivasubraman S., Tagami H.,
RA Takada J., Takemoto K., Wada C., Yamamoto Y., Horiuchi T.;
RT "A 460-kb DNA sequence of the *Escherichia coli* K-12 genome
RT corresponding to the 40.1-50.0 min region on the linkage map.";
RT DNA Res. 3:379-392(1996).
[5]
RN SEQUENCE OF 247-293 FROM N.A.
RN STRAIN-K12 / W3110;
RC STRAIN-K12 / W3110;
RX MEDLINE; 94292434.
RA Yao Z., Valvano M.A.;
RT "Genetic analysis of the O-specific lipopolysaccharide biosynthesis
RT region (rfb) of *Escherichia coli* K-12 W3110: identification of genes
RT that confer group 6 specificity to *Shigella flexneri* serotypes Y and
RT 4a.";
RL J. Bacteriol. 176:4133-4143(1994).
RL -1- CATALYTIC ACTIVITY: DTPP + ALPHA-D-GLUCOSE 1-PHOSPHATE =
CC PYROPHOSPHATE + DTPD-GLUCOSE.
CC -1- PATHWAY: DTPD-L-RHAMNOSE BIOSYNTHESIS WITHIN THE O ANTIGEN
CC BIOSYNTHESIS PATHWAY OF LIPOPOLYSACCHARIDE BIOSYNTHESIS.
CC -1- SIMILARITY: BELONGS TO THE GLUCOSE-1-PHOSPHATE
CC THYMIDYLTRANSFERASE FAMILY.

CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

..... 22

EMBT.: 1109876. AAB88400 1. -

DK LMBLE, 005070, RA000400:1, .
 DR FMDB: RE0000004. RA075100.1

DR EMBL; AE000294; AAC/3100.1; -

DR EMBL; D90841; CAB21/85.1; -.

DR EMBL; D90842; CAB21817.

DR EMBL; U03041; AAC31629.

DR ECOGENE: EG11978: RFBA:

DR PFAM; PF00483; NTP_transferase; 1.
 KW Lipopolysaccharide biosynthesis; Transferase; Kinase;
 FT Nucleotidyltransferase.
 SQ CONFLICT 247 247 Q -> P (IN REF. 5).
 SQ SEQUENCE 293 AA; 32693 MW; BA895362D1C5CA55 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 293;
 Best Local Similarity 55.6%; Pred. No. 40;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSYAY 10

Db 278 KNYGQYLY 286

RESULT 7

Y736_CHLTR STANDARD; PRT; 150 AA..

AC O84741;

DT 30-MAY-2000 (Rel. 39, Created)

DT 30-MAY-2000 (Rel. 39, Last sequence update)

DT 30-MAY-2000 (Rel. 39, Last annotation update)

DE HYPOTHETICAL PROTEIN CT736.

GN CT736.

OS Chlamydia trachomatis.

OC Bacteria; Chlamydiales; Chlamydiaceae; Chlamydia.

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN-D/UW-3/CX;

RX MEDLINE; 99000809.

RA Stephens R.S., Kalman S., Lammel C.J., Fan J., Marathe R., Aravind L.,

RA Mitchell W.P., Olinger L., Tatusov R.L., Zhao Q., Koonin E.V.,

RA Davis R.W.

RT "Genome sequence of an obligate intracellular pathogen of humans:

RT Chlamydia trachomatis."

RL Science 282:754-759(1998).

CC -!- SIMILARITY: BELONGS TO THE UPF0098 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch)

CC -----

CC EMBL; AE001344; AAC68331.1; -

KW Hypothetical protein.

SQ SEQUENCE 150 AA; 16508 MW; E480FE4899354C67 CRC64;

Query Match 58.6%; Score 34; DB 1; Length 150;
 Best Local Similarity 60.0%; Pred. No. 32;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNVGSYAY 10

Db 103 AKHRYFYAY 112

RESULT 8

AMEL_PIG

ID AMEL_PIG STANDARD; PRT; 189 AA.

AC P45561;

DT 01-NOV-1995 (Rel. 32, Created)

DT 01-NOV-1996 (Rel. 34, Last sequence update)

DT 15-JUL-1999 (Rel. 38, Last annotation update)

DE AMELOGENIN PRECURSOR (AMELOGENIN 173A/173B) [CONTAINS: LEUCINE-RICH

DE AMELOGENIN PEPTIDE (LRAP)]

GN AMEL.

OS Sus scrofa (Pig).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE; 97113827.

RA Hu C.C., Bartlett J.D., Zhang C.H., Qian Q., Ryu O.H., Simmer J.P.;

RT "Cloning, cDNA sequence, and alternative splicing of porcine

RT amelogenin mRNAs."

RL J. Dent. Res. 75:1735-1741(1996).

RN [2]

RP SEQUENCE OF 17-61 AND 78-181.

RC TISSUE-TOOTH;

RX MEDLINE; 94071951.

RA Fincham A.G., Moradian-Oldak J.;

RT "Amelogenin post-translational modifications: carboxy-terminal

RT processing and the phosphorylation of bovine and porcine 'TRAP' and

RT 'LRAP' amelogenins."

RL Biochem. Biophys. Res. Commun. 197:248-255(1993).

CC -!- FUNCTION: PLAYS A ROLE IN THE BIOMINERALIZATION OF TOOTH. SEEMS

CC TO REGULATE THE FORMATION OF CRYSTALLITES DURING THE SECRETORY

CC STAGE OF TOOTH ENAMEL DEVELOPMENT. THOUGHT TO PLAY A MAJOR ROLE IN

CC THE STRUCTURAL ORGANIZATION AND MINERALIZATION OF DEVELOPING

CC ENAMEL.

CC -!- SUBCELLULAR LOCATION: EXTRACELLULAR MATRIX.

CC -!- ALTERNATIVE PRODUCTS: VARIOUS FORMS ARE PRODUCED BY ALTERNATIVE

CC SPLICING. ONE OF THESE FORMS, LRAP, LACKS THE CENTRAL SECTION OF

CC AMELOGENIN.

CC -!- SIMILARITY: BELONGS TO THE AMALOGENIN FAMILY.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch)

CC -----

CC EMBL; U43405; AAB41110.1; -

DR EMBL; U43406; AAB41111.1; -

DR PIR; PC2006; PC2006.

DR PIR; PC2008; PC2008.

KW Extracellular matrix; Phosphorylation; Enamel; Repeat; Signal;

KW Alternative splicing.

FT SIGNAL 1 16

FT CHAIN 17 189

FT MOD_RES 32 32

FT VARSPLIC 34 45

FT VARSPLIC 6 6

FT VARSPLIC 14 16

FT VARSPLIC 189 AA; 21387 MW; 6392212E0A31D00C CRC64;

SQ SEQUENCE 189 AA; 21387 MW; 6392212E0A31D00C CRC64;

Query Match 58.6%; Score 34; DB 1; Length 189;

Best Local Similarity 66.7%; Pred. No. 39;

Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSYAY 10

Db 47 RHPTSYGY 55

RESULT 9

AMEX_BOVIN

ID AMEX_BOVIN STANDARD; PRT; 213 AA.

AC P02817;

DT 21-JUL-1986 (Rel. 01, Created)

DT 01-NOV-1995 (Rel. 32, Last sequence update)

DT 01-NOV-1995 (Rel. 32, Last annotation update)

DE AMELOGENIN, CLASS I PRECURSOR.

OS Bos taurus (Bovine).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;

OC Bovidae; Bovinae; Bos.

RN [1]

RP SEQUENCE FROM N.A.
RX MEDLINE: 91113686.
RA Gibson C., Golub E., Herold R., Risser M., Ding W., Shimokawa H.,
RA Young M., Termine J., Rosenbloom J.;
RT "Structure and expression of the bovine amelogenin gene.";
RL Biochemistry 30:1075-1079(1991).
RN (2)
RP PRELIMINARY SEQUENCE OF 17-201.
RX MEDLINE: 84231410.
RA Takagi T., Suzuki M., Baba T., Minegishi K., Sasaki S.;
RT "Complete amino acid sequence of amelogenin in developing bovine
RT enamel.";
RL Biochem. Biophys. Res. Commun. 121:592-597(1984).
RN (3)
RP ALTERNATIVE SPLICING (LRAP).
RX TISSUE-TOOTH;
RX MEDLINE: 91144612.
RA Gibson C.W., Golub E., Ding W., Shimokawa H., Young M., Termine J.,
RA Rosenbloom J.;
RT "Identification of the leucine-rich amelogenin peptide (LRAP) as the
RT translation product of an alternatively spliced transcript.";
RL Biochem. Biophys. Res. Commun. 174:1306-1312(1991).
RN (4)
RP SEQUENCE OF 17-49 AND 188-213.
RX MEDLINE: 94071951.
RA Fincham A.G., Moradian-Oldak J.;
RT "Amelogenin post-translational modifications: carboxy-terminal
RT processing and the phosphorylation of bovine and porcine 'TRAP' and
RT 'LRAP' amelogenins.";
RL Biochem. Biophys. Res. Commun. 197:248-255(1993).
RN (5)
RP STRUCTURE BY NMR.
RX MEDLINE: 90091473.
RA Renuopalakrishnan V., Prabhakaran M., Huang S.G., Balasubramaniam A.,
RA Strawich E., Glimcher M.J.;
RT "Secondary structure and limited three-dimensional structure of
RT bovine amelogenin.";
RL Connect. Tissue Res. 22:131-138(1989).
CC -!- FUNCTION: PLAYS A ROLE IN THE BIOMINERALIZATION OF TOOTH. SEEMS
CC TO REGULATE THE FORMATION OF CRYSTALLITES DURING THE SECRETORY
CC STAGE OF TOOTH ENAMEL DEVELOPMENT. THOUGHT TO PLAY A MAJOR ROLE IN
CC THE STRUCTURAL ORGANIZATION AND MINERALIZATION OF DEVELOPING
CC ENAMEL.
CC -!- SUBCELLULAR LOCATION: EXTRACELLULAR MATRIX.
CC -!- ALTERNATIVE PRODUCTS: VARIOUS FORMS ARE PRODUCED BY ALTERNATIVE
CC SPLICING. ONE OF THESE FORMS, LRAP, LACKS THE CENTRAL SECTION OF
CC AMELOGENIN.
CC -!- MISCELLANEOUS: AMELOGENIN IS THE PREDOMINANT PROTEIN IN DEVELOPING
CC DENTAL ENAMEL.
CC -!- MISCELLANEOUS: CLASS I AMELOGENINS LOCATED ON X CHROMOSOME.
CC -!- SIMILARITY: BELONGS TO THE AMALOGENIN FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: M63499; AAA30372.1; -;
DR EMBL: M63631; AAA30625.1; -;
DR PIR: A03300; JMB0.
DR PIR: JN0123; JN0123.
DR PIR: PC2007; PC2007.
KW Extracellular matrix; Phosphorylation; Enamel; Repeat; Signal;
KW Alternative splicing.
FT SIGNAL 1 16
FT CHAIN 17 213 AMELOGENIN, CLASS I.
FT VARSPLIC 50 187 MISSING (IN LRAP).
FT MOD_RES 32 32 PHOSPHORYLATION.
FT SEQUENCE 213 AA; 24119 MW; 163BD538806366DF CRC64;

Query Match 58.6%; Score 34; DB 1; Length 213;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSYAY 10
||| |||
DB 47 RHPYPSYGY 55

RESULT 10

Y4VH_RHISN
ID Y4VH_RHISN STANDARD; PRT; 218 AA.
AC Q53216;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 24.6 KDA PROTEIN Y4VH.
GN Y4VH.
OS Rhizobium sp. (strain NGR234).
OG Plasmid sym pNGR234a.
OC Bacteria; Proteobacteria; alpha subdivision; Rhizobiaceae group;
OC Rhizobiaceae; Rhizobium.
RN (1)
RP SEQUENCE FROM N.A.
RX MEDLINE: 97305956.
RA Freiberg C.A., Fellay R., Bairoch A., Broughton W.J., Rosenthal A.,
RA Perret X.;
RT "Molecular basis of symbiosis between Rhizobium and legumes.";
RL Nature 387:394-401(1997).
RN (2)
RP SEQUENCE FROM N.A.
RX MEDLINE: 96389014.
RA Freiberg C., Perret X., Broughton W.J., Rosenthal A.;
RT "Sequencing the 500-kb GC-rich symbiotic replicon of Rhizobium sp.
RT NGR234 using dye terminators and a thermostable 'sequenase'; a
RT beginning.";
RL Genome Res. 6:590-600(1996).
CC -!- SIMILARITY: NONE OBVIOUS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: Z68203; CAA92423.1; -;
DR EMBL: AE000101; AAB91896.1; -;
KW Hypothetical protein; Plasmid.
SQ SEQUENCE 218 AA; 24594 MW; 501C6CB38A09A2E5 CRC64;

Query Match 58.6%; Score 34; DB 1; Length 218;
Best Local Similarity 66.7%; Pred. No. 45;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSYA 9
||| |||
DB 68 ARDNHGSYS 76

RESULT 11

DH4_HORVU
ID DH4_HORVU STANDARD; PRT; 225 AA.
AC P12949;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DE 01-AUG-1991 (Rel. 19, Last annotation update)
DE DEHYDRIN DHN4 (B18).
GN DHN4.
OS Hordeum vulgare (Barley).

CC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 CC Magnoliophyta; Liliopsida; Poales; Poaceae; Hordeum.
 RN [1]
 RC SEQUENCE FROM N.A.
 RC STRAIN=CV, HIMALAYA; TISSUE=SEEDLING;
 RX MEDLINE; 93357436.
 RA Close T.J., Kortt A.A., Chandler P.M.;
 RT "A cDNA-based comparison of dehydration-induced proteins (dehydrins)
 RL in barley and corn."
 RL Plant Mol. Biol. 13:95-108(1989).
 CC -!- INDUCTION: BY ABSCISIC ACID AND WATER-STRESS.
 CC -!- SIMILARITY: STRONG TO BARLEY DHN1 AND DHN2, MAIZE DHN1, AND
 CC ESPECIALLY TO BARLEY DHN3. TWO EXTREMELY CONSERVED BLOCKS WERE
 CC IDENTIFIED, WITH A LESS CONSERVED REPEATING UNIT POSITIONED
 CC BETWEEN THEM. DEHYDRIN DHN4 HAS FIVE SUCH SEMI-CONSERVED TANDEM
 CC REPEATING UNITS.
 CC -!- SIMILARITY: BELONGS TO THE PLANT DEHYDRIN FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X15287; CAA33361.1; -
 CC PIR; S05546; S05546;
 CC INTERPRO; IPR000167; -
 CC PFAM; PF00257; dehydrin; 2.
 CC PROSITE; PS00315; DEHYDRIN_1; 1.
 CC PROSITE; PS00823; DEHYDRIN_2; 2.
 CC Dehydrin; Repeat.
 FT DOMAIN 60 68 POLY-SER.
 FT DOMAIN 105 199 5 X APPROXIMATE TANDEM REPEATS.
 FT REPEAT 105 118 1.
 FT REPEAT 119 136 2.
 FT REPEAT 137 159 3.
 FT REPEAT 160 178 4.
 FT REPEAT 179 199 5.
 SQ SEQUENCE 225 AA; 22574 MW; F0636B368CE5FFIC CRC64;
 Query Match 58.6%; Score 34; DB 1; Length 225;
 Best Local Similarity 55.6%; Pred. No. 46;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 QY 2 RHNYGSYAY 10
 DB 97 QHNAGTYGY 105
 RESULT 12
 ASTB_PSEAE
 ID ASTB_PSEAE STANDARD; PRT; 448 AA.
 AC Q50175;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE SUCCINYLARGININE DIHYDROLASE (EC 3.5.1.15).
 GN ASTB OR ARUB.
 OS Pseudomonas aeruginosa.
 CC Bacteria; Proteobacteria; gamma subdivision; Pseudomonadaceae;
 CC Pseudomonas.
 CC [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN=ATCC 15692 / PA01;
 RX MEDLINE; 98053840.
 RA Icon Y.;
 RT "Cloning and characterization of the *aru* genes encoding enzymes of
 RT the catabolic arginine succinyltransferase pathway in *Pseudomonas*
 RT *aeruginosa*."
 RL J. Bacteriol. 179:7280-7290(1997).

CC -!- FUNCTION: CATALYZES THE HYDROLYSIS OF N(2)-SUCCINYLARGININE INTO
 CC N(2)-SUCCINYLORNITHINE, AMMONIA AND CO(2).
 CC -!- PATHWAY: SECOND STEP IN ARGININE CATABOLISM BY THE ARGININE
 CC SUCCINYLTRANSFERASE PATHWAY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AF011922; AAC46013.1; -
 CC Arginine metabolism; Hydrolase.
 KW Arginine
 SQ SEQUENCE 448 AA; 48875 MW; 39F9F379CCCC16196 CRC64;
 Query Match 58.6%; Score 34; DB 1; Length 448;
 Best Local Similarity 62.5%; Pred. No. 88;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
 QY 3 HNYGSYAY 10
 DB 16 HNYGGLSY 23
 RESULT 13
 KICH_SCHPO
 ID KICH_SCHPO STANDARD; PRT; 456 AA.
 AC Q10276;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE PUTATIVE CHOLINE KINASE (EC 2.7.1.32).
 GN SPAC13G7.12C.
 OS Schizosaccharomyces pombe (Fission yeast).
 CC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetales;
 CC Schizosaccharomycetaceae; Schizosaccharomycetes.
 RN [1]
 RC SEQUENCE FROM N.A.
 RC STRAIN=972;
 RA Connor R., Churcher C.M., Barrell B.G., Rajandream M.A., Walsh S.V.;
 RL Submitted (Feb-1996) to the EMBL/GenBank/DBJ databases.
 CC -!- CATALYTIC ACTIVITY: ATP + CHOLINE = ADP + O-PHOSPHOCHOLINE.
 CC -!- PATHWAY: CDP-CHOLINE AND CDP-ETHANOLAMINE PATHWAYS IN THE
 CC SYNTHESIS OF PHOSPHOLIPIDS (BY SIMILARITY).
 CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC (POTENTIAL).
 CC -!- SIMILARITY: BELONGS TO THE CHOLINE/ETHANOLAMINE KINASES FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; Z69729; CAA93600.1; -
 CC INTERPRO; IPR002573; -
 CC PFAM; PF01633; Choline_kinase; 1.
 KW Hypothetical protein; Transferase; Kinase.
 FT ACT_SITE 242 242 BY SIMILARITY.
 SQ SEQUENCE 456 AA; 52536 MW; 08284FF1FC5FA089 CRC64;
 Query Match 58.6%; Score 34; DB 1; Length 456;
 Best Local Similarity 75.0%; Pred. No. 89;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 1 ARHNYGSY 8
 DB 16 HNYGGLSY 23

```

Db 116 ARHNIGPY 123

RESULT 14
PEX5_PICPA
ID PEX5_PICPA STANDARD; PRT; 576 AA.
AC P33292; Q01967;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE PEROXISOMAL TARGETING SIGNAL RECEPTOR (PEROXISOMAL PROTEIN PAS8)
DE (PEROXIN-5) (PTS1 RECEPTOR).
DE PEX5 OR PAS8.
GN Pichia pastoris (Yeast).
OS Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Pichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NRRL 11430;
RX MEDLINE; 93260010.
RA McCollum D., Monosov E., Subramani S.;
RT "The pas8 mutant of Pichia pastoris exhibits the peroxisomal protein
RT import deficiencies of Zellweger syndrome cells -- the PAS8 protein
RT binds to the COOH-terminal tripeptide peroxisomal targeting signal,
RT and is a member of the TPR protein family.";
RT J. Cell Biol. 121:761-774(1993).
RN [2]
RP SEQUENCE FROM N.A.
RA Gould S.J., Kalish J.E., Morrel J.C., Bjorkman J., Urquhart A.J.,
RA Crane D.I.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
RN [3]
RP FUNCTION.
RX MEDLINE; 95369234.
RA Terlecky S.R., Nuttley W.M., McCollum D., Sock E., Subramani S.;
RT "The Pichia pastoris peroxisomal protein PAS8p is the receptor for
RT the C-terminal tripeptide peroxisomal targeting signal.";
RL EMBO J. 14:3627-3634(1995).
CC -1- FUNCTION: BINDS TO THE C-TERMINAL PTS1-TYPE TRIPEPTIDE PEROXISOMAL
CC TARGETING SIGNAL (SKL-TYPE) AND PLAYS AN ESSENTIAL ROLE IN
CC PEROXISOMAL PROTEIN IMPORT.
CC -1- SUBCELLULAR LOCATION: ITS DISTRIBUTION APPEARS TO BE DYNAMIC. IT
CC IS PROBABLY A CYCLING RECEPTOR FOUND MAINLY IN THE CYTOPLASM AND
CC AS WELL ASSOCIATED TO THE PEROXISOMAL MEMBRANE THROUGH A DOCKING
CC FACTOR (PEX13).
CC -1- SIMILARITY: CONTAINS 7 TPR DOMAINS.
CC -1- SIMILARITY: STRONG, TO OTHER PEROXISOMAL TARGETING SIGNAL
CC RECEPTORS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Z19592; CAA79640.1; -.
DR EMBL; U59222; AAB40613.1; -.
DR PIR; A40688; A40688.
DR INTERPRO; IPR001440; -.
DR PFAM; PF00515; TPR; 4.
KW Peroxisome; Repeat; TPR domain; Transport; Protein transport.
FT DOMAIN 19 232 GLN-RICH.
FT REPEAT 278 311 TPR 1.
FT REPEAT 312 345 TPR 2.
FT REPEAT 346 383 TPR 3.
FT REPEAT 384 421 TPR 4.
FT REPEAT 422 455 TPR 5.
FT REPEAT 456 489 TPR 6.
FT REPEAT 490 523 TPR 7.
FT CONFLICT 243 259 DQFOAQWEKFAQYAEQ -> RPYVSGSMGERFCPIRRR
FT (IN REF. 1).

SQ SEQUENCE 576 AA; 65083 MW; C249FBE50FDE5247 CRC64;

Query Match 58.6%; Score 34; DB 1; Length 576;
Best Local Similarity 66.7%; Pred. No. 1.1e+02;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSYAY 10
Db 260 RLNYGEYKY 268

RESULT 15
C9EA_BACTA
ID C9EA_BACTA STANDARD; PRT; 1150 AA.
AC Q9ZNL9;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PESTICIDIAL CRYSTAL PROTEIN CRY9EA (INSECTICIDAL DELTA-ENDOTOXIN
DE CRYIXE(A)) (CRYSTALLINE ENTOMOCIDAL PROTOXIN) (130 KDA CRYSTAL
DE PROTEIN).
GN CRY9EA OR CRYIXE(A).
OS Bacillus thuringiensis (subsp. aizawai).
OC Bacteria; Firmicutes; Bacillus/Clostridium group;
OC Bacillus/Staphylococcus group; Bacillus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=SSK-10;
RA Midoh N., Oyama K.;
RT "Bacillus thuringiensis cry gene for insecticidal crystal protein.";
RL Submitted (FEB-1998) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: PROMOTES COLLOIDSMOTIC LYSIS BY BINDING TO THE MIDCUT
CC EPITHELIAL CELLS OF INSECTS.
CC -1- DEVELOPMENTAL STAGE: THE CRYSTAL PROTEIN IS PRODUCED DURING
CC SPOULATION AND IS ACCUMULATED BOTH AS AN INCLUSION AND AS PART
CC OF THE SPORE COAT.
CC -1- MISCELLANEOUS: TOXIC SEGMENT OF THE PROTEIN IS LOCATED IN THE
CC N-TERMINUS.
CC -1- SIMILARITY: BELONGS TO THE DELTA ENDOTOXIN FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AB011496; BAA34908.1; -.
DR HSP; P07130; IDLC.
DR INTERPRO; IPR001178; -.
DR PFAM; PF00555; endotoxin; 1.
KW Toxin; Sporulation.
SQ SEQUENCE 1150 AA; 129895 MW; 7D6AB93D6EDC97EB CRC64;

Query Match 58.6%; Score 34; DB 1; Length 1150;
Best Local Similarity 60.0%; Pred. No. 2.1e+02;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNIGSYAY 10
Db 767 ARENYPTYIY 776

Search completed: March 28, 2001, 07:29:54
Job time: 1661 sec

```


Gencore version 4.5

Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:56 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-62

Perfect score: 58

Sequence: 1 ARHNYGSYAY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPREMBL_15:*

1: sp_archaea:*

2: sp_bacteria:*

3: sp_fungi:*

4: sp_human:*

5: sp_invertebrate:*

6: sp_mammal:*

7: sp_mhc:*

8: sp_organelle:*

9: sp_phase:*

10: sp_plant:*

11: sp_rodent:*

12: sp_virus:*

13: sp_vertebrate:*

14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	72.4	446	5	O62086 caenorhabdi
2	40	69.0	839	10	O91IE5
3	39	67.2	576	9	O64311 bacterioph
4	39	67.2	3115	5	O9VQV1
5	38	65.5	236	5	O18245
6	38	65.5	271	10	O9XEI2
7	38	65.5	271	10	O9XEI2
8	38	65.5	428	10	P93843
9	38	65.5	428	10	O91EB3
10	38	65.5	482	10	O48955
11	37	63.8	289	2	O69838
12	37	63.8	420	13	O91184
13	37	63.8	1144	2	O50371
14	36	62.1	94	8	O9T882
15	36	62.1	301	11	O92I30
16	36	62.1	349	5	O76436
17	36	62.1	420	4	O14979
18	36	62.1	626	5	O62017
19	36	62.1	1049	12	O83611

20	35	60.3	89	7	O19495
21	35	60.3	111	8	O9MEJ5
22	35	60.3	114	7	O9TNU3
23	35	60.3	115	7	O9TNU4
24	35	60.3	116	7	O9TNU5
25	35	60.3	120	7	O98183
26	35	60.3	120	7	O98186
27	35	60.3	150	1	O27642
28	35	60.3	155	12	O55705
29	35	60.3	219	5	O9VVY8
30	35	60.3	226	2	O9RGM4
31	35	60.3	241	5	O22205
32	35	60.3	246	2	O26017
33	35	60.3	246	2	O9ZJD6
34	35	60.3	257	2	O9K023
35	35	60.3	257	2	O9JV35
36	35	60.3	261	7	O9TQA7
37	35	60.3	279	10	O9M883
38	35	60.3	281	10	O39208
39	35	60.3	281	10	O9SWU4
40	35	60.3	281	10	O9SY52
41	35	60.3	299	2	O9KKW8
42	35	60.3	326	9	O38652
43	35	60.3	377	10	O24324
44	35	60.3	378	8	O21173
45	35	60.3	417	5	O17705

ALIGNMENTS

RESULT 1

O62086	PRELIMINARY;	PRT;	446 AA.
AC	O62086;		
DT	01-AUG-1998 (Tremblrel. 07, Created)		
DT	01-AUG-1998 (Tremblrel. 07, Last sequence update)		
DT	01-JUN-2000 (Tremblrel. 14, Last annotation update)		
DE	C3IH5.6 PROTEIN.		
GN	C3IH5.6.		
OS	Caenorhabditis elegans.		
OC	Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;		
OC	Rhabditidae; Peloderinae; Caenorhabditis.		
OX	NCBI_TaxID=6239;		
RN	[1]		
RP	SEQUENCE FROM N.A.		
RA	Kershaw J.;		
RL	Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.		
RN	[2]		
RP	SEQUENCE FROM N.A.		
RX	MEDLINE=94150718; PubMed=7906398;		
RA	Wilson R., Alnsough R., Anderson K., Baynes C., Berks M.,		
RA	Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,		
RA	Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,		
RA	Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,		
RA	Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,		
RA	Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Showkeen R.,		
RA	Smaison N., Smith A., Sonhammer E., Staden R., Sulston J.,		
RA	Thiery-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,		
RA	Watson A., Weinstock L., Wilkison-Sproat J., Wohlman P.;		
RT	"2.2 Mb of contiguous nucleotide sequence from chromosome III of C.		
RT	elegans.";		
RL	Nature 368:32-38(1994).		
DR	EMBL; Z93778; CAB07846.1;		
DR	INTERPRO; IPR000379;		
DR	INTERPRO; IPR002925;		
DR	PFAM; PF01738; DLH; 2.		
SQ	SEQUENCE 446 AA; 50763 MW; 82AD969CDAD753DE CRC64;		

Query Match 72.4%; Score 42; DB 5; Length 446;
Best Local Similarity 87.5%; Pred. No. 11;

Matches 7: Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGSYA 9
|||||:|
Db 51 RHNYGSHA 58

RESULT '2

ID O9LIES PRELIMINARY; PRT; 839 AA.
AC O9LIES;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsids.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety p1,
RT TAC and BAC clones";
RL DNA Res. 7:217-221(2000).
DR EMBL; AP001306; BAB03065.1; -;
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 69.08; Score 40; DB 10; Length 839;

Best Local Similarity 75.08; Pred. No. 47;
Matches 6: Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSY 8
|||||:
Db 274 SRHNGSF 281

RESULT 3

ID O64311 PRELIMINARY; PRT; 576 AA.
AC O64311;
DT 01-AUG-1998 (TrEMBLrel. 07, Created)
DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
DE REPLICASE.
OS bacteriophage NL95.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Leviviridae;
OC serumgroup IV.
OX NCBI_TaxID=75725;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=95239761; PubMed=7723040;
RA Beekwilder M.J., Nieuwenhuizen R., van Duin J.;
RT "Secondary structure model for the last two domains of single-stranded
RT RNA phage Q beta.";
RL J. Mol. Biol. 247:903-917(1995).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=96190948; PubMed=8609616;
RA Beekwilder J., Nieuwenhuizen R., Poot R., van Duin J.;
RT "Secondary structure model for the first three domains of Q beta RNA.
RT Control of A-protein synthesis.";
RL J. Mol. Biol. 256:8-19(1996).

RN [3]

RP SEQUENCE FROM N.A.
RA Beekwilder M.J., Nieuwenhuizen R., van Duin J.;
RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF059243; AAC14705.1; -;
SQ SEQUENCE 576 AA; 65012 MW; 6075160795D366FD CRC64;

Query Match 67.2%; Score 39; DB 9; Length 576;

Best Local Similarity 66.7%; Pred. No. 47;
Matches 6: Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSYAY 10
||:||||
Db 503 RHEFGSYLY 511

RESULT 4

ID Q9VOV1 PRELIMINARY; PRT; 3115 AA.
AC Q9VOV1;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE CG3921 PROTEIN.
GN CG3921.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Ceiniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galie R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Vandal M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Heit G., Nelson C.R., Miklos G.L.G.,
RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cavley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferrier S., Fleischmann W.,
RA Fostler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacle J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).

DR EMBL: AE003578; AAF51061.1; -;
 DR FLIASE: FBgn0031571; CG3921.
 DR INTERPRO: IPR001190; -;
 DR PFAM: PF00530; SRCR; 2;
 DR PRINTS: PR00258; SPERACTRCPTR.
 SQ SEQUENCE 3115 AA; 349451 MW; A17EA222A4718112 CRC64;

Query Match 67.2%; Score 39; DB 5; Length 3115;

Best Local Similarity 87.5%; Pred. No. 2.9e+02;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNGSY 8
 |||||
 Db 2550 ARHNGSY 2557

RESULT 5
 O18245 PRELIMINARY; PRT; 236 AA.
 AC O18245;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-JAN-1999 (TrEMBLrel. 09, Last annotation update)
 DE Y57G11C.21 PROTEIN.
 GN Y57G11C.21.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 [1]
 RP SEQUENCE FROM N.A.
 RA McMurray A.;
 RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=94150718; PubMed=7906398;
 RA Wilson R., Ainscough R., Anderson K., Baynes C., Cooper J., Coulson A.,
 RA Bonfield J., Burton J., Connell M., Copsey T., Favello A., Fulton L.,
 RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
 RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
 RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
 RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
 RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Showkneen R.,
 RA Smaldon N., Smith A., Sonhammer E., Staden R., Sulston J.,
 RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
 RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.;
 RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 RT elegans.";
 RL Nature 368:32-38(1994).
 DR EMBL: Z99281; CAB16522.1; -;
 SQ SEQUENCE 236 AA; 26579 MW; 8E92144E065E7D30 CRC64;

Query Match 65.5%; Score 38; DB 5; Length 236;

Best Local Similarity 60.0%; Pred. No. 27;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNGSYAY 10
 |||||
 Db 118 AYHNGSYAY 127

RESULT 6
 Q92T29 PRELIMINARY; PRT; 271 AA.
 AC Q92T29;
 DT 01-MAY-1999 (TrEMBLrel. 10, Created)
 DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE STEROL-C5(6)-DESATURASE.
 OS Nicotiana tabacum (Common tobacco).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;

OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae; euasterids I;
 OC Solanales; Solanaceae; Nicotiana.
 OX NCBI_TaxID=4097;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-CV. XANTHI SH6; TISSUE=CALLI DERIVED FROM LEAF PROTOPLASTS;
 RA Husselstein T., Schaller H., Gachotte D., Benveniste P.;
 RT "sterol-C5(6)-desaturase: molecular characterization and functional
 RT expression of wild-type and mutant alleles."
 RL Submitted (JUL-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AF081794; AAD04034.1; -;
 DR MENDEL; 36287; Nicta; 1710:36287.
 DR INTERPRO: IPR001541; -;
 DR PFAM: PF01598; Sterol_desat; 1.
 SQ SEQUENCE 271 AA; 31842 MW; 361520EAAAB56D86F CRC64;

Query Match 65.5%; Score 38; DB 10; Length 271;

Best Local Similarity 85.7%; Pred. No. 32;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSY 8
 |||||
 Db 243 RHNYGHY 249

RESULT 7
 Q9XE12 PRELIMINARY; PRT; 271 AA.
 AC Q9XE12;
 DT 01-NOV-1999 (TrEMBLrel. 12, Created)
 DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE STEROL-C5(6)-DESATURASE HOMOLOG.
 OS Nicotiana tabacum (Common tobacco).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae; euasterids I;
 OC Solanales; Solanaceae; Nicotiana.
 OX NCBI_TaxID=4097;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-CV. XANTHI SH6; TISSUE=LEAF;
 RX MEDLINE=99273992; PubMed=10344195;
 RA Husselstein T., Schaller H., Gachotte D., Benveniste P.;
 RT "delta7-sterol-C5-desaturase: molecular characterization and
 RT functional expression of wild-type and mutant alleles."
 RL Plant Mol. Biol. 39:891-906(1999).
 DR EMBL: AF099969; AAD20458.1; -;
 DR INTERPRO: IPR001541; -;
 DR PFAM: PF01598; Sterol_desat; 1.
 SQ SEQUENCE 271 AA; 32036 MW; 1E705A0B69C320D4 CRC64;

Query Match 65.5%; Score 38; DB 10; Length 271;

Best Local Similarity 85.7%; Pred. No. 32;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSY 8
 |||||
 Db 243 RHNYGHY 249

RESULT 8
 P93843 PRELIMINARY; PRT; 428 AA.
 AC P93843;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE DNA BINDING PROTEIN ACBF.
 OS Nicotiana tabacum (Common tobacco).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae; euasterids I;

GenCore version 4.5

Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:35 ; Search time 183.85 Seconds
(without alignments)
1.860 Million cell updates/sec

Title: US-09-016-061-62

Perfect score: 58

Sequence: 1 ARHNYGSVAY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_36.*

```

1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*

```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	ID	Description
1	58	100.0	10	19 W76021	LM609 grafted anti
2	54	93.1	10	19 W76010	LM609 grafted anti
3	54	93.1	117	19 W76001	Vitaxin antibody h
4	54	93.1	117	19 W76003	LM609 antibody hea
5	54	93.1	117	20 Y06381	Murine monoclonal
6	54	93.1	117	20 Y06387	Humanised LM609 an
7	54	93.1	118	20 Y06384	Humanised LM609 an
8	54	93.1	118	20 Y06385	Humanised LM609 an
9	54	93.1	118	20 Y06386	Humanised LM609 an
10	54	93.1	118	20 Y06383	Humanised LM609 an
11	54	93.1	130	20 Y06379	Murine monoclonal
12	49	84.5	10	19 W76020	LM609 grafted anti

13	48	82.8	10	19 W76022	LM609 grafted anti
14	48	82.8	10	19 W76023	LM609 grafted anti
15	47	81.0	10	19 W76024	LM609 grafted anti
16	47	81.0	10	19 W76025	LM609 grafted anti
17	47	81.0	10	19 W76026	LM609 grafted anti
18	47	81.0	10	19 W76027	LM609 grafted anti
19	47	81.0	10	19 W76028	LM609 grafted anti
20	47	81.0	10	19 W76029	LM609 grafted anti
21	47	81.0	10	19 W76030	LM609 grafted anti
22	46	79.3	110	20 W84099	Vitronectin alpha-
23	46	79.3	117	20 W84093	Murine vitronectin
24	46	79.3	117	20 W84097	Humanised anti-alp
25	45	77.6	8	20 Y06371	Murine monoclonal
26	43	74.1	10	19 W76039	LM609 grafted anti
27	43	74.1	10	19 W76040	LM609 grafted anti
28	42	72.4	10	19 W76037	LM609 grafted anti
29	42	72.4	119	19 Y86109	S. pneumoniae derl
30	40	69.0	117	16 W79157	Human IGE receptor
31	40	69.0	117	16 W79155	Human IGE receptor
32	40	69.0	117	18 W27357	Heavy chain variab
33	40	69.0	117	18 W27536	Heavy chain variab
34	40	69.0	117	18 W27354	Heavy chain variab
35	40	69.0	119	18 W01578	Lead binding MAB 8
36	40	69.0	239	20 W73874	Human antiFc epsil
37	40	69.0	242	20 W73876	Human antiFc epsil
38	39	67.2	172	19 W46819	Endo-beta-1,4-gluc
39	38	65.5	10	19 W76038	LM609 grafted anti
40	37	63.8	36	17 W03984	VDJ joint protein,
41	37	63.8	36	18 W41127	VH251 DXP.1 J6 mu
42	37	63.8	36	20 Y40395	Amino acid sequen
43	37	63.8	1144	16 R76059	Mycoplasma pirum a
44	36	62.1	349	20 Y08620	Yeast COA thioeste
45	35	60.3	246	19 W98752	H. pylori GHPO 105

ALIGNMENTS

RESULT 1

W76021
ID W76021 standard; Protein: 10 AA.
XX
AC W76021;
XX
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-H region CDR3 protein fragment #3.
XX

Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
LM609; inhibitor; integrin-mediated signal transduction; treatment;
diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
macular degeneration; osteoporosis; primer; V-H region; CDR;
complementarity determining region.

OS Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49858.

XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Claim 62; Page 41; 129pp; English.
XX
CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 58; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00071;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
Db |||||
1 arhnygsyay 10

RESULT 2
ID W76010 standard; Protein; 10 AA.
XX
AC W76010;
XX
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-H region CDR3 protein fragment #1.
XX
KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
DR WPI: 1998-437472/37.
DR N-PSDB; V49847.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Disclosure; Page 40; 129pp; English.
XX
CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 93.1%; Score 54; DB 19; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0032;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
Db |||||
1 arhnygsfay 10

RESULT 3
ID W76001 standard; Protein; 117 AA.
XX
AC W76001;
XX
DT 02-NOV-1998 (first entry)
XX
DE Vitaxin antibody heavy chain variable region protein fragment.
XX
KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
DR WPI: 1998-437472/37.
DR N-PSDB; V49820.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Claim 1; Fig 1a; 129pp; English.
XX
CC This sequence represents a fragment of the vitaxin antibody variable
CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
CC to a ligand and thus block integrin-mediated signal transduction. This is
CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
CC disease, specifically angiogenesis and restenosis (but also e.g.
CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC: so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;
 Query Match 93.1%; Score 54; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.041;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNGSYAY 10
 |||||||:
 Db 97 arnygsfay 106

RESULT 4

W76003
 ID W76003 standard; Protein; 117 AA.

XX AC W76003;

XX 02-NOV-1998 (first entry)

DE LM609 antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX Mus sp.

XX W09833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI: 1998-437472/37.

XX N-PSDB; V49822.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match

Best Local Similarity 93.1%; Score 54; DB 19; Length 117;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNGSYAY 10
 |||||||:
 Db 97 arnygsfay 106

RESULT 5

Y06381
 ID Y06381 standard; Protein; 117 AA.

XX AC Y06381;

XX 06-SEP-1999 (first entry)

DE Murine monoclonal antibody LM609 VH region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus musculus.

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody CDR as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 93.1%; Score 54; DB 20; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.041;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNGSYAY 10
 |||||||:
 Db 97 arnygsfay 106

RESULT 6

Y06387
 ID Y06387 standard; Protein; 117 AA.

XX AC Y06387;

DT 06-SEP-1999 (first entry)
 DE Humanised LM609 antibody VH domain.
 XX
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 XX Homo sapiens.
 OS Synthetic.
 OS
 XX
 FH Key Location/Qualifiers
 FT Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..35
 FT /note= "CDR1"
 FT Region 50..66
 FT /note= "CDR2"
 FT Region 107..117
 FT /note= "CDR3"
 XX
 XX WO9929888-A1.
 PN
 XX 17-JUN-1999.
 XX
 PD
 XX 04-DEC-1998; 98WO-US25828.
 XX
 PF
 XX 05-DEC-1997; 97US-0986016.
 XX
 PR
 XX (SCRI) SCRIPPS RES INST.
 XX
 PA Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 XX
 PI Production of humanized mouse monoclonal antibodies
 XX
 PT Disclosure; Page 52; 55pp; English.
 XX
 PS
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 117 AA;

Query Match 93.1%; Score 54; DB 20; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.041;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSVAY 10
 |||||:|
 Db 97 arnygsfay 106

RESULT 7
 Y06384
 ID Y06384 standard; Protein; 118 AA.
 XX
 AC Y06384;
 XX
 DT 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VH domain.
 XX
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 XX Homo sapiens.
 OS Synthetic.
 OS
 XX
 FH Key Location/Qualifiers
 FT Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX
 XX WO9929888-A1.
 PN
 XX 17-JUN-1999.
 XX
 PD
 XX 04-DEC-1998; 98WO-US25828.
 XX
 PF
 XX 05-DEC-1997; 97US-0986016.
 XX
 PR
 XX (SCRI) SCRIPPS RES INST.
 XX
 PA Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 XX
 PI Production of humanized mouse monoclonal antibodies
 XX
 PT Disclosure; Page 51; 55pp; English.
 XX
 PS
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 93.1%; Score 54; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.042;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSVAY 10
 |||||:|
 Db 98 arnygsfay 107

RESULT 8
 Y06385
 ID Y06385 standard; Protein; 118 AA.
 XX
 AC Y06385;
 XX
 DT 06-SEP-1999 (first entry)

DE Humanised LM609 antibody VH domain.
XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Homo sapiens.
OS Synthetic.
XX
XX
FH Key Location/Qualifiers
FT Peptide 1..2
FT /note= "vector-encoded residues"
FT Region 31..37
FT /note= "CDR1"
FT Region 52..67
FT /note= "CDR2"
FT Region 100..107
FT /note= "CDR3"
XX
XX WO9929888-A1.
XX
XX
XX 17-JUN-1999.
XX
XX 04-DEC-1998; 98WO-US25828.
XX
XX 05-DEC-1997; 97US-0986016.
XX
XX (SCRI) SCRIPPS RES INST.
XX
XX Barbas CF, Rader C;
XX WPI; 1999-394979/33.
XX
XX Production of humanized mouse monoclonal antibodies
XX
XX Disclosure; Page 51; 55pp; English.
XX
XX This sequence represents the heavy chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 118 AA;

Query Match 93.1%; Score 54; DB 20; Length 118;
Best Local Similarity 90.0%; Pred. No. 0.042; Indels 0; Gaps 0;
Matches 9; Conservative 1; Mismatches 0;

Qy 1 ARHNYGSVAY 10
Db 98 arhnygsfay 107
|||||:|

RESULT 9
Y06386
ID Y06386 standard; Protein; 118 AA.
XX
AC Y06386;
XX
XX 06-SEP-1999 (first entry)
XX
XX Humanised LM609 antibody VH domain.
DE

XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Homo sapiens.
OS Synthetic.
XX
XX
FH Key Location/Qualifiers
FT Peptide 1..2
FT /note= "vector-encoded residues"
FT Region 31..37
FT /note= "CDR1"
FT Region 52..67
FT /note= "CDR2"
FT Region 100..107
FT /note= "CDR3"
XX
XX WO9929888-A1.
XX
XX
XX 17-JUN-1999.
XX
XX 04-DEC-1998; 98WO-US25828.
XX
XX 05-DEC-1997; 97US-0986016.
XX
XX (SCRI) SCRIPPS RES INST.
XX
XX Barbas CF, Rader C;
XX WPI; 1999-394979/33.
XX
XX Production of humanized mouse monoclonal antibodies
XX
XX Disclosure; Page 51-52; 55pp; English.
XX
XX This sequence represents the heavy chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 118 AA;

Query Match 93.1%; Score 54; DB 20; Length 118;
Best Local Similarity 90.0%; Pred. No. 0.042; Indels 0; Gaps 0;
Matches 9; Conservative 1; Mismatches 0;

Qy 1 ARHNYGSVAY 10
Db 98 arhnygsfay 107
|||||:|

RESULT 10
Y06383
ID Y06383 standard; Protein; 118 AA.
XX
AC Y06383;
XX
XX 06-SEP-1999 (first entry)
XX
XX Humanised LM609 antibody VH domain.
DE

KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Homo sapiens.
 OS Synthetic.

XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37 "CDR1"
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"

XX WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;

Query Match 93.1%; Score 54; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.042;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10

DB 98 arhnygsfay 107

RESULT 11

Y06379

ID Y06379 standard; Protein; 130 AA.

XX Y06379;

XX 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 V kappa.

XX Humanised antibody; antibody humanisation; antibody engineering;

KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus musculus.

XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 28..32
 FT /note= "CDR1"
 FT Region 47..63
 FT /note= "CDR2"
 FT Region 96..103
 FT /note= "CDR3"

XX WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 49-50; 55pp; English.

XX This sequence represents the light chain V kappa region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 130 AA;

Query Match 93.1%; Score 54; DB 20; Length 130;
 Best Local Similarity 90.0%; Pred. No. 0.046;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10

DB 94 arhnygsfay 103

RESULT 12

W76020

ID W76020 standard; Protein; 10 AA.

XX W76020;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #2.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.
 OS Mus sp.
 XX
 XX
 PN WO9833919-A2.
 XX
 XX
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 XX Glaser SM, Huse WD;
 PI
 XX
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49857.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.
 PS
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 10 AA;
 SQ

Query Match 84.5%; Score 49; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.021; Indels 0; Gaps 0;
 Matches 8; Conservative 2; Mismatches 0;
 QY 1 ARHNYGSYAY 10
 DB 1 arnhhgsfay 10
 IIIII:II

RESULT 13
 ID W76022 standard; Protein; 10 AA.
 XX
 XX AC W76022;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 XX LM609 grafted antibody V-H region CDR3 protein fragment #4.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 XX Mus sp.
 OS
 XX WO9833919-A2.
 PN

XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49859.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.
 PS
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 10 AA;
 SQ

Query Match 82.8%; Score 48; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.031; Indels 0; Gaps 0;
 Matches 8; Conservative 1; Mismatches 1;
 QY 1 ARHNYGSYAY 10
 DB 1 arnhysgfdy 10
 IIIII:I

RESULT 14
 ID W76023 standard; Protein; 10 AA.
 XX
 XX AC W76023;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 XX LM609 grafted antibody V-H region CDR3 protein fragment #5.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 XX Mus sp.
 OS
 XX WO9833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 PR

PA (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49860.
 XX

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC integration-mediated signal transduction. This is useful in the treatment,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 82.8%; Score 48; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.031;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSVAY 10
 |||||:|
 Db 1 arhnygsfyy 10

RESULT 15

W76024
 ID W76024 standard; Protein; 10 AA.

XX AC W76024;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #6.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN W09833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX WPI: 1998-437472/37.

XX DR N-PSDB; V49861.

XX

PT

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC integration-mediated signal transduction. This is useful in the treatment,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 81.0%; Score 47; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.045;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYA 9

|||||:|
 Db 1 arhnygsfa 9

Search completed: March 28, 2001, 06:34:35
 Job time: 515 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model.

Run on: March 28, 2001, 06:39:11 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: US-09-016-061-62
Perfect score: 58
Sequence: 1 ARHNYGSYAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA.*

- 1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
- 2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
- 3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
- 4: /cgnl_7/ptodata/1/iaa/PTUS_COMB.pep.*
- 5: /cgnl_7/ptodata/1/iaa/backfiles.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	69.0	119	3	US-08-767-128-6
2	37	63.8	36	1	US-08-053-131-84
3	37	63.8	36	1	US-08-645-641-84
4	37	63.8	36	1	US-07-853-408B-84
5	37	63.8	36	2	US-08-096-762-84
6	37	63.8	36	2	US-08-308-865-84
7	37	63.8	36	4	PCT-US92-10983-84
8	36	62.1	349	1	US-08-872-784-4
9	36	62.1	349	2	US-09-100-851-4
10	34	58.6	120	2	US-08-851-822A-1
11	34	58.6	120	2	US-09-184-384-1
12	34	58.6	1157	2	US-08-532-547-5
13	34	58.6	1157	2	US-08-379-656B-5
14	34	58.6	1157	3	US-08-455-838-5
15	34	58.6	1157	3	US-09-019-809-5
16	34	58.6	1169	1	US-08-542-921-2
17	34	58.6	1169	2	US-08-880-685-2
18	34	58.6	1169	2	US-08-880-684-2
19	33	56.9	94	3	US-09-147-550-14
20	33	56.9	94	3	US-09-147-550-45
21	33	56.9	94	3	US-09-147-550-48
22	33	56.9	94	3	US-09-147-550-77
23	33	56.9	94	3	US-09-147-550-84
24	33	56.9	94	3	US-09-147-550-90
25	33	56.9	94	3	US-09-147-550-101
26	33	56.9	103	2	US-08-596-319-31
27	33	56.9	122	1	US-08-360-125-11
28	33	56.9	122	2	US-08-450-578-11

29	33	56.9	122	2	US-09-017-628-11	Sequence 11, Appl
30	33	56.9	122	2	US-09-014-880-11	Sequence 11, Appl
31	33	56.9	159	3	US-08-716-190-10	Sequence 10, Appl
32	33	56.9	384	1	US-08-707-793A-5	Sequence 5, Appl
33	33	56.9	384	1	US-08-707-792A-5	Sequence 5, Appl
34	33	56.9	630	2	US-08-394-177-5	Sequence 5, Appl
35	33	56.9	630	2	US-08-596-319-2	Sequence 2, Appl
36	33	56.9	630	3	US-08-394-912A-5	Sequence 2, Appl
37	33	56.9	809	1	US-07-789-915A-4	Sequence 4, Appl
38	33	56.9	809	1	US-08-005-002C-4	Sequence 4, Appl
39	33	56.9	809	1	US-08-487-203A-4	Sequence 4, Appl
40	32	55.2	15	1	US-08-618-464-7	Sequence 7, Appl
41	32	55.2	15	3	US-09-107-615-7	Sequence 7, Appl
42	32	55.2	25	2	US-08-480-190-44	Sequence 44, Appl
43	32	55.2	25	2	US-08-488-379-44	Sequence 44, Appl
44	32	55.2	25	4	PCT-US93-07545-44	Sequence 44, Appl
45	32	55.2	27	1	US-07-720-189-3	Sequence 3, Appl

ALIGNMENTS

RESULT 1
US-08-767-128-6
; Sequence 6, Application US/08767128
; Patent No. 6111079
; GENERAL INFORMATION:
; APPLICANT: WYLIE, DWANE E.
; APPLICANT: LOPEZ, OSVALDO
; APPLICANT: MURRAY, PETER JOSEPH
; APPLICANT: GOEBEL, PETER
; TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
; TITLE OF INVENTION: NUCLEOTIDES CODING THEREFORE
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Merchant, Gould, Smith, Edell, Welter & Schmidt
; STREET: 3100 No. 6111079west Center, 90 South Seventh St
; CITY: Minneapolis
; STATE: MN
; COUNTRY: USA
; ZIP: 55402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/767,128
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE: 04-DEC-1996
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US96/09258
; FILING DATE: 05-JUN-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/541,373
; FILING DATE: 10-OCT-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/462,798
; FILING DATE: 05-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Carter, Charles G.
; REGISTRATION NUMBER: 35,093
; REFERENCE/DOCKET NUMBER: 8648.49USF1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 612/371-5278
; TELEFAX: 612/332-9081
; TELEX:
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:

;; LENGTH: 119 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; HYPOTHETICAL: NO
;; ANTI-SENSE: NO
;; FRAGMENT TYPE: internal
;; ORIGINAL SOURCE:
US-08-767-128-6

Query Match 69.0%; Score 40; DB 3; Length 119;
Best Local Similarity 77.8%; Pred. No. 4.6;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSA 9
Db 97 ARHYGYA 105
|||:||||

RESULT 2
US-08-053-131-84
; Sequence 84, Application US/08053131
; Patent No. 5661016
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5661016-Human Animals for
; TITLE OF INVENTION: Producing Heterologous Antibodies
; NUMBER OF SEQUENCES: 197
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: One Market Plaza, Steuart Tower, Suite 200
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/053,131
; FILING DATE: 26-APR-1993
; CLASSIFICATION: 800

; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/990,860
; FILING DATE: 16-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/810,279
; FILING DATE: 17-DEC-1991

; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/853,408
; FILING DATE: 18-MAR-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-9-3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422

; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-053-131-84

Query Match 63.8%; Score 37; DB 1; Length 36;
Best Local Similarity 70.0%; Pred. No. 4.6;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 3 ARHYGSGSY 12
|||:||||

RESULT 3
US-08-645-641-84
; Sequence 84, Application US/08645641
; Patent No. 5719032
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5719032-Human Animals for
; TITLE OF INVENTION: Producing Heterologous Antibodies
; NUMBER OF SEQUENCES: 150
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: William M. Smith
; STREET: Two Embarcadero Center, 8th Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/645,641
; FILING DATE: 20-MAY-1996
; CLASSIFICATION: 800

; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/904,068
; FILING DATE: 23-JUN-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-000913
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422

; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-645-641-84

Query Match 63.8%; Score 37; DB 1; Length 36;
Best Local Similarity 70.0%; Pred. No. 4.6;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 3 ARHYGSGSY 12
|||:||||

RESULT 4
US-07-853-408B-84
; Sequence 84, Application US/07853408B
; Patent No. 5789650
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5789650-Human Animals for
; TITLE OF INVENTION: Producing Heterologous Antibodies

NUMBER OF SEQUENCES: 150
CORRESPONDENCE ADDRESS:
ADDRESSEE: William M. Smith
STREET: One Market Plaza, Steuart Tower, Suite 2000
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/853.408B
FILING DATE: 19920318
CLASSIFICATION: 800
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 14643-9
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-326-2400
TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: AMINO ACID
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-07-853-408B-84

Query Match 53.8%; Score 37; DB 1; Length 36;
Best Local Similarity 70.0%; Pred. No. 4.6;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
||| ||| :|
Db 3 ARHYGSGSY 12

RESULT 5
US-08-096-762-84
Sequence 84, Application US/08096762
Patent No. 5814318
GENERAL INFORMATION:
APPLICANT: Lonberg, Nils
APPLICANT: Kay, Robert M.
TITLE OF INVENTION: Transgenic No. 5814318-Human Animals for
Producing Heterologous Antibodies
NUMBER OF SEQUENCES: 210
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Kourie and Crew
STREET: One Market Plaza, Steuart Tower, Suite 200
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/096.762
FILING DATE: 22-JUL-1993
CLASSIFICATION: 800
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/053,131
FILING DATE: 26-APR-1993
PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 07/990,860
FILING DATE: 16-DEC-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/904,068
FILING DATE: 23-JUN-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/853,408
FILING DATE: 18-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/810,279
FILING DATE: 17-DEC-1991
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 14643-9-4
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-326-2400
TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-096-762-84.

Query Match 63.8%; Score 37; DB 2; Length 36;
Best Local Similarity 70.0%; Pred. No. 4.6;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
||| ||| :|
Db 3 ARHYGSGSY 12

RESULT 6
US-08-308-865-84
Sequence 84, Application US/08308865
Patent No. 5877397
GENERAL INFORMATION:
APPLICANT: Lonberg, Nils
APPLICANT: Kay, Robert M.
TITLE OF INVENTION: Transgenic No. 5877397-Human Animals for
Producing Heterologous Antibodies
NUMBER OF SEQUENCES: 150
CORRESPONDENCE ADDRESS:
ADDRESSEE: William M. Smith
STREET: One Market Plaza, Steuart Tower, Suite 2000
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/308,865
FILING DATE:
CLASSIFICATION: 800
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/145,707
FILING DATE:
APPLICATION NUMBER: US 07/904,068
FILING DATE: 23-JUN-1992
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 14643-9-1-1
TELECOMMUNICATION INFORMATION:

TELEPHONE: 415-326-2400
TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-308-865-84

Query Match 63.8%; Score 37; DB 2; Length 36;
Best Local Similarity 70.0%; Pred. No. 4.6;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
||| ||| :|
Db 3 ARHYGSGSY 12

RESULT 7

PCT-US92-10983-84

Sequence 84, Application PC/TUS9210983
GENERAL INFORMATION:
APPLICANT: Lonberg, Nils
APPLICANT: Kay, Robert M.
TITLE OF INVENTION: Transgenic Non-Human Animals for
Producing Heterologous Antibodies
NUMBER OF SEQUENCES: 152
CORRESPONDENCE ADDRESS:
ADDRESSEE: William M. Smith
STREET: One Market Plaza, Steuart Tower, Suite 2000
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US92/10983
FILING DATE: 19921217
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 14643-9-2
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-326-2400
TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: AMINO ACID
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
PCT-US92-10983-84

Query Match 63.8%; Score 37; DB 4; Length 36;
Best Local Similarity 70.0%; Pred. No. 4.6;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
||| ||| :|
Db 3 ARHYGSGSY 12

RESULT 8

US-08-872-784-4
Sequence 4, Application US/08872784
Patent No. 5776753
GENERAL INFORMATION:
APPLICANT: Hillman, Jennifer L.
APPLICANT: Shah, Purvi
APPLICANT: Corley, Neil C.
TITLE OF INVENTION: HUMAN PEROXISOMAL THIOESTERASE
NUMBER OF SEQUENCES: 4
CORRESPONDENCE ADDRESS:
ADDRESSEE: Incyte Pharmaceuticals, Inc.
STREET: 3174 Porter Drive
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94304
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/872,784
FILING DATE: Filed Herewith
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Billings, Lucy J.
REGISTRATION NUMBER: 36,749
REFERENCE/DOCKET NUMBER: PF-0293 US
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-855-0555
TELEFAX: 415-845-4166
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 349 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
IMMEDIATE SOURCE:
LIBRARY: GenBank
CLONE: 854594
US-08-872-784-4
Query Match 62.1%; Score 36; DB 1; Length 349;
Best Local Similarity 60.0%; Pred. No. 60;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;
Qy 1 ARHNYGSYAY 10
||| ||| :||
Db 247 ARYNYVAFAY 256
RESULT 9
US-09-100-851-4
Sequence 4, Application US/09100851
Patent No. 5911984
GENERAL INFORMATION:
APPLICANT: Hillman, Jennifer L.
APPLICANT: Shah, Purvi
APPLICANT: Corley, Neil C.
TITLE OF INVENTION: HUMAN PEROXISOMAL THIOESTERASE
NUMBER OF SEQUENCES: 4
CORRESPONDENCE ADDRESS:
ADDRESSEE: Incyte Pharmaceuticals, Inc.
STREET: 3174 Porter Drive
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94304
COMPUTER READABLE FORM:

;; MEDIUM TYPE: Diskette
;; COMPUTER: IBM Compatible
;; OPERATING SYSTEM: DOS
;; SOFTWARE: FastSeq for Windows Version 2.0
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/100,851
;; FILING DATE:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US/08/872,784
;; FILING DATE:
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Billings, Lucy J.
;; REGISTRATION NUMBER: 36,749
;; REFERENCE/DOCKET NUMBER: PF-0293 US
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 415-855-0555
;; TELEFAX: 415-845-4166
;; INFORMATION FOR SEQ ID NO: 4:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 349 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; IMMEDIATE SOURCE:
;; LIBRARY: GenBank
;; CLONE: 854594
;; US-09-100-851-4

Query Match 62.1%; Score 36; DB 2; Length 349;
Best Local Similarity 60.0%; Pred. No. 60;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNYGSYAY 10
||:|||||
Db 247 ARNYVAFY 256

RESULT 10
US-08-851-822A-1
; Sequence 1, Application US/08851822A
; Patent No. 5834241
; GENERAL INFORMATION:
; APPLICANT: Hillman, Jennifer L.
; APPLICANT: Lal, Preeti
; APPLICANT: Corley, Neil C.
; TITLE OF INVENTION: NEW VESICLE TRAFFICKING PROTEIN
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/851,822A
; FILING DATE: Filed Herewith
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0290 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-855-0555
; TELEFAX: 415-845-4166

;; INFORMATION FOR SEQ ID NO: 1:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 120 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; IMMEDIATE SOURCE:
;; LIBRARY: LUNGFZT03
;; CLONE: 2358277
;; US-08-851-822A-1

Query Match 58.6%; Score 34; DB 2; Length 120;
Best Local Similarity 71.4%; Pred. No. 46;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 4 NYGSYAY 10
|||||
Db 14 NYGNYG 20

RESULT 11
US-09-184-384-1
; Sequence 1, Application US/09184384
; Patent No. 5986057
; GENERAL INFORMATION:
; APPLICANT: Hillman, Jennifer L.
; APPLICANT: Lal, Preeti
; APPLICANT: Corley, Neil C.
; TITLE OF INVENTION: NEW VESICLE TRAFFICKING PROTEIN
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/184,384
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/851,822
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0290 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-855-0555
; TELEFAX: 415-845-4166
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 120 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; IMMEDIATE SOURCE:
; LIBRARY: LUNGFZT03
; CLONE: 2358277
; US-09-184-384-1

Query Match 58.6%; Score 34; DB 2; Length 120;
Best Local Similarity 71.4%; Pred. No. 46;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 4 NYGSYAY 10

Db 14 NYGNYG 20

RESULT 12

US-08-532-547-5
; Sequence 5, Application US/08532547
; Patent No. 5861543
; GENERAL INFORMATION:
; APPLICANT: LAMBERT, BART
; APPLICANT: JANSSENS, STEFAN
; APPLICANT: VAN AUDENHOVE, KATRIN
; APPLICANT: PEEROEN, MARNIX
; APPLICANT: VAN RIE, JEROEN
; APPLICANT: VAN AARSEN, ROEL
; TITLE OF INVENTION: NEW BACILLUS THURINGIENSIS STRAINS AND THEIR
; TITLE OF INVENTION: INSECTICIDAL PROTEINS.
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Birch, Stewart, Kolasch & Birch, LLP
; STREET: P.O. Box 747
; CITY: Falls Church
; STATE: Virginia
; COUNTRY: USA
; ZIP: 22040-0747
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/532.547
; FILING DATE: 06-DEC-1996
; CLASSIFICATION: 800
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, LEONARD R.
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 2121-109P
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050
; TELEX: 248345
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1157 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-532-547-5

Query Match 58.6%; Score 34; DB 2; Length 1157;
Best Local Similarity 60.0%; Pred. No. 4.1e+02;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

OY 1 ARHNYGSYAY 10
Db 774 ARENYPTVIY 783

RESULT 13

US-08-379-656B-5
; Sequence 5, Application US/08379656B
; Patent No. 5885371
; GENERAL INFORMATION:
; APPLICANT: Lambert Bart
; APPLICANT: Janssens, Stefan
; APPLICANT: Van Audenhove, Katrien
; APPLICANT: Peferoen, Marnix
; TITLE OF INVENTION: NEW BACILLUS THURINGIENSIS STRAINS AND
; TITLE OF INVENTION: THEIR INSECTICIDAL PROTEINS
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:

; ADDRESSEE: BIRCH, STEWART, KOLASCH & BIRCH
; STREET: 8110 Gatehouse Road, Suite 500 East
; CITY: Falls Church
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22042
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/379,656B
; FILING DATE: 23-MAR-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/EP93/01820
; FILING DATE: 12-JULY-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 93400949.9
; FILING DATE: 09-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 92402358.8
; FILING DATE: 27-AUG-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Svensson, Leonard R.
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 2121-104P
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050
; TELEX: 248345
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1157 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-379-656B-5

Query Match 58.6%; Score 34; DB 2; Length 1157;
Best Local Similarity 60.0%; Pred. No. 4.1e+02;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

OY 1 ARHNYGSYAY 10
Db 774 ARENYPTVIY 783

RESULT 14

US-08-455-838-5
; Sequence 5, Application US/08455838
; Patent No. 6028246
; GENERAL INFORMATION:
; APPLICANT: Lambert Bart
; APPLICANT: Janssens, Stefan
; APPLICANT: Van Audenhove, Katrien
; APPLICANT: Peferoen, Marnix
; TITLE OF INVENTION: NEW BACILLUS THURINGIENSIS STRAINS AND
; TITLE OF INVENTION: THEIR INSECTICIDAL PROTEINS
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH & BIRCH
; STREET: 8110 Gatehouse Road, Suite 500 East
; CITY: Falls Church
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22042
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25

;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/455,838
;; FILING DATE: 31-MAY-1995
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: PCT/EP93/01820
;; FILING DATE: 12-JULY-1993
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 93400949.9
;; FILING DATE: 09-APR-1993
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 92402358.8
;; FILING DATE: 27-AUG-1992
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Svensson, Leonard R.
;; REGISTRATION NUMBER: 30,330
;; REFERENCE/DOCKET NUMBER: 2121-106P
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (703) 205-8000
;; TELEFAX: (703) 205-8050
;; TELEX: 248345
;; INFORMATION FOR SEQ ID NO: 5:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 1157 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-08-455-838-5

Query Match 58.6%; Score 34; DB 3; Length 1157;
Best Local Similarity 60.0%; Pred. No. 4.1e+02;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
||| ||:| |
Db 774 ARENYPTYIY 783

RESULT 15

US-09-019-809-5
;; Sequence 5, Application US/09019809
;; Patent No. 6143550
;; GENERAL INFORMATION:
;; APPLICANT: LAMBERT, BART
;; APPLICANT: JANSSENS, STEFAN
;; APPLICANT: VAN AUDENHOVE, KATRIN
;; APPLICANT: PEEROEN, MARNIX
;; APPLICANT: VAN RIE, JEROEN
;; APPLICANT: VAN AARSEN, ROEL
;; TITLE OF INVENTION: NEW BACILLUS THURINGIENSIS STRAINS AND THEIR
;; TITLE OF INVENTION: INSECTICIDAL PROTEINS.
;; NUMBER OF SEQUENCES: 9
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Birch, Stewart, Kolasch & Birch, LLP
;; STREET: P.O. Box 747
;; CITY: Falls Church
;; STATE: Virginia
;; COUNTRY: USA
;; ZIP: 22040-0747
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25 (BPO)
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/019,809
;; FILING DATE: 02-FEB-1998
;; CLASSIFICATION: 435
;; ATTORNEY/AGENT INFORMATION:
;; NAME: SVENSSON, LEONARD R.
;; REGISTRATION NUMBER: 30,330
;; REFERENCE/DOCKET NUMBER: 2121-135P
;; TELECOMMUNICATION INFORMATION:

;; TELEPHONE: (703) 205-8000
;; TELEFAX: (703) 205-8050
;; TELEX: 248345
;; INFORMATION FOR SEQ ID NO: 5:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 1157 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-09-019-809-5

Query Match 58.6%; Score 34; DB 3; Length 1157;
Best Local Similarity 60.0%; Pred. No. 4.1e+02;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
||| ||:| |
Db 774 ARENYPTYIY 783

Search completed: March 28, 2001, 06:39:12
Job time: 766 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:41:55 ; Search time 141.45 Seconds
(without alignments)
4.800 Million cell updates/sec

Title: US-09-016-061-64

Perfect score: 59

Sequence: 1 ARHNYGSFDY 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39.5	66.9	137	2 H32513	Ig heavy chain pre
2	39	66.1	316	2 T15395	hypothetical prote
3	39	66.1	544	2 S75388	probable phenylala
4	38	64.4	82	2 I51106	Major Histocompati
5	38	64.4	89	2 S38688	MHC class II histo
6	38	64.4	89	2 S38683	MHC class II histo
7	38	64.4	89	2 S38684	MHC class II histo
8	38	64.4	117	2 S17586	Ig heavy chain V r
9	38	64.4	225	2 I47095	MHC class II OVAR-
10	38	64.4	605	2 E71334	probable GTP-bindi
11	37.5	63.6	369	2 T04947	hypothetical prote
12	37	62.7	315	2 T46993	hypothetical prote
13	37	62.7	337	2 D64888	outer membrane por
14	36.5	61.9	139	2 S01158	Ig heavy chain pre
15	36	61.0	86	2 D33989	Ig heavy chain V-4
16	36	61.0	369	2 S70847	outer membrane por
17	36	61.0	394	2 S34263	outer membrane por
18	36	61.0	446	2 T19625	hypothetical prote
19	36	61.0	602	2 B71561	probable GTPase -
20	36	61.0	602	2 B72088	GTP-binding protei
21	36	61.0	602	2 B61714	GTP-binding protei
22	36	61.0	783	1 S02755	outer membrane ush
23	36	61.0	922	2 T03854	hypothetical prote
24	36	61.0	1116	2 I54378	gene XI04 protein
25	35	59.3	32	2 PH1735	Ig heavy chain V r
26	35	59.3	81	2 F82731	hypothetical prote
27	35	59.3	108	2 S26316	Ig heavy chain V r
28	35	59.3	110	2 S26317	Ig heavy chain V r
29	35	59.3	304	2 B83032	probable permease

30	35	59.3	371	2 T24853	hypothetical prote
31	35	59.3	420	2 I51088	L-SP precursor - J
32	35	59.3	458	2 T34574	hypothetical prote
33	35	59.3	536	2 T24218	hypothetical prote
34	35	59.3	587	2 E69171	conserved hypothet
35	35	59.3	1166	2 S70413	DNA-directed RNA p
36	34.5	58.5	80	2 S25050	Ig heavy chain V r
37	34.5	58.5	102	2 S25025	Ig heavy chain - m
38	34.5	58.5	106	2 S25036	Ig heavy chain V r
39	34.5	58.5	111	2 S25052	Ig heavy chain V r
40	34.5	58.5	111	2 S25055	Ig heavy chain V r
41	34.5	58.5	111	2 S25054	Ig heavy chain V r
42	34.5	58.5	111	2 S25031	Ig heavy chain V r
43	34.5	58.5	111	2 S25051	Ig heavy chain V r
44	34.5	58.5	111	2 S25030	Ig heavy chain V r
45	34.5	58.5	111	2 S25024	Ig heavy chain V r

ALIGNMENTS

RESULT 1

H32513
Ig heavy chain precursor V region (BXW16) - mouse
C:Species: Mus musculus (house mouse)
C>Date: 21-May-1990 #sequence_revision 31-Dec-1990 #text_change 21-Jan-2000
C:Accession: H32513
R:Kofler, R.; Strohal, R.; Balderas, R.S.; Johnson, M.E.; Noonan, D.J.; Duchosal, M.A
J. Clin. Invest. 82, 852-860, 1988
A:Title: Immunoglobulin kappa light chain variable region gene complex organization a
A:Reference number: A94689; MUID:88331394
A:Accession: H32513
A:Molecule type: DNA
A:Residues: 1-137 <KOF>
A:Cross-references: GB:M20831; NID:g196949; PIDN:AAA38848.1; PID:g196950
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:34-117/Domain: immunoglobulin homology <IMM>

Query Match 66.9%; Score 39.5; DB 2; Length 137;
Best Local Similarity 81.8%; Pred. No. 4.1;
Matches 9; Conservative 0; Mismatches 1; Indels 1; Gaps 1;

QY 1 ARHNYG-SFDY 10
||| ||| ||| ||| |||
Db 116 ARKNGSSFDY 126

RESULT 2

T15395
hypothetical protein C03F11.2 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C>Date: 20-Sep-1999 #sequence_revision 20-Sep-1999 #text_change 20-Sep-1999
C:Accession: T15395
R:Bentley, D.
A:Description: The sequence of C. elegans cosmid C03F11.
A:Reference number: Z18342
A:Accession: T15395
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-316 <BEN>
A:Cross-references: EMBL:U39744; NID:g1049465; PID:g1049467; PIDN:AAA8040.1; CESP:CO
C:Genetics:
A:Introns: 90/3; 133/2; 171/1; 227/1; 262/1; 309/2

Query Match 66.1%; Score 39; DB 2; Length 316;
Best Local Similarity 60.0%; Pred. No. 12;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
||| :||:|
Db 69 ARHFGSYVEY 78

RESULT 3

S75388
probable phenylalanine--tRNA ligase (EC 6.1.1.20) beta chain - Sulfolobus solfataricus
N;Alternate names: phenylalanyl-tRNA synthetase beta chain; protein c04021
C;Species: Sulfolobus solfataricus
C;Date: 09-Oct-1997 #sequence_revision 24-Oct-1997 #text_change 20-Jun-2000
C;Accession: S75388
R;Sensen, C.W.; Klenk, H.P.; Singh, R.K.; Allard, G.; Chan, C.C.Y.; Liu, Q.Y.; Penny, S.
Mol. Microbiol. 22, 175-191, 1996
A;Title: Organizational characteristics and information content of an archaeal genome: 1
A;Reference number: S73076; MUID:97055432
A;Accession: S75388
A;Status: nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-544 <SPN>
A;Cross-references: EMBL:Y08257; NID:g1707772; PIDN:CAA69550.1; PID:g1707793
A;Experimental source: strain P2
A;Note: the nucleotide sequence was submitted to the EMBL Data Library, September 1996
C;Superfamily: yeast cytosolic phenylalanine--tRNA ligase alpha chain
C;Keywords: aminoacyl-tRNA synthetase; ATP; ligase; protein biosynthesis

Query Match 66.1%; Score 39; DB 2; Length 544;
Best Local Similarity 85.7%; Pred. No. 20;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NYGSFDY 10
|||||

Db 350 NYGSYDY 356
|||||

RESULT 4

I51106
Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)
C;Species: Phasianus colchicus (ring-necked pheasant)
C;Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999
C;Accession: I51106
R;Witzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.
Immunogenetics 39, 395-403, 1994
A;Title: Molecular characterization of three Mhc class II B haplotypes in the ring-necked pheasant
A;Reference number: I51103; MUID:94245280
A;Accession: I51106
A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: DNA
A;Residues: 1-82 <WIT>

A;Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927
C;Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.4%; Score 38; DB 2; Length 82;
Best Local Similarity 75.0%; Pred. No. 4.6;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSFD 9
|||||

Db 75 RHNYGVFE 82
|||||

RESULT 5

S38688
MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushbaby
C;Species: Galago senegalensis (northern lesser bushbaby)
C;Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
C;Accession: S38688
R;Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A;Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from
A;Reference number: S38676

A;Accession: S38688
A;Molecule type: DNA
A;Residues: 1-89 <FIG>
A;Cross-references: EMBL:Z27158
C;Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.4%; Score 38; DB 2; Length 89;
Best Local Similarity 75.0%; Pred. No. 5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSFD 9
|||||

Db 75 RHNYGVFE 82
|||||

RESULT 6

S38683
MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
C;Species: Galago senegalensis (northern lesser bushbaby)
C;Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
C;Accession: S38683
R;Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A;Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from
A;Reference number: S38676
A;Accession: S38683
A;Molecule type: DNA
A;Residues: 1-89 <FIG>

A;Cross-references: EMBL:Z27153
C;Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.4%; Score 38; DB 2; Length 89;
Best Local Similarity 75.0%; Pred. No. 5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSFD 9
|||||

Db 75 RHNYGVFE 82
|||||

RESULT 7

S38684
MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
C;Species: Galago senegalensis (northern lesser bushbaby)
C;Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
C;Accession: S38684
R;Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A;Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from
A;Reference number: S38676
A;Accession: S38684
A;Molecule type: DNA
A;Residues: 1-89 <FIG>

A;Cross-references: EMBL:Z27154
C;Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.4%; Score 38; DB 2; Length 89;
Best Local Similarity 75.0%; Pred. No. 5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSFD 9
|||||

Db 75 RHNYGVFE 82
|||||

RESULT 8

Iq7586
Ig heavy chain V region (E8) - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 22-Nov-1993 #sequence_revision 26-May-1995 #text_change 21-Jan-2000

C:Accession: SI7586
R:MyIvaganam, S.E.; Paterson, Y.; Kaiser, K.; Bowdish, K.; Getzoff, E.D.
J. Mol. Biol. 221, 455-462, 1991
A:Title: Biochemical implications from the variable gene sequences of an anti-cytochrome forms.
A:Reference number: SI7586; MUID:92015240
A:Accession: SI7586
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-117 <MYL>
A:Cross-references: EMBL:X60683; NID:g51820; PIDN:CAA43095.1; PID:g51821
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 64.4%; Score 38; DB 2; Length 117;
Best Local Similarity 60.0%; Pred. No. 6.6;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
| :||:|
Db 97 AGDYGNEDY 106
| :||:|

RESULT 9
I47095
MHC class II OVAR-DR-beta-3 - sheep (fragment)
C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000
C:Accession: I47095
R:Fabb, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.
Anim. Genet. 24, 249-255, 1993
A:Title: Isolation, characterization and evolution of ovine major histocompatibility complex class II genes.
A:Reference number: I47095; MUID:94057592
A:Accession: I47095
A>Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-225 <FAB>
A:Cross-references: GB:L04790; NID:g458880; PIDN:AAA16562.1; PID:g458881
C:Genetics:
A:Gene: OVAR-DRB3
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology
F:98-163/Domain: immunoglobulin homology <IMM>

Query Match 64.4%; Score 38; DB 2; Length 225;
Best Local Similarity 75.0%; Pred. No. 13;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
| :||:|
Db 68 RHNYGVFE 75
| :||:|

RESULT 10
E71314
probable GTP-binding membrane protein (lepA) - syphilis spirochete
C:Species: Treponema pallidum subsp. pallidum (syphilis spirochete)
C:Date: 24-Jul-1998 #sequence_revision 24-Jul-1998 #text_change 26-Aug-1999
C:Accession: E71314
R:Fraser, C.M.; Norris, S.J.; Weinstock, G.M.; White, O.; Sutton, G.G.; Dodson, R.; Gwinn, J.; Khalak, H.; Richardson, D.; Howell, J.K.; Chidambaram, M.; Utterback, T.; McDermott, L.; Weidman, J.; Smith, H.O.; Venter, J.C.
Science 281, 375-388, 1998
A:Title: Complete genome sequence of Treponema pallidum, the syphilis spirochete.
A:Reference number: A71250; MUID:98332770
A:Accession: E71314
A>Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-605 <COL>
A:Cross-references: GB:AE001227; GB:AE000520; NID:g3322797; PIDN:AAC65498.1; PID:g332280
A:Experimental source: strain Nichols

C:Genetics:
A:Gene: TP0510
C:Superfamily: GTP-binding membrane protein lepA; translation elongation factor Tu ho
C:Keywords: GTP binding; P-loop
F:11-140/Domain: translation elongation factor Tu homology <ETU>
F:17-24/Region: nucleotide-binding motif A (P-loop)
F:137-140/Region: GTP-binding NKXD motif
F:168-170/Region: GTP-binding SAK/L motif
F:23,24,59,137,138,140,168/Binding site: Mg-GTP (Lys, Ser, Thr, Asn, Lys, Asp, Ser) #

Query Match 64.4%; Score 38; DB 2; Length 605;
Best Local Similarity 75.0%; Pred. No. 34;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFDY 10
| :||:|
Db 470 HGVASEFDY 477
| :||:|

RESULT 11
T04947
hypothetical protein F7J7.100 - Arabidopsis thaliana
C:Species: Arabidopsis thaliana (mouse-ear cress)
C:Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 11-Jun-1999
C:Accession: T04947
R:Bevan, M.; Murphy, G.; Ridley, P.; Hudson, S.; Bancroft, I.; Mewes, H.W.; Mayer, K.
submitted to the Protein Sequence Database, July 1998
A:Reference number: Z15391
A:Accession: T04947
A:Molecule type: DNA
A:Residues: 1-369 <BEV>
A:Cross-references: EMBL:AL021960
A:Experimental source: cultivar Columbia; BAC clone F7J7
C:Genetics:
A:Map position: 4
A:Introns: 14/1; 41/2; 98/3; 153/2; 203/3; 244/3; 276/3
A:Note: F7J7.100

Query Match 63.6%; Score 37.5; DB 2; Length 369;
Best Local Similarity 61.5%; Pred. No. 25;
Matches 8; Conservative 0; Mismatches 0; Indels 5; Gaps 1;

QY 3 HNYGS----FDY 10
| :||:|
Db 269 HNYGSVKLVQVFDY 281
| :||:|

RESULT 12
T46993
hypothetical protein [Imported] - Yersinia pestis
C:Species: Yersinia pestis
C:Date: 17-Mar-2000 #sequence_revision 17-Mar-2000 #text_change 02-Sep-2000
C:Accession: T46993
R:Buchrieser, C.; Rusniok, C.; Couve, E.; Frangeul, L.; Billault, A.; Kunst, F.; Carn
submitted to the EMBL Data Library, October 1998
A:Description: DNA sequence of the 102 kbases unstable region of Yersinia pestis.
A:Reference number: Z24348
A:Accession: T46993
A>Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-315 <BUC>
A:Cross-references: EMBL:AL031866; PIDN:CAA21336.1
A:Experimental source: strain 6/69
C:Superfamily: outer membrane protein phoE

Query Match 62.7%; Score 37; DB 2; Length 315;
Best Local Similarity 85.7%; Pred. No. 27;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10

Db 105 DYGSFDY 111
:|||||

RESULT 13

D64888
outer membrane porin bl377 precursor - Escherichia coli
C:Species: Escherichia coli
C>Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 20-Aug-1999
C:Accession: D64888
R:Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; Cohen, A.; Rose, D.J.; Mau, B.; Shao, Y.
Science 277, 1453-1462, 1997
A:Title: The complete genome sequence of Escherichia coli K-12.
A:Reference number: A64720; MUID:97426617
A:Accession: D64888
A:Status: nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-377 <BLAT>
A:Cross-references: GB:AE000234; GB:U00096; NID:gl787633; PIDN:AAC74459.1; PID:gl787641;
A:Experimental source: strain K-12, substrain M61655
C:Superfamily: outer membrane protein porin
C:Keywords: membrane protein; porin; trimer
F:1-21/Domain: signal sequence #status predicted <SIG>
F:22-377/Product: probable outer membrane porin bl377 #status predicted <OPP>

Query Match 62.7%; Score 37; DB 2; Length 377;
Best Local Similarity 85.7%; Pred. No. 32;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
:|||||

Db 106 DYGSFDY 112

RESULT 14

S01158
Ig heavy chain precursor (clone c40) - African clawed frog (fragment)
C:Species: Xenopus laevis (African clawed frog)
C>Date: 21-Nov-1993 #sequence_revision 08-Nov-1996 #text_change 21-Jan-2000
C:Accession: S01158
R:Schwager, J.; Grossberger, D.; du Pasquier, L.
EMBO J. 7, 2409-2415, 1988
A:Title: Organization and rearrangement of immunoglobulin M genes in the amphibian Xenopus laevis
A:Reference number: S01158; MUID:89052653
A:Accession: S01158
A:Molecule type: mRNA
A:Residues: 1-139 <SCH>
A:Cross-references: EMBL:X14919
A:Note: the sequence of residues 1-18 is not shown
C:Superfamily: immunoglobulin V region; immunoglobulin homology
F:1-18/Domain: signal sequence (fragment) #status predicted <SIG>
F:19-139/Product: Ig heavy chain (fragment) #status predicted <MAT>
F:19-134/Domain: V-D-J region #status predicted <VRE>
F:32-114/Domain: immunoglobulin homology <IMM>
F:135-139/Domain: C region (mu chain) (fragment) #status predicted <CRE>

Query Match 61.9%; Score 36.5; DB 2; Length 139;
Best Local Similarity 72.7%; Pred. No. 15;
Matches 8; Conservative 0; Mismatches 2; Indels 1; Gaps 1;

QY 1 ARHN-YGSFDY 10
:|||||

Db 113 ARHPIYGGFDY 123

RESULT 15

D33989
Ig heavy chain V-4-D-J region - African clawed frog
C:Species: Xenopus laevis (African clawed frog)
C>Date: 23-Mar-1990 #sequence_revision 23-Mar-1990 #text_change 09-May-1997

C:Accession: D33989
R:Hsu, E.; Schwager, J.; Alt, F.W.
Proc. Natl. Acad. Sci. U.S.A. 86, 8010-8014, 1989
A:Title: Evolution of immunoglobulin genes: V-H families in the amphibian Xenopus.
A:Reference number: A33989; MUID:90046727
A:Accession: D33989
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: mRNA
A:Residues: 1-86 <HSU>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotrimer; immunoglobulin

Query Match 61.0%; Score 36; DB 2; Length 86;
Best Local Similarity 60.0%; Pred. No. 11;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
:|||||

Db 66 ARYGVGAEDY 75

Search completed: March 28, 2001, 06:41:56
Job time: 879 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:52 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-60
Perfect score: 58
Sequence: 1 ARNHGSPAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15: *
1: sp_archaea: *
2: sp_bacteria: *
3: sp_fungi: *
4: sp_human: *
5: sp_invertebrate: *
6: sp_mammal: *
7: sp_mhc: *
8: sp_organelle: *
9: sp_phase: *
10: sp_plant: *
11: sp_rodent: *
12: sp_virus: *
13: sp_vertebrate: *
14: sp_unclassified: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	39	67.2	222	2 Q9JZF5	Q9jzf5 neisseria m
2	39	67.2	243	2 Q9JUT9	Q9juj9 neisseria m
3	38	65.5	839	10 Q9LIE5	Q9lie5 arabisdopsi
4	37	63.8	150	1 Q27842	Q27842 methanobact
5	37	63.8	257	2 Q9K023	Q9k023 neisseria m
6	37	63.8	257	2 Q9JVS5	Q9jvs5 neisseria m
7	37	63.8	326	2 Q9RJG3	Q9rjg3 streptomyce
8	37	63.8	711	2 Q59369	Q59369 escherichia
9	36	62.1	1049	12 Q83611	Q83611 ectromelia
10	35	60.3	105	12 Q9Q911	Q9q911 fowl adenov
11	35	60.3	233	2 Q9KRA6	Q9kra6 vibrio chol
12	35	60.3	272	5 Q24950	Q24950 fasciola he
13	35	60.3	272	5 Q24951	Q24951 fasciola he
14	35	60.3	282	2 Q9ZA29	Q9za29 streptomyce
15	35	60.3	282	2 Q9K578	Q9k578 legionella
16	35	60.3	480	1 Q28764	Q28764 archaeoglob
17	35	60.3	483	10 Q9LES4	Q9les4 arabisdopsi
18	35	60.3	534	10 Q9LGI6	Q9lgi6 oryza sativ
19	35	60.3	615	11 Q63614	Q63614 rattus norv

20	35	60.3	651	10	Q22781	Q22781 arabisdopsi
21	35	60.3	736	10	Q9SVX7	Q9svx7 arabisdopsi
22	35	60.3	788	4	Q9P2E5	Q9p2e5 homo sapien
23	35	60.3	977	10	Q9S9V3	Q9s9v3 arabisdopsi
24	35	60.3	1875	5	Q93691	Q93691 caenorhabdi
25	34	58.6	137	12	Q9PY61	Q9py61 pepper leaf
26	34	58.6	154	2	Q9Z9C6	Q9z9c6 chlamydia p
27	34	58.6	170	2	Q9RY07	Q9ry07 delnococtus
28	34	58.6	231	2	Q9KK73	Q9kk73 brevibacter
29	34	58.6	236	10	Q40088	Q40088 ipomoea bat
30	34	58.6	274	2	Q9XAY5	Q9xay5 pelobacter
31	34	58.6	339	9	Q38009	Q38009 bacterioph
32	34	58.6	378	8	Q9TMH5	Q9tmh5 tulbaghia f
33	34	58.6	379	2	Q25568	Q25568 helicobacte
34	34	58.6	381	2	Q9ZKT9	Q9zkt9 helicobacte
35	34	58.6	385	9	Q64373	Q64373 lactobacill
36	34	58.6	415	10	Q22872	Q22872 arabisdopsi
37	34	58.6	426	2	Q9KUL5	Q9kul5 vibrio chol
38	34	58.6	446	5	Q62086	Q62086 caenorhabdi
39	34	58.6	463	5	Q44923	Q44923 caenorhabdi
40	34	58.6	483	12	Q9JGT4	Q9jgt4 northern ce
41	34	58.6	489	2	P72495	P72495 streptomyce
42	34	58.6	489	2	P72497	P72497 streptomyce
43	34	58.6	649	5	Q9VA48	Q9va48 drosophila
44	34	58.6	685	5	Q9V6C3	Q9v6c3 drosophila
45	34	58.6	2831	2	O85166	O85166 bruceella ab

ALIGNMENTS

RESULT 1
Q9JZF5 ID Q9JZF5 PRELIMINARY: PRT: 222 AA.
AC Q9JZF5;
DT 01-OCT-2000 (Tremblrel. 15, Created)
DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)
DT 01-OCT-2000 (Tremblrel. 15, Last annotation update)
DE DNAA-RELATED PROTEIN.
GN NMB1076.
OS Neisseria meningitidis (serogroup B).
OC Bacteria; Proteobacteria; beta subdivision; Neisseriaceae; Neisseria.
OX NCBI_TaxID=491;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=MC58 / SEROGROUP B;
RX MEDLINE=20175755; PubMed=10710307;
RA Tettelin H., Saunders N.J., Heidelberg J., Jeffries A.C., Nelson K.E., Eisen J.A., Ketchum K.A., Hood D.W., Peden J.F., Dodson R.J., Nelson W.C., Gwinn M.L., DeBoy R., Peterson J.D., Hickey E.K., Haft D.H., Salzberg S.L., White O., Fleischmann R.D., Dougherty B.A., Mason T., Ciecko A., Parksey D.S., Blair E., Clifton H., Clark E.B., Cotton M.D., Utterback T.R., Khouri H., Qin H., Vamathevan J., Gill J., Scarlato V., Maignani V., Pizzi M., Grandi G., Sun L., Smith H.O., Fraser C.M., Moxon E.R., Rappuoli R., Venter J.C.;
RT "Complete genome sequence of Neisseria meningitidis serogroup B strain MC58.";
RL Science 287:1809-1815(2000).
DR EMBL; AE002458; AAF41471.1; -.
DR TIGR; NMB1076; -.
SQ SEQUENCE 222 AA; 25427 MW; ECB0D2AA88FC9086 CRC64;

Query Match 67.2%; Score 39; DB 2; Length 222;
Best Local Similarity 66.7%; Pred. No. 9.1;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHHGSPAY 10
|| || ||
DB 32 RHHGQFIY 40

RESULT 2

```

Q9JUJ9
ID Q9JUJ9 PRELIMINARY; PRT; 243 AA.
AC Q9JUJ9;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE HYPOTHETICAL PROTEIN NMA1279.
GN NMA1279.
OS Neisseria meningitidis (serogroup A).
OC Bacteria; Proteobacteria; beta subdivision; Neisseriaceae; Neisseria.
OX NCBI_TaxID=65699;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=22491 / SEROGROUP A / SEROTYPE 4A;
RX MEDLINE=20222556; PubMed=10761919;
RA Parkhill J., Achtman M., James K.D., Bentley S.D., Churcher C.,
RA Klee S.R., Morelli G., Basham D., Brown D., Chillingworth T.,
RA Davies R.M., Davis P., Devlin K., Feltwell T., Hamlin N., Holroyd S.,
RA Jagels K., Leather S., Moulie S., Mungall K., Quail M.A.,
RA Rajandream M.A., Rutherford K.M., Simmonds M., Skelton J.,
RA Whitehead S., Spratt B.G., Barrell B.G.;
RT "Complete DNA sequence of a serogroup A strain of Neisseria
RT meningitidis 22491."
RL Nature 404:502-506(2000).
DR EMBL; AL162755; CAB84531.1; -.
KW Hypothetical protein.
SQ SEQUENCE 243 AA; 27882 MW; E83E4E1B9498A8DF CRC64;

Query Match 67.2%; Score 39; DB 2; Length 243;
Best Local Similarity 66.7%; Pred. No. 9.9;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNGSFAY 10
DB 53 RHKGQFIY 61

RESULT 3
Q9LIE5
ID Q9LIE5 PRELIMINARY; PRT; 839 AA.
AC Q9LIE5;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety pl,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AP001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 65.5%; Score 38; DB 10; Length 839;
Best Local Similarity 75.0%; Pred. No. 52;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 ARNHGGSF 8
DB 274 SRNYGSF 281

RESULT 4
O27642
ID O27642 PRELIMINARY; PRT; 150 AA.
AC O27642;
DT 01-JAN-1998 (TrEMBLrel. 05, Created)
DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE DEOXYCYTIDINE-TRIPHOSPHATE DEAMINASE RELATED PROTEIN.
GN MTH1605.
OS Methanobacterium thermoautotrophicum.
OC Archaea; Euryarchaeota; Methanobacteriales; Methanobacteriaceae;
OC Methanobacterium.
OX NCBI_TaxID=2166;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=DELTA H;
RX MEDLINE=98037514; PubMed=9371463;
RA Smith D.R., Doucette-Stamm L.A., Deloughery C., Lee H.-M., Dubois J.,
RA Aldredge T., Bashirzadeh R., Blakely D., Cook R., Gilbert K.,
RA Harrison D., Hoang L., Keagle P., Lumm W., Pothier B., Qiu D.,
RA Spadafora R., Vicare R., Wang Y., Wierzbowski J., Gibson R.,
RA Jiwni N., Caruso A., Bush D., Safer H., Patwell D., Prabhakar S.,
RA McDougall S., Shimer G., Goyal A., Pietrowski S., Church G.M.,
RA Daniels C.J., Mao J.-I., Rice P., Nolling J., Reeve J.N.;
RT "Complete genome sequence of Methanobacterium thermoautotrophicum
RT deltaH: functional analysis and comparative genomics."
DR EMBL; AE000920; AAB86078.1; -.
DR INTERPRO; IPR001428; -.
DR INTERPRO; IPR003232; -.
DR PFAM; PF00692; dUTPase; 1.
DR PRODOM; PD004900; -.
SQ SEQUENCE 150 AA; 16996 MW; AFA09D55FB371648 CRC64;

Query Match 63.8%; Score 37; DB 1; Length 150;
Best Local Similarity 62.5%; Pred. No. 14;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNHGSFAY 10
DB 115 HNHGEY 122

RESULT 5
Q9K023
ID Q9K023 PRELIMINARY; PRT; 257 AA.
AC Q9K023;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE HYPOTHETICAL PROTEIN NMB0803.
GN NMB0803.
OS Neisseria meningitidis (serogroup B).
OC Bacteria; Proteobacteria; beta subdivision; Neisseriaceae; Neisseria.
OX NCBI_TaxID=491;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=MC58 / SEROGROUP B;
RX MEDLINE=20175755; PubMed=10710307;
RA Tettelin H., Saunders N.J., Heidelberg J., Jeffries A.C., Nelson K.E.,
RA Eisen J.A., Ketchum K.A., Hood D.W., Peden J.F., Dodson R.J.,
RA Nelson W.C., Gwinn M.L., DeBoy R., Peterson J.D., Hickey E.K.,
RA Haft D.H., Salzberg S.L., White O., Fleischmann R.D., Dougherty B.A.,
RA Mason T., Ciecko A., Parksey D.S., Blair E., Ciftone H., Clark E.B.,
RA Cotton M.D., Utterback T.R., Khouri H., Qin H., Vamathevan J.,
RA Gill J., Scarlato V., Maignani V., Pizza M., Grandi G., Sun L.,
RA Smith H.O., Fraser C.M., Moxon E.R., Rappuoli R., Venter J.C.;

```


RT "Complete genome sequence of Neisseria meningitidis serogroup B strain
 MC58.";
 RL Science 287:1809-1815(2000).
 DR EMBL: AF002434; AAF41216.1; -;
 DR TIGR: NMB0803; -;
 SQ SEQUENCE 257 AA; 28718 MW; 0BD50624D6B90C77 CRC64;

Query Match 63.8%; Score 37; DB 2; Length 257;
 Best Local Similarity 62.5%; Pred. No. 25;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNHGSFAY 10

Db 246 HNHSAVAY 253

RESULT 6

Q9JVG3 ID Q9JVG3 PRELIMINARY; PRT; 257 AA.

AC Q9JVG3; DT 01-OCT-2000 (TRENBLrel. 15, Created)

DT 01-OCT-2000 (TRENBLrel. 15, Last sequence update)

DT 01-OCT-2000 (TRENBLrel. 15, Last annotation update)

DE HYPOTHETICAL PROTEIN NMA1013.

GN NMA1013.

OS Neisseria meningitidis (serogroup A).

OC Bacteria; Proteobacteria; beta subdivision; Neisseriaceae; Neisseria.

OX NCBI_TaxID=65699;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=22491 / SEROGROUP A / SEROTYPE 4A;

RX MEDLINE=20222556; PubMed=10761919;

RA Parkhill J., Achtman M., James K.D., Bentley S.D., Churcher C.,

Klee S.R., Morelli G., Basham D., Brown D., Chillingworth T.,

Davies R.M., Davis P., Devlin K., Feltham T., Hamlin N., Holroyd S.,

Jagels K., Leather S., Moule S., Mungall K., Quail M.A.,

Rajandream M.A., Rutherford K.M., Simmonds M., Skelton J.,

Whitehead S., Spratt B.G., Barrell B.G.;

"Complete DNA sequence of a serogroup A strain of Neisseria

meningitidis 22491.";

RL Nature 404:502-506(2000).

DR EMBL: AL162754; CAB84282.1; -;

KW Hypothetical protein.

SQ SEQUENCE 257 AA; 28734 MW; 021A28C018F35281 CRC64;

Query Match 63.8%; Score 37; DB 2; Length 257;

Best Local Similarity 62.5%; Pred. No. 25;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNHGSFAY 10

Db 246 HNHSAVAY 253

RESULT 7

Q9RJG3 ID Q9RJG3 PRELIMINARY; PRT; 326 AA.

AC Q9RJG3; DT 01-MAY-2000 (TRENBLrel. 13, Created)

DT 01-MAY-2000 (TRENBLrel. 13, Last sequence update)

DT 01-JUN-2000 (TRENBLrel. 14, Last annotation update)

DE PUTATIVE ARAC FAMILY TRANSCRIPTIONAL REGULATOR.

GN SCF76.11.

OS Streptomyces coelicolor.

OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;

OC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.

OX NCBI_TaxID=1902;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=A3(2);

RA Murphy L., Harris D.;

RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]

RP SEQUENCE FROM N.A.

RC STRAIN=A3(2);

RA Thomson N.R., Parkhill J., Barrell B.G., Rajandream M.A.;

RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 RN [3]

RP SEQUENCE FROM N.A.

RC STRAIN=A3(2);

RA Redenbach M., Kieser H.M., Denapate D., Eichner A., Cullum J.,

Kinashi H., Hopwood D.A.;

RT "A set of ordered cosmids and a detailed genetic and physical map for

the 8 Mb streptomyces coelicolor A3(2) chromosome.";

RL MOL. Microbiol. 21:77-96(1996).

DR EMBL: AL121600; CAB56731.1; -;

DR INTERPRO: IPR000005; -;

DR PFAM: PF00165; HTH_Arac; 1.

SQ SEQUENCE 326 AA; 34425 MW; 2FEF5346ACAC80D6 CRC64;

Query Match 63.8%; Score 37; DB 2; Length 326;

Best Local Similarity 85.7%; Pred. No. 31;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNGGSF 8

Db 85 RHGGSF 91

RESULT 8

Q59369 ID Q59369 PRELIMINARY; PRT; 731 AA.

AC Q59369;

DT 01-NOV-1996 (TRENBLrel. 01, Created)

DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)

DT 01-MAY-2000 (TRENBLrel. 13, Last annotation update)

DE HISTIDINE RICH P TYPE ATPASE.

GN HRA-1

OS Escherichia coli.

OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;

OC Escherichia.

OX NCBI_TaxID=562;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=95110304; PubMed=7811248;

RA Trenor C.C., Lin W., Andrews N.C.;

RT "Novel bacterial p-type ATPases with histidine-rich heavy-metal-

associated sequences.";

RL Biochem. Biophys. Res. Commun. 205:1644-1650(1994).

DR EMBL: U16658; AAA62113.1; -;

DR INTERPRO: IPR001757; -;

DR PFAM: PF00122; EI-E2_ATPase; 1.

KW PROSITE; PS00154; ATPASE_EI_E2; UNKNOWN_1.

KW Hydrolase; Transmembrane; Phosphorylation; ATP-binding.

FT MOD_RES 431 431 PHOSPHORYLATION (PROBABLE).

SQ SEQUENCE 731 AA; 78453 MW; 06237F155E151F0D CRC64;

Query Match 63.8%; Score 37; DB 2; Length 731;

Best Local Similarity 75.0%; Pred. No. 69;

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGGSF 8

Db 88 AHHHGSF 95

RESULT 9

Q83611 ID Q83611 PRELIMINARY; PRT; 1049 AA.

AC Q83611;

DT 01-NOV-1996 (TRENBLrel. 01, Created)

DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)

DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE A-TYPE INCLUSION PROTEIN.

GN ATT.
 OS Ectromelia virus.
 OC Viruses; dsDNA viruses, no RNA stage; Poxviridae; Chordopoxvirinae;
 OC Orthopoxvirus.
 OX NCBI_TaxID=12643;
 [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN=MP-1;
 RC Osterrieder N.;
 RA Submitted (NOV-1992) to the EMBL/GenBank/DBJ databases.
 RL [2]
 RN SEQUENCE FROM N.A.
 RP STRAIN=MP-1;
 RC Pedersen K., Hallbeck L., Arlinger J., Jahromi N., Erlandsson A.-C.;
 RA "Investigation of the potential for microbial contamination of deep
 RT granitic aquifers during drilling using molecular and culturing
 RT methods.";
 RL J. Microbiol. Methods 30:179-192(1997).
 [3]
 RN SEQUENCE FROM N.A.
 RP STRAIN=MP-1;
 RC MEDLINE=94353638; PubMed=8073633;
 RA Osterrieder N., Meyer M., Pfeiffer M.;
 RT "Characterization of the gene encoding the A-type inclusion body
 RT protein of mousepox virus";
 RL Virus Genes 8:125-135(1994).
 DR EMBL; X69325; CAA49168.1; -;
 SQ SEQUENCE 1049 AA; 122466 MW; 8CE334A695E8DFD3 CRC64;

Query Match 62.1%; Score 36; DB 12; Length 1049;
 Best Local Similarity 66.7%; Pred. No. 1.5e+02;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNGSFAY 10
 |||:|
 Db 771 RHNGSHCY 779

RESULT 10

Q09011 PRELIMINARY; PRT; 105 AA.
 AC Q09011;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DE HYPOTHETICAL 12.5 KDA PROTEIN.
 OS fowl adenovirus 8.
 OC Viruses; dsDNA viruses, no RNA stage; Adenoviridae; Aviadenovirus.
 OX NCBI_TaxID=66295;
 [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN=CFA40;
 RA Johnson M.A., Pooley C.;
 RT "Fowl adenovirus serotype 8 hypervirulent strain CFA40.";
 RL Submitted (JUN-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF155911; AAF17345.1; -;
 KW Hypothetical protein.
 SQ SEQUENCE 105 AA; 12478 MW; 8CAD01F3250E1F2F CRC64;

Query Match 60.3%; Score 35; DB 12; Length 105;
 Best Local Similarity 62.5%; Pred. No. 24;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNGSFAY 10
 | | | : | |
 Db 23 HMGTYAY 30

RESULT 11

Q9KRA6

ID Q9KRA6
 AC Q9KRA6;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE ARGINYL-TRNA-PROTEIN TRANSFERASE-RELATED PROTEIN.
 GN VC1736.
 OS Vibrio cholerae.
 OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
 OX NCBI_TaxID=666;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=EL TOR N16961 / SEROTYPE O1;
 RX MEDLINE=20406833; PubMed=10952301;
 RA Heidelberg J.F., Eisen J.A., Nelson W.C., Clayton R.A., Gwinn M.L.,
 RA Dodson R.J., Haft D.H., Hickey E.K., Peterson J.D., Umayam L.A.,
 RA Gill S.R., Nelson K.E., Read T.D., Tettelin H., Richardson D.,
 RA Ermolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P.,
 RA McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O.,
 RA Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C.,
 RA Fraser C.M.;
 RT "DNA sequence of both chromosomes of the cholera pathogen Vibrio
 RT cholerae.";
 RL Nature 406:477-483(2000).
 DR EMBL; AE004251; AAF94886.1; -;
 DT TIGR; VC1736;
 KW Transferase.
 SQ SEQUENCE 233 AA; 27350 MW; AEB6E95905EC2C3C CRC64;

Query Match 60.3%; Score 35; DB 2; Length 233;
 Best Local Similarity 85.7%; Pred. No. 52;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGGS 7
 ||| | | |
 Db 117 ARHRHGS 123

RESULT 12

Q24950 PRELIMINARY; PRT; 272 AA.
 AC Q24950;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
 DE VITELLINE PROTEIN B1 PRECURSOR.
 OS Fasciola hepatica (Liver fluke).
 OC Eukaryota; Metazoa; Platyhelminthes; Neodermata; Trematoda; Digenea;
 OC Echinostomida; Echinostomata; Fascioloidae; Fasciolidae; Fasciola.
 OX NCBI_TaxID=6192;
 [1]
 RN SEQUENCE FROM N.A.
 RP MEDLINE=93063029; PubMed=1435854;
 RA Rice-Ficht A.C., Dusek K.A., Kochevar G.J., Waite J.H.;
 RT "Eggsheal precursor proteins of Fasciola hepatica, I. Structure and
 RT expression of vitelline protein B.";
 RL Mol. Biochem. Parasitol. 54:129-141(1992).
 DR EMBL; M93024; AAA29143.1; -;
 KW Signal.
 FT SIGNAL 1 19 POTENTIAL.
 FT CHAIN 20 272 VITELLINE PROTEIN B1.
 SQ SEQUENCE 272 AA; 31211 MW; BFCFDBEF6736BDCA CRC64;

Query Match 60.3%; Score 35; DB 5; Length 272;
 Best Local Similarity 75.0%; Pred. No. 61;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARNHGGSF 8
 ||| | | |
 Db 19 ARHPHGKE 26

```

RESULT 13
Q24951 ID Q24951 PRELIMINARY; PRT; 272 AA.
AC Q24951;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DE VITELLINE PROTEIN B2 PRECURSOR.
OS Fasciola hepatica (Liver fluke).
OC Eukaryota; Metazoa; Platyhelminthes; Neodermata; Trematoda; Digenea;
OC Echinostomida; Echinostomata; Fasciolidae; Fasciolidae; Fasciola.
OX NCBI_TaxID=6192;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93063029; PubMed=1435854;
RA Rice-Ficht A.C., Dusek K.A., Kochevar G.J., Waite J.H.;
RT "EggsHELL precursor proteins of Fasciola hepatica, I. Structure and
RT expression of vitelline protein B."
RL Mol. Biochem. Parasitol. 54:129-141(1992).
DR EMBL; M93025; AAA29144.1; -.
KW Signal.
FT SIGNAL 1 19 POTENTIAL.
FT CHAIN 20 272 VITELLINE PROTEIN B2.
SQ SEQUENCE 272 AA; 31418 MW; 27D51230F278F6CC CRC64;

Query Match 60.3%; Score 35; DB 5; Length 272;
Best Local Similarity 75.0%; Pred. No. 61;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGFSF 8
   ||| |||
Db 19 ARHPHGKF 26

RESULT 14
Q9ZA29 ID Q9ZA29 PRELIMINARY; PRT; 282 AA.
AC Q9ZA29;
DT 01-MAY-1999 (TREMBLrel. 10, Created)
DT 01-MAY-1999 (TREMBLrel. 10, Last sequence update)
DT 01-MAY-1999 (TREMBLrel. 10, Last annotation update)
DE GRA-ORF30 PROTEIN.
GN GRA-ORF30.
OS Streptomyces violaceoruber.
OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
OC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=1935;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=TU22;
RX MEDLINE=99051446; PubMed=9831526;
RA Ichinose K., Bedford D.J., Tornus D., Bechthold A., Bibb M.J.,
RA Revill W.P., Floss H.G., Hopwood D.A.;
RT "The granaticin biosynthetic gene cluster of Streptomyces
RT violaceoruber tu22: sequence analysis and expression in a heterologous
RT host."
RL Chem. Biol. 5:647-659(1998).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=TU22;
RX MEDLINE=90060034; PubMed=2583128;
RA Sherman D.H., Malpartida F., Bibb M.J., Kleser H.M., Bibb M.J.,
RA Hopwood D.A.;
RT "Structure and deduced function of the granaticin-producing polyketide
RT synthase gene cluster of Streptomyces violaceoruber tu22."
RL EMBO J. 8:2717-2725(1998).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=TU22;
RX MEDLINE=96027933; PubMed=7476861;

```

```

RA Bechthold A., Sohng J.K., Smith T.M., Chu X., Floss H.G.;
RT "Identification of Streptomyces violaceoruber Tu22 genes involved in
RT the biosynthesis of granaticin."
RL Mol. Gen. Genet. 248:610-620(1995).
DR EMBL; AJ011500; CAA09657.1; -.
SQ SEQUENCE 282 AA; 29904 MW; A7CF6D686CFDCE8A CRC64;

Query Match 60.3%; Score 35; DB 2; Length 282;
Best Local Similarity 100.0%; Pred. No. 63;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 5 HGSFAY 10
   |||||
Db 162 HGSFAY 167

RESULT 15
Q9K578 ID Q9K578 PRELIMINARY; PRT; 282 AA.
AC Q9K578;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE FEZ-1 PROTEIN.
GN BLAFeZ-1.
OS Legionella gormanii.
OC Bacteria; Proteobacteria; gamma subdivision; Legionellaceae group;
OC Legionellaceae; Legionella.
OX NCBI_TaxID=40334;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CCUG 12267;
RA Boschi L., Mercuri P.S., Riccio M.L., Amicosante G., Galleni M.,
RA Frere J.M., Rossolini G.M.;
RT "The Legionella (Fluoribacter) gormanii metallo-beta-lactamase: a new
RT member of the highly divergent lineage of molecular subclass B3 beta-
RT lactamases."
RL Antimicrob. Agents Chemother. 44:1538-1543(2000).
DR EMBL; Y17896; CAB96921.1; -.
SQ SEQUENCE 282 AA; 31465 MW; B91A75E99A17CC5F CRC64;

Query Match 60.3%; Score 35; DB 2; Length 282;
Best Local Similarity 85.7%; Pred. No. 63;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 4 NHGSFAY 10
   |||||
Db 15 NHGSFAY 21

```

Search completed: March 28, 2001, 07:27:56
Job time: 1669 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:34 ; Search time 183.85.Seconds
(without alignments)
1.860 Million cell updates/sec

Title: US-09-016-061-60

Perfect score: 58

Sequence: 1 ARHNGSPAY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	58	100.0	10	19	W76020
2	52	89.7	10	19	W76010
3	52	89.7	117	19	W76001
4	52	89.7	117	19	W76003
5	52	89.7	117	20	Y06381
6	52	89.7	117	20	Y06387
7	52	89.7	118	20	Y06384
8	52	89.7	118	20	Y06385
9	52	89.7	118	20	Y06386
10	52	89.7	118	20	Y06383
11	52	89.7	130	20	Y06379
12	51	87.9	10	19	W76037

13	49	84.5	10	19	W76021	LM609 grafted anti
14	47	81.0	10	19	W76038	LM609 grafted anti
15	46	79.3	10	19	W76022	LM609 grafted anti
16	46	79.3	10	19	W76023	LM609 grafted anti
17	45	77.6	10	19	W76024	LM609 grafted anti
18	45	77.6	10	19	W76025	LM609 grafted anti
19	45	77.6	10	19	W76026	LM609 grafted anti
20	45	77.6	10	19	W76027	LM609 grafted anti
21	45	77.6	10	19	W76028	LM609 grafted anti
22	45	77.6	10	19	W76029	LM609 grafted anti
23	45	77.6	10	19	W76030	LM609 grafted anti
24	44	75.9	110	20	W84099	Vitronectin alpha-
25	44	75.9	117	20	W84093	Murine vitronectin
26	44	75.9	117	20	W84097	Humanised anti-alp
27	43	74.1	8	20	Y06371	Murine monoclonal
28	41	70.7	10	19	W76039	LM609 grafted anti
29	41	70.7	10	19	W76040	Human IgE receptor
30	36	62.1	117	16	R79157	Human IgE receptor
31	36	62.1	117	16	R79155	Human IgE receptor
32	36	62.1	117	18	W27357	Heavy chain variab
33	36	62.1	117	18	W27526	Heavy chain variab
34	36	62.1	117	18	W27354	Heavy chain variab
35	36	62.1	239	20	W73874	Human antiFc epsll
36	36	62.1	242	20	W73876	Human antiFc epsll
37	35	60.3	286	20	Y43477	Amino acid sequenc
38	35	60.3	772	20	Y13401	Amino acid sequenc
39	34	58.6	99	20	Y29137	Amino acid sequenc
40	34	58.6	165	20	Y34655	Chlamydia pneumoni
41	34	58.6	204	19	W59609	DNA-binding/dimerl
42	34	58.6	238	21	Y70730	Klebsiella oxytoca
43	34	58.6	349	20	Y08620	Yeast CoA thioeste
44	34	58.6	358	19	W98649	H. pylori GHPO 403
45	34	58.6	489	18	W01556	Acilavinone C-11 by

ALIGNMENTS

RESULT 1

W76020
ID W76020 standard; Protein; 10 AA.

XX W76020;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #2.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; anglogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

OS Mus sp.

XX WO9833919-A2.

PN 06-AUG-1998.

PD 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

PA (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

PI WPI; 1998-437472/37.

XX N-PSDB; V49857.

DR Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

XX

PT

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 58; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0001;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFAY 10
 |||||
 Db 1 arnhgstay 10

RESULT 2

W76010
 ID W76010 standard; Protein; 10 AA.

XX W76010;
 XX
 XX 02-NOV-1998 (first entry)
 XX LM609 grafted antibody V-H region CDR3 protein fragment #1.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW - diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.

XX W09833919-A2.
 XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49847.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX

PS Disclosure; Page 40; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 89.7%; Score 52; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0012;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFAY 10
 |||||
 Db 1 arnhgstay 10

RESULT 3

W76001
 ID W76001 standard; Protein; 117 AA.

XX W76001;

XX 02-NOV-1998 (first entry)

XX Vitaxin antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW - diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX Mus sp.

XX W09833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49820.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX

XX Claim 1; Fig 1a; 129pp; English.

XX This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;

Query Match 89.7%; Score 52; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.017; 0; Indels 0; Gaps 0;
 Matches 9; Conservative 1; Mismatches 0;

Qy 1 ARHNHGSFAY 10
 ||||:||||
 Db 97 arnygsfay 106

RESULT 4

ID W76003 standard; Protein; 117 AA.

AC W76003;

DT 02-NOV-1998 (first entry)

DE LM609 antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX Mus sp.

XX W09633919-A2.

PN 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; V49822.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 89.7%; Score 52; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.017; 0; Indels 0; Gaps 0;
 Matches 9; Conservative 1; Mismatches 0;

Qy 1 ARHNHGSFAY 10
 ||||:||||
 Db 97 arnygsfay 106

RESULT 5

ID Y06381 standard; Protein; 117 AA.

XX Y06381;

XX 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 VH region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; Integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus musculus.

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 89.7%; Score 52; DB 20; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.017;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNHGSFAY 10
 ||||:||||
 Db 97 arnygsfay 106

RESULT 6

ID Y06387 standard; Protein; 117 AA.

XX Y06387;

AC Y06387;

XX

DT 06-SEP-1999 (first entry)

XX DE Humanised LM609 antibody VH domain.

XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Homo sapiens.

OS Synthetic.

XX FH Key Location/Qualifiers

FT Peptide 1..2 /note= "vector-encoded residues"

FT Region 31..35 /note= "CDR1"

FT Region 50..66 /note= "CDR2"

FT Region 107..117 /note= "CDR3"

XX PN WO9929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX XX WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 52; 55pp; English.

XX CC This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 117 AA;

Query Match 89.7%; Score 52; DB 20; Length 117;

Best Local Similarity 90.0%; Pred. No. 0.017; Mismatches 0; Indels 0; Gaps 0;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGGSFAY 10

Db | | | | | | | | | |

97 arhnygsfay 106

RESULT 7

Y06384

ID Y06384 standard; Protein; 118 AA.

XX AC Y06384;

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DE

XX KW Humanised LM609 antibody VH domain.

XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Homo sapiens.

OS Synthetic.

XX FH Key Location/Qualifiers

FT Peptide 1..2 /note= "vector-encoded residues"

FT Region 31..37 /note= "CDR1"

FT Region 52..67 /note= "CDR2"

FT Region 100..107 /note= "CDR3"

XX PN WO9929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX XX WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 51; 55pp; English.

XX CC This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 118 AA;

Query Match 89.7%; Score 52; DB 20; Length 118;

Best Local Similarity 90.0%; Pred. No. 0.017; Mismatches 0; Indels 0; Gaps 0;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGGSFAY 10

Db | | | | | | | | | |

98 arhnygsfay 107

RESULT 8

Y06385

ID Y06385 standard; Protein; 118 AA.

XX AC Y06385;

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

XX DT 06-SEP-1999 (first entry)

DE Humanised LM609 antibody VH domain.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX

OS Homo sapiens.
 OS Synthetic.

XX Key Location/Qualifiers
 FT Peptide 1..2
 FT Region /note= "vector-encoded residues"
 FT Region 31..37
 FT Region /note= "CDR1"
 FT Region 52..67
 FT Region /note= "CDR2"
 FT Region 100..107
 FT Region /note= "CDR3"

XX WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;

Query Match 89.7%; Score 52; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Caps 0;

QY 1 ARNHGSFAY 10
 Db 98 arhnygsfay 107
 ||||:||||

RESULT 9

Y06386
 ID Y06386 standard; Protein; 118 AA.

XX Y06386;

XX 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VH domain.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX

OS Homo sapiens.
 OS Synthetic.

XX Key Location/Qualifiers
 FT Peptide 1..2
 FT Region /note= "vector-encoded residues"
 FT Region 31..37
 FT Region /note= "CDR1"
 FT Region 52..67
 FT Region /note= "CDR2"
 FT Region 100..107
 FT Region /note= "CDR3"

XX WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 51-52; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;

Query Match 89.7%; Score 52; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Caps 0;

QY 1 ARNHGSFAY 10
 Db 98 arhnygsfay 107
 ||||:||||

RESULT 10

Y06383
 ID Y06383 standard; Protein; 118 AA.

XX Y06383;

XX 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VH domain.

KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 XX Synthetic.

XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"

XX WO9929888-A1.
 PN 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 PF
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX Barbas CF, Rader C;
 PI
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 51; 55pp; English.
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 89.7%; Score 52; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. NO. 0.017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARNHGSPAY 10
 DB 98 arnygsfay 107
 ||||:|||||

RESULT 11
 Y06379
 ID Y06379 standard; Protein; 130 AA.
 XX
 AC Y06379;
 XX
 DT 06-SEP-1999 (first entry)
 XX
 DE Murine monoclonal antibody LM609 V kappa.
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;

KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Mus musculus.

XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 28..32
 FT /note= "CDR1"
 FT Region 47..63
 FT /note= "CDR2"
 FT Region 96..103
 FT /note= "CDR3"

XX WO9929888-A1.
 PN 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 PF
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX Barbas CF, Rader C;
 PI
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 49-50; 55pp; English.
 XX This sequence represents the light chain V kappa region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 130 AA;

Query Match 89.7%; Score 52; DB 20; Length 130;
 Best Local Similarity 90.0%; Pred. NO. 0.019;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARNHGSPAY 10
 DB 94 arnygsfay 103
 ||||:|||||

RESULT 12
 W76037
 ID W76037 standard; Protein; 10 AA.
 XX
 AC W76037;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #13.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX Mus sp.
 XX WO9833919-A2.
 PN
 XX
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49874.
 DR
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 43; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 87.9%; Score 51; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0019;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARNHGSAFA 9
 Db | | | | | | | |
 1 arnhgsfa 9
 RESULT 13
 W76021
 ID W76021 standard; Protein; 10 AA.
 XX
 AC W76021;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #3.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX Mus sp.
 OS
 XX WO9833919-A2.
 PN

XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49858.
 DR
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 84.5%; Score 49; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.0043;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARNHGSFAY 10
 Db | | | | | | | |
 1 arhnygsay 10
 RESULT 14
 W76038
 ID W76038 standard; Protein; 10 AA.
 XX
 AC W76038;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #14.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX Mus sp.
 OS
 XX WO9833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 PR

PA (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 XX
 DR WPI: 1998-437472/37.
 DR N-PSDB; V49875.
 XX

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX

PS Claim 62; Page 43; 129pp; English.
 XX

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX

SQ Sequence 10 AA;

Query Match 81.0%; Score 47; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0099;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNHGSF 8
 |||||
 Db 1 arnhngsf 8

RESULT 15

W76022
 ID W76022 standard; Protein: 10 AA.

AC W76022;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #4.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

OS Mus sp.

XX WO9833919-A2.

PD 06-AUG-1998.

PF 30-JAN-1998; 98WO-US01826.

PR 30-JAN-1997; 97US-0791391.

PA (IXSY-) IXSYS INC.

PI Glaser SM, Huse WD;

XX WPI: 1998-437472/37.

DR N-PSDB; V49859.

XX

PT
 PT
 PT
 PT
 XX

Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 integrin - and related grafted antibodies based on murine monoclonal
 LM609, also related nucleic acid, used to treat, prevent or diagnose
 angiogenesis or restenosis

PS Claim 62; Page 41; 129pp; English.
 XX

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX

SQ Sequence 10 AA;

Query Match 79.3%; Score 46; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.015;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNHGSFAY 10
 |||||
 Db 1 arhnysfay 10

Search completed: March 28, 2001, 06:34:35
 Job time: 515 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:10 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: US-09-016-061-60
Perfect score: 58
Sequence: 1 ARNHGSPAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 segs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
4: /cgnl_7/ptodata/1/iaa/PCRUS_COMB.pep.*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES									
Result No..	Query %		Length	DB	ID	Description			
	Score	Match							
1	34	58.6	204	1	US-08-591-989-4	Sequence 4, Appl			
2	34	58.6	213	2	US-08-655-821-16	Sequence 16, Appl			
3	34	58.6	231	3	US-08-926-842B-20	Sequence 20, Appl			
4	34	58.6	240	3	US-08-926-842B-21	Sequence 21, Appl			
5	34	58.6	349	1	US-08-872-784-4	Sequence 4, Appl			
6	34	58.6	349	2	US-09-100-851-4	Sequence 4, Appl			
7	34	58.6	536	2	US-08-551-211-3	Sequence 3, Appl			
8	32	55.2	36	1	US-08-053-131-84	Sequence 84, Appl			
9	32	55.2	36	1	US-08-645-641-84	Sequence 84, Appl			
10	32	55.2	36	1	US-07-853-408B-84	Sequence 84, Appl			
11	32	55.2	36	2	US-08-096-762-84	Sequence 84, Appl			
12	32	55.2	36	2	US-08-308-865-84	Sequence 84, Appl			
13	32	55.2	36	4	PCT-US92-10983-84	Sequence 84, Appl			
14	32	55.2	103	2	US-08-596-319-31	Sequence 31, Appl			
15	32	55.2	123	2	US-08-652-816A-8	Sequence 8, Appl			
16	32	55.2	384	1	US-08-707-793A-5	Sequence 5, Appl			
17	32	55.2	384	1	US-08-707-792A-5	Sequence 5, Appl			
18	32	55.2	443	1	US-07-940-245-2	Sequence 2, Appl			
19	32	55.2	443	1	US-08-226-486-2	Sequence 2, Appl			
20	32	55.2	630	2	US-08-394-177-5	Sequence 5, Appl			
21	32	55.2	630	2	US-08-596-319-2	Sequence 2, Appl			
22	32	55.2	630	3	US-08-394-912A-5	Sequence 5, Appl			
23	32	55.2	907	3	US-08-938-830-26	Sequence 26, Appl			
24	32	55.2	907	3	US-09-020-222-26	Sequence 26, Appl			
25	32	55.2	3033	1	US-07-925-695-8	Sequence 8, Appl			
26	32	55.2	3033	1	US-07-925-695-9	Sequence 9, Appl			
27	31	53.4	14	3	US-08-956-307B-3	Sequence 3, Appl			
28	31	53.4	94	3	US-09-147-550-14	Sequence 14, Appl			

29	31	53.4	94	3	US-09-147-550-45	Sequence 45, Appl
30	31	53.4	94	3	US-09-147-550-48	Sequence 48, Appl
31	31	53.4	94	3	US-09-147-550-77	Sequence 77, Appl
32	31	53.4	94	3	US-09-147-550-84	Sequence 84, Appl
33	31	53.4	94	3	US-09-147-550-90	Sequence 90, Appl
34	31	53.4	94	3	US-09-147-550-101	Sequence 101, App
35	31	53.4	119	3	US-08-767-128-6	Sequence 6, Appl
36	31	53.4	392	3	US-08-979-917A-2	Sequence 2, Appl
37	31	53.4	393	3	US-08-979-917A-3	Sequence 3, Appl
38	31	53.4	462	1	US-08-267-092A-1	Sequence 1, Appl
39	31	53.4	462	2	US-08-540-412-1	Sequence 1, Appl
40	31	53.4	462	3	US-09-051-342-1	Sequence 1, Appl
41	31	53.4	462	3	US-08-468-161-1	Sequence 1, Appl
42	31	53.4	466	1	PCT-US95-08156-1	Sequence 1, Appl
43	31	53.4	466	1	US-08-785-066-2	Sequence 2, Appl
44	31	53.4	466	3	US-09-007-355-2	Sequence 2, Appl
45	31	53.4	466	3	US-08-913-489-2	Sequence 2, Appl

ALIGNMENTS

RESULT 1
US-08-591-989-4
; Sequence 4, Application US/08591989
; Patent No. 5795721
; GENERAL INFORMATION:
; APPLICANT: Ross S. Rabin, Sumedha Jayasena
; APPLICANT: and Larry Gold
; TITLE OF INVENTION: HIGH AFFINITY NUCLEIC
; TITLE OF INVENTION: ACID LIGANDS OF ICP4
; NUMBER OF SEQUENCES: 87
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Swanson & Bratschun, L.L.C.
; STREET: 8400 East Prentice Avenue, Suite #200
; CITY: Englewood
; STATE: Colorado
; COUNTRY: USA
; ZIP: 80111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.40 MB
; MEDIUM TYPE: storage
; COMPUTER: IBM COMPATIBLE
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 6.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/591,989
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Barry J. Swanson
; REGISTRATION NUMBER: 33,215
; REFERENCE/DOCKET NUMBER: NEX 49
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (303) 793-3333
; TELEFAX: (303) 793-3433
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 204
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-591-989-4

Query Match 58.6%; Score 34; DB 1; Length 204;
Best Local Similarity 75.0%; Pred. No. 53;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 1 ARNHGSPAY 8
DB 137 APHGCSF 144

RESULT 2
US-08-655-821-16
; Sequence 16, Application US/08655821
; Patent No. 5846718
; GENERAL INFORMATION:
; APPLICANT: Zhang, Ying
; APPLICANT: Scorplo, Angelo
; TITLE OF INVENTION: IDENTIFICATION OF PYRAZINAMIDE-RESISTANT
; TITLE OF INVENTION: MYCOBACTERIA AND METHODS FOR TREATING
; TITLE OF INVENTION: MYCOBACTERIAL INFECTIONS
; NUMBER OF SEQUENCES: 16
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CA
; COUNTRY: USA
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/655,821
; FILING DATE: 31-MAY-1996
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Ellison, Eldora L.
; REGISTRATION NUMBER: 39,967
; REFERENCE/DOCKET NUMBER: 07662/003001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 213 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-655-821-16

Query Match 58.6%; Score 34; DB 2; Length 213;
Best Local Similarity 100.0%; Pred. No. 55;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NHGSEA 9
Db 57 NHGSEA 62

RESULT 3
US-08-926-842B-20
; Sequence 20, Application US/08926842B
; Patent No. 6030807
; GENERAL INFORMATION:
; APPLICANT: Sa-No. 6030807ueira, Isabel
; APPLICANT: de Lencastre, Herminia
; TITLE OF INVENTION: HIGHLY REGULABLE PROMOTER FOR HETEROLOGOUS GENE
; TITLE OF INVENTION: EXPRESSION
; NUMBER OF SEQUENCES: 64
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Klauber & Jackson
; STREET: 411 Hackensack Avenue
; CITY: Hackensack
; STATE: New Jersey
; COUNTRY: USA
; ZIP: 07601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/926,842B
; FILING DATE: 10-SEP-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Jackson Esq., David A.
; REGISTRATION NUMBER: 26,742
; REFERENCE/DOCKET NUMBER: 600-1-089 N
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201 487-5800
; TELEFAX: 201 343-1684
; TELEX: 133521
; INFORMATION FOR SEQ ID NO: 20:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 231 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ORIGINAL SOURCE:
; ORGANISM: Escherichia coli
US-08-926-842B-20

Query Match 58.6%; Score 34; DB 3; Length 231;
Best Local Similarity 62.5%; Pred. No. 60;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HHGSEAY 10
Db 169 HSHGPF 176

RESULT 4
US-08-926-842B-21
; Sequence 21, Application US/08926842B
; Patent No. 6030807
; GENERAL INFORMATION:
; APPLICANT: Sa-No. 6030807ueira, Isabel
; APPLICANT: de Lencastre, Herminia
; TITLE OF INVENTION: HIGHLY REGULABLE PROMOTER FOR HETEROLOGOUS GENE
; TITLE OF INVENTION: EXPRESSION
; NUMBER OF SEQUENCES: 64
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Klauber & Jackson
; STREET: 411 Hackensack Avenue
; CITY: Hackensack
; STATE: New Jersey
; COUNTRY: USA
; ZIP: 07601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/926,842B
; FILING DATE: 10-SEP-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Jackson Esq., David A.
; REGISTRATION NUMBER: 26,742
; REFERENCE/DOCKET NUMBER: 600-1-089 N
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201 487-5800
; TELEFAX: 201 343-1684
; TELEX: 133521
; INFORMATION FOR SEQ ID NO: 21:
; SEQUENCE CHARACTERISTICS:

4
; LENGTH: 240 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; ORGANISM: Salmonella typhimurium
; US-08-926-842B-21

Query Match 58.6%; Score 34; DB 3; Length 240;
Best Local Similarity 62.5%; Pred. No. 62;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFAY 10
I:|:|:|:
Db 169 HSHGPFAY 176

RESULT 5
US-08-872-784-4
; Sequence 4, Application US/08872784
; Patent No. 5776753
; GENERAL INFORMATION:
; APPLICANT: Hillman, Jennifer L.
; APPLICANT: Shah, Purvi
; APPLICANT: Corley, Neil C.
; TITLE OF INVENTION: HUMAN PEROXISOMAL THIOESTERASE
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304

COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/872,784
FILING DATE: Filed Herewith
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Billings, Lucy J.

REGISTRATION NUMBER: 36,749
REFERENCE/DOCKET NUMBER: PF-0293 US
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-855-0555
TELEFAX: 415-845-4166

INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 349 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
IMMEDIATE SOURCE:
LIBRARY: GenBank
CLONE: 854594
US-08-872-784-4

Query Match 58.6%; Score 34; DB 1; Length 349;
Best Local Similarity 60.0%; Pred. No. 90;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNHGSFAY 10
|:|:|:|:

Db 247 ARYNYVAFAY 256

RESULT 6
US-09-100-851-4
; Sequence 4, Application US/09100851
; Patent No. 5911984
; GENERAL INFORMATION:
; APPLICANT: Hillman, Jennifer L.
; APPLICANT: Shah, Purvi
; APPLICANT: Corley, Neil C.
; TITLE OF INVENTION: HUMAN PEROXISOMAL THIOESTERASE
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304

COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/100,851
FILING DATE:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/872,784
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Billings, Lucy J.

REGISTRATION NUMBER: 36,749
REFERENCE/DOCKET NUMBER: PF-0293 US
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-855-0555
TELEFAX: 415-845-4166

INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 349 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
IMMEDIATE SOURCE:
LIBRARY: GenBank
CLONE: 854594
US-09-100-851-4

Query Match 58.6%; Score 34; DB 2; Length 349;
Best Local Similarity 60.0%; Pred. No. 90;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNHGSFAY 10
|:|:|:|:

Db 247 ARYNYVAFAY 256

RESULT 7
US-08-551-211-3
; Sequence 3, Application US/08551211
; Patent No. 5843735
; GENERAL INFORMATION:
; APPLICANT: LEE, Jung Joon
; APPLICANT: KIM, Young Ho
; APPLICANT: HONG, Soon Kwang
; APPLICANT: HONG, Young Soo
; APPLICANT: HWANG, Cheol Kyu
; APPLICANT: KIM, Hang Sub
; TITLE OF INVENTION: AKLAVINONE C-11 HYDROXYLASE, GENE CODING
; FOR SAME, EXPRESSION VECTOR THEREFOR, AND
; TITLE OF INVENTION: PROCESS FOR PREPARING HYBRID ANTIBIOTICS

TITLE OF INVENTION: BY USING SAID VECTOR
NUMBER OF SEQUENCES: 5
CORRESPONDENCE ADDRESS:
ADDRESSEE: LEE, Jung Joon
STREET: Hanbit Apt. 132-201, Oeun-dong, Youseong-ku
CITY: Daejeon
STATE: Daejeon
COUNTRY: Republic of Korea
ZIP: 305-333
ADDRESSEE: KIM, Young Ho
STREET: Hanbit Apt. 125-1504, Oeun-dong, Youseong-ku
CITY: Daejeon
STATE: Daejeon
COUNTRY: Republic of Korea
ZIP: 305-333
ADDRESSEE: HONG, Soon Kwang
STREET: #231-32 Mochung-dong
CITY: Cheongju-si
STATE: Chungcheongbuk-do
COUNTRY: Republic of Korea
ZIP: 360-140
ADDRESSEE: HONG, Young Soo
STREET: #San-1, Oeun-dong, Youseong-ku
CITY: Daejeon
STATE: Daejeon
COUNTRY: Republic of Korea
ZIP: 305-333
ADDRESSEE: HWANG, Cheol Kyu
STREET: #San-1, Oeun-dong, Youseong-ku
CITY: Daejeon
STATE: Daejeon
COUNTRY: Republic of Korea
ZIP: 305-333
ADDRESSEE: KIM, Hang Sub
STREET: Sindonga Apt. 11-1403, Yongjeon-dong, Dong-ku
CITY: Daejeon
STATE: Daejeon
COUNTRY: Republic of Korea
ZIP: 300-200
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette, 3.5 inch, 1.44 MB storage
COMPUTER: IBM PC/AT
OPERATING SYSTEM: MS-DOS
SOFTWARE: Word Perfect 5.1
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/551,211
FILING DATE: 31-OCT-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: KR 95-1950
FILING DATE: 2-MAR-1995
ATTORNEY/AGENT INFORMATION:
NAME: Shahan Islam
REGISTRATION NUMBER: 32,507
REFERENCE/DOCKET NUMBER: DT-1421
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 278-1000
TELEFAX: (212) 953-7249
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 536 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-551-211-3

Query Match 58.6%; Score 34; DB 2; Length 536;
Best Local Similarity 55.6%; Pred. No. 1.4e+02;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNHGSFAY 10.

Db 193 RHGHGTLAH 201
RESULT 8
US-08-053-131-84
; Sequence 84, Application US/08053131
; Patent No. 5661016
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5661016-Human Animals for
; PRODUCING HETEROLOGOUS ANTIBODIES
; NUMBER OF SEQUENCES: 197
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: One Market Plaza, Steuart Tower, Suite 200
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/053,131
; FILING DATE: 26-APR-1993
; CLASSIFICATION: 800
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/990,860
; FILING DATE: 16-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/810,279
; FILING DATE: 17-DEC-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/853,408
; FILING DATE: 18-MAR-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-9-3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422
; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-053-131-84

Query Match 55.2%; Score 32; DB 1; Length 36;
Best Local Similarity 60.0%; Pred. No. 21;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSFAY 10
Db 3 ARHYGSGSY 12

RESULT 9
US-08-645-641-84
; Sequence 84, Application US/08645641
; Patent No. 5719032
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5719032-Human Animals for

;; TITLE OF INVENTION: Producing Heterologous Antibodies
;; NUMBER OF SEQUENCES: 150
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: William M. Smith
;; STREET: Two Embarcadero Center, 8th Floor
;; CITY: San Francisco
;; STATE: California
;; COUNTRY: USA
;; ZIP: 94111-3834
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/645,641
;; FILING DATE: 20-MAY-1996
;; CLASSIFICATION: 800
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/904,068
;; FILING DATE: 23-JUN-1992
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Smith, William M.
;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 14643-000913
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 415-326-2400
;; TELEFAX: 415-326-2422
;; INFORMATION FOR SEQ ID NO: 84:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 36 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; US-08-645-641-84

Query Match 55.2%; Score 32; DB 1; Length 36;
Best Local Similarity 60.0%; Pred. No. 21;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNHGSFAY 10
Db 3 ARHYGSGSY 12

RESULT 10
US-07-853-408B-84
; Sequence 84, Application US/07853408B
; Patent No. 5789650
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; TITLE OF INVENTION: Transgenic No. 5789650-Human Animals for
; Producing Heterologous Antibodies
; NUMBER OF SEQUENCES: 150
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: William M. Smith
; STREET: One Market Plaza, Steuart Tower, Suite 2000
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US 07/904,068
; FILING DATE: 23-JUN-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/810,279
; FILING DATE: 17-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-9-4
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400

;; ATTORNEY/AGENT INFORMATION:
;; NAME: Smith, William M.
;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 14643-9
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 415-326-2400
;; TELEFAX: 415-326-2422
;; INFORMATION FOR SEQ ID NO: 84:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 36 amino acids
;; TYPE: AMINO ACID
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; US-07-853-408B-84

Query Match 55.2%; Score 32; DB 1; Length 36;
Best Local Similarity 60.0%; Pred. No. 21;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNHGSFAY 10
Db 3 ARHYGSGSY 12

RESULT 11
US-08-096-762-84
; Sequence 84, Application US/08096762
; Patent No. 5814318
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5814318-Human Animals for
; Producing Heterologous Antibodies
; NUMBER OF SEQUENCES: 210
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: One Market Plaza, Steuart Tower, Suite 200
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/096,762
; FILING DATE: 22-JUL-1993
; CLASSIFICATION: 800
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/053,131
; FILING DATE: 26-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/990,860
; FILING DATE: 16-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/904,068
; FILING DATE: 23-JUN-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/853,408
; FILING DATE: 18-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/810,279
; FILING DATE: 17-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-9-4
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400

TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-096-762-84

Query Match 55.2%; Score 32; DB 2; Length 36;
Best Local Similarity 60.0%; Pred. No. 21;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSEFAY 10
DB 3 ARHYGSGSY 12

RESULT 12
US-08-308-865-84
Sequence 84, Application US/08308865
Patent No. 5877397
GENERAL INFORMATION:
APPLICANT: Lonberg, Nils
TITLE OF INVENTION: Transgenic No. 5877397-Human Animals for
Producing Heterologous Antibodies
NUMBER OF SEQUENCES: 150
CORRESPONDENCE ADDRESS:
ADDRESSEE: William M. Smith
STREET: One Market Plaza, Steuart Tower, Suite 2000
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/308.865
FILING DATE:
CLASSIFICATION: 800
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/145.707
FILING DATE:
APPLICATION NUMBER: US 07/904.068
FILING DATE: 23-JUN-1992
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 14643-9-1-1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-326-2400
TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-308-865-84

Query Match 55.2%; Score 32; DB 2; Length 36;
Best Local Similarity 60.0%; Pred. No. 21;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSEFAY 10

DB 3 ARHYGSGSY 12

RESULT 13
PCT-US92-10983-84
Sequence 84, Application PC/TUS9210983
GENERAL INFORMATION:
APPLICANT: Lonberg, Nils
TITLE OF INVENTION: Transgenic Non-Human Animals for
Producing Heterologous Antibodies
NUMBER OF SEQUENCES: 152
CORRESPONDENCE ADDRESS:
ADDRESSEE: William M. Smith
STREET: One Market Plaza, Steuart Tower, Suite 2000
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94105
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US92/10983
FILING DATE: 19921217
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 14643-9-2
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-326-2400
TELEFAX: 415-326-2422
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: AMINO ACID
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
PCT-US92-10983-84

Query Match 55.2%; Score 32; DB 4; Length 36;
Best Local Similarity 60.0%; Pred. No. 21;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSEFAY 10
DB 3 ARHYGSGSY 12

RESULT 14
US-08-596-319-31
Sequence 31, Application US/08596319
Patent No. 5981262
GENERAL INFORMATION:
APPLICANT: Brugge, Joan
APPLICANT: Morgenstern, Jay
APPLICANT: Shiu, Lily
APPLICANT: Zydowsky, Lynne
APPLICANT: Zoller, Mark
APPLICANT: Pawson, Anthony
TITLE OF INVENTION: HUMAN syk
NUMBER OF SEQUENCES: 33
CORRESPONDENCE ADDRESS:
ADDRESSEE: ARIAD Pharmaceuticals, Inc.
STREET: 26 Landsdowne Street
CITY: Cambridge
STATE: MA

;; COUNTRY: USA
;; ZIP: 02139
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/596,319
;; FILING DATE: 31-JAN-1996
;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: WO US94/04540
;; FILING DATE: 25-APR-1994
;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/052,560
;; FILING DATE: 23-APR-1993
;; CLASSIFICATION: 435
;; ATTORNEY/AGENT INFORMATION:
;; NAME: BERSTEIN, David L.
;; REGISTRATION NUMBER: 31,235
;; REFERENCE/DOCKET NUMBER: ARIAD305A-PCT/US
;; TELEPHONE: (617) 494-0400
;; TELEFAX: (617) 494-0208
;; INFORMATION FOR SEQ ID NO: 31:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 103 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-08-596-319-31

Query Match 55.2%; Score 32; DB 2; Length 103;
Best Local Similarity 66.7%; Pred. No. 59;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGSFA 9
|||:|:|
Db 29 ARDNNGSYA 37

RESULT 15
US-08-652-816A-8
; Sequence 8, Application US/08652816A
; Patent No. 5872215
; GENERAL INFORMATION:
; APPLICANT: Osbourn, JK
; APPLICANT: Allen, DJ
; TITLE OF INVENTION: Specific binding members, materials and
; TITLE OF INVENTION: methods.
; NUMBER OF SEQUENCES: 53
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
; STREET: 6300 Sears Tower, 233 South Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: United States of America
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/652,816A
; FILING DATE: 23-MAY-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: GB 9125579.4
; FILING DATE: 02-DEC-1991

;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: GB 9125579.8
;; FILING DATE: 02-DEC-1991
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: GB 9206318.9
;; FILING DATE: 24-MAR-1992
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: GB 9206372.6
;; FILING DATE: 23-SEP-1992
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: GB 9525004.9
;; FILING DATE: 07-DEC-1995
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: GB 9610824.6
;; FILING DATE: 23-MAY-1996
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: PCT/GB92/02240
;; FILING DATE: 02-DEC-1992
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/244,597
;; FILING DATE: 01-JUN-1994
;; ATTORNEY/AGENT INFORMATION:
;; NAME: David W. Clough
;; REGISTRATION NUMBER: 36,107
;; REFERENCE/DOCKET NUMBER: 28111/33308
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 312-474-6300
;; INFORMATION FOR SEQ ID NO: 8:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 123 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; US-08-652-816A-8

Query Match 55.2%; Score 32; DB 2; Length 123;
Best Local Similarity 60.0%; Pred. No. 70;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 1 ARNHGSFAY 10
|||||
Db 97 ARHNHNYELY 106

Search completed: March 28, 2001, 06:39:11
Job time: 765 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:29:54 ; Search time 124.69 Seconds
(without alignments)
2.562 Million cell updates/sec

Title: US-09-016-061-64
Perfect score: 59
Sequence: 1 ARHNYGSFDY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	42	71.2	349	1 PHOE_KLEOX	Q01606 klebsiella
2	42	71.2	351	1 PHOE_KLEPN	P30704 klebsiella
3	39	66.1	316	1 YX12-CAEEL	Q11123 caenorhabdi
4	38	64.4	605	4 LEPA_TREPA	O83523 treponema p
5	37	62.7	282	1 OMPD-SALTY	P37592 salmonella
6	37	62.7	374	1 OMPF-SERMA	O33980 serratia ma
7	37	62.7	376	1 OMPC-SERMA	Q54471 serratia ma
8	37	62.7	377	1 OMPN-ECOLI	P77747 escherichia
9	37	62.7	383	1 OMS2-SALTY	Q56111 salmonella
10	37	62.7	789	1 LP1B-DROME	P11996 drosophila
11	36	61.0	369	1 OMPF-XENNE	O56828 xenorhabdus
12	36	61.0	394	1 OMS1-SALTY	Q56110 salmonella
13	36	61.0	602	1 LEPA-CHLPN	Q92814 chlamydia p
14	36	61.0	602	1 LEPA-CHLTR	O84067 chlamydia t
15	36	61.0	783	1 FAND-ECOLI	P12050 escherichia
16	35	59.3	536	1 YNR2-CAEEL	Q21988 caenorhabdi
17	35	59.3	1166	1 RPA2-EUPOC	P28365 euplotes oc
18	34	58.5	131	1 YRAN-ECOLI	P45465 escherichia
19	34	57.6	102	1 RNPB-PENBR	P07446 penicillium
20	34	57.6	105	1 RNF2-GIBBA	P16412 gibberella
21	34	57.6	146	1 LYC2-PIG	P12068 sus scrofa
22	34	57.6	264	1 HB24-MOUSE	P20040 mus musculus
23	34	57.6	264	1 HB2J-MOUSE	P18468 mus musculus
24	34	57.6	264	1 HB2J-MOUSE	P18469 mus musculus
25	34	57.6	275	1 IF2A-PYRAB	Q9V0E4 pyrococcus
26	34	57.6	275	1 IF2A-PYRHO	O58655 pyrococcus
27	34	57.6	284	1 IPYR-PICPA	O13505 pichia past
28	34	57.6	286	1 IPYR-KLULA	P13998 kluyveromyc
29	34	57.6	286	1 IPYR-YEAST	P00817 saccharomyc
30	34	57.6	351	1 PHOE-CITER	Q01605 citrobacter
31	34	57.6	360	1 MANB-BACSU	P55278 bacillus su
32	34	57.6	448	1 ASTB-PSEAE	O50175 pseudomonas
33	34	57.6	798	1 YLFN-CAEEL	Q20296 caenorhabdi

34	34	57.6	1323	1 RRPO-SMYEA	P28897 strawberry
35	33.5	56.8	274	1 PK1_NPVOB	O10259 orgyia pseu
36	33	55.9	65	1 CCSA-OENBE	P31565 oenochera b
37	33	55.9	196	1 WBBJ-ECOLI	P37750 escherichia
38	33	55.9	250	1 Y028-RICPR	O05972 rickettsia
39	33	55.9	349	1 YJY9-YEAST	P41093 saccharomyc
40	33	55.9	426	1 TWIN-DROME	O03019 drosophila
41	33	55.9	432	1 PURA-YEAST	P80210 saccharomyc
42	33	55.9	448	1 NCAB-CVHOC	P33469 human coron
43	33	55.9	470	1 SYE2-RICPR	Q92CT8 rickettsia
44	33	55.9	473	1 SYE-AQUAE	O67271 aquifex aeo
45	33	55.9	700	1 BIB-DROME	P23645 drosophila

ALIGNMENTS

```

RESULT 1
PHOE_KLEOX
ID PHOE_KLEOX STANDARD; PRT; 349 AA.
AC Q01606;
DT 01-APR-1993 (Rel. 25, Created)
DT 01-APR-1993 (Rel. 25, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE OUTER MEMBRANE PORE PROTEIN E PRECURSOR.
PHOE.
OS Klebsiella oxytoca.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Klebsiella.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K26;
RX MEDLINE; 93146376.
RA Spierings G., Ockhuijsen C., Hofstra H., Tommassen J.;
RT "Characterization of the Citrobacter freundii phoE gene and
development of C. freundii-specific oligonucleotides.";
RL FEMS Microbiol. Lett. 78:199-204(1992).
CC -!- FUNCTION: THIS IS ONE OF THE PROTEINS INDUCED WHEN CELLS ARE
CC GROWN UNDER PHOSPHATE LIMITATION. ITS PROTEIN PORE IS
CC PARTICULARLY EFFICIENT IN THE UPTAKE OF INORGANIC PHOSPHATE.
CC PHOSPHORYLATED COMPOUNDS, AND SOME OTHER NEGATIVELY CHARGED
CC SOLUTES.
CC -!- SUBUNIT: HOMOTRIMER.
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. OUTER MEMBRANE.
CC -!- SIMILARITY: BELONGS TO THE OMPC/PHOE FAMILY OF PORINS.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC EMBL; X68022; CAA48163.1; -.
CC HSSP; P02932; 1PHO.
CC INTERPRO; IPR001702; -.
CC INTERPRO; IPR001897; -.
CC PFAM; PF00267; Gram-ve_porins; 1.
CC PRINTS; PR00182; ECOLNEIPORIN.
CC PRINTS; PR00183; ECOLIPORIN.
CC PROSITE; PS00576; GRAM_NEG_PORIN; 1.
CC Outer membrane; Transmembrane; Porin; Signal.
FT SIGNAL 1 21
FT CHAIN 22 349 OUTER MEMBRANE PORE PROTEIN E.
SQ SEQUENCE 349 AA; 38550 MW; D0B0A5427542B3F5 CRC64;

```

Query Match 71.2%; Score 42; DB 1; Length 349;
 Best Local Similarity 100.0%; Pred. No. 1.8;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 4 NYGSFDY 10

```

|||||
Db 105 NYGSFDY 111

RESULT 2
PHOE_KLEPN STANDARD; PRT; 351 AA.
AC P30704;
DT 01-APR-1993 (Rel. 25, Created)
DT 01-APR-1993 (Rel. 25, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE OUTER MEMBRANE PORE PROTEIN E PRECURSOR.
GN PHOE.
OS Klebsiella pneumoniae.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Klebsiella.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 87190417.
RA van der Ley P., Bekkers A., van Meersbergen J., Tommassen J.;
RT "A comparative study on the phoE genes of three enterobacterial
RT species. Implications for structure-function relationships in a
RT pore-forming protein of the outer membrane.";
RL Eur. J. Biochem. 164:469-475(1987).
CC -!- FUNCTION: THIS IS ONE OF THE PROTEINS INDUCED WHEN CELLS ARE
CC GROWN UNDER PHOSPHATE LIMITATION. ITS PROTEIN PORE IS
CC PARTICULARLY EFFICIENT IN THE UPTAKE OF INORGANIC PHOSPHATE,
CC PHOSPHORYLATED COMPOUNDS, AND SOME OTHER NEGATIVELY CHARGED
CC SOLUTES.
CC -!- SUBUNIT: HOMOTRIMER.
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. OUTER MEMBRANE.
CC -!- SIMILARITY: BELONGS TO THE OMPC/PHOE FAMILY OF PORINS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M28295; AAA25121.1; -
DR HSSP; P02932; 1PHO.
DR INTERPRO; IPR001702; -
DR INTERPRO; IPR001897; -
DR PRAM; PF00267; Gram-ve-porins; 1.
DR PRINTS; PR00182; ECOLNEIPORIN.
DR PRINTS; PR00183; ECOLIPORIN.
DR PROSITE; PS00576; GRAM_NEG_PORIN; 1.
KW Outer membrane; Transmembrane; Porin; Signal.
FT SIGNAL 1 21 BY SIMILARITY.
FT CHAIN 22 351 OUTER MEMBRANE PORE PROTEIN E.
SQ SEQUENCE 351 AA; 38894 MW; 86A5286C12502EC7 CRC64;

Query Match 71.2%; Score 42; DB 1; Length 351;
Best Local Similarity 100.0%; Pred. No. 1.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
|||||
Db 106 NYGSFDY 112

RESULT 3
YX12_CAEL STANDARD; PRT; 316 AA.
AC Q11123;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 35.1 KDA PROTEIN C03F11.2 IN CHROMOSOME X.
GN C03F11.2.

us-09-016-061-64.rsp
Caenorhabditis elegans.
Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
Rhabditidae; Peloderinae; Caenorhabditis.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RA Bentley D.;
RL Submitted (OCT-1995) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: WEAK, IN THE N-TERMINUS, TO C.ELEGANS F53B1.5.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U39744; AAA80440.1; -
DR WORMPEP; C03F11.2; C03914.
KW Hypothetical protein.
SQ SEQUENCE 316 AA; 35107 MW; 6A725FCAC21CF676 CRC64;

Query Match 66.1%; Score 39; DB 1; Length 316;
Best Local Similarity 60.0%; Pred. No. 5.5;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
|||||
Db 69 ARHFGSYEY 78

RESULT 4
LEPA_TREPA STANDARD; PRT; 605 AA.
ID LEPA_TREPA AC O83523;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE GTP-BINDING PROTEIN LEPA.
GN LEPA OR TP0510.
OS Treponema pallidum.
OC Bacteria; Spirochaetales; Spirochaetaceae; Treponema.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-NICHOLS;
RX MEDLINE; 9832770.
RA Fraser C.M., Norris M., Hickey E.K., Clayton R., Ketchum K.A.,
RA Dodson R., Gwinn M., Hardham J.M., McLeod M.P., Salzberg S., Peterson J.,
RA Sodergren E., Richardson D., Howell J.K., Chidambaram M., Utterback T.,
RA Khalak H., Richardson P., Bowman C., Cotton M.D., Fujii C., Garland S.,
RA McDonald L., Artach P., Roberts K., Sandusky M., Weidman J., Smith H.O.,
RA Hatch B., Horst K., Roberts K., Sandusky M., Weidman J., Smith H.O.,
RA Venter J.C.;
RT "Complete genome sequence of Treponema pallidum, the syphilis
RT spirochete.";
RL Science 281:375-388(1998).
CC -!- SIMILARITY: BELONGS TO THE GTP-BINDING ELONGATION FACTOR FAMILY.
CC LEPA SUBFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AE001227; AAC65498.1; -
DR TIGR; TP0510; -
DR INTERPRO; IPR000795; -
DR PFAM; PF00009; GTP_EFTU; 1.

```

```

DR PROSITE: PS00301; EFACATOR_GTP; FALSE_NEG.
KW GTP-binding. 17 24 GTP (BY SIMILARITY).
FT NP_BIND 83 87 GTP (BY SIMILARITY).
FT NP_BIND 137 140 GTP (BY SIMILARITY).
SQ SEQUENCE 605 AA; 67622 MW; BA537DEC36FD3349 CRC64;

Query Match 64.4%; Score 38; DB 1; Length 605;
Best Local Similarity 75.0%; Pred. No. 16;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFDY 10
DB 470 HGYSFDY 477

RESULT 5
OMPD_SALTY STANDARD; PRT; 282 AA.
ID OMPD_SALTY STANDARD; PRT; 282 AA.
AC P37592;
DT 01-OCT-1994 (Rel. 30, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE OUTER MEMBRANE PORIN PROTEIN OMPD (FRAGMENT).
GN OMPD OR NMPC.
OS Salmonella typhimurium.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Salmonella.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=SL1303;
RX Hongo E., Morimyo M., Mita K., Machida I., Hama-Inaba H., Tsuji H.,
RA Ichimura S., Noda Y.;
RT "The methyl viologen-resistance-encoding gene smva of Salmonella
typhimurium.";
RL Gene 148:173-174(1994).
RN [2]
RP IDENTIFICATION AS OMPD.
RA Singh S.P., Miller S., Williams Y.U., Rudd K.E., Nikaido H.;
RA unpublished observations (FEB-1996).
RL
CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. OUTER MEMBRANE.
CC -1- SIMILARITY: BELONGS TO THE OMPC/PHOE FAMILY OF PORINS.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL: D26057; BAA05056.1; -.
DR HSSP: P02931; IGFN.
DR STYGENE: SG10249; OMPD.
DR INTERPRO: IPR001702; -.
DR PFAM: PF00267; Gram-ve_porins; 1.
DR PROSITE: PS00576; GRAM_NEG_PORIN; 1.
KW Outer membrane; Transmembrane; Porin.
FT NON_TER 1 1
FT CHAIN 1 1
SQ SEQUENCE 282 AA; 30954 MW; EE137053E7F6C6A7 CRC64;

Query Match 62.7%; Score 37; DB 1; Length 282;
Best Local Similarity 85.7%; Pred. No. 11;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
DB 28 DYGSFDY 34

RESULT 6
OMPF_SERMA STANDARD; PRT; 374 AA.
ID OMPF_SERMA STANDARD; PRT; 374 AA.
AC O33980;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE OUTER MEMBRANE PROTEIN F PRECURSOR (PORIN OMPF).
GN OMPF.
OS Serratia marcescens.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Serratia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=UOC-51;
RX Huttsul J.A.M., Worobec E.A.;
RT "Molecular characterization of the Serratia marcescens OmpF porin,
and analysis of S. marcescens OmpF and OmpC osmoregulation.";
RL Microbiology 143:2797-2806(1997).
CC -1- SUBUNIT: HOMOTRIMER (BY SIMILARITY).
CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. OUTER MEMBRANE.
CC -1- SIMILARITY: BELONGS TO THE OMPC/PHOE FAMILY OF PORINS.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL: U81967; AAB69103.1; ALT_INIT.
DR INTERPRO: IPR001702; -.
DR INTERPRO: IPR001897; -.
DR PFAM: PF00267; Gram-ve_porins; 1.
DR PRINTS: PR00182; ECOLNEIPORIN.
DR PRINTS: PR00183; ECOLIPORIN.
DR PROSITE: PS00576; GRAM_NEG_PORIN; 1.
KW Outer membrane; Transmembrane; Porin; Signal.
FT SIGNAL 1 21 POTENTIAL.
FT CHAIN 22 374 OUTER MEMBRANE PROTEIN F.
SQ SEQUENCE 374 AA; 41184 MW; BF821D385E441049 CRC64;

Query Match 62.7%; Score 37; DB 1; Length 374;
Best Local Similarity 85.7%; Pred. No. 15;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
DB 108 DYGSFDY 114

RESULT 7
OMPC_SERMA STANDARD; PRT; 376 AA.
ID OMPC_SERMA STANDARD; PRT; 376 AA.
AC Q54471;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE OUTER MEMBRANE PROTEIN C PRECURSOR (PORIN OMPC).
GN OMPC.
OS Serratia marcescens.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Serratia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=UOC-51;
RX Huttsul J.A.M., Worobec E.A.;
RT "Molecular characterization of a 40 kDa OmpC-like porin from Serratia
marcescens.";

```

```

RL Microbiology 140:379-387(1994).
CC -!- FUNCTION: FORM PASSIVE DIFFUSION PORES WHICH ALLOW SMALL MOLECULAR
CC WEIGHT HYDROPHILIC MATERIALS ACROSS THE OUTER MEMBRANE.
CC -!- SUBUNIT: HOMOTRIMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN, OUTER MEMBRANE.
CC -!- SIMILARITY: BELONGS TO THE OMP/PHOE FAMILY OF PORINS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: L24960; AAA26562.1; -
DR INTERPRO: IPR001702; -
DR PFAM: PF00267; Gram-ve_porins; 1.
DR PRINTS: PR00182; ECOLIPORIN.
DR PROSITE: PS00576; GRAM_NEG_PORIN; 1.
KW Outer membrane; Transmembrane; Porin; Phage recognition; Signal.
FT SIGNAL 1 21
FT CHAIN 22 376 OUTER MEMBRANE PROTEIN C.
SQ SEQUENCE 376 AA; 41440 MW; 81227FE8515B568E CRC64;

Query Match 62.7%; Score 37; DB 1; Length 376;
Best Local Similarity 85.7%; Pred. No. 15;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
Db 106 DYGSFDY 112

RESULT 8
OMPN_ECOLI STANDARD; PRT; 377 AA.
AC P77747; P76854;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE OUTER MEMBRANE PROTEIN N PRECURSOR (PORIN OMPN).
GN OMPN.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / MG1655;
RX MEDLINE; 97426617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;
RA "The complete genome sequence of Escherichia coli K-12.";
RT Science 277:1453-1474(1997).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=K12;
RX MEDLINE; 97251357.
RA Alba H., Baba T., Fujita K., Hayashi K., Inada T., Itoh T.,
RA Kasai H., Kashimoto K., Kimura S., Kitakawa M., Kitagawa M.,
RA Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,
RA Nakade S., Nakamura Y., Nishimoto H., Nishio Y., Oshima T., Saito N.,
RA Sempel G., Seki Y., Sivasubram S., Tagami H., Takeda J.,
RA Takemoto K., Takeuchi Y., Wada C., Yamamoto Y., Horiuchi T.;
RA "A 570-kb DNA sequence of the Escherichia coli K-12 genome
RT corresponding to the 28.0-40.1 min region on the linkage map.";
RL DNA Res. 3:363-377(1996).
RN [3]

```

```

RP SEQUENCE FROM N.A., SEQUENCE OF 22-33, AND CHARACTERIZATION.
RX MEDLINE; 98317278.
RA Prilipov A., Phale P.S., Koebnik R., Widmer C., Rosenbusch J.P.;
RT "Identification and characterization of two quiescent porin genes,
RT ompC and ompN, in Escherichia coli BE.";
RL J. Bacteriol. 180:3388-3392(1998).
CC -!- FUNCTION: NON-SPECIFIC PORIN.
CC -!- SUBUNIT: HOMOTRIMER.
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN, OUTER MEMBRANE.
CC -!- SIMILARITY: BELONGS TO THE OMP/PHOE FAMILY OF PORINS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: AE000234; AAC74459.1; -
DR EMBL: D90775; BAA14981.1; -
DR EMBL: D90776; BAA14986.1; -
DR ECOGENE: EGI3375; OMPN.
DR INTERPRO: IPR001702; -
DR PFAM: PF00267; Gram-ve_porins; 1.
DR PRINTS: PR00182; ECOLIPORIN.
DR PRINTS: PR00183; ECOLIPORIN.
KW Outer membrane; Transmembrane; Porin; Signal.
FT SIGNAL 1 21
FT CHAIN 22 377 OUTER MEMBRANE PROTEIN N.
SQ SEQUENCE 377 AA; 41220 MW; 4420D2CB9BC10F95 CRC64;

Query Match 62.7%; Score 37; DB 1; Length 377;
Best Local Similarity 85.7%; Pred. No. 15;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
Db 106 DYGSFDY 112

RESULT 9
OMS2_SALTI STANDARD; PRT; 383 AA.
ID OMS2_SALTI
AC Q56111;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE OUTER MEMBRANE PROTEIN S2 PRECURSOR.
GN OMP52.
OS Salmonella typhi.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Salmonella.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=IMSS-1;
RA Fernandez-Mora M., Calva E.;
RL Submitted (JUL-1995) to the EMBL/GenBank/DBJ databases.
CC -!- SUBUNIT: HOMOTRIMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN, OUTER MEMBRANE
CC (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE OMP/PHOE FAMILY OF PORINS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----

```

DR EMBL: X89756; CAA61903.1; -
 DR INTERPRO: IPR001702; -
 DR INTERPRO: IPR001897; -
 DR PFAM: PF00267; Gram-ve-porins; 1.
 DR PRINTS: PR00182; ECOLNEIPORIN.
 DR PRINTS: PR00183; ECOLIPORIN.
 KW Outer membrane; Transmembrane; Porin; Signal.
 FT SIGNAL 1 21 POTENTIAL.
 FT CHAIN 22 383 OUTER MEMBRANE PROTEIN S2.
 SQ SEQUENCE 383 AA; 42183 MW; 47CFB6B5F6A2370F CRC64;

Query Match 62.7%; Score 37; DB 1; Length 383;
 Best Local Similarity 85.7%; Pred. No. 15;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
 DB 106 DYGSFDY 112

RESULT 10
 ID LP1B_DROME STANDARD; PRT; 789 AA.
 AC P11996;
 DT 01-OCT-1989 (Rel. 12, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE LARVAL SERUM PROTEIN 1 BETA CHAIN PRECURSOR (HEXAMERIN 1 BETA).
 GN LSP1-B.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-CANTON-S;
 RX MEDLINE; 97274657.
 RA Massey H.C. Jr., Kejzlarova-Lepesant J., Willis R.L.,
 RA Castleberry A.B., Benes H.;
 RT "The Drosophila Lsp-1 beta gene. A structural and phylogenetic
 RT analysis";
 RL Eur. J. Biochem. 245:199-207(1997).
 [2]
 RN SEQUENCE OF 1-100 FROM N.A.
 RP MEDLINE; 87060914.
 RX Delaney S.J., Smith D.F., McClelland A., Sunkel C., Glover D.M.;
 RT "Sequence conservation around the 5' ends of the larval serum protein
 RT 1 genes of Drosophila melanogaster";
 RL J. Mol. Biol. 189:1-11(1986).
 CC -1- FUNCTION: LARVAL STORAGE PROTEIN (LSP) WHICH MAY SERVE AS A STORE
 CC OF AMINO ACIDS FOR SYNTHESIS OF ADULT PROTEINS (BY SIMILARITY).
 CC -1- SUBUNIT: HETEROHEXAMER, COMPOSED OF THREE SUBUNITS, ALPHA, BETA
 CC AND GAMMA.
 CC -1- SUBCELLULAR LOCATION: EXTRACELLULAR.
 CC -1- TISSUE SPECIFICITY: LARVAL HEMOLYMPH.
 CC -1- SIMILARITY: TO ARYLPHORINS AND TO ARTHROPOD HEMOCYANINS.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>;
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL: U63556; AAB58821.1; -
 CC DR EMBL: X03873; CAA27507.1; -
 CC DR PIR: B27144; B27144.
 CC DR HSSP: P04253; IOXY.
 CC DR FLYBASE: FBgn0002563; Lsp1-beta.
 CC DR INTERPRO: IPR000896; -
 CC DR PFAM: PF00372; hemocyanin; 1.

DR PRINTS: PR00187; HAEMOCYANIN.
 DR PROSITE: PS00209; HEMOCYANIN_1; FALSE_NEG.
 DR PROSITE: PS00210; HEMOCYANIN_2; 1.
 KW Signal; Hemolymph; Storage protein; Glycoprotein; Multigene family.
 FT SIGNAL 1 19 POTENTIAL.
 FT CHAIN 20 789 LARVAL SERUM PROTEIN 1 BETA CHAIN.
 SQ SEQUENCE 789 AA; 95995 MW; AFA3EF4855D06A5B CRC64;

Query Match 62.7%; Score 37; DB 1; Length 789;
 Best Local Similarity 85.7%; Pred. No. 32;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
 DB 770 NYGHFDY 776

RESULT 11
 ID OMPF_XENNE STANDARD; PRT; 369 AA.
 AC Q56828;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE OUTER MEMBRANE PROTEIN F PRECURSOR (PORIN OMPF) (OUTER MEMBRANE
 DE PROTEIN OPNP).
 GN OMPF OR OPNP.
 OS Xenorhabdus nematophilus.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Xenorhabdus.
 [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN-AN6/1;
 RX MEDLINE; 96414477.
 RA Forst S., Waukau J., Leisman G., Exner M., Hancock R.;
 RT "Functional and regulatory analysis of the OmPF-like porin, OpnP, of
 RT the symbiotic bacterium Xenorhabdus nematophilus";
 RL Mol. Microbiol. 18:779-789(1995).
 CC -1- FUNCTION: OMPF IS A PORIN THAT PASSIVE DIFFUSION PORES WHICH ALLOW
 CC SMALL MOLECULAR WEIGHT HYDROPHILIC MATERIALS ACROSS THE OUTER
 CC MEMBRANE (BY SIMILARITY).
 CC -1- SUBUNIT: HOMOTRIMER (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. OUTER MEMBRANE.
 CC -1- SIMILARITY: BELONGS TO THE OMPC/PHOE FAMILY OF PORINS.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>;
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL: L40919; AAB41114.1; -
 CC DR INTERPRO: IPR001702; -
 CC DR INTERPRO: IPR001897; -
 CC DR PFAM: PF00267; Gram-ve-porins; 1.
 CC DR PRINTS: PR00182; ECOLNEIPORIN.
 CC DR PRINTS: PR00183; ECOLIPORIN.
 CC DR PROSITE: PS00576; GRAM_NEG_PORIN; 1.
 KW Outer membrane; Transmembrane; Porin; Signal.
 FT SIGNAL 1 21 POTENTIAL.
 FT CHAIN 22 369 OUTER MEMBRANE PROTEIN F.
 SQ SEQUENCE 369 AA; 40851 MW; 20E30CA680F8557A CRC64;

Query Match 61.0%; Score 36; DB 1; Length 369;
 Best Local Similarity 85.7%; Pred. No. 22;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
 DB 11111111

```

Db 107 NYGSLDY 113

RESULT 12
OMSL_SALTI STANDARD; PRT; 394 AA.
AC Q56110;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE OUTER MEMBRANE PROTEIN S1 PRECURSOR.
GN OMSL1.
OS Salmonella typhi.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Salmonella.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-IMSS-1;
RX MEDLINE; 95309727.
RA Fernandez-Mora M., Oropeza R., Puente J.L., Calva E.;
RT "Isolation and characterization of ompS1, a novel Salmonella typhi
RL outer membrane protein-encoding gene.";
RL Gene 158:67-72(1995).
CC -!- SUBUNIT: HOMOTRIMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. OUTER MEMBRANE
CC (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE OMPC/PHOE FAMILY OF PORINS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X73237; CAA51710.1; -
DR INTERPRO: IPR001702; -
DR INTERPRO: IPR001897; -
DR PFAM: PF00267; Gram-ve-porins; 1.
DR PRINTS: PR00182; ECOLIIPORIN.
DR PRINTS: PR00183; ECOLIIPORIN.
DR PROSITE: PS00576; GRAM_NEG_PORIN; 1.
KW Signal; Outer membrane; Transmembrane; Porin.
FT SIGNAL 1 21 POTENTIAL.
FT CHAIN 22 394 OUTER MEMBRANE PROTEIN S1.
SQ SEQUENCE 394 AA; 43253 MW; E7C8FEED424931D1 CRC64;

Query Match 61.0%; Score 36; DB 1; Length 394;
Best Local Similarity 100.0%; Pred. No. 24;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 5 YGSFDY 10
| | | | |
Db 107 YGSFDY 112

RESULT 13
LEPA_CHLPN STANDARD; PRT; 602 AA.
AC Q92814;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GTP-BINDING PROTEIN LEPA.
GN LEPA OR CPN0359 OR CP0399.
OS Chlamydia pneumoniae (Chlamydia phila pneumoniae).
OC Bacteria; Chlamydiales; Chlamydiaceae; Chlamydia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-CWL029;
RX MEDLINE; 99206606.

Kalman S., Mitchell W., Marathe R., Lammel C., Fan J., Hyman R.W.,
Olinger L., Grimwood J., Davis R.W., Stephens R.S.;
"Comparative genomes of Chlamydia pneumoniae and C. trachomatis.";
Nat. Genet. 21:385-389(1999).
[2]
RP SEQUENCE FROM N.A.
RC STRAIN-AR39;
RX MEDLINE; 20150255.
RA Read T.D., Brunham R.C., Gill S.R., Heidelberg J.F.,
White O., Hickey E.K., Peterson J., Utterback T., Berry K., Bass S.,
Linher K., Weidman J., Khouri H., Craven B., Bowman C., Dodson R.,
Gwinn M., Nelson W., DeBoy R., Kolonay J., McClarty G., Salzberg S.L.,
Eisen J., Fraser C.M.;
"Genome sequences of Chlamydia trachomatis MoPn and Chlamydia
pneumoniae AR39.";
Nucleic Acids Res. 28:1397-1406(2000).
-!- SIMILARITY: BELONGS TO THE GTP-BINDING ELONGATION FACTOR FAMILY.
LEPA SUBFAMILY.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: AE001620; AAD18503.1; -
DR EMBL: AE002201; AAF38244.1; -
DR TIGR: CP0399; -
DR INTERPRO: IPR000795; -
DR PFAM: PF00009; GTP_EFTU; 1.
DR PRINTS: PR00315; ELONGATNFCT.
DR PROSITE: PS00301; EFACITOR_GTP; FALSE_NEG.
KW GTP-binding.
FT NP_BIND 16 23 GTP (BY SIMILARITY).
FT NP_BIND 81 85 GTP (BY SIMILARITY).
FT NP_BIND 135 138 GTP (BY SIMILARITY).
SQ SEQUENCE 602 AA; 67285 MW; A4C110B1A10578E2 CRC64;

Query Match 61.0%; Score 36; DB 1; Length 602;
Best Local Similarity 100.0%; Pred. No. 37;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 5 YGSFDY 10
| | | | |
Db 472 YGSFDY 477

RESULT 14
LEPA_CHLTR STANDARD; PRT; 602 AA.
AC O84067;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GTP-BINDING PROTEIN LEPA.
GN LEPA OR CT064.
OS Chlamydia trachomatis.
OC Bacteria; Chlamydiales; Chlamydiaceae; Chlamydia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-D/UW-3/CX;
RX MEDLINE: 9900809.
RA Stephens R.S., Kalman S., Lammel C.J., Fan J., Marathe R., Aravind L.,
Mitchell W.P., Olinger L., Tatusov R.L., Zhao Q., Koonin E.V.,
Davis R.W.;
"Genome sequence of an obligate intracellular pathogen of humans:
Chlamydia trachomatis.";
Science 282:754-759(1998).
-!- SIMILARITY: BELONGS TO THE GTP-BINDING ELONGATION FACTOR FAMILY.
LEPA SUBFAMILY.

```



```

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AE001281; AAC67655.1; -
DR INTERPRO; IPR000795; -
DR INTRPRO; IPR002380; -
DR PFAM; PF00009; GTP_EFTU; 1.
DR PRINTS; PR00315; ELONGATNECT.
DR PRINTS; PR00449; RASTRNSFRNG.
DR PROSITE; PS00301; EFACITOR_GTP; FALSE_NEG.
KW GTP-binding.
FT NP_BIND 16 23 GTP (BY SIMILARITY).
FT NP_BIND 81 85 GTP (BY SIMILARITY).
FT NP_BIND 135 138 GTP (BY SIMILARITY).
SQ SEQUENCE 602 AA; 67435 MW; 98F67C990196EEC4 CRC64;

Query Match 61.0%; Score 36; DB 1; Length 602;
Best Local Similarity 100.0%; Pred. No. 37; Indels 0; Gaps 0;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 5 YGSFDY 10
Db 472 YGSFDY 477

RESULT 15
FAND_ECOLI
ID FAND_ECOLI STANDARD; PRT; 783 AA.
AC P12050;
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-OCT-1989 (Rel. 12, Last sequence update)
DT 01-NOV-1995 (Rel. 32, Last annotation update)
DE OUTER MEMBRANE USHER PROTEIN FAND PRECURSOR.
GN FAND.
OS Escherichia coli.
OC Plasmid pPK99.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-B41;
RX MEDLINE; 89160266.
RA Roosendaal B., Bakker D., de Graaf F.K.;
RT "The nucleotide sequence of the fanD gene encoding the large outer
RT membrane protein involved in the biosynthesis of K99 fimbriae.";
RL Nucleic Acids Res. 17:1263-1263(1989).
RN [2]
RP SEQUENCE OF 1-20 FROM N.A.
RA Roosendaal B., Gaastra W., de Graaf F.K.;
RT "The nucleotide sequence of the gene encoding the K99 subunit of
RT enterotoxigenic Escherichia coli.";
RL FEMS Microbiol. Lett. 22:253-258(1984).
RN [3]
RP SEQUENCE OF 770-783 FROM N.A.
RC STRAIN-B41;
RX MEDLINE; 91312125.
RA Bakker D., Vader C.E.M., Roosendaal B., Mool F.R., Oudega B.,
RA de Graaf F.K.;
RT "Structure and function of periplasmic chaperone-like proteins
RT involved in the biosynthesis of K88 and K99 fimbriae in
RT enterotoxigenic Escherichia coli.";
RL Mol. Microbiol. 5:875-886(1991).
CC -1- FUNCTION: INVOLVED IN THE EXPORT AND ASSEMBLY OF K99 FIMBRIAL
CC SUBUNITS ACROSS THE OUTER MEMBRANE.
CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. OUTER MEMBRANE
CC (BY SIMILARITY).

```

```

CC -1- SIMILARITY: BELONGS TO THE FIMBRIAL EXPORT USHER FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X13560; CAA31911.1; -
DR EMBL; M35282; -; NOT_ANNOTATED_CDS.
DR EMBL; X56001; CAA39473.1; -
DR PIR; S02755; S02755.
DR INTERPRO; IPR000015; -
DR PFAM; PF00577; Usher; 1.
DR PROSITE; PS01151; FIMBRIAL_USHER; 1.
KW Outer membrane; Transmembrane; Fimbria; Transport; Signal; Plasmid.
FT SIGNAL 1 ? POTENTIAL.
FT CHAIN ? 783 OUTER MEMBRANE USHER PROTEIN FAND.
FT DISULFID 763 782 POTENTIAL.
SQ SEQUENCE 783 AA; 87156 MW; 23BDE3923A9B7069 CRC64;

Query Match 61.0%; Score 36; DB 1; Length 783;
Best Local Similarity 100.0%; Pred. No. 48;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 5 YGSFDY 10
Db 354 YGSFDY 359

Search completed: March 28, 2001, 07:29:55
Job time: 1662 sec

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:27:59 ; Search time 263.81 Seconds
(without alignments)
4.443 Million cell updates/sec

Title: US-09-016-061-64
Perfect score: 59
Sequence: 1 ARHNYGSFDY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mhc:*
- 8: sp_organelle:*
- 9: sp_phase:*
- 10: sp_plant:*
- 11: sp_rodent:*
- 12: sp_virus:*
- 13: sp_vertebrate:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	72.9	839	10 Q9LIE5	Q9LIE5 arabidopsis
2	42	71.2	78	7 Q9MWT6	Q9MWT6 leopardus p
3	42	71.2	78	7 Q9MWT5	Q9MWT5 leopardus p
4	42	71.2	78	7 Q9MWT4	Q9MWT4 leopardus p
5	42	71.2	79	7 Q9L191	Q9L191 prionailuru
6	42	71.2	79	7 Q9L192	Q9L192 felis silve
7	42	71.2	79	7 Q9L380	Q9L380 felis silve
8	42	71.2	79	7 Q9L381	Q9L381 felis silve
9	42	71.2	79	7 Q9L382	Q9L382 felis silve
10	42	71.2	79	7 Q9L396	Q9L396 felis silve
11	42	71.2	79	7 Q9L397	Q9L397 felis silve
12	42	71.2	79	7 Q9L405	Q9L405 felis silve
13	42	71.2	79	7 Q9L406	Q9L406 felis silve
14	42	71.2	79	7 Q9L407	Q9L407 felis silve
15	42	71.2	79	7 Q9L408	Q9L408 felis silve
16	42	71.2	79	7 Q9L435	Q9L435 felis silve
17	42	71.2	79	7 Q9MX19	Q9MX19 leopardus p
18	42	71.2	79	7 Q9MX13	Q9MX13 leopardus p
19	42	71.2	79	7 Q9MX03	Q9MX03 leopardus p

20	42	71.2	79	7 Q9MX00	Q9MX00 leopardus p
21	42	71.2	79	7 Q9MX29	Q9MX29 leopardus p
22	42	71.2	79	7 Q9MX28	Q9MX28 leopardus p
23	42	71.2	79	7 Q9MW27	Q9MW27 leopardus p
24	42	71.2	79	7 Q9MWY9	Q9MWY9 leopardus p
25	42	71.2	79	7 Q9MWY8	Q9MWY8 leopardus p
26	42	71.2	79	7 Q9MWY6	Q9MWY6 leopardus p
27	42	71.2	79	7 Q9MWY5	Q9MWY5 leopardus p
28	42	71.2	79	7 Q9MWY4	Q9MWY4 leopardus p
29	42	71.2	79	7 Q9MWY3	Q9MWY3 leopardus p
30	42	71.2	79	7 Q9MWX6	Q9MWX6 leopardus p
31	42	71.2	79	7 Q9MWX5	Q9MWX5 leopardus p
32	42	71.2	79	7 Q9MWX4	Q9MWX4 leopardus p
33	42	71.2	79	7 Q9MWX1	Q9MWX1 leopardus p
34	42	71.2	79	7 Q9MWX0	Q9MWX0 leopardus p
35	42	71.2	79	7 Q9MMW9	Q9MMW9 leopardus p
36	42	71.2	79	7 Q9MMW7	Q9MMW7 leopardus p
37	42	71.2	79	7 Q9MMW4	Q9MMW4 leopardus p
38	42	71.2	79	7 Q9MMV9	Q9MMV9 leopardus p
39	42	71.2	79	7 Q9MMV2	Q9MMV2 leopardus p
40	42	71.2	79	7 Q9MMU4	Q9MMU4 leopardus p
41	42	71.2	79	7 Q9MMU2	Q9MMU2 leopardus p
42	42	71.2	79	7 Q9MMU1	Q9MMU1 leopardus p
43	42	71.2	79	7 Q9MWT9	Q9MWT9 leopardus p
44	42	71.2	79	7 Q9MWS7	Q9MWS7 leopardus p
45	42	71.2	79	7 Q9MWL0	Q9MWL0 leopardus w

ALIGNMENTS

RESULT 1

Q9LIE5 ID Q9LIE5 PRELIMINARY; PRT; 839 AA.
AC Q9LIE5;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DE 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsids.
ON NCBI_TaxID=3702;
RX [1]
RN [1] SEQUENCE FROM N.A.
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety P1,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AP001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 72.9%; Score 43; DB 10; Length 839;
Best Local Similarity 87.5%; Pred. No. 10;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8

Db 274 SRHNYGSF 281

RESULT 2

Q9MWT6

```

ID Q9MWT6 PRELIMINARY; PRT; 78 AA.
AC Q9MWT6;
DT 01-OCT-2000 (TReMBLrel. 15, Created)
DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
GN LEPA-DRB.
OS Leopardus pardalis (ocelot).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
OX NCBI_TaxID=32538;
RN [1]
RP SEQUENCE FROM N.A.
RA Yuhki N., Eizirik E., Johnson W.E., O'Brien S.J.;
RT "Sequence Diversity of Major Histocompatibility Complex Class II DRB
RT Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
RT pardalis) and Margay (Leopardus wiedii).";
RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF057894; AAF70946.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 78 78
SQ SEQUENCE 78 AA; 9559 MW; 77863043708EC5B8 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 78;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
DB 71 RHNYGVFD 78

RESULT 3
ID Q9MWT5 PRELIMINARY; PRT; 78 AA.
AC Q9MWT5;
DT 01-OCT-2000 (TReMBLrel. 15, Created)
DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
GN LEPA-DRB.
OS Leopardus pardalis (ocelot).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
OX NCBI_TaxID=32538;
RN [1]
RP SEQUENCE FROM N.A.
RA Yuhki N., Eizirik E., Johnson W.E., O'Brien S.J.;
RT "Sequence Diversity of Major Histocompatibility Complex Class II DRB
RT Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
RT pardalis) and Margay (Leopardus wiedii).";
RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF057895; AAF70947.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 78 78
SQ SEQUENCE 78 AA; 5076280FF45EC5A7 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 78;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
DB 71 RHNYGVFD 78

RESULT 4
ID Q9MWT4 PRELIMINARY; PRT; 78 AA.

```

```

AC Q9MWT4;
DT 01-OCT-2000 (TReMBLrel. 15, Created)
DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
GN LEPA-DRB.
OS Leopardus pardalis (ocelot).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
OX NCBI_TaxID=32538;
RN [1]
RP SEQUENCE FROM N.A.
RA Yuhki N., Eizirik E., Johnson W.E., O'Brien S.J.;
RT "Sequence Diversity of Major Histocompatibility Complex Class II DRB
RT Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
RT pardalis) and Margay (Leopardus wiedii).";
RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF057896; AAF70948.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 78 78
SQ SEQUENCE 78 AA; 9586 MW; 77863043709666B8 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 78;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
DB 71 RHNYGVFD 78

RESULT 5
ID Q9MWT3 PRELIMINARY; PRT; 79 AA.
AC Q9MWT3;
DT 01-JAN-1998 (TReMBLrel. 05, Created)
DT 01-JAN-1998 (TReMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCMAIR-DRB.
OS Prionailurus bengalensis iriomotensis (Iriomote cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Prionailurus.
OX NCBI_TaxID=37030;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'Brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
RT genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51546; AAB65582.1; -.
DR INTERPRO; IPR000353; -.
DR PIR; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 79 79
SQ SEQUENCE 79 AA; 9582 MW; EF9D98CA42030A7B CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
DB 72 RHNYGVFD 79

RESULT 6
ID Q9MWT2 PRELIMINARY; PRT; 79 AA.

```

```

ID OI9192 PRELIMINARY; PRT; 79 AA.
AC OI9192;
DT 01-JAN-1998 (TReMBLrel. 05, Created)
DT 01-JAN-1998 (TReMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCMAIR-DRB.
OS Prionailurus bengalensis iriomotensis (Iriomote cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Prionailurus.
OX NCBI_TaxID=37030;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51547; AAB65533.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9582 MW; EF9D98CA4F6EBCAD CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSFD 9
Db 72 RHNYGVFD 79

RESULT 7
OI9380 PRELIMINARY; PRT; 79 AA.
AC OI9380;
DT 01-JAN-1998 (TReMBLrel. 05, Created)
DT 01-JAN-1998 (TReMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51498; AAB65533.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9659 MW; 79EE7526943C8A20 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSFD 9
Db 72 RHNYGVFD 79

RESULT 7
OI9380 PRELIMINARY; PRT; 79 AA.
AC OI9380;
DT 01-JAN-1998 (TReMBLrel. 05, Created)
DT 01-JAN-1998 (TReMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51498; AAB65533.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9659 MW; 79EE7526943C8A20 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSFD 9
Db 72 RHNYGVFD 79

```

```

RESULT 8
OI9381 PRELIMINARY; PRT; 79 AA.
ID OI9381;
AC OI9381;
DT 01-JAN-1998 (TReMBLrel. 05, Created)
DT 01-JAN-1998 (TReMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51499; AAB65534.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9610 MW; 80C16A2749AF9E68 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSFD 9
Db 72 RHNYGVFD 79

RESULT 9
OI9382 PRELIMINARY; PRT; 79 AA.
ID OI9382;
AC OI9382;
DT 01-JAN-1998 (TReMBLrel. 05, Created)
DT 01-JAN-1998 (TReMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51500; AAB65535.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9421 MW; 88CAD0EA76360AAC CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSFD 9

```

```

Db      72 RHNYGVFD 79
|||||
RESULT 10
O19396 PRELIMINARY; PRT; 79 AA.
AC O19396
DT 01-JAN-1998 (TREMBlrel. 05, Created)
DT 01-JAN-1998 (TREMBlrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'Brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51514; AAB65549.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9625 MW; 153A004237E3C769 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 2 RHNYGSFD 9
|||||
Db      72 RHNYGVFD 79

RESULT 11
O19397 PRELIMINARY; PRT; 79 AA.
AC O19397
DT 01-JAN-1998 (TREMBlrel. 05, Created)
DT 01-JAN-1998 (TREMBlrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'Brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51515; AAB65550.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9641 MW; A02E404237E3C774 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 2 RHNYGSFD 9
|||||
Db      72 RHNYGVFD 79

RESULT 12
O19405 PRELIMINARY; PRT; 79 AA.
AC O19405
DT 01-JAN-1998 (TREMBlrel. 05, Created)
DT 01-JAN-1998 (TREMBlrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'Brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51523; AAB65558.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9590 MW; EBB33E3FEE9A4162 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
Best Local Similarity 87.5%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 2 RHNYGSFD 9
|||||
Db      72 RHNYGVFD 79

RESULT 13
O19406 PRELIMINARY; PRT; 79 AA.
AC O19406
DT 01-JAN-1998 (TREMBlrel. 05, Created)
DT 01-JAN-1998 (TREMBlrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
GN MHCFECA-DRB.
OS Felis silvestris catus (Cat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
OX NCBI_TaxID=9685;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97211851; PubMed=9058818;
RA Yuhki N., O'Brien S.J.;
RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB
genes.";
RL J. Immunol. 158:2822-2833(1997).
DR EMBL; U51524; AAB65559.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 79
SQ SEQUENCE 79 AA; 9466 MW; EE6144C12F413370 CRC64;

```

Query Match 71.2%; Score 42; DB 7; Length 79;
 Best Local Similarity 87.5%; Pred. No. 1.2;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
 Db 72 RHNYGVFD 79

RESULT 14

O19407 PRELIMINARY; PRT; 79 AA.
 AC O19407;
 DT 01-JAN-1998 (TREMBLrel. 05, Created)
 DT 01-JAN-1998 (TREMBLrel. 05, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
 GN MHCFECA-DRB.
 OS Felis silvestris catus (Cat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
 OX NCBI_TaxID=9685;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=97211851; PubMed=9058818;
 RA Yuhki N., O'Brien S.J.;
 RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB genes.";
 RL J. Immunol. 158:2822-2833(1997).
 DR EMBL; U51525; AAB65360.1; -;
 DR INTERPRO; IPR000353; -;
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 79 79
 SQ SEQUENCE 79 AA; 9485 MW; 7093582FDD413365 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
 Best Local Similarity 87.5%; Pred. No. 1.2;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
 Db 72 RHNYGVFD 79

RESULT 15

O19408 PRELIMINARY; PRT; 79 AA.
 AC O19408;
 DT 01-JAN-1998 (TREMBLrel. 05, Created)
 DT 01-JAN-1998 (TREMBLrel. 05, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE MHC CLASS II DRB FIRST EXTRACELLULAR DOMAIN (FRAGMENT).
 GN MHCFECA-DRB.
 OS Felis silvestris catus (Cat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
 OX NCBI_TaxID=9685;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=97211851; PubMed=9058818;
 RA Yuhki N., O'Brien S.J.;
 RT "Nature and origin of polymorphism in feline MHC class II DRA and DRB genes.";
 RL J. Immunol. 158:2822-2833(1997).
 DR EMBL; U51526; AAB65361.1; -;
 DR INTERPRO; IPR000353; -;
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1 1

FT NON_TER 79 79
 SQ SEQUENCE 79 AA; 9496 MW; EE61444C12F412371 CRC64;

Query Match 71.2%; Score 42; DB 7; Length 79;
 Best Local Similarity 87.5%; Pred. No. 1.2;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
 Db 72 RHNYGVFD 79

Search completed: March 28, 2001, 07:27:59
 Job time: 1672 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:34:35 ; Search time 183.85 Seconds
(without alignments)
1.860 Million cell updates/sec

Title: US-09-016-061-64

Perfect score: 59

Sequence: 1 ARHNYGSFDY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	59	100.0	10	19 W76022	LM609 grafted anti
2	51	86.4	10	19 W76010	LM609 grafted anti
3	51	86.4	117	19 W76001	Vitaxin antibody h
4	51	86.4	117	19 W76003	LM609 antibody hea
5	51	86.4	117	20 Y06381	Murine monoclonal
6	51	86.4	117	20 Y06387	Humanised LM609 an
7	51	86.4	118	20 Y06384	Humanised LM609 an
8	51	86.4	118	20 Y06385	Humanised LM609 an
9	51	86.4	118	20 Y06386	Humanised LM609 an
10	51	86.4	118	20 Y06383	Humanised LM609 an
11	51	86.4	130	20 Y06379	Murine monoclonal
12	50	84.7	10	19 W76023	LM609 grafted anti

13	49	83.1	117	16 R79157	Human IgE receptor
14	49	83.1	117	16 R79155	Human IgE receptor
15	49	83.1	117	18 W27357	Heavy chain variab
16	49	83.1	117	18 W27356	Heavy chain variab
17	49	83.1	117	18 W27354	Heavy chain variab
18	49	83.1	239	20 W73874	Human antiFc epsil
19	49	83.1	242	20 W73876	Human antiFc epsil
20	48	81.4	10	19 W76021	LM609 grafted anti
21	46	78.0	10	19 W76039	LM609 grafted anti
22	46	78.0	10	19 W76040	LM609 grafted anti
23	46	78.0	10	19 W76020	LM609 grafted anti
24	46	78.0	10	19 W76024	LM609 grafted anti
25	46	78.0	10	19 W76025	LM609 grafted anti
26	46	78.0	10	19 W76026	LM609 grafted anti
27	46	78.0	10	19 W76027	LM609 grafted anti
28	46	78.0	10	19 W76028	LM609 grafted anti
29	46	78.0	10	19 W76029	LM609 grafted anti
30	46	78.0	10	19 W76030	LM609 grafted anti
31	43	72.9	110	20 W84099	Vitronectin alpha-
32	43	72.9	117	20 W84093	Murine vitronectin
33	43	72.9	117	20 W84097	Humanised anti-alp
34	42	71.2	8	20 Y06371	Murine monoclonal
35	41	69.5	10	19 W76037	LM609 grafted anti
36	41	69.5	10	19 W76038	LM609 grafted anti
37	40	67.8	8	18 W27343	CDR3 from murine a
38	37	62.7	36	17 W03964	VDJ joint protein,
39	37	62.7	36	18 W41127	VH251 DXP'1 J6 mu
40	37	62.7	36	20 Y40395	Amino acid sequenc
41	37	62.7	111	14 R40173	Humanised IL-5 ant
42	37	62.7	111	17 R87039	MAB 39D10 heavy ch
43	37	62.7	119	19 Y86109	S. pneumoniae derl
44	37	62.7	135	14 R40175	Humanised antibody
45	37	62.7	135	14 R40177	Humanised antibody

ALIGNMENTS

RESULT 1

W76022

ID W76022 standard; Protein; 10 AA.

XX W76022;

AC W76022;

DT 02-NOV-1998 (first entry)

XX

DE LM609 grafted antibody V-II region CDR3 protein fragment #4.

XX

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

KW complementarity determining region.

XX Mus sp.

XX

PN WO9833919-A2.

XX

PD 06-AUG-1998.

XX

PF 30-JAN-1998; 98WO-US01826.

XX

PR 30-JAN-1997; 97US-0791391.

XX

PA (IXSY-) IXSYS INC.

XX

PI Glaser SM, Huse WD;

XX

XX WPI; 1998-437472/37.

DR N-PSDB; V49859.

XX

PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 100.0%; Score 59; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00036;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNYGSFDY 10
 Db | | | | | | | | | |
 1 arhnygsfdy 10
 RESULT 2
 W76010
 ID W76010 standard; Protein; 10 AA.
 XX
 AC W76010;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #1.
 XX
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49847.
 XX
 PT Humanised antibody, vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Disclosure; Page 40; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 86.4%; Score 51; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0078;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 ARHNYGSFDY 10
 Db | | | | | | | | | |
 1 arhnygsfdy 10
 RESULT 3
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 AC W76001;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE Vitaxin antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49820.
 XX
 PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 1; Fig 1a; 129pp; English.
 XX
 CC This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC so,are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

Query Match 86.4%; Score 51; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
 |||||
 DB 97 arhnygsfay 106

RESULT 4

W76003
 ID W76003 standard; Protein; 117 AA.

XX
 AC W76003;

XX 02-NOV-1998 (first entry)

XX LM609 antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX OS Mus sp.

XX W09833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI: 1998-437472/37.

XX N-PSDB: V49822.

XX :Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 86.4%; Score 51; DB 19; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
 |||||
 DB 97 arhnygsfay 106

RESULT 5

Y06381
 ID Y06381 standard; Protein; 117 AA.

XX Y06381;

XX 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 VH region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Mus musculus.

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI: 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 86.4%; Score 51; DB 20; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
 |||||
 DB 97 arhnygsfay 106

RESULT 6

Y06387
 ID Y06387 standard; Protein; 117 AA.

XX Y06387;

DT 06-SEP-1999 (first entry)
 XX Humanised LM609 antibody VH domain.
 DE
 XX
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..35
 FT /note= "CDR1"
 FT Region 50..66
 FT /note= "CDR2"
 FT Region 107..117
 FT /note= "CDR3"
 XX
 XX WO9929888-A1.
 PN
 XX
 XX 17-JUN-1999.
 PD
 XX
 XX 04-DEC-1998; 98WO-US25828.
 PF
 XX
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX
 XX Barbas CF, Rader C;
 PI
 XX
 XX WPI; 1999-394979/33.
 DR
 XX
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX
 XX Disclosure; Page 52; 55pp; English.
 PS
 XX
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX Sequence 117 AA;
 SQ

Query Match 86.4%; Score 51; DB 20; Length 117;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 ARHNYGSFDY 10
 Db 97 arhnygsfay 106
 Db
 RESULT 7
 Y06384
 ID Y06384 standard; Protein; 118 AA.
 XX
 XX Y06384;
 AC
 XX
 XX 06-SEP-1999 (first entry)
 DT

XX Humanised LM609 antibody VH domain.
 DE
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX
 XX WO9929888-A1.
 PN
 XX
 XX 17-JUN-1999.
 PD
 XX
 XX 04-DEC-1998; 98WO-US25828.
 PF
 XX
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX
 XX Barbas CF, Rader C;
 PI
 XX
 XX WPI; 1999-394979/33.
 DR
 XX
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX
 XX Disclosure; Page 51; 55pp; English.
 PS
 XX
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX Sequence 118 AA;
 SQ

Query Match 86.4%; Score 51; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 ARHNYGSFDY 10
 Db 98 arhnygsfay 107
 Db
 RESULT 8
 Y06385
 ID Y06385 standard; Protein; 118 AA.
 XX
 XX Y06385;
 AC
 XX
 XX 06-SEP-1999 (first entry)
 DT

DE Humanised LM609 antibody VH domain.
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX
 PN WO9929888-A1.
 XX
 XX 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 XX
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX Barbas CF, Rader C;
 PI
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX Disclosure; Page 51; 55pp; English.
 PS
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 86.4%; Score 51; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
 Db | | | | | | | |
 98 arhnygsfay 107

RESULT 9
 Y06386
 ID Y06386 standard; Protein; 118 AA.
 XX
 AC Y06386;
 XX
 DT 06-SEP-1999 (first entry)
 XX Humanised LM609 antibody VH domain.
 DE

XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX
 PN WO9929888-A1.
 XX
 XX 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 XX
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX Barbas CF, Rader C;
 PI
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX Disclosure; Page 51-52; 55pp; English.
 PS
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 86.4%; Score 51; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
 Db | | | | | | | |
 98 arhnygsfay 107

RESULT 10
 Y06383
 ID Y06383 standard; Protein; 118 AA.
 XX
 AC Y06383;
 XX
 DT 06-SEP-1999 (first entry)
 XX Humanised LM609 antibody VH domain.
 DE
 XX

KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.

XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"

XX PN WO9929888-A1.
 XX 17-JUN-1999.
 XX PD
 XX PF 04-DEC-1998; 98WO-US25828.
 XX PR 05-DEC-1997; 97US-0986016.
 XX (SCRI) SCRIPPS RES INST.
 XX PA Barbas CF, Rader C;
 XX PI WPI; 1999-394979/33.
 XX DR Production of humanized mouse monoclonal antibodies

XX PT
 XX PS Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 118 AA;

Query Match 86.4%; Score 51; DB 20; Length 118;
 Best Local Similarity 90.0%; Pred. No. 0.099;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
 Db 98 arhnygsfay 107
 |||||

RESULT 11
 Y06379
 ID Y06379 standard; Protein; 130 AA.

XX AC Y06379;
 XX DT 06-SEP-1999 (first entry)

XX DE Murine monoclonal antibody LM609 V kappa.

XX Humanised antibody; antibody humanisation; antibody engineering;

KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Mus musculus.

XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 28..32
 FT /note= "CDR1"
 FT Region 47..63
 FT /note= "CDR2"
 FT Region 96..103
 FT /note= "CDR3"

XX PN WO9929888-A1.
 XX 17-JUN-1999.
 XX PD
 XX PF 04-DEC-1998; 98WO-US25828.
 XX PR 05-DEC-1997; 97US-0986016.
 XX (SCRI) SCRIPPS RES INST.
 XX PA Barbas CF, Rader C;
 XX PI WPI; 1999-394979/33.
 XX DR Production of humanized mouse monoclonal antibodies

XX PT
 XX PS Disclosure; Page 49-50; 55pp; English.

XX This sequence represents the light chain V kappa region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 130 AA;

Query Match 86.4%; Score 51; DB 20; Length 130;
 Best Local Similarity 90.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
 Db 94 arhnygsfay 103
 |||||

RESULT 12
 W76023
 ID W76023 standard; Protein; 10 AA.

XX AC W76023;
 XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #5.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

FT	Region	50.166
----	--------	--------

XX 5

Mus sp

```

XX Key Location/Qualifiers
FH Region 31..35
FT /label= CDR1H
FT /note= "all CDR regions are claimed"
FT Region 50..56
FT /label= CDR2H
FT /note= "all CDR regions are claimed"
FT Region 99..106
FT /label= CDR3H
FT /note= "all CDR regions are claimed"
XX JP07165799-A.
XX
XX 27-JUN-1995.
XX
XX 22-OCT-1993; 93JP-0264792.
XX
XX 22-OCT-1993; 93JP-0264792.
XX (ASAK ) ASahi BREWERIES LTD.
XX (NIKK-) NIKKA WHISKEY KK.
XX (TORI ) TORII YAKUHIN KK.
XX (TSUR/) TSURA T.
XX
XX WPI; 1995-261292/34.
XX N-PSDB; Q96282.
XX
XX Novel monoclonal antibody against human high-affinity IgE receptor -
XX and DNA fragment encoding the MAB, for the specific identification
XX of human Fc-epsilon RI
XX
XX Claim 3; Page 13; 20pp; Japanese.
XX
XX Polypeptides which specifically recognise human IgE receptor (Fc-
XX epsilon-RI) have been isolated and sequenced. The new peptides are
XX related to a monoclonal antibody against Fc-epsilon-RI and are
XX either heavy or light chain molecules. The heavy chain molecules
XX have the general formula FRI-CDRIH-FR2-CDR2H-FR3-CDR3H-FR4 (corresp.
XX to R79153, R79155, R79157, R79159 and R79161) and are encoded by
XX Q96280, Q96282, Q96284, Q96286 and Q96288. FR1 is a polypeptide
XX having 29-36 amino acids (aa), FR2 is a 10-16 aa polypeptide, FR3 is
XX a 33-35 aa polypeptide and FR4 is a 12-14 aa polypeptide. Similarly
XX the light chains have the general formula FR5-CDRL-FR6-CDR2L-FR7-
XX CDR3L-FR8, (corresp. to R79154, R79156, R79158, R79160 and R79162)
XX and are encoded by Q96281, Q96283, Q96285, Q96287 and Q96289. FR5
XX is a 23-28 aa polypeptide, FR6 is a 14-16 aa polypeptide, FR7 is a
XX 30-34 aa polypeptide and FR8 is a 9-11 aa polypeptide. All the
XX peptides are derived from mouse hybridoma cells and are useful in
XX the detection of the human Fc-epsilon-RI or for the elucidation of
XX an antigen recognising region of a monoclonal antibody against
XX human Fc-epsilon-RI.
XX
XX Sequence 117 AA;
XX
XX Query Match 83.1%; Score 49; DB 16; Length 117;
XX .Best Local Similarity 80.0%; Pred. No. 0.21;
XX Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
XX
XX QY 1 ARHNYGSFDY 10
XX | | | | | | |
XX Db 97 arhnyggmndy 106
XX
XX RESULT 15
XX W27357
XX ID W27357 standard; Protein; 117 AA.
XX AC W27357;
XX XX
XX DT 16-DEC-1997 (first entry)
XX

```

```

DE Heavy chain variable region of chimeric human CRA2 antibody.
XX
XX Complementarity determining region; CDR; murine; mouse; human;
XX high affinity; immunoglobulin E; receptor; monoclonal antibody;
XX IgE; MAB; heavy chain; variable region; humanised; semi-chimeric;
XX chimeric; treatment; prevention; disease; allergy; CRA2.
XX
XX Chimeric - Homo sapiens.
XX Chimeric - Mus spp.
XX Synthetic.
XX
XX PN JP09191886-A.
XX
XX PD 29-JUL-1997.
XX
XX PF 19-JAN-1996; 96JP-0024816.
XX
XX PR 19-JAN-1996; 96JP-0024816.
XX
XX PA (ASAK ) ASahi BREWERIES LTD.
XX (NIKK-) NIKKA WHISKEY KK.
XX PA (TORI ) TORII YAKUHIN KK.
XX PA (TSUR/) TSURA T.
XX
XX DR WPI; 1997-429186/40.
XX
XX PT Humanised, semi-chimeric and chimeric antibodies against human
XX high-affinity IgE receptor - useful medicinally and have low
XX antigenicity in humans
XX
XX PS Claim 8; Page 15; 26pp; Japanese.
XX
XX CC The present sequence, the heavy chain variable region of a
XX chimeric human CRA2 antibody (Ab), comprises complementarity
XX determining regions (CDR) from a murine, anti-human high affinity
XX immunoglobulin E (IgE) receptor, monoclonal Ab (MAB). The
XX humanised chimeric MAB can be used to treat or prevent diseases,
XX specifically allergies, associated with the receptor, and has very
XX low antigenicity in humans.
XX
XX SQ Sequence 117 AA;
XX
XX Query Match 83.1%; Score 49; DB 18; Length 117;
XX .Best Local Similarity 80.0%; Pred. No. 0.21;
XX Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
XX
XX QY 1 ARHNYGSFDY 10
XX | | | | | | |
XX Db 97 arhnyggmndy 106
XX
XX Search completed: March 28, 2001, 06:34:35
XX Job time: 515 sec

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:39:12 ; Search time 269.55 Seconds
(without alignments)
0.666 Million cell updates/sec

Title: US-09-016-061-64
Perfect score: 59
Sequence: 1 ARHNYGSFDY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued Patents AA.*
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query	Length	DB ID	Description
1	38	64.4	94	3	US-09-147-550-14
2	38	64.4	94	3	US-09-147-550-45
3	38	64.4	94	3	US-09-147-550-48
4	38	64.4	94	3	US-09-147-550-77
5	38	64.4	94	3	US-09-147-550-84
6	38	64.4	94	3	US-09-147-550-90
7	38	64.4	94	3	US-09-147-550-101
8	37	62.7	36	1	US-08-053-131-84
9	37	62.7	36	1	US-08-645-641-84
10	37	62.7	36	1	US-07-853-408B-84
11	37	62.7	36	2	US-08-096-762-84
12	37	62.7	36	2	US-08-308-865-84
13	37	62.7	36	4	PCT-US92-10983-84
14	37	62.7	111	2	US-08-470-139-6
15	37	62.7	135	2	US-08-470-139-28
16	37	62.7	135	3	US-08-284-516C-36
17	37	62.7	135	3	US-08-284-516C-40
18	37	62.7	135	3	US-08-284-516C-46
19	37	62.7	135	3	US-08-284-516C-64
20	37	62.7	136	3	US-08-284-516C-56
21	37	62.7	323	3	US-09-041-889-28
22	37	62.7	377	3	US-09-041-889-29
23	35.5	60.2	142	2	US-08-860-174A-7
24	35.5	60.2	274	2	US-08-860-174A-12
25	35.5	60.2	282	2	US-08-860-174A-10
26	35	59.3	27	1	US-08-053-131-80
27	35	59.3	27	1	US-08-645-641-80
28	35	59.3	27	1	US-07-853-408B-80

29 35 59.3 27 2 US-08-096-762-80 Sequence 80, Appl
30 35 59.3 27 2 US-08-308-865-80 Sequence 80, Appl
31 35 59.3 27 4 PCT-US92-10983-80 Sequence 80, Appl
32 34 57.6 94 3 US-09-147-550-39 Sequence 39, Appl
33 34 57.6 94 3 US-09-147-550-59 Sequence 59, Appl
34 34 57.6 94 3 US-09-147-550-63 Sequence 63, Appl
35 34 57.6 119 2 US-08-553-497A-8 Sequence 8, Appl
36 34 57.6 119 2 US-08-553-497A-12 Sequence 12, Appl
37 34 57.6 119 3 US-08-767-128-6 Sequence 6, Appl
38 34 57.6 254 2 US-08-207-481-20 Sequence 20, Appl
39 34 57.6 254 4 PCT-US95-02689-20 Sequence 20, Appl
40 34 57.6 286 2 US-08-809-267-3 Sequence 3, Appl
41 34 57.6 286 4 PCT-US95-13662A-3 Sequence 3, Appl
42 34 57.6 287 2 US-08-741-437-5 Sequence 5, Appl
43 34 57.6 287 2 US-09-134-593-5 Sequence 5, Appl
44 34 57.6 633 2 US-08-648-298-2 Sequence 2, Appl
45 33 55.9 94 3 US-09-147-550-55 Sequence 55, Appl

ALIGNMENTS

RESULT 1

US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patent Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 64.4%; Score 38; DB 3; Length 94;
Best Local Similarity 75.0%; Pred. No. 6.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYSFD 9

|||||
80 RHNYSFD 87

RESULT 2

US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 64.48; Score 38; DB 3; Length 94;
Best Local Similarity 75.08; Pred. No. 6.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
Db 80 RHNYGVFE 87

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 64.48; Score 38; DB 3; Length 94;
Best Local Similarity 75.08; Pred. No. 6.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
Db 80 RHNYGVFE 87

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 64.48; Score 38; DB 3; Length 94;
Best Local Similarity 75.08; Pred. No. 6.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
Db 80 RHNYGVFE 87

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 64.48; Score 38; DB 3; Length 94;
Best Local Similarity 75.08; Pred. No. 6.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
Db 80 RHNYGVFE 87

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

ORGANISM: BOVINE
US-09-147-550-90

Query Match 64.4%; Score 38; DB 3; Length 94;
Best Local Similarity 75.0%; Pred. No. 6.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSD 9
||||| |:
DB 80 RHNYGVE 87

RESULT 7

US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 64.4%; Score 38; DB 3; Length 94;
Best Local Similarity 75.0%; Pred. No. 6.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSD 9
||||| |:
DB 80 RHNYGVE 87

RESULT 8

US-08-053-131-84
; Sequence 84, Application US/08053131
; Patent No. 5661016
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5661016-Human Animals for
; TITLE OF INVENTION: Producing Heterologous Antibodies
; NUMBER OF SEQUENCES: 197
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: One Market Plaza, Stewart Tower, Suite 200
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/053,131
; FILING DATE: 26-APR-1993

CLASSIFICATION: 800
; PRIOR APPLICATION DATA: US 07/990,860
; FILING DATE: 16-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/810,279
; FILING DATE: 17-DEC-1991
; PRIOR APPLICATION DATA: US 07/853,408
; APPLICATION NUMBER: US 07/853,408
; FILING DATE: 18-MAR-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-9-3
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422
; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-053-131-84

Query Match 62.7%; Score 37; DB 1; Length 36;
Best Local Similarity 66.7%; Pred. No. 3.7;
Matches 8; Conservative 1; Mismatches 1; Indels 2; Gaps 1;

QY 1 ARHNY--GSFDY 10
||| | ||:
DB 3 ARHYGSGSYDY 14

RESULT 9

US-08-645-641-84
; Sequence 84, Application US/08645641
; Patent No. 5719032
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic No. 5719032-Human Animals for
; TITLE OF INVENTION: Producing Heterologous Antibodies
; NUMBER OF SEQUENCES: 150
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: William M. Smith
; STREET: Two Embarcadero Center, 8th Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/645,641
; FILING DATE: 20-MAY-1996
; CLASSIFICATION: 800
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/904,068
; FILING DATE: 23-JUN-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-000913
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422
; INFORMATION FOR SEQ ID NO: 84:

; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 36 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: peptide
 US-08-645-641-84

Query Match 62.7%; Score 37; DB 1; Length 36;
 Best Local Similarity 66.7%; Pred. No. 3.7;
 Matches 8; Conservative 1; Mismatches 1; Indels 2; Gaps 1;

Qy 1 ARHNY--GSFDY 10
 ||| | ||:||
 Db 3 ARHYGSGSYDY 14

RESULT 10

US-07-853-408B-84
 ; Sequence 84, Application US/07853408B

; Patent No. 5789650
 ; GENERAL INFORMATION:

; APPLICANT: Lonberg, Nils
 ; APPLICANT: Kay, Robert M.
 ; TITLE OF INVENTION: Transgenic No. 5789650-Human Animals for
 ; TITLE OF INVENTION: Producing Heterologous Antibodies
 ; NUMBER OF SEQUENCES: 150

CORRESPONDENCE ADDRESS:

; ADDRESSEE: William M. Smith
 ; STREET: One Market Plaza, Steuart Tower, Suite 2000
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94105

COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/07/853,408B

; FILING DATE: 19920318

; CLASSIFICATION: 800

ATTORNEY/AGENT INFORMATION:

; NAME: Smith, William M.
 ; REGISTRATION NUMBER: 30,223
 ; REFERENCE/DOCKET NUMBER: 14643-9
 ; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 415-326-2400

; TELEFAX: 415-326-2422

; INFORMATION FOR SEQ ID NO: 84:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 36 amino acids

; TYPE: AMINO ACID

; STRANDEDNESS: single

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

US-07-853-408B-84

Query Match 62.7%; Score 37; DB 1; Length 36;
 Best Local Similarity 66.7%; Pred. No. 3.7;
 Matches 8; Conservative 1; Mismatches 1; Indels 2; Gaps 1;

Qy 1 ARHNY--GSFDY 10
 ||| | ||:||
 Db 3 ARHYGSGSYDY 14

RESULT 11

US-08-096-762-84
 ; Sequence 84, Application US/08096762

; Patent No. 5814318
 ; GENERAL INFORMATION:
 ; APPLICANT: Lonberg, Nils
 ; APPLICANT: Kay, Robert M.
 ; TITLE OF INVENTION: Transgenic No. 5814318-Human Animals for
 ; TITLE OF INVENTION: Producing Heterologous Antibodies
 ; NUMBER OF SEQUENCES: 210
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Townsend and Townsend Kourie and Crew
 ; STREET: One Market Plaza, Steuart Tower, Suite 200
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94105
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/096,762
 ; FILING DATE: 22-JUL-1993
 ; CLASSIFICATION: 800
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/053,131
 ; FILING DATE: 26-APR-1993
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/990,860
 ; FILING DATE: 16-DEC-1992
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/904,068
 ; FILING DATE: 23-JUN-1992
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/853,408
 ; FILING DATE: 18-MAR-1992
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/810,279
 ; FILING DATE: 17-DEC-1991
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Smith, William M.
 ; REGISTRATION NUMBER: 30,223
 ; REFERENCE/DOCKET NUMBER: 14643-9-4
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 415-326-2400
 ; TELEFAX: 415-326-2422
 ; INFORMATION FOR SEQ ID NO: 84:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 36 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: peptide
 US-08-096-762-84

Query Match 62.7%; Score 37; DB 2; Length 36;
 Best Local Similarity 66.7%; Pred. No. 3.7;
 Matches 8; Conservative 1; Mismatches 1; Indels 2; Gaps 1;

Qy 1 ARHNY--GSFDY 10
 ||| | ||:||
 Db 3 ARHYGSGSYDY 14

RESULT 12

US-08-308-865-84
 ; Sequence 84, Application US/08308865
 ; Patent No. 5877397

GENERAL INFORMATION:

; APPLICANT: Lonberg, Nils
 ; APPLICANT: Kay, Robert M.
 ; TITLE OF INVENTION: Transgenic No. 5877397-Human Animals for
 ; TITLE OF INVENTION: Producing Heterologous Antibodies

;
; NUMBER OF SEQUENCES: 150
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: William M. Smith
; STREET: One Market Plaza, Steuart Tower, Suite 2000
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/308.865
; FILING DATE:
; CLASSIFICATION: 800
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/145.707
; FILING DATE:
; APPLICATION NUMBER: US 07/904.068
; FILING DATE: 23-JUN-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-9-1-1
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422
; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-308-865-84

Query Match 62.7%; Score 37; DB 2; Length 36;
Best Local Similarity 66.7%; Pred. No. 3.7;
Matches 8; Conservative 1; Mismatches 1; Indels 1; Gaps 1;

Qy 1 ARHNY--GSFDY 10
||| | ||:|
Db 3 ARHYGSGSYDY 14

RESULT 13
PCT-US92-10983-84
; Sequence 84, Application PC/TUS9210983
; GENERAL INFORMATION:
; APPLICANT: Lonberg, Nils
; APPLICANT: Kay, Robert M.
; TITLE OF INVENTION: Transgenic Non-Human Animals for
; TITLE OF INVENTION: Producing Heterologous Antibodies
; NUMBER OF SEQUENCES: 152
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: William M. Smith
; STREET: One Market Plaza, Steuart Tower, Suite 2000
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94105
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/10983
; FILING DATE: 19921217
; CLASSIFICATION:

;
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 14643-9-2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-326-2400
; TELEFAX: 415-326-2422
; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: AMINO ACID
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; PCT-US92-10983-84

Query Match 62.7%; Score 37; DB 4; Length 36;
Best Local Similarity 66.7%; Pred. No. 3.7;
Matches 8; Conservative 1; Mismatches 1; Indels 2; Gaps 1;

Qy 1 ARHNY--GSFDY 10
||| | ||:|
Db 3 ARHYGSGSYDY 14

RESULT 14
US-08-470-139-6
; Sequence 6, Application US/08470139
; Patent No. 5998586
; GENERAL INFORMATION:
; APPLICANT:
; TITLE OF INVENTION: Interleukin-5 specific recombinant antibodies
; NUMBER OF SEQUENCES: 28
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/470,139
; FILING DATE: 06 JUNE-1995
; CLASSIFICATION: 536
; ATTORNEY/AGENT INFORMATION:
; NAME: TRUJILLO, DOREEN YATKO
; REGISTRATION NUMBER: 35,719
; REFERENCE/DOCKET NUMBER: CARP-0044
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 111 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-470-139-6

Query Match 62.7%; Score 37; DB 2; Length 111;
Best Local Similarity 70.0%; Pred. No. 11;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
|| || |||
Db 91 AREYGYFDY 100

RESULT 15
US-08-470-139-28
; Sequence 28, Application US/08470139
; Patent No. 5998586
; GENERAL INFORMATION:
; APPLICANT:
; TITLE OF INVENTION: Interleukin-5 specific recombinant antibodies

NUMBER OF SEQUENCES: 28
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/470,139
FILING DATE: 06 JUNE-1995
CLASSIFICATION: 536
ATTORNEY/AGENT INFORMATION:
NAME: TRUJILLO, DOREEN YATKO
REGISTRATION NUMBER: 35,719
REFERENCE/DOCKET NUMBER: CARP-0044
INFORMATION FOR SEQ ID NO: 28:
SEQUENCE CHARACTERISTICS:
LENGTH: 135 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-470-139-28

Query Match 62.7%; Score 37; DB 2; Length 135;
Best Local Similarity 70.0%; Pred. No. 14;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
|||
Db 115 AREYGYGFDY 124

Search completed: March 28, 2001, 06:39:12
Job time: 766 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:18 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-68

Perfect score: 54

Sequence: 1 ARHNYGSFAS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	74.1	446	2 T19625	hypothetical prote
2	39	72.2	89	2 S38688	MHC class II histo
3	39	72.2	89	2 S38683	MHC class II histo
4	39	72.2	89	2 S38684	MHC class II histo
5	39	72.2	225	2 I47095	MHC class II OVAR-
6	36	66.7	65	2 S17441	hypothetical prote
7	36	66.7	82	2 I51106	Major Histocompati
8	36	66.7	360	2 S48566	hypothetical prote
9	35	64.8	85	2 I59634	MHC class II DR-be
10	35	64.8	89	2 S38676	MHC class II histo
11	35	64.8	89	2 S38680	MHC class II histo
12	35	64.8	89	2 S57512	MHC class II histo
13	35	64.8	98	1 WMBP72	gene 7 protein - p
14	35	64.8	98	1 WMBP79	MHC class II histo
15	35	64.8	123	2 C25239	MHC class II histo
16	35	64.8	200	2 D32526	MHC class II histocomp
17	35	64.8	221	2 I45939	MHC cell surface g
18	35	64.8	237	2 C27060	class II histocomp
19	35	64.8	266	2 I34287	gene HLA-DRB1 prot
20	35	64.8	266	2 A27618	class II histocomp
21	35	64.8	266	2 I54295	lymphocyte antigen
22	35	64.8	313	1 A05213	cytochrome c-type
23	35	64.8	347	2 S43711	phosphatidylcholin
24	34	63.0	108	2 S26316	Ig heavy chain v r
25	34	63.0	110	2 S26317	Ig heavy chain v r
26	34	63.0	115	2 S37265	MHC class II histo
27	34	63.0	210	1 B69265	conserved hypothet
28	34	63.0	263	2 A45838	MHC class II histo
29	34	63.0	265	2 B39797	MHC class II histo

30 34 63.0 275 2 G75130 translation initia
31 34 63.0 275 2 D71087 probable translati
32 34 63.0 279 2 T05421 hypothetical prote
33 34 63.0 287 1 PWBV inorganic pyrophos
34 34 63.0 287 1 PWBV inorganic pyrophos
35 34 63.0 723 2 F83173 outer membrane pro
36 33 61.1 80 2 I54469 MHC HLA-DR-beta-1
37 33 61.1 80 2 I68777 MHC HLA-DR beta-1
38 33 61.1 81 2 I54550 HLA DRB1*1202 - hu
39 33 61.1 87 2 S38681 major histocompati
40 33 61.1 87 2 S38682 major histocompati
41 33 61.1 87 2 S38685 major histocompati
42 33 61.1 167 2 T16454 hypothetical prote
43 33 61.1 220 2 T46055 hypothetical prote
44 33 61.1 232 2 I51220 major histocompati
45 33 61.1 232 2 B48381 MHC class II histo

ALIGNMENTS

RESULT 1

T19625

hypothetical protein C31H5.6 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000

C:Accession: T19625

R:Kershaw, J.

submitted to the EMBL Data Library, April 1997

A:Reference number: Z19153

A:Accession: T19625

A>Status: preliminary; translated from GB/EMBL/DDBB

A:Molecule type: DNA

A:Residues: 1-446 <WIL>

A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6

A:Experimental source: clone C31H5

C:Genetics:

A:Gene: CESP:C31H5.6

A:Map position: 1

A:Introns: 49/2; 85/1; 120/2; 183/3; 218/3; 255/3; 285/2; 331/3; 360/3

C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 74.1%; Score 40; DB 2; Length 446;
Best Local Similarity 77.8%; Pred. No. 4.2;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10

|||||I:

Db 51 RHNYGSFAA 59

RESULT 2

S38688

MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushba

C:Species: Galago senegalensis (northern lesser bushbaby)

C>Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000

C:Accession: S38688

R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduce

A:Reference number: S38676

A:Accession: S38688

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:Z27158

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match

Best Local Similarity 77.8%; Score 39; DB 2; Length 89;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
 |||||
 Db 75 RHNYGVFES 83

RESULT 3

MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38683
 R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from

A:Reference number: S38676

A:Accession: S38683

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:Z27153

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 72.2%; Score 39; DB 2; Length 89;

Best Local Similarity 77.8%; Pred. No. 1.3;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10

|||||

Db 75 RHNYGVFES 83

RESULT 4

MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38684

R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from

A:Reference number: S38676

A:Accession: S38684

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:Z27154

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 72.2%; Score 39; DB 2; Length 89;

Best Local Similarity 77.8%; Pred. No. 1.3;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10

|||||

Db 75 RHNYGVFES 83

RESULT 5

MHC class II OVAR-DR-beta-3 - sheep (fragment)
 C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
 C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000
 C:Accession: I47095

R:Fabbs, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.

Anim. Genet. 24, 249-255, 1993

A:Title: Isolation, characterization and evolution of ovine major histocompatibility com

A:Reference number: I47075; MUID:94057592

A:Accession: I47095

A>Status: preliminary; translated from GB/EMBL/DBDJ

A:Molecule type: mRNA

A:Residues: 1-225 <FAB>

A:Cross-references: GB:L04790; NID:g458880; PIDN:AAA16562.1; PID:g458881

C:Genetics:

A:Gene: OVAR-DRB3

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

F:98-163/Domain: immunoglobulin homology <IMM>

Query Match 72.2%; Score 39; DB 2; Length 225;

Best Local Similarity 77.8%; Pred. No. 3.3;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10

|||||

Db 68 RHNYGVFES 76

RESULT 6

S17441

hypothetical protein (rpl2 5' region) - garden pea chloroplast (fragment)

C:Species: chloroplast Pisum sativum (garden pea)

C:Date: 30-Jun-1992 #sequence_revision 30-Jun-1992 #text_change 11-Jun-1999

C:Accession: S17441

R:Nagano, Y.; Ishikawa, H.; Matsuno, R.; Sasaki, Y.

Plant Mol. Biol. 17, 541-545, 1991

A:Title: Nucleotide sequence and expression of the ribosomal protein L2 gene in pea c

A:Reference number: S17441; MUID:91355950

A:Accession: S17441

A:Molecule type: DNA

A:Residues: 1-65 <NAG>

A:Cross-references: EMBL:X59015; NID:g12175; PIDN:CAA41754.1; PID:g388252

C:Genetics:

A:Genome: chloroplast

C:Superfamily: cytochrome c-type synthesis protein

C:Keywords: chloroplast

Query Match 66.7%; Score 36; DB 2; Length 65;

Best Local Similarity 75.0%; Pred. No. 3.7;

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAS 10

|||||

Db 57 HSYGSFAS 64

RESULT 7

I51106

Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)

C:Species: Phasianus colchicus (ring-necked pheasant)

C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999

C:Accession: I51106

R:Witzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.

Immunogenetics 39, 393-403, 1994

A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-ne

A:Reference number: I51103; MUID:94245280

A:Accession: I51106

A>Status: preliminary; translated from GB/EMBL/DBDJ

A:Molecule type: DNA

A:Residues: 1-82 <WIT>

A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 66.7%; Score 36; DB 2; Length 82;

Best Local Similarity 85.7%; Pred. No. 4.6;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 8

S48566

hypothetical protein YLR215c - yeast (Saccharomyces cerevisiae)

N:Alternate names: hypothetical protein L6167.23
C:Species: Saccharomyces cerevisiae
C:Date: 02-Dec-1994 #sequence_revision 02-Dec-1994 #text_change 24-Nov-1999
C:Accession: S48566
R:Pauley, A.
submitted to the EMBL Data Library, September 1994
A:Description: The sequence of *S. cerevisiae* cosmid 8167.
A:Reference number: S48545
A:Accession: S48566
A:Molecule type: DNA
A:Residues: 1-360 <PAU>
A:Cross-references: EMBL:U14913; NID:g544497; PIDN:AAB67444.1; PID:g544519; GSPDB:GN0001
C:Genetics:
A:Gene: MIPS:YLR215C
A:Map position: 12R
C:Superfamily: Saccharomyces cerevisiae hypothetical protein YLR215C

Query Match 66.7%; Score 36; DB 2; Length 360;
Best Local Similarity 77.8%; Pred. No. 20;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
||||| I
Db 304 RHNTGRFAS 312

RESULT 9
I59634
MHC class II DR-beta-1 - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 23-Jul-1999
C:Accession: I59634
R:Lin, Y.N.; Ren, E.C.; Chan, S.H.
Tissue Antigens 41, 204-205, 1993
A:Title: A new DR11 allele in Singaporean Chinese.
A:Reference number: I59634; MUID:93369836
A:Accession: I59634
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-85 <RES>
A:Cross-references: GB:M98436; NID:g187890; PIDN:AAA59693.1; PID:g187891
C:Genetics:
A:Gene: HLA-DRB1-11
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.8%; Score 35; DB 2; Length 85;
Best Local Similarity 66.7%; Pred. No. 7.5;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
||||| I
Db 75 RHNYGAVES 83

RESULT 10
S38676
MHC class II histocompatibility antigen HLA-DR-01 beta chain - Galago moholi (fragment)
C:Species: Galago moholi
C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 20-Jun-2000
C:Accession: S38676
R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from
A:Reference number: S38676
A:Accession: S38676
A:Molecule type: DNA
A:Residues: 1-89 <FIG>
A:Cross-references: EMBL:Z27130; NID:g415801; PIDN:CAA81657.1; PID:g1132545
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.8%; Score 35; DB 2; Length 89;
Best Local Similarity 66.7%; Pred. No. 7.8;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
||||| I
Db 75 RHNYGAVES 83

RESULT 11
S38680
MHC class II histocompatibility antigen HLA-DR-05 beta chain - Galago moholi (fragment)
C:Species: Galago moholi
C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 20-Jun-2000
C:Accession: S38680
R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from
A:Reference number: S38676
A:Accession: S38680
A:Molecule type: DNA
A:Residues: 1-89 <FIG>
A:Cross-references: EMBL:Z27134; NID:g415805; PIDN:CAA81661.1; PID:g1132549
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.8%; Score 35; DB 2; Length 89;
Best Local Similarity 66.7%; Pred. No. 7.8;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
||||| I
Db 75 RHNYGAVES 83

RESULT 12
S57512
MHC class II histocompatibility antigen HLA-DR beta 1 chain DRB1*08 precursor - human
C:Species: Homo sapiens (man)
C:Date: 10-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 23-Jul-1999
C:Accession: S57512; I79647
R:Versluis, L.F.; Savelkoul, P.; van der Zwan, A.W.; van den Berg-Loonen, E.; Tilianus
submitted to the EMBL Data Library, June 1995
A:Reference number: S57512
A:Accession: S57512
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-89 <VER>
A:Cross-references: EMBL:X88854; NID:g887451; PIDN:CAA61324.1; PID:g887452
R:Gyllenstein, U.B.; Sundvall, M.; Erlich, H.A.
Proc. Natl. Acad. Sci. U.S.A. 88, 3686-3690, 1991
A:Title: Allelic diversity is generated by intraexon sequence exchange at the DRB1 10
A:Reference number: I59196; MUID:91219437
A:Accession: I79647
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-73 <RES>
A:Cross-references: GB:M63196; NID:g181762; PIDN:AAA52321.1; PID:g181763
C:Genetics:
A:Gene: GDB:HLA-DRB1
A:Cross-references: GDB:I20642
A:Map position: 6p21.3-6p21.3
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.8%; Score 35; DB 2; Length 89;
Best Local Similarity 66.7%; Pred. No. 7.8;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
||||| I
Db 75 RHNYGAVES 83

RESULT 13

WMBP7Z
 gene 7 protein - phage PZA
 C:Species: phage PZA
 A:Note: host Bacillus subtilis
 C:Date: 31-Mar-1988 #sequence_revision 31-Mar-1988 #text_change 23-Jul-1999
 C:Accession: A24831
 R:Paces, V.; Vlcek, C.; Urbanek, P.
 Gene 44, 107-114, 1986
 A:Title: Nucleotide sequence of the late region of Bacillus subtilis phage PZA, a close
 A:Reference number: A91550; MUID:87031573
 A:Accession: A24831
 A:Molecule type: DNA
 A:Residues: 1-98 <PAC>
 A:CROSS-references: GB:M11813; GB:M13904; GB:M13905; NID:g216046; PIDN:AAA88483.1; PID:9
 C:Genetics:
 A:Gene: 7
 C:Superfamily: phage PZA gene 7 protein
 C:Keywords: late protein

Query Match 64.8%; Score 35; DB 1; Length 98;
 Best Local Similarity 77.8%; Pred. No. 8.6;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
 | | | | | | |
 Db 33 RVNYGSFVS 41

RESULT 14

WMBPF9
 gene 7 protein - phage phi-29
 N:Alternate names: head morphogenesis protein
 C:Species: phage phi-29
 A:Note: host Bacillus subtilis
 C:Date: 30-Sep-1989 #sequence_revision 30-Sep-1989 #text_change 23-Jul-1999
 C:Accession: A28923; A25816
 R:Innis, C.A.; Garvey, K.J.; Ito, J.
 Nucleic Acids Res. 14, 7129, 1986
 A:Title: Nucleotide sequence of phage phi-29 gene 7: structure of intergenic spacer betw
 A:Reference number: A28923; MUID:87016351
 A:Accession: A28923
 A:Molecule type: DNA
 A:Residues: 1-98 <INN>
 A:CROSS-references: GB:X04386; NID:g15522; PIDN:CAA27974.1; PID:g15524
 R:Vlcek, C.; Paces, V.
 Gene 46, 215-225, 1986
 A:Title: Nucleotide sequence of the late region of Bacillus phage phi-29 completes the
 A:Reference number: A25816; MUID:87106857
 A:Accession: A25816
 A:Molecule type: DNA
 A:Residues: 1-98 <VLC>
 A:CROSS-references: GB:M14782; NID:g215323; PIDN:AAA32279.1; PID:g215324
 C:Genetics:
 A:Gene: 7
 C:Superfamily: phage PZA gene 7 protein
 C:Keywords: head protein; late protein

Query Match 64.8%; Score 35; DB 1; Length 98;
 Best Local Similarity 77.8%; Pred. No. 8.6;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
 | | | | | | |
 Db 33 RVNYGSFVS 41

RESULT 15

C25239
 MHC class II histocompatibility antigen HLA-DR-2-MN2-2 beta chain precursor - human (fra

C:Species: Homo sapiens (man)
 C:Date: 28-Sep-1987 #sequence_revision 28-Sep-1987 #text_change 03-May-1996
 C:Accession: C25239
 R:Wu, S.; Saunders, T. L.; Bach, F. H.
 Nature 324, 676-679, 1986
 A:Title: Polymorphism of human Ia antigens generated by reciprocal intergenic exchange
 A:Reference number: A25239; MUID:87090380
 A:Accession: C25239
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-123 <WUS>
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.8%; Score 35; DB 2; Length 123;
 Best Local Similarity 66.7%; Pred. No. 11;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
 | | | | | | |
 Db 109 RHNYGAVES 117

Search completed: March 28, 2001, 07:04:19
 Job time: 1057 sec

DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE CYTOCHROME C BIOGENESIS PROTEIN CCSA.
 GN CCSA.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OG Chloroplast.
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsids.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Sato S., Nakamura Y., Kaneko T., Asamizu E., Tabata S.;
 RT "Complete structure of the chloroplast genome of Arabidopsis
 thaliana."
 RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
 HEME ATTACHMENT (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE CCME/CYCK/CCL1/NRFE/CCSA FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AF000423; BAA84436.1; -.
 DR INTERPRO; IPR002541; -.
 DR PFAM; PF01578; CytC_asm; 1.
 KW Cytochrome c-type biogenesis; Chloroplast.
 SQ SEQUENCE 328 AA; 37732 MW; C88D1508B2924D6F CRC64;

 Query Match 66.7%; Score 36; DB 1; Length 328;
 Best Local Similarity 75.0%; Pred. No. 5.8;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

 QY 3 HNYGSFAS 10
 Db 320 HSYGSFAS 327

 RESULT 3
 VG7_BPPH2
 ID VG7_BPPH2 STANDARD; PRT; 98 AA.
 AC PI3848;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 01-FEB-1991 (Rel. 17, Last annotation update)
 DE HEAD MORPHOGENESIS PROTEIN (LATE PROTEIN GP7).
 GN 7.
 OS Bacteriophage phi-29.
 OC Viruses; dsDNA viruses, no RNA stage; Tailed phages; Podoviridae.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 87106857.
 RA Vitek C., Paces V.;
 RT "Nucleotide sequence of the late region of Bacillus phage phi 29
 completes the 19,285-bp sequence of phi 29 genome. Comparison with
 the homologous sequence of phage PZA.";
 RL Gene 46:215-225(1986).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 87016351.
 RA Innis C.A., Garvey K.J., Ito J.;
 RT "Nucleotide sequence of phage phi 29 gene 7: structure of intergenic
 spacer between the major early and late genes.";
 RL Nucleic Acids Res. 14:7129-7129(1986).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M14782; AAA32279.1; -.
 DR EMBL; X04386; CAA27974.1; -.
 DR PIR; A28923; WMBPF9.
 KW Late protein.
 SQ SEQUENCE 98 AA; 11266 MW; FF2E7985D2266E14 CRC64;

 Query Match 64.8%; Score 35; DB 1; Length 98;
 Best Local Similarity 77.8%; Pred. No. 2.5;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

 QY 2 RHNYGSFAS 10
 Db 33 RVNYGSFAS 41

 RESULT 4
 VG7_BPPZA
 ID VG7_BPPZA STANDARD; PRT; 98 AA.
 AC P07533;
 DT 01-APR-1988 (Rel. 07, Created)
 DT 01-APR-1988 (Rel. 07, Last sequence update)
 DT 01-FEB-1991 (Rel. 17, Last annotation update)
 DE HEAD MORPHOGENESIS PROTEIN (LATE PROTEIN GP7).
 GN 7.
 OS Bacteriophage PZA.
 OC Viruses; dsDNA viruses, no RNA stage; Tailed phages; Podoviridae.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 87031573.
 RA Paces V., Vitek C., Urbanek P.;
 RT "Nucleotide sequence of the late region of Bacillus subtilis phage
 PZA, a close relative of phi 29.";
 RL Gene 44:107-114(1986).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M11813; AAA88483.1; -.
 DR PIR; A24831; WMBP72.
 KW Late protein.
 SQ SEQUENCE 98 AA; 11281 MW; 444408C39B606A25 CRC64;

 Query Match 64.8%; Score 35; DB 1; Length 98;
 Best Local Similarity 77.8%; Pred. No. 2.5;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

 QY 2 RHNYGSFAS 10
 Db 33 RVNYGSFAS 41

 RESULT 5
 CCSA_TOBAC
 ID CCSA_TOBAC STANDARD; PRT; 313 AA.
 AC P12216;
 DT 01-OCT-1989 (Rel. 12, Created)
 DT 01-OCT-1989 (Rel. 12, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE CYTOCHROME C BIOGENESIS PROTEIN CCSA.
 GN CCSA.
 OS Nicotiana tabacum (Common tobacco).

OG Chloroplast.
 CC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 CC Magnoliophyta; eudicotyledons; core eudicots; Asteridae; euasterids I;
 CC Solanales; Solanaceae; Nicotiana.
 RN [1]
 RC SEQUENCE FROM N.A.
 RP STRAIN=CV. BRIGHT YELLOW 4;
 RA Sugliura M.;
 RL Submitted (AUG-1986) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP COMPLETE GENOME.
 RA Shinozaki K., Ohme M., Tanaka M., Wakasugi T., Hayashida N.,
 RA Matsubayashi T., Zaita N., Chunwongse J., Obokata J.,
 RA Yamaguchi-Shinozaki K., Ohto C., Torazawa K., Meng B.Y., Sugita M.,
 RA Deno H., Kamogashira T., Yamada K., Kusuda J., Takaiwa F., Kato A.,
 RA Tondoh N., Shimada H., Sugliura M.;
 RA "The complete nucleotide sequence of the tobacco chloroplast genome:
 RT its gene organization and expression.";
 RL EMBO J. 5:2043-2049(1986).
 CC -1- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
 CC HEME ATTACHMENT (BY SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCLL/NRFE/CCSA FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; Z00044; CAA77395.1; -;
 DR PIR; A05213; A05213.
 DR INTERPRO; IPR002541; -;
 DR PFAM; PF01578; Cytc.asm; 1.
 KW Cytochrome c-type biogenesis; Chloroplast.
 SQ SEQUENCE 313 AA; 35358 MW; 0C93417F79C47A96 CRC64;
 Query Match 64.8%; Score 35; DB 1; Length 313;
 Best Local Similarity 75.0%; Pred. No. 8.7;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 3 HNYGSFAS 10
 Db 303 HSYGSFSP 310
 I:|||||
 RESULT 6
 ID IF2A_PVRAB STANDARD; PRT; 275 AA.
 AC Q9Y0E4;
 DT 01-OCT-2000 (Rel. 40, Created)
 DT 01-OCT-2000 (Rel. 40, Last sequence update)
 DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
 GN EIF2A OR PAB0568.
 OS Pyrococcus abyssi.
 CC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ORSAY;
 RA Hellig R.;
 RA "Pyrococcus abyssi genome sequence: insights into archaeal chromosome
 RT structure and evolution.";
 RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
 CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
 CC (BY SIMILARITY).
 CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
 CC CHAIN (BY SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AP000004; BAA30058.1; -;
 DR INTERPRO; IPR003029; -;
 DR PFAM; PF00575; S1; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 83
 SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FFB436 CRC64;
 -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
 CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AJ248285; CAB49760.1; -;
 DR INTERPRO; IPR003029; -;
 DR PFAM; PF00575; S1; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 83
 SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;
 -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AP000004; BAA30058.1; -;
 DR INTERPRO; IPR003029; -;
 DR PFAM; PF00575; S1; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 83
 SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FFB436 CRC64;
 -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
 CC -----

Query Match 63.0%; Score 34; DB 1; Length 275;
 Best Local Similarity 83.3%; Pred. No. 12;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 3 HNYGSF 8
 Db 23 HNYGAF 28
 I:|||||
 RESULT 7
 ID IF2A_PVRHO STANDARD; PRT; 275 AA.
 AC Q58655;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
 GN EIF2A OR PH0961.
 OS Pyrococcus horikoshii.
 CC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=OT3;
 RX MEDLINE; 98344137.
 RA Kawarabayashi Y., Sawada M., Horikawa H., Halkawa Y., Hino Y.,
 RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
 RA Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
 RA Funahashi T., Tanaka T., Kudoh Y., Yamazaki J., Kushiida N., Oguchi A.,
 RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
 RA Masuchi Y., Shizuya H., Kikuchi H.;
 RA "Complete sequence and gene organization of the genome of a hyper-
 RT thermophilic archaeobacterium, Pyrococcus horikoshii OT3.";
 RL DNA Res. 5:55-76(1998).
 CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
 CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
 CC (BY SIMILARITY).
 CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
 CC CHAIN (BY SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
 CC -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AP000004; BAA30058.1; -;
 DR INTERPRO; IPR003029; -;
 DR PFAM; PF00575; S1; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 83
 SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FFB436 CRC64;
 -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
 CC -----

Query Match 63.0%; Score 34; DB 1; Length 275;
 Best Local Similarity 83.3%; Pred. No. 12;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
 Db 23 HNYGAF 28

RESULT 8
 ID IPYR_PICPA STANDARD; PRT; 284 AA.
 AC QI3505;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 13-JUL-1998 (Rel. 36, Last sequence update)
 DT 13-DEC-1998 (Rel. 37, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI1.

OS Pichia pastoris (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 CC Saccharomycetaceae; Pichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=NRRL Y-11430;
 RX MEDLINE: 99034033.
 RA Cosano I.C., Alvarez P., Molina M., Nombela C.;
 RT "Cloning and sequence analysis of the Pichia pastoris TRP1, IPPI1 and
 RT HIS3 genes";

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AJ001000; CAA04453.1; -
 CC HSSP; P00817; IWGI.
 CC INTERPRO; IPR001596; -
 CC PFAM; PF00719; Pyrophosphatase; 1.
 CC PROSITE; PS00387; PPASE; 1.
 KW Hydrolyase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 284 AA; 31937 MW; 30AD27970D7775D6 CRC64;

Query Match 63.0%; Score 34; DB 1; Length 284;
 Best Local Similarity 83.3%; Pred. No. 12;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
 Db 91 HNYGAF 96

RESULT 8
 ID IPYR_KLUJA STANDARD; PRT; 286 AA.
 AC PI3998;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)

DT 01-OCT-1994 (Rel. 30, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI OR IPP.
 OS Kluyveromyces lactis (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 CC Saccharomycetaceae; Kluyveromyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89189093.
 RA Stark M.J.R., Milner J.S.;
 RT "Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a
 RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
 RT and histone H3";
 RL Yeast 5:35-50(1989).
 RN [2]
 RP SIMILARITY TO E.COLI AND YEAST PPASES.
 RX MEDLINE; 90234161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and E. coli
 RT inorganic pyrophosphatases";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X14230; CAA32446.1; -
 CC PIR; S07894; PWKL.
 CC HSSP; P00817; IWGI.
 CC INTERPRO; IPR001596; -
 CC PFAM; PF00719; Pyrophosphatase; 1.
 CC PROSITE; PS00387; PPASE; 1.
 KW Hydrolyase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;

Query Match 63.0%; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 13;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
 Db 91 HNYGAF 96

RESULT 10
 ID IPYR_YEAST STANDARD; PRT; 286 AA.
 AC P00817;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI OR PPAL OR PPA OR YBR011C OR YBR0202.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 CC Saccharomycetaceae; Saccharomyces.

RN
 RP SEQUENCE FROM N.A.
 RC STRAIN=X2180;
 RX MEDLINE; 89083474.
 RA Kolakowski L.F. Jr., Schloesser M., Cooperman B.S.;
 RT "Cloning, molecular characterization and chromosome localization of
 the inorganic pyrophosphatase (PPA) gene from *S. cerevisiae*.";
 RL Nucleic Acids Res. 16:10441-10452(1988).
 RN
 RP
 RC SEQUENCE FROM N.A.
 RC STRAIN=S288C;
 RA Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,
 RA Baur A., Boles E., Miosga T., Schaff-Gerstenschlaeger I.,
 RA Zimmermann F.K.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN
 RP SEQUENCE.
 RX MEDLINE; 78087552.
 RA Cohen S.A., Sterner R., Keim P.S., Heinrikson R.L.;
 RT "Covalent structural analysis of yeast inorganic pyrophosphatase.";
 RL J. Biol. Chem. 253:889-897(1978).
 RN
 RP SEQUENCE OF 25-35 AND 239-251.
 RC STRAIN=S288C;
 RX MEDLINE; 95203288.
 RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a *Saccharomyces cerevisiae* protein
 database";
 RL Electrophoresis 15:1466-1486(1994).
 RN
 RP SEQUENCE OF 239-249.
 RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE; 97089742.
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN
 RP ACTIVE SITE.
 RX MEDLINE; 80109718.
 RA Bond M.W., Chiu N.Y., Cooperman B.S.;
 RT "Identification of an arginine important for enzymatic activity
 within the covalent structure of yeast inorganic pyrophosphatase.";
 RL Biochemistry 19:94-102(1980).
 RN
 RP X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).
 RA Arutunian E.G., Terzian S.S., Voronova A.A., Kuranova I.P.,
 RA Smirnova E.A., Vainstein B.K., Hohne W.E., Hansen G.;
 RT "X-ray diffraction study of inorganic pyrophosphatase from baker's
 yeast at the 3-A resolution.";
 RL Dokl. Akad. Nauk SSSR 258:1481-1492(1981).
 RN
 RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
 RX MEDLINE; 97148342.
 RA Heikinheimo P., Lehtonen J., Baykov A., Lahti R., Cooperman B.S.,
 RA Goldman A.;
 RT "The structural basis for pyrophosphatase catalysis.";
 RL Structure 4:1491-1508(1996).
 RN
 RP X-RAY CRYSTALLOGRAPHY (2.1 ANGSTROMS).
 RA Swaminathan K., Cooperman B.S., Lahti R., Voet D.;
 RL Submitted (DEC-1997) to the PDB data bank.
 RN
 RP X-RAY CRYSTALLOGRAPHY (2.15 ANGSTROMS) OF MUTANTS LYS-78 AND LYS-117.
 RX MEDLINE; 99096888.
 RA Tuominen V., Heikinheimo P., Kajander T., Torkkel T., Hyytia T.,
 RA Kapyla J., Lahti R., Cooperman B.S., Goldman A.;
 RT "The R78K and D117E active-site variants of *Saccharomyces cerevisiae*
 soluble inorganic pyrophosphatase: structural studies and mechanistic
 implications.";
 RL J. Mol. Biol. 284:1565-1580(1998).
 RN

RP SIMILARITY TO E.COLI AND K.LACTIS PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihtinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and *E. coli*
 inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 RC
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O -> 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY. IT BINDS UP TO 4 DIVALENT
 CC CATIONS PER SUBUNIT, WITH THREE REQUIRED FOR ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; X13253; CAA31629.1; -;
 DR EMBL; Z35880; CAA84949.1; -;
 DR PIR; S45864; PWB.
 DR PDB; 1PYP; 15-OCT-91.
 DR PDB; 1YPP; 07-DEC-96.
 DR PDB; 1WGI; 19-NOV-97.
 DR PDB; 1WGU; 19-NOV-97.
 DR PDB; 1HUK; 08-APR-98.
 DR PDB; 1HUK; 08-APR-98.
 DR PDB; 117E; 23-DEC-98.
 DR PDB; 8PRK; 23-DEC-98.
 DR SWISS-2DPAGE; P00817; YEAST.
 DR YEPD; 7305; -;
 DR SGD; S0000215; IPPL.
 DR INTERPRO; IPR001596; -;
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium; 3D-structure.
 FT INIT_MET 0 0
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE.
 FT CONFLICT 40 40 N -> D (IN REF. 3).
 FT CONFLICT 71 71 D -> N (IN REF. 3).
 FT CONFLICT 74 74 MISSING (IN REF. 3).
 FT CONFLICT 123 123 E -> Q (IN REF. 3).
 FT CONFLICT 136 136 Q -> E (IN REF. 3).
 FT CONFLICT 186 186 N -> D (IN REF. 3).
 FT CONFLICT 224 224 D -> N (IN REF. 3).
 FT CONFLICT 266 266 L -> P (IN REF. 2).
 FT STRAND 4 7
 FT STRAND 16 20
 FT STRAND 25 25
 FT TURN 28 30
 FT TURN 38 41
 FT STRAND 45 45
 FT STRAND 55 55
 FT STRAND 79 79
 FT TURN 97 98
 FT TURN 111 112
 FT STRAND 121 123
 FT TURN 131 132
 FT STRAND 135 135
 FT STRAND 138 146
 FT STRAND 151 158
 FT TURN 160 161
 FT TURN 165 167
 FT HELIX 172 175
 FT TURN 176 177
 FT TURN 179 180
 FT HELIX 182 197

FT STRAND 203 203
 FT HELIX 205 207
 FT STRAND 210 210
 FT HELIX 212 230
 FT TURN 231 231
 FT TURN 245 246
 FT TURN 248 249
 FT TURN 251 252
 FT TURN 255 260
 FT TURN 274 275
 SQ SEQUENCE 286 AA; 32184 MW; F29390260B60C8B2 CRC64;

Query Match 63.0%; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 13;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 DB 91 HNYGAF 96

RESULT 11
 ID HB2D_CANFA STANDARD; PRT; 266 AA.
 AC P18470;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE DLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-1 BETA CHAIN PRECURSOR.
 OS Canis familiaris (Dog).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
 [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 90316610.
 RA Sarmiento U.M., Storb R.;
 RT "Nucleotide sequence of a dog DRB cDNA clone.";
 RL Immunogenetics 31:396-399(1990).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M29611; AAA30874.1; -
 DR PIR; A45844; A45844.
 DR HSP; P13760; 2SEB.
 DR INTERPRO; IPR000353; -
 DR INTERPRO; IPR000495; -
 DR INTERPRO; IPR003006; -
 DR PFAM; PF00969; MHC_II_beta; 1.
 DR PRAM; PF00047; Ig; 1.
 DR PROSITE; PS00290; IG_MHC; 1.
 KW MHC II; Transmembrane; Glycoprotein; Signal.
 FT SIGNAL 1 29
 FT CHAIN 30 266
 FT DLA CLASS II HISTOCOMPATIBILITY ANTIGEN,
 FT DR-1 BETA CHAIN.
 FT EXTRACELLULAR BETA-1.
 FT EXTRACELLULAR BETA-2.
 FT CYTOPLASMIC TAIL.
 FT BY SIMILARITY.
 FT BY SIMILARITY.
 FT BY SIMILARITY.
 FT N-LINKED (GLCNAC...) (POTENTIAL).
 SQ SEQUENCE 266 AA; 30151 MW; 4E8297BBF1ACDD67 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 266;
 Best Local Similarity 66.7%; Pred. No. 18;

Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 2 HNYGSFAS 10
 DB 109 HNYGVIES 117

RESULT 12
 ID FATB_VIBAN STANDARD; PRT; 322 AA.
 AC P11460;
 DT 01-OCT-1989 (Rel. 12, Created)
 DT 01-OCT-1989 (Rel. 12, Last sequence update)
 DT 01-OCT-1994 (Rel. 30, Last annotation update)
 DE FERRIC ANGUIBACTIN-BINDING PROTEIN PRECURSOR.
 GN FATB.
 OS Vibrio anguillarum.
 OG Plasmid pJML.
 OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-775;
 RX MEDLINE; 88199336.
 RA Actis L.A., Tolmasky M.E., Farrell D.H., Crosa J.H.;
 RT "Genetic and molecular characterization of essential components of
 RT the Vibrio anguillarum plasmid-mediated iron-transport system.";
 RL J. Biol. Chem. 263:2853-2860(1988).
 RN [2]
 RN SEQUENCE OF 1-154 FROM N.A.
 RP STRAIN-775;
 RX MEDLINE; 92084677.
 RA Koester W.L., Actis L.A., Waldbeser L.S., Tolmasky M.E., Crosa J.H.;
 RT "Molecular characterization of the iron transport system mediated by
 RT the pJML plasmid in Vibrio anguillarum 775.";
 RL J. Biol. Chem. 266:23829-23833(1991).
 CC -!- FUNCTION: BINDS FERRIC ANGUIBACTIN; PART OF THE BINDING-PROTEIN-
 CC DEPENDENT TRANSPORT SYSTEM FOR UPTAKE OF FERRIC ANGUIBACTIN.
 CC -!- SUBCELLULAR LOCATION: ATTACHED TO THE INNER MEMBRANE BY A LIPID
 CC ANCHOR (POTENTIAL).
 CC -!- SIMILARITY: BELONGS TO THE BACTERIAL EXTRACELLULAR SOLUTE-BINDING
 CC PROTEIN FAMILY 8.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; J03529; AAA91580.1; -
 DR EMBL; M74068; AAA25643.1; ALT_INIT.
 DR PIR; A29928; A29928.
 DR INTERPRO; IPR002491; -
 DR PFAM; PF01497; Peripla_BP_2; 1.
 DR PROSITE; PS00013; PROKAR_LIPOPROTEIN; 1.
 KW Transports; Iron transport; Signal; Inner membrane; Lipoprotein;
 KW Plasmid.
 FT SIGNAL 1 22
 FT CHAIN 23 322
 FT LIPID 23 23
 FT FERRIC ANGUIBACTIN-BINDING PROTEIN.
 FT N-ACYL DIGLYCERIDE (POTENTIAL).
 SQ SEQUENCE 322 AA; 35635 MW; FB8674EED5CF3F7 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 322;
 Best Local Similarity 75.0%; Pred. No. 23;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAS 10
 DB 203 HNYGSFSS 210

```
RESULT 13
PF21_ARATH
ID PF21_ARATH STANDARD; PRT; 398 AA.
AC Q04088;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-NOV-1995 (Rel. 32, Last annotation update)
DE POSSIBLE TRANSCRIPTION FACTOR POSF21.
GN POSF21.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. ZURICH; TISSUE=LEAF;
RX MEDLINE; 93251100.
RA Aeschbacher R.A., Schrott M., Potrykus I., Saul M.W.;
RT "Isolation and molecular characterization of PosF21, an Arabidopsis
RT thaliana gene which shows characteristics of a b-Zip class
RT transcription factor.";
RL Plant J. 1:303-316(1991).
CC -!- FUNCTION: PUTATIVE TRANSCRIPTION FACTOR WITH AN ACTIVATORY
CC ROLE.
CC -!- SUBCELLULAR LOCATION: NUCLEAR.
CC -!- DEVELOPMENTAL STAGE: EXPRESSED CONSTITUTIVELY AT A LOW LEVEL IN
CC -!- YOUNG SEEDLINGS AND IN ROOTS, STEMS AND LEAVES OF MATURE
CC ARABIDOPSIS PLANTS.
CC -!- SIMILARITY: TO OTHER BZIP PROTEINS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X61031; CAA43366.1; -.
DR INTERPRO; IPR001871; -.
DR PFAM; PF00170; BZIP; 1.
DR PROSITE; PS00036; BZIP_BASIC; FALSE_NEG.
KW Transcription regulation; DNA-binding; Nuclear protein.
FT DNA_BIND 203 222
FT DOMAIN 229 264 BASIC MOTIF.
FT DOMAIN 340 364 LEUCINE-ZIPPER.
FT DOMAIN 354 372 POLY-GLN.
FT DOMAIN 398 448 POLY-GLN.
SQ SEQUENCE 398 AA; 44689 MW; 2DAAG9EC9B9C14D11 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 398;
Best Local Similarity 85.7%; Pred. NO. 28;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 4 NYGFSAS 10
| | | | |
Db 305 NYGSGFS 311

RESULT 14
NCAP_CVHOC
ID NCAP_CVHOC STANDARD; PRT; 448 AA.
AC P33469;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE POSSIBLE TRANSCRIPTION FACTOR POSF21.
GN POSF21.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. ZURICH; TISSUE=LEAF;
RX MEDLINE; 93251100.
RA Aeschbacher R.A., Schrott M., Potrykus I., Saul M.W.;
RT "Isolation and molecular characterization of PosF21, an Arabidopsis
RT thaliana gene which shows characteristics of a b-Zip class
RT transcription factor.";
RL Plant J. 1:303-316(1991).
CC -!- FUNCTION: PUTATIVE TRANSCRIPTION FACTOR WITH AN ACTIVATORY
CC ROLE.
CC -!- SUBCELLULAR LOCATION: NUCLEAR.
CC -!- DEVELOPMENTAL STAGE: EXPRESSED CONSTITUTIVELY AT A LOW LEVEL IN
CC -!- YOUNG SEEDLINGS AND IN ROOTS, STEMS AND LEAVES OF MATURE
CC ARABIDOPSIS PLANTS.
CC -!- SIMILARITY: TO OTHER BZIP PROTEINS.
CC -----
DR EMBL; X61031; CAA43366.1; -.
DR INTERPRO; IPR001871; -.
DR PFAM; PF00170; BZIP; 1.
DR PROSITE; PS00036; BZIP_BASIC; FALSE_NEG.
KW Transcription regulation; DNA-binding; Nuclear protein.
FT DNA_BIND 203 222
FT DOMAIN 229 264 BASIC MOTIF.
FT DOMAIN 340 364 LEUCINE-ZIPPER.
FT DOMAIN 354 372 POLY-GLN.
FT DOMAIN 398 448 POLY-GLN.
SQ SEQUENCE 398 AA; 44689 MW; 2DAAG9EC9B9C14D11 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 398;
Best Local Similarity 85.7%; Pred. NO. 28;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 4 NYGFSAS 10
| | | | |
Db 305 NYGSGFS 311
```

```
RX MEDLINE; 89243809.
RA Kamahora T., Soe L.H., Lai M.M.C.;
RT "Sequence analysis of nucleocapsid gene and leader RNA of human
RT coronavirus OC43.";
RL Virus Res. 12:1-9(1989).
DR PIR; A60003; A60003.
DR INTERPRO; IPR001218; -.
DR PFAM; PF00937; Corona_nucleoca; 1.
KW Nucleocapsid.
SQ SEQUENCE 448 AA; 49316 MW; 5193AB1AE0D75626 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 448;
Best Local Similarity 85.7%; Pred. NO. 32;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYSGF 8
| | | | |
Db 103 RHNYSGF 109

RESULT 15
SYE2_RICPR
ID SYE2_RICPR STANDARD; PRT; 470 AA.
AC Q9ZCT8;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
DE (GLURS 2).
GN GLT2 OR RP623.
OS Rickettsia prowazekii.
OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
OC Rickettsiaceae; Rickettsia;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=MADRID E;
RX MEDLINE; 99039499.
RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
RA Sikeritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
RT "The genome sequence of Rickettsia prowazekii and the origin of
RT mitochondria.";
RL Nature 396:133-140(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) -> AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ235272; CAA15066.1; -.
DR HSP; P27000; IGLN.
DR INTERPRO; IPR000924; -.
DR INTERPRO; IPR001412; -.
DR PFAM; PF00749; trna-synt_lc; 1.
DR PRINTS; PR00987; TRNASYNTHGLU.
DR PROSITE; PS00178; AA_TRNA_LIGASE_I; FALSE_NEG.
KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 239 243 "KMSKS" REGION.
FT BINDING 242 242 ATP (BY SIMILARITY).
FT BINDING 242 242 ATP (BY SIMILARITY).
SQ SEQUENCE 470 AA; 53696 MW; DFCE50A20B8A9FD CRC64;

Query Match 61.1%; Score 33; DB 1; Length 470;
```

Best Local Similarity 75.0%; Pred. No. 34;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
| | | | |
Db 31 ARHNGKF 38

Search completed: March 28, 2001, 07:35:00
Job time: 137 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:02 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-68
Perfect score: 54
Sequence: 1 ARHNYGSFAS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mhc:*
- 8: sp_organelle:*
- 9: sp_phase:*
- 10: sp_plant:*
- 11: sp_rodent:*
- 12: sp_virus:*
- 13: sp_vertebrate:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	79.6	839	10 Q9LIE5	Q9LIE5 arabidopsis
2	41	75.9	89	7 Q19495	Q19495 gallus gall
3	40	74.1	446	5 O62086	O62086 caenorhabdi
4	39	72.2	39	7 P79474	P79474 cervus elap
5	39	72.2	39	7 P79477	P79477 cervus elap
6	39	72.2	39	7 P79478	P79478 cervus elap
7	39	72.2	39	7 P79479	P79479 cervus elap
8	39	72.2	76	7 Q9TPC2	Q9TPC2 macaca mula
9	39	72.2	82	7 Q30606	Q30606 macaca mula
10	39	72.2	82	7 Q30608	Q30608 macaca mula
11	39	72.2	82	7 Q30637	Q30637 macaca mula
12	39	72.2	82	7 Q30638	Q30638 macaca mula
13	39	72.2	82	7 Q30658	Q30658 macaca mula
14	39	72.2	82	7 Q30659	Q30659 macaca mula
15	39	72.2	82	7 Q30666	Q30666 macaca mula
16	39	72.2	82	7 Q30667	Q30667 macaca mula
17	39	72.2	82	7 Q30668	Q30668 macaca mula
18	39	72.2	82	7 Q19287	Q19287 macaca mula
19	39	72.2	82	7 Q19288	Q19288 macaca mula

20	39	72.2	82	7 Q9TFC9	Q9TFC9 callicebus
21	39	72.2	82	7 Q9MXN1	Q9MXN1 macaca mula
22	39	72.2	83	6 Q9TSS5	Q9TSS5 bos indicus
23	39	72.2	83	7 Q98002	Q98002 ovis aries
24	39	72.2	85	7 Q30796	Q30796 ovis aries
25	39	72.2	85	7 Q30800	Q30800 ovis aries
26	39	72.2	85	7 Q30803	Q30803 ovis aries
27	39	72.2	85	7 Q30812	Q30812 ovis aries
28	39	72.2	85	7 P79966	P79966 capra aegag
29	39	72.2	85	7 P79967	P79967 capra aegag
30	39	72.2	85	7 P79968	P79968 capra aegag
31	39	72.2	86	7 Q30326	Q30326 bos taurus
32	39	72.2	89	7 Q19210	Q19210 capra hircu
33	39	72.2	89	7 Q19212	Q19212 capra hircu
34	39	72.2	89	7 Q30521	Q30521 galago sene
35	39	72.2	89	7 Q30522	Q30522 galago sene
36	39	72.2	89	7 Q30526	Q30526 galago sene
37	39	72.2	89	7 Q30217	Q30217 homo sapien
38	39	72.2	89	7 Q9MXW8	Q9MXW8 aotus nancy
39	39	72.2	89	7 Q9MXW4	Q9MXW4 aotus nancy
40	39	72.2	89	7 Q9MXW3	Q9MXW3 aotus nancy
41	39	72.2	89	7 Q9MXV8	Q9MXV8 aotus nancy
42	39	72.2	89	7 Q9MXV7	Q9MXV7 aotus nancy
43	39	72.2	89	7 Q9MXV5	Q9MXV5 aotus nancy
44	39	72.2	89	7 Q9MXU6	Q9MXU6 aotus nancy
45	39	72.2	89	7 Q9MXU5	Q9MXU5 aotus nancy

ALIGNMENTS

RESULT 1

Q9LIE5 PRELIMINARY; PRT; 839 AA.
AC Q9LIE5;
DT 01-OCT-2000 (Tremblrel. 15, Created)
DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)
DE 01-OCT-2000 (Tremblrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety P1,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AF001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 79.6%; Score 43; DB 10; Length 839;
Best Local Similarity 87.5%; Pred. No. 3.7;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8

Db 274 SRHNYGSF 281

RESULT 2

O19495

ID O19495 PRELIMINARY; PRT; 89 AA.
AC O19495;
DT 01-JAN-1998 (TREMBLrel. 05, Created)
DT 01-JAN-1998 (TREMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
GN B-LBI.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=15.15I-5; TISSUE=BURSA;
RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
RL Immunogenetics 47:350-354(1998).
DR EMBL; U91532; AAC15813.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 89 89
SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEBI379 CRC64;

Query Match 75.9%; Score 41; DB 7; Length 89;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

OY 2 RHNYGSFAS 10
|||||
DB 75 RHNYGDFES 83

RESULT 3
O62086 PRELIMINARY; PRT; 446 AA.
AC O62086;
DT 01-AUG-1998 (TREMBLrel. 07, Created)
DT 01-AUG-1998 (TREMBLrel. 07, Last sequence update)
DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update)
DE C31H5 6 PROTEIN.
GN C31H5.6.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA Kershaw J.;
RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Shownkeen R.,
RA Smalton N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans";
RL Nature 368:32-38(1994).

DR EMBL; Z93778; CAB07846.1; -.
DR INTERPRO; IPR000379; -.
DR INTERPRO; IPR002925; -.
DR PFAM; PF01738; DLH; 2.
SQ SEQUENCE 446 AA; 50763 MW; 82AD969CDAD753DE CRC64;

Query Match 74.1%; Score 40; DB 5; Length 446;
Best Local Similarity 77.8%; Pred. No. 7.3;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

OY 2 RHNYGSFAS 10
|||||
DB 51 RHNYGSFAS 59

RESULT 4
P79474 PRELIMINARY; PRT; 39 AA.
AC P79474;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63077; AAB37777.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733DID CRC64;

Query Match 72.2%; Score 39; DB 7; Length 39;
Best Local Similarity 77.8%; Pred. No. 0.89;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

OY 2 RHNYGSFAS 10
|||||
DB 25 RHNYGVFES 33

RESULT 5
P79477 PRELIMINARY; PRT; 39 AA.
AC P79477;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63080; AAB37780.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3CID CRC64;

Query Match 72.2%; Score 39; DB 7; Length 39;
Best Local Similarity 77.8%; Pred. No. 0.89;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

OY 2 RHNYGSFAS 10

```

Db      25 RHNYGVFES 33
      ||||| | |
RESULT  6
ID      P79478      PRELIMINARY;      PRT;      39 AA.
AC      P79478;
DT      01-MAY-1997 (TREMBLrel. 03, Created)
DE      01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DE      01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE      MHC CLASS II DRB (FRAGMENT).
OS      Cervus elaphus (Red deer).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC      Cervidae; Cervinae; Cervus.
OX      NCBI_TaxID-9860;
RN      [1]
RP      SEQUENCE FROM N.A.
RA      Swarbrick P.A., Crawford A.M.;
RL      Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR      EMBL; U63081; AAB37781.1; -.
KW      MHC.
FT      NON_TER      1
FT      NON_TER      39
SQ      SEQUENCE      39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match      72.2%; Score 39; DB 7; Length 39;
Best Local Similarity      77.8%; Pred. No. 0.89;
Matches      7; Conservative      0; Mismatches      2; Indels      0; Gaps      0;

Qy      2 RHNYGSFAS 10
      ||||| | |
Db      25 RHNYGVFES 33

RESULT  7
ID      P79479      PRELIMINARY;      PRT;      39 AA.
AC      P79479;
DT      01-MAY-1997 (TREMBLrel. 03, Created)
DE      01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DE      01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE      MHC CLASS II DRB (FRAGMENT).
OS      Cervus elaphus (Red deer).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC      Cervidae; Cervinae; Cervus.
OX      NCBI_TaxID-9860;
RN      [1]
RP      SEQUENCE FROM N.A.
RA      Swarbrick P.A., Crawford A.M.;
RL      Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR      EMBL; U63082; AAB37782.1; -.
KW      MHC.
FT      NON_TER      1
FT      NON_TER      39
SQ      SEQUENCE      39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match      72.2%; Score 39; DB 7; Length 39;
Best Local Similarity      77.8%; Pred. No. 0.89;
Matches      7; Conservative      0; Mismatches      2; Indels      0; Gaps      0;

Qy      2 RHNYGSFAS 10
      ||||| | |
Db      25 RHNYGVFES 33

RESULT  8
Q9TPC2
ID      Q9TPC2      PRELIMINARY;      PRT;      76 AA.

AC      Q9TPC2;
DT      01-MAY-2000 (TREMBLrel. 13, Created)
DT      01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DE      01-JUN-2000 (TREMBLrel. 14, Last annotation update)
DE      MHC CLASS II ANTIGEN (FRAGMENT).
GN      MAMU-DRB1.
OS      Macaca mulatta (Rhesus macaque).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC      Cercopitheciniae; Macaca.
OX      NCBI_TaxID-9544;
RN      [1]
RP      SEQUENCE FROM N.A.
RA      Saueremann U., Khazand M., Nagy M., Peiberg C.;
RT      "Mhc-DQ-DRB-haplotype analysis in the rhesus macaque: evidence for a
RT      number of different haplotypes displaying a low allelic
RT      polymorphism.";
RL      Tissue Antigens 0:0-0(1999).
DR      EMBL; AF175315; AAF07040.1; -.
DR      INTERPRO; IPR000353; -.
DR      PFAM; PF00969; MHC_II_beta; 1.
KW      MHC.
FT      NON_TER      1
FT      NON_TER      76
SQ      SEQUENCE      76 AA; 9315 MW; 1DC073E1B87A94D0 CRC64;

Query Match      72.2%; Score 39; DB 7; Length 76;
Best Local Similarity      77.8%; Pred. No. 1.8;
Matches      7; Conservative      0; Mismatches      2; Indels      0; Gaps      0;

Qy      2 RHNYGSFAS 10
      ||||| | |
Db      67 RHNYGVFES 75

RESULT  9
Q30606
ID      Q30606      PRELIMINARY;      PRT;      82 AA.
AC      Q30606;
DT      01-NOV-1996 (TREMBLrel. 01, Created)
DT      01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DE      01-MAY-2000 (TREMBLrel. 13, Last annotation update)
DE      MAJOR HISTOCOMPATIBILITY COMPLEX CLASS II (FRAGMENT).
GN      MHC-DRB.
OS      Macaca mulatta (Rhesus macaque).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC      Cercopitheciniae; Macaca.
OX      NCBI_TaxID-9544;
RN      [1]
RP      SEQUENCE FROM N.A.
RX      MEDLINE-97152405; PubMed-8995183;
RA      Knapp L.A., Cadavid L.F., Eberle M.E., Knechtle S.J., Bontrop R.E.,
RA      Watkins D.I.;
RT      "Identification of new mamu-DRB alleles using DGGE and direct
RT      sequencing.";
RL      Immunogenetics 45:171-179(1997).
DR      EMBL; U57948; AAC50981.1; -.
DR      INTERPRO; IPR000353; -.
DR      PFAM; PF00969; MHC_II_beta; 1.
KW      MHC.
FT      NON_TER      1
FT      NON_TER      82
SQ      SEQUENCE      82 AA; 9921 MW; CC75FCF5E35EEC2 CRC64;

Query Match      72.2%; Score 39; DB 7; Length 82;
Best Local Similarity      77.8%; Pred. No. 1.9;
Matches      7; Conservative      0; Mismatches      2; Indels      0; Gaps      0;

Qy      2 RHNYGSFAS 10
      ||||| | |

```

```

Db      73 RHNYGVFES 81

RESULT 10
Q30608      PRELIMINARY;      PRT;      82 AA.
ID Q30608;
AC Q30608;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX CLASS II (FRAGMENT).
GN MHC-DRB.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
OC Cercopitheciinae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97152405; PubMed=8995183;
RA Knapp L.A., Cadavid L.F., Eberle M.E., Knechtie S.J., Bontrop R.E.,
RA Watkins D.I.;
RT "Identification of new manu-DRB alleles using DGGE and direct
RT sequencing.";
RL Immunogenetics 45:171-179(1997).
DR EMBL; U57950; AAC50983.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER      1      1
FT NON_TER      82     82
SQ SEQUENCE      82 AA; 9880 MW; C16CA448A7EF9148 CRC64;

Query Match      72.2%; Score 39; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 1.9;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      2 RHNYGSFAS 10
Db      73 RHNYGVFES 81

RESULT 11
Q30637      PRELIMINARY;      PRT;      82 AA.
ID Q30637;
AC Q30637;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN MHC DR-BETA 1.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
OC Cercopitheciinae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=1KM; TISSUE=BLOOD;
RX MEDLINE=93123123; PubMed=1478892;
RA Slierendregt B.L.; van Noort J.T.; Bakas R.M.; Otting N.; Jonker M.,
RA Bontrop R.E.;
RT "Evolutionary stability of transspecies major histocompatibility
RT complex class II DRB lineages in humans and rhesus monkeys.";
RL Hum. Immunol. 35:29-39(1992).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=1KL; TISSUE=BLOOD;
RX Slierendregt B.L.;
RL Submitted (Sep-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z26141; CAA81142.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER      1      1
FT NON_TER      82     82
SQ SEQUENCE      82 AA; 9953 MW; FB1B03E5209CD316 CRC64;

Query Match      72.2%; Score 39; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 1.9;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      2 RHNYGSFAS 10
Db      73 RHNYGVFES 81

RESULT 12
Q30638      PRELIMINARY;      PRT;      82 AA.
ID Q30638;
AC Q30638;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN MHC DR-BETA 1.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
OC Cercopitheciinae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=1KL; TISSUE=BLOOD;
RX MEDLINE=93123123; PubMed=1478892;
RA Slierendregt B.L.; van Noort J.T.; Bakas R.M.; Otting N.; Jonker M.,
RA Bontrop R.E.;
RT "Evolutionary stability of transspecies major histocompatibility
RT complex class II DRB lineages in humans and rhesus monkeys.";
RL Hum. Immunol. 35:29-39(1992).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=1KL; TISSUE=BLOOD;
RX Slierendregt B.L.;
RL Submitted (Sep-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z26141; CAA81142.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER      1      1
FT NON_TER      82     82
SQ SEQUENCE      82 AA; 9953 MW; FB1B03E5209CD316 CRC64;

Query Match      72.2%; Score 39; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 1.9;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      2 RHNYGSFAS 10
Db      73 RHNYGVFES 81

RESULT 13
Q30658      PRELIMINARY;      PRT;      82 AA.
ID Q30658;
AC Q30658;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN MHC DR-BETA 5.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

```

```

DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER      1      1
FT NON_TER      82     82
SQ SEQUENCE      82 AA; 10024 MW; FAAB1152D09CD306 CRC64;

Query Match      72.2%; Score 39; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 1.9;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      2 RHNYGSFAS 10
Db      73 RHNYGVFES 81

RESULT 12
Q30638      PRELIMINARY;      PRT;      82 AA.
ID Q30638;
AC Q30638;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN MHC DR-BETA 1.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
OC Cercopitheciinae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=1KL; TISSUE=BLOOD;
RX MEDLINE=93123123; PubMed=1478892;
RA Slierendregt B.L.; van Noort J.T.; Bakas R.M.; Otting N.; Jonker M.,
RA Bontrop R.E.;
RT "Evolutionary stability of transspecies major histocompatibility
RT complex class II DRB lineages in humans and rhesus monkeys.";
RL Hum. Immunol. 35:29-39(1992).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=1KL; TISSUE=BLOOD;
RX Slierendregt B.L.;
RL Submitted (Sep-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z26141; CAA81142.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER      1      1
FT NON_TER      82     82
SQ SEQUENCE      82 AA; 9953 MW; FB1B03E5209CD316 CRC64;

Query Match      72.2%; Score 39; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 1.9;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      2 RHNYGSFAS 10
Db      73 RHNYGVFES 81

RESULT 13
Q30658      PRELIMINARY;      PRT;      82 AA.
ID Q30658;
AC Q30658;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN MHC DR-BETA 5.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

```

OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
 OC Cercopithecoidea; Macaca.
 OX NCBI_TaxID=9544;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1KL; TISSUE=BLOOD;
 RX MEDLINE=93123123; PubMed=1478892;
 RA Slierendregt B.L., van Noort J.T., Bakas R.M., Otting N., Jonker M.,
 RA Bontrop R.E.;
 RT "Evolutionary stability of transspecies major histocompatibility
 RT complex class II DRB lineages in humans and rhesus monkeys.";
 RL Hum. Immunol. 35:29-39(1992).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1KL; TISSUE=BLOOD;
 RA Slierendregt B.L.;
 RL Submitted (SEP-1993) to the EMBL/GenBank/DBJ databases.
 DR EMBL; 226161; CA81162.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1
 FT NON_TER 82
 FT NON_TER 82
 SQ SEQUENCE 82 AA; 9964 MW; 8AF2C663B1B4D4ED CRC64;

Query Match 72.2%; Score 39; DB 7; Length 82;
 Best Local Similarity 77.8%; Pred. No. 1.9;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
 DB 73 RHNYGVFES 81
 RESULT 14
 Q30659
 ID Q30659 PRELIMINARY; PRT; 82 AA.
 AC Q30659;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
 GN MHC DR-BETA 5.
 OS Macaca mulatta (Rhesus macaque).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
 OC Cercopithecoidea; Macaca.
 OX NCBI_TaxID=9544;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1ME; TISSUE=BLOOD;
 RX MEDLINE=93123123; PubMed=1478892;
 RA Slierendregt B.L., van Noort J.T., Bakas R.M., Otting N., Jonker M.,
 RA Bontrop R.E.;
 RT "Evolutionary stability of transspecies major histocompatibility
 RT complex class II DRB lineages in humans and rhesus monkeys.";
 RL Hum. Immunol. 35:29-39(1992).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1ME; TISSUE=BLOOD;
 RA Slierendregt B.L.;
 RL Submitted (SEP-1993) to the EMBL/GenBank/DBJ databases.
 DR EMBL; 226162; CA81163.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1
 FT NON_TER 82
 FT NON_TER 82
 SQ SEQUENCE 82 AA; 9940 MW; CC81E33E81B8D69A CRC64;

Query Match 72.2%; Score 39; DB 7; Length 82;

Best Local Similarity 77.8%; Pred. No. 1.9;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 2 RHNYGSFAS 10
 DB 73 RHNYGVFES 81
 RESULT 15
 Q30666
 ID Q30666 PRELIMINARY; PRT; 82 AA.
 AC Q30666;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
 GN MHC DR-BETA.
 OS Macaca mulatta (Rhesus macaque).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
 OC Cercopithecoidea; Macaca.
 OX NCBI_TaxID=9544;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1MP; TISSUE=BLOOD;
 RX MEDLINE=93123123; PubMed=1478892;
 RA Slierendregt B.L., van Noort J.T., Bakas R.M., Otting N., Jonker M.,
 RA Bontrop R.E.;
 RT "Evolutionary stability of transspecies major histocompatibility
 RT complex class II DRB lineages in humans and rhesus monkeys.";
 RL Hum. Immunol. 35:29-39(1992).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1MP; TISSUE=BLOOD;
 RA Slierendregt B.L.;
 RL Submitted (SEP-1993) to the EMBL/GenBank/DBJ databases.
 DR EMBL; 226170; CA81171.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1
 FT NON_TER 82
 FT NON_TER 82
 SQ SEQUENCE 82 AA; 9881 MW; A0661E28A7F36AFB CRC64;

Query Match 72.2%; Score 39; DB 7; Length 82;
 Best Local Similarity 77.8%; Pred. No. 1.9;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
 DB 73 RHNYGVFES 81

Search completed: March 28, 2001, 07:53:02
 Job time: 495 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:46 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-68

Perfect score: 54

Sequence: 1 ARHNYGSFAS 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36:*

```
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	54	100.0	10	19 W76024	LM609 grafted anti
2	51	94.4	10	19 W76025	LM609 grafted anti
3	51	94.4	10	19 W76030	LM609 grafted anti
4	50	92.6	10	19 W76026	LM609 grafted anti
5	50	92.6	10	19 W76027	LM609 grafted anti
6	50	92.6	10	19 W76028	LM609 grafted anti
7	50	92.6	10	19 W76029	LM609 grafted anti
8	50	92.6	10	19 W76010	LM609 grafted anti
9	50	92.6	117	19 W76001	Vitaxin antibody h
10	50	92.6	117	19 W76003	LM609 antibody hea
11	50	92.6	117	20 Y06381	Murine monoclonal
12	50	92.6	117	20 Y06387	Humanised LM609 an

13	50	92.6	118	20 Y06384	Humanised LM609 an
14	50	92.6	118	20 Y06385	Humanised LM609 an
15	50	92.6	118	20 Y06386	Humanised LM609 an
16	50	92.6	118	20 Y06383	Murine monoclonal
17	50	92.6	130	20 Y06379	LM609 grafted anti
18	49	90.7	10	19 W76037	LM609 grafted anti
19	48	88.9	10	19 W76040	LM609 grafted anti
20	47	87.0	10	19 W76021	LM609 grafted anti
21	46	85.2	10	19 W76039	LM609 grafted anti
22	46	85.2	10	19 W76022	LM609 grafted anti
23	46	85.2	10	19 W76023	LM609 grafted anti
24	45	83.3	10	19 W76020	LM609 grafted anti
25	43	79.6	10	19 W76038	LM609 grafted anti
26	42	77.8	110	20 W84099	Vitronectin alpha-
27	42	77.8	117	20 W84093	Murine vitronectin
28	42	77.8	117	20 W84097	Humanised anti-alp
29	41	75.9	8	20 Y06371	Murine monoclonal
30	37	68.5	119	19 Y86109	S. pneumoniae deri
31	36	66.7	117	16 R79157	Human IgE receptor
32	36	66.7	117	16 R79155	Human IgE receptor
33	36	66.7	117	18 W27357	Heavy chain variab
34	36	66.7	117	18 W27526	Heavy chain variab
35	36	66.7	117	18 W27354	Heavy chain variab
36	36	66.7	119	18 W01578	Lead binding Mab 8
37	36	66.7	239	20 W73874	Human antiFc epsil
38	36	66.7	242	20 W73876	Human antiFc epsil
39	35	64.8	89	17 Y14338	Protein encoded by
40	35	64.8	89	17 Y14306	Protein encoded by
41	35	64.8	89	17 Y14307	Protein encoded by
42	35	64.8	954	21 Y80092	Vitamin B12 transp
43	34	63.0	30	21 Y81870	Yeast ppl protein
44	33	61.1	80	12 R13396	HLA-DRW12a antigen
45	33	61.1	80	12 R13397	HLA-DRW12b antigen

ALIGNMENTS

RESULT 1
W76024
ID W76024 standard; Protein; 10 AA.
XX
XX W76024;
AC
XX
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-H region CDR3 protein fragment #6.
XX
KW Vitaxin; antibody; variable region; heavy chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
XX Mus sp.
XX
XX W09833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI; 1998-437472/37.
XX
XX N-PSDB; V49861.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 CC LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 54; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0013;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSPAS 10
 |||||
 Db 1 arhnygsfas 10

RESULT 2

W76025
 ID W76025 standard; Protein; 10 AA.

XX
 AC W76025;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #7.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49862.

XX Humanised antibody, vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 CC LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX

SQ Sequence 10 AA;

Query Match 94.4%; Score 51; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0043;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSPAS 10
 |||||
 Db 1 arhnygsfas 10

RESULT 3
 W76030
 ID W76030 standard; Protein; 10 AA.

XX
 AC W76030;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #12.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49862.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 CC LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 94.4%; Score 51; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0043;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAS 10
 Db 1 arhnygsfaa 10
 |||||

RESULT 4

W76026
 ID W76026 standard; Protein; 10 AA.

XX AC

XX AC

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #8.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49863.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 92.6%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0085;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

RESULT 5

W76027
 ID W76027 standard; Protein; 10 AA.

XX AC

XX W76027;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49864.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 92.6%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0085;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||


```

Db      1 arhnygsfa 9

RESULT      6
W76028
ID      W76028 standard; Protein; 10 AA.
AC      W76028;
XX
XX      02-NOV-1998 (first entry)
XX
XX      LM609 grafted antibody V-H region CDR3 protein fragment #10.
XX
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX      LM609; inhibitor; integrin-mediated signal transduction; treatment;
XX      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
XX      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX      macular degeneration; osteoporosis; primer; V-H region; CDR;
XX      complementarity determining region.
XX
XX      Mus sp.
XX
XX      WO9833919-A2.
XX
XX      06-AUG-1998.
XX
XX      30-JAN-1998; 98WO-US01826.
XX
XX      30-JAN-1997; 97US-0791391.
XX
XX      (IXSY-) IXSYS INC.
XX
XX      Glaser SM, Huse WD;
XX
XX      WPI; 1998-437472/37.
XX
XX      N-PSDB; V49865.
XX
XX      Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX      integrin - and related grafted antibodies based on murine monoclonal
XX      LM609, also related nucleic acid, used to treat, prevent or diagnose
XX      angiogenesis or restenosis
XX
XX      Claim 62; Page 41; 129pp; English.
XX
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
XX      LM609 heavy and light chain variable region. LM609 and the antibody
XX      vitaxin bind selectively to integrin alphavbeta3 and can be used to
XX      inhibit binding of alphavbeta3 to a ligand and thus block
XX      integrin-mediated signal transduction. This is useful in the treatment,
XX      prevention and diagnosis of alphavbeta3-mediated disease, specifically
XX      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX      arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX      contain non-murine framework regions so are suitable for use in humans.
XX      Enhanced types of LM609 have affinity more than 90 times greater than
XX      that of parent the parent antibody.
XX
XX      Sequence 10 AA:

Query Match      92.6%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0065;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 ARHNYGSFA 9
Db      1 arhnygsfa 9

RESULT      8
ID      W76010 standard; Protein; 10 AA.
XX
XX      W76010;
XX
XX      02-NOV-1998 (first entry)
XX
XX      LM609 grafted antibody V-H region CDR3 protein fragment #1.
XX
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

```

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX PA (IXSY-) IXSYS INC.
 XX
 XX PI Glaser SM, Huse WD;
 XX
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49847.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Disclosure; Page 40; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SO Sequence 10 AA;

 Query Match 92.6%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0065;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 Qy 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

 RESULT 9
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 AC W76001;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE Vitaxin antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX PA (IXSY-) IXSYS INC.

PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 PA
 PI Glaser SM, Huse WD;
 XX
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49820.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 1; Fig 1a; 129pp; English.
 XX
 CC This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

 Query Match 92.6%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.08;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 Qy 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

 RESULT 10
 W76003
 ID W76003 standard; Protein; 117 AA.
 XX
 AC W76003;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX PA (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD:
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49822.
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 43; Fig 2a; 129pp; English.
 PS
 XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

Query Match 92.6%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.08;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

RESULT 11
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 AC Y06381;

DT 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 VH region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus musculus.

OS

PN WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI: 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine

CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 117 AA;

Query Match 92.6%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.08;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

RESULT 12

Y06387
 ID Y06387 standard; Protein; 117 AA.

XX Y06387;

DT 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VH domain.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Homo sapiens.

OS Synthetic.

XX Key Location/Qualifiers

FT Peptide 1..2 /note= "vector-encoded residues"

FT Region 31..35

FT Region /note= "CDR1"

FT Region 50..66

FT Region /note= "CDR2"

FT Region 107..117

FT Region /note= "CDR3"

XX WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI: 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin

CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 117 AA;

Query Match 92.6%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.08;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSEFA 9
 Db 97 arhnygsfa 105
 |||||

RESULT 13
 Y06384
 ID Y06384 standard; Protein; 118 AA.
 AC
 AC Y06384;
 DT 06-SEP-1999 (first entry)
 XX

DE Humanised LM609 antibody VH domain.
 XX
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
Peptide	1..2
Region	/note= "vector-encoded residues"
Region	31..37
Region	/note= "CDR1"
Region	52..67
Region	/note= "CDR2"
Region	100..107
Region	/note= "CDR3"

WO9929888-A1.
 PD 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 PF
 PR 05-DEC-1997; 97US-0986016.
 XX
 XX (SCRI) SCRIPPS RES INST.
 PA
 PI Barbas CF, Rader C;
 XX
 XX WPI; 1999-394979/33.
 DR

PT Production of humanized mouse monoclonal antibodies
 XX
 XX Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 92.6%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.081;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSEFA 9
 Db 98 arhnygsfa 106
 |||||

RESULT 14
 Y06385
 ID Y06385 standard; Protein; 118 AA.
 AC
 AC Y06385;
 DT 06-SEP-1999 (first entry)
 XX
 XX Humanised LM609 antibody VH domain.
 DE

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
Peptide	1..2
Region	/note= "vector-encoded residues"
Region	31..37
Region	/note= "CDR1"
Region	52..67
Region	/note= "CDR2"
Region	100..107
Region	/note= "CDR3"

WO9929888-A1.
 PD 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 PF
 PR 05-DEC-1997; 97US-0986016.
 XX
 XX (SCRI) SCRIPPS RES INST.
 PA
 PI Barbas CF, Rader C;
 XX
 XX WPI; 1999-394979/33.
 DR

PT Production of humanized mouse monoclonal antibodies
 XX
 XX Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;
 SQ

Query Match 92.6%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.081;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

RESULT 15
 Y06386
 ID Y06386 standard; Protein; 118 AA.
 XX AC Y06386;
 XX DT 06-SEP-1999 (first entry)
 XX DE Humanised LM609 antibody VH domain.
 XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX OS Homo sapiens.
 OS Synthetic.

XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX WO9929888-A1.
 XX 17-JUN-1999.
 XX 04-DEC-1998; 98WO-US25828.
 XX 05-DEC-1997; 97US-0986016.
 XX (SCRI) SCRIPPS RES INST.
 XX Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 XX Production of humanized mouse monoclonal antibodies
 XX Disclosure; Page 51-52; 55pp; English.
 XX This sequence represents the heavy chain variable region of a
 CC humanised antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;
 SQ

Query Match 92.6%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.081;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

Search completed: March 28, 2001, 06:59:47
 Job time: 1383 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:54 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-68

Perfect score: 54

Sequence: 1 ARHNYGSFAS 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

- Issued Patents AA.*
1: /cgnl_7/ptodata/1/iaa/5A-COMB.pap.*
2: /cgnl_7/ptodata/1/iaa/5B-COMB.pap.*
3: /cgnl_7/ptodata/1/iaa/6-COMB.pap.*
4: /cgnl_7/ptodata/1/iaa/PCTUS-COMB.pap.*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pap.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	72.2	94	3	US-09-147-550-14
2	39	72.2	94	3	US-09-147-550-45
3	39	72.2	94	3	US-09-147-550-48
4	39	72.2	94	3	US-09-147-550-77
5	39	72.2	94	3	US-09-147-550-84
6	39	72.2	94	3	US-09-147-550-90
7	39	72.2	94	3	US-09-147-550-101
8	36	66.7	119	3	US-08-767-128-6
9	35	64.8	94	3	US-09-147-550-39
10	35	64.8	94	3	US-09-147-550-59
11	35	64.8	94	3	US-09-147-550-63
12	34	63.0	94	3	US-09-147-550-55
13	34	63.0	94	3	US-09-147-550-62
14	34	63.0	94	3	US-09-147-550-87
15	34	63.0	94	3	US-09-147-550-108
16	34	63.0	286	2	US-08-809-267-3
17	34	63.0	286	4	PCT-US95-13662A-3
18	34	63.0	287	2	US-08-741-437-5
19	34	63.0	287	2	US-09-134-593-5
20	33	61.1	94	3	US-09-147-550-19
21	33	61.1	94	3	US-09-147-550-30
22	33	61.1	94	3	US-09-147-550-83
23	33	61.1	94	3	US-09-147-550-85
24	33	61.1	94	3	US-09-147-550-91
25	33	61.1	94	3	US-09-147-550-93
26	33	61.1	94	3	US-09-147-550-106
27	33	61.1	94	3	US-09-147-550-109
28	32	59.3	15	1	US-08-618-464-7

Sequence 7, Appl
Sequence 44, Appl
Sequence 44, Appl
Sequence 84, Appl
Sequence 84, Appl
Sequence 84, Appl
Sequence 84, Appl
Sequence 84, Appl
Sequence 84, Appl
Sequence 84, Appl
Sequence 1, Appl
Sequence 30, Appl
Sequence 17, Appl
Sequence 23, Appl
Sequence 12, Appl
Sequence 13, Appl
Sequence 15, Appl

29 32 59.3 15 3 US-09-107-615-7
30 32 59.3 25 2 US-08-480-190-44
31 32 59.3 25 2 US-08-488-379-44
32 32 59.3 25 4 PCT-US93-07545-44
33 32 59.3 36 1 US-08-053-131-84
34 32 59.3 36 1 US-08-645-641-84
35 32 59.3 36 1 US-07-853-408B-84
36 32 59.3 36 2 US-08-096-762-84
37 32 59.3 36 2 US-08-308-865-84
38 32 59.3 36 4 PCT-US92-10983-84
39 32 59.3 80 1 US-08-264-250A-1
40 32 59.3 89 1 US-08-025-038-30
41 32 59.3 89 1 US-08-039-137-17
42 32 59.3 90 2 US-08-485-133-23
43 32 59.3 94 3 US-09-147-550-12
44 32 59.3 94 3 US-09-147-550-13
45 32 59.3 94 3 US-09-147-550-15

ALIGNMENTS

RESULT 1

US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patent Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 72.2%; Score 39; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 3.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
Db 80 RHNYGVFES 88
|||||

RESULT 2

US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 72.2%; Score 39; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 3.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | | | | |
DB 80 RHNYGVFES 88

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 72.2%; Score 39; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 3.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | | | | |
DB 80 RHNYGVFES 88

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 72.2%; Score 39; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 3.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | | | | |
DB 80 RHNYGVFES 88

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 72.2%; Score 39; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 3.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | | | | |
DB 80 RHNYGVFES 88

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

ORGANISM: BOVINE
US-09-147-550-90

Query Match 72.2%; Score 39; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 3.2; Indels 2; Gaps 0;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

Qy 2 RHNYGSFAS 10
Db 80 RHNYGVFES 88

RESULT 7
US-09-147-550-101
Sequence 101, Application US/09147550
Patent No. 6090540

GENERAL INFORMATION:
APPLICANT: Aida, Yoko
TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
SEQUENCE LISTING FOR 09/147,550
CURRENT APPLICATION NUMBER: US/09/147,550
CURRENT FILING DATE: 1999-04-23
EARLIER APPLICATION NUMBER: PCT/JP97/02485
EARLIER FILING DATE: 1997-07-17
EARLIER APPLICATION NUMBER: JP 8-190933
EARLIER FILING DATE: 1996-07-19
EARLIER APPLICATION NUMBER: JP 9-77979
EARLIER FILING DATE: 1997-03-28
NUMBER OF SEQ ID NOS: 115
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 101
LENGTH: 94
TYPE: PRT
ORGANISM: BOVINE
US-09-147-550-101

Query Match 72.2%; Score 39; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 3.2; Indels 2; Gaps 0;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

Qy 2 RHNYGSFAS 10
Db 80 RHNYGVFES 88

RESULT 8
US-08-767-128-6
Sequence 6, Application US/08767128
Patent No. 611079

GENERAL INFORMATION:
APPLICANT: WYLIE, DWANE E.
APPLICANT: LOPEZ, OSVALDO
APPLICANT: MURRAY, PETER JOSEPH
APPLICANT: GOEBEL, PETER
TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
NUCLEOTIDES CODING THEREFORE
NUMBER OF SEQUENCES: 46
CORRESPONDENCE ADDRESS:
ADDRESS: Merchant, Gould, Smith, Edell, Welter & Schmidt
STREET: 3100 No. 611079 West Center, 90 South Seventh St
CITY: Minneapolis
STATE: MN
COUNTRY: USA
ZIP: 55402
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq Version 1.5
CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/767,128
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE: 04-DEC-1996
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US96/09258
FILING DATE: 05-JUN-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/541,373
FILING DATE: 10-OCT-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/462,798
FILING DATE: 05-JUN-1995
ATTORNEY/AGENT INFORMATION:
NAME: Carter, Charles G.
REGISTRATION NUMBER: 35,093
REFERENCE/DOCKET NUMBER: 8648.49USFT
TELECOMMUNICATION INFORMATION:
TELEPHONE: 612/371-5278
TELEFAX: 612/332-9081
TELEX:

INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: internal
ORIGINAL SOURCE:
US-08-767-128-6

Query Match 66.7%; Score 36; DB 3; Length 119;
Best Local Similarity 66.7%; Pred. No. 13;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 97 ARHNYGYA 105

RESULT 9
US-09-147-550-39
Sequence 39, Application US/09147550
Patent No. 6090540

GENERAL INFORMATION:
APPLICANT: Aida, Yoko
TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
SEQUENCE LISTING FOR 09/147,550
CURRENT APPLICATION NUMBER: US/09/147,550
CURRENT FILING DATE: 1999-04-23
EARLIER APPLICATION NUMBER: PCT/JP97/02485
EARLIER FILING DATE: 1997-07-17
EARLIER APPLICATION NUMBER: JP 8-190933
EARLIER FILING DATE: 1996-07-19
EARLIER APPLICATION NUMBER: JP 9-77979
EARLIER FILING DATE: 1997-03-28
NUMBER OF SEQ ID NOS: 115
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 39
LENGTH: 94
TYPE: PRT
ORGANISM: BOVINE
US-09-147-550-39

Query Match 64.8%; Score 35; DB 3; Length 94;
 Best Local Similarity 66.7%; Pred. No. 15;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSPAS 10
 Db 80 RHNYGGMES 88

RESULT 10
 US-09-147-550-59
 ; Sequence 59, Application US/09147550
 ; Patent No. 6090540
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
 ; CURRENT APPLICATION NUMBER: US/09/147,550
 ; CURRENT FILING DATE: 1999-04-23
 ; EARLIER APPLICATION NUMBER: PCT/JP97/02485
 ; EARLIER FILING DATE: 1997-07-17
 ; EARLIER APPLICATION NUMBER: JP 8-190933
 ; EARLIER FILING DATE: 1996-07-19
 ; EARLIER APPLICATION NUMBER: JP 9-77979
 ; EARLIER FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 59
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-147-550-59

Query Match 64.8%; Score 35; DB 3; Length 94;
 Best Local Similarity 66.7%; Pred. No. 15;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSPAS 10
 Db 80 RHNYGGMES 88

RESULT 11
 US-09-147-550-63
 ; Sequence 63, Application US/09147550
 ; Patent No. 6090540
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
 ; CURRENT APPLICATION NUMBER: US/09/147,550
 ; CURRENT FILING DATE: 1999-04-23
 ; EARLIER APPLICATION NUMBER: PCT/JP97/02485
 ; EARLIER FILING DATE: 1997-07-17
 ; EARLIER APPLICATION NUMBER: JP 8-190933
 ; EARLIER FILING DATE: 1996-07-19
 ; EARLIER APPLICATION NUMBER: JP 9-77979
 ; EARLIER FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 63
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-147-550-63

Query Match 64.8%; Score 35; DB 3; Length 94;
 Best Local Similarity 66.7%; Pred. No. 15;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSPAS 10
 Db 80 RHNYGGMES 88

RESULT 12
 US-09-147-550-55
 ; Sequence 55, Application US/09147550
 ; Patent No. 6090540
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
 ; CURRENT APPLICATION NUMBER: US/09/147,550
 ; CURRENT FILING DATE: 1999-04-23
 ; EARLIER APPLICATION NUMBER: PCT/JP97/02485
 ; EARLIER FILING DATE: 1997-07-17
 ; EARLIER APPLICATION NUMBER: JP 8-190933
 ; EARLIER FILING DATE: 1996-07-19
 ; EARLIER APPLICATION NUMBER: JP 9-77979
 ; EARLIER FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 55
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-147-550-55

Query Match 63.0%; Score 34; DB 3; Length 94;
 Best Local Similarity 66.7%; Pred. No. 23;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSPAS 10
 Db 80 RHNYGGVES 88

RESULT 13
 US-09-147-550-62
 ; Sequence 62, Application US/09147550
 ; Patent No. 6090540
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
 ; CURRENT APPLICATION NUMBER: US/09/147,550
 ; CURRENT FILING DATE: 1999-04-23
 ; EARLIER APPLICATION NUMBER: PCT/JP97/02485
 ; EARLIER FILING DATE: 1997-07-17
 ; EARLIER APPLICATION NUMBER: JP 8-190933
 ; EARLIER FILING DATE: 1996-07-19
 ; EARLIER APPLICATION NUMBER: JP 9-77979
 ; EARLIER FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 62
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-147-550-62

Query Match 63.0%; Score 34; DB 3; Length 94;
 Best Local Similarity 66.7%; Pred. No. 23;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSPAS 10
 Db 80 RHNYGGVES 88

Db 80 RHNYGVS 88

RESULT 14

US-09-147-550-87
; Sequence 87, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aiga, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 87
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-87

Query Match 63.0%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 23;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10

Db 80 RHNYGVS 88

RESULT 15

US-09-147-550-108
; Sequence 108, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aiga, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 108
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-108

Query Match 63.0%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 23;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10

Db 80 RHNYGVS 88

Search completed: March 28, 2001, 07:01:54
Job time: 1333 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:19 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-70

Perfect score: 55

Sequence: 1 ARHNYGSFAT 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66.*

1: p1r1.*

2: p1r2.*

3: p1r3.*

4: p1r4.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	70.9	446	2	TI19625
2	37	67.3	448	1	A60003
3	36	65.5	82	2	I51106
4	36	65.5	89	2	S38688
5	36	65.5	89	2	S38683
6	36	65.5	89	2	S38684
7	36	65.5	225	2	I47095
8	35	63.6	31	2	S00685
9	35	63.6	201	1	S55040
10	35	63.6	201	2	S38725
11	35	63.6	262	2	G69040
12	35	63.6	347	2	S43771
13	35	63.6	1101	2	T16840
14	34	61.8	108	2	S26316
15	34	61.8	110	2	S26317
16	34	61.8	210	1	B69265
17	34	61.8	275	2	G75130
18	34	61.8	275	2	D71087
19	34	61.8	287	1	PWBV
20	34	61.8	287	1	PKVKL
21	34	61.8	527	2	T39741
22	34	61.8	548	2	T25424
23	34	61.8	723	2	F83173
24	33	60.0	65	2	S17441
25	33	60.0	80	2	I54469
26	33	60.0	80	2	I68777
27	33	60.0	81	2	I54550
28	33	60.0	85	2	I59634
29	33	60.0	89	2	S38676

30	33	60.0	89	2	S38680	MHC class II histo
31	33	60.0	89	2	S57512	MHC class II histo
32	33	60.0	123	2	C25239	MHC class II histo
33	33	60.0	167	2	T16454	hypothetical prote
34	33	60.0	200	2	D32526	class II histocomp
35	33	60.0	220	2	T46055	hypothetical prote
36	33	60.0	237	2	C27060	class II histocomp
37	33	60.0	266	2	I54287	gene HLA-DRE1 prot
38	33	60.0	266	2	A27618	class II histocomp
39	33	60.0	266	2	I54295	lymphocyte antigen
40	33	60.0	279	2	T05421	hypothetical prote
41	33	60.0	297	2	T32719	hypothetical prote
42	33	60.0	360	2	S48566	hypothetical prote
43	33	60.0	383	2	S58179	secreted glycoprot
44	33	60.0	467	1	P2WL33	L2 protein - human
45	33	60.0	470	2	H71667	glutamate--tRNA L1

ALIGNMENTS

RESULT 1

TI19625

hypothetical protein C31H5.6 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000

C:Accession: TI19625

R:Kershaw, J.

submitted to the EMBL Data Library, April 1997

A:Reference number: Z19153

A:Accession: TI19625

A:Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-446 <WIL>

A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6

A:Experimental source: clone C31H5

C:Genetics:

A:Map position: 1

A:Gene: CESP:C31H5.6

A:Introns: 49/2; 85/1; 120/2; 183/3; 218/3; 285/3; 285/2; 331/3; 360/3

C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 70.9%; Score 39; DB 2; Length 446;

Best Local Similarity 87.5%; Pred. No. 7;

Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHYNGSFA 9

DB 51 RHYNGSHA 58

RESULT 2

A60003

nucleocapsid protein - human coronavirus (strain OC43)

C:Species: human coronavirus

C>Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 26-Feb-1999

C:Accession: A60003

R:Kamahara, T.; Soe, L.H.; Lai, M.M.C.

Virus Res. 12, 1-9, 1989

A:Title: Sequence analysis of nucleocapsid gene and leader RNA of human coronavirus O

A:Reference number: A60003; MUID:89243809

A:Accession: A60003

A:Molecule type: genomic RNA

A:Residues: 1-448 <KAM>

C:Genetics:

A:Gene: N

C:Superfamily: coronavirus nucleocapsid protein

C:Keywords: glycoprotein; nucleocapsid

F:17,221,336,388,408,421/Binding site: carbohydrate (Asn) (covalent) #status predicte

Query Match 67.3%; Score 37; DB 1; Length 448;

Best Local Similarity 77.8%; Pred. No. 17;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAT 10
| | | | | | |
Db 103 RHNRGSFAT 111

RESULT 3
151106
Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)
C:Species: Phasianus colchicus (ring-necked pheasant)
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999
C:Accession: I51106
R:Wittzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.
Immunogenetics 39, 395-403, 1994
A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-necked pheasant
A:Reference number: I51103; MUID:94245280
A:Accession: I51106
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-82 <FIG>
A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 82;
Best Local Similarity 85.7%; Pred. No. 4.9;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | | | |
Db 75 RHNYGVF 81

RESULT 4
S38688
MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushbaby
C:Species: Galago senegalensis (northern lesser bushbaby)
C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
C:Accession: S38688
R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library, November 1993
A:Reference number: S38676
A:Accession: S38688
A:Molecule type: DNA
A:Residues: 1-89 <FIG>
A:Cross-references: EMBL:Z27158
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
Best Local Similarity 85.7%; Pred. No. 5.3;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | | | |
Db 75 RHNYGVF 81

RESULT 5
S38683
MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
C:Species: Galago senegalensis (northern lesser bushbaby)
C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
C:Accession: S38683
R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library, November 1993
A:Reference number: S38676
A:Accession: S38683
A:Molecule type: DNA

A:Residues: 1-89 <FIG>
A:Cross-references: EMBL:Z27153
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
Best Local Similarity 85.7%; Pred. No. 5.3;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | | | |
Db 75 RHNYGVF 81

RESULT 6
S38684
MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
C:Species: Galago senegalensis (northern lesser bushbaby)
C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
C:Accession: S38684
R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library, November 1993
A:Reference number: S38676
A:Accession: S38684
A:Molecule type: DNA
A:Residues: 1-89 <FIG>
A:Cross-references: EMBL:Z27154
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
Best Local Similarity 85.7%; Pred. No. 5.3;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | | | |
Db 75 RHNYGVF 81

RESULT 7
I47095
MHC class II OVAR-DR-beta-3 - sheep (fragment)
C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000
C:Accession: I47095
R:Fabb, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.
Anim. Genet. 24, 249-255, 1993
A:Title: Isolation, characterization and evolution of ovine major histocompatibility complex class II genes and allelic lineages as deduced from the EMBL Data Library, November 1993
A:Reference number: I47075; MUID:94057592
A:Accession: I47095
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-225 <FAB>
A:Cross-references: GB:L04790; NID:g458880; PIDN:AAAL6562.1; PID:g458881
C:Genetics:
A:Gene: OVAR-DRB3
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology
F:98-163/Domain: immunoglobulin homology <IMM>

Query Match 65.5%; Score 36; DB 2; Length 225;
Best Local Similarity 85.7%; Pred. No. 13;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | | | |
Db 68 RHNYGVF 74

RESULT 8
S00685
hypothetical protein 3 - phase P1

C:Species: phage p1
C:Date: 07-Sep-1990 #sequence_revision 07-Sep-1990 #text_change 08-Oct-1999
C:Accession: S00685
R:Eliason, J.L.; Sternberg, N.
J. Mol. Biol. 198, 281-293, 1987
A:Title: Characterization of the binding sites of cl repressor of bacteriophage P1. Evid
A:Reference numbers: S00684; MUID:88118929
A:Accession: S00685
A:Molecule type: not shown
A>Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-31 <ELI>
A:Cross-references: EMBL:X06561; NID:g15128; PIDN:CAA29805.1; PID:g15130

Query Match 63.6%; Score 35; DB 2; Length 31;
Best Local Similarity 66.7%; Pred. No. 2.9;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFAT 10
| | | | : |
Db 18 RHNYGFHST 26

RESULT 9
S55040
multicatalytic endopeptidase complex (EC 3.4.99.46) beta chain C7-I - human
N:Alternate names: proteasome beta-2; proteasome chain C7-I
C:Species: Homo sapiens (man)
C:Date: 02-Jun-2000 #sequence_revision 02-Jun-2000 #text_change 16-Jun-2000
C:Accession: S55040; PC2323; S50148
R:Nothwang, H.G.; Tamura, T.; Tanaka, K.; Ichihara, A.
Biochim. Biophys. Acta 1219, 361-368, 1994
A:Title: Sequence analyses and inter-species comparisons of three novel human proteasome
A:Reference number: S50147; MUID:95002149
A:Accession: S55040
A:Molecule type: mRNA
A:Residues: 1-201 <NOT>
A:Cross-references: GB:D26599; NID:g565648; PIDN:BAA05646.1; PID:g565649
R:Kristensen, P.; Johnsen, A.H.; Uerkvitz, W.; Tanaka, K.; Hendil, K.B.
Biochem. Biophys. Res. Commun. 205, 1785-1789, 1994
A:Title: Human proteasome subunits from 2-dimensional gels identified by partial sequenc
A:Reference number: PC2315; MUID:95110324
A:Accession: PC2323
A:Molecule type: protein
A:Residues: 72-85 <KRI>
A:Experimental source: placenta
C:Comment: The proteasome consists of subunits of 21K-30K arranged in 4 stacked rings.
C:Genetics:
A:Gene: GDB:PSMB2; HC7-I
A:Cross-references: GDB:567222
C:Superfamily: human multicatalytic endopeptidase complex beta chain C7
C:Keywords: hydrolase; proteinase

Query Match 63.6%; Score 35; DB 1; Length 201;
Best Local Similarity 60.0%; Pred. No. 19;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAT 10
| | | | |
Db 130 AAHGCGAFLT 139

RESULT 10
S38725
multicatalytic endopeptidase complex (EC 3.4.99.46) beta chain C7-I - rat
C:Species: Rattus norvegicus (Norway rat)
C:Date: 19-May-1994 #sequence_revision 10-Nov-1995 #text_change 20-Jun-2000
C:Accession: S38726
R:Nishimura, C.; Tamura, T.; Tokunaga, F.; Tanaka, K.; Ichihara, A.
FEBS Lett. 332, 52-56, 1993
A:Title: cDNA cloning of rat proteasome subunit RC7-I, a homologue of yeast PRE1 essential
A:Reference number: S38725; MUID:94009687

C:Species: phage p1
C:Date: 07-Sep-1990 #sequence_revision 07-Sep-1990 #text_change 08-Oct-1999
C:Accession: S00685
R:Eliason, J.L.; Sternberg, N.
J. Mol. Biol. 198, 281-293, 1987
A:Title: Characterization of the binding sites of cl repressor of bacteriophage P1. Evid
A:Reference numbers: S00684; MUID:88118929
A:Accession: S00685
A:Molecule type: not shown
A>Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-31 <ELI>
A:Cross-references: EMBL:X06561; NID:g15128; PIDN:CAA29805.1; PID:g15130

Query Match 63.6%; Score 35; DB 2; Length 31;
Best Local Similarity 66.7%; Pred. No. 2.9;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFAT 10
| | | | : |
Db 18 RHNYGFHST 26

RESULT 9
S55040
multicatalytic endopeptidase complex (EC 3.4.99.46) beta chain C7-I - human
N:Alternate names: proteasome beta-2; proteasome chain C7-I
C:Species: Homo sapiens (man)
C:Date: 02-Jun-2000 #sequence_revision 02-Jun-2000 #text_change 16-Jun-2000
C:Accession: S55040; PC2323; S50148
R:Nothwang, H.G.; Tamura, T.; Tanaka, K.; Ichihara, A.
Biochim. Biophys. Acta 1219, 361-368, 1994
A:Title: Sequence analyses and inter-species comparisons of three novel human proteasome
A:Reference number: S50147; MUID:95002149
A:Accession: S55040
A:Molecule type: mRNA
A:Residues: 1-201 <NOT>
A:Cross-references: GB:D26599; NID:g565648; PIDN:BAA05646.1; PID:g565649
R:Kristensen, P.; Johnsen, A.H.; Uerkvitz, W.; Tanaka, K.; Hendil, K.B.
Biochem. Biophys. Res. Commun. 205, 1785-1789, 1994
A:Title: Human proteasome subunits from 2-dimensional gels identified by partial sequenc
A:Reference number: PC2315; MUID:95110324
A:Accession: PC2323
A:Molecule type: protein
A:Residues: 72-85 <KRI>
A:Experimental source: placenta
C:Comment: The proteasome consists of subunits of 21K-30K arranged in 4 stacked rings.
C:Genetics:
A:Gene: GDB:PSMB2; HC7-I
A:Cross-references: GDB:567222
C:Superfamily: human multicatalytic endopeptidase complex beta chain C7
C:Keywords: hydrolase; proteinase

Query Match 63.6%; Score 35; DB 1; Length 201;
Best Local Similarity 60.0%; Pred. No. 19;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAT 10
| | | | |
Db 130 AAHGCGAFLT 139

RESULT 10
S38725
multicatalytic endopeptidase complex (EC 3.4.99.46) beta chain C7-I - rat
C:Species: Rattus norvegicus (Norway rat)
C:Date: 19-May-1994 #sequence_revision 10-Nov-1995 #text_change 20-Jun-2000
C:Accession: S38726
R:Nishimura, C.; Tamura, T.; Tokunaga, F.; Tanaka, K.; Ichihara, A.
FEBS Lett. 332, 52-56, 1993
A:Title: cDNA cloning of rat proteasome subunit RC7-I, a homologue of yeast PRE1 essential
A:Reference number: S38725; MUID:94009687

A:Accession: S38725
A:Molecule type: mRNA
A:Residues: 1-201 <NIS>
A:Cross-references: GB:D21799; NID:g436780; PIDN:BAA04823.1; PID:g436781
A:Accession: S38726
A:Molecule type: protein
A:Residues: 42-62; 69, 'L', 71-80, 'V', 82-90, 'P', 92-98, 'G', 100-119, 'X', 121-122, 'X', 124; 12
C:Superfamily: human multicatalytic endopeptidase complex beta chain C7
C:Keywords: hydrolase

Query Match 63.6%; Score 35; DB 2; Length 201;
Best Local Similarity 60.0%; Pred. No. 19;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAT 10
| | | | |
Db 130 AAHGCGAFLT 139

RESULT 11
G69040
translation initiation factor eIF-2, alpha subunit - Methanobacterium thermoautotroph
C:Species: Methanobacterium thermoautotrophicum
C:Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 26-Aug-1999
C:Accession: G69040
R:Smith, D.R.; Doucette-Stamm, L.A.; Deloughery, C.; Lee, H.; Dubois, J.; Aldredge, T
; Qiu, D.; Spadafora, R.; Vicaire, R.; Wang, Y.; Wierzbowski, J.; Gibson, R.; Jiwanl,
J. S.; Church, G.M.; Daniels, C.J.; Mao, J.; Rice, P.; Noelling, J.; Reeve, J.N.
ki, Bacteriol. 179, 7135-7155, 1997
A:Title: Complete genome sequence of Methanobacterium thermoautotrophicum Delta H: fu
A:Reference number: A69000; MUID:98037514
A:Accession: G69040
A>Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-262 <MTH>
A:Cross-references: GB:AE000895; GB:AE000666; NID:g2622403; PIDN:AAB85786.1; PID:g262
C:Experimental source: strain Delta H
C:Genetics:
A:Gene: MTH1308
A:Start codon: GTG
C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 63.6%; Score 35; DB 2; Length 262;
Best Local Similarity 85.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NYGSFAT 10
| | | | |
Db 27 NYGAFAT 33

RESULT 12
S43771
phosphatidylcholine desaturase (EC 1.3.1.35) - Synecococcus sp. (strain PCC 7002)
N:Alternate names: Delta-12 desaturase; fatty acid desaturase (EC 1.14.99.-) [misiden
C:Species: Synecococcus sp.
A:Variety: PCC 7002
C:Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 20-Jun-2000
C:Accession: S43771
R:Sakamoto, T.; Wada, H.; Nishida, I.; Ohmori, M.; Murata, N.
Plant Mol. Biol. 24, 643-650, 1994
A:Title: Identification of conserved domains in the Delta-12 desaturases of cyanobact
A:Reference number: S43770; MUID:94207189
A:Accession: S43771
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-347 <SAK>
A:Cross-references: GB:D13779; NID:g488510; PIDN:BAA02922.1; PID:g488511
C:Superfamily: omega-3 fatty acid desaturase
C:Keywords: oxidoreductase

Query Match 63.6%; Score 35; DB 2; Length 347;
 Best Local Similarity 77.8%; Pred. No. 32;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 DB 334 AEHNYISFA 342
 |||||

RESULT 13
 T16840
 Hypothetical protein T10E10.4 - Caenorhabditis elegans
 C:Species: Caenorhabditis elegans
 C:Date: 20-Sep-1999 #sequence_revision 20-Sep-1999 #text_change 20-Sep-1999
 C:Accession: T16840
 R:Geisel, C.

submitted to the EMBL Data Library, October 1995
 A:Description: The sequence of C. elegans cosmid T10E10.
 A:Reference number: Z18588
 A:Accession: T16840
 A:Status: preliminary; translated from GE/EMBL/DBJ
 A:Molecule type: DNA
 A:Residues: 1-1101 <GE1>
 A:Cross-references: EMBL:U39644; NID:g1049339; PID:g1049343; PIDN:AAA80360.1; CESP:T10E10
 A:Experimental source: strain Bristol N2
 C:Genetics:
 A:Gene: CESP-T10E10.4
 A:Introns: 93/2; 152/2; 191/3; 209/2; 283/3; 303/1; 399/3; 421/1; 440/1; 465/1; 547/3; 7

Query Match 63.6%; Score 35; DB 2; Length 1101;
 Best Local Similarity 77.8%; Pred. No. 1e+02;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAT 10
 DB 32 RHNPSTAT 40
 |||||

RESULT 14
 S26316
 Ig heavy chain V region - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
 C:Accession: S26316
 R:Stark, S.E.; Caton, A.J.

J. Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protein e
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26316
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-108 <STA>
 A:Cross-references: EMBL:X59190; NID:g52066; PIDN:CAA41900.1; PID:g1334035
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:2-85/Domain: immunoglobulin homology <IMM>

Query Match 61.8%; Score 34; DB 2; Length 108;
 Best Local Similarity 66.7%; Pred. No. 16;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 DB 84 ARGNYGNYA 92
 |||||

RESULT 15
 S26317
 Ig heavy chain V region - mouse (fragment)
 C:Species: Mus musculus (house mouse)

C:Date: 19-Mar-1998 #sequence_revision 19-Mar-1998 #text_change 21-Jan-2000
 C:Accession: S26317
 R:Stark, S.E.; Caton, A.J.
 J. Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protei
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26317
 A:Molecule type: mRNA
 A:Residues: 1-110 <STA>
 A:Cross-references: EMBL:X59186
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:4-87/Domain: immunoglobulin homology <IMM>

Query Match 61.8%; Score 34; DB 2; Length 110;
 Best Local Similarity 66.7%; Pred. No. 16;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 DB 86 ARGNYGNYA 94
 |||||

Search completed: March 28, 2001, 07:04:21
 Job time: 1059 sec

GenCore Version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:00 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-70
Perfect score: 55
Sequence: 1 ARHNGSFAT 10

Scoring table:
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	37	67.3	448	1	NCAP_CVHOC
2	35	63.6	201	1	PRCG_HUMAN
3	35	63.6	201	1	PRCG_MOUSE
4	35	63.6	201	1	PRCG_RAT
5	35	63.6	262	1	IF2A_METH
6	34	61.8	275	1	IF2A_PYPAB
7	34	61.8	275	1	IF2A_PYRHO
8	34	61.8	284	1	IPYR_PICPA
9	34	61.8	286	1	IPYR_KLULA
10	34	61.8	286	1	IPYR_YEAST
11	33	60.0	65	1	CCSA_PEA
12	33	60.0	328	1	CCSA_ARATH
13	33	60.0	467	1	VL2_HPV33
14	33	60.0	470	1	SYE2_RICPR
15	33	60.0	473	1	SYE_AQAE
16	33	60.0	512	1	PNTA_HAETN
17	33	60.0	625	1	TRF5_YEAST
18	33	60.0	682	1	VG50_BPML5
19	32	58.2	65	1	CCSA_OENB
20	32	58.2	98	1	VG7_BPPH2
21	32	58.2	98	1	VG7_BPPZA
22	32	58.2	196	1	WBBJ_ECOLI
23	32	58.2	198	1	HB2J_HUMAN
24	32	58.2	214	1	DPOL_ADET1
25	32	58.2	266	1	HB2A_HUMAN
26	32	58.2	266	1	HB2B_HUMAN
27	32	58.2	266	1	HB2C_HUMAN
28	32	58.2	266	1	HB2D_CANFA
29	32	58.2	266	1	HB2D_HUMAN
30	32	58.2	266	1	HB2E_HUMAN
31	32	58.2	266	1	HB2F_HUMAN
32	32	58.2	266	1	HB2H_HUMAN
33	32	58.2	266	1	HB2I_HUMAN

RESULT 1
NCAP_CVHOC
ID NCAP_CVHOC STANDARD; PRT; 448 AA.
AC P33469;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE NUCLEOCAPSID PROTEIN.
GN N.
OS Human coronavirus (strain OC43).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
OC Coronaviridae; Coronavirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89243809.
RA Kamahora T., Soe L.H., Lai M.M.C.;
RT "Sequence analysis of nucleocapsid gene and leader RNA of human coronavirus OC43";
RL Virus Res. 12:1-9(1989).
DR PIR; A60003; A60003.
DR INTERPRO; IPR001218; .
DR PFM; PF00937; Corona_nucleoca; 1.
KW Nucleocapsid.
SQ SEQUENCE 448 AA; 49316 MW; 5193ABIAE0D75626 CRC64;

ALIGNMENTS

RESULT 2
PRCG_HUMAN
ID PRCG_HUMAN STANDARD; PRT; 201 AA.
AC P49721; P31145;
DT 01-JUL-1993 (Rel. 26, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE PROTEASOME COMPONENT C7-I (EC 3.4.99.46) (MACROPAIN SUBUNIT C7-I)
DE (MULTICATALYTIC ENDOPEPTIDASE COMPLEX SUBUNIT C7-I).
GN PSMB2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 95002149.
RA Nothwang H.G., Tamura T., Tanaka K., Ichihara A.;
RT "Sequence analyses and inter-species comparisons of three novel human proteasomal subunits, HsN3, HsC7-I and HsC10-II, confine potential proteolytic active-site residues";
RT Biochim. Biophys. Acta 1219:361-368(1994).
RL

```

RN [2]
RP SEQUENCE OF 172-177 AND 186-193.
RC TISSUE=KERATINOCYTES;
RX MEDLINE; 93162043.
RA Rasmussen H.H., van Damme J., Puype M., Gesser B., Celis J.E.,
RA Vandekerckhove J.;
RT "Microsequences of 145 proteins recorded in the two-dimensional gel
RL Electrophoresis 13:960-969(1992).
CC -1- FUNCTION: THE PROTEASOME IS A MULTICATALYTIC PROTEINASE COMPLEX
CC WHICH IS CHARACTERIZED BY ITS ABILITY TO CLEAVE PEPTIDES WITH
CC ARG, PHE, TYR, LEU, AND GLU ADJACENT TO THE LEAVING GROUP AT
CC NEUTRAL OR SLIGHTLY BASIC PH. THE PROTEASOME HAS AN ATP-DEPENDENT
CC PROTEOLYTIC ACTIVITY. THIS SUBUNIT HAS A CHYMOTRYPSIN-LIKE
CC ACTIVITY.
CC -1- SUBUNIT: THE PROTEASOME IS COMPOSED OF AT LEAST 15 NON IDENTICAL
CC SUBUNITS WHICH FORM A HIGHLY ORDERED RING-SHAPED STRUCTURE.
CC -1- SUBCELLULAR LOCATION: PROTEASOMES ARE FOUND IN THE CYTOPLASM AND
CC ALSO IN THE NUCLEUS.
CC -1- SIMILARITY: BELONGS TO PEPTIDASE FAMILY T1B; ALSO KNOWN AS THE
CC PROTEASOME B-TYPE FAMILY. C7-I SUBFAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; D26599; BAA05646.1; -.
DR AARHUS/GHENT-2DPAGE; 2120; IEF.
DR MIM; 602175; -.
DR INTERPRO; IPR000243; -.
DR PFAM; PF00227; proteasome; 1.
DR PROSITE; PS00854; PROTEASOME_B; 1.
KW Proteasome; Hydrolase; Protease.
SQ SEQUENCE 201 AA; 22836 MW; 04D085D7BAA76130 CRC64;
-----
Query Match 63.6% Score 35; DB 1; Length 201;
Best Local Similarity 60.0%; Pred. No. 6.4;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAT 10
| | | | |
Db 130 AAHGYGAFLT 139

RESULT 3
PRCG_MOUSE
ID PRCG_MOUSE STANDARD; PRT; 201 AA.
AC Q9R1P3;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DE THE COMPLETE PRIMARY STRUCTURE OF MOUSE 20S PROTEASOMES."
DE (MULTICATALYTIC ENDOPEPTIDASE COMPLEX SUBUNIT C7-I).
GN PSMB2.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=B10.BR;
RX MEDLINE; 99367391.
RA Elenich L.A., Nandi D., Kent E.A., McCluskey T.S., Cruz M., Iyer M.N.,
RA Woodward E.C., Conn C.W., Ochoa A.L., Ginsburg D.B., Monaco J.J.;
RT "The complete primary structure of mouse 20S proteasomes."
RL Immunogenetics 49:835-842(1999).
CC -1- FUNCTION: THE PROTEASOME IS A MULTICATALYTIC PROTEINASE COMPLEX
CC WHICH IS CHARACTERIZED BY ITS ABILITY TO CLEAVE PEPTIDES WITH

```

```

CC ARG, PHE, TYR, LEU, AND GLU ADJACENT TO THE LEAVING GROUP AT
CC NEUTRAL OR SLIGHTLY BASIC PH. THE PROTEASOME HAS AN ATP-DEPENDENT
CC PROTEOLYTIC ACTIVITY. THIS SUBUNIT HAS A CHYMOTRYPSIN-LIKE
CC ACTIVITY.
CC -1- SUBUNIT: THE PROTEASOME IS COMPOSED OF AT LEAST 15 NON IDENTICAL
CC SUBUNITS WHICH FORM A HIGHLY ORDERED RING-SHAPED STRUCTURE.
CC -1- SUBCELLULAR LOCATION: PROTEASOMES ARE FOUND IN THE CYTOPLASM AND
CC ALSO IN THE NUCLEUS.
CC -1- SIMILARITY: BELONGS TO PEPTIDASE FAMILY T1B; ALSO KNOWN AS THE
CC PROTEASOME B-TYPE FAMILY. C7-I SUBFAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AF060090; AAD50535.1; -.
DR MGD; MGI:1347045; PSMB2.
DR INTERPRO; IPR000243; -.
DR INTERPRO; IPR001353; -.
DR PFAM; PF00227; proteasome; 1.
DR PROSITE; PS00854; PROTEASOME_B; 1.
KW Proteasome; Hydrolase; Protease.
SQ SEQUENCE 201 AA; 22906 MW; E9B3121974777958 CRC64;
-----
Query Match 63.6% Score 35; DB 1; Length 201;
Best Local Similarity 60.0%; Pred. No. 6.4;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAT 10
| | | | |
Db 130 AAHGYGAFLT 139

RESULT 4
PRCG_RAT
ID PRCG_RAT STANDARD; PRT; 201 AA.
AC P40307;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-FEB-1995 (Rel. 35, Last annotation update)
DE PROTEASOME COMPONENT C7-I (EC 3.4.99.46) (MACROPAIN SUBUNIT C7-I)
DE (MULTICATALYTIC ENDOPEPTIDASE COMPLEX SUBUNIT C7-I).
GN PSMB2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
RN [1]
RP SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RC TISSUE=LIVER;
RX MEDLINE; 94009687.
RA Nishimura C., Tamura T., Tokunaga F., Tanaka K., Ichihara A.;
RT "cDNA cloning of rat proteasome subunit RC7-I, a homologue of yeast
RT PRE essential for chymotrypsin-like activity."
RL FEBS Lett. 332:52-56(1993).
CC -1- FUNCTION: THE PROTEASOME IS A MULTICATALYTIC PROTEINASE COMPLEX
CC WHICH IS CHARACTERIZED BY ITS ABILITY TO CLEAVE PEPTIDES WITH
CC ARG, PHE, TYR, LEU, AND GLU ADJACENT TO THE LEAVING GROUP AT
CC NEUTRAL OR SLIGHTLY BASIC PH. THE PROTEASOME HAS AN ATP-DEPENDENT
CC PROTEOLYTIC ACTIVITY. THIS SUBUNIT HAS A CHYMOTRYPSIN-LIKE
CC ACTIVITY.
CC -1- SUBUNIT: THE PROTEASOME IS COMPOSED OF AT LEAST 15 NON IDENTICAL
CC SUBUNITS WHICH FORM A HIGHLY ORDERED RING-SHAPED STRUCTURE.
CC -1- SUBCELLULAR LOCATION: PROTEASOMES ARE FOUND IN THE CYTOPLASM AND
CC ALSO IN THE NUCLEUS.
CC -1- SIMILARITY: BELONGS TO PEPTIDASE FAMILY T1B; ALSO KNOWN AS THE
CC PROTEASOME B-TYPE FAMILY. C7-I SUBFAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

```



```
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL; D21799; BAA04823.1; -
DR PIR; S38725; S38725.
DR INTERPRO; IPR000243; -
DR INTERPRO; IPR001353; -
DR PFAM; PF00227; proteasome; 1.
DR PROSITE; PS00854; PROTEASOME_B.1.
KW Proteasome; Hydrolase; Protease.
FT CONFLICT 70 70 R -> L (IN AA SEQUENCE).
FT CONFLICT 81 81 A -> V (IN AA SEQUENCE).
FT CONFLICT 91 91 C -> P (IN AA SEQUENCE).
SQ SEQUENCE 201 AA; 22912 MW; E9AC021972B76528 CRC64;

Query Match 63.6%; Score 35; DB 1; Length 201;
Best Local Similarity 60.0%; Pred. NO. 6.4;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAT 10
Db 130 AAHGYGAFLT 139

RESULT 5
IF2A_METH STANDARD; PRT; 262 AA.
ID IF2A_METH
AC 027363;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR MTH1308.
OS Methanobacterium thermoautotrophicum.
OC Archaea; Euryarchaeota; Methanobacteriales; Methanobacteriaceae;
OC Methanobacterium.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=DELTA H;
RX MEDLINE; 98037514.
RA Smith D.R., Doucette-Stamm L.A., Deloughery C., Lee H.-M., Dubois J.,
RA Aldredge T., Bashirzadeh R., Blakely D., Cook R., Gilbert K.,
RA Harrison D., Hoang L., Kagle P., Lum W., Pothier B., Qiu D.,
RA Spadafora R., Vicare R., Wang Y., Wierzbowski J., Gibson R.,
RA Jiواني N., Caruso A., Bush D., Safer H., Patwell D., Prabhakar S.,
RA McDougall S., Shimer G., Goyal A., Pietrovski S., Church G.M.,
RA Daniels C.J., Mao J.-I., Rice P., Nollig J., Reeve J.N.;
RT "Complete genome sequence of Methanobacterium thermoautotrophicum
RT delta: functional analysis and comparative genomics.";
RL J. Bacteriol. 179:7135-7155(1997).
CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
CC (BY SIMILARITY).
CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CC CHAIN (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL; AE000895; AAB85786.1; -
DR INTERPRO; IPR003029; -
```

```
DR PFAM; PF00575; S1; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 11 86 S1 MOTIF.
SQ SEQUENCE 262 AA; 29780 MW; D7324B76DAFD5AA7 CRC64;

Query Match 63.6%; Score 35; DB 1; Length 262;
Best Local Similarity 85.7%; Pred. NO. 8.5;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFAT 10
Db 27 NYGAFAT 33

RESULT 6
IF2A_PYRAB STANDARD; PRT; 275 AA.
ID IF2A_PYRAB
AC Q9V0E4;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PAB0568.
OS Pyrococcus abyssi.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ORSAY;
RA Heilig R.;
RT "Pyrococcus abyssi genome sequence: insights into archaeal chromosome
RT structure and evolution.";
RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
CC (BY SIMILARITY).
CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CC CHAIN (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL; AJ248285; CAB49760.1; -
DR INTERPRO; IPR003029; -
DR PFAM; PF00575; S1; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 S1 MOTIF.
SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;

Query Match 61.8%; Score 34; DB 1; Length 275;
Best Local Similarity 83.3%; Pred. NO. 14;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 23 HNYCAF 28

RESULT 7
IF2A_PYRHO STANDARD; PRT; 275 AA.
ID IF2A_PYRHO
AC 058655;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
```

DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PH0961.
OS Pyrococcus horikoshii.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=OT3;
RX MEDLINE; 98344137.
RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
RA Sakai M., Ogura K., Otsuka K., Nakazawa H., Takamiya M., Ohfuku Y.,
RA Funahashi T., Tanaka T., Kudo Y., Yamazaki J., Kushida N., Oguchi A.,
RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
RA Masuchi Y., Shizuya H., Kikuchi H.;
RT Complete sequence and gene organization of the genome of a hyper-
RT thermophilic archaeobacterium, Pyrococcus horikoshii OT3.;
RL DNA Res. 5:55-76(1998).
CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
CC (BY SIMILARITY).
CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CC CHAIN (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -1- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AP000004; BAA30058.1; -
DR INTERPRO; IPR003029; -
DR PFAM; PF00575; S1; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 S1 MOTIF.
SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FFB436 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 275;
Best Local Similarity 83.3%; Pred. No. 14;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 3 HNYGSF 8
DB 23 HNYGAF 28

RESULT 8
ID IPYR_PICPA STANDARD; PRT; 284 AA.
AC Q13505;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
DE HYDROLASE) (PPASE).
GN IPP1.
OS Pichia pastoris (Yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Pichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NRRL Y-11430;
RX MEDLINE; 99034033.
RA Cosano I.C., Alvarez P., Molina M., Nombela C.;
RT Cloning and sequence analysis of the Pichia pastoris TRP1, IPP1 and
RT HIS3 genes.;
RL Yeast 14:861-867(1998).
CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.

CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
CC -1- SUBUNIT: HOMODIMER (BY SIMILARITY).
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AJ001000; CAA04453.1; -
DR HSSP; P00817; IWGI.
DR INTERPRO; IPR001596; -
DR PFAM; PF00719; Pyrophosphatase; 1.
DR PROSITE; PS00387; PPASE; 1.
KW Hydrolase; Magnesium.
FT INIT_MET 0
FT ACT_SITE 56 56 PROBABLE.
FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
SQ SEQUENCE 284 AA; 31937 MW; 3DAD2790D7775D6 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 284;
Best Local Similarity 83.3%; Pred. No. 15;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 3 HNYGSF 8
DB 91 HNYGAF 96

RESULT 9
ID IPYR_KLULA STANDARD; PRT; 286 AA.
AC P13998;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 01-OCT-1994 (Rel. 30, Last annotation update)
DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
DE HYDROLASE) (PPASE).
GN IPP1 OR IPP.
OS Kluyveromyces lactis (Yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Kluyveromyces.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89189093.
RA Stark M.J.R., Milner J.S.;
RT Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a
RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
RT and histone H3.;
RL Yeast 5:35-50(1989).
RN [2]
RP SIMILARITY TO E.COLI AND YEAST PPASES.
RX MEDLINE; 90254161.
RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
RA Cooperman B.S.;
RT Conservation of functional residues between yeast and E. coli
RT inorganic pyrophosphatases.;
RL Biochim. Biophys. Acta 1038:338-345(1990).
CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
CC -1- SUBUNIT: HOMODIMER.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its

use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

DR EMBL; X14230; CAA32446.1; -
DR PIR; S07894; PWVKL.
DR HSSP; P00817; IWGI.
DR INTERPRO; IPR001596; -
DR PFAM; PF00719; Pyrophosphatase; 1.
DR PROSITE; PS00387; PPASE; 1.
KW Hydrolase; Magnesium; 0
FT INIT_MET 0 BY SIMILARITY.
FT ACT_SITE 56 PROBABLE.
FT BINDING 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
SQ SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;

Query Match 61.8%; Score 34; DB 1; Length 286;
Best Local Similarity 83.3%; Pred. No. 15;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8

Db 91 HNYGAF 96

RESULT 10

IPYR_YEAST

ID IPYR_YEAST STANDARD; PRT; 286 AA.

AC P00817;

DT 21-JUL-1986 (Rel. 01, Created)

DT 01-MAR-1989 (Rel. 10, Last sequence update)

DT 15-JUL-1999 (Rel. 38, Last annotation update)

DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-

DE HYDROLASE) (PPASE).

GN IPPI OR PPAL OR PPA OR YBR011C OR YBR0202.

OS Saccharomyces cerevisiae (Baker's yeast).

OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;

OC Saccharomycetaceae; Saccharomycetes.

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=X2180;

RX MEDLINE; 89083474.

RA Kolakowski L.F. Jr., Schloesser M., Cooperman B.S.;

RT "Cloning, molecular characterization and chromosome localization of

RT the inorganic pyrophosphatase (PPA) gene from *S. cerevisiae*."

RL Nucleic Acids Res. 16:10441-10452(1988).

RN [2]

RP SEQUENCE FROM N.A.

RC STRAIN=S288C;

RA Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,

RA Baur A., Boles E., Miosga T., Schaaff-Gerstenschlaeger I.,

RA Zimmermann F.K.;

RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.

RN [3]

RP SEQUENCE.

RX MEDLINE; 78087552.

RA Cohen S.A., Sterner R., Keim P.S., Heintrikson R.L.;

RT "Covalent structural analysis of yeast inorganic pyrophosphatase."

RL J. Biol. Chem. 253:889-897(1978).

RN [4]

RP SEQUENCE OF 25-35 AND 239-251.

RC STRAIN=S288C;

RX MEDLINE; 95203288.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,

RA Volpe T., Warner J.R., McLaughlin C.S.;

RT "Protein identifications for a *Saccharomyces cerevisiae* protein

RT database."

RL Electrophoresis 15:1466-1486(1994).

RN [5]

RP SEQUENCE OF 239-249.

RC STRAIN=ATCC 38531 / Y41;

RX

Medline; 97089742.

RA Norbeck J., Blomberg A.;

RT "Protein expression during exponential growth in 0.7 M NaCl medium of

RT *Saccharomyces cerevisiae*."

RL FEMS Microbiol. Lett. 137:1-8(1996).

RN [6]

RP ACTIVE SITE.

RX MEDLINE; 80109718.

RA Bond M.W., Chiu N.Y., Cooperman B.S.;

RT "Identification of an arginine important for enzymatic activity

RT within the covalent structure of yeast inorganic pyrophosphatase."

RL Biochemistry 19:94-102(1980).

RN [7]

RP X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).

RA Arutunian E.G., Terzian S.S., Voronova A.A., Kuranova I.P.,

RA Smirnova E.A., Vainstein B.K., Hohne W.E., Hansen G.;

RT "X-ray diffraction study of inorganic pyrophosphatase from baker's

RT yeast at the 3-A resolution."

RL Dokl. Akad. Nauk SSSR 258:1481-1492(1981).

RN [8]

RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).

RX MEDLINE; 97148342.

RA Heikinheimo P., Lehtonen J., Baykov A., Lahti R., Cooperman B.S.,

RA Goldman A.;

RT "The structural basis for pyrophosphatase catalysis."

RL Structure 4:1491-1508(1996).

RN [9]

RP X-RAY CRYSTALLOGRAPHY (2.1 ANGSTROMS).

RA Swaminathan K., Cooperman B.S., Lahti R., Voet D.;

RL Submitted (DEC-1997) to the PDB data bank.

RN [10]

RP X-RAY CRYSTALLOGRAPHY (2.15 ANGSTROMS) OF MUTANTS LYS-78 AND LYS-117.

RX MEDLINE; 99096888.

RA Tuominen V., Heikinheimo P., Kajander T., Torkkel T., Hyttia T.,

RA Kapyla J., Lahti R., Cooperman B.S., Goldman A.;

RT "The R78K and D117E active-site variants of *Saccharomyces cerevisiae*

RT soluble inorganic pyrophosphatase: structural studies and mechanistic

RT implications."

RL J. Mol. Biol. 284:1565-1580(1998).

RN [11]

RP SIMILARITY TO E. COLI AND K. LACTIS PPASES.

RX MEDLINE; 90254161.

RA Lahti R., Kolakowski L.F. Jr., Heino J., Vihtonen M., Pohjanoksa K.,

RA Cooperman B.S.;

RT "Conservation of functional residues between yeast and *E. coli*

RT inorganic pyrophosphatases."

RL Biochim. Biophys. Acta 1038:338-345(1990).

CC -! CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.

CC -! COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.

CC -! MAGNESIUM CONFERS THE HIGHEST ACTIVITY. IT BINDS UP TO 4 DIVALENT

CC CATIONS PER SUBUNIT, WITH THREE REQUIRED FOR ACTIVITY.

CC -! SUBUNIT: HOMODIMER.

CC -! SUBCELLULAR LOCATION: CYTOPLASMIC.

CC -! SIMILARITY: BELONGS TO THE PPASE FAMILY.

CC

CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC

DR EMBL; X13253; CAA31629.1; -

DR EMBL; Z35880; CAA84949.1; -

DR PIR; S45864; PWBY.

DR PDB; 1PYP; 15-OCT-91.

DR PDB; 1YPP; 07-DEC-96.

DR PDB; 1WGI; 19-NOV-97.

DR PDB; 1WGJ; 19-NOV-97.

DR PDB; 1HUJ; 08-APR-98.

DR PDB; 1HUK; 08-APR-98.

DR PDB; 117E; 23-DEC-98.

DR PDB; 8PRK; 23-DEC-98.
 DR SWISS-2DPAGE; P00817; YEAST.
 DR YEPD; 7305; -.
 DR SGD; S0000215; IPPI.
 DR INTERPRO; IPR001596; -.
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium; 3D-structure.
 FT INIT_MET 0 0
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE.
 FT CONFLICT 40 40 N -> D (IN REF. 3).
 FT CONFLICT 71 71 D -> N (IN REF. 3).
 FT CONFLICT 74 74 MISSING (IN REF. 3).
 FT CONFLICT 123 123 E -> Q (IN REF. 3).
 FT CONFLICT 136 136 Q -> E (IN REF. 3).
 FT CONFLICT 186 186 N -> D (IN REF. 3).
 FT CONFLICT 224 224 D -> N (IN REF. 3).
 FT CONFLICT 266 266 L -> P (IN REF. 2).
 FT STRAND 4 7
 FT STRAND 16 20
 FT STRAND 25 25
 FT STRAND 28 30
 FT TURN 38 41
 FT STRAND 45 45
 FT STRAND 55 55
 FT STRAND 79 79
 FT TURN 97 98
 FT TURN 111 112
 FT STRAND 121 123
 FT TURN 131 132
 FT STRAND 135 135
 FT STRAND 138 146
 FT STRAND 151 158
 FT TURN 160 161
 FT TURN 165 167
 FT HELIX 172 175
 FT TURN 176 177
 FT TURN 179 180
 FT HELIX 182 197
 FT STRAND 203 203
 FT HELIX 205 207
 FT STRAND 210 210
 FT HELIX 212 230
 FT TURN 231 231
 FT TURN 245 246
 FT TURN 248 249
 FT TURN 251 252
 FT TURN 255 260
 FT TURN 274 275
 SQ SEQUENCE 286 AA; 32184 MW; F29390260B60C8B2 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 15;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 Db 91 HNYGAF 96
 |||||

RESULT 11
 CCSA_PEA
 ID CCSA_PEA STANDARD; PRT; 65 AA.
 AC P31172;
 DT 01-JUL-1993 (Rel. 26, Created)
 DT 01-JUL-1993 (Rel. 26, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE CYTOCHROME C BIOGENESIS PROTEIN CCSA (FRAGMENT).
 GN CCSA.
 OS Pisum sativum (Garden pea).
 OG Chloroplast.

OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids I;
 OC Fabales; Fabaceae; Papilionoideae; Pisum.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. ALASKA;
 RX MEDLINE; 91355950.
 RA Nagano Y., Ishikawa H., Matsuno R., Sasaki Y.;
 RT "Nucleotide sequence and expression of the ribosomal protein L2 gene
 in pea chloroplasts";
 RL Plant Mol. Biol. 17:541-545(1991).
 CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
 HEME ATTACHMENT (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCL1/NRFE/CCSA FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X59015; CAA41754.1; -.
 DR PIR; S17441; S17441.
 KW Cytochrome c-type biogenesis; Chloroplast.
 FT NON_TER 1
 SQ SEQUENCE 65 AA; 7396 MW; 9E523E0C70B102AA CRC64;

Query Match 60.0%; Score 33; DB 1; Length 65;
 Best Local Similarity 62.5%; Pred. No. 4.7;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAT 10
 Db 57 HSYGSFST 64
 |||||

RESULT 12
 CCSA_ARATH
 ID CCSA_ARATH STANDARD; PRT; 328 AA.
 AC P56770;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE CYTOCHROME C BIOGENESIS PROTEIN CCSA.
 GN CCSA.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OG Chloroplast.
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsids.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Sato S., Nakamura Y., Kaneko T., Asamizu E., Tabata S.;
 RT "Complete structure of the chloroplast genome of Arabidopsis
 thaliana";
 RL Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
 HEME ATTACHMENT (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCL1/NRFE/CCSA FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AP000423; BAA84436.1; -.

```

DR INTERPRO: IPR002541; -.
DR PFAM: PF01578; Cyt_csm; 1.
KW Cytochrome c-type biogenesis; Chloroplast.
SQ SEQUENCE 328 AA; 37732 MW; C88D1508B2924D6F CRC64;

Query Match 60.0%; Score 33; DB 1; Length 328;
Best Local Similarity 62.5%; Pred. No. 27;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSPAT 10
Db 320 HSYGSFTS 327

RESULT 13
VL2_HPV33
ID VL2_HPV33 STANDARD; PRT; 467 AA.
AC P06418;
DT 01-JAN-1988 (Rel. 06, Created)
DT 01-JAN-1988 (Rel. 06, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE MINOR CAPSID PROTEIN L2.
GN L2.
OS Human papillomavirus type 33.
OC Viruses; dsDNA viruses, no RNA stage; Papovaviridae; Papillomavirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 86200464.
RA Cole S.T., Streeck R.E.;
RT "Genome organization and nucleotide sequence of human papillomavirus type 33, which is associated with cervical cancer.";
RL J. Virol. 58:991-995(1986).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: M12732; AAA45963.1; -.
CC PIR: A03650; P2WL33.
CC INTERPRO: IPR000784; -.
CC PFAM: PF00513; Late_protein_L2; 1.
CC Coat protein; Late protein.
KW SEQUENCE 467 AA; 50595 MW; B70DC4ADFEB21957 CRC64;

Query Match 60.0%; Score 33; DB 1; Length 467;
Best Local Similarity 55.6%; Pred. No. 39;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSPAT 10
Db 378 QHSYSTPAT 386

RESULT 14
SYE2_RICPR
ID SYE2_RICPR STANDARD; PRT; 470 AA.
AC Q9ZCT8;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
DE (GLURS 2).
GN GLTX2 OR RP623.
OS Rickettsia prowazekii.
OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
OC Rickettsiaceae; Rickettsiae; Rickettsia.
RN [1]

```

```

RP SEQUENCE FROM N.A.
RX STRAIN-MADRID E;
RC MEDLINE: 99039499.
RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
RA Sacheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
RT "The genome sequence of Rickettsia prowazekii and the origin of
RT mitochondria.";
RL Nature 396:133-140(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) -> AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: AJ235272; CAA15066.1; -.
CC HSP: P27000; IGLN.
CC INTERPRO: IPR000924; -.
CC DR INTERPRO: IPR001412; -.
CC PFAM: PF00749; TRNA-synt_lc; 1.
CC PRINTS: PR00987; TRNASYNTHGLU.
CC PROSITE: PS00178; AA_TRNA_LIGASE_I; FALSE_NEG.
KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 239 243 "KMSKS" REGION.
FT BINDING 242 242 ATP (BY SIMILARITY).
FT SEQUENCE 470 AA; 53696 MW; DFICE50A20B8A9FD CRC64;

Query Match 60.0%; Score 33; DB 1; Length 470;
Best Local Similarity 75.0%; Pred. No. 39;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSP 8
Db 31 ARHNNCKF 38

RESULT 15
SYE_AQUAE
ID SYE_AQUAE STANDARD; PRT; 473 AA.
AC O67271;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)
DE (GLURS).
GN GLTX OR AQ_1221.
OS Aquifex aeolicus.
OC Bacteria; Aquificales; Aquificaceae; Aquifex.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-VF5;
RX MEDLINE: 98196666.
RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
RA Graham D.E., Overbeek R., Sneed M.A., Keller M., Aulay M., Huber R.,
RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
RT "The complete genome of the hyperthermophilic bacterium Aquifex
RT aeolicus.";
RL Nature 392:353-358(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) -> AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.

```

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AE000729; AAC07230.1; -.
 DR INTERPRO; IPR000924; -.
 DR INTERPRO; IPR001412; -.
 DR PFAM; PF00749; trna-synt_lc; 1.
 DR PRINTS; PR00987; TRNASYNTHGLU.
 DR PROSITE; PS00178; AA_TRNA_LIGASE_I; 1.
 KW Aminoacyl-tRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 FT SIMILAR 10 20 "HIGH" REGION.
 FT SIMILAR 242 246 "KMSKS" REGION.
 FT BINDING 245 245 ATP (BY SIMILARITY).
 SQ SEQUENCE 473 AA; 55121 MW; 5CB4D1590973E07A CRC64;

Query Match 60.0%; Score 33; DB 1; Length 473;
 Best Local Similarity 75.0%; Pred. No. 39;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
 |||||
 Db 31 ARHNGGF 38

Search completed: March 28, 2001, 07:35:01
 Job time: 138 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:02 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-70
Perfect score: 55
Sequence: 1 ARHNYGSFAT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_15:
1: sp_archaea:
2: sp_bacteria:
3: sp_fungi:
4: sp_human:
5: sp_invertebrate:
6: sp_mammal:
7: sp_mhc:
8: sp_organelle:
9: sp_phase:
10: sp_plant:
11: sp_rodent:
12: sp_virus:
13: sp_vertebrate:
14: sp_unclassified:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	78.2	839	10 Q9LIE5	Q9LIE5 Arabidopsis
2	39	70.9	446	5 O62086	O62086 caenorhabdi
3	38	69.1	89	7 O19495	O19495 gallus galli
4	36	65.5	39	7 P79474	P79474 cervus elap
5	36	65.5	39	7 P79477	P79477 cervus elap
6	36	65.5	39	7 P79478	P79478 cervus elap
7	36	65.5	39	7 P79479	P79479 cervus elap
8	36	65.5	74	6 Q9TTM4	Q9TTM4 bos taurus
9	36	65.5	76	7 Q9TPC2	Q9TPC2 macaca mula
10	36	65.5	78	6 Q97835	Q97835 ovis aries
11	36	65.5	78	6 Q97839	Q97839 ovis aries
12	36	65.5	78	6 Q97844	Q97844 ovis aries
13	36	65.5	78	6 Q97968	Q97968 ovis aries
14	36	65.5	78	7 Q9MWT6	Q9MWT6 leopardus p
15	36	65.5	78	7 Q9MWT5	Q9MWT5 leopardus p
16	36	65.5	78	7 Q9MWT4	Q9MWT4 leopardus p
17	36	65.5	79	7 Q19191	Q19191 prionailuru
18	36	65.5	79	7 Q19192	Q19192 prionailuru
19	36	65.5	79	7 Q19380	Q19380 felis silve

20	36	65.5	79	7	O19381	felis silve
21	36	65.5	79	7	O19382	felis silve
22	36	65.5	79	7	O19396	felis silve
23	36	65.5	79	7	O19397	felis silve
24	36	65.5	79	7	O19405	felis silve
25	36	65.5	79	7	O19406	felis silve
26	36	65.5	79	7	O19407	felis silve
27	36	65.5	79	7	O19408	felis silve
28	36	65.5	79	7	O19435	felis silve
29	36	65.5	79	7	O9MX19	leopardus p
30	36	65.5	79	7	O9MX13	leopardus p
31	36	65.5	79	7	O9MX03	leopardus p
32	36	65.5	79	7	O9MX00	leopardus p
33	36	65.5	79	7	O9MWZ9	leopardus p
34	36	65.5	79	7	O9MWZ8	leopardus p
35	36	65.5	79	7	O9MWZ7	leopardus p
36	36	65.5	79	7	O9MWY9	leopardus p
37	36	65.5	79	7	O9MWY8	leopardus p
38	36	65.5	79	7	O9MWY6	leopardus p
39	36	65.5	79	7	O9MWY5	leopardus p
40	36	65.5	79	7	O9MWY4	leopardus p
41	36	65.5	79	7	O9MWY3	leopardus p
42	36	65.5	79	7	O9MWX6	leopardus p
43	36	65.5	79	7	O9MWX5	leopardus p
44	36	65.5	79	7	O9MWX4	leopardus p
45	36	65.5	79	7	O9MWX1	leopardus p

ALIGNMENTS

RESULT 1
ID Q9LIE5 PRELIMINARY; PRT; 839 AA.
AC Q9LIE5;
DT 01-OCT-2000 (TRENBLrel. 15, Created)
DT 01-OCT-2000 (TRENBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TRENBLrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsids.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety P1,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AP001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 78.2%; Score 43; DB 10; Length 839;
Best Local Similarity 87.5%; Pred. No. 4;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8

Db 274 SRHNYGSF 281

RESULT 2
O62086

ID O62086 PRELIMINARY; PRT; 446 AA.
 AC O62086;
 DT 01-AUG-1998 (TrEMBLrel. 07, Created)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE C31H5.6 PROTEIN.
 GN C31H5.6.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Kershaw J.;
 RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=94150718; PubMed=7906398;
 RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
 RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
 RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
 RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
 RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
 RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
 RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Shownkeen R.,
 RA Smaldon N., Smith A., Sonhammer E., Staden R., Sulston J.,
 RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
 RA Watson A., Wellstock L., Wilkinson-Sproat J., Womland P.;
 RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 RT elegans.";
 RL Nature 368:32-38(1994).
 DR EMBL; Z93778; CAB07846.1; -.
 DR INTERPRO; IPR000379; -.
 DR INTERPRO; IPR002925; -.
 DR PFAM; PF01738; DLH; 2.
 SQ SEQUENCE 446 AA; 50763 MW; 82AD969CDAD753DE CRC64;

 Query Match 70.9%; Score 39; DB 5; Length 446;
 Best Local Similarity 87.3%; Pred. No. 12;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

 QY 2 RHNYGSFA 9
 Db 51 RHNYGSHA 58
 |||||

 RESULT 3
 ID O19495 PRELIMINARY; PRT; 89 AA.
 AC O19495;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
 GN B-LBI.
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=15.151-5; TISSUE=BURSA;
 RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
 RL Immunogenetics 47:350-354(1998).
 DR EMBL; U91532; AAC15813.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 MHC.-
 KW MHC.-
 FT NON_TER 1 1
 FT NON_TER 89 89
 SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEB1379 CRC64;

Query Match 69.1%; Score 38; DB 7; Length 89;
 Best Local Similarity 85.7%; Pred. No. 3.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 75 RHNYGDF 81
 |||||
 |||||

RESULT 4
 ID P79474 PRELIMINARY; PRT; 39 AA.
 AC P79474;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervioidea;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swabrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63077; AAB37777.1; -.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733DID CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.7;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 25 RHNYGVF 31
 |||||
 |||||

RESULT 5
 ID P79477 PRELIMINARY; PRT; 39 AA.
 AC P79477;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervioidea;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swabrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63080; AAB37780.1; -.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3CID CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.7;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

Db 25 RHNYGVF 31
|||||

RESULT 6
P79478 PRELIMINARY; PRT; 39 AA.
ID P79478;
AC P79478;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervioidea;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swadrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63081; AAB37782.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
|||||

Db 25 RHNYGVF 31

RESULT 7
P79479 PRELIMINARY; PRT; 39 AA.
ID P79479;
AC P79479;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervioidea;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swadrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63082; AAB37782.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
|||||

Db 25 RHNYGVF 31

RESULT 8
Q9TTM4 PRELIMINARY; PRT; 74 AA.
ID Q9TTM4

AC Q9TTM4;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update)
DE MHC (BOLA) CLASS II DR-BETA CHAIN (FRAGMENT).
GN BOLA-DRB3.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-JAPANESE BLACK;
RA Takeshima S., Ikegami M., Morita M., Nakai Y., Aida Y.;
RT "Identification of BOLA-DRB3 exon 2 of Japanese black cattle.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB033388; BAA85470.1; -.
DR INTERPRO: IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1 1
FT NON_TER 74 74
SQ SEQUENCE 74 AA; 9132 MW; C5834842F0E38BA6 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 74;
Best Local Similarity 85.7%; Pred. No. 7.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
|||||

Db 68 RHNYGVF 74

RESULT 9
Q9TPC2 PRELIMINARY; PRT; 76 AA.
ID Q9TPC2;
AC Q9TPC2;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update)
DE MHC CLASS II ANTIGEN (FRAGMENT).
GN MAMU-DRB1.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
OC Cercopitheciinae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RA Sauerbmann U., Khazand M., Nagy M., Peiberg C.;
RT "Mhc-DQ-DRB-haplotype analysis in the rhesus macaque: evidence for a
RT number of different haplotypes displaying a low allelic
RT polymorphism.";
RL Tissue Antigens 0:0-0(1999).
DR EMBL; AF15315; AAF07040.1; -.
DR INTERPRO: IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 76 76
SQ SEQUENCE 76 AA; 9315 MW; 1DC073E1B87A94D0 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 76;
Best Local Similarity 85.7%; Pred. No. 7.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
|||||

Db 67 RHNYGVF 73

RESULT 10

O97835 PRELIMINARY; PRT; 78 AA.
 AC O97835;
 DT 01-MAY-1999 (TREMBlrel. 10, Created)
 DT 01-MAY-1999 (TREMBlrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*20.2.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=7407; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017207; BAA36764.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1
 FT NON_TER 78
 SQ SEQUENCE 78 AA; 9677 MW; 653346CE7D1E1388 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 Db 72 RHNYGVF 78

RESULT 11

O97839 PRELIMINARY; PRT; 78 AA.
 AC O97839;
 DT 01-MAY-1999 (TREMBlrel. 10, Created)
 DT 01-MAY-1999 (TREMBlrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N2.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SUFFOLK BREED AND CORRIDALE BREED; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017212; BAA36769.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1
 FT NON_TER 78
 SQ SEQUENCE 78 AA; 9430 MW; AFA0A087E34B6832 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 Db 72 RHNYGVF 78

RESULT 12

O97844 PRELIMINARY; PRT; 78 AA.
 AC O97844;
 DT 01-MAY-1999 (TREMBlrel. 10, Created)
 DT 01-MAY-1999 (TREMBlrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N8.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SUFFOLK BREED; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017220; BAA36777.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1
 FT NON_TER 78
 SQ SEQUENCE 78 AA; 9645 MW; 505346CE7D0860CF CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 Db 72 RHNYGVF 78

RESULT 13

O97968 PRELIMINARY; PRT; 78 AA.
 AC O97968;
 DT 01-MAY-1999 (TREMBlrel. 10, Created)
 DT 01-MAY-1999 (TREMBlrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N21.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=VARIOUS STRAINS;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017231; BAA36788.1; -.
 DR EMBL; AB017204; BAA36761.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1
 FT NON_TER 78
 SQ SEQUENCE 78 AA; 9436 MW; 72907E039EC167B2 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 Db 72 RHNYGVF 78

Db 72 RHNYGVF 78

RESULT 14

Q9MWT6 PRELIMINARY; PRT; 78 AA.
 AC Q9MWT6;
 DT 01-OCT-2000 (TReMBLrel. 15, Created)
 DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
 GN LEPA-DRB.
 OS Leopardus pardalis (ocelot).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
 OX NCBI_TaxID=32538;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Yuhki N., Elzirik E., Johnson W.E., O'Brien S.J.;
 RT "Sequence Diversity of Major Histocompatibility Complex Class II DRB
 RT Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
 RT pardalis) and Margay (Leopardus wiedii).";
 RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF057894; AAF70946.1; -
 KW MHC.
 FT NON_TER 1
 FT NON_TER 78
 SQ SEQUENCE 78 AA; 9559 MW; 77863043708EC5B8 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 78;

Best Local Similarity 85.7%; Pred. No. 7.6;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8

Db 71 RHNYGVF 77

RESULT 15

Q9MWT5 PRELIMINARY; PRT; 78 AA.
 AC Q9MWT5;
 DT 01-OCT-2000 (TReMBLrel. 15, Created)
 DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
 GN LEPA-DRB.
 OS Leopardus pardalis (ocelot).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
 OX NCBI_TaxID=32538;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Yuhki N., Elzirik E., Johnson W.E., O'Brien S.J.;
 RT "Sequence Diversity of Major Histocompatibility Complex Class II DRB
 RT Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
 RT pardalis) and Margay (Leopardus wiedii).";
 RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF057895; AAF70947.1; -
 KW MHC.
 FT NON_TER 1
 FT NON_TER 78
 SQ SEQUENCE 78 AA; 9559 MW; 5076280FF45EC5A7 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 78;

Best Local Similarity 85.7%; Pred. No. 7.6;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8

Db 71 RHNYGVF 77

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:47 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-70

Perfect score: 55

Sequence: 1 ARHNYGSFAT 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	55	100.0	10	19 W76025	LM609 grafted anti
2	51	92.7	10	19 W76024	LM609 grafted anti
3	50	90.9	10	19 W76026	LM609 grafted anti
4	50	90.9	10	19 W76027	LM609 grafted anti
5	50	90.9	10	19 W76028	LM609 grafted anti
6	50	90.9	10	19 W76029	LM609 grafted anti
7	50	90.9	10	19 W76030	LM609 grafted anti
8	50	90.9	10	19 W76010	LM609 grafted anti
9	50	90.9	117	19 W76001	Vitaxin antibody h
10	50	90.9	117	19 W76003	LM609 antibody hea
11	50	90.9	117	20 Y06381	Murine monoclonal
12	50	90.9	117	20 Y06387	Humanised LM609 an

13	50	90.9	118	20 Y06384	Humanised LM609 an
14	50	90.9	118	20 Y06385	Humanised LM609 an
15	50	90.9	118	20 Y06386	Humanised LM609 an
16	50	90.9	118	20 Y06383	Humanised LM609 an
17	50	90.9	130	20 Y06379	Murine monoclonal
18	47	85.5	10	19 W76021	LM609 grafted anti
19	46	83.6	10	19 W76037	LM609 grafted anti
20	46	83.6	10	19 W76039	LM609 grafted anti
21	46	83.6	10	19 W76040	LM609 grafted anti
22	46	83.6	10	19 W76022	LM609 grafted anti
23	46	83.6	10	19 W76023	LM609 grafted anti
24	45	81.8	10	19 W76020	LM609 grafted anti
25	42	76.4	110	20 W84099	Vitronectin alpha-
26	42	76.4	117	20 W84093	Murine vitronectin
27	42	76.4	117	20 W84097	Humanised anti-alp
28	41	74.5	8	20 Y06371	Murine monoclonal
29	41	74.5	10	19 W76038	LM609 grafted anti
30	37	67.3	119	19 Y86109	S. pneumoniae deri
31	36	65.5	117	16 R79157	Human IgE receptor
32	36	65.5	117	16 R79155	Human IgE receptor
33	36	65.5	117	18 W27357	Heavy chain variab
34	36	65.5	117	18 W27352	Heavy chain variab
35	36	65.5	117	18 W27354	Heavy chain variab
36	36	65.5	119	18 W01578	Lead binding Mab 8
37	36	65.5	239	20 W73874	Human antiFc epsil
38	36	65.5	242	20 W73876	Human antiFc epsil
39	35	63.6	573	21 Y74962	Neisseria meningit
40	34	61.8	30	21 Y81870	Yeast IPPI protein
41	34	61.8	505	15 R47463	Ced-3. Caenorhabd
42	33	60.0	80	12 R13396	HLA-DRW12a antigen
43	33	60.0	80	12 R13397	HLA-DRW12b antigen
44	33	60.0	89	17 Y14338	Protein encoded by
45	33	60.0	89	17 Y14306	Protein encoded by

ALIGNMENTS

RESULT 1

ID W76025 standard; Protein; 10 AA.
XX W76025;
AC W76025;
DT 02-NOV-1998 (first entry)
XX LM609 grafted antibody V-H region CDR3 protein fragment #7.
DE

XX Vitaxin; antibody; variable region; heavy chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49862.

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Claim 62; Page 41; 129pp; English.
XX
CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 55; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.001;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAT 10
| | | | | | | | | |
Db 1 arhnygsfat 10

RESULT 2
ID W76024 standard; Protein; 10 AA.
XX
AC W76024;
XX
XX 02-NOV-1998 (first entry)
XX LM609 grafted antibody V-H region CDR3 protein fragment #6.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
XX diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
XX neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX macular degeneration; osteoporosis; primer; V-H region; CDR;
XX complementarity determining region.
XX
XX Mus sp.
XX
XX W09833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI: 1998-437472/37.
XX
XX N-PSDB; V49861.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
XX integrin - and related grafted antibodies based on murine monoclonal
XX LM609, also related nucleic acid, used to treat, prevent or diagnose
XX angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 92.7%; Score 51; DB 19; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0049;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAT 10
| | | | | | | | | |
Db 1 arhnygsfas 10

RESULT 3
ID W76026 standard; Protein; 10 AA.
XX
AC W76026;
XX
XX 02-NOV-1998 (first entry)
XX LM609 grafted antibody V-H region CDR3 protein fragment #8.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
XX diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
XX neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX macular degeneration; osteoporosis; primer; V-H region; CDR;
XX complementarity determining region.
XX
XX Mus sp.
XX
XX W09833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI: 1998-437472/37.
XX
XX N-PSDB; V49863.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
XX integrin - and related grafted antibodies based on murine monoclonal
XX LM609, also related nucleic acid, used to treat, prevent or diagnose
XX angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
XX LM609 heavy and light chain variable region. LM609 and the antibody
XX vitaxin bind selectively to integrin alphavbeta3 and can be used to
XX inhibit binding of alphavbeta3 to a ligand and thus block
XX integrin-mediated signal transduction. This is useful in the treatment,
XX prevention and diagnosis of alphavbeta3-mediated disease, specifically
XX angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0072;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

RESULT 4

ID W76027 standard; Protein; 10 AA.

XX AC W76027;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49864.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0072;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

RESULT 5

ID W76028 standard; Protein; 10 AA.

XX AC W76028;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #10.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49865.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0072;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||

```

Db      1 arhnygsfa 9

RESULT      6
W76029
ID      W76029 standard; Protein; 10 AA.
AC      W76029;
XX
XX      W76029;
XX
DT      02-NOV-1998 (first entry)
XX
DE      LM609 grafted antibody V-H region CDR3 protein fragment #11.
XX
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX
OS      Mus sp.
XX
XX      WO9833919-A2.
XX
PD      06-AUG-1998.
XX
XX      30-JAN-1998; 98WO-US01826.
XX
XX      30-JAN-1997; 97US-0791391.
XX
XX      (IXSY-) IXSYS INC.
XX
XX      Glaser SM, Huse WD;
XX
XX      WPI; 1998-437472/37.
XX
XX      N-PSDB; V49866.
XX
XX      Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX      integrin - and related antibodies based on murine monoclonal
XX      LM609, also related nucleic acid, used to treat, prevent or diagnose
XX      angiogenesis or restenosis
XX
XX      Claim 62; Page 41; 129pp; English.
XX
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
XX      LM609 heavy and light chain variable region. LM609 and the antibody
XX      vitaxin bind selectively to integrin alphavbeta3 and can be used to
XX      inhibit binding of alphavbeta3 to a ligand and thus block
XX      integrin-mediated signal transduction. This is useful in the treatment,
XX      prevention and diagnosis of alphavbeta3-mediated disease, specifically
XX      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX      arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX      contain non-murine framework regions so are suitable for use in humans.
XX      Enhanced types of LM609 have affinity more than 90 times greater than
XX      that of parent the parent antibody.
XX
XX      Sequence 10 AA;

Query Match      90.9%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0072;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 ARHNYGSFA 9
        |||||
Db      1 arhnygsfa 9

RESULT      8
W76010
ID      W76010 standard; Protein; 10 AA.
XX
XX      W76010;
AC
XX
XX      02-NOV-1998 (first entry)
XX
XX      LM609 grafted antibody V-H region CDR3 protein fragment #1.
XX
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW

```

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX Mus sp.
 XX WO9833919-A2.
 PN 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 PR (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49847.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Disclosure; Page 40; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

 Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0072;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 Qy 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

 RESULT 9
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 AC W76001;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE Vitaxin antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX Mus sp.
 OS
 XX

PN WO9833919-A2.
 XX 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 PR (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49820.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 1; Fig 1a; 129pp; English.
 XX
 CC This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

 Query Match 90.9%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.091;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 Qy 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

 RESULT 10
 W76003
 ID W76003 standard; Protein; 117 AA.
 XX
 AC W76003;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX Mus sp.
 OS
 XX
 PN WO9833919-A2.
 XX 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 PR (IXSY-) IXSYS INC.
 XX

XX Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49822.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 43; Fig 2a; 129pp; English.
 PS This sequence represents the LM609 antibody variable heavy chain region.
 XX LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 XX Sequence 117 AA;
 SQ

Query Match 90.9%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.091;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

RESULT 11
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 AC Y06381;
 XX
 XX 06-SEP-1999 (first entry)
 DT Murine monoclonal antibody LM609 VH region.
 XX
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Mus musculus.
 XX
 XX WO9929888-A1.
 PN 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 XX
 XX 05-DEC-1997; 97US-0986016.
 XX
 XX (SCRI) SCRIPPS RES INST.
 XX
 XX Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 XX
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX Disclosure; Page 52-53; 55pp; English.
 PS
 XX This sequence represents the heavy chain variable region of murine

CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX Sequence 117 AA;
 SQ

Query Match 90.9%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.091;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

RESULT 12
 Y06387
 ID Y06387 standard; Protein; 117 AA.
 AC Y06387;
 XX
 XX 06-SEP-1999 (first entry)
 DT Humanised LM609 antibody VH domain.
 XX
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..35
 FT /note= "CDR1"
 FT Region 50..66
 FT /note= "CDR2"
 FT Region 107..117
 FT /note= "CDR3"
 XX
 XX WO9929888-A1.
 PN 17-JUN-1999.
 XX
 XX 04-DEC-1998; 98WO-US25828.
 XX
 XX 05-DEC-1997; 97US-0986016.
 XX
 XX (SCRI) SCRIPPS RES INST.
 XX
 XX Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 XX
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX Disclosure; Page 52; 55pp; English.
 PS
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin

CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;
 SQ

Query Match 90.9%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.091;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 97 arhnygsfa 105

RESULT 13

Y06384
 ID Y06384 standard; Protein: 118 AA.

XX AC Y06384;

XX DT 06-SEP-1999 (first entry)

XX DE Humanised LM609 antibody VH domain.

XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
FT Peptide	1..2
FT Region	/note= "vector-encoded residues"
FT Region	31..37
FT Region	/note= "CDR1"
FT Region	52..67
FT Region	/note= "CDR2"
FT Region	100..107
FT Region	/note= "CDR3"

XX PN WO9929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX DR WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 51; 55pp; English.

XX CC This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular

CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;
 SQ

Query Match 90.9%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.092;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

RESULT 14

Y06385
 ID Y06385 standard; Protein: 118 AA.

XX AC Y06385;

XX DT 06-SEP-1999 (first entry)

XX DE Humanised LM609 antibody VH domain.

XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
FT Peptide	1..2
FT Region	/note= "vector-encoded residues"
FT Region	31..37
FT Region	/note= "CDR1"
FT Region	52..67
FT Region	/note= "CDR2"
FT Region	100..107
FT Region	/note= "CDR3"

XX PN WO9929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX DR WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 51; 55pp; English.

XX CC This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
Best Local Similarity 100.0%; Pred. No. 0.092;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 98 arhnygsfa 106
|||||

RESULT 15
Y06386
ID Y06386 standard; Protein; 118 AA.
XX
AC Y06386;
XX
DT 06-SEP-1999 (first entry)
XX
DE Humanised LM609 antibody VH domain.
XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Homo sapiens.
OS Synthetic.
XX
FH Key Location/Qualifiers
FT Peptide 1..2
FT FT /note= "vector-encoded residues"
FT Region 31..37
FT FT /note= "CDR1"
FT Region 52..67
FT FT /note= "CDR2"
FT Region 100..107
FT FT /note= "CDR3"
XX
PN WO9929888-A1.
XX
PD 17-JUN-1999.
XX
PF 04-DEC-1998; 98WO-US25828.
XX
PR 05-DEC-1997; 97US-0986016.
XX
PA (SCRI) SCRIPPS RES INST.
XX
PI Barbas CF, Rader C;
XX
DR WPI; 1999-394979/33.
XX
PT Production of humanized mouse monoclonal antibodies
XX
PS Disclosure; Page 51-52; 55pp; English.
XX
CC This sequence represents the heavy chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
Best Local Similarity 100.0%; Pred. No. 0.092;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 98 arhnygsfa 106
|||||

Search completed: March 28, 2001, 06:59:47
Job time: 1383 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:54 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-70

Perfect score: 55

Sequence: 1 ARHNYGSFAT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued Patents AA.*

- 1: /cgnl_7/ptodata/1/iaa/5A-COMB.pep.*
- 2: /cgnl_7/ptodata/1/iaa/5B-COMB.pep.*
- 3: /cgnl_7/ptodata/1/iaa/6-COMB.pep.*
- 4: /cgnl_7/ptodata/1/iaa/PCTUS-COMB.pep.*
- 5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	65.5	94	3	US-09-147-550-14
2	36	65.5	94	3	US-09-147-550-45
3	36	65.5	94	3	US-09-147-550-48
4	36	65.5	94	3	US-09-147-550-77
5	36	65.5	94	3	US-09-147-550-84
6	36	65.5	94	3	US-09-147-550-90
7	36	65.5	94	3	US-09-147-550-101
8	36	65.5	119	3	US-08-767-128-6
9	34	61.8	286	2	US-08-809-267-3
10	34	61.8	286	4	PCT-US95-13662A-3
11	34	61.8	287	2	US-08-741-437-5
12	34	61.8	287	2	US-09-134-593-5
13	34	61.8	503	3	US-08-258-287B-36
14	34	61.8	503	3	US-08-368-704C-36
15	34	61.8	505	2	US-08-394-189B-5
16	34	61.8	505	4	PCT-US93-05701-20
17	34	61.8	505	4	PCT-US93-05705-5
18	32	58.2	15	1	US-08-618-464-7
19	32	58.2	15	3	US-09-107-615-7
20	32	58.2	25	2	US-08-480-190-44
21	32	58.2	25	2	US-08-488-379-44
22	32	58.2	25	4	PCT-US93-07545-44
23	32	58.2	36	1	US-08-053-131-84
24	32	58.2	36	1	US-08-645-641-84
25	32	58.2	36	1	US-07-853-408B-84
26	32	58.2	36	2	US-08-096-762-84
27	32	58.2	36	2	US-08-308-865-84
28	32	58.2	36	4	PCT-US92-10983-84

Sequence 1, Appl
Sequence 30, Appl
Sequence 17, Appl
Sequence 23, Appl
Sequence 12, Appl
Sequence 13, Appl
Sequence 15, Appl
Sequence 16, Appl
Sequence 17, Appl
Sequence 18, Appl
Sequence 19, Appl
Sequence 20, Appl
Sequence 21, Appl
Sequence 22, Appl
Sequence 24, Appl
Sequence 25, Appl
Sequence 26, Appl

US-09-147-550-14 1 US-08-264-250A-1
US-09-147-550-14 89 1 US-08-025-038-30
US-09-147-550-14 89 1 US-08-039-137-17
US-09-147-550-14 90 2 US-08-485-133-23
US-09-147-550-14 94 3 US-09-147-550-12
US-09-147-550-14 94 3 US-09-147-550-13
US-09-147-550-14 94 3 US-09-147-550-15
US-09-147-550-14 94 3 US-09-147-550-16
US-09-147-550-14 94 3 US-09-147-550-17
US-09-147-550-14 94 3 US-09-147-550-18
US-09-147-550-14 94 3 US-09-147-550-19
US-09-147-550-14 94 3 US-09-147-550-20
US-09-147-550-14 94 3 US-09-147-550-21
US-09-147-550-14 94 3 US-09-147-550-22
US-09-147-550-14 94 3 US-09-147-550-24
US-09-147-550-14 94 3 US-09-147-550-25
US-09-147-550-14 94 3 US-09-147-550-26

ALIGNMENTS

RESULT 1

US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.8;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||
80 RHNYGVF 86

RESULT 2

US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.8;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 3

US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aiga, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.8;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 4

US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aiga, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.8;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 5

US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aiga, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.8;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 6

US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aiga, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

ORGANISM: BOVINE
US-09-147-550-90

Query Match 65.5% Score 36; DB 3; Length 94;
Best Local Similarity 85.7% Pred. No. 9.8;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
|||||
Db 80 RHNYGVF 86

RESULT 7
US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 65.5% Score 36; DB 3; Length 94;
Best Local Similarity 85.7% Pred. No. 9.8;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
|||||
Db 80 RHNYGVF 86

RESULT 8
US-08-767-128-6
; Sequence 6, Application US/08767128
; Patent No. 6111079
; GENERAL INFORMATION:
; APPLICANT: WYLIE, DWANE E.
; APPLICANT: LOPEZ, OSVALDO
; APPLICANT: MURRAY, PETER JOSEPH
; APPLICANT: GOBEL, PETER
; TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
; TITLE OF INVENTION: NUCLEOTIDES CODING THEREFORE
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Merchant, Gould, Smith, Edell, Welter & Schmidt
; STREET: 3100 No. 6111079west Center, 90 South Seventh St
; CITY: Minneapolis
; STATE: MN
; COUNTRY: USA
; ZIP: 55402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/767,128
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE: 04-DEC-1996
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US96/09258
FILING DATE: 05-JUN-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/541,373
FILING DATE: 10-OCT-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/462,798
FILING DATE: 05-JUN-1995
ATTORNEY/AGENT INFORMATION:
NAME: Carter, Charles G.
REGISTRATION NUMBER: 35,093
REFERENCE/DOCKET NUMBER: 8648.49USF1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 612/371-5278
TELEFAX: 612/332-9081
TELEX:

INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: internal
ORIGINAL SOURCE:
US-08-767-128-6

Query Match 65.5% Score 36; DB 3; Length 119;
Best Local Similarity 66.7% Pred. No. 12;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||
Db 97 ARHHGYGA 105

RESULT 9
US-08-809-267-3
; Sequence 3, Application US/08809267
; Patent No. 5861296
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricla L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/809,267

; FILING DATE: 12-MAR-1997
; CLASSIFICATION: 433
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662
; FILING DATE:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; US-08-809-267-3

Query Match 61.8%; Score 34; DB 2; Length 286;
Best Local Similarity 83.3%; Pred. No. 66;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 10
PCT-US95-13662A-3
; Sequence 3, Application PC/TUS9513662A
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: Slatko, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids

; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; PCT-US95-13662A-3

Query Match 61.8%; Score 34; DB 4; Length 286;
Best Local Similarity 83.3%; Pred. No. 66;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 11
US-08-741-437-5
; Sequence 5, Application US/08741437
; Patent No. 5843665
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE: Filed Herewith
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
; US-08-741-437-5

Query Match 61.8%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 66;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 92 HNYGAF 97

RESULT 12

US-09-134-593-5
 ; Sequence 5, Application US/09134593
 ; Patent No. 5981232
 ; GENERAL INFORMATION:
 ; APPLICANT: Hawkins, Phillip R.
 ; APPLICANT: Hillman, Jennifer L.
 ; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
 ; NUMBER OF SEQUENCES: 5
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Incyte Pharmaceuticals, Inc.
 ; STREET: 3174 Porter Drive
 ; CITY: Palo Alto
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94304
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Diskette
 ; COMPUTER: IBM Compatible
 ; OPERATING SYSTEM: DOS
 ; SOFTWARE: FASTSEQ Version 1.5
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/134,593
 ; FILING DATE:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/741,437
 ; FILING DATE:
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Billings, Lucy J.
 ; REGISTRATION NUMBER: 36,749
 ; REFERENCE/DOCKET NUMBER: PF-0148 US
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (415) 855-0555
 ; TELEFAX: (415) 845-4166
 ; INFORMATION FOR SEQ ID NO: 5:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 287 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: peptide
 ; IMMEDIATE SOURCE:
 ; LIBRARY: GenBank
 ; CLONE: 4199
 ; US-09-134-593-5

Query Match 61.8%; Score 34; DB.2; Length 287;
 Best Local Similarity 83.3%; Pred. No. 66;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3.HNYGSF 8
 Db 92 HNYGAF 97

RESULT 13
 US-08-258-287B-36
 ; Sequence 36, Application US/08258287B
 ; Patent No. 6083735
 ; GENERAL INFORMATION:
 ; APPLICANT: Yuan, Junying
 ; APPLICANT: Miura, Masayuki
 ; TITLE OF INVENTION: Programmed Cell Death Genes and Proteins
 ; NUMBER OF SEQUENCES: 85
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
 ; STREET: 1100 New York Avenue, Suite 600
 ; CITY: Washington
 ; STATE: D.C.
 ; COUNTRY: USA
 ; ZIP: 20005
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/258,287B
 ; FILING DATE: 10-JUN-1994
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/080,850
 ; FILING DATE: 24-JUN-1993
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Bugaisky, Lawrence B.
 ; REGISTRATION NUMBER: 35,086
 ; REFERENCE/DOCKET NUMBER: 0609.3920001
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (202) 371-2600
 ; TELEFAX: (202) 371-2540
 ; TELEX: 248636 SSK
 ; INFORMATION FOR SEQ ID NO: 36:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 503 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: both
 ; US-08-258-287B-36

Query Match 61.8%; Score 34; DB 3; Length 503;
 Best Local Similarity 77.8%; Pred. No. 11e+02;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYSFAT 10
 Db 162 RHNYSFAT 170

RESULT 14
 US-08-368-704C-36
 ; Sequence 36, Application US/08368704C
 ; Patent No. 6087160
 ; GENERAL INFORMATION:
 ; APPLICANT: Yuan, Junying
 ; APPLICANT: Miura, Masayuki
 ; TITLE OF INVENTION: Programmed Cell Death Genes and Proteins
 ; NUMBER OF SEQUENCES: 95
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
 ; STREET: 1100 New York Avenue, Suite 600
 ; CITY: Washington
 ; STATE: D.C.
 ; COUNTRY: USA
 ; ZIP: 20005
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/368,704C
 ; FILING DATE: 4-JAN-1995
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/258,287
 ; FILING DATE: 10-JUN-1994
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/080,850
 ; FILING DATE: 24-JUN-1993
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Bugaisky, Lawrence B.
 ; REGISTRATION NUMBER: 35,086
 ; REFERENCE/DOCKET NUMBER: 0609.3920002
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (202) 371-2600

; TELEFAX: (202) 371-2540
; TELEX: 248636 SSK
; INFORMATION FOR SEQ ID NO: 36:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 503 amino acids
; TYPE: amino acid
; TOPOLOGY: both
; US-08-368-704C-36

Query Match 61.8%; Score 34; DB 3; Length 503;
Best Local Similarity 77.8%; Pred. No. 1.1e+02;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAT 10
|||||
Db 162 RHNYMSAAT 170

RESULT 15
US-08-394-189B-5
; Sequence 5, Application US/08394189B
; Patent No. 5962301
; GENERAL INFORMATION:
; APPLICANT: Horvitz, Robert
; APPLICANT: Yuan, Junying
; APPLICANT: Shaham, Shai
; TITLE OF INVENTION: RELATEDNESS OF HUMAN INTERLEUKIN-1
; TITLE OF INVENTION: BETA CONVERTASE GENE TO A C. ELEGANS CELL DEATH
; NUMBER OF SEQUENCES: 27
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Clark & Elbing LLP
; STREET: 176 Federal Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02110
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/394,189B
; FILING DATE: 24-FEB-2005
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/282,211
; FILING DATE: 12-JUL-1994
; APPLICATION NUMBER: 07/984,182
; FILING DATE: 20-NOV-1992
; APPLICATION NUMBER: 07/897,788
; FILING DATE: 12-JUN-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Bieker-Brady, Kristina
; REGISTRATION NUMBER: 39,109
; REFERENCE/DOCKET NUMBER: 01997/211001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-428-0200
; TELEFAX: 617-428-7045
; TELEX:
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 505 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-394-189B-5

Query Match 61.8%; Score 34; DB 2; Length 505;

Best Local Similarity 77.8%; Pred. No. 1.2e+02;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNYGSFAT 10
|||||
Db 164 RHNYMSAAT 172

Search completed: March 28, 2001, 07:01:55
Job time: 1334 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:21 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-72

Perfect score: 56

Sequence: 1 ARHNYGSPAD 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	71.4	210	1 B69265	conserved hypothet
2	39	69.6	446	2 T19625	hypothetical prote
3	38	67.9	464	2 T70828	hypothetical prote
4	37	66.1	275	2 T04480	acyl-CoA oxidase h
5	36	64.3	82	2 I51106	Major Histocompati
6	36	64.3	89	2 S38688	MHC class II histo
7	36	64.3	89	2 S38683	MHC class II histo
8	36	64.3	89	2 S38684	MHC class II histo
9	36	64.3	225	2 I47095	MHC class II OVAR-
10	36	64.3	581	1 A37913	serine/threonine-s
11	36	64.3	723	2 F83173	outer membrane pro
12	36	64.3	731	1 JC2464	probable copper-tr
13	35	62.5	232	2 G69080	conserved hypothet
14	35	62.5	243	2 D72098	serine esterase. p
15	35	62.5	275	2 G75130	translation initia
16	35	62.5	275	2 D71087	probable translati
17	35	62.5	347	2 S43771	phosphatidylcholin
18	35	62.5	520	2 T78502	paired box transcr
19	35	62.5	538	2 T28874	hypothetical prote
20	35	62.5	682	2 JQ0420	beta-1,3-glucanase
21	35	62.5	743	2 T15062	hypothetical prote
22	34	60.7	108	2 S26316	Ig heavy chain v r
23	34	60.7	110	2 S26317	Ig heavy chain v r
24	34	60.7	287	1 PWBV	inorganic pyrophos
25	34	60.7	287	1 PWBKL	inorganic pyrophos
26	34	60.7	309	2 T41494	zinc finger, ADP-r
27	34	60.7	372	2 T51082	hypothetical prote
28	34	60.7	407	2 H71857	pyruvate ferredoxi
29	34	60.7	407	2 F64658	pyruvate synthase

30 34 60.7 442 2 G69264 conserved hypothet
31 34 60.7 453 2 A05139 serum albumin - mo
32 34 60.7 514 2 T10559 hypothetical prote
33 34 60.7 1263 2 T00649 hypothetical prote
34 33.5 59.8 818 2 F82173 collagenase VC1650
35 33 58.9 80 2 S25050 Ig heavy chain v r
36 33 58.9 80 2 I54469 MHC HLA-DR-beta-1
37 33 58.9 80 2 I68777 MHC HLA-DR-beta-1
38 33 58.9 81 2 I54550 IHLA DRB1*1202 - hu
39 33 58.9 85 2 I59634 MHC class II DR-be
40 33 58.9 89 2 S38676 MHC class II histo
41 33 58.9 89 2 S38680 MHC class II histo
42 33 58.9 89 2 S57512 MHC class II histo
43 33 58.9 102 2 S25025 Ig heavy chain - m
44 33 58.9 106 2 S25036 Ig heavy chain v r
45 33 58.9 111 2 S25052 Ig heavy chain v r

ALIGNMENTS

RESULT 1
B69265
conserved hypothetical protein AF0122 - Archaeoglobus fulgidus
C:Species: Archaeoglobus fulgidus
C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000
C:Accession: B69265
R:Klenk, H.P.; Clayton, R.A.; Tomb, J.F.; White, O.; Nelson, K.E.; Ketchum, K.A.; Dod
Glocke, A.; Zhou, L.; Overbeek, R.; Gocayne, J.D.; Weldman, J.F.; McDonald, L.
Nature 390, 364-370, 1997
A:Authors: Utterback, T.; Cotton, M.D.; Spriggs, T.; Artiach, P.; Kalne, B.P.; Sykes,
Smith, H.O.; Woese, C.R.; Venter, J.C.
A:Title: The complete genome sequence of the hyperthermophilic, sulfate-reducing arch
A:Reference number: A69250; MUID:98049343
A:Accession: B69265
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-210 <KLE>
A:Cross-references: GB:AE001098; GB:AE000782; NID:92689421; PIDN:AAB91117.1; PID:9265
C:Superfamily: conserved hypothetical protein AF0119

Query Match 71.4%; Score 40; DB 1; Length 210;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNYGSPAD 10
DB 128 RHAYGSFVD 136
II IIII I
II IIII I

RESULT 2
T19625
hypothetical protein C31H5.6 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000
C:Accession: T19625
R:Kershaw, J.
submitted to the EMBL Data Library, April 1997
A:Reference number: Z19153
A:Accession: T19625
A:Status: preliminary; translated from GB/EMBL/DDBJ
A:Molecule type: DNA
A:Residues: 1-446 <WIL>
A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6
A:Experimental source: clone C31H5
C:Genetics:
A:Gene: CESP:C31H5.6
A:Map position: 1
A:Introns: 49/2; 85/1; 120/2; 183/3; 255/3; 285/2; 331/3; 360/3
C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 69.6%; Score 39; DB 2; Length 446;
 Best Local Similarity 87.5%; Pred. No. 8.9;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9
 | | | | |
 DB 51 RHNYGSHA 58

RESULT 3
 B70828
 Hypothetical protein Rv0462 - Mycobacterium tuberculosis (strain H37RV)
 C:Species: Mycobacterium tuberculosis
 C:Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 20-Jun-2000
 C:Accession: B70828
 R:Cole, S.T.; Brosch, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S.; Connor, R.; Davies, R.; Devlin, K.; Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.; Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.; Nature 393, 537-544, 1998
 A:Authors: Squares, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrell, B.G.
 A:Title: Deciphering the biology of Mycobacterium tuberculosis from the complete genome
 A:Reference number: A70500; MUID:98295987
 A:Accession: B70828
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-464 <COL>
 A:Cross-references: GB:AL021933; GB:AL123456; NID:g3261529; PIDN:CAAL17417.1; PID:g290953
 A:Experimental source: strain H37RV
 C:Genetics:
 A:Gene: RV0462
 C:Superfamily: dihydrolipoamide dehydrogenase; dihydrolipoamide dehydrogenase homology
 F:7-450/Domain: dihydrolipoamide dehydrogenase homology <LDD>

Query Match 67.9%; Score 38; DB 2; Length 464;
 Best Local Similarity 75.0%; Pred. No. 14;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAD 10
 | | | | |
 DB 110 HGYGTFAD 117

RESULT 4
 T04480
 acyl-CoA oxidase homolog - barley (fragment)
 C:Species: Hordeum vulgare (barley)
 C:Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 08-Oct-1999
 C:Accession: T04480
 R:Grossi, M.; Gulli, M.; Stanca, A.M.; Cattivelli, L.
 Plant Sci. 105, 71-80, 1995
 A:Title: Characterization of two barley genes that respond rapidly to dehydration stress
 A:Reference number: Z15371
 A:Accession: T04480
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-275 <GRO>
 A:Cross-references: EMBL:X84055; NID:g642243; PIDN:CAA58874.1; PID:g642244
 A:Experimental source: cv. Arda, leaf
 C:Genetics:
 A:Gene: cdr29

Query Match 66.1%; Score 37; DB 2; Length 275;
 Best Local Similarity 70.0%; Pred. No. 13;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10
 | | | | |
 DB 1 ANHNGSFLD 10

RESULT 5
 I51106
 Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)
 C:Species: Phasianus colchicus (ring-necked pheasant)
 C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999
 C:Accession: I51106
 R:Wittzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.
 Immunogenetics 39, 395-403, 1994
 A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-ne
 A:Reference number: I51103; MUID:94245280
 A:Accession: I51106
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: DNA
 A:Residues: 1-82 <WIT>
 A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 82;
 Best Local Similarity 85.7%; Pred. No. 6.1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 | | | | |
 DB 75 RHNYGVF 81

RESULT 6
 S38688
 MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushba
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38688
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduce
 A:Reference number: S38676
 A:Accession: S38688
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27158
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 6.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 | | | | |
 DB 75 RHNYGVF 81

RESULT 7
 S38683
 MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushba
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38683
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduce
 A:Reference number: S38676
 A:Accession: S38683
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27153
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 6.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
|||||
Db 75 RHNYGVF 81

RESULT 8

S38684

MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
C:Species: Galago senegalensis (northern lesser bushbaby)
C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
C:Accession: S38684

R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
submitted to the EMBL Data Library, November 1993
A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from
A:Reference number: S38684

A:Accession: S38684

A:Molecule type: DNA

A:Residues: 1-89 <FTG>

A:Cross-references: EMBL:Z27154

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 89;

Best Local Similarity 85.7%; Pred. No. 6.6;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
|||||
Db 75 RHNYGVF 81

RESULT 9

I47095

MHC class II OVAR-DR-beta-3 - sheep (fragment)

C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)

C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000

C:Accession: I47095

R:Fabb, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.

Anim. Genet. 24, 249-255, 1993

A:Title: Isolation, characterization and evolution of ovine major histocompatibility com

A:Reference number: I47075; MUID:94057592

A:Accession: I47095

A:Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-225 <FAB>

A:Cross-references: GB:L04790; NID:g458880; PIDN:AAA16562.1; PID:g458881

C:Genetics:

A:Gene: OVAR-DRB3

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

F;98-163/Domain: immunoglobulin homology <IMW>

Query Match 64.3%; Score 36; DB 2; Length 225;

Best Local Similarity 85.7%; Pred. No. 17;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
|||||
Db 68 RHNYGVF 74

RESULT 10

A37913

serine/threonine-specific protein kinase (EC 2.7.1.-) mkl - fission yeast (Schizosaccha

N:Alternate names: mitosis inhibitor protein kinase

C:Species: Schizosaccharomyces pombe

C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 10-Dec-1999

C:Accession: A37913; T40626

R:Lundgren, K.; Walworth, N.; Boother, R.; Dembski, M.; Kirschner, M.; Beach, D.

Cell 64, 1111-1122, 1991

A:Title: mkl and weel cooperate in the inhibitory tyrosine phosphorylation of cdc2.

A:Reference number: A37913; MUID:91168259

A:Accession: A37913
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-581 <LUN>
A:Cross-references: GB:M60834; NID:g173413; PIDN:AAA91278.1; PID:g1213637
R:Lyne, M.; Rajandream, M.A.; Barrell, B.G.; Rieger, M.
submitted to the EMBL Data Library, December 1998
A:Reference number: Z21941

A:Accession: T40626

A:Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: DNA

A:Residues: 1-581 <LYN>

A:Cross-references: EMBL:AL034563; PIDN:CAA22534.1; GSPDB:GN00067; SPDB:SPBC660.14

A:Experimental source: strain 972h-; cosmid c660

C:Genetics:

A:Gene: SPBC660.14

A:Map position: 2

A:Introns: 403/3

C:Superfamily: fission yeast mkl protein; protein kinase homology

C:Keywords: ATP; phosphotransferase; serine/threonine-specific protein kinase

F:287-558/Domain: protein kinase homology <KIN>

Query Match 64.3%; Score 36; DB 1; Length 581;

Best Local Similarity 70.0%; Pred. No. 43;

Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10
|||||
Db 463 ASHNYGKPAD 472

RESULT 11

F83173

outer membrane protein OprC PA3790 [imported] - Pseudomonas aeruginosa (strain PA01)

C:Species: Pseudomonas aeruginosa

C:Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 15-Sep-2000

C:Accession: F83173

R:Stover, C.K.; Pham, X.Q.; Erwin, A.L.; Mizoguchi, S.D.; Warren, P.; Hickey, M.J.;

adman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; L

; Lory, S.; Olson, M.V.

Nature 406, 959-964, 2000

A:Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic pa

A:Reference number: A82950

A:Accession: F83173

A:Status: preliminary

A:Molecule type: DNA

A:Residues: 1-723 <STO>

A:Cross-references: GB:AE004797; GB:AE004091; NID:g9949950; PIDN:AAG07177.1; GSPDB:GN

A:Experimental source: strain PA01

C:Genetics:

A:Gene: oprC; PA3790

Query Match 64.3%; Score 36; DB 2; Length 723;

Best Local Similarity 62.5%; Pred. No. 53;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAD 10
|||||
Db 407 HNYGAFGE 414

RESULT 12

JC2464

probable copper-transporting ATPase (EC 3.6.1.-) HRA-1 - Enterobacteriaceae spp.

C:Species: Enterobacteriaceae spp.

C:Date: 16-Oct-1998 #sequence_revision 16-Oct-1998 #text_change 18-Jun-1999

C:Accession: JC2464

R:Trenor III., C.; Lin, W.; Andrews, N.C.

Biochem. Biophys. Res. Commun. 205, 1644-1650, 1994

A:Title: Novel bacterial p-type ATPases with histidine-rich heavy-metal-associated se

A:Reference number: JC2464; MUID:95110304

A:Accession: JC2464
 A:Molecule type: mRNA
 A:Residues: 1-731 <TRE>
 A:Cross-references: GB:U16658; NID:q643612; PID:AAA62113.1; PID:g643613
 A:Experimental source: human small intestine cDNA library
 A>Note: the source species is uncertain; the cloned sequence did not hybridize with human
 C:Superfamily: Enterococcus copper-transporting ATPase copB; ATPase nucleotide-binding d
 C:Keywords: ATP; copper transport; hydrolase; ion transport; phosphoprotein; transmembr
 F:7-92/Region: His-rich
 F:135-477/Domain: ATPase transduction domain homology <ATP>
 F:544-685/Domain: ATPase nucleotide-binding domain homology <ATP>
 F:287/Active site: Glu #status predicted
 F:431/Active site: Asp (aspartylphosphate Intermediate) #status predicted

Query Match 64.3%; Score 36; DB 1; Length 731;
 Best Local Similarity 60.0%; Pred. No. 54;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10
 | | | | |
 Db 88 AHHHGSFKD 97

RESULT 13
 G69080
 conserved hypothetical protein MTH1600 - Methanobacterium thermoautotrophicum (strain De
 C:Species: Methanobacterium thermoautotrophicum
 C:Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 08-Oct-1999
 C:Accession: G69080
 R:Smith, D.R.; Doucette-Stamm, L.A.; Deloughery, C.; Lee, H.; Dubois, J.; Aldredge, T.;
 Qiu, D.; Spadafora, R.; Vicaire, R.; Wang, Y.; Wierzbowski, J.; Gibson, R.; Jiwani, N.
 ki, S.; Church, G.M.; Daniels, C.J.; Mao, J.; Rice, P.; Noelling, J.; Reeve, J.N.
 J. Bacteriol. 179, 7135-7155, 1997
 A:Title: Complete genome sequence of Methanobacterium thermoautotrophicum Delta H: funct
 A:Reference number: A69000; MUID:98037514
 A:Accession: G69080
 A>Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-232 <MTH>
 A:Cross-references: GB:AE000919; GB:AE000666; NID:g2622717; PID:AB86073.1; PID:g262272
 A:Experimental source: strain Delta H
 C:Genetics:
 A:Gene: MTH1600
 C:Superfamily: Methanococcus jannaschii conserved hypothetical protein MJ1634

Query Match 62.5%; Score 35; DB 2; Length 232;
 Best Local Similarity 62.5%; Pred. No. 27;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFAD 10
 | | | | |
 Db 154 HNFEGGTD 161

RESULT 14
 D72098
 serine esterase, probable CP0488 [imported] - Chlamydomophila pneumoniae (strains CWL029 a
 N:Alternate names: lysophospholipase esterase
 C:Species: Chlamydomophila pneumoniae, Chlamydia pneumoniae
 C:Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 11-May-2000
 C:Accession: D72098; A81572
 R:Kallman, S.; Mitchell, W.; Marathe, R.; Lammel, C.; Fan, J.; Olinger, L.; Grimwood, J.;
 Nature Genet. 21, 385-389, 1999
 A:Title: Comparative genomes of Chlamydia pneumoniae and C. trachomatis.
 A:Reference number: A72000; MUID:99206606
 A:Accession: D72098
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-243 <ARN>
 A:Cross-references: GB:AE001363; NID:g4376541; PIDN:AAD18420.1; PID:g437654
 A:Experimental source: strain CWL029

R:Read, T.D.; Brunham, R.C.; Shen, C.; Gill, S.R.; Heidelberg, J.F.; White, O.; Hicke
 , C.; Dodson, R.; Gwinn, M.; Nelson, W.; DeBoy, R.; Kolonay, J.; McClarty, G.; Salzbe
 Nucleic Acids Res. 28, 1397-1406, 2000
 A:Title: Genome sequences of Chlamydia trachomatis MoPn and Chlamydia pneumoniae AR39
 A:Reference number: A81500; MUID:20150255
 A:Accession: A81572
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-243 <REA>
 A:Cross-references: GB:AE002210; NID:g7189400; PIDN:AAF38318.1; PID:g718
 A:Experimental source: strain AR39, HL cells
 C:Genetics:
 A:Gene: CPn0271; CP0488

Query Match 62.5%; Score 35; DB 2; Length 243;
 Best Local Similarity 75.0%; Pred. No. 28;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFAD 10
 | | | | |
 Db 32 HGYSGLAD 39

RESULT 15
 G75130
 translation initiation factor aif-2, subunit alpha (aif2a) PAB0568 - Pyrococcus abyss
 C:Species: Pyrococcus abyssi
 C:Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000
 C:Accession: G75130
 R:anonymous, Genoscope
 submitted to the EMBL Data Library, July 1999
 A:Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome s
 A:Reference number: A75001
 A:Accession: G75130
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-275 <KAW>
 A:Cross-references: GB:AJ248285; GB:AL096836; NID:g5458067; PIDN:CAB49760.1; PID:g545
 A:Experimental source: strain Orsay
 C:Genetics:
 A:Gene: aif2A; PAB0568
 C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 62.5%; Score 35; DB 2; Length 275;
 Best Local Similarity 62.5%; Pred. No. 32;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAD 10
 | | | | |
 Db 23 HNYGAFLE 30

Search completed: March 28, 2001, 07:04:23
 Job time: 1061 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:01 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-72

Perfect score: 56

Sequence: 1 ARHNYGSFAD 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	64.3	581	1	MIK1_SCHPO
2	35	62.5	275	1	IF2A_PYRAB
3	35	62.5	275	1	IF2A_PYRHO
4	35	62.5	520	1	PAX7_HUMAN
5	35	62.5	682	1	E13B_BACCI
6	34	60.7	284	1	IPYR_PICPA
7	34	60.7	286	1	IPYR_KLULA
8	34	60.7	286	1	IPYR_YEAST
9	34	60.7	608	1	ALBU_MOUSE
10	33.5	59.8	587	1	COLA_VIBPA
11	33	58.9	448	1	NCAP_CVHOC
12	33	58.9	470	1	SYE2_RICPR
13	33	58.9	473	1	SYE2_AQUAE
14	33	58.9	608	1	ALBU_RAT
15	33	58.9	682	1	VG50_BPML5
16	32	57.1	65	1	CCSA_OENBE
17	32	57.1	65	1	CCSA_PEA
18	32	57.1	196	1	HB2J_ECOLI
19	32	57.1	198	1	HB2G_HUMAN
20	32	57.1	227	1	PRRA_RAT
21	32	57.1	246	1	YAFK_ECOLI
22	32	57.1	255	1	CBPM_STRAL
23	32	57.1	266	1	HB2A_HUMAN
24	32	57.1	266	1	HB2B_HUMAN
25	32	57.1	266	1	HB2C_HUMAN
26	32	57.1	266	1	HB2D_CANFA
27	32	57.1	266	1	HB2D_HUMAN
28	32	57.1	266	1	HB2E_HUMAN
29	32	57.1	266	1	HB2F_HUMAN
30	32	57.1	266	1	HB2H_HUMAN
31	32	57.1	266	1	HB2I_HUMAN
32	32	57.1	266	1	HB2J_HUMAN
33	32	57.1	298	1	MTRE_METKA

34	32	57.1	313	1	CCSA_TOBAC	p12216 nicotiana t
35	32	57.1	315	1	VC04_VACCV	p17370 vaccinia vi
36	32	57.1	316	1	VC04_VACCC	p21038 vaccinia vi
37	32	57.1	321	1	CCSA_MAIZE	p46659 zea mays (m
38	32	57.1	321	1	CCSA_ORISA	p12215 oryza sativ
39	32	57.1	328	1	CCSA_ARATH	p56770 arabidopsis
40	32	57.1	349	1	VJY9_YEAST	p41903 saccharomyc
41	32	57.1	466	1	GSHR_MOUSE	p47791 mus musculu
42	32	57.1	502	1	YM40_MARPO	p38478 marchantia
43	32	57.1	528	1	PR12_YEAST	p20457 saccharomyc
44	32	57.1	561	1	DIM_ARATH	Q39085 arabidopsis
45	32	57.1	567	1	DIM_PEA	p93472 pisum sativ

ALIGNMENTS

RESULT 1
MIK1_SCHPO STANDARD; PRT; 581 AA.
AC P30290;
DT 01-APR-1993 (Rel. 25, Created)
DT 01-APR-1993 (Rel. 25, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE MITOSIS INHIBITOR PROTEIN KINASE MIK1 (EC 2.7.1.1-).
GN MIK1.
OS Schizosaccharomyces pombe (Fission yeast).
OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetales;
OC Schizosaccharomycetaceae; Schizosaccharomycetes.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 91169259.
RA Lundgren K., Walworth N., Booher R., Dembski M., Kirschner M.,
RA Beach D.;
RT "miki and weel cooperate in the inhibitory tyrosine phosphorylation
of cdc2.";
RL Cell 64:1111-1122(1991).
CC -!- FUNCTION: PROTEIN KINASE THAT ACTS BOTH ON SERINES AND ON
TYROSINES. IT ACTS AS A NEGATIVE REGULATOR OF ENTRY INTO MITOSIS
(G2 TO M TRANSITION). PHOSPHORYLATES AND INHIBITS CDC2.
CC -!- SIMILARITY: WITH THE CONSERVED CATALYTIC DOMAINS OF SER/THR-
PROTEIN KINASES. HIGHLY SIMILAR TO S.POMBE WEE1.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
CC EMBL: M60834; AAA91278.1; -;
DR PIR: A37913; A37913.
DR INTERPRO: IPR000719; -;
DR INTERPRO: IPR002290; -;
DR PFAM: PF00069; pkinase; 1.
DR PROSITE: PS00107; PROTEIN_KINASE_ATP; FALSE_NEG.
DR PROSITE: PS00108; PROTEIN_KINASE_ST; 1.
DR PROSITE: PS00111; PROTEIN_KINASE_DOM; 1.
KW Mitosis; Transferase; Serine/threonine-protein kinase;
Tyrosine-protein kinase; ATP-binding.
FT DOMAIN 289 561 PROTEIN KINASE.
FT NP_BIND 295 303 ATP (BY SIMILARITY).
FT BINDING 320 320 ATP (BY SIMILARITY).
FT ACT_SITE 417 417 BY SIMILARITY.
SQ SEQUENCE 581 AA; 65933 MW; 371E0CEDB2CA1CE3 CRC64;

Query Match 64.3%; Score 36; DB 1; Length 581;
Best Local Similarity 70.0%; Pred. No. 15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10

```

Db 463 ASHNYGKPAD 472
| | | | |
RESULT 2
ID IF2A_PVRAB STANDARD; PRT; 275 AA.
AC Q9V0B4;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PAB0568.
OS Pyrococcus abyssi.
OC Archaea; Euryarchaeota; Thermococcales; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ORSAY;
RA Heilig R.;
RT "Pyrococcus abyssi genome sequence: insights into archaeal chromosome
structure and evolution.";
RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
(CY SIMILARITY).
CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CHAIN (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
CC
DR EMBL: AJ248285; CAB49760.1; -
DR INTERPRO: IPR003029; -
DR PFAM: PF00575; SI; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 SI MOTIF.
SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879BAF CRC64;

Query Match 62.5%; Score 35; DB 1; Length 275;
Best Local Similarity 62.5%; Pred. No. 11;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSEAD 10
| | | | |
DB 23 HNYGAFLE 30

RESULT 3
ID IF2A_PVRHO STANDARD; PRT; 275 AA.
AC Q58655;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PH0961.
OS Pyrococcus horikoshii.
OC Archaea; Euryarchaeota; Thermococcales; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=OT3;
RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,

Funahashi T., Tanaka T., Kudoh Y., Yamazaki J., Kushida N., Oguchi A.,
Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
Masuchi Y., Shizuwa H., Kikuchi H.;
"Complete sequence and gene organization of the genome of a hyper-
thermophilic archaeobacterium, Pyrococcus horikoshii OF3.";
RL DNA Res. 5:55-76(1998).
CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
(CY SIMILARITY).
CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CHAIN (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
CC
DR EMBL: AP000004; BAA30058.1; -
DR INTERPRO: IPR003029; -
DR PFAM: PF00575; SI; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 SI MOTIF.
SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FFB436 CRC64;

Query Match 62.5%; Score 35; DB 1; Length 275;
Best Local Similarity 62.5%; Pred. No. 11;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSEAD 10
| | | | |
DB 23 HNYGAFLE 30

RESULT 4
ID PAX7_HUMAN STANDARD; PRT; 520 AA.
AC P23759;
DT 01-NOV-1991 (Rel. 20, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE PAIRED BOX PROTEIN PAX-7 (HUP1).
GN PAX7 OR HUP1.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A., AND ALTERNATIVE SPLICING.
RX MEDLINE; 97480728.
RA Vorobyov E., Mertsalov I., Dockhorn-Dworniczak B., Dworniczak B.,
Horst J.;
"the genomic organization and full coding region of the human PAX7
gene.";
RL Genomics 45:168-174(1997).
RN [2]
RP SEQUENCE FROM N.A. (LONG FORM).
RA Heath P.;
RN [3]
RP SEQUENCE OF 1-467 FROM N.A. (LONG FORM).
RX MEDLINE; 95075634.
RA Schaefer B.W., Czerny T., Bernasconi M., Genini M., Busslinger M.;
"Molecular cloning and characterization of a human PAX-7 CDNA
expressed in normal and neoplastic myocytes.";
RL Nucleic Acids Res. 22:4574-4582(1994).
RN [4]
RP SEQUENCE OF 30-195 FROM N.A. (SHORT FORM).
RX MEDLINE; 89305521.

```

RA Burfi M., Tromvoukis Y., Bopp D., Erigerio G., Noll M.;
 RT "Conservation of the paired domain in metazoans and its structure in
 three isolated human genes."
 RL EMBO J. 8:1183-1190(1989).
 CC -!- FUNCTION: PROBABLE TRANSCRIPTION FACTOR. IT MAY HAVE A ROLE IN
 CC MYOGENESIS.
 CC -!- SUBUNIT: CAN BIND AS A HETERODIMER WITH PAX3.
 CC -!- SUBCELLULAR LOCATION: NUCLEAR.
 CC -!- ALTERNATIVE PRODUCTS: 2 ISOFORMS; A LONG FORM (SHOWN HERE), AND
 CC A SHORT FORM; ARE PRODUCED BY ALTERNATIVE SPLICING.
 CC -!- DISEASE: RHABDOMYOSARCOMA-2 (RMS2) IS CHARACTERIZED BY A
 CC CHROMOSOMAL TRANSLOCATION T(1;13)(P36;Q14) WHICH INVOLVES PAX7 AND
 CC FOXO1A. THE RESULTING PROTEIN IS A TRANSCRIPTIONAL ACTIVATOR.
 CC -!- SIMILARITY: BELONGS TO THE PAIRED FAMILY OF HOMEBOX PROTEINS.
 CC -!- SIMILARITY: CONTAINS A PAIRED BOX DOMAIN.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X96743; CAA65520.1; .
 DR EMBL; X96744; CAA65521.1; JOINED.
 DR EMBL; X15042; CAA65521.1; JOINED.
 DR EMBL; X15250; CAA65521.1; JOINED.
 DR EMBL; X15251; CAA65521.1; JOINED.
 DR EMBL; X96745; CAA65521.1; JOINED.
 DR EMBL; X96746; CAA65521.1; JOINED.
 DR EMBL; X96747; CAA65521.1; JOINED.
 DR EMBL; X96748; CAA65521.1; JOINED.
 DR EMBL; X96744; CAA65522.1; .
 DR EMBL; X15042; CAA65522.1; JOINED.
 DR EMBL; X15250; CAA65522.1; JOINED.
 DR EMBL; X15251; CAA65522.1; JOINED.
 DR EMBL; X96745; CAA65522.1; JOINED.
 DR EMBL; X96746; CAA65522.1; JOINED.
 DR EMBL; X96747; CAA65522.1; JOINED.
 DR EMBL; X96748; CAA65522.1; JOINED.
 DR EMBL; AL021528; CAA16432.1; .
 DR EMBL; Z35141; CAA84513.1; .
 DR PIR; S06959; S06959.
 DR HSSP; P06601; 1FJL.
 DR TRANSPAC; T00396; .
 DR MIM; 167410; .
 DR INTERPRO; IPR001356; .
 DR INTERPRO; IPR001523; .
 DR PFAM; PF00292; PAX; 1.
 DR PRINTS; PF00046; homeobox; 1.
 DR PROSITE; PR00027; PAIREDBOX.
 DR PROSITE; PS00027; HOMEBOX_1; 1.
 DR PROSITE; PS00071; HOMEBOX_2; 1.
 DR PROSITE; PS00034; PAIRED_BOX; 1.
 KW Transcription regulation; Homeobox; DNA-binding; Nuclear protein;
 KW Developmental protein; Paired box; Chromosomal translocation;
 KW Proto-oncogene; Alternative splicing.
 FT DOMAIN 34 161
 FT DNA_BIND 217 276
 FT DOMAIN 340 346
 FT VARSPLIC 151 152
 SQ SEQUENCE 520 AA; 56896 MW; 3B0F8CC99D656599C CRC64;

Query Match 62.5%; Score 35; DB 1; Length 520;
 Best Local Similarity 50.0%; Pred. No. 21;
 Matches 5; Conservative 4; Mismatches 1; Indels 0; Gaps 0;
 QY 1 ARHNYGSPAD 10
 |||:|:|
 Db 354 ARHSSFSYSD 363

RESULT 5
 E13B_BACCI STANDARD; PRT; 682 AA.
 ID E13B_BACCI
 AC P23903;
 DT 01-NOV-1991 (Rel. 20, Created)
 DT 01-NOV-1991 (Rel. 20, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE GLUCAN ENDO-1,3-BETA-GLUCOSIDASE A1 PRECURSOR (EC 3.2.1.39) ((1->3)-
 DE BETA-GLUCAN ENDOHYDROLASE) ((1->3)-BETA-GLUCANASE A1).
 GN GLCA.
 OS Bacillus circulans.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group;
 OC Bacillus/Staphylococcus group; Bacillus.
 RN [1]
 RP SEQUENCE FROM N.A., AND SEQUENCE OF 39-52.
 RC STRAIN-WL-12;
 RX MEDLINE; 90185240.
 RA Yahata N., Watanabe T., Nakamura Y., Yamamoto Y., Kamimiya S.,
 RA Tanaka H.;
 RT "Structure of the gene encoding beta-1,3-glucanase A1 of Bacillus
 RT circulans WL-12";
 RL Gene 86:113-117(1990).
 CC -!- FUNCTION: LYSIS OF CELLULAR WALLS CONTAINING BETA-1,3-GLUCANS.
 CC IMPLICATED IN THE DEFENSE AGAINST FUNGAL PATHOGENS.
 CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF 1,3-BETA-D-GLUCOSIDIC LINKAGES
 CC IN 1,3-BETA-D-GLUCANS.
 CC -!- SIMILARITY: BELONGS TO FAMILY 16 OF GLYCOSYL HYDROLASES.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M34503; AAA22474.1; .
 DR PIR; JQ0420; JQ0420.
 DR HSSP; P23904; 1AJQ.
 DR INTERPRO; IPR000757; .
 DR PROSITE; PS01034; GLYCOSYL_HYDROL_F16; 1.
 KW Cell wall; Hydrolase; Glycosidase; Signal.
 FT SIGNAL 1 38
 FT CHAIN 39 682
 FT ACT_SITE 552 552
 FT ACT_SITE 557 557
 FT ACT_SITE 557 557
 SQ SEQUENCE 682 AA; 75465 MW; 8C4F407E34D4ADD5 CRC64;
 Query Match 62.5%; Score 35; DB 1; Length 682;
 Best Local Similarity 62.5%; Pred. No. 28;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
 QY 3 HNYGSPAD 10
 ||:|:|
 Db 227 HNFQOPTD 234
 RESULT 6
 IPR_PICPA
 ID IPR_PICPA STANDARD; PRT; 284 AA.
 AC O13505;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI.
 OS Pichia pastoris (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Pichia.
 RN [1]

RP SEQUENCE FROM N.A.
 RC STRAIN-NRRL Y-11430;
 RX MEDLINE; 99034033.
 RA Cosano I.C., Alvarez P., Molina M., Nombela C.;
 RT "Cloning and sequence analysis of the *Pichia pastoris* TRP1, Ipp1 and
 RT HIS3 genes.";
 RL Yeast 14:861-867(1998).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: AJ001000; CAA04453.1; -
 DR HSSP; P00817; IMG1.
 DR INTERPRO; IPR001596; -
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 284 AA; 31937 MW; 3DAD27970D775D6 CRC64;

 Query Match 60.7%; Score 34; DB 1; Length 284;
 Best Local Similarity 83.3%; Pred. No. 17;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 3 HNYGSF 8
 Db 91 HNYGAF 96
 |||||
 RESULT 7
 IPYR_KLUJLA STANDARD; PRT; 286 AA.
 AC F13998;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 01-OCT-1994 (Rel. 30, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPP1 OR IPP.
 OS Kluyveromyces lactis (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Kluyveromyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89189093.
 RA Stark M.J.R., Milner J.S.;
 RT "Cloning and analysis of the *Kluyveromyces lactis* TRP1 gene: a
 RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
 RT and histone H3";
 RL Yeast 5:35-50(1989).
 RN [2]
 RP SIMILARITY TO E.COLI AND YEAST PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Coogerman B.S.;
 RT "Conservation of functional residues between yeast and *E. coli*
 RT inorganic pyrophosphatases";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.

CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: X14230; CAA32446.1; -
 DR PIR; S07894; PNVKL.
 DR HSSP; P00817; IMG1.
 DR INTERPRO; IPR001596; -
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;

 Query Match 60.7%; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 17;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 3 HNYGSF 8
 Db 91 HNYGAF 96
 |||||
 RESULT 8
 IPYR_YEAST STANDARD; PRT; 286 AA.
 AC P00817;
 DT 21-JUL-1996 (Rel. 01, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPP1 OR PPAL OR PPA OR YBR011C OR YBR0202.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX STRAIN-X2180;
 RX MEDLINE; 89083474.
 RA Kolakowski L.F. Jr., Schloesser M., Coogerman B.S.;
 RT "Cloning, molecular characterization and chromosome localization of
 RT the inorganic pyrophosphatase (ppa) gene from *S. cerevisiae*";
 RL Nucleic Acids Res. 16:10441-10452(1988).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX STRAIN-S288C;
 RA Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,
 RA Baur A., Boles E., Miosga T., Schaaff-Gerstenschlaeger I.,
 RA Zimmermann F.K.;
 RL Submitted (Aug-1994) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE.
 RX MEDLINE; 78087552.
 RA Cohen S.A., Sterner R., Keim P.S., Heinrikson R.L.;
 RT "Covalent structural analysis of yeast inorganic pyrophosphatase";
 RL J. Biol. Chem. 253:889-897(1978).
 RN [4]
 RP SEQUENCE OF 25-35 AND 239-251.
 RC STRAIN-S288C;

ID ALBU_MOUSE STANDARD; PRT; 608 AA.
 AC P07724; Q61802;
 DT 01-APR-1988 (Rel. 07, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE SERUM ALBUMIN PRECURSOR.
 GN ALB OR ALB1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=LIVER;
 RA van Reeth T., Gabant P., Dreze P., Szpirer J., Szpirer C.;
 RL Submitted (SEP-1998) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE OF 99-516 FROM N.A.
 RX MEDLINE; 88216123.
 RA Minghetti P.P., Law S.W., Dugaiczek A.;
 RT "The rate of molecular evolution of alpha-fetoprotein approaches that
 of pseudogenes";
 RL Mol. Biol. Evol. 2:347-358(1985).
 RN [3]
 RP SEQUENCE OF 477-551 FROM N.A.
 RC STRAIN=BALB/C;
 RX MEDLINE; 90269606.
 RA Boccaccio C., Deschatrette J., Meunier-Rotival M.;
 RT "Empty and occupied insertion site of the truncated LINE-1 repeat
 located in the mouse serum albumin-encoding gene";
 RL Gene 88:181-186(1990).
 RN [4]
 RP SEQUENCE OF 25-44.
 RC TISSUE=LIVER;
 RX MEDLINE; 93162044.
 RA Giometti C.S., Taylor J., Tollaksen S.L.;
 RT "Mouse liver protein database: a catalog of proteins detected by two-
 dimensional gel electrophoresis";
 RL Electrophoresis 13:970-991(1992).
 CC -1- FUNCTION: SERUM ALBUMIN, THE MAIN PROTEIN OF PLASMA, HAS A GOOD
 BINDING CAPACITY FOR WATER, CA⁺⁺, NA⁺, K⁺, FATTY ACIDS, HORMONES,
 BILIRUBIN AND DRUGS. ITS MAIN FUNCTION IS THE REGULATION OF THE
 COLLOIDAL OSMOTIC PRESSURE OF BLOOD.
 CC -1- SUBCELLULAR LOCATION: EXTRACELLULAR.
 CC -1- TISSUE SPECIFICITY: PLASMA.
 CC -1- DOMAIN: COMPOSED OF THREE HOMOLOGOUS DOMAINS.
 CC -1- SIMILARITY: BELONGS TO THE ALB/APF/VDB FAMILY.

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

 DR EMBL; AJ011413; CAA09617.1; -
 DR EMBL; M16111; AAA37190.1; -
 DR EMBL; X13060; CAA31458.1; -
 DR PIR; A05139; A05139.
 DR HSSP; P02768; IUOR.
 DR SWISS-2DPAGE; P07724; MOUSE.
 DR MGD; MGI:87991; ALB1.
 DR INTERPRO; IPR000264; -
 DR INTERPRO; IPR001703; -
 DR PRAM; PF00273; transport_prot; 3.
 DR PRINTS; PR00802; SERUMALBUMIN.
 DR PRINTS; PR00803; AFETOPROTEIN.
 DR PROSITE; PS00212; ALBUMIN; 3.
 KW Plasma; Metal-binding; Lipid-binding; Albumin; Repeat; Signal;
 KW Copper.
 FT SIGNAL 1 18 BY SIMILARITY.
 FT PROPEP 19 24
 FT CHAIN 25 608 SERUM ALBUMIN.

FT REPEAT 28 202 1.
 FT REPEAT 221 394 2.
 FT REPEAT 413 592 3.
 FT METAL 27 27 COPPER.
 FT DISULFID 77 86 BY SIMILARITY.
 FT DISULFID 99 115 BY SIMILARITY.
 FT DISULFID 114 125 BY SIMILARITY.
 FT DISULFID 148 193 BY SIMILARITY.
 FT DISULFID 192 201 BY SIMILARITY.
 FT DISULFID 224 270 BY SIMILARITY.
 FT DISULFID 269 277 BY SIMILARITY.
 FT DISULFID 289 303 BY SIMILARITY.
 FT DISULFID 302 313 BY SIMILARITY.
 FT DISULFID 340 385 BY SIMILARITY.
 FT DISULFID 384 393 BY SIMILARITY.
 FT DISULFID 416 462 BY SIMILARITY.
 FT DISULFID 461 472 BY SIMILARITY.
 FT DISULFID 485 501 BY SIMILARITY.
 FT DISULFID 500 511 BY SIMILARITY.
 FT DISULFID 538 583 BY SIMILARITY.
 FT DISULFID 582 591 BY SIMILARITY.
 FT CONFLICT 27 27 H -> D (IN REF. 4).
 FT CONFLICT 33 33 H -> D (IN REF. 4).
 FT CONFLICT 41 41 Q -> I (IN REF. 4).
 SQ SEQUENCE 608 AA; 68692 MW; 292F7C7EED3A61B4 CRC64;

 Qy 2 RNYGSFAD 10
 Db 105 RENYGELAD 113

 RESULT 10
 ID COLA_VIBPA STANDARD; PRT; 587 AA.
 AC Q56696;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE MICROBIAL COLLAGENASE PRECURSOR (EC 3.4.24.3).
 GN PRTPV.
 OS Vibrio parahaemolyticus.
 OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=93;
 RX MEDLINE; 96036215.
 RA Lee C., Su S., Liaw R.;
 RT "Molecular analysis of an extracellular protease gene from Vibrio
 parahaemolyticus";
 RL Microbiology 141:2569-2576(1995).
 CC -1- CATALYTIC ACTIVITY: DIGESTION OF NATIVE COLLAGEN IN THE TRIPLE
 HELICAL REGION AT XAA-I-GLY BONDS. WITH SYNTHETIC PEPTIDES, A
 PREFERENCE IS SHOWN FOR GLY AT P3 AND P1'; PRO AND ALA AT P2 AND
 P2'; AND HYDROXYPROLINE, ALA OR ARG AT P3'.
 CC -1- SUBCELLULAR LOCATION: SECRETED.
 CC -1- SIMILARITY: BELONGS TO PEPTIDASE FAMILY M9 (ZINC METALLOPROTEASE).

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

 DR EMBL; Z46782; CAA86734.1; -
 DR INTERPRO; IPR000130; -
 DR INTERPRO; IPR002169; -

Query Match 60.7%; Score 34; DB 1; Length 608;
 Best Local Similarity 66.7%; Pred. NO. 38;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

```

DR PFM: PF01752; Peptidase_M9; 1.
DR PRINTS; PR00031; MICOLUPTASE.
DR PROSITE; PS00142; ZINC_PROTEASE; 1.
KW Hydrolase; Metalloprotease; Zinc; zymogen; Signal.
FT SIGNAL 1 25 POTENTIAL.
FT CHAIN 26 587 MICROBIAL COLLAGENASE.
FT METAL 435 435 ZINC (CATALYTIC) (BY SIMILARITY).
FT ACT_SITE 436 436 BY SIMILARITY.
FT METAL 439 439 ZINC (CATALYTIC) (BY SIMILARITY).
SQ SEQUENCE 587 AA; 66003 MW; 8A94D83E3D2A2BD1 CRC64;

Query Match 59.8%; Score 33.5; DB 1; Length 587;
Best Local Similarity 72.7%; Pred. No. 46;
Matches 8; Conservative 1; Mismatches 1; Indels 1; Gaps 1;

Qy 1 ARHN-YGSFAD 10
Db 1 111111
443 ARFNQYGSFSD 453

RESULT 11
NCAP_CVHOC STANDARD; PRT; 448 AA.
AC P33469;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE NUCLEOCAPSID PROTEIN.
GN N.
OS Human coronavirus (strain OC43).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
OC Coronaviridae; Coronavirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89243809.
RA Kanahora T., Soe L.H., Lai M.M.C.;
RT "Sequence analysis of nucleocapsid gene and leader RNA of human
RL Virus Res. 12:1-9(1989).
DR PIR; A60003; A60003.
DR INTERPRO; IPR001218; -.
DR PFM; PF00937; Corona_nucleoc; 1.
KW Nucleocapsid.
SQ SEQUENCE 448 AA; 49316 MW; 5193AB1AE0D75626 CRC64;

Query Match 58.9%; Score 33; DB 1; Length 448;
Best Local Similarity 85.7%; Pred. No. 43;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYSGF 8
Db 103 RHNRSF 109

RESULT 12
SYE2_RICPR STANDARD; PRT; 470 AA.
AC Q9ZCT8;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
DE (GLURS 2).
GN GLTX2 OR RP623.
OS Rickettsia prowazekii.
OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
OC Rickettsiaceae; Rickettsiae; Rickettsia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-MADRID E;
RX MEDLINE; 99039499.

RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
RA Sichteritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
RT "The genome sequence of Rickettsia prowazekii and the origin of
RT mitochondria.";
RL Nature 396:133-140(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) -> AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ235272; CAAL5066.1; -.
DR HSSP; P27000; IGLN.
DR INTERPRO; IPR000924; -.
DR INTERPRO; IPR001412; -.
DR PFM; PF00749; TRNA-synt_1c; 1.
DR PRINTS; PR00987; TRNASYNTHGLU.
DR PROSITE; PS00178; AA_TRNA_LIGASE_I; FALSE_NEG.
KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 239 243 "KMSKS" REGION.
FT BINDING 242 242 ATP (BY SIMILARITY).
SQ SEQUENCE 470 AA; 53696 MW; DFICE50A20B8A9FD CRC64;

Query Match 58.9%; Score 33; DB 1; Length 470;
Best Local Similarity 75.0%; Pred. No. 46;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYSGF 8
Db 31 ARHNGKF 38

RESULT 13
SYE_AQUAE STANDARD; PRT; 473 AA.
AC Q67271;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)
DE (GLURS).
GN GLTX OR AQ_1221.
OS Aquifex aeolicus.
OC Bacteria; Aquificales; Aquificaceae; Aquifex.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-VF5;
RX MEDLINE; 98196666.
RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
RA Graham D.E., Overbeek R., Snead M.A., Keller M., AuJay M., Huber R.,
RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
RT "The complete genome of the hyperthermophilic bacterium Aquifex
RT aeolicus.";
RL Nature 392:353-358(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) -> AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

```

CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----
 CC EMBL; A000729; AAC07230.1; -
 CC INTERPRO: IPR000924; -
 CC INTERPRO: IPR001412; -
 CC PFAM; PF00749; tRNA-synt_1c; 1.
 CC PRINTS; PR00987; TRNASYNTHGLU.
 CC PROSITE; PS00178; AA_TRNA_LIGASE_I; 1.
 CC K0 Anticacyl-tRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 CC FT SIMILAR 10 20 "HIGH" REGION.
 CC FT SIMILAR 242 246 "KMSKS" REGION.
 CC FT BINDING 245 245 ATP (BY SIMILARITY).
 CC SEQUENCE 473 AA; 55121 MW; 5CB4D1590973E07A CRC64;

Query Match 58.9%; Score 33; DB 1; Length 473;
 Best Local Similarity 75.0%; Pred. No. 46;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 1 ARHNYGSF 8
 Db 31 ARHNGGF 38

RESULT 14
 ALBU_RAT STANDARD; PRT; 608 AA.
 ID ALBU_RAT
 AC P02770;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE SERUM ALBUMIN PRECURSOR.
 GN ALB.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 8123722.
 RA Sargent T.D., Yang M., Bonner J.;
 RT "Nucleotide sequence of cloned rat serum albumin messenger RNA.";
 RL Proc. Natl. Acad. Sci. U.S.A. 78:243-246(1981).
 RN [2]
 RP SEQUENCE OF 1-38, AND PROCESSING.
 RX MEDLINE; 77249657.
 RA Strauss A.W., Bennett C.D., Donohue A.M., Rodkey J.A., Alberts A.W.;
 RT "Rat liver pre-proalbumin: complete amino acid sequence of the pre-
 RT piece. Analysis of the direct translation product of albumin
 RT messenger RNA.";
 RL J. Biol. Chem. 252:6846-6855(1977).
 RN [3]
 RP SEQUENCE OF 25-222.
 RX MEDLINE; 78109429.
 RA Isemura S., Ikenaka T.;
 RT "Amino acid sequences of fragments I and II obtained by cyanogen
 RT bromide cleavage of rat serum albumin.";
 RL J. Biochem. 83:35-48(1978).
 RN [4]
 RP SEQUENCE OF 223-288 AND 572-608.
 RX MEDLINE; 76260153.
 RA Isemura S., Ikenaka T.;
 RT "Fragmentation of rat serum albumin by cyanogen bromide cleavage and
 RT the amino acid sequences of four fragments.";
 RL J. Biochem. 79:1183-1196(1976).
 RN [5]
 RP COPPER BINDING.
 RX MEDLINE; 79001617.
 RA Aoyagi Y., Ikenaka T., Ichida F.;
 RT "Copper(II)-binding ability of human alpha-fetoprotein.";

RL Cancer Res. 38:3483-3486(1978).
 CC -1- FUNCTION: SERUM ALBUMIN, THE MAIN PROTEIN OF PLASMA, HAS A GOOD
 CC BINDING CAPACITY FOR WATER, CA⁺⁺, NA⁺, K⁺, FATTY ACIDS, HORMONES,
 CC BILIRUBIN AND DRUGS. ITS MAIN FUNCTION IS THE REGULATION OF THE
 CC COLLOIDAL OSMOTIC PRESSURE OF BLOOD.
 CC -1- SUBCELLULAR LOCATION: EXTRACELLULAR.
 CC -1- TISSUE SPECIFICITY: PLASMA.
 CC -1- DOMAIN: COMPOSED OF THREE HOMOLOGOUS DOMAINS.
 CC -1- SIMILARITY: BELONGS TO THE ALB/AFP/VDB FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC EMBL; V01222; CAA24532.1; -
 CC PIR; A03233; ABRTS.
 CC HSP; P02768; LUOR.
 CC INTERPRO: IPR000264; -
 CC PFAM; PF00273; transport_prot; 3.
 CC PRINTS; PR00802; SERUMALBUMIN.
 CC PROSITE; PS00212; ALBUMIN; 3.
 CC Plasma; Metal-binding; Lipid-binding; Albumin; Repeat; Signal;
 KW Copper.
 FT SIGNAL 1 18
 FT PROPEP 19 24
 FT CHAIN 25 608 SERUM ALBUMIN.
 FT REPEAT 28 202 1.
 FT REPEAT 221 394 2.
 FT REPEAT 413 592 3.
 FT METAL 27 27 COPPER.
 FT DISULFID 77 86 BY SIMILARITY.
 FT DISULFID 99 115 BY SIMILARITY.
 FT DISULFID 114 125 BY SIMILARITY.
 FT DISULFID 148 193 BY SIMILARITY.
 FT DISULFID 192 201 BY SIMILARITY.
 FT DISULFID 224 270 BY SIMILARITY.
 FT DISULFID 269 277 BY SIMILARITY.
 FT DISULFID 289 303 BY SIMILARITY.
 FT DISULFID 302 313 BY SIMILARITY.
 FT DISULFID 340 385 BY SIMILARITY.
 FT DISULFID 384 393 BY SIMILARITY.
 FT DISULFID 416 462 BY SIMILARITY.
 FT DISULFID 461 472 BY SIMILARITY.
 FT DISULFID 485 501 BY SIMILARITY.
 FT DISULFID 500 511 BY SIMILARITY.
 FT DISULFID 538 583 BY SIMILARITY.
 FT DISULFID 582 591 BY SIMILARITY.
 FT VARIANT 262 262 V -> L.
 SQ SEQUENCE 608 AA; 68718 MW; 5BB497A282411AB7 CRC64;

Query Match 58.9%; Score 33; DB 1; Length 608;
 Best Local Similarity 66.7%; Pred. No. 60;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFAD 10
 Db 105 RDNYGELAD 113
 RESULT 15
 VG50_BPML5 STANDARD; PRT; 682 AA.
 ID VG50_BPML5
 AC Q05262;
 DT 01-FEB-1994 (Rel. 28, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE PUTATIVE ADENOSYLCOBALAMIN-DEPENDENT RIBONUCLEOTIDE REDUCTASE
 DE (EC 1.17.4.2) (GP50).

```
GN 50.
OS Mycobacteriophage L5.
OC Viruses.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 93211282.
RA Hatfull G.F., Sarkis G.J.;
RT "DNA sequence, structure and gene expression of mycobacteriophage L5:
a phage system for mycobacterial genetics.";
RL Mol. Microbiol. 7:395-405(1993).
CC -1- CATALYTIC ACTIVITY: 2'-DEOXYRIBONUCLEOSIDE TRIPHOSPHATE +
OXIDIZED THIOREDIXIN + H(2)O = RIBONUCLEOSIDE TRIPHOSPHATE +
REDUCED THIOREDIXIN.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
CC
CC EMBL; Z18946; CAA79426.1; -.
DR PIR: S30995; S30995.
DR INTERPRO: IPR000788; -.
DR PFAM; PF00317; ribonucleo_red; 1.
KW Oxidoreductase; DNA replication.
SQ SEQUENCE 682 AA; 76331 MW; 8D2A71B873BC04A8 CRC64;

Query Match 58.9%; Score 33; DB 1; Length 682;
Best Local Similarity 66.7%; Pred. No. 68;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 311 AKEGYGSFA 319
```

Search completed: March 28, 2001, 07:35:02
Job time: 139 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:03 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-72

Perfect score: 56

Sequence: 1 ARHNYGSFAD 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phage.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_vertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	49	87.5	839	10 Q9LIE5	Q9LIE5 arabidopsis
2	40	71.4	210	1 Q30115	Q30115 archaeglob
3	39	69.6	162	2 O08236	O08236 ixodes scap
4	39	69.6	162	2 O52253	O52253 rickettsia
5	39	69.6	446	5 O62086	O62086 caenorhabdi
6	39	69.6	707	2 O52307	O52307 prevotella
7	38	67.9	89	7 O19495	O19495 gallus gall
8	38	67.9	464	2 O53747	O53747 mycobacteri
9	37	66.1	275	10 Q43476	Q43476 hordeum vul
10	37	66.1	625	10 Q9MB96	Q9MB96 oryza sativ
11	37	66.1	685	5 Q9V6C3	Q9V6C3 drosophila
12	36	64.3	39	7 P79474	P79474 cervus elap
13	36	64.3	39	7 P79477	P79477 cervus elap
14	36	64.3	39	7 P79478	P79478 cervus elap
15	36	64.3	39	7 P79479	P79479 cervus elap
16	36	64.3	74	6 Q9TTM4	Q9TTM4 bos taurus
17	36	64.3	76	7 Q9TPC2	Q9TPC2 macaca mula
18	36	64.3	78	6 O97835	O97835 ovine aries
19	36	64.3	78	6 O97839	O97839 ovine aries

20	36	64.3	78	6 O97844	O97844 ovine aries
21	36	64.3	78	6 O97968	O97968 ovine aries
22	36	64.3	78	7 Q9MWT6	Q9MWT6 leopardus p
23	36	64.3	78	7 Q9MWT5	Q9MWT5 leopardus p
24	36	64.3	78	7 Q9MWT4	Q9MWT4 leopardus p
25	36	64.3	79	7 O19191	O19191 prionalluru
26	36	64.3	79	7 O19192	O19192 prionalluru
27	36	64.3	79	7 O19380	O19380 felis silve
28	36	64.3	79	7 O19381	O19381 felis silve
29	36	64.3	79	7 O19382	O19382 felis silve
30	36	64.3	79	7 O19396	O19396 felis silve
31	36	64.3	79	7 O19397	O19397 felis silve
32	36	64.3	79	7 O19405	O19405 felis silve
33	36	64.3	79	7 O19406	O19406 felis silve
34	36	64.3	79	7 O19407	O19407 felis silve
35	36	64.3	79	7 O19408	O19408 felis silve
36	36	64.3	79	7 O19435	O19435 felis silve
37	36	64.3	79	7 Q9MX19	Q9MX19 leopardus p
38	36	64.3	79	7 Q9MX13	Q9MX13 leopardus p
39	36	64.3	79	7 Q9MX03	Q9MX03 leopardus p
40	36	64.3	79	7 Q9MX00	Q9MX00 leopardus p
41	36	64.3	79	7 Q9MW29	Q9MW29 leopardus p
42	36	64.3	79	7 Q9MW28	Q9MW28 leopardus p
43	36	64.3	79	7 Q9MW27	Q9MW27 leopardus p
44	36	64.3	79	7 Q9MWY9	Q9MWY9 leopardus p
45	36	64.3	79	7 Q9MWY8	Q9MWY8 leopardus p

ALIGNMENTS

RESULT 1
Q9LIE5 PRELIMINARY; PRT; 839 AA.
ID Q9LIE5
AC Q9LIE5;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; OC Brassicaceae; Arabidopsids.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
[2]
RP SEQUENCE FROM N.A.
RC STRAIN-COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety pl,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AF001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 87.5%; Score 49; DB 10; Length 839;
Best Local Similarity 80.0%; Pred. No. 0.34;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10

Db 274 SRHNYGSFCD 283

RESULT 2
O30115

```

Qy 1 ARHNYGSPAD 10
   I |:::|
Db 144 AHHDGAFAD 153

RESULT 4
O52253 PRELIMINARY; PRT; 162 AA.
AC O52253;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE 190 KDA ANTIGEN (FRAGMENT).
OS Rickettsia cooleyi.
OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
OC Rickettsiaceae; Rickettsiae; Rickettsia.
OX NCBI_TaxID=69410;
RN [1]
RP SEQUENCE FROM N.A.
RA Billings A.N., Teltow G.J., Walker D.H.;
RL Submitted (OCT-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF031535; AAB95268.1;
FR NON_TER 1
FT FT 1
FT NON_TER 162
SQ SEQUENCE 162 AA; 16230 MW; 8DF06E97A8478E54 CRC64;

Query Match 69.6%; Score 39; DB 2; Length 162;
Best Local Similarity 60.0%; Pred. No. 4.9;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0

Qy 1 ARHNYGSPAD 10
   I |:::|
Db 144 AHHDGAFAD 153

RESULT 5
O62086 PRELIMINARY; PRT; 446 AA.
AC O62086;
DT 01-AUG-1998 (TREMBLrel. 07, Created)
DT 01-AUG-1998 (TREMBLrel. 07, Last sequence update)
DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update)
DE C31H5.6 PROTEIN.
GN C31H5.6.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA Kershaw J.;
RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Showkeen R.,
RA Smail N., Smith A., Sonhammer E., Staden K., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaubin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohldman P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans";
RL Nature 368:32-38(1994).
DR EMBL; Z93778; CAB07846.1;
DR INTERPRO; IPR000379;
DR INTERPRO; IPR002925;
DR PFAM; PF01738; DLH; 2.

```


SQ SEQUENCE 446 AA; 50763 MW; 82AD969CDAD753DE CRC64;

Query Match 69.6%; Score 39; DB 5; Length 446;

Best Local Similarity 87.5%; Pred. No. 15; Mismatches 0; Conservative 0; Gaps 0; Indels 1; Indels 0; Gaps 0;

QY 2 RHNYGSA 9

|||||

Db 51 RHNYGSA 58

RESULT 6

ID Q52307 PRELIMINARY; PRT; 707 AA.

AC Q52307;

DT 01-NOV-1996 (TREMBlrel. 01, Created)

DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)

DT 01-OCT-2000 (TREMBlrel. 15, Last annotation update)

DE XYLANASE.

OS Prevotella ruminicola (Bacteroides ruminicola).

OC Bacteria; CFB group; Bacteroidaceae; Prevotella.

OX NCBI_TaxID=839;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=D31D;

RA Whitehead T.R.;

RT "Cloning and comparison of xylanase genes from ruminal and colonic

Bacteroides species."

RL Curr. Microbiol. 23:15-19(1991).

RN [2]

RP SEQUENCE FROM N.A.

RC STRAIN=D31D;

RX MEDLINE=97201063; PubMed=9048892;

RA Flint H.J., Whitehead T.R., Martin J.C., Gasparic A.;

RT "Interrupted catalytic domain structures in xylanases from two

distinctly related strains of Prevotella ruminicola."

RL Biochim. Biophys. Acta 1337:161-165(1997).

DR EMBL; U53926; AAB81559.1;

DR HSSP; P56588; 1BG4.

DR INTERPRO; IPR000583;

DR INTERPRO; IPR001000;

DR PFAM; PF00331; Glyco_hydro_10; 2.

DR PRINTS; PR00134; GLYHYDRLASE10.

DR PROSITE; PS00443; GATASE_TYPE_II; UNKNOWN1.

KW Xylan degradation; Hydrolase; Glycosidase.

SQ SEQUENCE 707 AA; 78252 MW; 8484E75C60869DB5 CRC64;

Query Match 69.6%; Score 39; DB 2; Length 707;

Best Local Similarity 66.7%; Pred. No. 24; Mismatches 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAD 10

|||||

Db 694 KHTYGGFAD 702

RESULT 7

ID O19495 PRELIMINARY; PRT; 89 AA.

AC O19495;

DT 01-JAN-1998 (TREMBlrel. 05, Created)

DT 01-JAN-1998 (TREMBlrel. 05, Last sequence update)

DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)

DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).

GN B-LBI.

OS Gallus gallus (Chicken).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;

OC Gallus.

OX NCBI_TaxID=9031;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=15.151-5; TISSUE=BURSA;

RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;

RL Immunogenetics 47:350-354(1998).

DR EMBL; U91532; AAC15813.1;

DR INTERPRO; IPR000353;

DR PFAM; PF00969; MHC_II_beta; 1.

DR MHC.

FT NON_TER 1

FT NON_TER 89

SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEB1379 CRC64;

Query Match 67.9%; Score 38; DB 7; Length 89;

Best Local Similarity 85.7%; Pred. No. 4;

Mismatches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGDF 81

RESULT 8

OS3747

ID O53747 PRELIMINARY; PRT; 464 AA.

AC O53747;

DT 01-JUN-1998 (TREMBlrel. 06, Created)

DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)

DT 01-JUN-2000 (TREMBlrel. 14, Last annotation update)

DE PUTATIVE DIHYDROLIPOAMIDE DEHYDROGENASE.

GN RV0462 OR MTV038.06.

OS Mycobacterium tuberculosis.

OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;

OC Actinomycetales; Corynebacterineae; Mycobacteriaceae; Mycobacterium.

OX NCBI_TaxID=1773;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=H37RV;

RX MEDLINE=98295987; PubMed=9634230;

RA Cole S.T., Brosch R., Parkhill J., Garnier T., Churcher C., Harris D.,

Gordon S.V., Eiglmeier K., Gas S., Barry C.E. III, Tekala F.,

Badcock K., Basham D., Brown D., Chillingworth T., Connor R.,

Davies R., Devlin K., Feltwell T., Gentles S., Hamlin N., Holroyd S.,

Hornsbey T., Jagels K., Krogh A., McLean J., Moule S., Murphy L.,

Oliver S., Osborne J., Quail M.A., Rajandream M.A., Rogers J.,

Rutler S., Seeger K., Skelton S., Squares S., Squires R., Sulston J.E.,

Taylor K., Whitehead S., Barrell B.G.;

RT "Deciphering the biology of Mycobacterium tuberculosis from the

complete genome sequence."

RL Nature 393:537-544(1998).

CC -1- COFACTOR: FAD FLAVOPROTEIN (BY SIMILARITY).

CC -1- SIMILARITY: BELONGS TO THE PYRIDINE NUCLEOTIDE-DISULPHIDE

CC OXIDOREDUCTASES CLASS-I.

DR EMBL; AL021933; CAA17417.1;

DR HSSP; P11959; 1EBD.

DR TUBERCULIST; RV0462;

DR INTERPRO; IPR000205;

DR INTERPRO; IPR001100;

DR INTERPRO; IPR001327;

DR PFAM; PF000070; pyr_redox; 1.

DR PRINTS; PR00368; FADPNR.

DR PRINTS; PR00411; PNDRDTASEI.

DR PROSITE; PS00076; PYRIDINE_REDOX_1; 1.

KW Redox-active center; Oxidoreductase; Flavoprotein; FAD.

SQ SEQUENCE 464 AA; 49239 MW; DD93D95DC6F76B22 CRC64;

Query Match 67.9%; Score 38; DB 2; Length 464;

Best Local Similarity 75.0%; Pred. No. 24;

Mismatches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAD 10

|||||

Db 110 HGYGTFAD 117

RESULT 9

Q43476 PRELIMINARY; PRT; 275 AA.
 ID Q43476
 AC Q43476
 DT 01-NOV-1996 (TREMBlrel. 01, Created)
 DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
 DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
 DE MAMMALIAN ACYL COA OXIDASE HOMOLOGOUS (FRAGMENT).
 GN CDR29.
 OS Hordeum vulgare (Barley).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; Liliopsida; Poales; Poaceae; Hordeum.
 OX NCBI_TaxID=4513;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. ARDA; TISSUE=GREEN LEAF;
 RA Grossi M., Gullii M., Stanca A.M., Cattivelli L.;
 RL Plant Sci. 105:71-80(1995).
 DR ENBL: X84055; CAA58874.1; -
 DR MENDEL; 12863; Horvu; 2063; 12863.
 DR INTERPRO: IPR002655; -
 DR PFAM: PF01756; ACOX; 1.
 FT NON_TER 1
 SQ SEQUENCE 275 AA; 30689 MW; 332811FD05827472 CRC64;

Query Match 66.1%; Score 37; DB 10; Length 275;
 Best Local Similarity 70.0%; Pred. No. 21;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10
 Db 1 ANHNSGSFLD 10

RESULT 10

Q9MB96 PRELIMINARY; PRT; 625 AA.
 AC Q9MB96
 DT 01-OCT-2000 (TREMBlrel. 15, Created)
 DT 01-OCT-2000 (TREMBlrel. 15, Last sequence update)
 DE OSGAI.
 GN OSGAI.
 OS Oryza sativa (Rice).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; Liliopsida; Poales; Poaceae; Oryza.
 OX NCBI_TaxID=4530;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. NIPPONBARE;
 RA Ogawa M., Kusano T., Katsumi M., Sano H.;
 RT "Rice gibberellin-insensitive gene homolog, OSGAI, encodes a nuclear-
 RT localized protein capable of gene activation at transcriptional
 RT level".
 RL Gene 245:21-29(2000).
 DR EMBL: AB030956; BAA90749.1; -
 SQ SEQUENCE 625 AA; 65406 MW; 034FF02719D42E97 CRC64;

Query Match 66.1%; Score 37; DB 10; Length 625;
 Best Local Similarity 70.0%; Pred. No. 51;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10
 Db 481 ANHNSGSFLD 490

RESULT 11

QY 1 ARHNYGSFAD 10
 Db 654 RYNGSGFAD 662

RESULT 12
 P79474
 ID P79474
 AC P79474;

PRELIMINARY; PRT; 39 AA.

Q9V6C3 PRELIMINARY; PRT; 685 AA.
 AC Q9V6C3
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
 DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
 DE CG8828 PROTEIN.
 GN CG8828
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BERKELEY.
 MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Balley R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Folsler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhou W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of Drosophila melanogaster".
 RL Science 287:2185-2195(2000).
 DR EMBL: AE003822; AAF58505.1; -
 DR FLYBASE: FBgn0033740; CG8828.
 SQ SEQUENCE 685 AA; 77978 MW; 4808C2FDEF7E3A91 CRC64;

Query Match 66.1%; Score 37; DB 5; Length 685;
 Best Local Similarity 77.8%; Pred. No. 56;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAD 10
 Db 654 RYNGSGFAD 662

```

DT 01-MAY-1997 (TReMBLrel. 03, Created)
DT 01-MAY-1997 (TReMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TReMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidea;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63077; AAB37777.1; -.
KW MHC.
FT NON_TER 1
FT NON_TER 39
SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733D1D CRC64;

Query Match 64.3%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 13
P79477 ID P79477 PRELIMINARY; PRT; 39 AA.
AC P79477;
DT 01-MAY-1997 (TReMBLrel. 03, Created)
DT 01-MAY-1997 (TReMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TReMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidea;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63080; AAB37780.1; -.
KW MHC.
FT NON_TER 1
FT NON_TER 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 64.3%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 14
P79478 ID P79478 PRELIMINARY; PRT; 39 AA.
AC P79478;
DT 01-MAY-1997 (TReMBLrel. 03, Created)
DT 01-MAY-1997 (TReMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TReMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidea;

```

```

OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63081; AAB37781.1; -.
KW MHC.
FT NON_TER 1
FT NON_TER 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 64.3%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 15
P79479 ID P79479 PRELIMINARY; PRT; 39 AA.
AC P79479;
DT 01-MAY-1997 (TReMBLrel. 03, Created)
DT 01-MAY-1997 (TReMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TReMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidea;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63082; AAB37782.1; -.
KW MHC.
FT NON_TER 1
FT NON_TER 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 64.3%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 25 RHNYGVF 31

Search completed: March 28, 2001, 07:53:05
Job time: 498 sec

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:47 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-72
Perfect score: 56
Sequence: 1 ARHNYGSPAD 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_36.*
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	56	100.0	10	19	W76026
2	52	92.9	10	19	W76027
3	50	89.3	10	19	W76024
4	50	89.3	10	19	W76025
5	50	89.3	10	19	W76028
6	50	89.3	10	19	W76029
7	50	89.3	10	19	W76030
8	50	89.3	10	19	W76010
9	50	89.3	117	19	W76001
10	50	89.3	117	19	W76003
11	50	89.3	117	20	Y06381
12	50	89.3	117	20	Y06387

13	50	89.3	118	20	Y06384
14	50	89.3	118	20	Y06385
15	50	89.3	118	20	Y06386
16	50	89.3	118	20	Y06383
17	50	89.3	130	20	Y06379
18	47	83.9	10	19	W76021
19	46	82.1	10	19	W76039
20	46	82.1	10	19	W76040
21	46	82.1	10	19	W76022
22	46	82.1	10	19	W76023
23	45	80.4	10	19	W76037
24	45	80.4	10	19	W76020
25	42	75.0	110	20	W84099
26	42	75.0	117	20	W84093
27	42	75.0	117	20	W84097
28	41	73.2	8	20	Y06371
29	41	73.2	10	19	W76038
30	38	67.9	464	19	W72907
31	38	67.9	464	20	Y21924
32	37	66.1	119	19	Y86109
33	36	64.3	117	16	R79157
34	36	64.3	117	16	R79155
35	36	64.3	117	18	W27357
36	36	64.3	117	18	W27526
37	36	64.3	117	18	W27354
38	36	64.3	119	18	W01578
39	36	64.3	239	20	W73874
40	36	64.3	242	20	W73876
41	35	62.5	243	20	Y34866
42	34	60.7	30	21	Y81870
43	34	60.7	33	18	W45312
44	34	60.7	165	19	W38713
45	34	60.7	407	19	W98453

ALIGNMENTS

RESULT 1
W76026
ID W76026 standard; Protein; 10 AA.

XX W76026;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #8.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX Mus sp.

XX W09833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49863.

PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 56; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00086;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10
 |||||
 Db 1 arhnygsfad 10

RESULT 2

ID W76027 standard; Protein; 10 AA.

AC W76027;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI: 1998-437472/37.

XX DR N-PSDB: V49864.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 92.9%; Score 52; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0041;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAD 10
 |||||
 Db 1 arhnygsfad 10

RESULT 3

ID W76024 standard; Protein; 10 AA.

XX W76024;

XX AC

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #6.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI: 1998-437472/37.

XX DR N-PSDB: V49861.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.009;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9

RESULT 4

W76025
 ID W76025 standard; Protein; 10 AA.

AC W76025;
 XX 02-NOV-1998 (first entry)
 DT LM609 grafted antibody V-H region CDR3 protein fragment #7.
 XX
 DE Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49862.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.009;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9

RESULT 5

W76028
 ID W76028 standard; Protein; 10 AA.

XX W76028;
 XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #10.
 DE Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49865.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.009;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9

```

Db      1 arhnygsfa 9

RESULT      6
W76029
ID      W76029 standard; Protein; 10 AA.
XX      AC
XX      W76029;
XX      DT
XX      02-NOV-1998 (first entry)
XX      DE
XX      LM609 grafted antibody V-H region CDR3 protein fragment #11.
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX      LM609; inhibitor; integrin-mediated signal transduction; treatment;
XX      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
XX      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX      macular degeneration; osteoporosis; primer; V-H region; CDR;
XX      complementarity determining region.
XX      OS
XX      Mus sp.
XX      PN
XX      WO9833919-A2.
XX      PD
XX      06-AUG-1998.
XX      PF
XX      30-JAN-1998; 98WO-US01826.
XX      PR
XX      30-JAN-1997; 97US-0791391.
XX      PA
XX      (IXSY-) IXSYS INC.
XX      PI
XX      Glaser SM, Huse WD;
XX      DR
XX      WPI; 1998-437472/37.
XX      N-PSDB; V49866.
XX      DR
XX      Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
XX      integrin - and related grafted antibodies based on murine monoclonal
XX      LM609, also related nucleic acid, used to treat, prevent or diagnose
XX      angiogenesis or restenosis
XX      PS
XX      Claim 62; Page 41; 129pp; English.
XX      CC
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
XX      LM609 heavy and light chain variable region. LM609 and the antibody
XX      vitaxin bind selectively to integrin alphaVbeta3 and can be used to
XX      inhibit binding of alphaVbeta3 to a ligand and thus block
XX      integrin-mediated signal transduction. This is useful in the treatment,
XX      prevention and diagnosis of alphaVbeta3-mediated disease, specifically
XX      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX      arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX      contain non-murine framework regions so are suitable for use in humans.
XX      Enhanced types of LM609 have affinity more than 90 times greater than
XX      that of parent the parent antibody.
XX      SQ
XX      Sequence 10 AA;

Query Match      89.3%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.009;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 ARHNYGSFA 9
Db      1 arhnygsfa 9

RESULT      8
W76010
ID      W76010 standard; Protein; 10 AA.
XX      AC
XX      W76010;
XX      DT
XX      02-NOV-1998 (first entry)
XX      DE
XX      LM609 grafted antibody V-H region CDR3 protein fragment #1.
XX      KW
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

```

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49847.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Disclosure; Page 40; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.009;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 arhnygsfa 9

RESULT 9

W76001
 ID W76001 standard; Protein; 117 AA.

XX AC W76001;

XX 02-NOV-1998 (first entry)

XX Vitaxin antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX Mus sp.

PN WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49820.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 1; Fig 1a; 129pp; English.

XX This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 89.3%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 97 arhnygsfa 105

RESULT 10

W76003

ID W76003 standard; Protein; 117 AA.

XX AC W76003;

XX 02-NOV-1998 (first entry)

XX LM609 antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49822.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 43; Fig 2a; 129pp; English.
 XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 XX SQ Sequence 117 AA;
 Query Match 89.3%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNYGSEA 9
 Db ||||||
 97 arhnygsfa 105
 RESULT 11
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 AC Y06381;
 DT 06-SEP-1999 (first entry)
 DE Murine monoclonal antibody LM609 VH region.
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX Mus musculus.
 OS WO9929888-A1.
 PN 17-JUN-1999.
 PD 04-DEC-1998; 98WO-US25828.
 PF 05-DEC-1997; 97US-0986016.
 PR (SCRI) SCRIPPS RES INST.
 XX Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 XX Production of humanized mouse monoclonal antibodies
 PT Disclosure; Page 52-53; 55pp; English.
 PS This sequence represents the heavy chain variable region of murine
 CC humanised LM609 antibody.

XX monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX SQ Sequence 117 AA;
 Query Match 89.3%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNYGSPA 9
 Db ||||||
 97 arhnygsfa 105
 RESULT 12
 Y06387
 ID Y06387 standard; Protein; 117 AA.
 AC Y06387;
 DT 06-SEP-1999 (first entry)
 DE Humanised LM609 antibody VH domain.
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX Homo sapiens.
 OS Synthetic.
 PH Key Location/Qualifiers
 FT Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..35
 FT /note= "CDR1"
 FT Region 50..66
 FT /note= "CDR2"
 FT Region 107..117
 FT /note= "CDR3"
 XX WO9929888-A1.
 PN 17-JUN-1999.
 PD 04-DEC-1998; 98WO-US25828.
 PF 05-DEC-1997; 97US-0986016.
 PR (SCRI) SCRIPPS RES INST.
 XX Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 XX Production of humanized mouse monoclonal antibodies
 PT Disclosure; Page 52; 55pp; English.
 PS This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin

CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 89.3%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 | | | | | | | | | |
 Db 97 arhnygsfa 105

RESULT 13
 Y06384
 ID Y06384 standard; Protein; 118 AA.
 XX AC Y06384;
 XX DT 06-SEP-1999 (first entry)
 XX DE Humanised LM609 antibody VH domain.
 XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
FT Peptide	1..2
FT Region	/note= "vector-encoded residues"
FT Region	31..37
FT Region	/note= "CDR1"
FT Region	52..67
FT Region	/note= "CDR2"
FT Region	100..107
FT Region	/note= "CDR3"
PN	WO9929888-A1.
XX	17-JUN-1999.
XX	04-DEC-1998; 98WO-US25828.
XX	05-DEC-1997; 97US-0986016.
XX	(SCRI) SCRIPPS RES INST.
XX	Barbas CF, Rader C;
XX	WPI; 1999-394979/33.
XX	Production of humanized mouse monoclonal antibodies
XX	Disclosure; Page 51; 55pp; English.
XX	This sequence represents the heavy chain variable region of a
CC	humanised LM609 antibody. LM609 is directed to human integrin
CC	alpha-v beta-3. It selectively promotes apoptosis of vascular

CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;

Query Match 89.3%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 | | | | | | | | | |
 Db 98 arhnygsfa 106

RESULT 14
 Y06385
 ID Y06385 standard; Protein; 118 AA.
 XX AC Y06385;
 XX DT 06-SEP-1999 (first entry)
 XX DE Humanised LM609 antibody VH domain.
 XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
FT Peptide	1..2
FT Region	/note= "vector-encoded residues"
FT Region	31..37
FT Region	/note= "CDR1"
FT Region	52..67
FT Region	/note= "CDR2"
FT Region	100..107
FT Region	/note= "CDR3"
PN	WO9929888-A1.
XX	17-JUN-1999.
XX	04-DEC-1998; 98WO-US25828.
XX	05-DEC-1997; 97US-0986016.
XX	(SCRI) SCRIPPS RES INST.
XX	Barbas CF, Rader C;
XX	WPI; 1999-394979/33.
XX	Production of humanized mouse monoclonal antibodies
XX	Disclosure; Page 51; 55pp; English.
XX	This sequence represents the heavy chain variable region of a
CC	humanised LM609 antibody. LM609 is directed to human integrin
CC	alpha-v beta-3. It selectively promotes apoptosis of vascular
CC	cells that have been stimulated to undergo angiogenesis, making it

CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;
 SQ

Query Match 89.3%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

RESULT 15

Y06386
 ID Y06386 standard; Protein; 118 AA.

XX
 AC Y06386;

DT 06-SEP-1999 (first entry)

DE Humanised LM609 antibody VH domain.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Homo sapiens.

OS Synthetic.

XX FH Key Location/Qualifiers

FT Peptide 1..2
 FT Region /note= "vector-encoded residues"
 FT Region 31..37 "CDR1"
 FT Region /note= "CDR1"
 FT Region 52..67
 FT Region /note= "CDR2"
 FT Region 100..107
 FT Region /note= "CDR3"

XX PN W0929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX DR WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 51-52; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 118 AA;
 SQ

Query Match 89.3%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

Search completed: March 28, 2001, 06:59:48
 Job time: 1384 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:55 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-72

Perfect score: 56

Sequence: 1 ARHNYGSPAD 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

- 1: /cgnl_7/ptodata/1/iaa/5A-COMB.pep:*
- 2: /cgnl_7/ptodata/1/iaa/5B-COMB.pep:*
- 3: /cgnl_7/ptodata/1/iaa/6-COMB.pep:*
- 4: /cgnl_7/ptodata/1/iaa/PCTUS-COMB.pep:*
- 5: /cgnl_7/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	64.3	94	3	US-09-147-550-14
2	36	64.3	94	3	US-09-147-550-45
3	36	64.3	94	3	US-09-147-550-48
4	36	64.3	94	3	US-09-147-550-77
5	36	64.3	94	3	US-09-147-550-84
6	36	64.3	94	3	US-09-147-550-90
7	36	64.3	94	3	US-09-147-550-101
8	36	64.3	119	3	US-08-767-128-6
9	34	60.7	286	2	US-08-809-267-3
10	34	60.7	286	4	PCT-US95-13662A-3
11	34	60.7	287	2	US-08-741-437-5
12	34	60.7	287	2	US-08-134-593-5
13	33	58.9	584	1	US-08-448-196A-7
14	32	57.1	15	1	US-08-618-464-7
15	32	57.1	15	3	US-09-107-615-7
16	32	57.1	25	2	US-08-480-190-44
17	32	57.1	25	2	US-08-488-379-44
18	32	57.1	25	4	PCT-US93-07545-44
19	32	57.1	36	1	US-08-053-131-84
20	32	57.1	36	1	US-08-645-641-84
21	32	57.1	36	1	US-07-853-408B-84
22	32	57.1	36	2	US-08-096-762-84
23	32	57.1	36	2	US-08-308-865-84
24	32	57.1	36	4	PCT-US92-10983-84
25	32	57.1	80	1	US-08-264-250A-1
26	32	57.1	89	1	US-08-025-038-30
27	32	57.1	89	1	US-08-039-137-17
28	32	57.1	90	2	US-08-485-133-23

29 32 57.1 94 3 US-09-147-550-12 Sequence 12, Appl
30 32 57.1 94 3 US-09-147-550-13 Sequence 13, Appl
31 32 57.1 94 3 US-09-147-550-15 Sequence 15, Appl
32 32 57.1 94 3 US-09-147-550-16 Sequence 16, Appl
33 32 57.1 94 3 US-09-147-550-17 Sequence 17, Appl
34 32 57.1 94 3 US-09-147-550-18 Sequence 18, Appl
35 32 57.1 94 3 US-09-147-550-19 Sequence 19, Appl
36 32 57.1 94 3 US-09-147-550-20 Sequence 20, Appl
37 32 57.1 94 3 US-09-147-550-21 Sequence 21, Appl
38 32 57.1 94 3 US-09-147-550-22 Sequence 22, Appl
39 32 57.1 94 3 US-09-147-550-24 Sequence 24, Appl
40 32 57.1 94 3 US-09-147-550-25 Sequence 25, Appl
41 32 57.1 94 3 US-09-147-550-26 Sequence 26, Appl
42 32 57.1 94 3 US-09-147-550-27 Sequence 27, Appl
43 32 57.1 94 3 US-09-147-550-28 Sequence 28, Appl
44 32 57.1 94 3 US-09-147-550-29 Sequence 29, Appl
45 32 57.1 94 3 US-09-147-550-30 Sequence 30, Appl

ALIGNMENTS

RESULT 1

US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Alda, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYSF 8

|||||
80 RHNYSF 86

RESULT 2

US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Alda, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
; US-09-147-550-45

Query Match. 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
; US-09-147-550-77

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

ORGANISM: BOVINE
US-09-147-550-90

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
|||||
DB 80 RHNYGVF 86

RESULT 7

US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
|||||
DB 80 RHNYGVF 86

RESULT 8

US-08-767-128-6
; Sequence 6, Application US/08767128
; Patent No. 6111079
; GENERAL INFORMATION:
; APPLICANT: WYLIE, DWANE E.
; APPLICANT: LOPEZ, OSVALDO
; APPLICANT: MURRAY, PETER JOSEPH
; APPLICANT: GOEBEL, PETER
; TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
; TITLE OF INVENTION: NUCLEOTIDES CODING THEREFORE
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Merchant, Gould, Smith, Edell, Welter & Schmidt
; STREET: 3100 No. 6111079 West Center, 90 South Seventh St
; CITY: Minneapolis
; STATE: MN
; COUNTRY: USA
; ZIP: 55402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/767,128
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE: 04-DEC-1996
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US96/09258
FILING DATE: 05-JUN-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/541,373
FILING DATE: 10-OCT-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/462,798
FILING DATE: 05-JUN-1995
ATTORNEY/AGENT INFORMATION:
NAME: Carter, Charles G.
REGISTRATION NUMBER: 35,093
REFERENCE/DOCKET NUMBER: 8648.49USF1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 612/371-5278
TELEFAX: 612/332-9081
TELEX:
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: internal
ORIGINAL SOURCE:
US-08-767-128-6

Query Match 64.3%; Score 36; DB 3; Length 119;
Best Local Similarity 66.7%; Pred. No. 18;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||
DB 97 ARHHYGYVA 105

RESULT 9

US-08-809-267-3
; Sequence 3, Application US/08809267
; Patent No. 5861296
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/809,267

;; FILING DATE: 12-MAR-1997
;; CLASSIFICATION: 433
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: PCT/US95/13662
;; FILING DATE:
;; APPLICATION NUMBER: US 08/329,721
;; FILING DATE: 25-OCT-1994
;; ATTORNEY/AGENT INFORMATION:
;; NAME: WILLIAMS, GREGORY D.
;; REGISTRATION NUMBER: 30901
;; REFERENCE/DOCKET NUMBER: NEB-105-PCT
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (508) 927-5054
;; TELEFAX: (508) 927-1705
;; INFORMATION FOR SEQ ID NO: 3:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 286 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: unknown
;; TOPOLOGY: unknown
;; MOLECULE TYPE: protein
US-08-809-267-3

Query Match 60.7%; Score 34; DB 2; Length 286;
Best Local Similarity 83.3%; Pred. No. 90;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 10
PCT-US95-13662A-3
;; Sequence 3, Application PC/TUS9513662A
;; GENERAL INFORMATION:
;; APPLICANT: LENNOX, Tricia L.
;; APPLICANT: SLATKO, Barton E.
;; APPLICANT: SEARS, Lauren E.
;; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
;; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
;; TITLE OF INVENTION: LITORALIS
;; NUMBER OF SEQUENCES: 28
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
;; STREET: 32 TOZER ROAD
;; CITY: BEVERLY
;; STATE: MASSACHUSETTS
;; COUNTRY: USA
;; ZIP: 01915
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: PCT/US95/13662A
;; FILING DATE:
;; CLASSIFICATION:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/329,721
;; FILING DATE: 25-OCT-1994
;; ATTORNEY/AGENT INFORMATION:
;; NAME: WILLIAMS, GREGORY D.
;; REGISTRATION NUMBER: 30901
;; REFERENCE/DOCKET NUMBER: NEB-105-PCT
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (508) 927-5054
;; TELEFAX: (508) 927-1705
;; INFORMATION FOR SEQ ID NO: 3:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 286 amino acids

;; TYPE: amino acid
;; STRANDEDNESS: unknown
;; TOPOLOGY: unknown
;; MOLECULE TYPE: protein
PCT-US95-13662A-3

Query Match 60.7%; Score 34; DB 4; Length 286;
Best Local Similarity 83.3%; Pred. No. 90;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 11
US-08-741-437-5
;; Sequence 5, Application US/08741437
;; Patent No. 5843665
;; GENERAL INFORMATION:
;; APPLICANT: Hawkins, Phillip R.
;; APPLICANT: Hillman, Jennifer L.
;; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
;; NUMBER OF SEQUENCES: 5
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Incyte Pharmaceuticals, Inc.
;; STREET: 3174 Porter Drive
;; CITY: Palo Alto
;; STATE: California
;; COUNTRY: USA
;; ZIP: 94304
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Diskette
;; COMPUTER: IBM Compatible
;; OPERATING SYSTEM: DOS
;; SOFTWARE: FastSeq Version 1.5
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/741,437
;; FILING DATE: Filed Herewith
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER:
;; FILING DATE:
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Billings, Lucy J.
;; REGISTRATION NUMBER: 36,749
;; REFERENCE/DOCKET NUMBER: PF-0148 US
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 855-0555
;; TELEFAX: (415) 845-4166
;; INFORMATION FOR SEQ ID NO: 5:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 287 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; IMMEDIATE SOURCE:
;; LIBRARY: GenBank
;; CLONE: 4199
US-08-741-437-5

Query Match 60.7%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 90;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 92 HNYGAF 97

RESULT 12

US-09-134-593-5
; Sequence 5, Application US/09134593
; Patent No. 5981232
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09134,593
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
US-09-134-593-5

Query Match 60.7%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 90;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
| | | | |
Db 92 HNYGAF 97

RESULT 13
US-08-448-196A-7
; Sequence 7, Application US/08448196A
; Patent No. 5780594
; GENERAL INFORMATION:
; APPLICANT: CARTER, DANIEL C.
; TITLE OF INVENTION: BIOLOGICALLY ACTIVE PROTEIN FRAGMENTS
; TITLE OF INVENTION: CONTAINING SPECIFIC BINDING REGIONS OF SERUM ALBUMIN OR
; TITLE OF INVENTION: RELATED PROTEINS
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NASA
; STREET: MARSHALL SPACE FLIGHT CENTER
; CITY: HUNTSVILLE
; STATE: ALABAMA
; COUNTRY: USA
; ZIP: 35812
; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/448,196A
; FILING DATE: 23-MAY-1995
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: BROAD JR., ROBERT L.
; REGISTRATION NUMBER: 18,757
; REFERENCE/DOCKET NUMBER: XX/MFS-28402-2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 205-544-0021
; TELEFAX: 205-544-0258
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 584 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FRAGMENT TYPE: N-terminal
US-08-448-196A-7

Query Match 58.9%; Score 33; DB 1; Length 584;
Best Local Similarity 66.7%; Pred. No. 2.6e+02;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFAD 10
| | | | |
Db 81 RDNVYGLAD 89

RESULT 14
US-08-618-464-7
; Sequence 7, Application US/08618464
; Patent No. 5773570
; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.
; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN
; TITLE OF INVENTION: INVOLVED IN IMMUNE PROTECTION AGAINST ARTHR
; TITLE OF INVENTION: INVOLVED IN THE PATHOGENESIS OF RHEUMATOID ARTHRITIS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CALIFORNIA
; COUNTRY: US
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: HOWELLS, STACY L.
; REGISTRATION NUMBER: 34,842
; REFERENCE/DOCKET NUMBER: 07340/042001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:

; LENGTH: 15 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; CLONE: S1
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..15
US-08-618-464-7

Query Match 57.1%; Score 32; DB 1; Length 15;
Best Local Similarity 100.0%; Pred. No. 12;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 11 RHNYG 15

RESULT 15
US-09-107-615-7
; Sequence 7, Application US/09107615
; Patent No. 6153200
; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.
; APPLICANT: ALBANI, SALVATORE
; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN
; TITLE OF INVENTION: INDUCING IMMUNE PROTECTION AGAINST
; TITLE OF INVENTION: ARTHRITIC PEPTIDES INVOLVED IN
; TITLE OF INVENTION: THE PATHOGENESIS OF RHEUMATOID ARTHRITIS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.
; STREET: 4225 Executive Square, Suite 1400 -
; CITY: La Jolla
; STATE: CALIFORNIA
; COUNTRY: US
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,615
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: HOWELLS, STACY L.
; REGISTRATION NUMBER: 34,842
; REFERENCE/DOCKET NUMBER: 07340/042001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 15 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; CLONE: S1
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..15
US-09-107-615-7

Query Match 57.1%; Score 32; DB 3; Length 15;
Best Local Similarity 100.0%; Pred. No. 12;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 11 RHNYG 15

Search completed: March 28, 2001, 07:01:55
Job time: 1334 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:23 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-74

Perfect score: 55

Sequence: 1 ARHNYGSFAE 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	70.9	446	2 T19625	hypothetical prote
2	39	70.9	723	2 F83173	outer membrane pro
3	38	69.1	275	2 G75130	translation initia
4	38	69.1	275	2 D71087	probable translati
5	37	67.3	347	2 S43771	phosphatidylcholin
6	36	65.5	82	2 I51106	Major Histocompati
7	36	65.5	89	2 S38688	MHC class II histo
8	36	65.5	89	2 S38683	MHC class II histo
9	36	65.5	89	2 S38684	MHC class II histo
10	36	65.5	210	1 B69265	conserved hypothet
11	36	65.5	225	2 I47095	MHC class II OVAR-
12	36	65.5	326	2 S47248	site-specific DNA-
13	35	63.6	287	1 PWBY	inorganic pyrophos
14	35	63.6	287	1 PWKL	inorganic pyrophos
15	35	63.6	507	2 H82580	glycerol-3-phospha
16	34	61.8	108	2 S26316	ig heavy chain v r
17	34	61.8	110	2 S26317	ig heavy chain v r
18	34	61.8	189	2 D75026	hypothetical prote
19	34	61.8	192	2 D71211	hypothetical prote
20	34	61.8	364	2 C64326	succinyl-CoA synth
21	34	61.8	464	2 B70828	hypothetical prote
22	34	61.8	484	2 G72395	alpha-L-arabinofur
23	33	60.0	80	2 I54469	MHC HLA-beta-1
24	33	60.0	80	2 I68777	MHC HLA-DR-beta-1
25	33	60.0	81	2 I54550	HLA DRB1*1202 - hu
26	33	60.0	85	2 I59634	MHC class II DR-be
27	33	60.0	89	2 S38676	MHC class II histo
28	33	60.0	89	2 S38680	MHC class II histo
29	33	60.0	89	2 S57512	MHC class II histo

30	33	60.0	123	2 C25239	MHC class II histo
31	33	60.0	127	2 G70105	conserved hypothet
32	33	60.0	167	2 T16454	hypothetical prote
33	33	60.0	200	2 D32526	class II histocomp
34	33	60.0	220	2 T46055	hypothetical prote
35	33	60.0	237	2 C27060	class II histocomp
36	33	60.0	266	2 I54287	gene HLA-DRB1 prot
37	33	60.0	266	2 A27618	class II histocomp
38	33	60.0	266	2 I54295	lymphocyte antigen
39	33	60.0	275	2 T04480	acyl-CoA oxidase h
40	33	60.0	279	2 T05421	hypothetical prote
41	33	60.0	302	2 T26540	hypothetical prote
42	33	60.0	383	2 S56179	secreted glycoprot
43	33	60.0	395	2 G75587	hypothetical prote
44	33	60.0	448	1 A60003	nucleocapsid prote
45	33	60.0	470	2 H71667	glutamate--cRNA li

ALIGNMENTS

RESULT 1

T19625

hypothetical protein C31H5.6 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000

C:Accession: T19625

R:Kershaw, J.

submitted to the EMBL Data Library, April 1997

A:Reference number: Z19153

A:Accession: T19625

A:Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-446 <WIL>

A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6

A:Experimental source: clone C31H5

C:Genetics:

A:Gene: CESP:C31H5.6

A:Map position: 1

A:Introns: 49/2: 85/1: 120/2: 183/3: 218/3: 255/3: 285/2: 331/3: 360/3

C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 70.9%; Score 39; DB 2; Length 446;
Best Local Similarity 87.5%; Pred. No. 8.1;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9

|||||

Db 51 RHNYGSHA 58

RESULT 2

F83173

outer membrane protein OprC PA3790 [imported] - Pseudomonas aeruginosa (strain PA01)

C:Species: Pseudomonas aeruginosa

C>Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 15-Sep-2000

C:Accession: F83173

R:Stover, C.K.; Pham, X.Q.; Erwin, A.L.; Mizoguchi, S.D.; Warrenner, P.; Hickey, M.J.;

adman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; L

.; Lory, S.; Olson, M.V.

Nature 406, 959-964, 2000

A:Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic pa

A:Reference number: A82950

A:Accession: F83173

A:Status: preliminary

A:Molecule type: DNA

A:Residues: 1-723 <STO>

A:Cross-references: GB:AE004797; GB:AE004091; NID:g9949950; PIDN:AA07177.1; GSPDB:GN

A:Experimental source: strain PA01

C:Genetics:

A:Gene: oprC; PA3790

Query Match 70.9%; Score 39; DB 2; Length 723;
 Best Local Similarity 75.0%; Pred. No. 13;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSPAE 10
 Db 407 HNYGAFGE 414
 |||||

RESULT 3
 G75130
 translation initiation factor aif-2, subunit alpha (aif2a) PAB0568 - Pyrococcus abyssi
 C:Species: Pyrococcus abyssi
 C:Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000
 C:Accession: G75130
 R:anonymous, Genoscope
 A:Submitted to the EMBL Data Library, July 1999
 A:Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome structure
 A:Reference number: A75001
 A:Accession: G75130
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-275 <RAW>
 A:Cross-references: GB:AJ248285; GB:AL096836; NID:g5458067; PIDN:CAB49760.1; PID:g545827
 A:Experimental source: strain Orsay
 C:Genetics:
 A:Gene: aif2A; PAB0568
 C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 69.1%; Score 38; DB 2; Length 275;
 Best Local Similarity 75.0%; Pred. No. 7.7;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSPAE 10
 Db 23 HNYGAFLE 30
 |||||

RESULT 4
 D71087
 probable translation initiation factor eIF-2 alpha chain - Pyrococcus horikoshii
 C:Species: Pyrococcus horikoshii
 C:Date: 14-Aug-1998 #sequence_revision 14-Aug-1998 #text_change 20-Jun-2000
 C:Accession: D71087
 R:Kawarabayashi, Y.; Sawada, M.; Horikawa, H.; Haikawa, Y.; Hino, Y.; Yamamoto, S.; Sekin
 M.; Ohfuku, Y.; Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.; Kushida, N.; Oguchi
 DNA Res. 5, 55-76, 1998
 A:Title: Complete sequence and gene organization of the genome of a hyper-thermophilic a
 A:Reference number: A71000; MUID:98344137
 A:Accession: D71087
 A>Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-275 <RAW>
 A:Cross-references: GB:AP000004; NID:g3236131; PIDN:BAA30058.1; PID:g3257375
 A:Experimental source: strain OT3
 A:Note: this accession replaces an interim accession for a sequence replaced by GenBank
 C:Genetics:
 A:Gene: PH0961
 C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 69.1%; Score 38; DB 2; Length 275;
 Best Local Similarity 75.0%; Pred. No. 7.7;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSPAE 10
 Db 23 HNYGAFLE 30
 |||||

RESULT 5

S43771
 phosphatidylcholine desaturase (EC 1.3.1.35) - Synechococcus sp. (strain PCC 7002)
 N:Alternate names: Delta-12 desaturase; fatty acid desaturase (EC 1.14.99.-) [misiden
 C:Species: Synechococcus sp.
 A:Variety: PCC 7002
 C:Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 20-Jun-2000
 C:Accession: S43771
 R:Sakamoto, T.; Wada, H.; Nishida, I.; Ohmori, M.; Murata, N.
 Plant Mol. Biol. 24, 643-650, 1994
 A:Title: Identification of conserved domains in the Delta-12 desaturases of cyanobact
 A:Reference number: S43770; MUID:94207189
 A:Accession: S43771
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-347 <SAK>
 A:Cross-references: GB:DJ3779; NID:g488510; PIDN:BAA02922.1; PID:g488511
 C:Superfamily: omega-3 fatty acid desaturase
 C:Keywords: oxidoreductase

Query Match 67.3%; Score 37; DB 2; Length 347;
 Best Local Similarity 70.0%; Pred. No. 15;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSPAE 10
 Db 334 AEHNYISFAQ 343
 |||||

RESULT 6
 I51106
 Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)
 C:Species: Phasianus colchicus (ring-necked pheasant)
 C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999
 C:Accession: I51106
 R:Wittzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.
 Immunogenetics 39, 395-403, 1994
 A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-ne
 A:Reference number: I51103; MUID:94245280
 A:Accession: I51106
 A>Status: preliminary; translated from GB/EMBL/DDBJ
 A:Molecule type: DNA
 A:Residues: 1-82 <WIT>
 A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 82;
 Best Local Similarity 85.7%; Pred. No. 5.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 Db 75 RHNYGVF 81
 |||||

RESULT 7
 S38688
 MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushba
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38688
 R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduce
 A:Reference number: S38676
 A:Accession: S38688
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:227158
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 '|||||'
 Db 75 RHNYGVF 81

RESULT 8

MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38683
 R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced
 A:Reference number: S38676
 A:Accession: S38683
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27153
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 '|||||'
 Db 75 RHNYGVF 81

RESULT 9

MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38684
 R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced
 A:Reference number: S38676
 A:Accession: S38684
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27154
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 '|||||'
 Db 75 RHNYGVF 81

RESULT 10

conserved hypothetical protein AF0122 - Archaeoglobus fulgidus
 C:Species: Archaeoglobus fulgidus
 C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000
 C:Accession: B69265
 R:Klenk, H.P.; Clayton, R.A.; Tomb, J.F.; White, O.; Nelson, K.E.; Ketchum, K.A.; Dodson
 .; Fleischmann, R.D.; Quackenbush, J.; Lee, N.H.; Sutton, G.G.; Gill, S.; Kirkness, E.F.
 Glodek, A.; Zhou, L.; Overbeek, R.; Gocayne, J.D.; Weidman, J.F.; McDonald, L.
 Nature 390, 364-370, 1997
 A:Authors: Utterback, T.; Cotton, M.D.; Spriggs, T.; Artiach, P.; Kaine, B.P.; Sykes, S.
 Smith, H.O.; Woese, C.R.; Venter, J.C.

A:Title: The complete genome sequence of the hyperthermophilic, sulfate-reducing arch
 A:Reference number: A69250; MUID:98049343
 A:Accession: B69265
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-210 <KLE>
 A:Cross-references: GB:AE001098; GB:AE000782; NID:q2689421; PIDN:AAB91117.1; PID:q265
 C:Superfamily: conserved hypothetical protein AF0119

Query Match 65.5%; Score 36; DB 1; Length 210;
 Best Local Similarity 66.7%; Pred. No. 14;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAE 10
 '|||||'
 Db 128 RHAYGSFVD 136

RESULT 11

MHC class II OVAR-DR-beta-3 - sheep (fragment)
 C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
 C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000
 C:Accession: I47095
 R:Fabbs, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.
 Anim. Genet. 24, 249-255, 1993
 A:Title: Isolation, characterization and evolution of ovine major histocompatibility
 A:Reference number: I47075; MUID:94057592
 A:Accession: I47095
 A:Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA
 A:Residues: 1-225 <FAB>
 A:Cross-references: GB:L04790; NID:g458880; PIDN:AAAL6562.1; PID:g458881
 C:Genetics:
 A:Gene: OVAR-DRB3

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology
 F:98-163/Domain: immunoglobulin homology <IMM>

Query Match 65.5%; Score 36; DB 2; Length 225;
 Best Local Similarity 85.7%; Pred. No. 15;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 '|||||'
 Db 68 RHNYGVF 74

RESULT 12

site-specific DNA-methyltransferase (cytosine-specific) (EC 2.1.1.73) phi37II - phage
 S47248
 C:Species: phage phi-37
 C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 05-May-2000
 C:Accession: S47248; S50099
 R:Noyer-Weidner, M.; Walter, J.; Terschueren, P.A.; Chai, S.; Trautner, T.A.
 submitted to the EMBL Data Library, August 1994
 A:Description: M.phi37II: a new monospecific C5-DNA-methyltransferase with pronounced
 A:Reference number: S47248
 A:Accession: S47248
 A:Molecule type: DNA
 A:Residues: 1-326 <NOY>

A:Cross-references: EMBL:X80202; NID:q535136; PIDN:CAA56493.1; PID:q535137
 R:Noyer-Weidner, M.; Walter, J.; Terschueren, P.A.; Chai, S.; Trautner, T.A.
 Nucleic Acids Res. 22, 4066-4072, 1994
 A:Title: M.phi37II: a new monospecific DNA (cytosine-C5) methyltransferase with pronou
 A:Reference number: S50099; MUID:95023172

A:Accession: S50099
 A:Molecule type: DNA
 A:Residues: 1-90,120-130,177-237 <NOW>
 A:Cross-references: EMBL:X80202
 C:Genetics:
 A:Gene: M.phi37II

C;Superfamily: site-specific methyltransferase (cytosine-specific) EcoRII
C;Keywords: methyltransferase; S-adenosylmethionine

Query Match 65.5%; Score 36; DB 2; Length 326;
Best Local Similarity 55.6%; Pred. No. 22;
Matches 5; Conservative 2; Mismatches 0; Gaps 0;

OY 2 RHYGSFAE 10
|||||:
Db 52 RHNEGDIVE 60

RESULT 13

PWKL

inorganic pyrophosphatase (EC 3.6.1.1) - yeast (*Saccharomyces cerevisiae*)
N;Alternate names: protein YBR011c; protein YBR0202; pyrophosphate phosphohydrolase
C;Species: *Saccharomyces cerevisiae*
C;Date: 30-Nov-1980 #sequence_revision 09-Sep-1994 #text_change 05-Nov-1999
C;Accession: S45864; S07679; A01014; S29189
R;Entian, K.D.; Koetter, P.; Rose, M.; Li, Z.; Thermann, R.; Brendel, M.; Baur, A.; Boile
submitted to the Protein Sequence Database, August 1994

A;Reference number: S45862

A;Gene: IPP

C;Superfamily: inorganic pyrophosphatase

C;Keywords: hydrolase

F;79/151/Active site: Arg, Glu #status predicted

A;Molecule type: DNA

A;Residues: 1-287 <ENT>

A;Cross-references: EMBL:Z35880; NID:G536205; PIDN:CAA84949.1; PID:G536206; GSPDB:GNO000

A;Experimental source: strain S288C

R;Kolaskowski Jr., L.F.; Schloesser, M.; Cooperman, B.S.

Nucleic Acids Res. 16, 10441-10452, 1988

A;Title: Cloning, molecular characterization and chromosome localization of the inorganic

A;Reference number: S07679; MUID:89083474

A;Accession: S07679

A;Molecule type: DNA

A;Residues: 1-266, 'L', 268-287 <KOL>

A;Cross-references: EMBL:X13253; NID:G4198; PIDN:CAA31629.1; PID:G4199

R;Cohen, S.A.; Sterner, R.; Keim, P.S.; Heinrikson, R.L.

J. Biol. Chem. 253, 889-897, 1978

A;Title: Covalent structural analysis of yeast inorganic pyrophosphatase.

A;Reference number: A92241; MUID:78087552

A;Accession: A01014

A;Molecule type: protein

A;Residues: 2-40, 'D', 42-71, 'N', 73-75-117, 'N', 119-123, 'Q', 125-136, 'E', 138-186, 'D', 188-224

A;Note: this is the final paper in a series

A;Note: no disulfide bonds are present

R;Raznikov, A.V.; Sklyankina, V.A.; Awaeva, S.M.

FEBS Lett. 308, 62-64, 1992

A;Title: Tyrosine-89 is important for enzymatic activity of *S. cerevisiae* inorganic pyro

A;Reference number: S29189; MUID:92354770

A;Accession: S29189

A;Molecule type: protein

A;Residues: 83-105, 'E', 107-112 <RAZ>

R;Bond, M.W.; Chiu, N.Y.; Cooperman, B.S.

Biochemistry 19, 94-102, 1980

A;Title: Identification of an arginine important for enzymatic activity within the coval

A;Reference number: A90443

A;Contents: annotation; active site

C;Genetics:

A;Gene: SGD:IPP1; PPA; MIPS:YBR011c

A;Cross-references: SGD:S000215; MIPS:YBR011c

A;Map position: 2R

C;Function:

A;Description: catalyzes hydrolysis of pyrophosphate to orthophosphate

A;Note: requires divalent metal cation

C;Superfamily: inorganic pyrophosphatase

C;Keywords: homodimer; hydrolase

F;2-287/Product: inorganic pyrophosphate #status experimental <MAT>

F;79/Binding site: pyrophosphate (Arg) #status experimental

Query Match

Best Local Similarity 63.6%; Score 35; DB 1; Length 287;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 HNYGSFAE 10
|||||:
Db 92 HNYGAFPQ 99

RESULT 14

PWKL

inorganic pyrophosphatase (EC 3.6.1.1) - yeast (*Kluyveromyces marxianus* var. *lactis*)
C;Species: *Kluyveromyces marxianus* var. *lactis*, *Candida sphaerica*
C;Date: 31-Dec-1991 #sequence_revision 31-Dec-1991 #text_change 18-Jun-1999
C;Accession: S07894
R;Stark, M.J.R.; Milner, J.S.

Yeast 5, 35-50, 1989

A;Title: Cloning and analysis of the *Kluyveromyces lactis* TRP1 gene: a chromosomal lo

A;Reference number: S07892; MUID:89189093

A;Accession: S07894

A;Molecule type: DNA

A;Residues: 1-287 <STA>

A;Cross-references: EMBL:X14230; NID:G2900; PIDN:CAA32446.1; PID:G2903

C;Genetics:

A;Gene: IPP

C;Superfamily: inorganic pyrophosphatase

C;Keywords: hydrolase

F;79/151/Active site: Arg, Glu #status predicted

Query Match

Best Local Similarity 63.6%; Score 35; DB 1; Length 287;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 HNYGSFAE 10
|||||:
Db 92 HNYGAFPQ 99

RESULT 15

H82580

glycerol-3-phosphate dehydrogenase XF2266 [imported] - *Xylella fastidiosa* (strain 9a5

C;Species: *Xylella fastidiosa*

C;Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 02-Sep-2000

C;Accession: H82580

R;anonymous, The *Xylella fastidiosa* Consortium of the Organization for Nucleotide Seq

Nature 406, 151-157, 2000

A;Title: The genome sequence of the plant pathogen *Xylella fastidiosa*.

A;Reference number: A82515; MUID:20365717

A;Note: for a complete list of authors see reference number A59328 below

A;Accession: H82580

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-507 <SIM>

A;Cross-references: GB:AE004038; GB:AE003849; NID:G9107408; PIDN:AAF85065.1; GSPDB:GN

A;Experimental source: strain 9a5C

R;Simpson, A.J.G.; Reinach, F.C.; Arruda, P.; Abreu, F.A.; Acencio, M.; Alvarenga, R.

Briones, M.R.S.; Bueno, M.R.P.; Camargo, A.A.; Camargo, L.E.A.; Carraro, D.M.; Carrer

as-Neto, E.; Docena, C.; El-Dorri, H.; Facincani, A.P.; Ferreira, A.J.S.

submitted to GenBank, June 2000

A;Authors: Ferreira, V.C.A.; Ferro, J.A.; Fraga, J.S.; Franca, S.C.; Franco, M.C.; Fr

J.D.; Junqueira, M.L.; Kemper, E.L.; Kitajima, J.P.; Krieger, J.E.; Kuramae, E.E.; La

chado, M.A.; Madeira, A.M.B.N.; Madeira, H.M.F.; Marino, C.L.; Marques, M.V.; Martins

A;Authors: Martins, E.M.F.; Matsukuma, A.Y.; Menck, C.F.M.; Miracca, E.C.; Miyaki, C.

F.G.; Nunes, L.R.; Oliveira, M.A.; de Oliveira, M.C.; de Oliveira, R.C.; Palmieri,

Rodrigues, V.; Rosa, A.J. de M.; de Rosa Jr., V.E.; de Sa, R.G.; Sanceli, R.V.; Sawa

A;Authors: da Silva, A.C.R.; da Silva, F.R.; da Silva, A.M.; Silva Jr., W.A.; da Silv

M.; Tshako, M.H.; Vallada, H.; Van Sluys, M.A.; Verjovski-Almeida, S.; Vettore, A.L.

A;Reference number: A59328

A;Contents: annotation

C;Genetics:

A;Gene: XF2266

C;Superfamily: glycerol-3-phosphate dehydrogenase (aerobic)

Query Match

Best Local Similarity 63.6%; Score 35; DB 2; Length 507;

Best Local Similarity 75.0%; Pred. No. 53;
Matches 6; Conservative 1; Mismatches

1; Indels 0; Gaps 0;

QY 3 HNYGSPAE 10

|||||

Db 422 HNYGTCAE 429

Search completed: March 28, 2001, 07:04:24
Job time: 1062 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:02 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-74
Perfect score: 55
Sequence: 1 ARHNGSFAE 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	38	69.1	275	1 IF2A_PYRAB	Q9V0E4 pyrococcus
2	38	69.1	275	1 IF2A_PYRHO	OS8655 pyrococcus
3	35	63.6	284	1 IPYR_PICPA	OI3505 pichia past
4	35	63.6	286	1 IPYR_KLULA	PI3998 kluyveromyc
5	35	63.6	286	1 IPYR_YEAST	P08177 saccharomyc
6	34	61.8	364	1 SUCC_METJA	Q57663 methanococc
7	33	60.0	448	1 NCAP_CVHOC	P33469 human coron
8	33	60.0	470	1 STE2_RICPR	Q9ZCT8 rickettsia
9	33	60.0	473	1 SYE2_AQUAE	O67271 aquifex aeo
10	33	60.0	682	1 VG50_RPML5	Q05262 mycobacteri
11	33	60.0	1267	1 VL3_REOVL	P17378 reovirus (t
12	33	60.0	1267	1 VL3_REOVL	P17376 reovirus (t
13	32	58.2	65	1 CCSA_OENBE	P31565 oncothera b
14	32	58.2	65	1 CCSA_PEA	P31172 pisum sativ
15	32	58.2	196	1 WBBJ_ECOLI	P37750 escherichia
16	32	58.2	198	1 HB2G_HUMAN	P01911 homo sapien
17	32	58.2	220	1 SDHB_BACSU	O34635 bacillus su
18	32	58.2	262	1 VP2_BPCHP	P19193 bacterioph
19	32	58.2	266	1 HB2A_HUMAN	P01913 homo sapien
20	32	58.2	266	1 HB2B_HUMAN	P01912 homo sapien
21	32	58.2	266	1 HB2C_HUMAN	P01914 homo sapien
22	32	58.2	266	1 HB2D_CANFA	P18470 canis fami
23	32	58.2	266	1 HB2E_HUMAN	P13759 homo sapien
24	32	58.2	266	1 HB2F_HUMAN	P04229 homo sapien
25	32	58.2	266	1 HB2G_HUMAN	P13758 homo sapien
26	32	58.2	266	1 HB2H_HUMAN	P13760 homo sapien
27	32	58.2	266	1 HB2I_HUMAN	P20039 homo sapien
28	32	58.2	266	1 HB2J_HUMAN	P13761 homo sapien
29	32	58.2	310	1 APBA_AQUAE	O67619 aquifex aeo
30	32	58.2	313	1 CCSA_TOBAC	P12216 nicotiana t
31	32	58.2	321	1 CCSA_MAIZE	P46659 zea mays (m
32	32	58.2	321	1 CCSA_ORYSA	P12215 oryza sativ
33	32	58.2	328	1 CCSA_ARATH	P56770 arabidopsis

34	32	58.2	349	1 YJY9_YEAST	P41903 saccharomyc
35	32	58.2	480	1 VP5_BRD	P21230 broadhaven
36	32	58.2	528	1 PRI2_YEAST	P20457 saccharomyc
37	32	58.2	581	1 MIK1_SCHPO	P30290 schizosacch
38	32	58.2	629	1 KSYK_RAT	Q64725 rattus norv
39	32	58.2	649	1 GPM_SCHPO	O14400 schizosacch
40	32	58.2	853	1 PHS1_DICDI	Q00766 dictyosteli
41	32	58.2	872	1 UL47_HSVEA	P25073 equine herp
42	32	58.2	938	1 NM21_HUMAN	Q05586 homo sapien
43	32	58.2	938	1 NM21_MOUSE	P35438 mus musculu
44	32	58.2	938	1 NM21_RAT	P35439 rattus norv
45	32	58.2	1095	1 PIPA_DROME	P13217 drosophila

ALIGNMENTS

RESULT 1					
ID	IF2A_PYRAB	STANDARD;	PRT;	275 AA.	
AC	Q9V0E4;				
DT	01-OCT-2000 (Rel. 40, Created)				
DT	01-OCT-2000 (Rel. 40, Last sequence update)				
DT	01-OCT-2000 (Rel. 40, Last annotation update)				
DE	PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).				
GN	EIF2A OR PAB0368.				
OS	Pyrococcus abyssi.				
OC	Archaea; Euryarchaeota; Thermococcales; Pyrococcus.				
RN	[1]				
RP	SEQUENCE FROM N.A.				
RC	STRAIN-ORSAY;				
RA	Heilig R.;				
RT	"Pyrococcus abyssi genome sequence: Insights into archaeal chromosome structure and evolution."				
RL	Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.				
CC	-!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA (BY SIMILARITY).				
CC	-!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA CHAIN (BY SIMILARITY).				
CC	-!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.				
CC	-!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.				
CC	THIS SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL Outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).				
CC	EMBL: AJ248285; CAB49760.1; -				
DR	INTERPRO: IPR003029; -				
DR	PFAM: PF00575; SI; 1.				
KW	Initiation factor; Protein biosynthesis; RNA-binding.				
FT	DOMAIN 8 83 SI MOTIF.				
SQ	SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;				
Query Match 69.1%; Score 38; DB 1; Length 275;					
Best Local Similarity 75.0%; Pred. No. 2.2;					
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;					
QY	3 HNYGSFAE 10				
DB	23 HNYGAFLE 30				
RESULT 2					
ID	IF2A_PYRHO	STANDARD;	PRT;	275 AA.	
AC	O58655;				
DT	15-DEC-1998 (Rel. 37, Created)				

DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DE 01-OCT-2000 (Rel. 40, Last annotation update)
 DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
 GN EIF2A OR PH0961
 OS Pyrococcus horikoshii.
 OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=OT3;
 RX MEDLINE; 98344137.
 RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
 RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
 RA Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
 RA Funahashi T., Tanaka T., Kudo Y., Yamazaki J., Kishida N., Oguchi A.,
 RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
 RA Masuchi Y., Shizuya H., Kikuchi H.;
 RT "Complete sequence and gene organization of the genome of a hyper-
 thermophilic archaeobacterium, Pyrococcus horikoshii OT3.";
 RL DNA Res. 5:55-76(1998).
 CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
 CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
 CC (BY SIMILARITY).
 CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
 CC CHAIN (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
 CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AP000004; BAA30058.1; -
 DR INTERPRO; IPR003029; -
 DR PFAM; PF00575; SI; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 83 SI MOTIF.
 SQ SEQUENCE 275 AA; 3190 MW; 6AAAD15F10FFB436 CRC64;

 Query Match 69.1%; Score 38; DB 1; Length 275;
 Best Local Similarity 75.0%; Pred. NO. 2.2;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 3 HNYGSPAE 10
 | | | | | :
 DB 23 HNYGAFLE 30
 [1]
 RESULT 3
 ID IPYR_PICPA STANDARD; PRT; 284 AA.
 AC O13505;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPP1.
 OS Pichia pastoris (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Pichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=NRRL Y-11430;
 RX MEDLINE; 99034033.
 RA Cosgro I.C., Alvarez P., Molina M., Nombela C.;
 RT "Cloning and sequence analysis of the Pichia pastoris TRP1, IPP1 and
 RT HIS3 genes";
 RL Yeast 14:861-867(1998).

CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O -> 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AJ001000; CAA04453.1; -
 DR HSP; P00817; IWGI.
 DR INTERPRO; IPR001596; -
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 FT INIT_MET 0 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 284 AA; 31937 MW; 3DAD27970D775D6 CRC64;

 Query Match 63.6%; Score 35; DB 1; Length 284;
 Best Local Similarity 62.5%; Pred. NO. 8.9;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 3 HNYGSAFE 10
 | | | | | :
 DB 91 HNYGAFPO 98
 [1]
 RESULT 4
 ID IPYR_KLULA STANDARD; PRT; 286 AA.
 AC P13998;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 01-OCT-1994 (Rel. 30, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPP1 OR IPP.
 OS Kluyveromyces lactis (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Kluyveromyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC MEDLINE; 89189093.
 RA Stark M.J.R., Milner J.S.;
 RT "Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a
 RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
 RT and histone H3.";
 RL Yeast 5:35-50(1989).
 [2]
 RN RN
 RP SIMILARITY TO E. COLI AND YEAST PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and E. coli
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O -> 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X14230; CAA32446.1; -
 DR PIR; S07894; PWVKL.
 DR HSSP; P00817; IWGI.
 DR INTERPRO; IPR001596; -
 DR PRAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 DR Hydrolase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;
 Query Match 63.6%; Score 35; DB 1; Length 286;
 Best Local Similarity 62.5%; Pred. No. 8.9;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 3 HNYGSFAE 10
 Db 91 HNYGAFFQ 98
 RESULT 5
 ID IPYR-YEAST STANDARD; PRT; 286 AA.
 AC P00817;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI OR PPAL OR PPA OR YBR011C OR YBR0202.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=X2180;
 RX MEDLINE; 89083474.
 RA Kolakowski L.F. Jr., Schloesser M., Cooperman B.S.;
 RT "Cloning, molecular characterization and chromosome localization of
 RT the inorganic pyrophosphatase (PPA) gene from *S. cerevisiae*.";
 RL Nucleic Acids Res. 16:10441-10452(1988).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C;
 RA Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,
 RA Baur A., Boles E., Miosga T., Schaaff-Gerstenschlaeger I.,
 RA Zimmermann F.K.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE.
 RX MEDLINE; 78087552.
 RA Cohen S.A., Sterner R., Kelm P.S., Heinrikson R.L.;
 RT "Covalent structural analysis of yeast inorganic pyrophosphatase.";
 RL J. Biol. Chem. 253:889-897(1978).
 RN [4]
 RP SEQUENCE OF 25-35 AND 239-251.
 RC STRAIN=S288C;
 RX MEDLINE; 95203288.
 RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a *Saccharomyces cerevisiae* protein
 RT database."
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]

RP SEQUENCE OF 239-249.
 RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE; 97089742.
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 RT *Saccharomyces cerevisiae*.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACTIVE SITE.
 RX MEDLINE; 80109718.
 RA Bond M.W., Chiu N.Y., Cooperman B.S.;
 RT "Identification of an arginine important for enzymatic activity
 RT within the covalent structure of yeast inorganic pyrophosphatase.";
 RL Biochemistry 19:94-102(1980).
 RN [7]
 RP X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).
 RA Arutunian E.G., Terzian S.S., Voronova A.A., Kuranova I.P.,
 RA Smirnova E.A., Vainstein B.K., Hohne W.E., Hansen G.;
 RT "X-ray diffraction study of inorganic pyrophosphatase from baker's
 RT yeast at the 3-A resolution."
 RL Dokl. Akad. Nauk SSSR 258:1481-1492(1981).
 RN [8]
 RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
 RX MEDLINE; 97148342.
 RA Heikinheimo P., Lehtonen J., Baykov A., Lahti R., Cooperman B.S.,
 RA Goldman A.;
 RT "The structural basis for pyrophosphatase catalysis.";
 RL Structure 4:1491-1508(1996).
 RN [9]
 RP X-RAY CRYSTALLOGRAPHY (2.1 ANGSTROMS).
 RA Swaminathan K., Cooperman B.S., Lahti R., Voet D.;
 RL Submitted (DEC-1997) to the PDB data bank.
 RN [10]
 RP X-RAY CRYSTALLOGRAPHY (2.15 ANGSTROMS) OF MUTANTS LYS-78 AND LYS-117.
 RX MEDLINE; 99096888.
 RA Tuominen V., Heikinheimo P., Kajander T., Torkkel T., Hyytia T.,
 RA Kapyla J., Lahti R., Cooperman B.S., Goldman A.;
 RT "The R78K and D117E active-site variants of *Saccharomyces cerevisiae*
 RT soluble inorganic pyrophosphatase: structural studies and mechanistic
 RT implications.";
 RL J. Mol. Biol. 284:1565-1580(1998).
 RN [11]
 RP SIMILARITY TO E. COLI AND K. LACTIS PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and *E. coli*
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY. IT BINDS UP TO 4 DIVALENT
 CC CATIONS PER SUBUNIT, WITH THREE REQUIRED FOR ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X13253; CAA31629.1; -
 DR EMBL; Z35880; CAA84949.1; -
 DR PIR; S45864; PWBY.
 DR PDB; 1PYP; 15-OCT-91.
 DR PDB; 1YPP; 07-DEC-96.
 DR PDB; 1WGI; 19-NOV-97.
 DR PDB; 1WGI; 19-NOV-97.
 DR PDB; 1HUI; 08-APR-98.

```

DR PDB; 1HUK; 08-APR-98.
DR PDB; 117E; 23-DEC-98.
DR PDB; 8PRK; 23-DEC-98.
DR SWISS-2DPAGE; P00817; YEAST.
DR YEPD; 7305; -.
DR SGD; S0000215; IPPI.
DR INTERPRO; IPR001596; -.
DR PFAM; PF00719; Pyrophosphatase; 1.
DR PROSITE; PS00387; PPASE; 1.
KW Hydrolase; Magnesium; 3D-structure.
FT INIT_MET 0
FT ACT_SITE 56 56 PROBABLE.
FT BINDING 78 78 INORGANIC PYROPHOSPHATE.
FT CONFLICT 40 40 N -> D (IN REF. 3).
FT CONFLICT 71 71 D -> N (IN REF. 3).
FT CONFLICT 74 74 MISSING (IN REF. 3).
FT CONFLICT 123 123 E -> Q (IN REF. 3).
FT CONFLICT 136 136 Q -> E (IN REF. 3).
FT CONFLICT 186 186 N -> D (IN REF. 3).
FT CONFLICT 224 224 D -> N (IN REF. 3).
FT CONFLICT 266 266 L -> P (IN REF. 2).
FT STRAND 4 7
FT STRAND 16 20
FT STRAND 25 25
FT TURN 28 30
FT TURN 38 41
FT STRAND 45 45
FT STRAND 55 55
FT STRAND 79 79
FT TURN 97 98
FT TURN 111 112
FT TURN 121 123
FT TURN 131 132
FT STRAND 135 135
FT STRAND 138 146
FT STRAND 151 158
FT TURN 160 161
FT TURN 165 167
FT HELIX 172 175
FT TURN 176 177
FT TURN 179 180
FT HELIX 182 197
FT STRAND 203 203
FT HELIX 205 207
FT STRAND 210 210
FT HELIX 212 230
FT TURN 231 231
FT TURN 245 246
FT TURN 248 249
FT TURN 251 252
FT TURN 255 260
FT TURN 274 275
SQ SEQUENCE 286 AA; 32184 MW; F29390260B60C8B2 CRC64;

Query Match 63.6%; Score 35; DB 1; Length 286;
Best Local Similarity 62.5%; Pred. No. 8.9;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSPAE 10
Db 91 HNYGAFPPQ 98

RESULT 6
SUCC_METJA
ID SUCC_METJA STANDARD; PRT; 364 AA.
AC Q57663;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE SUCCINYL-COA SYNTHETASE BETA CHAIN (EC 6.2.1.5) (SCS-BETA).
GN SUCC OR MJ0210.

Query Match 61.8%; Score 34; DB 1; Length 364;
Best Local Similarity 66.7%; Pred. No. 18;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSPAE 10
Db 215 RHNYEEFEE 223

RESULT 7
NCAP_CVHOC
ID NCAP_CVHOC STANDARD; PRT; 448 AA.
AC P33469;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE NUCLEOCAPSID PROTEIN.
GN N.
OS Human coronavirus (strain OC43).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
OC Coronaviridae; Coronavirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89243809.
RA Kamahora T., Soe L.H., Lai M.M.C.;
RT "Sequence analysis of nucleocapsid gene and leader RNA of human coronavirus OC43."
RL Virus Res. 12:1-9(1989).
DR PIR; A60003; A60003.
DR INTERPRO; IPR001218; -.
DR PFAM; PF00937; Corona_nucleoca; 1.
KW Nucleocapsid.
SQ SEQUENCE 448 AA; 49316 MW; 5193AB1AB0D75626 CRC64;

OS Methanococcus jannaschii.
OC Archaea; Euryarchaeota; Methanococcales; Methanococcaceae;
OC Methanococcus.
RN [1]
RP SEQUENCE FROM N.A. 2661 / ATCC 43067;
RC STRAIN-JAL-1 / DSM 2661 / ATCC 43067;
RX MEDLINE; 96337999.
RA Bult C.J., White O., Olsen G.J., Zhou L., Fleischmann R.D.,
RA Sutton G.G., Blake J.A., Fitzgerald L.M., Clayton R.A., Gocayne J.D.,
RA Kerlavage A.R., Dougherty B.A., Tomb J.F., Adams M.D., Reich C.I.,
RA Overbeek R., Kirkness E.F., Weinstock K.G., Merrick J.M., Glodek A.,
RA Scott J.L., Geoghagen N.S.M., Weidman J.F., Fuhrmann J.L., Nguyen D.,
RA Utterback T.R., Kelley J.M., Peterson J.D., Sadow P.W., Hanna M.C.,
RA Cotton M.D., Roberts K.M., Hurst M.A., Kaine B.P., Borodovsky M.,
RA Klenk H.-P., Fraser C.M., Smith H.O., Weese C.R., Venter J.C.;
RT "Complete genome sequence of the methanogenic archaeon, Methanococcus jannaschii."
RL Science 273:1058-1073(1996).
CC -!- CATALYTIC ACTIVITY: SUCCINATE + COA + ATP = SUCCINYL-COA + ADP +
CC ORTHOPHOSPHATE.
CC -!- SIMILARITY: TO OTHER BETA SUBUNITS OF SUCCINYL-COA SYNTHETASES.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U67477; AAB98195.1; -.
DR HSP; P07460; LSCU.
DR TIGR; MJ0210; -.
DR INTERPRO; IPR000303; -.
DR PFAM; PF00549; ligase-CoA; 1.
DR PROSITE; PS01217; SUCCINYL_COA_Lig_3; 1.
KW Ligase; Tricarboxylic acid cycle.
SQ SEQUENCE 364 AA; 40907 MW; 16937FC54694770C CRC64;

Query Match 61.8%; Score 34; DB 1; Length 364;
Best Local Similarity 66.7%; Pred. No. 18;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSPAE 10
Db 215 RHNYEEFEE 223

RESULT 7
NCAP_CVHOC
ID NCAP_CVHOC STANDARD; PRT; 448 AA.
AC P33469;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE NUCLEOCAPSID PROTEIN.
GN N.
OS Human coronavirus (strain OC43).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
OC Coronaviridae; Coronavirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89243809.
RA Kamahora T., Soe L.H., Lai M.M.C.;
RT "Sequence analysis of nucleocapsid gene and leader RNA of human coronavirus OC43."
RL Virus Res. 12:1-9(1989).
DR PIR; A60003; A60003.
DR INTERPRO; IPR001218; -.
DR PFAM; PF00937; Corona_nucleoca; 1.
KW Nucleocapsid.
SQ SEQUENCE 448 AA; 49316 MW; 5193AB1AB0D75626 CRC64;

```

Query Match 60.0%; Score 33; DB 1; Length 448;
 Best Local Similarity 85.7%; Pred. No. 36;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 ||| |||
 DB 103 RHNRGSF 109

RESULT 8
 ID_SYE2_RICPR
 AC Q9ZCF8; STANDARD; PRT; 470 AA.
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
 DE (GLURS 2).
 GN GLUTX2 OR RP623.
 OS Rickettsia prowazekii.
 OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
 OC Rickettsiaceae; Rickettsia;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MADRID E;
 RX MEDLINE; 99039499.
 RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
 RA Sicheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
 RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
 RT "The genome sequence of Rickettsia prowazekii and the origin of
 RT mitochondria.";
 RL Nature 396:133-140(1998).
 CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
 CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
 CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AJ235272; CAAL5066.1; -
 CC HSP; P27000; IGLN.
 CC INTERPRO; IPR000924; -
 CC PFAM; PF00749; trna-synt_lc; 1.
 CC PRINTS; PR00987; TRNASYNTHGLU.
 CC PROSITE; PS00178; AA_TRNA_LIGASE_I; 1.
 CC AMINOACYL-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 CC SIMILAR 10 20 "HIGH" REGION.
 CC SIMILAR 239 243 "KMSKS" REGION.
 CC BINDING 242 242 ATP (BY SIMILARITY).
 CC SEQUENCE 470 AA; 53696 MW; DF1CE50A20B9A9FD CRC64;

Query Match 60.0%; Score 33; DB 1; Length 470;
 Best Local Similarity 75.0%; Pred. No. 38;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
 ||| | |
 DB 31 ARHNGKF 38

RESULT 8
 ID_SYE2_RICPR
 AC Q9ZCF8; STANDARD; PRT; 470 AA.
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
 DE (GLURS 2).
 GN GLUTX2 OR RP623.
 OS Rickettsia prowazekii.
 OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
 OC Rickettsiaceae; Rickettsia;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MADRID E;
 RX MEDLINE; 99039499.
 RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
 RA Sicheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
 RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
 RT "The genome sequence of Rickettsia prowazekii and the origin of
 RT mitochondria.";
 RL Nature 396:133-140(1998).
 CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
 CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
 CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AJ235272; CAAL5066.1; -
 CC HSP; P27000; IGLN.
 CC INTERPRO; IPR000924; -
 CC PFAM; PF00749; trna-synt_lc; 1.
 CC PRINTS; PR00987; TRNASYNTHGLU.
 CC PROSITE; PS00178; AA_TRNA_LIGASE_I; FALSE_NEG.
 CC AMINOACYL-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 CC SIMILAR 10 20 "HIGH" REGION.
 CC SIMILAR 239 243 "KMSKS" REGION.
 CC BINDING 242 242 ATP (BY SIMILARITY).
 CC SEQUENCE 470 AA; 53696 MW; DF1CE50A20B9A9FD CRC64;

ID_SYE_AQUAE STANDARD; PRT; 473 AA.
 AC Q67271;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)
 DE (GLURS).
 GN GLTX OR AQ_1221.
 OS Aquifex aeolicus.
 OC Bacteria; Aquificales; Aquificaceae; Aquifex.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=VF5;
 RX MEDLINE; 98196666.
 RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
 RA Graham D.E., Overbeek R., Sneed M.A., Kellner M., Aujay M., Huber R.,
 RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
 RT "The complete genome of the hyperthermophilic bacterium Aquifex
 RT aeolicus.";
 RL Nature 392:353-358(1998).
 CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
 CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
 CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AF000729; AAC07230.1; -
 CC INTERPRO; IPR000924; -
 CC PFAM; PF00749; trna-synt_lc; 1.
 CC PRINTS; PR00987; TRNASYNTHGLU.
 CC PROSITE; PS00178; AA_TRNA_LIGASE_I; 1.
 CC AMINOACYL-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 CC SIMILAR 10 20 "HIGH" REGION.
 CC SIMILAR 242 246 "KMSKS" REGION.
 CC BINDING 245 245 ATP (BY SIMILARITY).
 CC SEQUENCE 473 AA; 55121 MW; 5CB4D1590973E07A CRC64;

Query Match 60.0%; Score 33; DB 1; Length 473;
 Best Local Similarity 75.0%; Pred. No. 38;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
 ||| | |
 DB 31 ARHNGKF 38

RESULT 10
 ID_VG50_BPML5 STANDARD; PRT; 682 AA.
 AC Q05262;
 DT 01-FEB-1994 (Rel. 28, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE PUTATIVE ADENOSYLCOBALAMIN-DEPENDENT RIBONUCLEOTIDE REDUCTASE
 DE (EC 1.17.4.2) (GP50).
 GN 50.
 OS Mycobacteriophage L5.
 OC Viruses.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 93211282.
 RA Hatfull G.F., Sarkis G.J.;
 RT "DNA sequence, structure and gene expression of mycobacteriophage L5.

RT a phage system for mycobacterial genetics.";

RL Mol. Microbiol. 7:395-405(1993).

CC -1- CATALYTIC ACTIVITY: 2'-DEOXYRIBONUCLEOSIDE TRIPHOSPHATE +

CC OXIDIZED THIOREDOXIN + H(2)O = RIBONUCLEOSIDE TRIPHOSPHATE +

CC REDUCED THIOREDOXIN.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).

CC -----

CC EMBL: Z18946; CAA79426.1; -

DR PIR: S30995; S30995.

DR INTERPRO: IPR000788; -

DR PFAM: PF00317; ribonucleo_red; 1.

KW Oxidoreductase; DNA replication.

SQ SEQUENCE 682 AA; 76331 MW; 8D2A71B873BC04A8 CRC64;

Query Match 60.0%; Score 33; DB 1; Length 682;

Best Local Similarity 66.7%; Pred. No. 57;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

DB 311 AKEGYGSFA 319

RESULT 11

VL3_REOVL STANDARD; PRT; 1267 AA.

AC P17378;

DT 01-AUG-1990 (Rel. 15, Created)

DT 01-AUG-1990 (Rel. 15, Last sequence update)

DT 01-NOV-1990 (Rel. 16, Last annotation update)

DE MINOR CORE PROTEIN LAMBDA 3.

GN L1.

OS Reovirus (type 3 / strain Dearing).

OC Viruses; dsRNA viruses; Reoviridae; Orthoreovirus.

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE: 89163254.

RA Wiener J.R., Joklik W.K.;

RT "The sequences of the reovirus serotype 1, 2, and 3 L1 genome

RT segments and analysis of the mode of divergence of the reovirus

RT serotypes.";

RL Virology 169:194-203(1989).

CC -1- MISCELLANEOUS: IT IS UNLIKELY THAT CORES CONTAIN MORE THAN 12

CC MOLECULES OF PROTEIN LAMBDA 3.

CC -1- SIMILARITY: VERY HIGH WITH OTHER REOVIRUS TYPES.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).

CC -----

CC EMBL: M24734; AAA47234.1; -

DR PIR: C30121; MWXR33.

KW Core protein.

SQ SEQUENCE 1267 AA; 142269 MW; FC9FD43CEF527148 CRC64;

Query Match 60.0%; Score 33; DB 1; Length 1267;

Best Local Similarity 55.6%; Pred. No. 1.le+02;

Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAE 10

Db 1043 RHYSSFSK 1051

RESULT 12

VL3_REOVL STANDARD; PRT; 1267 AA.

AC P17376;

DT 01-AUG-1990 (Rel. 15, Created)

DT 01-AUG-1990 (Rel. 15, Last sequence update)

DT 01-NOV-1990 (Rel. 16, Last annotation update)

DE MINOR CORE PROTEIN LAMBDA 3.

GN L1.

OS Reovirus (type 1 / strain Lang).

OC Viruses; dsRNA viruses; Reoviridae; Orthoreovirus.

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE: 89163254.

RA Wiener J.R., Joklik W.K.;

RT "The sequences of the reovirus serotype 1, 2, and 3 L1 genome

RT segments and analysis of the mode of divergence of the reovirus

RT serotypes.";

RL Virology 169:194-203(1989).

CC -1- MISCELLANEOUS: IT IS UNLIKELY THAT CORES CONTAIN MORE THAN 12

CC MOLECULES OF PROTEIN LAMBDA 3.

CC -1- SIMILARITY: VERY HIGH WITH OTHER REOVIRUS TYPES.

CC -----

CC PIR: A30121; MWXR31.

KW Core protein.

SQ SEQUENCE 1267 AA; 142354 MW; 157EBFD4D664FCDB CRC64;

Query Match 60.0%; Score 33; DB 1; Length 1267;

Best Local Similarity 55.6%; Pred. No. 1.le+02;

Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAE 10

Db 1043 RHYSSFSK 1051

RESULT 13

CCSA_OENBE STANDARD; PRT; 65 AA.

AC P31565;

DT 01-JUL-1993 (Rel. 26, Created)

DT 01-JUL-1993 (Rel. 26, Last sequence update)

DT 01-NOV-1997 (Rel. 35, Last annotation update)

DE CYTOCHROME C BIOGENESIS PROTEIN CCSA (FRAGMENT).

GN CCSA.

OS Oenothera bertiana (Bertero's evening primrose).

OG Chloroplast.

OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;

OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;

OC Myrtales; Onagraceae; Oenothera.

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE: 93169690.

RA Nimzyk R., Schoendorf T., Hachtel W.;

RT "In-frame length mutations associated with short tandem repeats are

RT located in unassigned open reading frames of Oenothera chloroplast

RT DNA.";

RL Curr. Genet. 23:265-270(1993).

CC -1- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF

CC HEME ATTACHMENT (BY SIMILARITY).

CC -1- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCLL/NRFE/CCSA FAMILY.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).

```
CC -----
DR EMBL: X64617; CAA45900.1; -
DR EMBL: X64614; CAA45894.1; -
DR PIR: S19981; S19981.
-DR PIR: S19988; S19988.
KW Cytochrome c-type biogenesis; Chloroplast.
FT NON_TER 1
SQ SEQUENCE 65 AA; 7441 MW; 343566DDA1492C0C CRC64;

Query Match 58.2%; Score 32; DB 1; Length 65;
Best Local Similarity 83.3%; Pred. No. 7.3;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 57 HSYGSF 62

RESULT 14
CCSA_PEA
ID CCSA_PEA STANDARD; PRT; 65 AA.
AC P31172;
DT 01-JUL-1993 (Rel. 26, Created)
DT 01-JUL-1993 (Rel. 26, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE CYTOCHROME C BIOGENESIS PROTEIN CCSA (FRAGMENT).
GN CCSA.
OS Pisum sativum (Garden pea).
OG Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids I;
OC Fabales; Fabaceae; Papilionoideae; Pisum.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV, ALASKA;
RX MEDLINE: 91355950.
RA Nagano Y., Ishikawa H., Matsuno R., Sasaki Y.;
RT "Nucleotide sequence and expression of the ribosomal protein L2 gene
in pea chloroplasts.";
RL Plant Mol. Biol. 17:541-545(1991).
CC -1- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
HEME ATTACHMENT (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE CCMF/CYCK/CLL/NRFE/CCSA FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X59015; CAA41754.1; -
DR PIR: S17441; S17441.
KW Cytochrome c-type biogenesis; Chloroplast.
FT NON_TER 1
SQ SEQUENCE 65 AA; 7396 MW; 9E523E0C70B102AA CRC64;

Query Match 58.2%; Score 32; DB 1; Length 65;
Best Local Similarity 83.3%; Pred. No. 7.3;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 57 HSYGSF 62

RESULT 15
WBBJ_ECOLI
ID WBBJ_ECOLI STANDARD; PRT; 196 AA.
AC P37750; P76375;
```

```
DT 01-OCT-1994 (Rel. 30, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE PUTATIVE LIPOPOLYSACCHARIDE BIOSYNTHESIS O-ACETYL TRANSFERASE WBBJ
DE (EC 2.3.1.-).
GN WBBJ.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / W3110;
RX MEDLINE: 94292434.
RA Yao Z., Valvano M.A.;
RT "Genetic analysis of the O-specific lipopolysaccharide biosyntheses
region (rfb) of Escherichia coli K-12 W3110: identification of genes
that confer group 6 specificity to Shigella flexneri serotypes Y and
4a.";
RL J. Bacteriol. 176:4133-4143(1994).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / W3110;
RX MEDLINE: 94292435.
RA Stevenson G., Neal B., Liu D., Hobbs M., Packer N.H., Batley M.,
RA Redmond J.W., Lindquist L., Reeves P.R.;
RT "Structure of the O antigen of Escherichia coli K-12 and the sequence
of its rfb gene cluster.";
RL J. Bacteriol. 176:4144-4156(1994).
RN [3]
RP REVISIONS TO 168-176 AND 187-189.
RC STRAIN=K12 / W3110;
RA Stevenson G.;
RL Submitted (DEC-1997) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / W31655;
RX MEDLINE: 97426617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shaio Y.;
RT "The complete genome sequence of Escherichia coli K-12.";
RL Science 277:1453-1474(1997).
RN [5]
RP SEQUENCE FROM N.A.
RC STRAIN=K12;
RX MEDLINE: 97251358.
RA Itoh T., Aiba H., Baba T., Fujita K., Hayashi K., Inada T.,
RA Isono K., Kasai H., Kimura S., Kitakawa M., Kitagawa M.,
RA Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,
RA Nakade S., Nakamura Y., Nishimoto H., Nishio Y., Oshima T.,
RA Saito N., Sampei G., Seki Y., Sivasubraman S., Tagami H.,
RA Takeda J., Takemoto K., Wada C., Yamamoto Y., Horikuchi T.;
RT "A 460-kb DNA sequence of the Escherichia coli K-12 genome
corresponding to the 40.1-50.0 min region on the linkage map.";
RL DNA Res. 3:379-392(1996).
CC -1- FUNCTION: PUTATIVE O-ACETYLTRANSFERASE THAT TRANSFERS AN O-ACETYL
ON THE O ANTIGEN
CC -1- PATHWAY: LIPOPOLYSACCHARIDE BIOSYNTHESIS.
CC -1- SIMILARITY: BELONGS TO THE CYSE/LACA/LPXA/NOFL FAMILY OF
ACETYLTRANSFERASES. COMPOSED OF MULTIPLE REPEATS OF [LIV]-G-X(4).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: U03041; AAC31635.1; -
DR EMBL: U09876; AAB88406.1; -
DR EMBL: AE000294; AAC75094.1; -
```

DR EMBL; D90841; CAB21803.1; -;
DR EMBL; D90842; CAB21811.1; -;
DR ECOGENE; EG11984; WEBJ;
DR INTERPRO; IPR001451; -;
DR PFAM; PF00132; hexapep; 1;
DR PROSITE; PS00101; HEXAPEP-TRANSFERASES; FALSE_NEG.
KW Lipopolysaccharide biosynthesis; Transferase; Acyltransferase; Repeat.
FT CONFLICT 168 176 SIPENTVIA -> LFRKYCHC (IN REF. 1).
FT CONFLICT 187 189 NHE -> IMR (IN REF. 1).
SQ SEQUENCE 196 AA; 21675 MW; DIC2FA7D3B29A1B1 CRC64;

Query Match 58.2%; Score 32; DB 1; Length 196;
Best Local Similarity 83.3%; Pred. No. 24;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
||:|
Db 105 HNHGSF 110

Search completed: March 28, 2001, 07:35:03
Job time: 140 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:05 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-74
Perfect score: 55
Sequence: 1 ARHNYGSFAE 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

SPTREMBL_15:
1: sp_archaea:*
2: sp_bacteria:*
3: sp_fungi:*
4: sp_human:*
5: sp_invertebrate:*
6: sp_mammal:*
7: sp_mhc:*
8: sp_organelle:*
9: sp_phase:*
10: sp_plant:*
11: sp_rodent:*
12: sp_virus:*
13: sp_vertebrate:*
14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	45	81.8	839	10	O9LIE5
2	39	70.9	446	5	O62086 caenorhabdi
3	39	70.9	723	2	P72121 pseudomonas
4	38	69.1	89	7	O19495 gallus gall
5	37	67.3	347	2	Q55231 synechococc
6	36	65.5	39	7	P79474 cervus elap
7	36	65.5	39	7	P79477 cervus elap
8	36	65.5	39	7	P79478 cervus elap
9	36	65.5	39	7	P79479 cervus elap
10	36	65.5	74	6	O9TTM4 bos taurus
11	36	65.5	76	7	Q9TFC2 macaca mula
12	36	65.5	78	6	O97835 ovis aries
13	36	65.5	78	6	O97839 ovis aries
14	36	65.5	78	6	O97844 ovis aries
15	36	65.5	78	6	O97968 ovis aries
16	36	65.5	78	7	Q9MTW6 leopardus p
17	36	65.5	78	7	Q9MTW5 leopardus p
18	36	65.5	78	7	Q9MTW4 leopardus p
19	36	65.5	79	7	O19191 prionailuru

20	36	65.5	79	7	O19192	prionailuru
21	36	65.5	79	7	O19380	felis silve
22	36	65.5	79	7	O19381	felis silve
23	36	65.5	79	7	O19382	felis silve
24	36	65.5	79	7	O19396	felis silve
25	36	65.5	79	7	O19397	felis silve
26	36	65.5	79	7	O19405	felis silve
27	36	65.5	79	7	O19406	felis silve
28	36	65.5	79	7	O19407	felis silve
29	36	65.5	79	7	O19408	felis silve
30	36	65.5	79	7	O19435	felis silve
31	36	65.5	79	7	O9MX19	leopardus p
32	36	65.5	79	7	O9MX13	leopardus p
33	36	65.5	79	7	O9MX03	leopardus p
34	36	65.5	79	7	O9MX00	leopardus p
35	36	65.5	79	7	O9MW29	leopardus p
36	36	65.5	79	7	O9MW28	leopardus p
37	36	65.5	79	7	O9MW27	leopardus p
38	36	65.5	79	7	O9MWY9	leopardus p
39	36	65.5	79	7	O9MWY8	leopardus p
40	36	65.5	79	7	O9MWY6	leopardus p
41	36	65.5	79	7	O9MWY5	leopardus p
42	36	65.5	79	7	O9MWY4	leopardus p
43	36	65.5	79	7	O9MWY3	leopardus p
44	36	65.5	79	7	O9MWX6	leopardus p
45	36	65.5	79	7	O9MWX5	leopardus p

ALIGNMENTS

RESULT 1

Q9LIE5 PRELIMINARY; PRT; 839 AA.
AC O9LIE5:
DT 01-OCT-2000 (Tremblrel. 15, Created)
DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)
DT 01-OCT-2000 (Tremblrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsi.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety pl,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AP001306; BAB03065.1; --
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 81.8%; Score 45; DB 10; Length 839;
Best Local Similarity 70.0%; Pred. No. 1.9;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAE 10

:|||||:

Db 274 SRHNYGSFCD 283

RESULT 2

O62086

ID O62086 PRELIMINARY; PRT; 446 AA.
AC 062086;
DT 01-AUG-1998 (TrEMBLrel. 07, Created)
DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE C31H5.6 PROTEIN.
GN C31H5.6.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidae;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA Kershaw J.;
RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Showkeen R.,
RA Smaldon N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkinson-Sproat J., Womland P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans.";
RL Nature 368:32-38(1994).
DR EMBL; 293778; CAB07846.1; -;
DR INTERPRO; IPR000379; -;
DR DR INTERPRO; IPR002925; -;
DR PFAM; PF01738; DLH; 2.
SQ SEQUENCE 446 AA; 50763 MW; 82AD969CDAD753DE CRC64;

Query Match 70.9%; Score 39; DB 5; Length 446;
Best Local Similarity 87.5%; Pred. No. 14;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9
Db 51 RHNYGSHA 58
|||||

RESULT 3
ID P72121 PRELIMINARY; PRT; 723 AA.
AC P72121;
DT 01-FEB-1997 (TrEMBLrel. 02, Created)
DT 01-FEB-1997 (TrEMBLrel. 02, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE OUTER MEMBRANE PROTEIN C PRECURSOR.
OS Pseudomonas aeruginosa.
OC Bacteria; Proteobacteria; gamma subdivision; Pseudomonadaceae;
OC Pseudomonas.
OX NCBI_TaxID=287;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=PAOI;
RX MEDLINE=96349120; PubMed=8760927;
RA Yoneyama H., Nakae T.;
RT "Protein C (OprC) of the outer membrane of Pseudomonas aeruginosa is a
copper-regulated channel protein.";
RL Microbiology 142:2137-2144(1996).
DR EMBL; D28119; BAA05664.1; -;
DR INTERPRO; IPR000531; -;
DR DR INTERPRO; IPR001005; -;
DR PFAM; PF00593; TonB_boxC; 1.
DR PROSITE; PS00037; MYB_1; UNKNOWN_1.
KW Signal.

FT SIGNAL 1 55 POTENTIAL.
FT CHAIN 56 723 MATURE PROTEIN C.
SQ SEQUENCE 723 AA; 79303 MW; E9FC33618E830A3E CRC64;

Query Match 70.9%; Score 39; DB 2; Length 723;
Best Local Similarity 75.0%; Pred. No. 23;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAE 10
Db 407 HNYGAFGE 414
|||||

RESULT 4
ID O19495 PRELIMINARY; PRT; 89 AA.
AC O19495;
DT 01-JAN-1998 (TrEMBLrel. 05, Created)
DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
GN B-LBI.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=15.15I-5; TISSUE=BURSA;
RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
RL Immunogenetics 47:350-354(1998).
DR EMBL; 091532; AAC13613.1; -;
DR INTERPRO; IPR000353; -;
DR DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 89 89
SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEB1379 CRC64;

Query Match 69.1%; Score 38; DB 7; Length 89;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 75 RHNYGDF 81
|||||

RESULT 5
ID Q55231 PRELIMINARY; PRT; 347 AA.
AC Q55231;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE DELTA 12 DESATURASE.
GN DESA.
OS Synecococcus sp.
OC Bacteria; Cyanobacteria; Chroococcales; Synecococcus.
OX NCBI_TaxID=1129;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=PCC7002;
RX MEDLINE=94207189; PubMed=8155883;
RA Sakamoto T., Wada H., Nishida I., Ohmori M., Murata N.;
RT "Identification of conserved domains in the delta 12 desaturases of
cyanobacteria.";
RL Plant Mol. Biol. 24:643-650(1994).
RN [2]
RP SEQUENCE FROM N.A.

RA Sakamoto T., Bryant D.A.;
 RT "Molecular characterization of the ammonium transporter gene of
 RL *Synechococcus* sp. PC7002.";
 DR EMBL; D13779; BAA02922.1; -;
 DR EMBL; U36388; AAF21445.1; -;
 DR INTERPRO; IPR000595; -;
 DR INTERPRO; IPR001225; -;
 DR PFAM; PF00487; FA_desaturase; 1.
 DR PROSITE; PS00888; CNMP_BINDING_1; UNKNOWN_1.
 DR PRODOM; PD001081; -; 1.
 SQ SEQUENCE 347 AA; 40655 MW; EC099B226A9B96D9 CRC64;

Query Match 67.3%; Score 37; DB 2; Length 347;
 Best Local Similarity 70.0%; Pred. No. 25;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSAE 10
 Db 334 AEHNYISPAQ 343
 |||||

RESULT 6

ID P79474 PRELIMINARY; PRT; 39 AA.
 AC P79474;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swarbrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63077; AAB37777.1; -;
 KW MHC.
 FT NON_TER 1
 FT NON_TER 39
 SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733D1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 25 RHNYGVF 31
 |||||

RESULT 7

ID P79477 PRELIMINARY; PRT; 39 AA.
 AC P79477;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swarbrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.

DR EMBL; U63080; AAB37780.1; -;
 KW MHC.
 FT NON_TER 1
 FT NON_TER 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 25 RHNYGVF 31
 |||||

RESULT 8

ID P79478 PRELIMINARY; PRT; 39 AA.
 AC P79478;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swarbrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63081; AAB37781.1; -;
 KW MHC.
 FT NON_TER 1
 FT NON_TER 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 25 RHNYGVF 31
 |||||

RESULT 9

ID P79479 PRELIMINARY; PRT; 39 AA.
 AC P79479;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swarbrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63082; AAB37782.1; -;
 KW MHC.
 FT NON_TER 1
 FT NON_TER 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 25 RHNYGVF 31

RESULT 10

Q9TTM4
 ID Q9TTM4 PRELIMINARY; PRT; 74 AA.
 AC Q9TTM4;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
 DE MHC (BOLA) CLASS II DR-BETA CHAIN (FRAGMENT).
 GN BOLA-DRB3.
 OS Bos taurus (Bovine).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Bovinae; Bos.
 OX NCBI_TaxID=9913;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-JAPANESE BLACK;
 RA Takeshima S., Ikegami M., Morita M., Nakai Y., Aida Y.;
 RT "Identification of BOLA-DRB3 exon 2 of Japanese black cattle."
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB033388; BAA85470.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1
 FT NON_TER 74
 SQ SEQUENCE 74 AA; 9132 MW; C5834842F0E38BA6 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 74;
 Best Local Similarity 85.7%; Pred. No. 7.5;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 68 RHNYGVF 74

RESULT 11

Q9TPC2
 ID Q9TPC2 PRELIMINARY; PRT; 76 AA.
 AC Q9TPC2;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
 DE MHC CLASS II ANTIGEN (FRAGMENT).
 GN MAMU-DRB1.
 OS Macaca mulatta (Rhesus macaque).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
 OC Cercopithecinae; Macaca.
 OX NCBI_TaxID=9544;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Saueremann U., Khazand M., Nagy M., Peiberg C.;
 RT "Mhc-DQ-DRB-haplotype analysis in the rhesus macaque: evidence for a
 number of different haplotypes displaying a low allelic
 polymorphism."
 RL Tissue Antigens 0:0-0(1999).
 DR EMBL; AF175315; AAF07040.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1
 FT NON_TER 76

SQ SEQUENCE 76 AA; 9315 MW; 1DC073E1B87A94D0 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 76;
 Best Local Similarity 85.7%; Pred. No. 7.7;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 67 RHNYGVF 73

RESULT 12

O97835
 ID O97835 PRELIMINARY; PRT; 78 AA.
 AC O97835;
 DT 01-MAY-1999 (TReMBLrel. 10, Created)
 DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N20.2.
 OS Ovis aries (Sheep).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=7407; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2."
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017207; BAA36764.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1
 FT NON_TER 78
 SQ SEQUENCE 78 AA; 9677 MW; 653346CE7D1E1388 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.9;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 72 RHNYGVF 78

RESULT 13

O97839
 ID O97839 PRELIMINARY; PRT; 78 AA.
 AC O97839;
 DT 01-MAY-1999 (TReMBLrel. 10, Created)
 DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N2.
 OS Ovis aries (Sheep).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SUFFOLK BREED AND CORRIDAILE BREED; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2."
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017212; BAA36769.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1

FT NON_TER 78 78
SQ SEQUENCE 78 AA: 9430 MW; AF8A0B87E34B6832 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
Best Local Similarity 85.7%; Pred. No. 7.9;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 72 RHNYGVF 78

RESULT 14

O97844 ID O97844 PRELIMINARY; PRT; 78 AA.

AC O97844;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
GN OLA-DRB1*N8.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-SUFFOLK BREED; TISSUE-BLOOD;
RA Alda Y.;
RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB017220; BAA36777.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1
FT NON_TER 78 78
SQ SEQUENCE 78 AA: 9645 MW; 505346CE7D0860CF CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
Best Local Similarity 85.7%; Pred. No. 7.9;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 72 RHNYGVF 78

RESULT 15

O97968 ID O97968 PRELIMINARY; PRT; 78 AA.

AC O97968;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
GN OLA-DRB1*N21.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-VARIOUS STRAINS;
RA Alda Y.;
RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB017231; BAA36788.1; -.
DR EMBL; AB017204; BAA36761.1; -.
DR INTERPRO; IPR000353; -.

DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1
FT NON_TER 78 78
SQ SEQUENCE 78 AA: 9436 MW; 72907E039EC167B2 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
Best Local Similarity 85.7%; Pred. No. 7.9;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 72 RHNYGVF 78

Search completed: March 28, 2001, 07:53:06
Job time: 499 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:48 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-74

Perfect score: 55

Sequence: 1 ARHNYGSFAE 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36.*

```
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*
```

Pred. NO. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	55	100.0	10	19 W76027	LM609 grafted anti
2	52	94.5	10	19 W76026	LM609 grafted anti
3	50	90.9	10	19 W76024	LM609 grafted anti
4	50	90.9	10	19 W76025	LM609 grafted anti
5	50	90.9	10	19 W76028	LM609 grafted anti
6	50	90.9	10	19 W76029	LM609 grafted anti
7	50	90.9	10	19 W76030	LM609 grafted anti
8	50	90.9	10	19 W76010	LM609 grafted anti
9	50	90.9	117	19 W76001	Vitaxin antibody h
10	50	90.9	117	19 W76003	LM609 antibody hea
11	50	90.9	117	20 Y06381	Murine monoclonal
12	50	90.9	117	20 Y06387	Humanised LM609 an

13	50	90.9	118	20 Y06384	Humanised LM609 an
14	50	90.9	118	20 Y06385	Humanised LM609 an
15	50	90.9	118	20 Y06386	Humanised LM609 an
16	50	90.9	118	20 Y06383	Murine monoclonal
17	50	90.9	130	20 Y06379	LM609 grafted anti
18	49	89.1	10	19 W76039	LM609 grafted anti
19	47	85.5	10	19 W76021	LM609 grafted anti
20	46	83.6	10	19 W76040	LM609 grafted anti
21	46	83.6	10	19 W76022	LM609 grafted anti
22	46	83.6	10	19 W76023	LM609 grafted anti
23	45	81.8	10	19 W76037	LM609 grafted anti
24	45	81.8	10	19 W76020	LM609 grafted anti
25	42	76.4	110	20 W84099	Vitronectin alpha-
26	42	76.4	117	20 W84093	Murine vitronectin
27	42	76.4	117	20 W84097	Humanised anti-aiP
28	41	74.5	8	20 Y06371	Murine monoclonal
29	41	74.5	10	19 W76038	LM609 grafted anti
30	37	67.3	119	19 Y86109	S. pneumoniae deri
31	36	65.5	117	16 R79157	Human IgE receptor
32	36	65.5	117	16 R79155	Human IgE receptor
33	36	65.5	117	18 W27357	Heavy chain variab
34	36	65.5	117	18 W27356	Heavy chain variab
35	36	65.5	117	18 W27354	Heavy chain variab
36	36	65.5	119	18 W01578	Lead binding MAb 8
37	36	65.5	239	20 W73874	Human antiFc epsll
38	36	65.5	242	20 W73876	Human antiFc epsll
39	35	63.6	30	21 Y81870	Yeast IPPI protein
40	34	61.8	464	19 W72907	Mycobacterium tube
41	34	61.8	464	20 Y21924	Amino acid sequenc
42	33	60.0	80	12 R13395	HLA-DRw12a antigen
43	33	60.0	80	12 R13397	HLA-DRw12b antigen
44	33	60.0	89	17 Y14338	Protein encoded by
45	33	60.0	89	17 Y14306	Protein encoded by

ALIGNMENTS

RESULT 1

W76027
ID W76027 standard; Protein; 10 AA.

XX W76027;

DT 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #9.

DE Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

PA (IXSY-) IXSYS INC.

PI Glaser SM, Huse WD;

DR WPI: 1998-437472/37.

DR N-PSDB; V49864.

PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT Integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 55; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. NO. 0.0011;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAE 10
 |||||
 Db 1 arhnygsfae 10

RESULT 2
 W76026
 ID W76026 standard; Protein; 10 AA.
 AC W76026;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #8.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 DR N-PSDB; V49863.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 PS
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 94.5%; Score 52; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. NO. 0.0035;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAE 10
 |||||
 Db 1 arhnygsfad 10

RESULT 3
 W76024
 ID W76024 standard; Protein; 10 AA.
 XX
 AC W76024;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #6.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 DR N-PSDB; V49861.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 PS
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0076;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 arhnygsfa 9
|||||

RESULT 4
ID W76025 standard; Protein; 10 AA.
XX
AC W76025;
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-H region CDR3 protein fragment #7.
XX
KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
DR WPI; 1998-437472/37.
XX
DR N-PSDB; V49862.
XX
PS Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Claim 62; Page 41; 129pp; English.
XX
CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0076;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 arhnygsfa 9
|||||

RESULT 5
ID W76028 standard; Protein; 10 AA.
XX
AC W76028;
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-H region CDR3 protein fragment #10.
XX
KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
DR WPI; 1998-437472/37.
XX
DR N-PSDB; V49865.
XX
PS Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Claim 62; Page 41; 129pp; English.
XX
CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0076;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 arhnygsfa 9
|||||

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX PA (IXSY-) IXSYS INC.
 XX
 XX PI Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 XX DR N-PSDB; V49847.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis.
 XX
 PS Disclosure: Page 40; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

 Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0076;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 QY 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

 RESULT 9
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 AC W76001;
 XX
 XX 02-NOV-1998 (first entry)
 XX
 XX Vitaxin antibody heavy chain variable region protein fragment.
 DE
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX PA (IXSY-) IXSYS INC.

PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX PA (IXSY-) IXSYS INC.
 XX
 XX PI Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 XX DR N-PSDB; V49820.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis.
 XX
 XX Claim 1; Fig 1a; 129pp; English.
 XX
 CC This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

 Query Match 90.9%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.097;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 QY 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

 RESULT 10
 W76003
 ID W76003 standard; Protein; 117 AA.
 XX
 AC W76003;
 XX
 XX 02-NOV-1998 (first entry)
 XX
 XX LM609 antibody heavy chain variable region protein fragment.
 DE
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX PA (IXSY-) IXSYS INC.


```

XX Glaser SM, Huse WD;
PI
DR WPI: 1998-437472/37.
DR N-PSDB; V49822.
XX
PT Humanised antibody. Vitaxin, that binds selectively to alphaVbeta3
PT Integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
PS Claim 43; Fig 2a; 129pp; English.
XX
CC This sequence represents the LM609 antibody variable heavy chain region.
CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
CC block integrin-mediated signal transduction. This is useful in the
CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
CC etc.). The antibodies contain non-murine framework regions so are
CC suitable for use in humans. Enhanced types of LM609 have affinity more
CC than 90 times greater than that of parent the parent antibody.
XX
SQ Sequence 117 AA;

Query Match 90.9%; Score 50; DB 19; Length 117;
Best Local Similarity 100.0%; Pred. No. 0.097;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db ||||||
97 arhnygsfa 105

RESULT 11
Y06381
ID Y06381 standard; Protein; 117 AA.
AC Y06381;
XX
DT 06-SEP-1999 (first entry)
XX
DE Murine monoclonal antibody LM609 VH region.
XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Mus musculus.
XX
PN WO9929888-A1.
XX
PD 17-JUN-1999.
XX
PF 04-DEC-1998; 98WO-US25828.
XX
PR 05-DEC-1997; 97US-0986016.
XX
PA (SCRI ) SCRIPPS RES INST.
XX
PI Barbas CF, Rader C;
XX
DR WPI; 1999-394979/33.
XX
PT Production of humanized mouse monoclonal antibodies
PS Disclosure; Page 52-53; 55pp; English.
XX
CC This sequence represents the heavy chain variable region of murine

```

```

XX monoclonal antibody LM609. LM609 is directed to integrin
XX alpha-v beta-3. It selectively promotes apoptosis of vascular
XX cells that have been stimulated to undergo angiogenesis, making it
XX a tool for cancer diagnosis and therapy. The invention provides
XX humanised antibodies, especially humanised LM609. In such humanized
XX antibodies, a light chain CDR from a mouse antibody such as LM609 is
XX grafted onto a human light chain, and a heavy chain CDR from a mouse
XX antibody is grafted onto a human antibody heavy chain to produce
XX libraries from which a humanised murine antibody having the desired
XX specificity is selected. By preserving the original CDR sequences
XX such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
XX humanisation strategy ensures epitope conservation.
XX
SQ Sequence 117 AA;

Query Match 90.9%; Score 50; DB 20; Length 117;
Best Local Similarity 100.0%; Pred. No. 0.097;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db ||||||
97 arhnygsfa 105

RESULT 12
Y06387
ID Y06387 standard; Protein; 117 AA.
AC Y06387;
XX
DT 06-SEP-1999 (first entry)
XX
DE Humanised LM609 antibody VH domain.
XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Homo sapiens.
XX
PN Synthetic.
XX
FH
FT Key Location/Qualifiers
FT Peptide 1..2
FT Region /note= "vector-encoded residues"
FT Region 31..35
FT Region /note= "CDR1"
FT Region 50..66
FT Region /note= "CDR2"
FT Region 107..117
FT Region /note= "CDR3"
XX
PN WO9929888-A1.
XX
PD 17-JUN-1999.
XX
PF 04-DEC-1998; 98WO-US25828.
XX
PR 05-DEC-1997; 97US-0986016.
XX
PA (SCRI ) SCRIPPS RES INST.
XX
PI Barbas CF, Rader C;
XX
DR WPI; 1999-394979/33.
XX
PT Production of humanized mouse monoclonal antibodies
PS Disclosure; Page 52; 55pp; English.
XX
CC This sequence represents the heavy chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin

```

CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX
 SQ Sequence 117 AA;

Query Match 90.9%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.097;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSFA 9
 |||||
 DB 97 arhnygsfa 105

RESULT 13
 Y06384
 ID Y06384 standard; Protein; 118 AA.
 XX
 AC Y06384;
 XX
 DT 06-SEP-1999 (first entry)
 XX
 DE Humanised LM609 antibody VH domain.
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
Peptide	1..2
/note=	"vector-encoded residues"
Region	31..37
/note=	"CDR1"
Region	52..67
/note=	"CDR2"
Region	100..107
/note=	"CDR3"

WO9929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 PA (SCRI) SCRIPPS RES INST.
 XX
 PI Barbas CF, Rader C;
 XX
 DR WPI; 1999-394979/33.
 XX
 PT Production of humanized mouse monoclonal antibodies
 XX
 PS Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX
 SQ Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.098;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSFA 9
 |||||
 DB 98 arhnygsfa 106

RESULT 14
 Y06385
 ID Y06385 standard; Protein; 118 AA.
 XX
 AC Y06385;

DT 06-SEP-1999 (first entry)
 XX
 DE Humanised LM609 antibody VH domain.
 XX

KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.

Key	Location/Qualifiers
Peptide	1..2
/note=	"vector-encoded residues"
Region	31..37
/note=	"CDR1"
Region	52..67
/note=	"CDR2"
Region	100..107
/note=	"CDR3"

WO9929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 PA (SCRI) SCRIPPS RES INST.
 XX
 PI Barbas CF, Rader C;
 XX
 DR WPI; 1999-394979/33.
 XX
 PT Production of humanized mouse monoclonal antibodies
 XX
 PS Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.098;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

RESULT 15
 Y06386
 ID Y06386 standard; Protein; 118 AA.
 XX
 AC Y06386;
 XX
 DT 06-SEP-1999 (first entry)
 XX
 DE Humanised LM609 antibody VH domain.
 XX
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.
 XX

Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX
 PN WO9929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 PA (SCRI) SCRIPPS RES INST.
 XX
 PI Barbas CF, Rader C;
 XX
 DR WPI; 1999-394979/33.
 XX
 PT Production of humanized mouse monoclonal antibodies
 XX
 PS Disclosure; Page 51-52; 55pp; English.
 XX
 CC This sequence represents the heavy chain variable region of a
 CC humanised antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.098;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

Search completed: March 28, 2001, 06:59:48
 Job time: 1384 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:55 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-74

Perfect score: 55

Sequence: 1 ARHNYGSFAE 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA.*

- 1: /cgnl_7/ptodata/1/iaa/5A-COMB.pep.*
- 2: /cgnl_7/ptodata/1/iaa/5B-COMB.pep.*
- 3: /cgnl_7/ptodata/1/iaa/6-COMB.pep.*
- 4: /cgnl_7/ptodata/1/iaa/PCTUS-COMB.pep.*
- 5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	65.5	94	3	US-09-147-550-14
2	36	65.5	94	3	US-09-147-550-45
3	36	65.5	94	3	US-09-147-550-48
4	36	65.5	94	3	US-09-147-550-77
5	36	65.5	94	3	US-09-147-550-84
6	36	65.5	94	3	US-09-147-550-90
7	36	65.5	94	3	US-09-147-550-101
8	36	65.5	119	3	US-08-767-128-6
9	35	63.6	286	2	US-08-809-267-3
10	35	63.6	286	4	PCT-US95-13662A-3
11	35	63.6	287	2	US-08-741-437-5
12	35	63.6	287	2	US-09-134-593-5
13	32	58.2	15	1	US-08-618-464-7
14	32	58.2	15	3	US-09-107-615-7
15	32	58.2	25	2	US-08-480-190-44
16	32	58.2	25	2	US-08-488-379-44
17	32	58.2	25	4	PCT-US93-07545-44
18	32	58.2	36	1	US-08-053-131-84
19	32	58.2	36	1	US-08-645-641-84
20	32	58.2	36	1	US-07-853-408B-84
21	32	58.2	36	2	US-08-096-762-84
22	32	58.2	36	2	US-08-308-865-84
23	32	58.2	36	4	PCT-US92-10983-84
24	32	58.2	80	1	US-08-264-250A-1
25	32	58.2	89	1	US-08-025-038-30
26	32	58.2	89	1	US-08-039-137-17
27	32	58.2	90	2	US-08-485-133-23
28	32	58.2	94	3	US-09-147-550-12

RESULT 1
US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 80 RHNYGVF 86

RESULT 2

US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko

; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979

Sequence 13, Appl
Sequence 15, Appl
Sequence 16, Appl
Sequence 17, Appl
Sequence 18, Appl
Sequence 19, Appl
Sequence 20, Appl
Sequence 21, Appl
Sequence 22, Appl
Sequence 24, Appl
Sequence 25, Appl
Sequence 26, Appl
Sequence 27, Appl
Sequence 28, Appl
Sequence 29, Appl
Sequence 30, Appl
Sequence 31, Appl

ALIGNMENTS

US-09-147-550-14
3 58.2 94 3 US-09-147-550-13
32 58.2 94 3 US-09-147-550-15
32 58.2 94 3 US-09-147-550-16
32 58.2 94 3 US-09-147-550-17
32 58.2 94 3 US-09-147-550-18
32 58.2 94 3 US-09-147-550-19
32 58.2 94 3 US-09-147-550-20
32 58.2 94 3 US-09-147-550-21
32 58.2 94 3 US-09-147-550-22
32 58.2 94 3 US-09-147-550-24
32 58.2 94 3 US-09-147-550-25
32 58.2 94 3 US-09-147-550-26
32 58.2 94 3 US-09-147-550-27
32 58.2 94 3 US-09-147-550-28
32 58.2 94 3 US-09-147-550-29
32 58.2 94 3 US-09-147-550-30
32 58.2 94 3 US-09-147-550-31

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1997-07-17
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1997-07-17
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

ORGANISM: BOVINE
US-09-147-550-90

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 80 RHNYGVF 86

RESULT 7

US-09-147-550-101
Sequence 101, Application US/09147550
Patent No. 6090540
GENERAL INFORMATION:
APPLICANT: Alda, Yoko
TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
CURRENT APPLICATION NUMBER: US/09/147,550
CURRENT FILING DATE: 1999-04-23
EARLIER APPLICATION NUMBER: PCT/JP97/02485
EARLIER FILING DATE: 1997-07-17
EARLIER APPLICATION NUMBER: JP 8-190933
EARLIER FILING DATE: 1996-07-19
EARLIER APPLICATION NUMBER: JP 9-77979
EARLIER FILING DATE: 1997-03-28
NUMBER OF SEQ ID NOS: 115
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO: 101
LENGTH: 94
TYPE: PRT
ORGANISM: BOVINE
US-09-147-550-101

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 9.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 80 RHNYGVF 86

RESULT 8

US-08-767-128-6
Sequence 6, Application US/08767128
Patent No. 6111079
GENERAL INFORMATION:
APPLICANT: WYLIE, DWANE E.
APPLICANT: LOPEZ, OSVALDO
APPLICANT: MURRAY, PETER JOSEPH
APPLICANT: GOEBEL, PETER
TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
TITLE OF INVENTION: NUCLEOTIDES CODING THEREFORE
NUMBER OF SEQUENCES: 46
CORRESPONDENCE ADDRESSES:
ADDRESSEE: Merchant, Gould, Smith, Edell, Welter & Schmidt
STREET: 3100 No. 6111079 West Center, 90 South Seventh St
CITY: Minneapolis
STATE: MN
COUNTRY: USA
ZIP: 55402
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: - FastSeq Version 1.5
CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/767,128
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE: 04-DEC-1996
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US96/09258
FILING DATE: 05-JUN-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/541,373
FILING DATE: 10-OCT-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/462,798
FILING DATE: 05-JUN-1995
ATTORNEY/AGENT INFORMATION:
NAME: Carter, Charles G.
REGISTRATION NUMBER: 35,093
REFERENCE/DOCKET NUMBER: 8648.49USF1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 612/371-5278
TELEFAX: 612/332-9081
TELEX:
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 119 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: internal
ORIGINAL SOURCE:
US-08-767-128-6

Query Match 65.5%; Score 36; DB 3; Length 119;
Best Local Similarity 66.7%; Pred. No. 12;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
DB 97 ARHNYGYA 105

RESULT 9

US-08-809-267-3
Sequence 3, Application US/08809267
Patent No. 5861296
GENERAL INFORMATION:
APPLICANT: LENNOX, Tricia L.
APPLICANT: SLATKO, Barton E.
APPLICANT: SEARS, Lauren E.
TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
TITLE OF INVENTION: LITORALIS
NUMBER OF SEQUENCES: 28
CORRESPONDENCE ADDRESSES:
ADDRESSEE: NEW ENGLAND BIOLABS, INC.
STREET: 32 TOZER ROAD
CITY: BEVERLY
STATE: MASSACHUSETTS
COUNTRY: USA
ZIP: 01915
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/809,267

```
; FILING DATE: 12-MAR-1997
; CLASSIFICATION: 433
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662
; FILING DATE:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; US-08-809-267-3

Query Match 63.6%; Score 35; DB 2; Length 286;
Best Local Similarity 62.5%; Pred. No. 43;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAE 10
Db 91 HNYGAFFQ 98

RESULT 10
PCT-US95-13662A-3
; Sequence 3, Application PC/TUS9513662A
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
```

```
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; PCT-US95-13662A-3

Query Match 63.6%; Score 35; DB 4; Length 286;
Best Local Similarity 62.5%; Pred. No. 43;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAE 10
Db 91 HNYGAFFQ 98

RESULT 11
US-08-741-437-5
; Sequence 5, Application US/08741437
; Patent No. 5843665
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/741.437
; FILING DATE: Filed Herewith
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
; US-08-741-437-5

Query Match 63.6%; Score 35; DB 2; Length 287;
Best Local Similarity 62.5%; Pred. No. 43;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAE 10
Db 92 HNYGAFFQ 99

RESULT 12
```

US-09-134-593-5
; Sequence 5, Application US/09134593
; Patent No. 5981232
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/134,593
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
US-09-134-593-5

Query Match 63.68; Score 35; DB 2; Length 287;
Best Local Similarity 62.5%; Pred. No. 43;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGFAE 10
Db 92 HNYGAFPQ 99

RESULT 13
US-08-618-464-7
; Sequence 7, Application US/08618464
; Patent No. 5773570
; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.
; APPLICANT: ALBANI, SALVATORE
; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN
; IMMUNE PROTECTION AGAINST ARTHRITIS
; TITLE OF INVENTION: INDUCING
; TITLE OF INVENTION: INVOLVED IN
; TITLE OF INVENTION: THE PATHOGENESIS OF RHEUMATOID ARTHRITIS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CALIFORNIA
; COUNTRY: US

; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464
; FILING DATE:

; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: HOWELLS, STACY L.
; REGISTRATION NUMBER: 34,842
; REFERENCE/DOCKET NUMBER: 07340/042001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099

; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 15 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; CLONE: S1
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..15
US-08-618-464-7

Query Match 58.2%; Score 32; DB 1; Length 15;
Best Local Similarity 100.0%; Pred. No. 7.9;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 11 RHNYG 15

RESULT 14
US-09-107-615-7
; Sequence 7, Application US/09107615
; Patent No. 6153200
; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.
; APPLICANT: ALBANI, SALVATORE
; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN
; INDUCING IMMUNE PROTECTION AGAINST
; TITLE OF INVENTION: ARTHRITIS
; TITLE OF INVENTION: THE PATHOGENESIS OF RHEUMATOID ARTHRITIS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CALIFORNIA
; COUNTRY: US

; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,615
; FILING DATE:

; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:

; NAME: HOWELLS, STACY L.
; REGISTRATION NUMBER: 34,842
; REFERENCE/DOCKET NUMBER: 07340/042001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 15 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; CLONE: S1
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..15
; US-09-107-615-7

Query Match 58.2%; Score 32; DB 3; Length 15;
Best Local Similarity 100.0%; Pred. No. 7.9;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 11 RHNYG 15

RESULT 15
US-08-480-190-44
; Sequence 44, Application US/08480190
; Patent No. 5827516
; GENERAL INFORMATION:
; APPLICANT: Robert G. Urban
; APPLICANT: Roman M. Chicz
; APPLICANT: Dario A. A. Vignali
; APPLICANT: Mary L. Hedley
; APPLICANT: Lawrence J. Stern
; APPLICANT: Jack L. Strominger
; TITLE OF INVENTION: IMMUNOMODULATORY PEPTIDES
; NUMBER OF SEQUENCES: 274
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: Massachusetts
; COUNTRY: U.S.A.
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
; COMPUTER: IBM PS/2 Model 502 or 55SX
; OPERATING SYSTEM: MS-DOS (Version 5.0)
; SOFTWARE: Wordperfect (Version 5.1)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/480,190
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/077,255
; FILING DATE: June 15, 1993
; APPLICATION NUMBER: 07/925,460
; FILING DATE: August 11, 1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Clark, Paul T.
; REGISTRATION NUMBER: 30,162
; REFERENCE/DOCKET NUMBER: 00246/168001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 542-5070
; TELEFAX: (617) 542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 44:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 25
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; US-08-480-190-44

Query Match 58.2%; Score 32; DB 2; Length 25;
Best Local Similarity 100.0%; Pred. No. 13;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 15 RHNYG 19

Search completed: March 28, 2001, 07:01:55
Job time: 1334 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:24 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-76

Perfect score: 55

Sequence: 1 ARHNYGSFAM 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	70.9	446	2 T19625	hypothetical prote
2	37	67.3	430	2 C81402	probable integral
3	36	65.5	82	2 T51106	Major Histocompat
4	36	65.5	89	2 S38688	MHC class II histo
5	36	65.5	89	2 S38683	MHC class II histo
6	36	65.5	89	2 S38684	MHC class II histo
7	36	65.5	225	2 T47095	MHC class II OVAR-
8	35	63.6	347	2 S43771	phosphatidylcholin
9	35	63.6	383	2 S56179	secreted glycoprot
10	35	63.6	473	2 D70405	glutamate--tRNA li
11	34	61.8	108	2 S26316	Ig heavy chain V r
12	34	61.8	110	2 S26317	Ig heavy chain V r
13	34	61.8	210	1 B69265	conserved hypothet
14	34	61.8	220	2 T46055	hypothetical prote
15	34	61.8	275	2 G75130	translation initia
16	34	61.8	287	2 D71087	probable translati
17	34	61.8	287	1 PWB3	inorganic pyrophos
18	34	61.8	287	1 PWBKL	inorganic pyrophos
19	34	61.8	321	1 S58614	cytochrome c-type
20	34	61.8	321	1 JQ0288	cytochrome c-type
21	34	61.8	628	1 A56707	protein-tyrosine k
22	34	61.8	682	2 S30995	gene 50 protein -
23	34	61.8	723	2 F83173	outer membrane pro
24	33	60.0	80	2 I54469	MHC HLA-DR-beta-1
25	33	60.0	80	2 I54469	MHC HLA-DR-beta-1
26	33	60.0	81	2 I54550	HLA DRB1*1202 - hu
27	33	60.0	85	2 I59634	MHC class II DR-be
28	33	60.0	89	2 S38676	MHC class II histo
29	33	60.0	89	2 S38680	MHC class II histo

30	33	60.0	89	2 S57512	MHC class II histo
31	33	60.0	123	2 C25239	hypothetical prote
32	33	60.0	167	2 T16454	class II histocomp
33	33	60.0	200	2 D32526	class II histocomp
34	33	60.0	237	2 C27060	gene HLA-DRB1 prot
35	33	60.0	266	2 I54287	class II histocomp
36	33	60.0	266	2 A27618	lymphocyte antigen
37	33	60.0	266	2 I54295	hypothetical prote
38	33	60.0	279	2 T03421	Fcma-related prote
39	33	60.0	405	2 D73441	nucleocapsid prote
40	33	60.0	448	1 A60003	glutamate--tRNA li
41	33	60.0	470	2 H71667	hypothetical prote
42	33	60.0	548	2 T25424	ferredoxin--nitrit
43	33	60.0	582	1 S51945	ferredoxin--nitrit
44	33	60.0	583	1 S20495	ferredoxin--nitrit
45	33	60.0	594	1 S16603	ferredoxin--nitrit

ALIGNMENTS

RESULT 1

T19625

hypothetical protein C31H5.6 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000

C:Accession: T19625

R:Kershaw, J.

submitted to the EMBL Data Library, April 1997

A:Reference number: Z19153

A:Accession: T19625

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-446 <WIL>

A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6

A:Experimental source: clone C31H5

C:Genetics:

A:Map position: 1

A:Gene: CESP:C31H5.6

A:Introns: 49/2; 85/1; 120/2; 183/3; 218/3; 255/3; 285/2; 331/3; 360/3

C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 70.9%; Score 39; DB 2; Length 446;
Best Local Similarity 87.5%; Pred. No. 6.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9

Db 51 RHNYGSHA 58

RESULT 2

C81402

probable integral membrane protein Cj0555 [Imported] - Campylobacter jejuni (strain N

C:Species: Campylobacter jejuni

C>Date: 31-Mar-2000 #sequence_revision 31-Mar-2000 #text_change 31-Mar-2000

C:Accession: C81402

R:Parkhill, J.; Wren, B.W.; Mungall, K.; Ketley, J.M.; Churcher, C.; Basham, D.; Chlil

C.W.; Quail, M.; Rajandream, M.A.; Rutherford, K.M.; VanVliet, A.; Whitehead, S.; Ba

Nature 403, 665-668, 2000

A:Title: The genome sequence of the food-borne pathogen Campylobacter jejuni reveals

A:Reference number: AB1250; MUID:20150912

A:Accession: C81402

A>Status: preliminary

A:Molecule type: DNA

A:Residues: 1-430 <PAR>

A:Cross-references: GB:AL139075; GB:AL111168; MID:g6967817; PIDN:CAB75191.1; PID:g696

A:Experimental source: serotype O2, strain NCTC 11168

C:Genetics:

A:Gene: Cj0555

Query Match 67.3%; Score 37; DB 2; Length 430;
 Best Local Similarity 77.8%; Pred. No. 15;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAM 10
 |||||
 Db 22 RHNYGIFAM 30

RESULT 3

IS1106

Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)
 C:Species: Phasianus colchicus (ring-necked pheasant)
 C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999
 C:Accession: IS1106
 R:Witzell, H.; von Schantz, T.; Zorob, R.; Auffray, C.
 Immunogenetics 39, 395-403, 1994
 A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-necked pheasant
 A:Reference number: IS1103; MUID:94245280
 A:Accession: IS1106
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: DNA
 A:Residues: 1-82 <FIG>
 A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 82;
 Best Local Similarity 85.7%; Pred. No. 4;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 4

S38688

MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38688
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library, November 1993
 A:Reference number: S38676
 A:Accession: S38688
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:227158
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 4.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 5

S38683

MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38683
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library, November 1993
 A:Reference number: S38676
 A:Accession: S38683

A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:227153
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 4.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 6

S38684

MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38684
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library, November 1993
 A:Reference number: S38676
 A:Accession: S38684
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:227154
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 65.5%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 4.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 7

I47095

MHC class II OVAR-DR-beta-3 - sheep (fragment)
 C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
 C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000
 C:Accession: I47095
 R:Fabb, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.
 Anim. Genet. 24, 249-255, 1993
 A:Title: Isolation, characterization and evolution of ovine major histocompatibility complex class II genes
 A:Reference number: I47075; MUID:94057592
 A:Accession: I47095
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-225 <FAB>
 A:Cross-references: GB:L04790; NID:g458880; PIDN:AAA16562.1; PID:g458881
 C:Genetics:
 A:Gene: OVAR-DRB3
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology
 F:98-163/Domain: immunoglobulin homology <IMM>

Query Match 65.5%; Score 36; DB 2; Length 225;
 Best Local Similarity 85.7%; Pred. No. 12;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 68 RHNYGVF 74

RESULT 8

S43771

phosphatidylcholine desaturase (EC 1.3.1.35) - *Synechococcus* sp. (strain PCC 7002)
 N:Alternate names: Delta-12 desaturase; fatty acid desaturase (EC 1.14.99.-) [misidentified]
 C:Species: *Synechococcus* sp.

A:Variety: PCC 7002
 C:Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 20-Jun-2000
 C:Accession: S43771
 R:Sakamoto, T.; Wada, H.; Nishida, I.; Ohmori, M.; Murata, N.
 Plant Mol. Biol. 24, 643-650, 1994
 A:Title: Identification of conserved domains in the Delta-12 desaturases of cyanobacteria
 A:Reference number: S43770; MUID:94207189
 A:Accession: S43771
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-347 <SAK>
 A:Cross-references: GB:D13779; NID:g488510; PIDN:BA02922.1; PID:g488511
 C:Superfamily: omega-3 fatty acid desaturase
 C:Keywords: oxidoreductase

Query Match 63.6%; Score 35; DB 2; Length 347;
 Best Local Similarity 77.8%; Pred. No. 29;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 334 ARHNWISFA 342

RESULT 9

S56179
 secreted glycoprotein EP4, 47K, precursor - carrot (fragment)
 C:Species: *Daucus carota* (carrot)
 C:Date: 27-Oct-1995 #sequence_revision 26-Jul-1996 #text_change 21-Jul-2000
 C:Accession: S56179; S56180
 R:v an Engelen, F.A.; de Jong, A.J.; Meijer, E.A.; Kuil, C.W.; Meyboom, J.K.; Dirkse, W.G.
 Plant Mol. Biol. 27, 901-910, 1995
 A:Title: Purification, immunological characterization and cDNA cloning of a 47 kDa glycoprotein
 A:Reference number: S56179; MUID:95284347
 A:Accession: S56179
 A:Status: nucleic acid sequence not shown
 A:Molecule type: mRNA

A:Residues: 1-383 <VAN>
 A:Cross-references: EMBL:L36956; NID:g886222; PIDN:AAA98926.1; PID:g886223
 A:Accession: S56180
 A:Molecule type: protein
 A:Residues: 121-133; 272-276; 281-284 <VAM>
 C:Superfamily: myrosinase-associated protein MyAP
 C:Keywords: glycoprotein
 F:1-15/Domain: signal sequence (fragment) #status predicted <SIG>
 F:16-383/Product: secreted glycoprotein EP4, 47K #status predicted <MAT>

Query Match 63.6%; Score 35; DB 2; Length 383;
 Best Local Similarity 55.6%; Pred. No. 32;
 Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYSFAM 10
 |||||
 Db 305 RYNYGEFSL 313

RESULT 10

D70405
 glutamate--tRNA ligase (EC 6.1.1.17) - *Aquifex aeolicus*
 C:Species: *Aquifex aeolicus*
 C:Date: 08-May-1998 #sequence_revision 08-May-1998 #text_change 21-Jan-2000
 C:Accession: D70405
 R:Deckert, G.; Warren, P.V.; Gaasterland, T.; Young, W.G.; Lenox, A.L.; Graham, D.E.; Ovi-

Nature 392, 353-358, 1998
 A:Title: The complete genome of the hyperthermophilic bacterium *Aquifex aeolicus*.
 A:Reference number: A70300; MUID:98196666
 A:Accession: D70405

A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-473 <AQF>
 A:Cross-references: GB:AE000729; NID:g2983659; PIDN:AAC07230.1; PID:g2983664; GB:AE00
 A:Experimental source: strain VF5
 C:Genetics:

A:Gene: gltX
 C:Superfamily: glutamate--tRNA ligase; glutamine--tRNA ligase homology
 C:Keywords: aminoacyl-tRNA synthetase; ligase; protein biosynthesis
 F:4-276/Domain: glutamine--tRNA ligase homology <EGL>

Query Match 63.6%; Score 35; DB 2; Length 473;
 Best Local Similarity 60.0%; Pred. No. 39;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAM 10
 |||||
 Db 31 ARHNGGFVL 40

RESULT 11

S26316
 Ig heavy chain V region - mouse
 C:Species: *Mus musculus* (house mouse)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
 C:Accession: S26316
 R:Stark, S.E.; Caton, A.J.
 J. Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protein
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26316
 A:Status: preliminary
 A:Molecule type: mRNA

A:Residues: 1-108 <STA>
 A:Cross-references: EMBL:X59190; NID:g52066; PIDN:CAA41900.1; PID:g1334035
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotrimer; immunoglobulin
 F:2-85/Domain: immunoglobulin homology <IMM>

Query Match 61.8%; Score 34; DB 2; Length 108;
 Best Local Similarity 66.7%; Pred. No. 14;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 84 ARNGYNTA 92

RESULT 12

S26317
 Ig heavy chain V region - mouse (fragment)
 C:Species: *Mus musculus* (house mouse)
 C:Date: 19-Mar-1998 #sequence_revision 19-Mar-1998 #text_change 21-Jan-2000
 C:Accession: S26317

R:Stark, S.E.; Caton, A.J.
 J. Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protein
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26317

A:Molecule type: mRNA
 A:Residues: 1-110 <STA>
 A:Cross-references: EMBL:X59186
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotrimer; immunoglobulin
 F:4-87/Domain: immunoglobulin homology <IMM>

Query Match 61.8%; Score 34; DB 2; Length 110;
 Best Local Similarity 66.7%; Pred. No. 14;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNYGSFA 9
 || |||||
 Db 86 ARNGYNYA 94

RESULT 13

B69265

conserved hypothetical protein AF0122 - Archaeoglobus fulgidus
 C:Species: Archaeoglobus fulgidus
 C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000
 C:Accession: B69265
 R:Klenk, H.P.; Clayton, R.A.; Tomb, J.F.; White, O.; Nelson, K.E.; Ketchum, K.A.; Dodson
 :; Fleischmann, R.D.; Quackenbush, J.; Lee, N.H.; Sutton, G.G.; Gill, S.; Kirkness, E.F.
 Glodek, A.; Zhou, L.; Overbeek, R.; Gocayne, J.D.; Weidman, J.F.; McDonald, L.
 Nature 390, 364-370, 1997
 A:Authors: Utterback, T.; Cotton, M.D.; Spriggs, T.; Artach, P.; Kaine, B.P.; Sykes, S.
 Smith, H.O.; Woese, C.R.; Venter, J.C.
 A:Title: The complete genome sequence of the hyperthermophilic, sulfate-reducing archaeo
 A:Reference number: A69250; MUID:98049343
 A:Accession: B69265
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-210 <KLE>
 C:Cross-references: GB:AE001098; GB:AE000782; NID:g2689421; PIDN:AAB91117.1; PID:g265053
 C:Superfamily: conserved hypothetical protein AF0119

Query Match 61.8%; Score 34; DB 1; Length 210;
 Best Local Similarity 85.7%; Pred. No. 27;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 || |||||
 Db 128 RHAYGSF 134

RESULT 14

T46055

hypothetical protein T16K5.240 - Arabidopsis thaliana
 C:Species: Arabidopsis thaliana (mouse-ear cress)
 C:Date: 04-Feb-2000 #sequence_revision 04-Feb-2000 #text_change 04-Feb-2000
 C:Accession: T46055
 R:Rieger, M.; Gabel, C.; Mueller-Auer, S.; Schaefer, M.; Zipp, M.; Mewes, H.W.; Lemcke,
 submitted to the Protein Sequence Database, January 2000
 A:Reference number: Z23015
 A:Accession: T46055
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-220 <RIE>
 A:Cross-references: EMBL:AL132965
 A:Experimental source: cultivar Columbia; BAC clone T16K5
 C:Genetics:
 A:Map position: 3
 A:Introns: 64/3; 113/1; 136/3; 208/3
 A:Note: T16K5.240

Query Match 61.8%; Score 34; DB 2; Length 220;
 Best Local Similarity 62.5%; Pred. No. 29;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFAM 10
 |||||
 Db 46 HNYGDFRL 53

RESULT 15

G75130

translation initiation factor aif-2, subunit alpha (aif2a) PAB0568 - Pyrococcus abyssi
 C:Species: Pyrococcus abyssi
 C:Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000
 C:Accession: G75130
 R:anonymous, Genoscope

submitted to the EMBL Data Library, July 1999

A:Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome s
 A:Reference number: A75001
 A:Accession: G75130
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-275 <KAW>
 A:Cross-references: GB:AJ248285; GB:AL096836; NID:g5458067; PIDN:CAB49760.1; PID:g545
 A:Experimental source: strain Orsay
 C:Genetics:
 A:Gene: aif2A; PAB0568
 C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 61.8%; Score 34; DB 2; Length 275;
 Best Local Similarity 83.3%; Pred. No. 36;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 |||||
 Db 23 HNYGAF 28

Search completed: March 28, 2001, 07:04:24
 Job time: 1062 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:03 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-76

Perfect score: 55

Sequence: 1 ARHNGSFAM 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. Is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query	Match	Length	DB	ID	Description
1	35	63.6	473	1	SVE_AQUAE	067271	aquifex aeo
2	34	61.8	275	1	IF2A_PYRAB	Q9V0E4	pyrococcus
3	34	61.8	275	1	IF2A_PYRHO	OS8655	pyrococcus
4	34	61.8	284	1	IPYR_PICPA	OI3505	pichia past
5	34	61.8	286	1	IPYR_KLJUA	P13998	kluyveromyc
6	34	61.8	286	1	IPYR_YEAST	P00817	saccharomyc
7	34	61.8	321	1	CCSA_MAIZE	P46559	zea mays (m
8	34	61.8	321	1	CCSA_ORYSA	P12215	oryza sativ
9	34	61.8	629	1	KSXK_RAT	Q64725	rattus norv
10	34	61.8	682	1	VG50_BPML5	Q05262	mycobacteri
11	33	60.0	448	1	NCAP_CVHOC	P33469	human coron
12	33	60.0	470	1	SVE2_RICPR	Q92CT8	rickettsia
13	33	60.0	583	1	NIR_BETVE	P38500	betula verr
14	33	60.0	594	1	NIR_SPIOL	P05314	spinacia ol
15	32	58.2	65	1	CCSA_OERBE	P31565	oenothera b
16	32	58.2	65	1	CCSA_PEA	P31172	pisum sativ
17	32	58.2	196	1	WBBJ_ECOLI	P37750	escherichia
18	32	58.2	197	1	V61A_METJA	P81310	methanococ
19	32	58.2	198	1	HB2C_HUMAN	P01911	homo sapien
20	32	58.2	266	1	HB2A_HUMAN	P01913	homo sapien
21	32	58.2	266	1	HB2B_HUMAN	P01912	homo sapien
22	32	58.2	266	1	HB2C_HUMAN	P01914	homo sapien
23	32	58.2	266	1	HB2D_CANFA	P18470	canis famil
24	32	58.2	266	1	HB2D_HUMAN	P13759	homo sapien
25	32	58.2	266	1	HB2E_HUMAN	P04229	homo sapien
26	32	58.2	266	1	HB2F_HUMAN	P13758	homo sapien
27	32	58.2	266	1	HB2H_HUMAN	P13758	homo sapien
28	32	58.2	266	1	HB2I_HUMAN	P20039	homo sapien
29	32	58.2	266	1	HB2J_HUMAN	P13761	homo sapien
30	32	58.2	313	1	CCSA_TORAC	P12216	nicotiana t
31	32	58.2	328	1	CCSA_ARATH	P56770	arabidopsis
32	32	58.2	349	1	VJY9_YEAST	P41903	saccharomyc
33	32	58.2	469	1	Y0J8_CAEBL	P34631	caenorhabdi

34	32	58.2	480	1	SVE_HAEIN	P43818	haemophilus
35	32	58.2	528	1	PRIZ_YEAST	P20457	saccharomyc
36	32	58.2	569	1	NIR_MAIZE	P17847	zea mays (m
37	32	58.2	649	1	GPDM_SCHPO	O14400	schizosacch
38	32	58.2	1267	1	VL3_REOVD	P17378	reovirus (t
39	32	58.2	1267	1	VL3_REOVL	P17376	reovirus (t
40	31	56.4	98	1	VG7_BP2H2	P13848	bacterioph
41	31	56.4	98	1	VG7_BP2H2	P07553	bacterioph
42	31	56.4	201	1	PRCG_HUMAN	P49721	homo sapien
43	31	56.4	201	1	PRCG_MOUSE	Q9R1P3	mus musculu
44	31	56.4	201	1	PRCG_RAT	P40307	rattus norv
45	31	56.4	311	1	LECI_HUMAN	P07307	homo sapien

ALIGNMENTS

RESULT 1

SYE_AQUAE
ID SYE_AQUAE STANDARD; PRT; 473 AA.
AC 067271;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)
DE (GLURS).
GN GLTX OR AQ_1221.
OS Aquifex aeolicus.
OC Bacteria; Aquificales; Aquificaceae; Aquifex.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=VF5;
RX MEDLINE; 98196666.
RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
RA Graham D.E., Overbeek R., Snead M.A., Keller M., Aujay M., Huber R.,
RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
RT "The complete genome of the hyperthermophilic bacterium Aquifex
RT aeolicus";
RL Nature 392:353-358(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
CC -!- PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AF000729; AAC07230.1; -
CC INTERPRO; IPR000924; -
CC INTERPRO; IPR001412; -
CC PFAM; PF00749; TRNA-synt_lc; 1.
CC PRINTS; PR00987; TRNASYNTHGLU.
CC PROSITE; PS00178; AA-TRNA_LIGASE_I; 1.
CC Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
CC SIMILAR 10 20 "HIGH" REGION.
CC SIMILAR 242 246 "KMSKS" REGION.
CC BINDING 245 245 ATP (BY SIMILARITY).
CC SEQUENCE 473 AA; 55121 MW; 5CB4D1590973E07A CRC64;

Query Match 63.6%; Score 35; DB 1; Length 473;

Best Local Similarity 60.0%; Pred. No. 13;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNGSFAM 10

|||||

DB 31 ARHNGGFVL 40

```

RESULT 2
ID IF2A_PVRAB STANDARD; PRT; 275 AA.
AC Q3V0E4;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PAB0568.
OS Pyrococcus abyssi.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ORSAY;
RA Heilig R.;
RT 'Pyrococcus abyssi genome sequence: insights into archaeal chromosome
structure and evolution.';
RL Submitted (JUL-1999), to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
(BY SIMILARITY).
CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CHAIN (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -1- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL: AJ248285; CAB49760.1;
DR INTERPRO: IPR003029;
DR PFAM: PF00575; SI; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 SI MOTIF.
SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;

```

```

Query Match 61.8%; Score 34; DB 1; Length 275;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 3 HNYGSF 8
| | | | |
DB 23 HNYGAF 28

```

```

RESULT 3
ID IF2A_PVRHO STANDARD; PRT; 275 AA.
AC Q58655;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PH0961.
OS Pyrococcus horikoshii.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=OT3;
RX MEDLINE: 98344137.
RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
Funahashi T., Tanaka T., Kudoh Y., Yamazaki J., Kushida N., Oguchi A.,
Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,

```

```

RA Masuchi Y., Shizuya H., Kikuchi H.;
RT "Complete sequence and gene organization of the genome of a hyper-
thermophilic archaeobacterium, Pyrococcus horikoshii OT3.";
RL DNA Res. 5:55-76(1998).
CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
(BY SIMILARITY).
CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CHAIN (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -1- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL: AP000004; BAA30058.1;
DR INTERPRO: IPR003029;
DR PFAM: PF00575; SI; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 SI MOTIF.
SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FFB436 CRC64;

```

```

Query Match 61.8%; Score 34; DB 1; Length 275;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 3 HNYGSF 8
| | | | |
DB 23 HNYGAF 28

```

```

RESULT 4
ID IPYR_PICPA STANDARD; PRT; 284 AA.
AC O13505;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
HYDROLASE) (PPASE).
GN IPP1.
OS Pichia pastoris (Yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Pichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NRRL Y-11430;
RX MEDLINE: 99034033.
RA Cosano I.C., Alvarez P., Molina M., Nombela C.;
RT "Cloning and sequence analysis of the Pichia pastoris TRP1, IPP1 and
HIS3 genes.";
RL Yeast 14:861-867(1998).
CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
CC -1- COPACITOR: CONFERS THE HIGHEST ACTIVITY.
CC -1- SUBUNIT: HOMODIMER (BY SIMILARITY).
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----

```

DR EMBL: AJ001000; CAA04453.1; -.
 DR HSP: P00817; 1WG1.
 DR INTERPRO: IPR001596; -.
 DR PRAM: PF00719; Pyrophosphatase; 1.
 DR PROSITE: PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 FT INIT_MET 0
 FT ACT_SITE 56 56 BY SIMILARITY.
 FT BINDING 78 78 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SO SEQUENCE 284 AA; 31937 MW; 3DAD27970D775D6 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 284;
 Best Local Similarity 83.3%; Pred. No. 12;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 3 HNYGSF 8
 Db 91 HNYGAF 96

RESULT 5
 ID IPYR_KLULA STANDARD; PRT; 286 AA.
 AC P13998:
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DE 01-OCT-1994 (Rel. 30, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPP1 OR IPP.
 OS Kluveromyces lactis (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Kluveromyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89189093.
 RA Stark M.J.R., Milner J.S.;
 RT "Cloning and analysis of the Kluveromyces lactis TRP1 gene: a
 RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
 RT and histone H3.";
 RL Yeast 5:35-50(1989).
 RN [2]
 RP SIMILARITY TO E. COLI AND YEAST PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and E. coli
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O -> 2 ORTHOPHOSPHATE.
 CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -1- SUBUNIT: HOMODIMER.
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: X14230; CAA32446.1; -.
 DR PIR: S07894; PWVKL.
 DR HSP: P00817; 1WG1.
 DR INTERPRO: IPR001596; -.
 DR PRAM: PF00719; Pyrophosphatase; 1.
 DR PROSITE: PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.

FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SO SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;

Query Match 61.8%; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 12;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 3 HNYGSF 8
 Db 91 HNYGAF 96

RESULT 6
 ID IPYR_YEAST STANDARD; PRT; 286 AA.
 AC P00817:
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPP1 OR PPA1 OR PPA OR YBR011C OR YBR0202.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX STRAIN=X2180;
 RX MEDLINE; 89083474.
 RA Kolakowski L.F. Jr., Schloesser M., Cooperman B.S.;
 RT "Cloning, molecular characterization and chromosome localization of
 RT the inorganic pyrophosphatase (PPA) gene from S. cerevisiae.";
 RL Nucleic Acids Res. 16:10441-10452(1988).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX STRAIN=S288C;
 RA Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,
 RA Baur A., Boles E., Miosga T., Schaaff-Gerstenschlaeger I.,
 RA Zimmermann F.K.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE.
 RX MEDLINE; 78087552.
 RA Cohen S.A., Sterner R., Keim P.S., Heinrichson R.L.;
 RT "Covalent structural analysis of yeast inorganic pyrophosphatase.";
 RL J. Biol. Chem. 253:889-897(1978).
 RN [4]
 RP SEQUENCE OF 25-35 AND 239-251.
 RX STRAIN=S288C;
 RX MEDLINE; 95203288.
 RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 RT database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 239-249.
 RX STRAIN=ATCC 38531 / Y41;
 RX MEDLINE; 97089742.
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 RT Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACTIVE SITE.
 RX MEDLINE; 80109718.
 RA Bond M.W., Chiu N.Y., Cooperman B.S.;
 RT "Identification of an arginine important for enzymatic activity
 RT within the covalent structure of yeast inorganic pyrophosphatase.";
 RL Biochemistry 19:94-102(1980).
 RN [7]

RP X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).
RA Arutunian E.G., Terzian S.S., Voronova A.A., Kuranova I.P.,
RA Smirnova E.A., Vainstein B.K., Hohne W.E., Hansen G.;
RT "X-ray diffraction study of inorganic pyrophosphatase from baker's
RT yeast at the 3-A resolution.";
RL Dokl. Akad. Nauk SSSR 258:1481-1492(1981).
RN [8]
RN X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
RX MEDLINE; 97148342.
RA Heikinheimo P., Lehtonen J., Baykov A., Lahti R., Cooperman B.S.,
RA Goldman A.;
RT "The structural basis for pyrophosphatase catalysis.";
RL Structure 4:1491-1508(1996).
RN [9]
RN X-RAY CRYSTALLOGRAPHY (2.1 ANGSTROMS).
RA Swaminathan K., Cooperman B.S., Lahti R., Voet D.;
RL Submitted (DEC-1997) to the PDB data bank.
RN [10]
RN X-RAY CRYSTALLOGRAPHY (2.15 ANGSTROMS) OF MUTANTS LYS-78 AND LYS-117.
RX MEDLINE; 99096888.
RA Tuominen V., Heikinheimo P., Kajander T., Torkkel T., Hyytiä T.,
RA Kapyla J., Lahti R., Cooperman B.S., Goldman A.;
RT "The R78K and D117E active-site variants of Saccharomyces cerevisiae
RT soluble inorganic pyrophosphatase: structural studies and mechanistic
RT implications.";
RL J. Mol. Biol. 284:1565-1580(1998).
RN [11]
RN SIMILARITY TO E.COLI AND K.LACTIS PPASES.
RX MEDLINE; 90254161.
RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
RA Cooperman B.S.;
RT "Conservation of functional residues between yeast and E. coli
RT inorganic pyrophosphatases.";
RL Biochim. Biophys. Acta 1038:338-345(1990).
CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY. IT BINDS UP TO 4 DIVALENT
CC CATIONS PER SUBUNIT, WITH THREE REQUIRED FOR ACTIVITY.
CC -!- SUBUNIT: HOMODIMER.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X13253; CAA31629.1; -;
DR EMBL; Z35880; CAA84949.1; -;
DR PIR; S45864; PMBY.
DR PDB; 1PYP; 15-OCT-91.
DR PDB; 1YPP; 07-DEC-96.
DR PDB; 1WGI; 19-NOV-97.
DR PDB; 1WGI; 19-NOV-97.
DR PDB; 1WGI; 19-NOV-97.
DR PDB; 1HUI; 08-APR-98.
DR PDB; 1HUK; 08-APR-98.
DR PDB; 117E; 23-DEC-98.
DR PDB; 8PRK; 23-DEC-98.
DR SWISS-2DPAGE; P00817; YEAST.
DR YEPD; 7305; -;
DR SGD; S0000215; IPPI.
DR INTERPRO; IPR001596; -;
DR PFAM; PF00719; Pyrophosphatase; 1.
DR PROSITE; PS00387; PPASE; 1.
KW Hydrolase; Magnesium; 3D-structure.
FT INIT_MET 0
FT ACT_SITE 56 56 PROBABLE.
FT BINDING 78 78 INORGANIC PYROPHOSPHATE.
FT CONFLICT 40 40 N -> D (IN REF. 3).
FT CONFLICT 71 71 D -> N (IN REF. 3).

FT CONFLICT 74 74 MISSING (IN REF. 3).
FT CONFLICT 123 123 E -> Q (IN REF. 3).
FT CONFLICT 136 136 Q -> E (IN REF. 3).
FT CONFLICT 186 186 N -> D (IN REF. 3).
FT CONFLICT 224 224 D -> N (IN REF. 3).
FT CONFLICT 266 266 L -> P (IN REF. 2).
FT STRAND 4 7
FT STRAND 16 20
FT STRAND 25 25
FT STRAND 28 30
FT TURN 38 41
FT STRAND 45 45
FT STRAND 55 55
FT STRAND 79 79
FT TURN 97 98
FT TURN 111 112
FT STRAND 121 123
FT TURN 131 132
FT STRAND 135 135
FT STRAND 138 146
FT STRAND 151 158
FT TURN 160 161
FT TURN 165 167
FT HELIX 172 175
FT TURN 176 177
FT TURN 179 180
FT HELIX 182 197
FT STRAND 203 203
FT HELIX 205 207
FT STRAND 210 210
FT HELIX 212 230
FT TURN 231 231
FT TURN 245 246
FT TURN 248 249
FT TURN 251 252
FT TURN 255 260
FT TURN 274 275
SQ SEQUENCE 286 AA; 32184 MW; F29390260B60C8B2 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 286;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Dy 91 HNYGAF 96

RESULT 7

CCSA_MAIZE STANDARD; PRT; 321 AA.
AC P46659;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE CYTOCHROME C BIOGENESIS PROTEIN CCSA.
GN CCSA.
OS Zea mays (Maize).
OG Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; Liliopsida; Poales; Poaceae; Zea.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 95395841.
RA Maier R.M., Neckermann K., Igloi G.L., Koessel H.;
RT "Complete sequence of the maize chloroplast genome: gene content,
RT hotspots of divergence and fine tuning of genetic information by
RT transcript editing.";
RL J. Mol. Biol. 251:614-628(1995).
CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
CC HEME ATTACHMENT (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCL1/NRFE/CCSA FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X86563; CAA60348.1; -
 DR MAIZEDB; 118255; -
 DR INTERPRO; IPR002541; -
 DR PFAM; PF01578; CytC_asm; 1.
 KW Cytochrome c-type biogenesis; Chloroplast.
 SQ SEQUENCE 321 AA; 36693 MW; AF981BA4461A5D1B CRC64;
 CC -----
 CC Query Match 61.8%; Score 34; DB 1; Length 321;
 CC Best Local Similarity 62.5%; Pred. No. 14;
 CC Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 CC -----
 QY 3 HNYGSFAM 10
 Db 311 HSYGSFTL 318
 CC -----
 CC RESULT 8
 CC ID CCSA_ORYSA STANDARD; PRT; 321 AA.
 CC AC P12215;
 CC DT 01-OCT-1989 (Rel. 12, Created)
 CC DT 01-OCT-1989 (Rel. 12, Last sequence update)
 CC DT 01-NOV-1997 (Rel. 35, Last annotation update)
 CC DE CYTOCHROME C BIOGENESIS PROTEIN CCSA.
 CC GN CCSA.
 CC OS Oryza sativa (Rice).
 CC OG Chloroplast.
 CC OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 CC OC Magnoliophyta; Liliopsida; Poales; Poaceae; Oryza.
 CC RN [1]
 CC RP SEQUENCE FROM N.A.
 CC RC STRAIN=CV. NIPPONBARE;
 CC RA Sugura M.;
 CC RL Submitted (JUL-1989) to the EMBL/GenBank/DBJ databases.
 CC RN [2]
 CC RP COMPLETE GENOME.
 CC RX MEDLINE; 89364698.
 CC RA Hiratsuka J., Shimada H., Whittier R., Ishibashi T., Sakamoto M.,
 CC RA Mori M., Kondo C., Honji Y., Sun C.-R., Meng B.-Y., Li Y.-Q.,
 CC RA Kanno A., Nishizawa Y., Hirai A., Shinozaki K., Sugihara M.;
 CC RT "The complete sequence of the rice (*Oryza sativa*) chloroplast
 CC RT intermolecular recombination between distinct tRNA genes accounts for
 CC RT a major plastid DNA inversion during the evolution of the cereals.";
 CC RL Mol. Gen. Genet. 217:185-194(1989).
 CC CC -1- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
 CC HEME ATTACHMENT (BY SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCLL/NRFE/CCSA FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X15901; CAA33952.1; -
 DR PIR; JQ0288; JQ0288.
 DR INTERPRO; IPR002541; -
 DR PFAM; PF01578; CytC_asm; 1.
 KW Cytochrome c-type biogenesis; Chloroplast.
 SQ SEQUENCE 321 AA; 36702 MW; D959FE24A619B650 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 321;
 Best Local Similarity 62.5%; Pred. No. 14;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

 QY 3 HNYGSFAM 10
 Db 312 HSYGSFTL 319

 CC RESULT 9
 CC ID KSYK_RAT STANDARD; PRT; 629 AA.
 CC AC Q64725;
 CC DT 15-JUL-1998 (Rel. 36, Created)
 CC DT 15-JUL-1998 (Rel. 36, Last sequence update)
 CC DT 30-MAY-2000 (Rel. 39, Last annotation update)
 CC DE TYROSINE-PROTEIN KINASE SYK (EC 2.7.1.112) (SPLEEN TYROSINE KINASE).
 CC GN SYK.
 CC OS Rattus norvegicus (Rat).
 CC OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 CC RN [1]
 CC RP SEQUENCE FROM N.A.
 CC RX MEDLINE; 95279402.
 CC RA Rowley R.B., Bolen J.B., Fargnoli J.;
 CC RT "Molecular cloning of rodent p72Syk. Evidence of alternative mRNA
 CC RT splicing.";
 CC RL J. Biol. Chem. 270:12659-12664(1995).
 CC CC -1- FUNCTION: MAY PARTICIPATE IN SIGNALING PATHWAYS. PLAYS A ROLE IN
 CC LYMPHOCYTE ACTIVATION.
 CC -1- CATALYTIC ACTIVITY: ATP + A PROTEIN TYROSINE = ADP + PROTEIN
 CC TYROSINE PHOSPHATE.
 CC -1- ALTERNATIVE PRODUCTS: 2 ISOFORMS: SYKA AND SYKB (SHOWN HERE);
 CC ARE PRODUCED BY ALTERNATIVE SPLICING.
 CC -1- PTM: AUTOPHOSPHORYLATED (BY SIMILARITY).
 CC -1- SIMILARITY: CONTAINS 2 SH2 DOMAINS.
 CC -1- SIMILARITY: TO OTHER PROTEIN-TYROSINE KINASES IN THE CATALYTIC
 CC DOMAIN. BELONGS TO THE SYK/ZAP-70 SUBFAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U21684; AAA75167.1; -
 DR EMBL; U21683; AAA75166.1; -
 DR HSP; P43405; ICSV.
 DR INTERPRO; IPR000719; -
 DR INTERPRO; IPR000980; -
 DR INTERPRO; IPR001245; -
 DR PFAM; PF00017; SH2; 2.
 DR PFAM; PF00069; pkinase; 1.
 DR PRINTS; PR00401; SH2DOMAIN.
 DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
 DR PROSITE; PS00109; PROTEIN_KINASE_TYR; 1.
 DR PROSITE; PS50011; PROTEIN_KINASE_DOM; 1.
 DR PROSITE; PS50001; SH2; 2.
 KW Transferase; Tyrosine-protein kinase; ATP-binding; Phosphorylation;
 KW SH2 domain; Alternative splicing.
 FT DOMAIN 14 106
 FT SH2.
 FT DOMAIN 167 258
 FT SH2.
 FT DOMAIN 365 625
 FT NP_BIND 371 379
 FT BINDING 396 396
 FT ACT_SITE 488 488
 FT MOD_RES 519 519
 FT VARSPIC 277 299
 FT SEQUENCE 629 AA; 71528 MW; 81169A643EC6A6FE CRC64;

Query Match 61.8%; Score 34; DB 1; Length 629;
 Best Local Similarity 70.0%; Pred. No. 28;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFAM 10
 II I IIII;
 DB 195 ARDNGSFAL 204

RESULT 10
 VG50_BPML5 STANDARD; PRT; 682 AA.
 AC Q05262;
 DT 01-FEB-1994 (Rel. 28, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE PUTATIVE ADENOSYLOCOBALAMIN-DEPENDENT RIBONUCLEOTIDE REDUCTASE
 DE (EC 1.17.4.2) (GP50).
 GN 50.
 OS Mycobacteriophage L5.
 OC Viruses.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 93211282.
 RA Hatfull G.F., Sarkis G.J.;
 RT "DNA sequence, structure and gene expression of mycobacteriophage L5:
 a phage system for mycobacterial genetics.";
 RL Mol. Microbiol. 7:395-405(1993).
 CC -1- CATALYTIC ACTIVITY: 2'-DEOXYRIBONUCLEOSIDE TRIPHOSPHATE +
 OXIDIZED THIOREDOXIN + H(2)O = RIBONUCLEOSIDE TRIPHOSPHATE +
 REDUCED THIOREDOXIN.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; Z18946; CAA79426.1; -
 DR PIR; S30995; S30995
 DR INTERPRO; IPR000788; -
 DR PFAM; PF00317; ribonucleo_red; 1.
 KW Oxidoreductase; DNA replication.
 SQ SEQUENCE 682 AA; 76331 MW; 8D2A71B873BC04A8 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 682;
 Best Local Similarity 60.0%; Pred. No. 31;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFAM 10
 I: IIIII;
 DB 311 AKEGYGSFAV 320

RESULT 11
 NCAP_CVHOC STANDARD; PRT; 448 AA.
 AC P33469;
 DT 01-FEB-1994 (Rel. 28, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DE PUTATIVE ADENOSYLOCOBALAMIN-DEPENDENT RIBONUCLEOTIDE REDUCTASE
 DE (EC 1.17.4.2) (GP50).
 GN N.
 OS Human coronavirus (strain OC43).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
 OC Coronaviridae; Coronavirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; #9243809.

RA Kanahora T., Soe L.H., Lai M.M.C.;
 RT "Sequence analysis of nucleocapsid gene and leader RNA of human
 coronavirus OC43.";
 RL Virus Res. 12:1-9(1989).
 DR PIR; A60003; A60003.
 DR INTERPRO; IPR001218; -
 DR PFAM; PF00937; Corona_nucleoca; 1.
 KW Nucleocapsid.
 SQ SEQUENCE 448 AA; 49316 MW; 5193AB1AE0D75626 CRC64;

Query Match 60.0%; Score 33; DB 1; Length 448;
 Best Local Similarity 85.7%; Pred. No. 31;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 III IIII
 DB 103 RHNRGSF 109

RESULT 12
 SYE2_RICPR STANDARD; PRT; 470 AA.
 AC Q9ZCT8;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
 DE (GLURS. 2).
 GN GLTX2 OR RP623.
 OS Rickettsia prowazekii.
 OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
 OC Rickettsiaceae; Rickettsiae; Rickettsia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-MADRID E;
 RX MEDLINE; 99039499.
 RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
 RA Sacheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
 RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
 RT "The genome sequence of Rickettsia prowazekii and the origin of
 mitochondria.";
 RL Nature 396:133-140(1998).
 CC -1- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
 PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
 CC -1- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AJ235272; CAA15066.1; -
 DR HSP; P27000; IGLN.
 DR INTERPRO; IPR000924; -
 DR INTERPRO; IPR001412; -
 DR PFAM; PF00749; trna-synt_ic; 1.
 DR PRINTS; PR00987; TRNASYNTHGLU.
 DR PROSITE; PS00178; AA_TRNA_LIGASE_I; FALSE_NEG.
 KW Aminoacyl-tRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 FT SIMILAR 10 20 "HIGH" REGION.
 FT SIMILAR 239 243 "KMSKS" REGION.
 FT BINDING 242 242 ATP (BY SIMILARITY).
 SQ SEQUENCE 470 AA; 53696 MW; DF1CE50A20B8A9FD CRC64;

Query Match 60.0%; Score 33; DB 1; Length 470;
 Best Local Similarity 75.0%; Pred. No. 33;

Matches: 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

OY 1 ARHNGSF 8
| | | | |

DB 31 ARHNGKF 38

RESULT 13

NIR_BETVE STANDARD; PRT; 583 AA.
AC P38500;
DT 01-OCT-1994 (Rel. 30, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE FERREDOXIN--NITRITE REDUCTASE PRECURSOR (EC 1.7.7.1).
GN NIRL.
OS Betula verrucosa (White birch) (Betula pendula).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids I;
OC Fagales; Betulaceae; Betula.
[1]
RN SEQUENCE FROM N.A.
RP TISSUE=LEAF;
RX MEDLINE; 92167960.
RA Frieleann A., Brinkmann K., Hachtel W.;
RT "Sequence of a cDNA encoding nitrite reductase from the tree Betula
pendula and identification of conserved protein regions.";
RL Mol. Genet. 231:411-416(1992).
CC -1- CATALYTIC ACTIVITY: AMMONIA + H(2)O + OH(-) + 3 OXIDIZED
FERREDOXIN = NITRITE + 3 REDUCED FERREDOXIN.
CC -1- COFACTOR: THIS ENZYME CONTAINS ONE SIROHEME AND ONE 4FE-4S
IRON-SULFUR CENTER AS PROSTHETIC GROUPS.
CC -1- SUBUNIT: MONOMER.
CC -1- INDUCTION: BY NITRATE.
CC -1- SIMILARITY: THE C-TERMINAL DOMAIN IS A 4FE-4S/SIROHEME DOMAIN
FOUND IN NITRITE REDUCTASES (EC 1.6.6.4 AND EC 1.7.7.1) AND
SULFITE REDUCTASES (EC 1.8.1.2 AND EC 1.8.7.1).

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>)
or send an email to license@isb-sib.ch.

DR EMBL; X60093; CAA42690.1; -;
DR PIR; S20495; S20495.
DR INTERPRO; IPR000660; -;
DR PFAM; PF01077; NIR_SIR; 1.
DR PRINTS; PR00397; SIROHAEM.
DR PROSITE; PS00365; NIR_SIR; 1.
KW Oxidoreductase; Chloroplast; Transit peptide; Nitrate assimilation;
Heme; Iron-sulfur; 4Fe-4S.
FT TRANSIT 1 22
FT CHAIN 23 583
FT METAL 461 461
FT METAL 467 467
FT METAL 502 502
FT METAL 506 506
SQ SEQUENCE 583 AA; 65229 MW; 482111EF7E66991F CRC64;

Query Match 60.0%; Score 33; DB 1; Length 583;
Best Local Similarity 55.6%; Pred. No. 42;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 2 RHNGSFAM 10
: | : | | |

DB 120 KHHVGRFMM 128

RESULT 14

NIR_SPIOL STANDARD; PRT; 594 AA.
AC P05314;
DT 01-NOV-1988 (Rel. 09, Created)
DT 01-NOV-1988 (Rel. 09, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE FERREDOXIN--NITRITE REDUCTASE PRECURSOR (EC 1.7.7.1).
GN NIR.
OS Spinacia oleracea (Spinach).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Caryophyllidae;
OC Caryophyllales; Chenopodiaceae; Spinacia.
[1]
RN SEQUENCE FROM N.A.; AND PARTIAL SEQUENCE.
RX MEDLINE; 88232431.
RA Back E., Burkhardt W., Moyer M., Priville L., Rothstein S.;
RT "Isolation of cDNA clones coding for spinach nitrite reductase:
complete sequence and nitrate induction.";
RL Mol. Genet. 212:20-26(1988).
[2]
RN SEQUENCE FROM N.A.
RP STRAIN=CV. DARK GREEN BLOOMSDALE; TISSUE=LEAF;
RX MEDLINE; 91329742.
RA Back E., Dunne W., Schneiderbauer A., de Framond A., Rastogi R.,
Rothstein S.J.;
RT "Isolation of the spinach nitrite reductase gene promoter which
confers nitrate inducibility on GUS gene expression in transgenic
tobacco.";
RL Plant Mol. Biol. 17:9-18(1991).
CC -1- CATALYTIC ACTIVITY: AMMONIA + H(2)O + OH(-) + 3 OXIDIZED
FERREDOXIN = NITRITE + 3 REDUCED FERREDOXIN.
CC -1- COFACTOR: THIS ENZYME CONTAINS ONE SIROHEME AND ONE 4FE-4S
IRON-SULFUR CENTER AS PROSTHETIC GROUPS.
CC -1- PATHWAY: SECOND STEP IN NITRATE ASSIMILATION (DENITRIFICATION).
CC -1- SUBUNIT: MONOMER.
CC -1- INDUCTION: BY NITRATE.
CC -1- SIMILARITY: THE C-TERMINAL DOMAIN IS A 4FE-4S/SIROHEME DOMAIN
FOUND IN NITRITE REDUCTASES (EC 1.6.6.4 AND EC 1.7.7.1) AND
SULFITE REDUCTASES (EC 1.8.1.2 AND EC 1.8.7.1).

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>)
or send an email to license@isb-sib.ch.

DR EMBL; X07568; CAA30453.1; -;
DR PIR; S16603; S16603.
DR INTERPRO; IPR000660; -;
DR PFAM; PF01077; NIR_SIR; 1.
DR PRINTS; PR00397; SIROHAEM.
DR PROSITE; PS00365; NIR_SIR; 1.
KW Oxidoreductase; Chloroplast; Transit peptide; Nitrate assimilation;
Heme; Iron-sulfur; 4Fe-4S.
FT TRANSIT 1 32
FT CHAIN 33 594
FT METAL 473 473
FT METAL 479 479
FT METAL 514 514
FT METAL 518 518
FT VARIANT 221 221
SQ SEQUENCE 594 AA; 66394 MW; 2B3DCAAC16DE06A3 CRC64;

Query Match 60.0%; Score 33; DB 1; Length 594;
Best Local Similarity 55.6%; Pred. No. 42;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAM 10
 :|:|:|
 Db 132 KHYGREFMM 140

RESULT 15

CCSA_OENBE
 ID CCSA_OENBE STANDARD; PRT; 65 AA.
 AC P31565;
 DT 01-JUL-1993 (Rel. 26, Created)
 DT 01-JUL-1993 (Rel. 26, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE CYTOCHROME C BIOGENESIS PROTEIN CCSA (FRAGMENT).
 GN CCSA.
 OS Oenothera bertiana (Bertero's evening primrose).
 OG Chloroplast.
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Myrtales; Onagraceae; Oenothera.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 93169690.
 RA Nimzyk R., Schoendorf T., Hachtel W.;
 RT "In-frame length mutations associated with short tandem repeats are
 RT located in unassigned open reading frames of Oenothera chloroplast
 RT DNA".
 RL Curr. Genet. 23:265-270(1993).
 CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
 CC HEME ATTACHMENT (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCLI/NRFE/CCSA FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed, usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X64617; CAA45900.1; -.
 CC EMBL; X64614; CAA45894.1; -.
 DR PIR; S19981; S19981.
 DR PIR; S19988; S19988.
 KW Cytochrome c-type biogenesis; Chloroplast.
 FT NON_TER 1
 SQ SEQUENCE 65 AA; 7441 MW; 343E66DDA1492C0C CRC64;

Query Match 58.2%; Score 32; DB 1; Length 65;
 Best Local Similarity 83.3%; Pred. No. 6.3;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 :|:|:|
 Db 57 HSYGSF 62

Search completed: March 28, 2001, 07:35:04
 Job time: 141 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:06 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-76
Perfect score: 55
Sequence: 1 ARHNYGSFAM 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_15.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phase.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_vertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	78.2	839	10 Q9LIE5	Q9LIE5 arabidopsis
2	39	70.9	446	5 O62086	O62086 caenorhabdi
3	38	69.1	89	7 O19495	O19495 gallus gall
4	36.5	66.4	89	7 O30217	O30217 homo sapien
5	36	65.5	39	7 P79474	P79474 cervus elap
6	36	65.5	39	7 P79477	P79477 cervus elap
7	36	65.5	39	7 P79478	P79478 cervus elap
8	36	65.5	39	7 P79479	P79479 cervus elap
9	36	65.5	74	6 Q9TWT4	Q9TWT4 bos taurus
10	36	65.5	76	7 Q9TPC2	Q9TPC2 macaca mula
11	36	65.5	78	6 Q97835	Q97835 ovis aries
12	36	65.5	78	6 Q97839	Q97839 ovis aries
13	36	65.5	78	6 Q97844	Q97844 ovis aries
14	36	65.5	78	6 Q97968	Q97968 ovis aries
15	36	65.5	78	7 Q9MWT6	Q9MWT6 leopardus p
16	36	65.5	78	7 Q9MWT5	Q9MWT5 leopardus p
17	36	65.5	78	7 Q9MWT4	Q9MWT4 leopardus p
18	36	65.5	79	7 O19191	O19191 prionalluru
19	36	65.5	79	7 O19192	O19192 prionalluru

20	36	65.5	79	7 O19380	O19380 felis silve
21	36	65.5	79	7 O19381	O19381 felis silve
22	36	65.5	79	7 O19382	O19382 felis silve
23	36	65.5	79	7 O19396	O19396 felis silve
24	36	65.5	79	7 O19397	O19397 felis silve
25	36	65.5	79	7 O19405	O19405 felis silve
26	36	65.5	79	7 O19406	O19406 felis silve
27	36	65.5	79	7 O19407	O19407 felis silve
28	36	65.5	79	7 O19408	O19408 felis silve
29	36	65.5	79	7 O19435	O19435 felis silve
30	36	65.5	79	7 O9MX19	O9MX19 leopardus p
31	36	65.5	79	7 O9MX13	O9MX13 leopardus p
32	36	65.5	79	7 O9MX03	O9MX03 leopardus p
33	36	65.5	79	7 O9MX00	O9MX00 leopardus p
34	36	65.5	79	7 O9MW29	O9MW29 leopardus p
35	36	65.5	79	7 O9MW28	O9MW28 leopardus p
36	36	65.5	79	7 O9MW27	O9MW27 leopardus p
37	36	65.5	79	7 O9MWY9	O9MWY9 leopardus p
38	36	65.5	79	7 O9MWY8	O9MWY8 leopardus p
39	36	65.5	79	7 O9MWY6	O9MWY6 leopardus p
40	36	65.5	79	7 O9MWY5	O9MWY5 leopardus p
41	36	65.5	79	7 O9MWY4	O9MWY4 leopardus p
42	36	65.5	79	7 O9MWY3	O9MWY3 leopardus p
43	36	65.5	79	7 O9MWX6	O9MWX6 leopardus p
44	36	65.5	79	7 O9MWX5	O9MWX5 leopardus p
45	36	65.5	79	7 O9MWX4	O9MWX4 leopardus p

ALIGNMENTS

RESULT 1
Q9LIE5 PRELIMINARY; PRT; 839 AA.
AC O9LIE5;
DT 01-OCT-2000 (Tremblrel. 15, Created)
DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)
DT 01-OCT-2000 (Tremblrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsi.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety Pl,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AF001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 78.2%; Score 43; DB 10; Length 839;
Best Local Similarity 87.5%; Pred. No. 4;
Matches 7; Conservative 1; Mismatches 0; Gaps 0;

QY 1 ARHNYGSF 8

Db 274 SRHNYGSF 281

RESULT 2
O62086

```

ID O62086 PRELIMINARY; PRT; 446 AA.
AC O62086;
DT 01-AUG-1998 (TREMBLrel. 07, Created)
DT 01-AUG-1998 (TREMBLrel. 07, Last sequence update)
DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update)
DE C31H5.6 PROTEIN.
GN C31H5.6.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA Kershaw J.;
RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Shownkeen R.,
RA Snelton N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans.";
RL Nature 368:32-38(1994).
DR EMBL: Z93778; CAB07846.1; -
DR INTERPRO: IPR000379; -
DR INTERPRO: IPR002925; -
DR PFAM: PF01738; DLH; 2.
SQ SEQUENCE 446 AA; 50763 MW; 82AD969CDAD753DE CRC64;

Query Match 70.9%; Score 39; DB 5; Length 446;
Best Local Similarity 87.5%; Pred. No. 12;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9
DB 51 RHNYGSHA 58
|||||||

RESULT 3
ID O19495 PRELIMINARY; PRT; 89 AA.
AC O19495;
DT 01-JAN-1998 (TREMBLrel. 05, Created)
DT 01-JAN-1998 (TREMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
GN B-LBI.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=15.151-5; TISSUE=BURSA;
RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
RL Immunogenetics 47:350-354(1998).
DR EMBL: U91532; AAC15813.1; -
DR INTERPRO: IPR000353; -
DR PFAM: PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 89 89
SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AE1379 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Query Match 69.1%; Score 38; DB 7; Length 89;
Best Local Similarity 85.7%; Pred. No. 3.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 75 RHNYGDF 81
|||||

RESULT 4
ID Q30217 PRELIMINARY; PRT; 89 AA.
AC Q30217;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-MAY-1999 (TREMBLrel. 10, Last annotation update)
DE DB9 PROTEIN (FRAGMENT).
GN DB9.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=95279172; PubMed=7759314;
RA Arvidsson A.K., Svensson A.C., Widmark E., Andersson G., Rask L.,
RA Larhammar D.;
RT "Characterization of three separated exons in the HLA class II DR
RT region of the human major histocompatibility complex.";
RL Hum. Immunol. 42:254-264(1995).
DR EMBL: S78510; AAD14284.1; -
FT NON_TER 1 1
SQ SEQUENCE 89 AA; 10489 MW; 10027003DC27E99E CRC64;

```

```

Query Match 66.4%; Score 36.5; DB 7; Length 89;
Best Local Similarity 66.7%; Pred. No. 7;
Matches 8; Conservative 1; Mismatches 0; Indels 3; Gaps 1;

QY 2 RHNYG---SFAM 10
DB 75 RHNYGVFESFSM 86
|||||

RESULT 5
ID P79474 PRELIMINARY; PRT; 39 AA.
AC P79474;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL: U63077; AAB37777.1; -
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733D1D CRC64;

```

```

Query Match 65.5%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 6
P79477 PRELIMINARY; PRT; 39 AA.
AC P79477;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63080; AAB37780.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 7
P79478 PRELIMINARY; PRT; 39 AA.
AC P79478;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63081; AAB37781.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 8
P79479 PRELIMINARY; PRT; 39 AA.
AC P79479;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63082; AAB37782.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 65.5%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 3.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 9
Q9TTM4 PRELIMINARY; PRT; 74 AA.
ID Q9TTM4;
AC Q9TTM4;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DE MHC (BOLA) CLASS II DR-BETA CHAIN (FRAGMENT).
GN BOLA-DRB3.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=JAPANESE BLACK;
RA Takeshima S., Ikegami M., Morita M., Nakai Y., Aida Y.;
RT "Identification of BOLA-DRB3 exon 2 of Japanese black cattle.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB033388; BAA85470.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1 1
FT NON_TER 74 74
SQ SEQUENCE 74 AA; 9132 MW; C5834842F0E38BA6 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 74;
Best Local Similarity 85.7%; Pred. No. 7.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 68 RHNYGVF 74

RESULT 10
Q9TPC2 PRELIMINARY; PRT; 76 AA.
ID Q9TPC2;
AC Q9TPC2;

```


DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
 DE MHC CLASS II ANTIGEN (FRAGMENT).
 GN MAMU-DRB1.
 OS Macaca mulatta (Rhesus macaque).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
 OC Cercopithecinae; Macaca.
 OX NCBI_TaxID=9544;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Sauerbmann U., Khazand M., Nagy M., Peiberg C.;
 RT "Mhc-DQ-DRB-haplotype analysis in the rhesus macaque: evidence for a
 number of different haplotypes displaying a low allelic
 polymorphism."; 0:0-0(1999).
 RL Tissue Antigens 0:0-0(1999).
 DR EMBL; AF175315; AAF07040.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 76 76
 SQ SEQUENCE 76 AA; 9315 MW; 1DC073E1B87A94D0 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 76;
 Best Local Similarity 85.7%; Pred. No. 7.4;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 I I I I I I I
 Db 67 RHNYGVF 73

RESULT 11

DT 01-MAY-1999 (TReMBLrel. 10, Created)
 DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N20.2.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=7407; TISSUE=BLOOD;
 RA Alda Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017207; BAA36764.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 78 78
 SQ SEQUENCE 78 AA; 9677 MW; 653346CE7D1E1388 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 I I I I I I I
 Db 72 RHNYGVF 78

RESULT 12

DT 01-MAY-1999 (TReMBLrel. 10, Created)
 DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N2.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SUFFOLK BREED AND CORRIDAILE BREED; TISSUE=BLOOD;
 RA Alda Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017212; BAA36769.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 78 78
 SQ SEQUENCE 78 AA; 9430 MW; AF8A0B87E34B6832 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 I I I I I I I
 Db 72 RHNYGVF 78

RESULT 13

DT 01-MAY-1999 (TReMBLrel. 10, Created)
 DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N8.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SUFFOLK BREED; TISSUE=BLOOD;
 RA Alda Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017220; BAA36777.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 78 78
 SQ SEQUENCE 78 AA; 9645 MW; 505346CE7D0860CF CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 I I I I I I I
 Db 72 RHNYGVF 78

Search completed: March 28, 2001, 07:53:06
Job time: 499 sec

```

RESULT 14
O97968
ID O97968 PRELIMINARY; PRT; 78 AA.
AC O97968;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
GN OLA-DRB1*N21.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=VARIOUS STRAINS;
RA Aida Y.;
RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB017231; BAA36788.1; -.
DR EMBL; AB017204; BAA36761.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1
FT NON_TER 78
SQ SEQUENCE 78 AA; 9436 MW; 72907E039EC167B2 CRC64;

Query Match 65.5%; Score 36; DB 6; Length 78;
Best Local Similarity 85.7%; Pred. No. 7.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 72 RHNYGVF 78

RESULT 15
O9MWT6
ID O9MWT6 PRELIMINARY; PRT; 78 AA.
AC O9MWT6;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
GN LEPA-DRB.
OS Leopardus pardalis (ocelot).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
OX NCBI_TaxID=32538;
RN [1]
RP SEQUENCE FROM N.A.
RA yuhki N., Eizirik E., Johnson W.E., O'Brien S.J.;
RT "Sequence Diversity of Major Histocompatibility Complex Class II DRB
RT Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
RT pardalis) and Margay (Leopardus wiedii).";
RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF057894; AAF70946.1; -.
KW MHC.
FT NON_TER 1
FT NON_TER 78
SQ SEQUENCE 78 AA; 9559 MW; 77863043708EC5B8 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 78;
Best Local Similarity 85.7%; Pred. No. 7.6;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 71 RHNYGVF 77

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:48 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-76

Perfect score: 55

Sequence: 1 ARHNYGSFAM 10

Scoring table:

BLOSUM62
Gap 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36.*

```
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	55	100.0	10	19	W76028
2	50	90.9	10	19	W76024
3	50	90.9	10	19	W76025
4	50	90.9	10	19	W76026
5	50	90.9	10	19	W76027
6	50	90.9	10	19	W76029
7	50	90.9	10	19	W76030
8	50	90.9	10	19	W76031
9	50	90.9	117	19	W76001
10	50	90.9	117	19	W76003
11	50	90.9	117	20	Y06381
12	50	90.9	117	20	Y06387
					LM609 grafted anti
					LM609 grafted anti
					LM609 grafted anti
					LM609 grafted anti
					LM609 grafted anti
					LM609 grafted anti
					LM609 grafted anti
					LM609 grafted anti
					Vitaxin antibody h
					LM609 antibody hea
					Murine monoclonal
					Humanised LM609 an

13	50	90.9	118	20	Y06384	Humanised LM609 an
14	50	90.9	118	20	Y06385	Humanised LM609 an
15	50	90.9	118	20	Y06386	Humanised LM609 an
16	50	90.9	118	20	Y06383	Humanised LM609 an
17	50	90.9	130	20	Y06379	Murine monoclonal
18	47	85.5	10	19	W76021	LM609 grafted anti
19	46	83.6	10	19	W76039	LM609 grafted anti
20	46	83.6	10	19	W76040	LM609 grafted anti
21	46	83.6	10	19	W76022	LM609 grafted anti
22	46	83.6	10	19	W76023	LM609 grafted anti
23	45	81.8	10	19	W76037	LM609 grafted anti
24	45	81.8	10	19	W76020	LM609 grafted anti
25	42	76.4	110	20	W84099	Vitronectin alpha-
26	42	76.4	117	20	W84093	Murine vitronectin
27	42	76.4	117	20	W84097	Humanised anti-alp
28	41	74.5	8	20	Y06371	Murine monoclonal
29	41	74.5	10	19	W76038	LM609 grafted anti
30	41	74.5	119	18	W01578	Lead binding MAb 8
31	37	67.3	119	19	W86109	S. pneumoniae derl
32	36	65.5	117	16	W79157	Human IgE receptor
33	36	65.5	117	16	W79155	Human IgE receptor
34	36	65.5	117	18	W27357	Heavy chain variab
35	36	65.5	117	18	W27526	Heavy chain variab
36	36	65.5	117	18	W27354	Heavy chain variab
37	36	65.5	239	20	W73874	Human antiFc epsll
38	36	65.5	242	20	W73876	Human antiFc epsll
39	34	61.8	30	21	Y81870	Yeast IPPI protein
40	34	61.8	123	18	W07438	Anti-DNA antibody
41	33	60.0	80	12	R13396	HLA-DRw12a antigen
42	33	60.0	80	12	R13397	HLA-DRw12b antigen
43	33	60.0	89	17	Y14338	Protein encoded by
44	33	60.0	89	17	Y14306	Protein encoded by
45	33	60.0	89	17	Y14307	Protein encoded by

ALIGNMENTS

RESULT 1

ID W76028 standard; Protein; 10 AA.

XX W76028;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #10.

XX Vitaxin; antibody; variable region; heavy chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

OS Mus sp.

XX W09833919-A2.

PD 06-AUG-1998.

PF 30-JAN-1998; 98WO-US01826.

PR 30-JAN-1997; 97US-0791391.

PA (IXSY-) IXSYS INC.

PI Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; V49865.

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT Integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 55; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. NO. 0.00088;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAM 10
 | | | | | | | | | |
 Db 1 arhnygsfam 10

RESULT 2
 W76024
 ID W76024 standard; Protein; 10 AA.
 XX
 AC W76024;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #6.
 XX

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.
 XX
 XX WO9833919-A2.
 XX
 XX 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 XX

(IXSY-) IXSYS INC.

Glaser SM, Huse WD;

WPI; 1998-437472/37.
 DR N-PSDB; V49861.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX

SQ Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. NO. 0.0064;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 | | | | | | | | | |
 Db 1 arhnygsfa 9

RESULT 3
 W76025
 ID W76025 standard; Protein; 10 AA.
 XX
 AC W76025;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #7.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49862.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX

PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0064;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 DB 1 arhnygsfa 9

RESULT 4

ID W76026 standard; Protein; 10 AA.

AC W76026;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #8.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49863.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0064;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 DB 1 arhnygsfa 9

RESULT 5

ID W76027 standard; Protein; 10 AA.

AC W76027;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49864.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0064;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 DB 1 arhnygsfa 9

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.
 OS Mus sp.
 XX WO9833919-A2.
 PN 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 XX (IXSY-) IXSYS INC.
 PA Glaser SM, Huse WD;
 PI WPI: 1998-437472/37.
 DR N-PSDB; V49847.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Disclosure; Page 40; 129pp; English.
 PS W76007-W76040 are protein fragments of the grafted monoclonal antibody
 XX LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX Sequence. 10 AA;
 SQ Query Match 90.9%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0064;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||
 RESULT 9
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX AC W76001;
 XX 02-NOV-1998 (first entry)
 DT Vitaxin antibody heavy chain variable region protein fragment.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX Mus sp.
 OS
 XX

PN WO9833919-A2.
 XX 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 XX (IXSY-) IXSYS INC.
 PA Glaser SM, Huse WD;
 PI WPI: 1998-437472/37.
 DR N-PSDB; V49820.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 1; Fig 1a; 129pp; English.
 PS This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX Sequence 117 AA;
 SQ Query Match 90.9%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.079;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||
 RESULT 10
 W76003
 ID W76003 standard; Protein; 117 AA.
 XX AC W76003;
 XX 02-NOV-1998 (first entry)
 DT LM609 antibody heavy chain variable region protein fragment.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX Mus sp.
 OS
 XX WO9833919-A2.
 XX 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 XX 30-JAN-1997; 97US-0791391.
 XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49822.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 43: Fig 2a; 129pp; English.
 PS This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

Query Match 90.9%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.079;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db | | | | | | | | | |
 97 arhnygsfa 105

RESULT 11
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 AC Y06381;
 XX
 XX 06-SEP-1999 (first entry)
 XX Murine monoclonal antibody LM609 VH region.
 DE Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX Mus musculus.
 OS
 XX WO9929888-A1.
 PN 17-JUN-1999.
 XX 04-DEC-1998; 98WO-US25828.
 XX 05-DEC-1997; 97US-0986016.
 XX (SCRI) SCRIPPS RES INST.
 PA Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 DR Production of humanized mouse monoclonal antibodies
 XX Disclosure; Page 52-53; 55pp; English.
 PS This sequence represents the heavy chain variable region of murine

CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 117 AA;

Query Match 90.9%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.079;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db | | | | | | | | | |
 97 arhnygsfa 105

RESULT 12
 Y06387
 ID Y06387 standard; Protein; 117 AA.
 AC Y06387;
 XX
 XX 06-SEP-1999 (first entry)
 XX Humanised LM609 antibody VH domain.
 DE Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX Homo sapiens.
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FT Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..35
 FT /note= "CDR1"
 FT Region 50..66
 FT /note= "CDR2"
 FT Region 107..117
 FT /note= "CDR3"
 XX WO9929888-A1.
 PN 17-JUN-1999.
 XX 04-DEC-1998; 98WO-US25828.
 XX 05-DEC-1997; 97US-0986016.
 XX (SCRI) SCRIPPS RES INST.
 PA Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 DR Production of humanized mouse monoclonal antibodies
 XX Disclosure; Page 52; 55pp; English.
 PS This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin

CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX Sequence 117 AA;

Query Match 90.9%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.079;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 97 arhnygsfa 105

RESULT 13

Y06384
 ID Y06384 standard; Protein: 118 AA.

XX AC Y06384;

DT 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VH domain.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Homo sapiens.

OS Synthetic.

Key	Location/Qualifiers
Peptide	1..2
Region	/note= "vector-encoded residues"
Region	31..37
Region	/note= "CDR1"
Region	52..67
Region	/note= "CDR2"
Region	100..107
Region	/note= "CDR3"

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular

CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.079;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

RESULT 14

Y06385
 ID Y06385 standard; Protein: 118 AA.

XX AC Y06385;

DT 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VH domain.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Homo sapiens.

OS Synthetic.

Key	Location/Qualifiers
Peptide	1..2
Region	/note= "vector-encoded residues"
Region	31..37
Region	/note= "CDR1"
Region	52..67
Region	/note= "CDR2"
Region	100..107
Region	/note= "CDR3"

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 51; 55pp; English.

XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.079;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

RESULT 15
 Y06386
 ID Y06386 standard; Protein; 118 AA.

XX AC Y06386;

XX DT 06-SEP-1999 (first entry)

XX DE -Humanised LM609 antibody VH domain.

XX KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Homo sapiens.

XX OS Synthetic.

XX FH Key Location/Qualifiers
 FT Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"

XX PN WO929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX PA (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX DR WPI; 1999-394979/33.

XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 51-52; 55pp; English.

XX CC This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha^v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 118 AA;

Query Match 90.9%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.079;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

Search completed: March 28, 2001, 06:59:48
 Job time: 1384 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:55 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-76
Perfect score: 55
Sequence: 1 ARHNGSPAM 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued Patents AA: *
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep: *
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep: *
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep: *
4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep: *
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	41	74.5	119	3	US-08-767-128-6
2	36	65.5	94	3	US-09-147-550-14
3	36	65.5	94	3	US-09-147-550-14
4	36	65.5	94	3	US-09-147-550-45
5	36	65.5	94	3	US-09-147-550-48
6	36	65.5	94	3	US-09-147-550-77
7	36	65.5	94	3	US-09-147-550-84
8	36	65.5	94	3	US-09-147-550-90
9	34	61.8	286	2	US-08-809-267-3
10	34	61.8	286	4	PCT-US95-13662A-3
11	34	61.8	287	2	US-08-741-437-5
12	34	61.8	287	2	US-09-134-593-5
13	32	58.2	15	1	US-08-618-464-7
14	32	58.2	15	3	US-09-107-615-7
15	32	58.2	25	2	US-08-480-190-44
16	32	58.2	25	2	US-08-488-379-44
17	32	58.2	25	4	PCT-US93-07545-44
18	32	58.2	36	1	US-08-053-131-84
19	32	58.2	36	1	US-08-645-641-84
20	32	58.2	36	1	US-07-853-408B-84
21	32	58.2	36	2	US-08-096-762-84
22	32	58.2	36	2	US-08-308-865-84
23	32	58.2	36	4	PCT-US92-10983-84
24	32	58.2	80	1	US-08-264-250A-1
25	32	58.2	89	1	US-08-025-038-30
26	32	58.2	89	1	US-08-039-137-17
27	32	58.2	90	2	US-08-485-133-23
28	32	58.2	94	3	US-09-147-550-12
29	32	58.2	94	3	US-09-147-550-13
30	32	58.2	94	3	US-09-147-550-15
31	32	58.2	94	3	US-09-147-550-16
32	32	58.2	94	3	US-09-147-550-17
33	32	58.2	94	3	US-09-147-550-18
34	32	58.2	94	3	US-09-147-550-19
35	32	58.2	94	3	US-09-147-550-20
36	32	58.2	94	3	US-09-147-550-21
37	32	58.2	94	3	US-09-147-550-22
38	32	58.2	94	3	US-09-147-550-24
39	32	58.2	94	3	US-09-147-550-25
40	32	58.2	94	3	US-09-147-550-26
41	32	58.2	94	3	US-09-147-550-27
42	32	58.2	94	3	US-09-147-550-28
43	32	58.2	94	3	US-09-147-550-29
44	32	58.2	94	3	US-09-147-550-30
45	32	58.2	94	3	US-09-147-550-31

ALIGNMENTS

RESULT 1
US-08-767-128-6
; Sequence 6, Application US/08767128
; Patent No. 6111079
; GENERAL INFORMATION:
; APPLICANT: WYLIE, DWANE E.
; APPLICANT: LOPEZ, OSVALDO
; APPLICANT: MURRAY, PETER JOSEPH
; APPLICANT: GOEBEL, PETER
; TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
; TITLE OF INVENTION: NUCLEOTIDES CODING THEREFORE
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Merchant, Gould, Smith, Edell, Welter & Schmidt
; STREET: 3100 No. 6111079west Center, 90 South Seventh St
; CITY: Minneapolis
; STATE: MN
; COUNTRY: USA
; ZIP: 55402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ Version 1.5
; CURRENT APPLICATION DATA: US/08/767,128
; APPLICATION NUMBER: US/08/767,128
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US96/09258
; FILING DATE: 05-JUN-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/541,373
; FILING DATE: 10-OCT-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/462,798
; FILING DATE: 05-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Carter, Charles G.
; REGISTRATION NUMBER: 35,093
; REFERENCE/DOCKET NUMBER: 8648.49USF1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 612/371-5278
; TELEFAX: 612/332-9081
; TELEX:
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:

; LENGTH: 119 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FRAGMENT TYPE: internal
; ORIGINAL SOURCE:
US-08-767-128-6

Query Match 74.5%; Score 41; DB 3; Length 119;
Best Local Similarity 70.0%; Pred. No. 1.4;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFAM 10
Db 97 ARHNYGYAM 106
|||:|:|

RESULT 2
US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 8.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYSGF 8
Db 80 RHNYSGVF 86
|||||

RESULT 3
US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28

; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 8.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYSGF 8
Db 80 RHNYSGVF 86
|||||

RESULT 4
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 8.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYSGF 8
Db 80 RHNYSGVF 86
|||||

RESULT 5
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77

;
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 8.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 6

US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84

; LENGTH: 94
; TYPE: PRT

; ORGANISM: BOVINE
US-09-147-550-84

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 8.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 7

US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90

; LENGTH: 94
; TYPE: PRT

; ORGANISM: BOVINE

US-09-147-550-90

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 8.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 8

US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101

; LENGTH: 94
; TYPE: PRT

; ORGANISM: BOVINE
US-09-147-550-101

Query Match 65.5%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 8.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 9

US-08-809-267-3
; Sequence 3, Application US/08809267
; Patent No. 5861296

; GENERAL INFORMATION:

; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SIATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: NEW ENGLAND BIOLABS, INC.

; STREET: 32 TOZER ROAD

; CITY: BEVERLY

; STATE: MASSACHUSETTS

; COUNTRY: USA

; ZIP: 01915

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/809,267

;
; FILING DATE: 12-MAR-1997
; CLASSIFICATION: 433
; PRIOR APPLICATION DATA: PCT/US95/13662
; APPLICATION NUMBER: PCT/US95/13662
; FILING DATE:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; US-08-809-267-3

Query Match 61.8%; Score 34; DB 2; Length 286;
Best Local Similarity 83.3%; Pred. No. 57;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 10
PCT-US95-13662A-3
; Sequence 3, Application PC/TUS9513662A
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA: US 08/329,721
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids

;
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; PCT-US95-13662A-3

Query Match 61.8%; Score 34; DB 4; Length 286;
Best Local Similarity 83.3%; Pred. No. 57;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 11
US-08-741-437-5
; Sequence 5, Application US/08741437
; Patent No. 5843665
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/741.437
; FILING DATE: Filed Herewith
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
; US-08-741-437-5

Query Match 61.8%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 57;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 92 HNYGAF 97

RESULT 12

US-09-134-593-5
; Sequence 5, Application US/09134593
; Patent No. 5981232
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/134,593
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
US-09-134-593-5

Query Match 61.8%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 57;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
| | | | |

Db 92 HNYGAF 97

RESULT 13
US-08-618-464-7
; Sequence 7, Application US/08618464
; Patent No. 5773570
; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.
; APPLICANT: ALBANI, SALVATORE
; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN
; IMMUNE PROTECTION AGAINST ARTHRITIS
; TITLE OF INVENTION: INDUCING
; TITLE OF INVENTION: INVOLVED IN
; TITLE OF INVENTION: THE PATHOGENESIS OF RHEUMATOID ARTHRITIS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CALIFORNIA
; COUNTRY: US

; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: HOWELLS, STACY L.
; REGISTRATION NUMBER: 34,842
; REFERENCE/DOCKET NUMBER: 07340/042001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 15 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; CLONE: S1
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..15
US-08-618-464-7

Query Match 58.2%; Score 32; DB 1; Length 15;
Best Local Similarity 100.0%; Pred. No. 7.1;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYG 6

Db 11 RHNYG 15

RESULT 14
US-09-107-615-7
; Sequence 7, Application US/09107615
; Patent No. 6153200
; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.
; APPLICANT: ALBANI, SALVATORE
; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN
; INDUCING IMMUNE PROTECTION AGAINST
; TITLE OF INVENTION: ARTHRITIS
; TITLE OF INVENTION: THE PATHOGENESIS OF RHEUMATOID ARTHRITIS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CALIFORNIA
; COUNTRY: US
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,615
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:

; NAME: HOWELLS, STACY L.
; REGISTRATION NUMBER: 34,842
; REFERENCE/DOCKET NUMBER: 07340/042001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 15 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; CLONE: S1
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..15
; US-09-107-615-7

Query Match 58.2%; Score 32; DB 3; Length 15;
Best Local Similarity 100.0%; Pred. No. 7.1;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 11 RHNYG 15

RESULT 15
US-08-480-190-44
; Sequence 44, Application US/08480190
; Patent No. 5827516
; GENERAL INFORMATION:
; APPLICANT: Robert G. Urban
; APPLICANT: Roman M. Chicz
; APPLICANT: Dario A. A. Vignali
; APPLICANT: Mary L. Hedley
; APPLICANT: Lawrence J. Stern
; APPLICANT: Jack L. Strominger
; TITLE OF INVENTION: IMMUNOMODULATORY PEPTIDES
; NUMBER OF SEQUENCES: 274
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: Massachusetts
; COUNTRY: U.S.A.
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
; COMPUTER: IBM PS/2 Model 502 or 55SX
; OPERATING SYSTEM: MS-DOS (Version 5.0)
; SOFTWARE: Wordperfect (Version 5.1)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/480,190
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/077,255
; FILING DATE: June 15, 1993
; APPLICATION NUMBER: 07/925,460
; FILING DATE: August 11, 1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Clark, Paul T.
; REGISTRATION NUMBER: 30,162
; REFERENCE/DOCKET NUMBER: 00246/168001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 542-5070
; TELEFAX: (617) 542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 44:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 25
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; US-08-480-190-44

Query Match 58.2%; Score 32; DB 2; Length 25;
Best Local Similarity 100.0%; Pred. No. 12;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 15 RHNYG 19

Search completed: March 28, 2001, 07:01:55
Job time: 1334 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:24 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-78
Perfect score: 56
Sequence: 1 ARHNGSFAG 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR 66.*
1: pir1.*
2: pir2.*
3: pir3.*
4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	39	69.6	446	2	T19625
2	38	67.9	697	3	T41445
3	36	64.3	82	2	I51106
4	36	64.3	89	2	S38688
5	36	64.3	89	2	S38683
6	36	64.3	89	2	S38684
7	36	64.3	225	2	I47095
8	35	62.5	320	2	T09288
9	35	62.5	347	2	S43771
10	35	62.5	405	1	Q08E35
11	34	60.7	108	2	S26316
12	34	60.7	110	2	S26317
13	34	60.7	110	2	T02485
14	34	60.7	138	2	F81900
15	34	60.7	210	1	B69265
16	34	60.7	275	2	G75130
17	34	60.7	275	2	D71087
18	34	60.7	287	1	PWBV
19	34	60.7	287	1	PWKL
20	34	60.7	384	1	SYEC5M
21	34	60.7	384	2	H64187
22	34	60.7	385	2	E82319
23	34	60.7	386	2	S51436
24	34	60.7	396	2	H83576
25	34	60.7	400	2	D69657
26	34	60.7	403	2	F70899
27	34	60.7	403	2	E82810
28	34	60.7	468	2	H82321
29	34	60.7	502	2	T08776

30	34	60.7	609	2	S45930
31	34	60.7	723	2	F83173
32	34	60.7	856	2	T13159
33	34	60.7	939	2	S28394
34	33	58.9	80	2	I54469
35	33	58.9	80	2	I68777
36	33	58.9	81	2	I54550
37	33	58.9	85	2	I59634
38	33	58.9	89	2	S38676
39	33	58.9	89	2	S38680
40	33	58.9	89	2	S57512
41	33	58.9	123	2	C25239
42	33	58.9	167	2	T16454
43	33	58.9	200	2	D32526
44	33	58.9	220	2	T46055
45	33	58.9	228	2	T35418

ALIGNMENTS

RESULT 1

T19625
hypothetical protein C31H5.6 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000
C:Accession: T19625
R:Kershaw, J.
submitted to the EMBL Data Library, April 1997
A:Reference number: Z19153
A:Accession: T19625
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-446 <WIL>
A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6
C:Experimental source: clone C31H5
C:Genetics:
A:Map position: 1
A:Gene: CESP:C31H5.6
A:Introns: 49/2; 85/1; 120/2; 183/3; 218/3; 255/3; 285/2; 331/3; 360/3
C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 69.6%; Score 39; DB 2; Length 446;
Best Local Similarity 87.5%; Pred. No. 10;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9

Db 51 RHNYGSHA 58
|||||

RESULT 2

T41445
hypothetical protein SPCC594.01 - fission yeast (Schizosaccharomyces pombe) (fragment
C:Species: Schizosaccharomyces pombe
C:Date: 27-Nov-1999 #sequence_revision 27-Nov-1999 #text_change 27-Nov-1999
C:Accession: T41445
R:Rieger, M.; Lyne, M.; Rajandream, M.A.; Barrell, B.G.
submitted to the EMBL Data Library, September 1998
A:Reference number: Z21994
A:Accession: T41445
A:Status: preliminary
A:Residues: 1-697 <RIE>
A:Cross-references: EMBL:AL031523; PIDN:CAA20660.1; GSPDB:GN00068; SPDB:SPCC594.01

Query Match 67.9%; Score 38; DB 3; Length 697;
Best Local Similarity 77.8%; Pred. No. 25;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAG 10

|||||

Db 155 RHRYWSFAG 163

RESULT 3

151106

Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)
 C:Species: Phasianus colchicus (ring-necked pheasant)
 C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999
 C:Accession: 151106
 R:Witzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.
 Immunogenetics 39, 395-403, 1994
 A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-necked pheasant (Phasianus colchicus)
 A:Reference number: 151103; MUID:94245280
 A:Accession: 151106
 A:Status: preliminary; translated from GB/EMBL/DBDJ
 A:Molecule type: DNA
 A:Residues: 1-82 <WIT>
 A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 82;
 Best Local Similarity 85.7%; Pred. No. 7.4;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 4

S38688

MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38688
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library
 A:Reference number: S38676
 A:Accession: S38688
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27158
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 8.1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 5

S38683

MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38683
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library
 A:Reference number: S38676
 A:Accession: S38683
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27153
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 8.1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 6

S38684

MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 C:Accession: S38684
 R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL Data Library
 A:Reference number: S38676
 A:Accession: S38684
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27154
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 64.3%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 8.1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 7

I47095

MHC class II OVAR-DR-beta-3 - sheep (fragment)
 C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
 C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000
 C:Accession: I47095
 R:Fabb, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.
 Anim. Genet. 24, 249-255, 1993
 A:Title: Isolation, characterization and evolution of ovine major histocompatibility complex class II genes
 A:Reference number: I47075; MUID:94057592
 A:Accession: I47095
 A:Status: preliminary; translated from GB/EMBL/DBDJ
 A:Molecule type: mRNA
 A:Residues: 1-225 <FAB>
 A:Cross-references: GB:L04790; NID:g458880; PIDN:AAA16562.1; PID:g458881
 C:Genetics:

Query Match 64.3%; Score 36; DB 2; Length 225;
 Best Local Similarity 85.7%; Pred. No. 20;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 68 RHNYGVF 74

RESULT 8

T09288

Late embryonic abundant protein EMB7 - white spruce
 C:Species: Picea glauca (white spruce)
 C:Date: 11-Jun-1999 #sequence_revision 11-Jun-1999 #text_change 11-Jun-1999
 C:Accession: T09288
 R:Dong, J.Z.; Dunstan, D.I.
 submitted to the EMBL Data Library, June 1996

A:Description: Cloning and characterization of 6 novel plant embryogenesis-associated genes
A:Reference number: Z16629
A:Accession: T09288
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-320 <DON>
A:Cross-references: EMBL:L47117; NID:g1350542; PID:g1350543
C:Genetics:
A:Gene: EMB7

Query Match 62.5%; Score 35; DB 2; Length 320;
Best Local Similarity 75.0%; Pred. No. 43;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFAG 10
||| ||
DB 217 HNYGIAG 224

RESULT 9
S43771
phosphatidylcholine desaturase (EC 1.3.1.35) - *Synechococcus* sp. (strain PCC 7002)
N:Alternate names: Delta-12 desaturase; fatty acid desaturase (EC 1.14.99.-) [misidentified]
C:Species: *Synechococcus* sp.
A:Variety: PCC 7002
C:Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 20-Jun-2000
C:Accession: S43771
R:Sakamoto, T.; Wada, H.; Nishida, I.; Ohmori, M.; Murata, N.
Plant Mol. Biol. 24, 643-650, 1994
A:Title: Identification of conserved domains in the Delta-12 desaturases of cyanobacteria
A:Reference number: S43770; MUID:94207189
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-347 <SAK>
A:Cross-references: GB:D13779; NID:g488510; PIDN:BAA02922.1; PID:g488511
C:Superfamily: omega-3 fatty acid desaturase
C:Keywords: oxidoreductase

Query Match 62.5%; Score 35; DB 2; Length 347;
Best Local Similarity 77.8%; Pred. No. 46;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
||| |||
DB 334 AEHNYISFA 342

RESULT 10
Q0BE35
BBR35 protein - human herpesvirus 4 (strain B95-8)
C:Species: human herpesvirus 4, Epstein-Barr virus
C:Date: 25-Feb-1985 #sequence_revision 25-Feb-1985 #text_change 16-Jul-1999
C:Accession: G43043; A03777; S33030
R:Bankier, A.T.; Deininger, P.L.; Farrell, P.J.; Barrell, B.G.
Mol. Biol. Med. 1, 21-45, 1983
A:Title: Sequence analysis of the 17.166 bp EcoRI fragment C of B95-8 Epstein-Barr virus
A:Reference number: A93065; MUID:85035713
A:Accession: G43043
A:Molecule type: DNA
A:Residues: 1-405 <BAN>
A:Cross-references: EMBL:V01555; NID:g59074; PIDN:CAA24825.1; PID:g1334889
R:Baer, R.; Bankier, A.T.; Biggin, M.D.; Deininger, P.L.; Farrell, P.J.; Gibson, T.J.; H
Nature 310, 207-211, 1984
A:Title: DNA sequence and expression of the B95-8 Epstein-Barr virus genome.
A:Reference number: A03794; MUID:84270667
A:Contents: annotation; protein coding region
C:Superfamily: cytomegalovirus UL100 protein

Query Match 62.5%; Score 35; DB 1; Length 405;

Best Local Similarity 55.6%; Pred. No. 54;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAG 10
||| ||
DB 267 RHNFGFYCG 275

RESULT 11
S26316
Ig heavy chain V region - mouse
C:Species: *Mus musculus* (house mouse)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
C:Accession: S26316
R:Stark, S.E.; Caton, A.J.
J. Exp. Med. 174, 613-624, 1991
A:Title: Antibodies that are specific for a single amino acid interchange in a protein
A:Reference number: S26309; MUID:91341421
A:Accession: S26316
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-108 <STA>
A:Cross-references: EMBL:X59190; NID:g52066; PIDN:CAA41900.1; PID:g1334035
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:2-85/Domain: immunoglobulin homology <IMM>

Query Match 60.7%; Score 34; DB 2; Length 108;
Best Local Similarity 66.7%; Pred. No. 23;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|| | ||:
DB 84 ARGNYGNYA 92

RESULT 12
S26317
Ig heavy chain V region - mouse (fragment)
C:Species: *Mus musculus* (house mouse)
C:Date: 19-Mar-1998 #sequence_revision 19-Mar-1998 #text_change 21-Jan-2000
C:Accession: S26317
R:Stark, S.E.; Caton, A.J.
J. Exp. Med. 174, 613-624, 1991
A:Title: Antibodies that are specific for a single amino acid interchange in a protein
A:Reference number: S26309; MUID:91341421
A:Accession: S26317
A:Molecule type: mRNA
A:Residues: 1-110 <STA>
A:Cross-references: EMBL:X59186
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:4-87/Domain: immunoglobulin homology <IMM>

Query Match 60.7%; Score 34; DB 2; Length 110;
Best Local Similarity 66.7%; Pred. No. 23;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|| | ||:
DB 86 ARGNYGNYA 94

RESULT 13
T02485
hypothetical protein P23F1.8 - *Arabidopsis thaliana*
C:Species: *Arabidopsis thaliana* (mouse-ear cress)
C:Date: 05-Mar-1999 #sequence_revision 05-Mar-1999 #text_change 20-Jun-2000
C:Accession: T02485
R:Rounsley, S.D.; Lin, X.; Ketchum, K.A.; Crosby, M.L.; Brandon, R.C.; Sykes, S.M.; K
submitted to the EMBL Data Library, August 1998

A;Description: Arabidopsis thaliana chromosome II BAC F23F1 genomic sequence.

A;Reference number: Z14675

A;Accession: T02485

A;Status: translated from GB/EMBL/DBJ

A;Molecule type: DNA

A;Residues: 1-110 <RQU>

A;Cross-references: EMBL:AC004680; NID:g3420043; PID:g3420051

A;Experimental source: cultivar Columbia

C;Genetics:

A;Map position: 2

A;Note: F23F1.8

C;Superfamily: Arabidopsis thaliana hypothetical protein F23F1.8

Query Match 60.7%; Score 34; DB 2; Length 110;

Best Local Similarity 85.7%; Pred. No. 23;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 4 NYGSFAG 10

Db 50 NYGSFQG 56

RESULT 14

F81900

hypothetical protein NMA1316 [imported] - Neisseria meningitidis (group A strain Z2491)

C;Species: Neisseria meningitidis

C;Date: 05-May-2000 #sequence_revision 05-May-2000 #text_change 05-May-2000

C;Accession: F81900

R;Parkhill, J.; Achtman, M.; James, K.D.; Bentley, S.D.; Churcher, C.; Klee, S.R.; Morel

; Holroyd, S.; Jagels, K.; Leather, S.; Moule, S.; Mungall, K.; Quail, M.A.; Rajandream,

Nature 404, 502-506, 2000

A;Title: Complete DNA sequence of a serogroup A strain of Neisseria meningitidis Z2491.

A;Reference number: AB1775; MUID:20222556

A;Accession: F81900

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-138 <PAR>

A;Cross-references: GB:AL162755; GB:AL157959; NID:g7379742; PIDN:CAB84568.1; PID:g737999

A;Experimental source: serogroup A, strain Z2491

C;Genetics:

A;Gene: NMA1316

Query Match

60.7%; Score 34; DB 2; Length 138;

Best Local Similarity 60.0%; Pred. No. 29;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

OY 1 ARHNYGSFAG 10

Db 93 AIHNFQGMAG 102

RESULT 15

B69265

conserved hypothetical protein AF0122 - Archaeoglobus fulgidus

C;Species: Archaeoglobus fulgidus

C;Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000

C;Accession: B69265

R;Klenk, H.P.; Clayton, R.A.; Tomb, J.F.; White, O.; Nelson, K.E.; Ketchum, K.A.; Dodson

; Fleischmann, R.D.; Quackenbush, J.; Lee, N.H.; Sutton, G.G.; Gill, S.; Kirkness, E.F.

Glodek, A.; Zhou, L.; Overbeek, R.; Gocayne, J.D.; Weidman, J.F.; McDonald, L.

Nature 390, 364-370, 1997

A;Authors: Utterback, T.; Cotton, M.D.; Spriggs, T.; Artlach, P.; Kaine, B.P.; Sykes, S.

Smith, H.O.; Woese, C.R.; Venter, J.C.

A;Title: The complete genome sequence of the hyperthermophilic, sulfate-reducing archae

A;Reference number: A69250; MUID:98049343

A;Accession: B69265

A;Status: preliminary; nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-210 <KLE>

A;Cross-references: GB:AE001098; GB:AE000782; NID:g2689421; PIDN:AAB91117.1; PID:g265053

C;Superfamily: conserved hypothetical protein AF0119

Query Match 60.7%; Score 34; DB 1; Length 210;

Best Local Similarity 85.7%; Pred. No. 44;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 2 RHNYGSF 8

Db 128 RHAYGSF 134

Search completed: March 28, 2001, 07:04:26

Job time: 1064 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:04 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-78

Perfect score: 56

Sequence: 1 ARHNYGSPAG 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	64.3	218	1 Y4VH_RHISN	Q53216 rhizobium s
2	35	62.5	405	1 VGLM_EBV	P03215 epstein-bar
3	34	60.7	275	1 IF2A_PYNAB	Q9v084 pyrococcus
4	34	60.7	275	1 IF2A_PYNAB	O58655 pyrococcus
5	34	60.7	284	1 IPYR_PICPA	O13505 pichia past
6	34	60.7	286	1 IPYR_KLULA	P13998 kluyveromyc
7	34	60.7	286	1 IPYR_YEAST	P0817 saccharomyc
8	34	60.7	384	1 METK_ECOLI	P04384 escherichia
9	34	60.7	384	1 METK_HAEIN	P43762 haemophilus
10	34	60.7	386	1 PEXD_YEAST	P80667 saccharomyc
11	34	60.7	400	1 METK_BACSU	P54419 bacillus su
12	34	60.7	403	1 METK_MYCTU	P77899 mycobacteri
13	34	60.7	609	1 BAP2_YEAST	P38084 saccharomyc
14	34	60.7	939	1 ST20_YEAST	Q03497 saccharomyc
15	33	58.9	257	1 HB2P_RABIT	P20756 oryctolagus
16	33	58.9	347	1 MREB_ECOLI	P13519 escherichia
17	33	58.9	396	1 METK_TREPA	O83772 treponema p
18	33	58.9	448	1 NCAP_CVHOC	P33469 human coron
19	33	58.9	470	1 SYE2_RICPR	Q92ct8 rickettsia
20	33	58.9	473	1 SYE_AQUAE	O67271 aquifex aeo
21	33	58.9	682	1 VG50_BPML5	Q05262 mycobacteri
22	33	58.9	722	1 BPB1_YEAST	P53297 saccharomyc
23	33	58.9	1859	1 RPBI_CAEEL	P16356 caenorhabdi
24	32	57.1	65	1 CCSA_OENBE	P31585 oenothera b
25	32	57.1	65	1 CCSA_PEA	P31172 pisum sativ
26	32	57.1	196	1 WBBJ_ECOLI	P37750 escherichia
27	32	57.1	198	1 HB2G_HUMAN	P01911 homo sapien
28	32	57.1	266	1 HB2A_HUMAN	P01913 homo sapien
29	32	57.1	266	1 HB2B_HUMAN	P01912 homo sapien
30	32	57.1	266	1 HB2C_HUMAN	P01914 homo sapien
31	32	57.1	266	1 HB2D_CANFA	P18470 canis famil
32	32	57.1	266	1 HB2D_HUMAN	P13759 homo sapien
33	32	57.1	266	1 HB2E_HUMAN	P04229 homo sapien

34 32 57.1 266 1 HB2F_HUMAN P13758 homo sapien
35 32 57.1 266 1 HB2H_HUMAN P13760 homo sapien
36 32 57.1 266 1 HB2I_HUMAN P20039 homo sapien
37 32 57.1 266 1 HB2J_HUMAN P13761 homo sapien
38 32 57.1 313 1 CCSA_TOBAC P12216 nicotiana t
39 32 57.1 321 1 CCSA_MAIZE P46659 zea mays (m
40 32 57.1 321 1 CCSA_ORYSA P12215 oryza sativ
41 32 57.1 328 1 CCSA_ARATH P56770 arabidopsis
42 32 57.1 349 1 YJY9_YEAST P41903 saccharomyc
43 32 57.1 383 1 METK_MYCGE P47293 mycoplasma
44 32 57.1 383 1 METK_MYCPN P78003 mycoplasma
45 32 57.1 397 1 METK_STAAU P50307 staphylococ

ALIGNMENTS

RESULT 1
Y4VH_RHISN
ID Y4VH_RHISN STANDARD; PRT; 218 AA.
AC Q53216;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHEICAL 24.6 KDA PROTEIN Y4VH.
GN Y4VH.
OS Rhizobium sp. (strain NGR234).
OG Plasmid sym pNGR234a.
OC Bacteria; Proteobacteria; alpha subdivision; Rhizobiaceae group;
OC Rhizobiaceae; Rhizobium.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 97305956.
RA Freiberg C.A., Fellay R., Bairoch A., Broughton W.J., Rosenthal A.,
RA Perret X.;
RT "Molecular basis of symbiosis between Rhizobium and legumes";
RL Nature 387:394-401(1997).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE; 96389014.
RA Freiberg C., Perret X., Broughton W.J., Rosenthal A.;
RT "Sequencing the 500-kb GC-rich symbiotic replicon of Rhizobium sp.
NGR234 using dye terminators and a thermostable 'sequenase': a
beginning";
RL Genome Res. 6:590-600(1996).
CC -!- SIMILARITY: NONE OBVIOUS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; Z68203; CAA92423.1; -.
DR EMBL; AE000101; AAB91896.1; -.
KW Hypothetical protein: plasmid.
SQ SEQUENCE 218 AA; 24594 MW; 501C6CB38A09A2E5 CRC64;

Query Match 64.3%; Score 36; DB 1; Length 218;
Best Local Similarity 60.0%; Pred No. 7, 7;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;
Qy 1 ARHNYGSPAG 10
||| |:::
Db 68 ARDNHGSYSG 77

RESULT 2
VGLM_EBV
ID VGLM_EBV STANDARD; PRT; 405 AA.

AC P03215;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 01-APR-1993 (Rel. 25, Last annotation update)
 DE GLYCOPROTEIN M.
 GN BBRF3.
 OS Epstein-barr virus (strain B95-8) (Human herpesvirus 4).
 OC Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
 OC Gammaherpesvirinae; Lymphocryptovirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 84270567.
 RA Baer R., Bankier A.T., Biggin M.D., Deininger P.L., Farrell P.J.,
 RA Gibson T.J., Hatfull G., Hudson G.S., Satchwell S.C., Seguin C.,
 RA Tuffnell P.S., Barrell B.G.;
 RT "DNA sequence and expression of the B95-8 Epstein-Barr virus genome.";
 RL Nature 310:207-211(1984).
 CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN (POTENTIAL).
 CC -!- SIMILARITY: TO OTHER HERPESVIRUSES GLYCOPROTEIN M.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; A01555; CAA24825.1; -;
 DR PIR; A03777; Q0BE35.
 DR PIR; S33030; S33030.
 DR INTERPRO: IPR000785; -;
 DR PFAM; PF01528; Herpes_glycop. 1.
 DR PRINTS; PR00333; HSVINTEGRMP.
 KW Transmembrane; Glycoprotein; Late protein.
 FT TRANSMEM 18 38 POTENTIAL.
 FT TRANSMEM 77 97 POTENTIAL.
 FT TRANSMEM 122 142 POTENTIAL.
 FT TRANSMEM 150 170 POTENTIAL.
 FT TRANSMEM 208 228 POTENTIAL.
 FT TRANSMEM 246 266 POTENTIAL.
 FT TRANSMEM 268 288 POTENTIAL.
 FT TRANSMEM 300 320 POTENTIAL.
 FT CARBOHYD 6 6 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 56 56 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT DOMAIN 367 377 SER/THR-RICH.
 SQ SEQUENCE 405 AA; 45792 MW; 25A8A46B6CDC0AE1 CRC64;

Query Match 62.5%; Score 35; DB 1; Length 405;
 Best Local Similarity 55.6%; Pred. No. 22;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAG 10
 Db 267 RHNFYFCG 275
 ||||:|:|

RESULT 3
 IF2A_PYRAB - STANDARD; PRT; 275 AA.
 AC Q9V0E4;
 DT 01-OCT-2000 (Rel. 40, Created)
 DT 01-OCT-2000 (Rel. 40, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
 GN EIF2A OR PAB0368.
 OS Pyrococcus abyssi.
 OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=OR6AY;
 RA Heilig R.;

RT "Pyrococcus abyssi genome sequence: insights into archaeal chromosome
 structure and evolution.";
 RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
 CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
 CC (BY SIMILARITY).
 CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
 CC CHAIN (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
 CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AJ248285; CAB49760.1; -;
 DR INTERPRO: IPR003029; -;
 DR PFAM; PF00575; SI; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 83 SI MOTIF.
 SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;

Query Match 60.7%; Score 34; DB 1; Length 275;
 Best Local Similarity 83.3%; Pred. No. 23;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 Db 23 HNYGAF 28
 ||||:|

RESULT 4
 IF2A_PYRHO - STANDARD; PRT; 275 AA.
 AC O38655;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
 GN EIF2A OR PH0961.
 OS Pyrococcus horikoshii.
 OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=OT3;
 RX MEDLINE; 98344137.
 RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
 RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
 RA Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
 RA Funahashi T., Tanaka T., Kudoh Y., Yamazaki J., Kushida N., Oguchi A.,
 RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
 RA Masuchi Y., Shizuya H., Kikuchi H.;
 RT "Complete sequence and gene organization of the genome of a hyper-
 thermophilic archaeobacterium, Pyrococcus horikoshii OT3.";
 RL DNA Res. 5:55-76(1998).
 CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
 CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
 CC (BY SIMILARITY).
 CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
 CC CHAIN (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
 CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; AP000004; BAA30058.1; -
 DR INTERPRO; IPR003029; -
 DR PFAM; PF00575; S1; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 83 S1 MOTIF.
 SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FFB436 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 275;
 Best Local Similarity 83.3%; Pred. No. 23;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8

Db 23 HNYGAF 28

RESULT 5
 IPYR_PICPA STANDARD; PRT; 284 AA.
 ID IPYR_PICPA STANDARD; PRT; 284 AA.
 AC Q13505;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI.
 OS Pichia pastoris (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Pichia.
 RN [1]
 RP STRAIN-NRRL Y-11430;
 RX MEDLINE; 99034033.
 RA Cosano I.C., Alvarez P., Molina M., Nombela C.;
 RT "Cloning and sequence analysis of the Pichia pastoris TRP1, IPPI and
 RT HIS3 genes.";
 RL Yeast 14:861-867(1998).
 CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC -1- MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -1- SUBUNIT: HOMODIMER (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; AJ001000; CAA04453.1; -
 DR HSSP; P00817; IWGI.
 DR INTERPRO; IPR001596; -
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 284 AA; 31937 MW; 3DAD27970D775D6 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 284;
 Best Local Similarity 83.3%; Pred. No. 24;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8

Db 91 HNYGAF 96

RESULT 6
 ID IPYR_KLULA STANDARD; PRT; 286 AA.
 AC P13998;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 01-OCT-1994 (Rel. 30, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI OR IPP.
 OS Kluyveromyces lactis (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Kluyveromyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89189093.
 RA Stark M.J.R., Milner J.S.;
 RT "Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a
 RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
 RT and histone H3.";
 RL Yeast 5:35-50(1989).
 RN [2]
 RP SIMILARITY TO E.COLI AND YEAST PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and E. coli
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC -1- MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -1- SUBUNIT: HOMODIMER.
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

Query Match 60.7%; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 24;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8

Db 91 HNYGAF 96

RESULT 7

ID IPYR_YEAST STANDARD; PRT; 286 AA.

AC P00817;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPIASE).
 GN IPPI OR PPA1 OR PPA OR PPA OR YBR011C OR YBR0202.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=X2180;
 RX MEDLINE; 89083474.
 RA Kolakowski L.F. Jr., Schloesser M., Cooperman B.S.;
 RT "Cloning, molecular characterization and chromosome localization of
 RT the inorganic pyrophosphatase (PPA) gene from *S. cerevisiae*.";
 RL Nucleic Acids Res. 16:10441-10452(1988).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C;
 RA Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,
 RA Baur A., Boles E., Miosga T., Schaeff-Gerstenschlaeger I.,
 RA Zimmermann F.K.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE.
 RX MEDLINE; 78087552.
 RA Cohen S.A., Sterner R., Kelm P.S., Heinrichson R.L.;
 RT "Covalent structural analysis of yeast inorganic pyrophosphatase.";
 RL J. Biol. Chem. 253:889-897(1978).
 RN [4]
 RP SEQUENCE OF 25-35 AND 239-251.
 RC STRAIN=S288C;
 RX MEDLINE; 95203288.
 RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a *Saccharomyces cerevisiae* protein
 RT database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 239-249.
 RC STRAIN=NTCC 38531 / Y41;
 RX MEDLINE; 97089742.
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 RT *Saccharomyces cerevisiae*.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACTIVE SITE.
 RX MEDLINE; 80109718.
 RA Bond M.W., Chiu N.Y., Cooperman B.S.;
 RT "Identification of an arginine important for enzymatic activity
 RT within the covalent structure of yeast inorganic pyrophosphatase.";
 RL Biochemistry 19:94-102(1980).
 RN [7]
 RP X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).
 RA Arutunian E.G., Terzian S.S., Voronova A.A., Kuranova I.P.,
 RA Smirnova E.A., Vainstein B.K., Hohne W.E., Hansen G.;
 RT "X-ray diffraction study of inorganic pyrophosphatase from baker's
 RT yeast at the 3-A resolution.";
 RL Dokl. Akad. Nauk SSSR 258:1481-1492(1981).
 RN [8]
 RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
 RX MEDLINE; 97148342.
 RA Heikinheimo P., Lehtonen J., Baykov A., Lahti R., Cooperman B.S.,
 RA Goldman A.;
 RT "The structural basis for pyrophosphatase catalysis.";
 RL Structure 4:1491-1508(1996).
 RN [9]
 RP X-RAY CRYSTALLOGRAPHY (2.1 ANGSTROMS).
 RA Swaminathan K., Cooperman B.S., Lahti R., Voet D.;
 RL Submitted (DEC-1997) to the PDB data bank.

RN [10]
 RP X-RAY CRYSTALLOGRAPHY (2.15 ANGSTROMS) OF MUTANTS LYS-78 AND LYS-117.
 RX MEDLINE; 99096888.
 RA Tuominen V., Heikinheimo P., Kajander T., Torkkel T., Hyttia T.,
 RA Kappila J., Lahti R., Cooperman B.S., Goldman A.;
 RT "The K78K and D117E active-site variants of *Saccharomyces cerevisiae*
 RT soluble inorganic pyrophosphatase: structural studies and mechanistic
 RT implications.";
 RL J. Mol. Biol. 284:1565-1580(1998).
 RN [11]
 RP SIMILARITY TO E. COLI AND K. LACTIS PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Viininen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and *E. coli*
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY. IT BINDS UP TO 4 DIVALENT
 CC CATIONS PER SUBUNIT, WITH THREE REQUIRED FOR ACTIVITY.
 CC -1- SUBUNIT: HOMODIMER.
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>)
 CC or send an email to license@isb-sib.ch.
 CC -----
 DR EMBL; X13253; CAA31629.1;
 DR EMBL; Z35880; CAA84949.1;
 DR PIR; S45864; PMBY.
 DR PDB; 1XPY; 15-OCT-91.
 DR PDB; 1YPP; 07-DEC-96.
 DR PDB; 1WGI; 19-NOV-97.
 DR PDB; 1WGI; 19-NOV-97.
 DR PDB; 1H0J; 08-APR-98.
 DR PDB; 1HUK; 08-APR-98.
 DR PDB; 117E; 23-DEC-98.
 DR PDB; 8PRK; 23-DEC-98.
 DR SWISS-2DPAGE; P00817; YEAST.
 DR YEPD; 7305;
 DR SGD; S0000215; IPPI.
 DR INTERPRO; IPR001596;
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 DR KW Hydrolase; Magnesium; 3D-structure.
 FT INIT_MET 0
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE.
 FT CONFLICT 40 40 N -> D (IN REF. 3).
 FT CONFLICT 71 71 D -> N (IN REF. 3).
 FT CONFLICT 74 74 MISSING (IN REF. 3).
 FT CONFLICT 123 123 E -> Q (IN REF. 3).
 FT CONFLICT 136 136 Q -> E (IN REF. 3).
 FT CONFLICT 186 186 N -> D (IN REF. 3).
 FT CONFLICT 224 224 D -> N (IN REF. 3).
 FT CONFLICT 266 266 L -> P (IN REF. 2).
 FT STRAND 4 7
 FT STRAND 16 20
 FT STRAND 25 25
 FT STRAND 28 30
 FT TURN 38 41
 FT TURN 45 45
 FT STRAND 55 55
 FT STRAND 79 79
 FT TURN 97 98
 FT TURN 111 112
 FT TURN 121 123

FT	TURN	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639
----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

FT CONFLICT 305 305 V -> L (IN REF. 1).
FT CONFLICT 337 337 MISSING (IN REF. 1).
FT CONFLICT 339 339 Y -> I (IN REF. 1).
FT CONFLICT 375 376 OL -> HV (IN REF. 3).
FT CONFLICT 378 378 R -> P (IN REF. 3).
SQ SEQUENCE 384 AA; 41951 MW; 97FA8CF17B542941 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 384;
Best Local Similarity 60.0%; Pred. No. 33;
Matches 6; Conservative 2; Mismatches 0; Gaps 0;

QY 1 ARHNYGSFAG 10
||| |::|
Db 256 ARHGGGAFSG 265

RESULT 9
ID METK_HAEIN STANDARD; PRT; 384 AA..
AC P43762;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE S-ADENOSYLMETHIONINE SYNTHETASE (EC 2.5.1.6) (METHIONINE
DE ADENOSYLTRANSFERASE) (ADOMET SYNTHETASE).
GN METK OR H11172
OS Haemophilus influenzae.
OC Bacteria; Proteobacteria; gamma subdivision; Pasteurellaceae;
OC Haemophilus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=RD / KW20;
RX MEDLINE; 95350830.
RA Fleischmann R.D., Adams M.D., White O., Clayton R.A., Kirkness E.F.,
RA Kienle A.R., Bult C.J., Tomb J.-F., Dougherty B.A., Merrick J.M.,
RA McKenney K., Sutton G., Fitzhugh W., Fields C.A., Gocayne J.D.,
RA Scott J.D., Shirley R., Liu L.-I., Glodek A., Kelley J.M.,
RA Weidman J.F., Phillips C.A., Spriggs T., Hedblom E., Cotton M.D.,
RA Utterback T.R., Hanna M.C., Nguyen D.T., Saudek D.M., Brandon R.C.,
RA Fine L.D., Fritchman J.L., Fuhrmann J.L., Geoghagen N.S.M.,
RA Gnehm C.L., McDonald L.A., Small K.V., Fraser C.M., Smith H.O.,
RA Venter J.C.;
RT "Whole-genome random sequencing and assembly of Haemophilus
RT influenzae Rd.";
RL Science 269:496-512(1995).

CC -1- FUNCTION: CATALYZES THE FORMATION OF S-ADENOSYLMETHIONINE FROM
CC METHIONINE AND ATP (BY SIMILARITY).
CC -1- CATALYTIC ACTIVITY: ATP + L-METHIONINE + H(2)O = ORTHOPHOSPHATE +
CC PYROPHOSPHATE + S-ADENOSYL-L-METHIONINE.
CC -1- PATHWAY: ACTIVATED METHYL CYCLE.
CC -1- SUBUNIT: HOMOTETRAMER (BY SIMILARITY).
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE ADOMET SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U32797; AAC22825.1;
CC HSSP; P04384; 1FUG.
CC TIGR; H11172; ..
CC INTERPRO; IPR002133; ..
CC PFAM; PF00438; S-Adomet_synt; 1.
CC PROSITE; PS00376; ADOMET_SYNTHETASE_1; 1.
CC PROSITE; PS00377; ADOMET_SYNTHETASE_2; 1.
KW Transferase; One-carbon metabolism; ATP-binding.
FT NP_BIND 116 121 ATP (POTENTIAL).
SQ SEQUENCE 384 AA; 41973 MW; 3E4F873092C331B7 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 384;
Best Local Similarity 60.0%; Pred. No. 33;
Matches 6; Conservative 2; Mismatches 0; Gaps 0;

QY 1 ARHNYGSFAG 10
||| |::|
Db 256 ARHGGGAFSG 265

RESULT 10
ID PEXD_YEAST STANDARD; PRT; 386 AA..
AC P80667;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE PEROXISOMAL MEMBRANE PROTEIN PAS20 (PEROXIN-13).
GN PEX13 OR PAS20 OR YLR191W OR L9470.1.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomyces.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 97011156.
RA Elgersma Y., Kwast L., Klein A., Voorn-Brouwer T., van den Berg M.,
RA Tabak H.F., Distel B.;
RT "The SH3 domain of the Saccharomyces cerevisiae peroxisomal membrane
RT protein Pex13p functions as a docking site for Pex5p, a mobile
RT receptor for the import PTS1-containing proteins.";
RL J. Cell Biol. 135:97-109(1996).

RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C / AB972;
RA Johnston M., Andrews S., Brinkman R., Cooper J., Ding H., Du Z.,
RA Favellio A., Fullon L., Gattung S., Greco T., Kirsten J., Kucaba T.,
RA Hallsworth K., Hawkins J., Hillier L., Jier M., Johnson D.,
RA Johnston L., Langston Y., Latreille P., Le T., Mardis E., Menezes S.,
RA Miller N., Nhan M., Pauley A., Peluso D., Rifken L., Riles L.,
RA Taich A., Trevasakis E., Vignati D., Wilcox L., Wohlman P., Vaudin M.,
RA Wilson R., Waterson R.;
RL Submitted (NOV-1994) to the EMBL/GenBank/DBJ databases.
RN [3]
RP PARTIAL SEQUENCE, AND CHARACTERIZATION.
RC STRAIN=S288C;
RX MEDLINE; 97011157.
RA Erdmann R., Blobel G.;
RT "Identification of Pex13p a peroxisomal membrane receptor for the
RT PTS1 recognition factor.";
RL J. Cell Biol. 135:111-121(1996).
CC -1- FUNCTION: COMPONENT OF THE PEROXISOMAL TRANSLLOCATION MACHINERY
CC WITH PEX14 AND PEX17. INTERACTS WITH THE PTS1 RECEPTOR
CC (PAS10/PEX5).
CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. PEROXISOMAL.
CC -1- SIMILARITY: CONTAINS 1 SH3 DOMAIN.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; S82971; ABA6685.1;
CC DR EMBL; U37420; AAA79308.1;
CC DR EMBL; U17246; AAB67453.1;
CC DR EMBL; U14913; AAB67448.1;
CC DR HSSP; Q06187; LAWV.
CC SGD; S0004181; PEX13.
CC INTERPRO; IPR001452; ..
CC PFAM; PF00018; SH3; 1.

DR PRINTS; PR00452; SH3DOMAIN.
 DR PROSITE; PS00002; SH3; 1.
 KW Peroxisome; Transport; Protein transport; Transmembrane; SH3 domain.
 FT DOMAIN 1 263 LUMENAL (POTENTIAL).
 FT TRANSMEM 264 280 POTENTIAL.
 FT DOMAIN 281 386 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 306 372 SH3.
 SQ SEQUENCE 386 AA; 42706 MW; DBEA9A2372185860 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 386;
 Best Local Similarity 75.0%; Pred. No. 33;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAG 10
 :|||||
 Db 117 NNYGSFYG 124

RESULT 11
 METK_BACSU STANDARD; PRT; 400 AA.
 AC P54419; Q34566;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE S-ADENOSYLMETHIONINE SYNTHETASE (EC 2.5.1.6) (METHIONINE
 DE ADENOSYLTRANSFERASE) (ADOMET SYNTHETASE).
 GN METK OR METE.
 OS Bacillus subtilis.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group;
 OC Bacillus/Staphylococcus group; Bacillus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX STRAIN=168 / PY79;
 RX MEDLINE; 96345628.
 RA Yocum R., Perkins J.B., Howitt C.L., Pero J.;
 RT "Cloning and characterization of the metE gene encoding S-
 RT adenosylmethionine synthetase from *Bacillus subtilis*.";
 RL J. Bacteriol. 178:4604-4610(1996).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 98048467.
 RA Lapidus A., Galleron N., Sorokin A., Ehrlich S.D.;
 RT "Sequencing and functional annotation of the *Bacillus subtilis* genes
 RT in the 200 kb *rrnB*-*dnab* region.";
 RL Microbiology 143:3431-3441(1997).
 CC -1- FUNCTION: CATALYZES THE FORMATION OF S-ADENOSYLMETHIONINE FROM
 CC METHIONINE AND ATP.
 CC -1- CATALYTIC ACTIVITY: ATP + L-METHIONINE + H(2)O = ORTHOPHOSPHATE +
 CC PYROPHOSPHATE + S-ADENOSYL-L-METHIONINE.
 CC -1- PATHWAY: ACTIVATED METHYL CYCLE.
 CC -1- SUBUNIT: HOMOTETRAMER (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO THE ADOMET SYNTHETASE FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC EMBL; U52812; AB17066.1; -
 DR EMBL; AF008220; AAC00242.1; -
 DR EMBL; Z99119; CAB15033.1; -
 DR HSSP; P04384; 1XRC.
 DR SUBTILIST; BG11840; METK.
 DR INTERPRO; IPR002133; -
 DR PFAM; PF00438; S-AdoMet_synt; 1.
 DR PROSITE; PS00376; ADOMET_SYNTHETASE_1; 1.
 DR PROSITE; PS00377; ADOMET_SYNTHETASE_2; 1.

DR PRINTS; PR00452; SH3DOMAIN.
 DR PROSITE; PS00002; SH3; 1.
 KW Peroxisome; Transport; Protein transport; Transmembrane; SH3 domain.
 FT DOMAIN 1 263 LUMENAL (POTENTIAL).
 FT TRANSMEM 264 280 POTENTIAL.
 FT DOMAIN 281 386 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 306 372 SH3.
 SQ SEQUENCE 386 AA; 42706 MW; DBEA9A2372185860 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 400;
 Best Local Similarity 60.0%; Pred. No. 34;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSEAG 10
 :|||:|:|
 Db 270 ARHGGAFSG 279

RESULT 12
 METK_MYCTU STANDARD; PRT; 403 AA.
 AC P77899;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE S-ADENOSYLMETHIONINE SYNTHETASE (EC 2.5.1.6) (METHIONINE
 DE ADENOSYLTRANSFERASE) (ADOMET SYNTHETASE).
 GN METK OR RV1392 OR MTCY21B4.09.
 OS Mycobacterium tuberculosis.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Corynebacterineae; Mycobacteriaceae; Mycobacterium.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX STRAIN=H37RV;
 RX MEDLINE; 98295987.
 RA Cole S.T., Brosch R., Parkhill J., Garnier T., Churcher C., Harris D.,
 RA Gordon S.V., Eiglmeier K., Gas S., Barry C.E. III, Tekala F.,
 RA Badcock K., Basham D., Brown D., Chillingworth T., Connor R.,
 RA Davies R., Devlin K., Feltwell T., Gentles S., Hamlin N., Holroyd S.,
 RA Hornsby T., Jagels K., Krogh A., McLean J., Moule S., Murphy L.,
 RA Oliver S., Osborne J., Quail M.A., Rajandream M.A., Rogers J.,
 RA Rutter S., Seeger K., Skelton S., Squares S., Squares R., Sulston J.E.,
 RA Taylor K., Whitehead S., Barrell B.G.;
 RT "Deciphering the biology of *Mycobacterium tuberculosis* from the
 RT complete genome sequence.";
 RL Nature 393:537-544(1998).
 CC -1- FUNCTION: CATALYZES THE FORMATION OF S-ADENOSYLMETHIONINE FROM
 CC METHIONINE AND ATP (BY SIMILARITY).
 CC -1- CATALYTIC ACTIVITY: ATP + L-METHIONINE + H(2)O = ORTHOPHOSPHATE +
 CC PYROPHOSPHATE + S-ADENOSYL-L-METHIONINE.
 CC -1- PATHWAY: ACTIVATED METHYL CYCLE.
 CC -1- SUBUNIT: HOMOTETRAMER (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: BELONGS TO THE ADOMET SYNTHETASE FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC EMBL; Z80108; CAB02194.1; -
 DR HSSP; P04384; 1XRC.
 DR TUBERCULIST; RV1392; -
 DR INTERPRO; IPR002133; -
 DR PFAM; PF00438; S-AdoMet_synt; 1.
 DR PROSITE; PS00376; ADOMET_SYNTHETASE_1; 1.
 DR PROSITE; PS00377; ADOMET_SYNTHETASE_2; 1.
 KW Transferase; One-carbon metabolism; ATP-binding.
 FT NP_BIND 131 136 ATP (BY SIMILARITY).
 SQ SEQUENCE 403 AA; 43046 MW; 2E18BE05D8267972 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 403;
 Best Local Similarity 60.0%; Pred. No. 34;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNGSFAG 10
 ||| 1:1:1
 DB 276 ARHGGAFSG 285

RESULT 13
 BAP2_YEAST STANDARD; PRT; 609 AA.
 AC P38084;
 DT 01-OCT-1994 (Rel. 30, Created)
 DT 01-OCT-1994 (Rel. 30, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE LEU/VAL/ILE AMINO-ACID PERMEASE (BRANCHED-CHAIN AMINO-ACID PERMEASE 2).
 GN BAP2 OR YBR068C OR YBR0629.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomycetes.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C;
 RA Domdey H., Gassenhuber H., Obermaier B., Piravandi E.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE OF 604-609 FROM N.A.
 RC STRAIN=S288C;
 RA Feldmann H., Mannhaupt G., Schwarzlose C., Vetter I.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP CHARACTERIZATION.
 RX MEDLINE; 96096693.
 RA Grauslund M., Didion T., Kielland-Brandt M.C., Andersen H.A.;
 RT "BAP2, a gene encoding a permease for branched-chain amino acids in Saccharomyces cerevisiae.";
 RL Blochim. Biophys. Acta 1269:275-280(1995).
 CC -1- FUNCTION: AMINO ACID PERMEASE FOR LEUCINE, VALINE AND ISOLEUCINE.
 CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN (PROBABLE).
 CC -1- SIMILARITY: BELONGS TO THE AMINO ACID PERMEASE FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
 CC EMBL; 235937; CAA85012.1; -;
 CC PIR; S45930; S45930.
 CC SGD; S0000272; BAP2.
 CC INTERPRO: IPR002027; -;
 CC PFAM: PF00324; aa_permeases; 1.
 CC PROSITE: PS00218; AMINO-ACID-PERMEASE_1; 1.
 KW Transport; Amino-acid transport; Transmembrane.
 FT TRANSMEM 100 120 POTENTIAL.
 FT TRANSMEM 124 144 POTENTIAL.
 FT TRANSMEM 174 194 POTENTIAL.
 FT TRANSMEM 211 231 POTENTIAL.
 FT TRANSMEM 236 256 POTENTIAL.
 FT TRANSMEM 290 310 POTENTIAL.
 FT TRANSMEM 329 349 POTENTIAL.
 FT TRANSMEM 375 395 POTENTIAL.
 FT TRANSMEM 428 448 POTENTIAL.
 FT TRANSMEM 452 472 POTENTIAL.
 FT TRANSMEM 501 521 POTENTIAL.
 FT TRANSMEM 537 557 POTENTIAL.
 SQ SEQUENCE - 609 AA; 67670 MW; 02249C5F744E16E5 CRC64;

Query Match 60.7%; Score 34; DB 1; Length 609;
 Best Local Similarity 75.0%; Pred. No. 52;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAG 10
 ||| 1:1:1
 DB 273 HNPAGAFAG 280

RESULT 14
 ST20_YEAST STANDARD; PRT; 939 AA.
 AC Q03497;
 DT 01-OCT-1993 (Rel. 27, Created)
 DT 01-OCT-1993 (Rel. 27, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE SERINE/THREONINE-PROTEIN KINASE STE20 (EC 2.7.1.-).
 GN STE20 OR YHL007C.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomycetes.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 93098855.
 RA Leberer E., Dignard D., Hargus D., Thomas D.Y., Whiteway M.;
 RT "The protein kinase homologue Ste20p is required to link the yeast pheromone response G-protein beta gamma subunits to downstream signalling components.";
 RL EMBO J. 11:4815-4824(1992).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 93133807.
 RA Ramer S.W., Davis R.W.;
 RT "A dominant truncation allele identifies a gene, STE20, that encodes a putative protein kinase necessary for mating in Saccharomyces cerevisiae.";
 RL Proc. Natl. Acad. Sci. U.S.A. 90:452-456(1993).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C / AB972;
 RX MEDLINE; 94378003.
 RA Johnston M., Andrews S., Brinkman R., Cooper J., Ding H., Dover J., Du Z., Favell A., Fulton L., Gattung S., Geisel C., Kirsten J., Kucaba T., Hillier L., Jier M., Johnston L., Langston Y., Latreille P., Louis E.J., Macri C., Mardis E., Menezes S., Mouser L., Nhan M., Rifkin L., Riles L., St Peter H., Trevisan E., Vaughan K., Vignati D., Wilcox L., Wohlman P., Waterston R., Wilson R., Vaudin M.;
 RT "Complete nucleotide sequence of Saccharomyces cerevisiae chromosome VIII.";
 RL Science 265:2077-2082(1994).
 CC -1- FUNCTION: REQUIRED TO LINK THE PHEROMONE RESPONSE G-PROTEIN BETA GAMMA SUBUNITS TO DOWNSTREAM SIGNALING COMPONENTS. IT IS THOUGHT THAT IT CAN PHOSPHORYLATE STE5, NEEDED FOR MATING IN HAPLOID CELLS, INDUCTION OF A MATING-SPECIFIC GENE FUS1, INDUCTION OF MATING-SPECIFIC MORPHOLOGIES, AND PHEROMONE-INDUCED PROLIFERATION. ARREST. PHOSPHORYLATES STE11.
 CC -1- PATHWAY: RESPONSE TO PHEROMONE-INDUCED SIGNAL.
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- PTM: AUTOPHOSPHORYLATED ON SERINE RESIDUES.
 CC -1- SIMILARITY: BELONGS TO THE SER/THR FAMILY OF PROTEIN KINASES. STE20 SUBFAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
 CC EMBL; M94719; AAA35111.1; -;

DR EMBL; L04655; AAA35038.1; -;
 DR EMBL; L04655; AAA35039.1; -;
 DR EMBL; U11581; AAB69747.1; -;
 DR PIR; S28394; S28394.1;
 DR PIR; S46821; S46821.1;
 DR HSSP; Q63450; IAO6.
 DR SGD; S0000999; STE20.
 DR INTERPRO; IPR000095; -;
 DR INTERPRO; IPR000719; -;
 DR INTERPRO; IPR002290; -;
 DR PFAM; PF00786; PBD; 1.
 DR PFAM; PF00669; pkinase; 1.
 DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
 DR PROSITE; PS00108; PROTEIN_KINASE_ST; 1.
 DR PROSITE; PS00111; PROTEIN_KINASE_DOM; 1.
 DR TRANSFERASE; Serine/threonine-protein kinase; ATP-binding;
 KW pheromone response; phosphorylation.
 FT DOMAIN 95 375
 FT NP_BIND 620 871
 FT BINDING 626 834
 FT ACT_SITE 739 739
 FT CONFLICT 19 19
 FT CONFLICT 134 134
 FT CONFLICT 271 271
 SQ SEQUENCE 939 AA; 102362 MW; 59C1C12F5B87733C CRC64;

Query Match 60.7%; Score 34; DB 1; Length 939;
 Best Local Similarity 75.0%; Pred. No. 81;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 3 HNYGSFAG 10
 |||||
 Db 440 HNYGSRTG 447

RESULT 15
 HB2P_RABIT
 ID HB2P_RABIT STANDARD; PRT; 257 AA.
 AC P20756;
 DT 01-FEB-1991 (Rel. 17, Created)
 DT 01-FEB-1991 (Rel. 17, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE RLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DP BETA CHAIN PRECURSOR (D10
 DE HAPLOTYPE).
 OS Oryctolagus cuniculus (Rabbit).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 88159085.
 RA Sittisombut N., Mordacq J., Knight K.L.;
 RT "Rabbit MHC. II. Sequence analysis of the R-DP alpha- and
 beta-genes";
 RL J. Immunol. 140:3237-3243(1988).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M21468; AAA31393.1; -;
 DR EMBL; M21465; AAA31393.1; JOINED.
 DR EMBL; M21466; AAA31393.1; JOINED.
 DR EMBL; M21467; AAA31393.1; JOINED.
 DR PIR; A32283; A32283.
 DR HSSP; P13760; 2SEB.
 DR INTERPRO; IPR000353; -;
 DR INTERPRO; IPR000495; -;

DR INTERPRO; IPR003006; -;
 DR PFAM; PF00969; MHC_II_beta; 1.
 DR PFAM; PF00047; ig; 1.
 DR PROSITE; PS00290; IG_MHC; 1.
 DR MHC II; Transmembrane; Glycoprotein; Signal.
 FT SIGNAL 1 29
 FT CHAIN 30 257
 FT DOMAIN 30 120
 FT DOMAIN 121 214
 FT DOMAIN 215 224
 FT TRANSMEM 225 245
 FT DOMAIN 246 257
 FT DISULFID 45 105
 FT DISULFID 143 199
 FT CARBOHYD 49 49
 SQ SEQUENCE 257 AA; 29090 MW; 60955374F2BD466C CRC64;

Query Match 58.9%; Score 33; DB 1; Length 257;
 Best Local Similarity 66.7%; Pred. No. 34;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFAG 10
 |||||
 Db 106 RHNYELFQG 114

Search completed: March 28, 2001, 07:35:04
 Job time: 141 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:06 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-78
Perfect score: 56
Sequence: 1 ARHNYGSFAG 10

Scoring table: BLOSUM62
Gapop 10.0, Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

SPTREMBL15:*
1: sp_archaea:*
2: sp_bacteria:*
3: sp_fungi:*
4: sp_human:*
5: sp_invertebrate:*
6: sp_mammal:*
7: sp_mhc:*
8: sp_organelle:*
9: sp_phage:*
10: sp_plant:*
11: sp_rodent:*
12: sp_virus:*
13: sp_vertebrate:*
14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	76.8	839	10 Q9LIE5	Q9LIE5 arabidopsis
2	40	71.4	83	7 Q9TNX4	Q9tnx4 equus caball
3	39	69.6	446	5 O62086	O62086 caenorhabdi
4	38	67.9	89	7 O19495	O19495 gallus gall
5	38	67.9	618	10 Q9LWD5	Q9lwd5 oryza sativ
6	38	67.9	697	3 O74504	O74504 schizosacch
7	36	64.3	39	7 P79474	P79474 cervus elap
8	36	64.3	39	7 P79477	P79477 cervus elap
9	36	64.3	39	7 P79479	P79479 cervus elap
10	36	64.3	39	7 P79479	P79479 cervus elap
11	36	64.3	74	6 Q9TMM4	Q9ttm4 bos taurus
12	36	64.3	76	7 Q9TPC2	Q9tpc2 macaca mula
13	36	64.3	78	6 O97835	O97835 ovis aries
14	36	64.3	78	6 O97839	O97839 ovis aries
15	36	64.3	78	6 O97844	O97844 ovis aries
16	36	64.3	78	6 O97968	O97968 ovis aries
17	36	64.3	78	7 Q9MWT6	Q9mwt6 leopardus p
18	36	64.3	78	7 Q9MWT5	Q9mwt5 leopardus p
19	36	64.3	78	7 Q9MWT4	Q9mwt4 leopardus p

20	36	64.3	79	7	019191	019191 prionalluru
21	36	64.3	79	7	019192	019192 prionalluru
22	36	64.3	79	7	019380	019380 felis silve
23	36	64.3	79	7	019381	019381 felis silve
24	36	64.3	79	7	019382	019382 felis silve
25	36	64.3	79	7	019396	019396 felis silve
26	36	64.3	79	7	019397	019397 felis silve
27	36	64.3	79	7	019405	019405 felis silve
28	36	64.3	79	7	019406	019406 felis silve
29	36	64.3	79	7	019407	019407 felis silve
30	36	64.3	79	7	019408	019408 felis silve
31	36	64.3	79	7	019435	019435 felis silve
32	36	64.3	79	7	09MX19	09mx19 leopardus p
33	36	64.3	79	7	09MX13	09mx13 leopardus p
34	36	64.3	79	7	09MX03	09mx03 leopardus p
35	36	64.3	79	7	09MX00	09mx00 leopardus p
36	36	64.3	79	7	09MW29	09mw29 leopardus p
37	36	64.3	79	7	09MW28	09mw28 leopardus p
38	36	64.3	79	7	09MW27	09mw27 leopardus p
39	36	64.3	79	7	09MWY9	09mwy9 leopardus p
40	36	64.3	79	7	09MWY8	09mwy8 leopardus p
41	36	64.3	79	7	09MWY6	09mwy6 leopardus p
42	36	64.3	79	7	09MWY5	09mwy5 leopardus p
43	36	64.3	79	7	09MWY4	09mwy4 leopardus p
44	36	64.3	79	7	09MWY3	09mwy3 leopardus p
45	36	64.3	79	7	09MWX6	09mw6 leopardus p

ALIGNMENTS

RESULT 1

Q9LIE5
ID Q9LIE5 PRELIMINARY; PRT; 839 AA.
AC Q9LIE5;
DT 01-OCT-2000 (Tremblrel. 15, Created)
DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)
DT 01-OCT-2000 (Tremblrel. 15, Last annotation update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPPOSASE-LIKE
OS PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
DE Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsi.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety pl,
RT TAC and BAC clones."
RL DNA Res. 7:217-221(2000).
DR EMBL; AP001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 76.8%; Score 43; DB 10; Length 839;
Best Local Similarity 87.5%; Pred. No. 6.7;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8

Db 274 SRHNYGSF 281

RESULT 2

Q9TNX4

Query Match	Best Local Similarity	Score 39;	DB 5;	Length 446;
Matches	7; Conservative	0;	Mismatches	1; Indels
0;	0;	0;	Gaps	0;
QY	2 RHYNGSFA 9			
Db	51 RHYNGSHA 58			
RESULT	4			
O19495	PRELIMINARY;		89 AA.	
ID	O19495			
AC	O19495;			
DT	01-JAN-1998 (TrEMBLrel. 05, Created)			
DT	01-JAN-1998 (TrEMBLrel. 05, Last sequence update)			
DT	01-MAY-2000 (TrEMBLrel. 13, Last annotation update)			
DE	MHC CLASS II BETA 1 DOMAIN (FRAGMENT).			
OS	B-LBI.			
OS	Gallus gallus (Chicken).			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
OC	Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;			
OC	Gallus.			
OX	NCBI_TaxID=9031;			
RP	[1]			
RP	SEQUENCE FROM N.A.			
RC	STRAIN=15.151-5; TISSUE=BURSA;			
RA	Phart G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;			
RL	Immunogenetics 47:350-354(1998).			
DR	EMBL; U91532; AAC15813.1; -.			
DR	INTERPRO; IPR000353; -.			
DR	PFAM; PF00969; MHC_II_beta; 1.			
KW	MHC.			
FT	NON_TER 1			
FT	NON_TER 89			
FT	NON_TER 89			
SQ	SEQUENCE 89 AA; 10724 MW; BC7D55886AE1379 CRC64;			
Query Match	67.9%;	Score 38;	DB 7;	Length 89;
Best Local Similarity	85.7%;	Pred. No. 5.4;		
Matches	6; Conservative	0; Mismatches	1; Indels	0; Gaps
0;	0;	0;	0;	0;
QY	2 RHYNGSF 8			
Db	75 RHYNGDF 81			
RESULT	5			
O91LWD5	PRELIMINARY;		618 AA.	
ID	O91LWD5			
AC	O91LWD5;			
DT	01-OCT-2000 (TrEMBLrel. 15, Created)			
DT	01-OCT-2000 (TrEMBLrel. 15, Last sequence update)			
DT	01-OCT-2000 (TrEMBLrel. 15, Last annotation update)			
DE	EST C72268(E1328) CORRESPONDS TO A REGION OF THE PREDICTED GENE.			
OS	Oryza sativa (Rice).			
OS	Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;			
OC	Magnoliophyta; Liliopsida; Poales; Poaceae; Oryza.			
OX	NCBI_TaxID=4530;			
OX	[1]			
RP	SEQUENCE FROM N.A.			
RC	STRAIN=CV, NIPPONBARE;			
RA	Sasaki T., Matsumoto T., Yamamoto K.;			
RT	"Oryza sativa nipponbare(GA3) genomic DNA, chromosome 1, PAC			
RT	clone: P0483f08.";			
RL	Submitted (MAY-2000) to the EMBL/GenBank/DBJ databases.			
DR	EMBL; AP002094; BAA96209.1; -.			
SQ	SEQUENCE 618 AA; 66394 MW; A616FECC0B8966D1 CRC64;			
Query Match	67.9%;	Score 38;	DB 10;	Length 618;
Best Local Similarity	70.0%;	Pred. No. 42;		
Matches	6; Conservative	0; Mismatches	1; Indels	0; Gaps
0;	0;	0;	0;	0;

Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFAG 10

Db 227 ARNYGSFSG 236

|||||

RESULT 6

O74504

ID O74504 PRELIMINARY; PRT; 697 AA.

AC O74504; PRELIMINARY; PRT; 697 AA.

DT 01-NOV-1998 (TREMBlrel. 08, Created)

DT 01-NOV-1998 (TREMBlrel. 08, Last sequence update)

DT 01-NOV-1998 (TREMBlrel. 08, Last annotation update)

DE HYPOTHETICAL 77.8 KDA PROTEIN (FRAGMENT).

GN SFCC594.01.

OS Schizosaccharomyces pombe (Fission yeast).

OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetales;

OC Schizosaccharomycetaceae; Schizosaccharomyces.

OX NCBI_TaxID=4896;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=972H-;

RA Rieger M., Lyne M., Rajandream M.A., Barrell B.G.;

RL Submitted (SEP-1998) to the EMBL/GenBank/DBJ databases.

DR EMBL; AL031523; CA20660.1; -.

KW Hypothetical protein.

FT NON_TER 1

SQ SEQUENCE 697 AA; 77841 MW; AC4561DD5E925132 CRC64;

Query Match

Best Local Similarity 67.9%; Score 38; DB 3; Length 697;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAG 10

Db 155 RHRYWSFAG 163

|||||

RESULT 7

P79474

ID P79474 PRELIMINARY; PRT; 39 AA.

AC P79474; PRELIMINARY; PRT; 39 AA.

DT 01-MAY-1997 (TREMBlrel. 03, Created)

DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)

DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)

DE MHC CLASS II DRB (FRAGMENT).

OS Cervus elaphus (Red deer).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;

OC Cervidae; Cervinae; Cervus.

OX NCBI_TaxID=9860;

RN [1]

RP SEQUENCE FROM N.A.

RA Swarbrick P.A., Crawford A.M.;

RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.

DR EMBL; U63077; AAB37777.1; -.

KW MHC.

FT NON_TER 1

FT NON_TER 39

SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733D1D CRC64;

Query Match

Best Local Similarity 64.3%; Score 36; DB 7; Length 39;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

Db 25 RHNYGVF 31

|||||

RESULT 10

P79479

ID P79479 PRELIMINARY; PRT; 39 AA.

AC P79479; PRELIMINARY; PRT; 39 AA.

DT 01-MAY-1997 (TREMBlrel. 03, Created)

DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)

DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)

DE MHC CLASS II DRB (FRAGMENT).

OS Cervus elaphus (Red deer).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;

OC Cervidae; Cervinae; Cervus.

RESULT 8

P79477

ID P79477 PRELIMINARY; PRT; 39 AA.

AC P79477; PRELIMINARY; PRT; 39 AA.

DT 01-MAY-1997 (TREMBlrel. 03, Created)

DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)

DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)

DE MHC CLASS II DRB (FRAGMENT).

OS Cervus elaphus (Red deer).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;

OC Cervidae; Cervinae; Cervus.

OX NCBI_TaxID=9860;

RN [1]

RP SEQUENCE FROM N.A.

RA Swarbrick P.A., Crawford A.M.;

RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.

DR EMBL; U63080; AAB37780.1; -.

KW MHC.

FT NON_TER 1

FT NON_TER 39

SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3CID CRC64;

Query Match

Best Local Similarity 64.3%; Score 36; DB 7; Length 39;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

Db 25 RHNYGVF 31

|||||

RESULT 9

P79478

ID P79478 PRELIMINARY; PRT; 39 AA.

AC P79478; PRELIMINARY; PRT; 39 AA.

DT 01-MAY-1997 (TREMBlrel. 03, Created)

DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)

DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)

DE MHC CLASS II DRB (FRAGMENT).

OS Cervus elaphus (Red deer).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;

OC Cervidae; Cervinae; Cervus.

OX NCBI_TaxID=9860;

RN [1]

RP SEQUENCE FROM N.A.

RA Swarbrick P.A., Crawford A.M.;

RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.

DR EMBL; U63081; AAB37781.1; -.

KW MHC.

FT NON_TER 1

FT NON_TER 39

SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3CID CRC64;

Query Match

Best Local Similarity 64.3%; Score 36; DB 7; Length 39;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

Db 25 RHNYGVF 31

|||||


```

DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swadlow P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63082; AAB3782.1; -.
KW MHC.
FT NON_TER 1 1
FT NON_TER 39 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 64.3%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 5.3;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 25 RHNYGVF 31

RESULT 11
Q9TTC2
ID Q9TTC2 PRELIMINARY; PRT; 74 AA.
AC Q9TTC2
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE MHC(BOLA) CLASS II DR-BETA CHAIN (FRAGMENT).
GN BOLA-DRB3.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RA STRAIN=JAPANESE BLACK;
RA Takeshima S., Ikegami M., Morita M., Nakai Y., Aida Y.;
RT "Identification of BOLA-DRB3 exon 2 of Japanese black cattle.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB033388; BAA85470.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1 1
FT NON_TER 74 74
SQ SEQUENCE 74 AA; 9132 MW; C5834842F0E38BA6 CRC64;

Query Match 64.3%; Score 36; DB 6; Length 74;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 68 RHNYGVF 74

RESULT 12
Q9TTC2
ID Q9TTC2 PRELIMINARY; PRT; 76 AA.
AC Q9TTC2
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE MHC CLASS II ANTIGEN (FRAGMENT).
GN MAMU-DRB1.
OS Macaca mulatta (Rhesus macaque).

```

```

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecoidea; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RA Sauerbrey U., Khazand M., Nagy M., Peilberg C.;
RT "Mhc-DQ-DRB-haplotype analysis in the rhesus macaque: evidence for a
RT number of different haplotypes displaying a low allelic
RT polymorphism.";
RL Tissue Antigens 0:0-0(1999).
DR EMBL; AF175315; AAF07040.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 76 76
SQ SEQUENCE 76 AA; 9315 MW; 1DC073E1B87A94D0 CRC64;

Query Match 64.3%; Score 36; DB 7; Length 76;
Best Local Similarity 85.7%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 67 RHNYGVF 73

RESULT 13
O97835
ID O97835 PRELIMINARY; PRT; 78 AA.
AC O97835
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
GN OLA-DRB1*W20.2.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=7407; TISSUE=BLOOD;
RA Aida Y.;
RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB017207; BAA36764.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1 1
FT NON_TER 78 78
SQ SEQUENCE 78 AA; 9677 MW; 653346CE7D1E1388 CRC64;

Query Match 64.3%; Score 36; DB 6; Length 78;
Best Local Similarity 85.7%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 72 RHNYGVF 78

RESULT 14
O97839
ID O97839 PRELIMINARY; PRT; 78 AA.
AC O97839
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)

```

```

DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
GN OLA-DRB1*N2.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=SUFFOLK BREED AND CORRIDALE BREED; TISSUE=BLOOD;
RA Aida Y.;
RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB017212; BAA36769.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1
FT NON_TER 78
SQ SEQUENCE 78 AA; 9430 MW; AF8A0B87E34B6832 CRC64;

Query Match      64.3%; Score 36; DB 6; Length 78;
Best Local Similarity 85.7%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 72 RHNYGVF 78

RESULT 15
O97844
ID O97844 PRELIMINARY; PRT; 78 AA.
AC O97844;
DT 01-MAY-1999 (TReMBLrel. 10, Created)
DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
GN OLA-DRB1*N8.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=SUFFOLK BREED; TISSUE=BLOOD;
RA Aida Y.;
RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB017220; BAA36777.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
FT NON_TER 1
FT NON_TER 78
SQ SEQUENCE 78 AA; 9645 MW; 505346CE7D0860CF CRC64;

Query Match      64.3%; Score 36; DB 6; Length 78;
Best Local Similarity 85.7%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 72 RHNYGVF 78

```

Search completed: March 28, 2001, 07:53:06
 Job time: 499 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:48 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-78

Perfect score: 56

Sequence: 1 ARHNYGSFAG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36.*

```
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	56	100.0	10	19	W76029
2	50	89.3	10	19	W76024
3	50	89.3	10	19	W76025
4	50	89.3	10	19	W76026
5	50	89.3	10	19	W76027
6	50	89.3	10	19	W76028
7	50	89.3	10	19	W76030
8	50	89.3	10	19	W76010
9	50	89.3	117	19	W76001
10	50	89.3	117	19	W76003
11	50	89.3	117	20	Y06381
12	50	89.3	117	20	Y06387
					Humanised LM609 an

13	50	89.3	118	20	Y06384	Humanised LM609 an
14	50	89.3	118	20	Y06385	Humanised LM609 an
15	50	89.3	118	20	Y06386	Humanised LM609 an
16	50	89.3	118	20	Y06383	Humanised LM609 an
17	50	89.3	130	20	Y06379	Murine monoclonal
18	47	83.9	10	19	W76021	LM609 grafted anti
19	46	82.1	10	19	W76039	LM609 grafted anti
20	46	82.1	10	19	W76040	LM609 grafted anti
21	46	82.1	10	19	W76022	LM609 grafted anti
22	46	82.1	10	19	W76023	LM609 grafted anti
23	45	80.4	10	19	W76037	LM609 grafted anti
24	45	80.4	10	19	W76020	LM609 grafted anti
25	42	75.0	110	20	W84099	Vitronectin alpha-
26	42	75.0	117	20	W84093	Murine vitronectin
27	42	75.0	117	20	W84097	Humanised anti-aiP
28	41	73.2	8	20	Y06371	Murine monoclonal
29	41	73.2	10	19	W76038	LM609 grafted anti
30	37	66.1	119	19	Y86109	S. pneumoniae deri
31	36	64.3	117	16	W79157	Human IgE receptor
32	36	64.3	117	16	W79155	Human IgE receptor
33	36	64.3	117	18	W27357	Heavy chain variab
34	36	64.3	117	18	W27356	Heavy chain variab
35	36	64.3	117	18	W27354	Heavy chain variab
36	36	64.3	119	18	W01578	Lead binding Mab 8
37	36	64.3	239	20	W73874	Human antiFc eps11
38	36	64.3	242	20	W73876	Human antiFc eps11
39	34	60.7	30	21	Y81870	Yeast Ip1p protein
40	34	60.7	138	21	Y75465	Neisseria meningit
41	34	60.7	138	21	Y75466	Neisseria meningit
42	34	60.7	332	21	Y67216	ORF 15 encoded S-a
43	34	60.7	384	20	Y33263	E. coli S-adenosyl
44	34	60.7	384	20	Y33267	Plasmid pHS1 metK
45	34	60.7	384	20	Y33269	Plasmid pHS1 metK

ALIGNMENTS

RESULT 1

W76029
ID W76029 standard; Protein: 10 AA.

XX W76029;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #11.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSV-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49866.

PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT Integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX
 XX Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-w76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 56; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00088;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAG 10
 |||||
 Db 1 arhnygsfag 10

RESULT 2
 W76024
 ID W76024 standard; Protein; 10 AA.
 XX
 AC W76024;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #6.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.
 OS
 PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 DR N-PSDB; V49861.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.

XX W76007-w76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0092;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 1 arhnygsfa 9

RESULT 3
 W76025
 ID W76025 standard; Protein; 10 AA.
 XX
 AC W76025;

XX 02-NOV-1998 (first entry)
 DT
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #7.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.
 OS
 PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 DR N-PSDB; V49862.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.

XX W76007-w76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0092;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db | | | | | | | | | |
 1 arhnygsfa 9

RESULT 4

ID W76026 standard; Protein; 10 AA.

AC W76026;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #8.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49863.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

XX integrin - and related grafted antibodies based on murine monoclonal

XX LM609, also related nucleic acid, used to treat, prevent or diagnose

XX angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0092;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db | | | | | | | | | |
 1 arhnygsfa 9

RESULT 5

ID W76027 standard; Protein; 10 AA.

XX AC W76027;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49864.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 XX integrin - and related grafted antibodies based on murine monoclonal
 XX LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0092;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db | | | | | | | | | |

Db 1 arhnygsfa 9

RESULT 6

W76028 ID W76028 standard; Protein; 10 AA.

AC W76028;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #10.

XX

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

XX complementarity determining region.

XX Mus sp.

OS

XX W09833919-A2.

PN

XX 06-AUG-1998.

PD

XX 30-JAN-1998; 98WO-US01826.

PF

XX 30-JAN-1997; 97US-0791391.

PR

XX (IXSY-) IXSYS INC.

PA

XX Glaser SM, Huse WD;

PI

XX WPI: 1998-437472/37.

DR

XX N-PSDB; V49865.

DR

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

XX

PS Claim 62; Page 41; 129pp; English.

XX

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

XX that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0092;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

Db | | | | | | | |

1 arhnygsfa 9

RESULT 7

W76030 ID W76030 standard; Protein; 10 AA.

AC W76030;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #1.

XX

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

XX complementarity determining region.

XX Mus sp.

OS

XX W09833919-A2.

PN

XX 06-AUG-1998.

PD

XX 30-JAN-1998; 98WO-US01826.

PF

XX 30-JAN-1997; 97US-0791391.

PR

XX (IXSY-) IXSYS INC.

PA

XX Glaser SM, Huse WD;

PI

XX WPI: 1998-437472/37.

DR

XX N-PSDB; V49865.

DR

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

XX

PS Claim 62; Page 41; 129pp; English.

XX

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

XX that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0092;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

Db | | | | | | | |

1 arhnygsfa 9

RESULT 7

W76030 ID W76030 standard; Protein; 10 AA.

AC W76030;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #1.

XX

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

XX complementarity determining region.

XX Mus sp.

OS

XX W09833919-A2.

PN

XX 06-AUG-1998.

PD

XX 30-JAN-1998; 98WO-US01826.

PF

XX 30-JAN-1997; 97US-0791391.

PR

XX (IXSY-) IXSYS INC.

PA

XX Glaser SM, Huse WD;

PI

XX WPI: 1998-437472/37.

DR

XX N-PSDB; V49865.

DR

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

XX

PS Claim 62; Page 41; 129pp; English.

XX

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

XX that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0092;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

Db | | | | | | | |

1 arhnygsfa 9

RESULT 7

W76030 ID W76030 standard; Protein; 10 AA.

AC W76030;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #1.

XX

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

XX complementarity determining region.

XX Mus sp.

OS

XX W09833919-A2.

PN

XX 06-AUG-1998.

PD

XX 30-JAN-1998; 98WO-US01826.

PF

XX 30-JAN-1997; 97US-0791391.

PR

XX (IXSY-) IXSYS INC.

PA

XX Glaser SM, Huse WD;

PI

XX WPI: 1998-437472/37.

DR

XX N-PSDB; V49865.

DR

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

XX

PS Claim 62; Page 41; 129pp; English.

XX

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

XX that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 89.3%; Score 50; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0092;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

Db | | | | | | | |

1 arhnygsfa 9

RESULT 7

W76030 ID W76030 standard; Protein;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX Mus sp.
 OS
 PN WO9833919-A2.
 XX
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 DR WPI: 1998-437472/37.
 DR N-PSDB; V49847.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Disclosure; Page 40; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

 Query Match 89.3%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0092;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 QY 1 ARHNYGSFA 9
 |||||
 Db 1 arhnygsfa 9

 RESULT 9
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 AC W76001;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 XX
 DE Vitaxin antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 PN WO9833919-A2.
 XX
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 DR WPI: 1998-437472/37.
 DR N-PSDB; V49820.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 1; Fig 1a; 129pp; English.
 XX
 CC This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

 Query Match 89.3%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 QY 1 ARHNYGSFA 9
 |||||
 Db 97 arhnygsfa 105

 RESULT 10
 W76003
 ID W76003 standard; Protein; 117 AA.
 XX
 AC W76003;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 XX
 DE LM609 antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 PN WO9833919-A2.
 XX
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA

XX Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 DR N-PSDB; V49822.
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 43; Fig 2a; 129pp; English.
 XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 XX Sequence 117 AA;
 SQ

Query Match 89.3%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

RESULT 11
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 AC Y06381;
 XX
 XX 06-SEP-1999 (first entry)
 DT
 XX Murine monoclonal antibody LM609 VH region.
 DE
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 XX Mus musculus.
 OS
 XX WO9929888-A1.
 PN
 XX 17-JUN-1999.
 PD
 XX 04-DEC-1998; 98WO-US25828.
 PF
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX Barbas CF, Rader C;
 PI
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX Disclosure; Page 52-53; 55pp; English.
 PS
 XX This sequence represents the heavy chain variable region of murine

CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX Sequence 117 AA;
 SQ

Query Match 89.3%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.11;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db 97 arhnygsfa 105
 |||||

RESULT 12
 Y06387
 ID Y06387 standard; Protein; 117 AA.
 AC Y06387;
 XX
 XX 06-SEP-1999 (first entry)
 DT
 XX Humanised LM609 antibody VH domain.
 DE
 XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 XX Homo sapiens.
 OS
 XX Synthetic.
 OS
 XX Key Location/Qualifiers
 FH Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..35
 FT /note= "CDR1"
 FT Region 50..66
 FT /note= "CDR2"
 FT Region 107..117
 FT /note= "CDR3"
 XX
 XX WO9929888-A1.
 PN
 XX 17-JUN-1999.
 PD
 XX 04-DEC-1998; 98WO-US25828.
 PF
 XX 05-DEC-1997; 97US-0986016.
 PR
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX Barbas CF, Rader C;
 PI
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX Disclosure; Page 52; 55pp; English.
 PS
 XX This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin

CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 118 AA;

Query Match 89.3%; Score 50; DB 20; Length 118;
Best Local Similarity 100.0%; Pred. No. 0.11;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
| | | | | | | |
Db 98 arhnygsfa 106

RESULT 15
Y06386
ID Y06386 standard; Protein; 118 AA.
XX AC Y06386;
XX DT 06-SEP-1999 (first entry)
XX DE Humanised LM609 antibody VH domain.
XX KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX OS Homo sapiens.
XX OS Synthetic.
XX FH Key
FT Peptide 1.2
FT Region /note= "vector-encoded residues"
FT Region 31..37
FT Region /note= "CDR1"
FT Region 52..67
FT Region /note= "CDR2"
FT Region 100..107
FT Region /note= "CDR3"
XX WO929888-A1.
XX PN
XX PD 17-JUN-1999.
XX PF 04-DEC-1998; 98WO-US25828.
XX PR 05-DEC-1997; 97US-0986016.
XX PA (SCRI) SCRIPPS RES INST.
XX PI Barbas CF, Rader C;
XX DR WPI; 1999-394979/33.
XX PT Production of humanized mouse monoclonal antibodies
XX PS Disclosure; Page 51-52; 55pp; English.
XX CC This sequence represents the heavy chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 118 AA;

Query Match 89.3%; Score 50; DB 20; Length 118;
Best Local Similarity 100.0%; Pred. No. 0.11;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
| | | | | | | |
Db 98 arhnygsfa 106

Search completed: March 28, 2001, 06:59:48
Job time: 1384 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:55 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-78

Perfect score: 56

Sequence: 1 ARHNYGSFAG 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

- 1: /cgnl_7/ptodata/1/1aa/5A_COMB.pap.*
- 2: /cgnl_7/ptodata/1/1aa/5B_COMB.pap.*
- 3: /cgnl_7/ptodata/1/1aa/6_COMB.pap.*
- 4: /cgnl_7/ptodata/1/1aa/PCTUS_COMB.pap.*
- 5: /cgnl_7/ptodata/1/1aa/backfiles1.pap.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	64.3	94	3	US-09-147-550-14
2	36	64.3	94	3	US-09-147-550-45
3	36	64.3	94	3	US-09-147-550-48
4	36	64.3	94	3	US-09-147-550-77
5	36	64.3	94	3	US-09-147-550-84
6	36	64.3	94	3	US-09-147-550-90
7	36	64.3	94	3	US-09-147-550-101
8	36	64.3	119	3	US-08-767-128-6
9	34	60.7	286	2	US-08-809-267-3
10	34	60.7	286	4	PCT-US95-13662A-3
11	34	60.7	287	2	US-08-741-437-5
12	34	60.7	287	2	US-09-134-593-5
13	34	60.7	332	3	US-09-320-878-16
14	34	60.7	402	2	US-08-403-852D-19
15	34	60.7	402	3	US-08-510-646B-20
16	34	60.7	694	3	US-08-559-397A-31
17	32	57.1	15	1	US-08-618-464-7
18	32	57.1	15	3	US-09-107-615-7
19	32	57.1	25	2	US-08-480-190-44
20	32	57.1	25	2	US-08-488-379-44
21	32	57.1	25	4	PCT-US93-07545-44
22	32	57.1	36	1	US-08-053-131-84
23	32	57.1	36	1	US-08-645-641-84
24	32	57.1	36	1	US-07-853-408B-84
25	32	57.1	36	2	US-08-096-762-84
26	32	57.1	36	2	US-08-308-865-84
27	32	57.1	36	4	PCT-US92-10983-84
28	32	57.1	80	1	US-08-264-250A-1

29	32	57.1	89	1	US-08-025-038-30	Sequence 30, Appl
30	32	57.1	89	1	US-08-039-137-17	Sequence 17, Appl
31	32	57.1	90	2	US-08-485-133-23	Sequence 23, Appl
32	32	57.1	94	3	US-09-147-550-12	Sequence 12, Appl
33	32	57.1	94	3	US-09-147-550-13	Sequence 13, Appl
34	32	57.1	94	3	US-09-147-550-15	Sequence 15, Appl
35	32	57.1	94	3	US-09-147-550-16	Sequence 16, Appl
36	32	57.1	94	3	US-09-147-550-17	Sequence 17, Appl
37	32	57.1	94	3	US-09-147-550-18	Sequence 18, Appl
38	32	57.1	94	3	US-09-147-550-19	Sequence 19, Appl
39	32	57.1	94	3	US-09-147-550-20	Sequence 20, Appl
40	32	57.1	94	3	US-09-147-550-21	Sequence 21, Appl
41	32	57.1	94	3	US-09-147-550-22	Sequence 22, Appl
42	32	57.1	94	3	US-09-147-550-24	Sequence 24, Appl
43	32	57.1	94	3	US-09-147-550-25	Sequence 25, Appl
44	32	57.1	94	3	US-09-147-550-26	Sequence 26, Appl
45	32	57.1	94	3	US-09-147-550-27	Sequence 27, Appl

ALIGNMENTS

RESULT 1

US-09-147-550-14

; Sequence 14, Application US/09147550

; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aida, Yoko

; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF

; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550

; CURRENT APPLICATION NUMBER: US/09/147,550

; CURRENT FILING DATE: 1999-04-23

; EARLIER APPLICATION NUMBER: PCT/JP97/02485

; EARLIER FILING DATE: 1997-07-17

; EARLIER APPLICATION NUMBER: JP 8-190933

; EARLIER FILING DATE: 1996-07-19

; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28

; NUMBER OF SEQ ID NOS: 115

; SOFTWARE: Patent Ver. 2.0

; SEQ ID NO 14

; TYPE: PRT

; ORGANISM: BOVINE

US-09-147-550-14

Query Match 64.3%; Score 36; DB 3; Length 94;

Best Local Similarity 85.7%; Pred. No. 14;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

DB 80 RHNYGVF 86

RESULT 2

US-09-147-550-45

; Sequence 45, Application US/09147550

; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aida, Yoko

; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF

; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550

; CURRENT APPLICATION NUMBER: US/09/147,550

; CURRENT FILING DATE: 1999-04-23

; EARLIER APPLICATION NUMBER: PCT/JP97/02485

; EARLIER FILING DATE: 1997-07-17

; EARLIER APPLICATION NUMBER: JP 8-190933

; EARLIER FILING DATE: 1996-07-19

; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

; ORGANISM: BOVINE
US-09-147-550-90

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 7
US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 64.3%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 14;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 8
US-08-767-128-6
; Sequence 6, Application US/08767128
; Patent No. 6111079
; GENERAL INFORMATION:
; APPLICANT: WYLIE, DWANE E.
; APPLICANT: LOPEZ, OSVALDO
; APPLICANT: MURRAY, PETER JOSEPH
; APPLICANT: GOEBEL, PETER
; TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
; TITLE OF INVENTION: NUCLEOTIDES CODING THEREFORE
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Merchant, Gould, Smith, Edell, Welter & Schmidt
; STREET: 3100 No. 6111079west Center, 90 South Seventh St
; CITY: Minneapolis
; STATE: MN
; COUNTRY: USA
; ZIP: 55402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/767,128
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE: 04-DEC-1996
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US96/09258
; FILING DATE: 05-JUN-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/541,373
; FILING DATE: 10-OCT-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/462,798
; FILING DATE: 05-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Carter, Charles G.
; REGISTRATION NUMBER: 35,093
; REFERENCE/DOCKET NUMBER: 8648.49USF1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 612/371-5278
; TELEFAX: 612/332-9081
; TELEX:
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FRAGMENT TYPE: internal
; ORIGINAL SOURCE:
US-08-767-128-6

Query Match 64.3%; Score 36; DB 3; Length 119;
Best Local Similarity 66.7%; Pred. No. 17;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 97 ARHHYGYVA 105

RESULT 9
US-08-809-267-3
; Sequence 3, Application US/08809267
; Patent No. 5861296
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/809,267

; FILING DATE: 12-MAR-1997
; CLASSIFICATION: 433
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662
; FILING DATE:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
US-08-809-267-3

Query Match 60.7%; Score 34; DB 2; Length 286;
Best Local Similarity 83.3%; Pred. No. 88;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 10
PCT-US95-13662A-3
; Sequence 3, Application PC/TUS9513662A
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids

; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
PCT-US95-13662A-3

Query Match 60.7%; Score 34; DB 4; Length 286;
Best Local Similarity 83.3%; Pred. No. 88;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 11
US-08-741-437-5
; Sequence 5, Application US/08741437
; Patent No. 5843665
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE: Filed Herewith
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
US-08-741-437-5

Query Match 60.7%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 88;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 92 HNYGAF 97

RESULT 12

US-09-134-593-5
 ; Sequence 5, Application US/09134593
 ; Patent No. 5981232
 ; GENERAL INFORMATION:
 ; APPLICANT: Hawkins, Phillip R.
 ; APPLICANT: Hillman, Jennifer L.
 ; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
 ; NUMBER OF SEQUENCES: 5
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Incyte Pharmaceuticals, Inc.
 ; STREET: 3174 Porter Drive
 ; CITY: Palo Alto
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94304
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Diskette
 ; COMPUTER: IBM Compatible
 ; OPERATING SYSTEM: DOS
 ; SOFTWARE: FastSeq Version 1.5
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/134,593
 ; FILING DATE:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/741,437
 ; FILING DATE:
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Billings, Lucy J.
 ; REGISTRATION NUMBER: 36,749
 ; REFERENCE/DOCKET NUMBER: PF-0148 US
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (415) 855-0555
 ; TELEFAX: (415) 845-4166
 ; INFORMATION FOR SEQ ID NO: 5:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 287 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: peptide
 ; IMMEDIATE SOURCE:
 ; LIBRARY: GenBank
 ; CLONE: 4199
 ; US-09-134-593-5

Query Match 60.78; Score 34; DB 2; Length 287;
 Best Local Similarity 83.3%; Pred. No. 88;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 Db 92 HNYGNF 97

RESULT 13
 US-09-320-878-16
 ; Sequence 16, Application US/09320878A
 ; Patent No. 6117659
 ; GENERAL INFORMATION:
 ; APPLICANT: ASHLEY, Gary
 ; APPLICANT: BETLACH, Melanie C.
 ; APPLICANT: BETLACH, Mary C.
 ; APPLICANT: MCDANIEL, Robert
 ; APPLICANT: TANG, Li
 ; TITLE OF INVENTION: RECOMBINANT NARBONOLIDE POLYKETIDE SYNTHASE
 ; FILE REFERENCE: 300622002120
 ; CURRENT APPLICATION NUMBER: US/09/320,878A
 ; CURRENT FILING DATE: 1999-05-27
 ; EARLIER APPLICATION NUMBER: CIP OF 09/141,908
 ; EARLIER FILING DATE: 1998-08-28
 ; EARLIER APPLICATION NUMBER: CIP OF 09/073,538
 ; EARLIER FILING DATE: 1998-05-06

; EARLIER APPLICATION NUMBER: CIP OF 08/846,247
 ; EARLIER FILING DATE: 1997-04-30
 ; EARLIER APPLICATION NUMBER: 60/119,139
 ; EARLIER FILING DATE: 1999-02-08
 ; EARLIER APPLICATION NUMBER: 60/100,880
 ; EARLIER FILING DATE: 1998-09-22
 ; EARLIER APPLICATION NUMBER: 60/087,080
 ; EARLIER FILING DATE: 1998-05-28
 ; NUMBER OF SEQ ID NOS: 34
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 16
 ; LENGTH: 332
 ; TYPE: PRT
 ; ORGANISM: Streptomyces venezuelae
 ; US-09-320-878-16

Query Match 60.78; Score 34; DB 3; Length 332;
 Best Local Similarity 60.0%; Pred. No. 1e+02;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFAG 10
 Db 203 ARHGGGAFSG 212

RESULT 14
 US-08-403-852D-19
 ; Sequence 19, Application US/08403852D
 ; Patent No. 5891695
 ; GENERAL INFORMATION:
 ; APPLICANT: Blanc, Veronique
 ; APPLICANT: Blanche, Francis
 ; APPLICANT: Crouzet, Joel
 ; APPLICANT: Jacques, Nathalie
 ; APPLICANT: Lacroix, Patricia
 ; APPLICANT: Thibaut, Denis
 ; APPLICANT: Zagorec, Monique
 ; APPLICANT: Debussche, Laurent
 ; APPLICANT: De Crecy-Lagard, Valerie
 ; TITLE OF INVENTION: Polypeptides Involved In The
 ; TITLE OF INVENTION: Biosynthesis Of Streptogramins, Nucleotide Sequences
 ; TITLE OF INVENTION: Coding For These Polypeptides And Their Use
 ; NUMBER OF SEQUENCES: 43
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett & Dunner
 ; STREET: 1300 I Street, N.W., Suite 700
 ; CITY: Washington
 ; STATE: D.C.
 ; COUNTRY: USA
 ; ZIP: 20005-3315
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/403,852D
 ; FILING DATE: 10-MAY-1995
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: PCT/FR 93/00923
 ; FILING DATE: 25-SEP-1993
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: FR 92/11441
 ; FILING DATE: 25-SEP-1992
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Meyers, Kenneth J.
 ; REGISTRATION NUMBER: 25,146
 ; REFERENCE/DOCKET NUMBER: 03806.0054-00000
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (202) 408-4000
 ; TELEFAX: (202) 408-4400
 ; INFORMATION FOR SEQ ID NO: 19:

SEQUENCE CHARACTERISTICS:
LENGTH: 402 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-403-852D-19

Query Match 60.7%; Score 34; DB 2; Length 402;
Best Local Similarity 60.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
OY 1 ARHNYGSFAG 10
Db 273 ARHGGGAFSG 282

RESULT 15
US-08-510-646B-20
Sequence 20, Application US/08510646B
Patent No. 6077699
GENERAL INFORMATION:
APPLICANT: Blanc, Veronique
APPLICANT: Blanche, Francis
APPLICANT: Crouzet, Joel
APPLICANT: Jacques, Nathalie
APPLICANT: Lacroix, Patricia
APPLICANT: Thibaut, Denis
APPLICANT: Zagorec, Monique
APPLICANT: Debussche, Laurent
APPLICANT: De Crecy-Lagard, Valerie
TITLE OF INVENTION: Polypeptides Involved In The
TITLE OF INVENTION: Biosynthesis Of Streptogramins, Nucleotide Sequences
TITLE OF INVENTION: Coding For These Polypeptides And Their Use
NUMBER OF SEQUENCES: 45
CORRESPONDENCE ADDRESS:
ADDRESSEE: Finnegan, Henderson, Farabow, Garrett & Dunner
STREET: 1300 I Street, N.W., Suite 700
CITY: Washington
STATE: D.C.
COUNTRY: USA
ZIP: 20005-3315
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/510,646B
FILING DATE: 03-AUG-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/403,852
FILING DATE: 10-MAY-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/FR 93/00923
FILING DATE: 25-SEP-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: FR 92/11441
FILING DATE: 25-SEP-1992
ATTORNEY/AGENT INFORMATION:
NAME: Meyers, Kenneth J.
REGISTRATION NUMBER: 25,146
REFERENCE/DOCKET NUMBER: 03806.0054-01000
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202) 408-4000
TELEFAX: (202) 408-4400
INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
LENGTH: 402 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear

US-08-510-646B-20

Query Match 60.7%; Score 34; DB 3; Length 402;
Best Local Similarity 60.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
OY 1 ARHNYGSFAG 10
Db 273 ARHGGGAFSG 282

Search completed: March 28, 2001, 07:01:55
Job time: 1334 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:26 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-80

Perfect score: 54

Sequence: 1 ARHNYGSFAA 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

1: pir66.*

2: pir1.*

3: pir3.*

4: pir4.*

Pred. NO. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	43	79.6	446	2 T19625	hypothetical prote
2	36	66.7	82	2 I51106	Major Histocompati
3	36	66.7	89	2 S38688	MHC class II histo
4	36	66.7	89	2 S38683	MHC class II histo
5	36	66.7	89	2 S38684	MHC class II histo
6	36	66.7	225	2 I47095	MHC class II OVAR
7	35	64.8	347	2 S43771	phosphatidylcholin
8	34	63.0	108	2 S26316	Ig heavy chain v r
9	34	63.0	110	2 S26317	Ig heavy chain v r
10	34	63.0	113	2 S26468	Ig heavy chain v r
11	34	63.0	210	1 B69265	conserved hypothet
12	34	63.0	275	2 G75130	translation initiat
13	34	63.0	275	2 D71087	probable translati
14	34	63.0	287	1 PNBXY	inorganic pyrophos
15	34	63.0	287	1 PWVKL	inorganic pyrophos
16	34	63.0	638	2 T44763	conserved hypothet
17	34	63.0	723	2 F83173	outer membrane pro
18	33	61.1	65	2 S17441	hypothetical prote
19	33	61.1	80	2 I54469	MHC HLA-DR-beta-1
20	33	61.1	80	2 I68777	MHC HLA-DR-beta-1
21	33	61.1	81	2 I54550	HLA DRB1*1202 - hu
22	33	61.1	85	2 I59634	MHC class II DR-be
23	33	61.1	89	2 S38676	MHC class II histo
24	33	61.1	89	2 S38680	MHC class II histo
25	33	61.1	89	2 S7512	MHC class II histo
26	33	61.1	123	2 C25239	MHC class II histo
27	33	61.1	167	2 T16454	hypothetical prote
28	33	61.1	200	2 D32526	class II histocomp
29	33	61.1	220	2 T46055	hypothetical prote

30 33 61.1 237 2 C27060 class II histocomp
31 33 61.1 266 2 I54287 gene HLA-DRB1 prot
32 33 61.1 266 2 A27618 class II histocomp
33 33 61.1 266 2 I54295 lymphocyte antigen
34 33 61.1 279 2 T05421 hypothetical prote
35 33 61.1 360 2 S48566 hypothetical prote
36 33 61.1 383 2 S56179 secreted glycoprot
37 33 61.1 448 1 A60003 nucleocapsid prote
38 33 61.1 470 2 H71667 glutamate--tRNA II
39 33 61.1 473 2 D70405 glutamate--tRNA II
40 33 61.1 682 2 S30995 gene 50 protein -
41 33 61.1 789 2 S46631 aconitate hydratase
42 33 61.1 1386 1 RNLCV2 DNA-directed RNA p
43 32 59.3 9 2 S36850 Ig heavy chain v r
44 32 59.3 31 2 S00685 hypothetical prote
45 32 59.3 51 2 D25239 MHC class II histo

ALIGNMENTS

RESULT 1

T19625

hypothetical protein C31H5.6 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000

C:Accession: T19625

R:Kershaw, J.

submitted to the EMBL Data Library, April 1997

A:Reference number: Z19153

A:Accession: T19625

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-446 <WIL>

A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6

A:Experimental source: clone C31H5

C:Genetics:

A:Map position: 1

A:Gene: CESP:C31H5.6

A:Introns: 49/2; 85/1; 120/2; 183/3; 218/3; 255/3; 285/2; 331/3; 360/3

C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match 79.6%; Score 43; DB 2; Length 446;
Best Local Similarity 88.9%; Pred. No. 1.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAA 10

Db 51 RHNYGSFAA 59

RESULT 2

I51106

Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)

C:Species: Phasianus colchicus (ring-necked pheasant)

C>Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999

C:Accession: I51106

R:Wittzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.

Immunogenetics 39, 395-403, 1994

A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-ne

A:Reference number: I51103; MUID:94245280

A:Accession: I51106

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-82 <WIT>

A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927

C:Superfamily: class II histocompatibility antigen; Immunoglobulin homology

Query Match

Best Local Similarity 66.7%; Score 36; DB 2; Length 82;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 3
 S38688
 MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C>Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 R:Accession: S38688
 R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL database
 A:Reference number: S38676
 A:Accession: S38688
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27158
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 66.7%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 5;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 4
 S38683
 MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C>Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 R:Accession: S38683
 R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL database
 A:Reference number: S38676
 A:Accession: S38683
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27153
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 66.7%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 5;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 5
 S38684
 MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)
 C>Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000
 R:Accession: S38684
 R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.
 submitted to the EMBL Data Library, November 1993
 A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the EMBL database
 A:Reference number: S38676
 A:Accession: S38684
 A:Molecule type: DNA
 A:Residues: 1-89 <FIG>
 A:Cross-references: EMBL:Z27154
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 66.7%; Score 36; DB 2; Length 89;
 Best Local Similarity 85.7%; Pred. No. 5;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 75 RHNYGVF 81

RESULT 6
 I47095
 MHC class II OVAR-DR-beta-3 - sheep (fragment)
 C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
 C>Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000
 C:Accession: I47095
 R:Fabbs, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.
 Anim. Genet. 24, 249-255, 1993
 A:Title: Isolation, characterization and evolution of ovine major histocompatibility antigen (MHC) class II OVAR-DR-beta-3
 A:Reference number: I47075; MUID:94057592
 A:Accession: I47095
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-225 <FAB>
 A:Cross-references: GB:L04790; NID:g458880; PIDN:AAA16562.1; PID:g458881
 C:Genetics:
 A:Gene: OVAR-DRB3
 C:Superfamily: class II histocompatibility antigen; immunoglobulin homology
 F:98-163/Domain: immunoglobulin homology <IMM>

Query Match 66.7%; Score 36; DB 2; Length 225;
 Best Local Similarity 85.7%; Pred. No. 12;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 |||||
 Db 68 RHNYGVF 74

RESULT 7
 S43771
 phosphatidylcholine desaturase (EC 1.3.1.35) - Synecococcus sp. (strain PCC 7002)
 N:Alternate names: Delta-12 desaturase; fatty acid desaturase (EC 1.14.99.-) [misiden]
 C:Species: Synecococcus sp.
 A:Variety: PCC 7002
 C>Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 20-Jun-2000
 C:Accession: S43771
 R:Sakamoto, T.; Wada, H.; Nishida, I.; Ohmori, M.; Murata, N.
 Plant Mol. Biol. 24, 643-650, 1994
 A:Title: Identification of conserved domains in the Delta-12 desaturases of cyanobact
 A:Reference number: S43770; MUID:94207189
 A:Accession: S43771
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-347 <SAK>
 A:Cross-references: GB:PI3779; NID:g488510; PIDN:BA02922.1; PID:g488511
 C:Superfamily: omega-3 fatty acid desaturase
 C:Keywords: oxidoreductase

Query Match 64.8%; Score 35; DB 2; Length 347;
 Best Local Similarity 77.8%; Pred. No. 30;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||
 Db 334 AEHNYISFA 342

RESULT 8
 S26316

Ig heavy chain V region - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
 C:Accession: S26316
 R:Stark, S.E.; Caton, A.J.
 J. Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protein e
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26316
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-108 <STA>
 A:CROSS-references: EMBL:X59190; NID:952066; PIDN:CAA41900.1; PTD:gl334035
 C:Superfamily: Immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotrimer; immunoglobulin
 F;2-85/Domain: immunoglobulin homology <IMM>

Query Match 63.0%; Score 34; DB 2; Length 108;
 Best Local Similarity 66.7%; Pred. No. 15;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 84 ARGNYGNYA 92

RESULT 9
 S26317
 Ig heavy chain V region - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 19-Mar-1998 #sequence_revision 19-Mar-1998 #text_change 21-Jan-2000
 C:Accession: S26317
 R:Stark, S.E.; Caton, A.J.
 J. Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protein e
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26317
 A:Molecule type: mRNA
 A:Residues: 1-110 <STA>
 A:CROSS-references: EMBL:X59186
 C:Superfamily: Immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotrimer; immunoglobulin
 F;4-87/Domain: immunoglobulin homology <IMM>

Query Match 63.0%; Score 34; DB 2; Length 110;
 Best Local Similarity 66.7%; Pred. No. 15;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 Db 86 ARGNYGNYA 94

RESULT 10
 S26468
 Ig heavy chain V region - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
 C:Accession: S26468
 R:Kavaler, J.
 submitted to the EMBL Data Library, April 1991
 A:Reference number: S26459
 A:Accession: S26468
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-113 <KAV>
 A:CROSS-references: EMBL:X59107; NID:951944; PIDN:CAA41833.1; PTD:g51945
 C:Superfamily: Immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotrimer; immunoglobulin
 F;11-94/Domain: immunoglobulin homology <IMM>

Query Match 63.0%; Score 34; DB 2; Length 113;
 Best Local Similarity 60.0%; Pred. No. 15;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 10
 Db 93 ARHPYGNYYA 102

RESULT 11
 B69265
 conserved hypothetical protein AF0122 - Archaeoglobus fulgidus
 C:Species: Archaeoglobus fulgidus
 C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000
 C:Accession: B69265
 R:Klenk, H.P.; Clayton, R.A.; Tomb, J.F.; White, O.; Nelson, K.E.; Ketchum, K.A.; Dod
 :; Fleischmann, R.D.; Quackenbush, J.; Lee, N.H.; Sutton, G.G.; Gill, S.; Kirkness, E
 Glodek, A.; Zhou, L.; Overbeek, R.; Gocayne, J.D.; Weidman, J.F.; McDonald, L.
 Nature 390, 364-370, 1997
 A:Authors: Utterback, T.; Cotton, M.D.; Spriggs, T.; Artlach, P.; Kalne, B.P.; Sykes,
 Smith, H.O.; Woese, C.R.; Venter, J.C.
 A:Title: The complete genome sequence of the hyperthermophilic, sulfate-reducing arch
 A:Reference number: A69250; MUID:98049343
 A:Accession: B69265
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-210 <KLE>
 A:CROSS-references: GB:AE000782; NID:92689421; PIDN:AB91117.1; PID:g9265
 C:Superfamily: conserved hypothetical protein AF0119

Query Match 63.0%; Score 34; DB 1; Length 210;
 Best Local Similarity 85.7%; Pred. No. 28;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 Db 128 RHAYGSF 134

RESULT 12
 G75130
 translation initiation factor aif-2, subunit alpha (aif2a) PAB0568 - Pyrococcus aby
 C:Species: Pyrococcus abyssi
 C:Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000
 C:Accession: G75130
 R:anonymous, Genoscope
 submitted to the EMBL Data Library, July 1999
 A:Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome s
 A:Reference number: A75001
 A:Accession: G75130
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-275 <KAW>
 A:CROSS-references: GB:AJ248285; GB:AL096836; NID:95458067; PIDN:CAB49760.1; PID:g9545
 A:Experimental source: strain Orsay
 C:Genetics:
 A:Gene: aif2a; PAB0568
 C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 63.0%; Score 34; DB 2; Length 275;
 Best Local Similarity 83.3%; Pred. No. 37;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
 Db 23 HNYGAF 28

RESULT 13
 D71087

probable translation initiation factor eIF-2 alpha chain - Pyrococcus horikoshii
 C:Species: Pyrococcus horikoshii
 C:Date: 14-Aug-1998 #sequence_revision 14-Aug-1998 #text_change 20-Jun-2000
 C:Accession: D71087
 R:Kawarabayashi, Y.; Sawada, M.; Horikawa, H.; Halkawa, Y.; Hino, Y.; Yamamoto, S.; Sekinaka, M.; Ohfuku, Y.; Funahashi, T.; Tanaka, T.; Kudo, Y.; Yamazaki, J.; Kushida, N.; Oguchi, T.; Nakamura, Y. 1998
 A:Title: Complete sequence and gene organization of the genome of a hyper-thermophilic archaeon, Pyrococcus horikoshii
 A:Reference number: A71000; MUID:98344137
 A:Accession: D71087
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-275 <RAW>
 A:Cross-references: GB:AP000004; MID:g3236131; PIDN:BAA30058.1; PID:g3257375
 A:Experimental source: strain OT3
 A:Note: this accession replaces an interim accession for a sequence replaced by GenBank
 C:Genetics:
 A:Gene: PH0961
 C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 63.0%; Score 34; DB 2; Length 275;
 Best Local Similarity 83.3%; Pred. No. 37;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 |||||
 Db 23 HNYGAF 28

RESULT 14
 PWY
 inorganic pyrophosphatase (EC 3.6.1.1) - yeast (Saccharomyces cerevisiae)
 N:Alternate names: protein YBR011c; protein YBR0202; pyrophosphate phosphohydrolase
 C:Species: Saccharomyces cerevisiae
 C:Date: 30-Nov-1980 #sequence_revision 09-Sep-1994 #text_change 05-Nov-1999
 C:Accession: S45864; S07679; A01014; S29189
 R:Entian, K.D.; Koetter, P.; Rose, M.; Li, Z.; Thermann, R.; Brendel, M.; Baur, A.; Boldt, R. 1994
 A:Title: Cloning, molecular characterization and chromosome localization of the inorganic pyrophosphatase gene from the yeast *Saccharomyces cerevisiae*
 Submitted to the Protein Sequence Database, August 1994
 A:Reference number: S45864
 A:Accession: S45864
 A:Molecule type: DNA
 A:Residues: 1-287 <ENT>
 A:Cross-references: EMBL:235880; MID:g536205; PIDN:CAA84949.1; PID:g536206; GSPDB:GN0000
 A:Experimental source: strain S288C
 R:Kolakowski Jr., L.F.; Schloesser, M.; Cooperman, B.S.
 Nucleic Acids Res. 16, 10441-10452, 1988
 A:Title: Cloning, molecular characterization and chromosome localization of the inorganic pyrophosphatase gene from the yeast *Saccharomyces cerevisiae*
 A:Reference number: S07679; MUID:89083474
 A:Accession: S07679
 A:Molecule type: DNA
 A:Residues: 1-266, 'L', 268-287 <KOL>
 A:Cross-references: EMBL:X13253; MID:g4198; PIDN:CAA31629.1; PID:g4199
 R:Cohen, S.A.; Sterner, R.; Kelm, P.S.; Heinrikson, R.L.
 J. Biol. Chem. 253, 889-897, 1978
 A:Title: Covalent structural analysis of yeast inorganic pyrophosphatase.
 A:Reference number: A92241; MUID:78087552
 A:Accession: A01014
 A:Molecule type: protein
 A:Residues: 2-40, 'D', 42-71, 'N', 73-75-117, 'N', 119-123, 'Q', 125-136, 'E', 138-186, 'D', 188-224
 A:Note: this is the final paper in a series
 A:Note: no disulfide bonds are present
 R:Raznikov, A.V.; Sklyankina, V.A.; Awaeva, S.M.
 FEBS Lett. 308, 62-64, 1992
 A:Title: Tyrosine-89 is important for enzymatic activity of *S. cerevisiae* inorganic pyrophosphatase
 A:Reference number: S29189; MUID:92354770
 A:Accession: S29189
 A:Molecule type: protein
 A:Residues: 83-105, 'E', 107-112 <RAZ>
 R:Bond, B.; Chiu, N.Y.; Cooperman, B.S.
 Biochemistry 19, 94-102, 1980
 A:Title: Identification of an arginine important for enzymatic activity within the covalent structure of yeast inorganic pyrophosphatase
 A:Reference number: A90443

A:Contents: annotation; active site
 C:Genetics:
 A:Gene: SGD:IPP1; PPA: MIPS:YBR011c
 A:Cross-references: SGD:S0000215; MIPS:YBR011c
 A:Map position: 2R
 C:Function:
 A:Description: catalyzes hydrolysis of pyrophosphate to orthophosphate
 A:Note: requires divalent metal cation
 C:Superfamily: inorganic pyrophosphatase
 C:Keywords: homodimer; hydrolase
 F:2-287/Product: inorganic pyrophosphate #status experimental <MAT>
 F:79/Binding site: pyrophosphate (Arg) #status experimental

Query Match 63.0%; Score 34; DB 1; Length 287;
 Best Local Similarity 83.3%; Pred. No. 38;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 |||||
 Db 92 HNYGAF 97

RESULT 15
 PWVL
 inorganic pyrophosphatase (EC 3.6.1.1) - yeast (Kluyveromyces marxianus var. lactis)
 C:Species: Kluyveromyces marxianus var. lactis, Candida sphaerica
 C:Date: 31-Dec-1991 #sequence_revision 31-Dec-1991 #text_change 18-Jun-1999
 C:Accession: S07894
 R:Stark, M.J.R.; Milner, J.S.
 Yeast 5, 35-50, 1989
 A:Title: Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a chromosomal locus
 A:Reference number: S07892; MUID:89189093
 A:Accession: S07894
 A:Molecule type: DNA
 A:Residues: 1-287 <STA>
 A:Cross-references: EMBL:X14230; NID:g2900; PIDN:CAA32446.1; PID:g2903
 C:Genetics:
 A:Gene: IPP
 C:Superfamily: inorganic pyrophosphatase
 C:Keywords: hydrolase
 F:79,151/Active site: Arg, Glu #status predicted

Query Match 63.0%; Score 34; DB 1; Length 287;
 Best Local Similarity 83.3%; Pred. No. 38;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 |||||
 Db 92 HNYGAF 97

Search completed: March 28, 2001, 07:04:26
 Job time: 1064 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:04 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-80
Perfect score: 54
Sequence: 1 ARHNYGSFAA 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	34	63.0	275	1 IF2A_PVRAB	Q9V0E4 pyrococcus
2	34	63.0	275	1 IF2A_PVRHO	O58655 pyrococcus
3	34	63.0	284	1 IPYR_PICPA	Q13505 pichia past
4	34	63.0	286	1 IPYR_KLULA	P13998 kluyveromyc
5	34	63.0	286	1 IPYR_YEAST	P00817 saccharomyc
6	33	61.1	65	1 CCSA_PEA	P31172 pisum sativ
7	33	61.1	328	1 CCSA_ARATH	P56770 arabidopsis
8	33	61.1	448	1 NCAP_CVHOC	P33469 human corin
9	33	61.1	470	1 SYE2_RICPR	Q9ZCT8 rickettsia
10	33	61.1	473	1 SYE_AQUAE	O67271 aquifex aeo
11	33	61.1	682	1 VG50_BPML5	Q05262 mycobacteri
12	33	61.1	789	1 ACOX_YEAST	P39533 saccharomyc
13	33	61.1	1386	1 RP0D_MARPO	P06274 marchantia
14	32	59.3	65	1 CCSA_OENBE	P31565 oenothera b
15	32	59.3	98	1 VG7_BPPH2	P13848 bacterioph
16	32	59.3	98	1 VG7_BPP2A	P07533 bacterioph
17	32	59.3	196	1 WBBJ_ECOLI	P37750 escherichia
18	32	59.3	198	1 HB2G_HUMAN	P01911 homo sapien
19	32	59.3	266	1 HB2A_HUMAN	P01913 homo sapien
20	32	59.3	266	1 HB2B_HUMAN	P01912 homo sapien
21	32	59.3	266	1 HB2C_HUMAN	P01914 homo sapien
22	32	59.3	266	1 HB2D_CANFA	P18470 canis famil
23	32	59.3	266	1 HB2D_HUMAN	P13759 homo sapien
24	32	59.3	266	1 HB2E_HUMAN	P04229 homo sapien
25	32	59.3	266	1 HB2F_HUMAN	P13758 homo sapien
26	32	59.3	266	1 HB2H_HUMAN	P13760 homo sapien
27	32	59.3	266	1 HB2I_HUMAN	P20039 homo sapien
28	32	59.3	266	1 HB2J_HUMAN	P13761 homo sapien
29	32	59.3	313	1 CCSA_TORAC	P12216 nicotiana t
30	32	59.3	321	1 CCSA_MAIZE	P46659 zea mays (m
31	32	59.3	321	1 CCSA_ORISA	P12215 oryza sativ
32	32	59.3	349	1 XYJ9_YEAST	P41903 saccharomyc
33	32	59.3	528	1 PRI2_YEAST	P20457 saccharomyc

34	32	59.3	560	1 THS1_HALVO	O30561 halobacteri
35	32	59.3	629	1 KSVK_RAT	Q64725 rattus norv
36	32	59.3	649	1 GPDM_SCHPO	O14400 schizosacch
37	32	59.3	809	1 UBPL_YEAST	P25037 saccharomyc
38	32	59.3	1074	1 PLD1_HUMAN	Q13393 homo sapien
39	32	59.3	1075	1 PLD1_RAT	P70496 rattus norv
40	32	59.3	1267	1 VL3_REOVD	P17378 reovirus (t
41	32	59.3	1267	1 VL3_REOVL	P17376 reovirus (t
42	31	57.4	201	1 PRCG_HUMAN	P49721 homo sapien
43	31	57.4	201	1 PRCG_MOUSE	Q9R1P3 mus musculu
44	31	57.4	201	1 PRCG_RAT	P40307 rattus norv
45	31	57.4	330	1 PROX_ECOLI	P14177 escherichia

ALIGNMENTS

```
RESULT 1
IF2A_PVRAB
ID IF2A_PVRAB STANDARD; PRT; 275 AA.
AC Q9V0E4;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PAB0568.
OS Pyrococcus abyssi.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-ORSAY;
RT "Pyrococcus abyssi genome sequence: Insights into archaeal chromosome
structure and evolution.";
RL Submitted (JUL-1999) to the EMBL/Genbank/DBJ databases.
CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
(BY SIMILARITY).
CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CHAIN (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL: AJ248285; CAB49760.1; -
DR INTERPRO; IPR003029; -
DR PFAM; PF00575; SI; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 SI MOTIF.
SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;
-----
```

Query Match 63.0%; Score 34; DB 1; Length 275;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 23 HNYGAF 28

RESULT 2
IF2A_PVRHO STANDARD; PRT; 275 AA.
AC O58655;
DT 15-DEC-1998 (Rel. 37, Created)

```

DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PH0961.
OS Pyrococcus horikoshii.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-OT3.
RX MEDLINE; 98344137.
RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
RA Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
RA Funahashi T., Tanaka T., Kudoh Y., Yamazaki J., Kushida N., Oguchi A.,
RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
RA Masuchi Y., Shizuya H., Kikuchi H.;
RT "Complete sequence and gene organization of the genome of a hyper-
RT thermophilic archaeobacterium, Pyrococcus horikoshii OT3."
RL DNA Res. 5:55-76(1998).
CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
CC (BY SIMILARITY).
CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CC CHAIN (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -1- SIMILARITY: CONTAINS 1 'SL MOTIF' DOMAIN.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ001000; CAA04453.1; -
DR HSPG; P00817; IWGI.
DR INTERPRO; IPR001596; -
DR PFAM; PF00719; Pyrophosphatase; 1.
DR PROSITE; PS00387; PPASE; 1.
KW Hydrolase; Magnesium.
FT INIT_MET 0 BY SIMILARITY.
FT ACT_SITE 56 56 PROBABLE.
FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
SQ SEQUENCE 284 AA; 31937 MW; 3DAD27970D7775D6 CRC64;

Query Match 63.0%; Score 34; DB 1; Length 284;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 4
IPYR_KLUJA
ID IPYR_KLUJA STANDARD; PRT; 286 AA.
AC P13998;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 01-OCT-1994 (Rel. 30, Last annotation update)
DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
DE HYDROLASE) (PPASE).
GN IPP1 OR IPP.
OS Kluyveromyces lactis (Yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Kluyveromyces.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89189093.
RA Stark M.J.R., Milner J.S.;
RT "Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a
RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
RT and histone H3."
RL Yeast 5:35-50(1989).
RN [2]
RP SIMILARITY TO E. COLI AND YEAST PPASES.
RX MEDLINE; 90254161.
RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
RA Cooperman B.S.;
RT "Conservation of functional residues between yeast and E. coli
RT inorganic pyrophosphatases."
RL Biochim. Biophys. Acta 1038:338-345(1990).
CC -1- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
CC -1- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
CC -1- SUBUNIT: HOMODIMER.
CC -1- SIMILARITY: BELONGS TO THE PPASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: X14230; CAA32446.1; -;
 DR PIR: S07894; PWKL.
 DR HSSP: P00817; IWGI.
 DR INTERPRO: IPR001596; -;
 DR PFAM: PF00719; Pyrophosphatase; 1.
 DR PROSITE: PS00387; PPASE; 1.
 DR Hydrolase: Magnesium.
 KW INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;
 Query Match 63.0%; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 12;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 3 HNYGSP 8
 Db 91 HNYGAF 96
 RESULT 5
 ID IPYR_YEAST STANDARD; PRT; 286 AA.
 AC P00817;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI OR PPAL OR PPA OR YBR011C OR YBR0202.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomyces.
 [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=X2180;
 RX MEDLINE: 89083474.
 RA Kolakowski L.F. Jr., Schloesser M., Cooperman B.S.;
 RT "Cloning, molecular characterization and chromosome localization of
 RT the inorganic pyrophosphatase (PPA) gene from *S. cerevisiae*.";
 RL Nucleic Acids Res. 16:10441-10452(1988).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C;
 RA Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,
 RA Baur A., Boles E., Miosga T., Schaaff-Gerstenschlaeger I.,
 RA Zimmermann F.K.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE.
 RX MEDLINE: 78087552.
 RA Cohen S.A., Sterner R., Keim P.S., Heinrikson R.L.;
 RT "Covalent structural analysis of yeast inorganic pyrophosphatase.";
 RL J. Biol. Chem. 253:889-897(1978).
 RN [4]
 RP SEQUENCE OF 25-35 AND 239-251.
 RC STRAIN=S288C;
 RX MEDLINE: 95203288.
 RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.K., McLaughlin C.S.;
 RT "Protein identifications for a *Saccharomyces cerevisiae* protein
 RT database."
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]

RP SEQUENCE OF 239-249.
 RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE: 97089742.
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 RT *Saccharomyces cerevisiae*.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACTIVE SITE.
 RX MEDLINE: 80109718.
 RA Bond M.W., Chiu N.Y., Cooperman B.S.;
 RT "Identification of an arginine important for enzymatic activity
 RT within the covalent structure of yeast inorganic pyrophosphatase.";
 RL Biochemistry 19:94-102(1980).
 RN [7]
 RP X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).
 RA Arutunian E.G., Terzian S.S., Voronova A.A., Kuranova I.P.,
 RA Smirnova E.A., Vainstein B.K., Hohne W.E., Hansen G.;
 RT "X-ray diffraction study of inorganic pyrophosphatase from baker's
 RT yeast at the 3-A resolution.";
 RL Dokl. Akad. Nauk SSSR 258:1481-1492(1981).
 RN [8]
 RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
 RX MEDLINE: 97148342.
 RA Heikinheimo P., Lehtonen J., Baykov A., Lahti R., Cooperman B.S.,
 RA Goldman A.;
 RT "The structural basis for pyrophosphatase catalysis.";
 RL Structure 4:1491-1508(1996).
 RN [9]
 RP X-RAY CRYSTALLOGRAPHY (2.1 ANGSTROMS).
 RA Swaminathan K., Cooperman B.S., Lahti R., Voet D.;
 RL Submitted (DEC-1997) to the PDB data bank.
 RN [10]
 RP X-RAY CRYSTALLOGRAPHY (2.15 ANGSTROMS) OF MUTANTS LYS-78 AND LYS-117.
 RX MEDLINE: 99096888.
 RA Tuominen V., Heikinheimo P., Kajander T., Torkkel T., Hyytia T.,
 RA Kapyla J., Lahti R., Cooperman B.S., Goldman A.;
 RT "The R78K and D117E active-site variants of *Saccharomyces cerevisiae*
 RT soluble inorganic pyrophosphatase: structural studies and mechanistic
 RT implications.";
 RL J. Mol. Biol. 284:1565-1580(1998).
 RN [11]
 RP SIMILARITY TO E.COLI AND K.LACTIS PPASES.
 RX MEDLINE: 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and *E. coli*
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -|- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O -> 2 ORTHOPHOSPHATE.
 CC -|- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY. IT BINDS UP TO 4 DIVALENT
 CC CATIONS PER SUBUNIT, WITH THREE REQUIRED FOR ACTIVITY.
 CC -|- SUBUNIT: HOMODIMER.
 CC -|- CELLULAR LOCATION: CYTOPLASMIC.
 CC -|- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: X13253; CAA31629.1; -;
 DR EMBL: Z35880; CAA84949.1; -;
 DR PIR: S45864; PWBY.
 DR PDB: 1PYP; 15-OCT-91.
 DR PDB: 1YPP; 07-DEC-96.
 DR PDB: 1WGI; 19-NOV-97.
 DR PDB: 1WGI; 19-NOV-97.
 DR PDB: 1HUJ; 08-APR-98.

```

DR PDB; 1HUK; 08-APR-98.
DR PDB; 117E; 23-DEC-98.
DR PDB; 8PRK; 23-DEC-98.
DR SWISS-2DPAGE; P00817; YEAST.
DR YEPD; 7305; -.
DR SGD; S0000215; IPPI.
DR INTERPRO; IPR001596; -.
DR PFAM; PF00719; Pyrophosphatase; 1.
DR PROSITE; PS00387; PPASE; 1.
KW Hydrolase; Magnesium; 3D-structure.
FT. INIT_MET 0
FT ACT_SITE 56 56 PROBABLE.
FT BINDING 78 78 INORGANIC PYROPHOSPHATE.
FT CONFLICT 40 40 N -> D (IN REF. 3).
FT CONFLICT 71 71 D -> N (IN REF. 3).
FT CONFLICT 74 74 MISSING (IN REF. 3).
FT CONFLICT 123 123 E -> Q (IN REF. 3).
FT CONFLICT 136 136 Q -> E (IN REF. 3).
FT CONFLICT 186 186 N -> D (IN REF. 3).
FT CONFLICT 224 224 D -> N (IN REF. 3).
FT CONFLICT 266 266 L -> P (IN REF. 2).
FT STRAND 4 7
FT STRAND 16 20
FT STRAND 25 25
FT TURN 28 30
FT TURN 38 41
FT TURN 45 45
FT STRAND 53 53
FT STRAND 79 79
FT TURN 97 98
FT TURN 111 112
FT STRAND 121 123
FT TURN 131 132
FT STRAND 135 135
FT STRAND 138 146
FT STRAND 151 158
FT TURN 160 161
FT TURN 165 167
FT TURN 172 175
FT TURN 176 177
FT TURN 179 180
FT HELIX 182 197
FT STRAND 203 203
FT HELIX 205 207
FT STRAND 210 210
FT STRAND 212 230
FT HELIX 231 231
FT TURN 245 246
FT TURN 248 249
FT TURN 251 252
FT TURN 255 260
FT TURN 274 275
SQ SEQUENCE 286 AA; 32184 MW; F29390260B60CB82 CRC64;

Query Match 63.0%; Score 34; DB 1; Length 286;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96
|||||

RESULT 6
CCSA_PEA
ID CCSA_PEA STANDARD; PRT; 65 AA.
AC F31172;
DT 01-JUL-1993 (Rel. 26, Created)
DT 01-JUL-1993 (Rel. 26, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE CYTOCHROME C BIOGENESIS PROTEIN CCSA (FRAGMENT).
GN CCSA.

OS Pisum sativum (Garden pea).
OG Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids I;
OC Fabales; Fabaceae; Papilionoideae; Pisum.
RN [1]
RN SEQUENCE FROM N.A.
RC STRAIN=CV, ALASKA;
RX MEDLINE; 9135950;
RA Nagano Y., Ishikawa H., Matsuno R., Sasaki Y.;
RT "Nucleotide sequence and expression of the ribosomal protein L2 gene
RT in pea chloroplasts.";
RL Plant Mol. Biol. 17:541-545(1991).
CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
CC HEME ATTACHMENT (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCLL/NRFE/CCSA FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X59015; CAA41754.1; -.
DR PIR; S17441; S17441.
KW Cytochrome c-type biogenesis; Chloroplast.
FT NON_TER 1
SQ SEQUENCE 65 AA; 7396 MW; 9E523E0C70B102AA CRC64;

Query Match 61.1%; Score 33; DB 1; Length 65;
Best Local Similarity 62.5%; Pred. No. 4;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAA 10
Db 57 HSYGSFTS 64
|||||

RESULT 7
CCSA_ARATH
ID CCSA_ARATH STANDARD; PRT; 328 AA.
AC P56770;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE CYTOCHROME C BIOGENESIS PROTEIN CCSA.
GN CCSA.
OS Arabidopsis thaliana (Mouse-ear cress).
OG Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
RN [1]
RN SEQUENCE FROM N.A.
RC STRAIN=CV, COLUMBIA;
RA Sato S., Nakamura Y., Kaneko T., Asamizu E., Tabata S.;
RT "Complete structure of the chloroplast genome of Arabidopsis
RT thaliana.";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
CC HEME ATTACHMENT (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCLL/NRFE/CCSA FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).

```



```

CC -----
DR EMBL: AP000423; BAAB4436.1; -.
DR INTERPRO: IPR002541; -.
DR PFAM: PF01578; CytC_asm; 1.
KW Cytochrome c-type biogenesis; Chloroplast.
SQ SEQUENCE 328 AA; 37732 MW; C88D1508B2924D6F CRC64;

Query Match 61.1%; Score 33; DB 1; Length 328;
Best Local Similarity 62.5%; Pred. No. 23;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAA 10
Db 1:|||||
320 HSYGFTS 327

RESULT 8
NCAP_CVHOC
ID NCAP_CVHOC STANDARD; PRT; 448 AA.
AC P33469;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE NUCLEOCAPSID PROTEIN.
GN N.
OS Human coronavirus (strain OC43).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
OC Coronaviridae; Coronavirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89243809.
RA Kanahora T., Soe L.H., Lai M.M.C.;
RT "Sequence analysis of nucleocapsid gene and leader RNA of human
RT coronavirus OC43.";
RL Virus Res. 12:1-9(1989).
DR PIR; A60003; A60003.
DR INTERPRO: IPR001218; -.
DR PFAM: PF00937; Corona_nucleoc; 1.
KW Nucleocapsid.
SQ SEQUENCE 448 AA; 49316 MW; 5193AB1AE0D75626 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 448;
Best Local Similarity 85.7%; Pred. No. 32;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db |||||
103 RHNRGSF 109

RESULT 9
SYE2_RICPR
ID SYE2_RICPR STANDARD; PRT; 470 AA.
AC Q9ZCT6;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
DE (GLURS 2).
GN GLTX2 OR RP623.
OS Rickettsia prowazekii.
OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
OC Rickettsiaceae; Rickettsiae; Rickettsia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-MADRID E.
RX MEDLINE; 99039499.
RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
RA Sichertitz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
RT "The genome sequence of Rickettsia prowazekii and the origin of

```

```

RT mitochondria.";
RL Nature 396:133-140(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) -> AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: AJ235272; CAA15066.1; -.
DR HSP: P27000; IGLN.
DR INTERPRO: IPR000924; -.
DR INTERPRO: IPR001412; -.
DR PFAM: PF00749; tRNA-synt_1c; 1.
DR PRINTS: PR00987; TRNASYNTHGLU.
DR PROSITE: PS00178; AA_TRNA_LIGASE_I; FALSE_NEG.
KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 239 243 "KMSKS" REGION.
FT BINDING 242 242 ATP (BY SIMILARITY).
SQ SEQUENCE 470 AA; 53696 MW; DF1CE50A20B8A9FD CRC64;

Query Match 61.1%; Score 33; DB 1; Length 470;
Best Local Similarity 75.0%; Pred. No. 33;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
Db |||||
31 ARHNGKF 38

RESULT 10
SYE_AQUAE
ID SYE_AQUAE STANDARD; PRT; 473 AA.
AC O6271;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)
DE (GLURS).
GN GLTX OR AQ_1221.
OS Aquifex aeolicus.
OC Bacteria; Aquificales; Aquificaceae; Aquifex.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-VF5;
RX MEDLINE; 98196666.
RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
RA Graham D.E., Overbeek R., Sneed M.A., Keller M., Aujay M., Huber R.,
RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
RT "The complete genome of the hyperthermophilic bacterium Aquifex
RT aeolicus.";
RL Nature 392:353-358(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) -> AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/

```

or send an email to license@isb-sib.ch).

```

CC EMBL; AE000729; AAC07230.1;
CC INTERPRO; IPR000924;
CC INTERPRO; IPR001412;
CC PFAM; PF00749; tRNA-synt_lc; 1.
CC PRINTS; PR00987; TRNASYNTHGLU.
CC PROSITE; PS00178; AA_TRNA_LIGASE_I; 1.
KW Aminocacyl-tRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 242 246 "KWSKS" REGION.
FT BINDING 245 245 ATP (BY SIMILARITY).
SQ SEQUENCE 473 AA; 55121 MW; 5CB4D1590973E07A CRC64;

Query Match 61.1%; Score 33; DB 1; Length 473;
Best Local Similarity 75.0%; Pred. No. 33;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
Db 31 ARHNGGFG 38

RESULT 11
VG50_BPML5 STANDARD; PRT; 682 AA.
AC Q05262;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE PUTATIVE ADENOSYLOCOBALAMIN-DEPENDENT RIBONUCLEOTIDE REDUCTASE
DE (EC 1.17.4.2) (GP50).
GN 50.
OS Mycobacteriophage L5.
OC Viruses.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 93211282.
RA Hatfull G.F., Sarkis G.J.;
RT "DNA sequence, structure and gene expression of mycobacteriophage L5: Mol. Microbiol. 7:395-405(1993).
CC -1- CATALYTIC ACTIVITY: 2-DEOXYRIBONUCLEOSIDE TRIPHOSPHATE +
OXIDIZED THIOREDOXIN + H(2)O -> RIBONUCLEOSIDE TRIPHOSPHATE +
REDUCED THIOREDOXIN.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announcement/
or send an email to license@isb-sib.ch).

```

```

CC EMBL; Z18946; CAA79426.1;
CC INTERPRO; IPR000788;
CC PFAM; PF00317; ribonucleo_red; 1.
KW Oxidoreductase; DNA replication.
SQ SEQUENCE 682 AA; 76331 MW; 8D2A71B873BC04A8 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 682;
Best Local Similarity 66.7%; Pred. No. 49;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 31 ARHNGGFG 319

RESULT 12

```

```

ACOX_YEAST STANDARD; PRT; 789 AA.
ID ACOX_YEAST
AC P39533;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE PUTATIVE ACONITASE IN PRP21-UBP12 INTERGENIC REGION (EC 4.2.1.3).
GN YJL200C OR J0327.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomycetes.
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=S288C;
RX MEDLINE; 95274326.
RA Purnelle B., Coster F., Goffeau A.;
RT "The sequence of a 36 kb segment on the left arm of yeast chromosome
X identifies 24 open reading frames including NUC1, PRP21 (SP91),
CDC6, CRY2, the gene for S24, a homologue to the aconitase gene ACO1
and two homologues to chromosome III genes.";
RL Yeast 10:1235-1249(1994).
CC -1- CATALYTIC ACTIVITY: CITRATE -> CIS-ACONITATE + H(2)O.
CC -1- SIMILARITY: BELONGS TO THE ACONITASE/IPM ISOMERASE FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announcement/
or send an email to license@isb-sib.ch).

```

```

DR EMBL; X77688; CAA54757.1;
DR EMBL; Z49475; CAA89495.1;
DR PIR; S46631; S46631.
DR HSSP; P16276; 6ACN.
DR SGD; S0003736; YJL200C.
DR INTERPRO; IPR000573;
DR INTERPRO; IPR001030;
DR PFAM; PF00694; Aconitase_C; 1.
DR PFAM; PF00330; aconitase; 1.
DR PRINTS; PR00415; ACONITASE.
DR PROSITE; PS00450; ACONITASE_1; 1.
DR PROSITE; PS01244; ACONITASE_2; 1.
KW Hypothetical protein; Lyase, Tricarboxylic acid cycle; Iron-sulfur;
KW 4Fe-4S.
FT METAL 385 385 IRON-SULFUR (4FE-4S) (BY SIMILARITY).
FT METAL 448 448 IRON-SULFUR (4FE-4S) (BY SIMILARITY).
FT METAL 451 451 IRON-SULFUR (4FE-4S) (BY SIMILARITY).
SQ SEQUENCE 789 AA; 86583 MW; FABA4FE482D3F993 CRC64;

Query Match 61.1%; Score 33; DB 1; Length 789;
Best Local Similarity 60.0%; Pred. No. 58;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSFAA 10
Db 663 AEHNYGEGSA 672

RESULT 13
RPOD_MARPO STANDARD; PRT; 1386 AA.
ID RPOD_MARPO
AC P06274;
DT 01-JAN-1988 (Rel. 06, Created)
DT 01-JAN-1988 (Rel. 06, Last sequence update)
DT 01-OCT-1989 (Rel. 12, Last annotation update)
DE DNA-DIRECTED RNA POLYMERASE BETA" CHAIN (EC 2.7.7.6).
GN RPOC2.
OS Marchantia polymorpha (Liverwort).
OC Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Marchantiophyta; Marchantiales;

```

```

CC MarChantiaceae; Marchantia.
CC [1]
CC SEQUENCE FROM N.A.
CC Ohyama K.;
CC Submitted (OCT-1986) to the EMBL/GenBank/DBJ databases.
CC [2]
CC COMPLETE GENOME.
CC Ohyama K., Fukuzawa H., Kohchi T., Shirai H., Sano T., Sano S.,
CC Umesono K., Shiki Y., Takeuchi M., Chang Z., Aota S., Inokuchi H.,
CC Ozeki H.;
CC "Chloroplast gene organization deduced from complete sequence of
CC liverwort Marchantia polymorpha chloroplast DNA.";
CC Nature 322:572-574(1986)
CC -1- FUNCTION: DNA-DEPENDENT RNA POLYMERASE CATALYZES THE TRANSCRIPTION
CC OF DNA INTO RNA USING THE FOUR RIBONUCLEOSIDE TRIPHOSPHATES AS
CC SUBSTRATES.
CC -1- CATALYTIC ACTIVITY: N NUCLEOSIDE TRIPHOSPHATE = N PYROPHOSPHATE +
CC RNA(N).
CC -1- SUBUNIT: IN CHLOROPLAST THE RNA POLYMERASE IS COMPOSED OF FOUR
CC SUBUNITS: ALPHA, BETA, BETA', AND BETA".
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X04465; CAA28063.1; -.
CC PIR; A00698; RNLCV2.
CC PIR; S01575; S01575.
CC MENDEL; 4115; MARPO:rpoc2.1.
CC INTERPRO: IPR000722; -.
CC PFAM; PF00623; RNA_pol_A; 1.
CC Transferrase; Transcription; DNA-directed RNA polymerase; Chloroplast.
CC KW SEQUENCE 1386 AA; 160155 MW; 18BE458FC1A5C3F9 CRC64;
CC SQ

```

Query Match 61.1%; Score 33; DB 1; Length 1386;
 Best Local Similarity 75.0%; Pred. No. 1e+02; Indels 0; Gaps 0;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFAA 10
 |||||
 DB 86 HNYGSLHA 93

```

RESULT 14
CCSA_OENBE STANDARD; PRT; 65 AA.
AC P31565;
DT 01-JUL-1993 (Rel. 26, Created)
DT 01-JUL-1993 (Rel. 26, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE CYTOCHROME C BIOGENESIS PROTEIN CCSA (FRAGMENT).
GN CCSA.
OS Oenothera bertiana (Bertero's evening primrose).
OG Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Myrtales; Onagraceae; Oenothera.
CC [1]
CC SEQUENCE FROM N.A.
CC MEDLINE; 93169690.
CC Nimzyk R., Schoendorf T., Hachtel W.;
CC "In-frame length mutations associated with short tandem repeats are
CC located in unassigned open reading frames of Oenothera chloroplast
CC DNA.";
CC Curr. Genet. 23:265-270(1993).
CC -1- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
CC HEME ATTACHMENT (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCL1/NRFE/CCSA FAMILY.

```

```

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X64617; CAA45900.1; -.
CC EMBL; X64614; CAA45894.1; -.
CC PIR; S19981; S19981.
CC PIR; S19988; S19988.
CC KW Cytochrome c-type biogenesis; Chloroplast.
CC FT NON_TER 1
CC SEQUENCE 65 AA; 7441 MW; 343E66DDA1492C0C CRC64;
CC SQ

```

Query Match 59.3%; Score 32; DB 1; Length 65;
 Best Local Similarity 83.3%; Pred. No. 6.4;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 |||||
 DB 57 HSYGSF 62

```

RESULT 15
VG7_BPPH2 STANDARD; PRT; 98 AA.
ID VG7_BPPH2
AC P13848;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 01-FEB-1991 (Rel. 17, Last annotation update)
DE HEAD MORPHOGENESIS PROTEIN (LATE PROTEIN GP7).
GN 7.
OS Bacteriophage phi-29.
OC Viruses; dsDNA viruses, no RNA stage; Tailed phages; Podoviridae.
CC [1]
CC SEQUENCE FROM N.A.
CC MEDLINE; 87106857.
CC Vilek C., Paces V.;
CC "Nucleotide sequence of the late region of Bacillus phage phi 29
CC completes the 19,285-bp sequence of phi 29 genome. Comparison with
CC the homologous sequence of phage PZA.";
CC Gene 46:215-225(1986).
CC [2]
CC SEQUENCE FROM N.A.
CC MEDLINE; 87016351.
CC Innis C.A., Garvey K.J., Ito J.;
CC "Nucleotide sequence of phage phi 29 gene 7: structure of intergenic
CC spacer between the major early and late genes.";
CC Nucleic Acids Res. 14:7129-7129(1986).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M14782; AAA32279.1; -.
CC EMBL; X04386; CAA27974.1; -.
CC PIR; A28923; WMBPF9.
CC KW Late protein.
CC SEQUENCE 98 AA; 11266 MW; FF2E7985D2266E14 CRC64;
CC SQ

```

Query Match 59.3%; Score 32; DB 1; Length 98;
 Best Local Similarity 66.7%; Pred. No. 9.9;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFAA 10
| | | | | :
Db 33 RVNYGSFVS 41

Search completed: March 28, 2001, 07:35:05
Job time: 142 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:06 ; Search time 443.95 Seconds
(Without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-80
Perfect score: 54
Sequence: 1 ARHNGSPFA 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_15.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phase.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_vertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	79.6	446	5	O62086
2	43	79.6	839	10	O9LIE5
3	38	70.4	89	7	O19495
4	36	66.7	39	7	P79474
5	36	66.7	39	7	P79477
6	36	66.7	39	7	P79478
7	36	66.7	39	7	P79479
8	36	66.7	74	6	O9TWT4
9	36	66.7	76	7	O9TWC2
10	36	66.7	78	6	O97835
11	36	66.7	78	6	O97839
12	36	66.7	78	6	O97844
13	36	66.7	78	6	O97968
14	36	66.7	78	7	O9MWT6
15	36	66.7	78	7	O9MWT5
16	36	66.7	78	7	O9MWT4
17	36	66.7	79	7	O19191
18	36	66.7	79	7	O19192
19	36	66.7	79	7	O19380

20	36	66.7	79	7	O19381	O19381 felis silve
21	36	66.7	79	7	O19382	O19382 felis silve
22	36	66.7	79	7	O19396	O19396 felis silve
23	36	66.7	79	7	O19397	O19397 felis silve
24	36	66.7	79	7	O19405	O19405 felis silve
25	36	66.7	79	7	O19406	O19406 felis silve
26	36	66.7	79	7	O19407	O19407 felis silve
27	36	66.7	79	7	O19408	O19408 felis silve
28	36	66.7	79	7	O19435	O19435 felis silve
29	36	66.7	79	7	O9MX19	O9MX19 leopardus p
30	36	66.7	79	7	O9MX13	O9MX13 leopardus p
31	36	66.7	79	7	O9MX03	O9MX03 leopardus p
32	36	66.7	79	7	O9MX00	O9MX00 leopardus p
33	36	66.7	79	7	O9MW29	O9MW29 leopardus p
34	36	66.7	79	7	O9MW28	O9MW28 leopardus p
35	36	66.7	79	7	O9MW27	O9MW27 leopardus p
36	36	66.7	79	7	O9MWY9	O9MWY9 leopardus p
37	36	66.7	79	7	O9MWY8	O9MWY8 leopardus p
38	36	66.7	79	7	O9MWY6	O9MWY6 leopardus p
39	36	66.7	79	7	O9MWY5	O9MWY5 leopardus p
40	36	66.7	79	7	O9MWY4	O9MWY4 leopardus p
41	36	66.7	79	7	O9MWY3	O9MWY3 leopardus p
42	36	66.7	79	7	O9MWX6	O9MWX6 leopardus p
43	36	66.7	79	7	O9MWX5	O9MWX5 leopardus p
44	36	66.7	79	7	O9MWX4	O9MWX4 leopardus p
45	36	66.7	79	7	O9MWX1	O9MWX1 leopardus p

ALIGNMENTS

RESULT 1
O62086 ID O62086 PRELIMINARY; PRT; 446 AA.
AC O62086;
DT 01-AUG-1998 (TrEMBLrel. 07, Created)
DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE C31H5.6 PROTEIN.
GN C31H5.6
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditidae;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA Kershaw J.;
RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M., Coulson A., Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Fulton L., Craighton M., Dear S., Du Z., Durbin R., Favello A., Fulton L., Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L., Jones M., Kershaw J., Kirsten J., Laister N., Latreille P., Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M., Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Showkeen R., Smaldon N., Smith A., Sonhammer E., Staden R., Sulston J., Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R., Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.;
RT *2.2 Mb of contiguous nucleotide sequence from chromosome III of C. elegans*;
RL Nature 368:32-38(1994).
EMBL; Z93778; CAB07846.1; -.
DR INTERPRO; IPR000379; -.
DR INTERPRO; IPR002925; -.
DR PFAM; PF01738; DLH; 2.
SQ SEQUENCE 446 AA; 50763 MW; 82AD969CDAD753DE CRC64;

Query Match 79.6%; Score 43; DB 5; Length 446;
Best Local Similarity 88.9%; Pred. No. 2;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAA 10
 Db 51 RHNYGSHAA 59
 RESULT 2
 ID Q9LIE5 PRELIMINARY; PRT; 839 AA.
 AC Q9LIE5;
 DT 01-OCT-2000 (TREMBLrel. 15, Created)
 DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
 DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
 DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsids.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=COLOMBIA;
 RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=COLOMBIA;
 RA Nakamura Y.;
 RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
 RT Sequence features of the regions of 4,251,695 bp covered by ninety P1,
 RT TAC and BAC clones";
 RL DNA Res. 7:217-221(2000).
 DR EMBL; AF001306; BAB03065.1; -;
 SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 79.6%; Score 43; DB 10; Length 839;
 Best Local Similarity 87.8%; Pred. No. 3.8;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
 Db 274 SRHNYGSF 281
 RESULT 3
 ID O19495 PRELIMINARY; PRT; 89 AA.
 AC O19495;
 DT 01-JAN-1998 (TREMBLrel. 05, Created)
 DT 01-JAN-1998 (TREMBLrel. 05, Last sequence update)
 DE 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
 GN B-LBI.
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=15.15I-5; TISSUE=Bursa;
 RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
 RL Immunogenetics 47:350-354(1998).
 DR EMBL; U91532; AAC15813.1; -;
 DR INTERPRO: IPR000353; -;
 DR PFAM: PF00969; MHC_II_beta; 1.
 KW MH2.
 FT NON_TER 1 1
 FT NON_TER 89 89
 SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEB1379 CRC64;

Query Match 70.4%; Score 38; DB 7; Length 89;
 Best Local Similarity 85.7%; Pred. No. 3.4;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 75 RHNYGDF 81
 RESULT 4
 ID P79474 PRELIMINARY; PRT; 39 AA.
 AC P79474;
 DT 01-MAY-1997 (TREMBLrel. 03, Created)
 DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
 DE 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swabrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63077; AAB37777.1; -;
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733DID CRC64;

Query Match 66.7%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.5;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 25 RHNYGVF 31
 RESULT 5
 ID P79477 PRELIMINARY; PRT; 39 AA.
 AC P79477;
 DT 01-MAY-1997 (TREMBLrel. 03, Created)
 DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swabrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63080; AAB37780.1; -;
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3CID CRC64;

Query Match 66.7%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 3.5;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

Db	25	RHNYGVF	31		
RESULT	6				
P79478					
ID	P79478	PRELIMINARY;	PRT;	39	AA.
AC	P79478;				
DT	01-MAY-1997	(TReMBLrel. 03, Created)			
DT	01-MAY-1997	(TReMBLrel. 03, Last sequence update)			
DT	01-AUG-1998	(TReMBLrel. 07, Last annotation update)			
DE	MHC CLASS II DRB (FRAGMENT).				
DE	Cervus elaphus (Red deer).				
OS	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;				
OC	Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;				
OC	Cervidae; Cervinae; Cervus.				
OX	NCBI_TaxID=9860;				
RN	[1]				
RP	SEQUENCE FROM N.A.				
RA	Swarbrick P.A., Crawford A.M.;				
RL	Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.				
DR	EMBL; U63081; AAB37781.1; -.				
KW	MHC.				
FT	NON_TER	1			
FT	NON_TER	39			
FT	NON_TER	39			
SEQUENCE	39 AA; 4806 MW; C2188A16752A3C1D CRC64;				
Query Match	66.7%;	Score 36;	DB 7;	Length 39;	
Best Local Similarity	85.7%;	Pred. No. 3.5;			
Matches	6;	Conservative	0;	Mismatches	1;
Indels	0;	Gaps	0;		
Qy	2	RHNYGSF	8		
Db	25	RHNYGVF	31		
RESULT	7				
P79479					
ID	P79479	PRELIMINARY;	PRT;	39	AA.
AC	P79479;				
DT	01-MAY-1997	(TReMBLrel. 03, Created)			
DT	01-MAY-1997	(TReMBLrel. 03, Last sequence update)			
DT	01-AUG-1998	(TReMBLrel. 07, Last annotation update)			
DE	MHC CLASS II DRB (FRAGMENT).				
DE	Cervus elaphus (Red deer).				
OS	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;				
OC	Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;				
OC	Cervidae; Cervinae; Cervus.				
OX	NCBI_TaxID=9860;				
RN	[1]				
RP	SEQUENCE FROM N.A.				
RA	Swarbrick P.A., Crawford A.M.;				
RL	Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.				
DR	EMBL; U63082; AAB37782.1; -.				
KW	MHC.				
FT	NON_TER	1			
FT	NON_TER	39			
FT	NON_TER	39			
SEQUENCE	39 AA; 4806 MW; C2188A16752A3C1D CRC64;				
Query Match	66.7%;	Score 36;	DB 7;	Length 39;	
Best Local Similarity	85.7%;	Pred. No. 3.5;			
Matches	6;	Conservative	0;	Mismatches	1;
Indels	0;	Gaps	0;		
Qy	2	RHNYGSF	8		
Db	25	RHNYGVF	31		
RESULT	8				
Q9TTM4					
ID	Q9TTM4	PRELIMINARY;	PRT;	74	AA.

RESULT 10
 O97835 PRELIMINARY; PRT; 78 AA.
 AC O97835;
 DT 01-MAY-1999 (TREMBLrel. 10, Created)
 DT 01-MAY-1999 (TREMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N20.2.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=7407; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017207; BAA36764.1; -
 DR INTERPRO; IPR000353; -
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 78 78
 SQ SEQUENCE 78 AA; 9677 MW; 653346CE7D1E1388 CRC64;

Query Match 66.7%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.2;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 72 RHNYGVF 78

RESULT 11
 O97839 PRELIMINARY; PRT; 78 AA.
 AC O97839;
 DT 01-MAY-1999 (TREMBLrel. 10, Created)
 DT 01-MAY-1999 (TREMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N2.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SUFFOLK BREED AND CORRIDALE BREED; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017212; BAA36769.1; -
 DR INTERPRO; IPR000353; -
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 78 78
 SQ SEQUENCE 78 AA; 9430 MW; AF8A0B87E34B6832 CRC64;

Query Match 66.7%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.2;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 72 RHNYGVF 78

RESULT 12
 O97844 PRELIMINARY; PRT; 78 AA.
 AC O97844;
 DT 01-MAY-1999 (TREMBLrel. 10, Created)
 DT 01-MAY-1999 (TREMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N8.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SUFFOLK BREED; TISSUE=BLOOD;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017220; BAA36777.1; -
 DR INTERPRO; IPR000353; -
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 78 78
 SQ SEQUENCE 78 AA; 9645 MW; 505346CE7D0860CF CRC64;

Query Match 66.7%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.2;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 72 RHNYGVF 78

RESULT 13
 O97968 PRELIMINARY; PRT; 78 AA.
 AC O97968;
 DT 01-MAY-1999 (TREMBLrel. 10, Created)
 DT 01-MAY-1999 (TREMBLrel. 10, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE DR BETA-CHAIN ANTIGEN BINDING DOMAIN (FRAGMENT).
 GN OLA-DRB1*N21.
 OS Ovis aries (Sheep).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Caprinae; Ovis.
 OX NCBI_TaxID=9940;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=VARIOUS STRAINS;
 RA Aida Y.;
 RT "Ovis aries DNA for MHC class II DRB1 exon 2.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB017231; BAA36788.1; -
 DR EMBL; AB017204; BAA36761.1; -
 DR INTERPRO; IPR000353; -
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 78 78
 SQ SEQUENCE 78 AA; 9436 MW; 72907E039EC167B2 CRC64;

Query Match 66.7%; Score 36; DB 6; Length 78;
 Best Local Similarity 85.7%; Pred. No. 7.2;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 72 RHNYGVF 78

Search completed: March 28, 2001, 07:53:07
Job time: 500 sec

```

Db      72 RHNYGVF 78

RESULT 14
Q9MWT6
ID      Q9MWT6      PRELIMINARY;      PRT;      78 AA.
AC
DT      01-OCT-2000 (TREMBLrel. 15, Created)
DT      01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DT      01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE      MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
GN      LEPA-DRB.
OS      Leopardus pardalis (ocelot).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
OX      NCBI_TaxID=32538;
RN      [1]
RP      SEQUENCE FROM N.A.
RA      Yuhki N., Elzirik E., Johnson W.E., O'Brien S.J.;
RT      "Sequence Diversity of Major Histocompatibility Complex Class II DRB
RT      Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
RT      pardalis) and Margay (Leopardus wiedii).";
RL      Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
RD      EMBL; AF057894; AAF70946.1; -.
KW      MHC.
FT      NON_TER      1
FT      NON_TER      78
SQ      SEQUENCE      78 AA; 9559 MW; 77863043708EC5B8 CRC64;

Query Match      66.7%; Score 36; DB 7; Length 78;
Best Local Similarity 85.7%; Pred. NO. 7.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy      2 RHNYGSF 8
Db      71 RHNYGVF 77

RESULT 15
Q9MWT5
ID      Q9MWT5      PRELIMINARY;      PRT;      78 AA.
AC
DT      01-OCT-2000 (TREMBLrel. 15, Created)
DT      01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DT      01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE      MHC CLASS II DR ANTIGEN BETA SUBUNIT (FRAGMENT).
GN      LEPA-DRB.
OS      Leopardus pardalis (ocelot).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Leopardus.
OX      NCBI_TaxID=32538;
RN      [1]
RP      SEQUENCE FROM N.A.
RA      Yuhki N., Elzirik E., Johnson W.E., O'Brien S.J.;
RT      "Sequence Diversity of Major Histocompatibility Complex Class II DRB
RT      Exon 2 Region of Two Sister Species of the Felidae, Ocelot (Leopardus
RT      pardalis) and Margay (Leopardus wiedii).";
RL      Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
RD      EMBL; AF057895; AAF70947.1; -.
KW      MHC.
FT      NON_TER      1
FT      NON_TER      78
SQ      SEQUENCE      78 AA; 9559 MW; 5076280FF45EC5A7 CRC64;

Query Match      66.7%; Score 36; DB 7; Length 78;
Best Local Similarity 85.7%; Pred. NO. 7.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy      2 RHNYGSF 8
Db      71 RHNYGVF 77

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:48 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-80
Perfect score: 54
Sequence: 1 ARHNYGSPAA 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_36.*
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	54	100.0	10	19	W76030
2	51	94.4	10	19	W76024
3	50	92.6	10	19	W76025
4	50	92.6	10	19	W76026
5	50	92.6	10	19	W76027
6	50	92.6	10	19	W76028
7	50	92.6	10	19	W76029
8	50	92.6	10	19	W76010
9	50	92.6	117	19	W76001
10	50	92.6	117	19	W76003
11	50	92.6	117	20	Y06381
12	50	92.6	117	20	Y06387

13	50	92.6	118	20	Y06384
14	50	92.6	118	20	Y06385
15	50	92.6	118	20	Y06386
16	50	92.6	118	20	Y06383
17	50	92.6	130	20	Y06379
18	47	87.0	10	19	W76021
19	46	85.2	10	19	W76037
20	46	85.2	10	19	W76039
21	46	85.2	10	19	W76040
22	46	85.2	10	19	W76022
23	46	85.2	10	19	W76023
24	45	83.3	10	19	W76020
25	42	77.8	110	20	W84099
26	42	77.8	117	20	W84093
27	42	77.8	117	20	W84097
28	41	75.9	8	20	Y06371
29	41	75.9	10	19	W76038
30	37	68.5	119	19	Y86109
31	36	66.7	117	16	Y79157
32	36	66.7	117	16	Y79155
33	36	66.7	117	18	W27357
34	36	66.7	117	18	W27526
35	36	66.7	117	18	W27354
36	36	66.7	119	18	W01578
37	36	66.7	239	20	W73874
38	36	66.7	242	20	W73876
39	34	63.0	30	21	Y81870
40	34	63.0	574	21	Y74960
41	33	61.1	80	12	R13396
42	33	61.1	80	12	R13397
43	33	61.1	89	17	Y14338
44	33	61.1	89	17	Y14306
45	33	61.1	89	17	Y14307

ALIGNMENTS

RESULT 1

W76030	
ID	W76030 standard; Protein; 10 AA.
XX	
AC	W76030;
XX	
DT	02-NOV-1998 (first entry)
DE	LM609 grafted antibody V-H region CDR3 protein fragment #12.
XX	
KW	Vitaxin; antibody; variable region; heavy chain; light chain; integrin; LM609; inhibitor; integrin-mediated signal transduction; treatment; diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy; neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine; macular degeneration; osteoporosis; primer; V-H region; CDR; complementarity determining region.
XX	
OS	Mus sp.
XX	
PN	W09833919-A2.
XX	
PD	06-AUG-1998.
XX	
PF	30-JAN-1998; 98WO-US01826.
XX	
PR	30-JAN-1997; 97US-0791391.
XX	
PA	(IXSY-) IXSYS INC.
XX	
PI	Glaser SM, Huse WD;
XX	
DR	WPI; 1998-437472/37.
XX	
PT	N-PSDB; V49867.
XX	
PT	Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 54; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0013;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAA 10
 |||||
 Db 1 arhnygsfaa 10

RESULT 2
 W76024
 ID W76024 standard; Protein; 10 AA.

XX
 AC W76024;
 XX
 DT 02-NOV-1998 (first entry)
 XX

DE LM609 grafted antibody V-H region CDR3 protein fragment #6.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.
 XX
 XX WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.
 XX
 XX Glaser SM, Huse WD;
 XX

XX WPI; 1998-437472/37.
 DR N-PSDB; V49861.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

SQ Sequence 10 AA;

Query Match 94.4%; Score 51; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0044;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAA 10
 |||||
 Db 1 arhnygsfas 10

RESULT 3
 W76025
 ID W76025 standard; Protein; 10 AA.

XX W76025;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #7.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49862.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 92.6%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0066;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

RESULT 4

ID W76026 standard; Protein; 10 AA.

XX AC W76026;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #8.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-USO1826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49863.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 92.6%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0066;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 Db 1 arhnygsfa 9
 |||||

RESULT 5

ID W76027 standard; Protein; 10 AA.

XX AC W76027;

XX DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-USO1826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49864.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 92.6%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0066;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
 |||||

```

Db      1 arhnygsfa 9

RESULT 6
W76028
ID      W76028 standard; Protein; 10 AA.
AC      W76028;
DT      02-NOV-1998 (first entry)
XX      LM609 grafted antibody V-H region CDR3 protein fragment #10.
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX      Mus sp.
OS      W09833919-A2.
PN      06-AUG-1998.
XX      30-JAN-1998; 98WO-US01826.
XX      30-JAN-1997; 97US-0791391.
XX      (IXSY-) IXSYS INC.
XX      Glaser SM, Huse WD;
PI      WPI; 1998-437472/37.
XX      N-PSDB; V49865.
XX      Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT      integrin - and related grafted antibodies based on murine monoclonal
PT      LM609, also related nucleic acid, used to treat, prevent or diagnose
PT      angiogenesis or restenosis.
XX      Claim 62; Page 41; 129pp; English.
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC      LM609 heavy and light chain variable region. LM609 and the antibody
CC      vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC      inhibit binding of alphavbeta3 to a ligand and thus block
CC      integrin-mediated signal transduction. This is useful in the treatment,
CC      prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC      arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC      contain non-murine framework regions so are suitable for use in humans.
CC      Enhanced types of LM609 have affinity more than 90 times greater than
CC      that of parent the parent antibody.
XX      Sequence 10 AA;

Query Match      92.6%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0066;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 ARHNYGSFA 9
Db      1 arhnygsfa 9

RESULT 8
W76010
ID      W76010 standard; Protein; 10 AA.
XX      W76010;
AC      W76010;
DT      02-NOV-1998 (first entry)
XX      LM609 grafted antibody V-H region CDR3 protein fragment #1.
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX      Mus sp.
OS      W09833919-A2.
PN      06-AUG-1998.
XX      30-JAN-1998; 98WO-US01826.
XX      30-JAN-1997; 97US-0791391.
XX      (IXSY-) IXSYS INC.
XX      Glaser SM, Huse WD;
PI      WPI; 1998-437472/37.
XX      N-PSDB; V49865.
XX      Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT      integrin - and related grafted antibodies based on murine monoclonal
PT      LM609, also related nucleic acid, used to treat, prevent or diagnose
PT      angiogenesis or restenosis.
XX      Claim 62; Page 41; 129pp; English.
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC      LM609 heavy and light chain variable region. LM609 and the antibody
CC      vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC      inhibit binding of alphavbeta3 to a ligand and thus block
CC      integrin-mediated signal transduction. This is useful in the treatment,
CC      prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC      arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC      contain non-murine framework regions so are suitable for use in humans.
CC      Enhanced types of LM609 have affinity more than 90 times greater than
CC      that of parent the parent antibody.
XX      Sequence 10 AA;

Query Match      92.6%; Score 50; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0066;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 ARHNYGSFA 9
Db      1 arhnygsfa 9

RESULT 7
W76029
ID      W76029 standard; Protein; 10 AA.
XX      W76029 standard; Protein; 10 AA.

```

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

OS Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; V49847.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Disclosure; Page 40; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 92.6%; Score 50; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0066;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSFA 9

Db 1 arhnygsfa 9

RESULT 9

W76001

ID W76001 standard; Protein; 117 AA.

XX W76001;

XX 02-NOV-1998 (first entry)

DE Vitaxin antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

OS Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

PN WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49820.

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 1; Fig 1a; 129pp; English.

XX This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

SQ Sequence 117 AA;

Query Match 92.6%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.083;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSFA 9

Db 97 arhnygsfa 105

RESULT 10

W76003

ID W76003 standard; Protein; 117 AA.

XX W76003;

XX 02-NOV-1998 (first entry)

XX LM609 antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

OS Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49822.
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 43; Fig 2a; 129pp; English.
 XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 XX Sequence 117 AA;
 Query Match 92.6%; Score 50; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.083;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNYGSFA 9
 Db |||||
 97 arhnygsfa 105
 RESULT 11
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 AC Y06381;
 DT 06-SEP-1999 (first entry)
 XX Murine monoclonal antibody LM609 VH region.
 DE Humanised antibody; antibody humanisation; antibody engineering;
 XX LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX Mus musculus.
 OS
 XX WO9929888-A1.
 PN 17-JUN-1999.
 PD 04-DEC-1998; 98WO-US25828.
 XX 05-DEC-1997; 97US-0986016.
 PR (SCRI) SCRIPPS RES INST.
 XX Barbas CF, Rader C;
 PI WPI; 1999-394979/33.
 DR Production of humanized mouse monoclonal antibodies
 PT Disclosure; Page 52-53; 55pp; English.
 PS This sequence represents the heavy chain variable region of murine

CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 XX Sequence 117 AA;
 Query Match 92.6%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.083;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNYGSFA 9
 Db |||||
 97 arhnygsfa 105
 RESULT 12
 Y06387
 ID Y06387 standard; Protein; 117 AA.
 AC Y06387;
 DT 06-SEP-1999 (first entry)
 XX Humanised LM609 antibody VH domain.
 DE Humanised antibody; antibody humanisation; antibody engineering;
 XX LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX Homo sapiens.
 OS
 XX Synthetic.
 XX Key Location/Qualifiers
 FT Peptide 1..2 /note= "vector-encoded residues"
 FT Region 31..35
 FT Region 50..66 /note= "CDR1"
 FT Region /note= "CDR2"
 FT Region 107..117 /note= "CDR3"
 FT WO9929888-A1.
 PN 17-JUN-1999.
 PD 04-DEC-1998; 98WO-US25828.
 XX 05-DEC-1997; 97US-0986016.
 PR (SCRI) SCRIPPS RES INST.
 XX Barbas CF, Rader C;
 PI WPI; 1999-394979/33.
 DR Production of humanized mouse monoclonal antibodies
 PT Disclosure; Page 52; 55pp; English.
 PS This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin

CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX
 XX
 SQ Sequence 117 AA;

Query Match 92.6%; Score 50; DB 20; Length 117;
 Best Local Similarity 100.0%; Pred. No. 0.083;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSFA 9
 |||||
 Db 97 arhnygsfa 105

RESULT 13
 Y06384
 ID Y06384 standard; Protein; 118 AA.
 XX
 AC Y06384;
 XX
 DT 06-SEP-1999 (first entry)
 XX
 DE Humanised LM609 antibody VH domain.
 DE
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.

XX
 FH Key Location/Qualifiers
 FT Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX
 PN WO9929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 XX (SCRI) SCRIPPS RES INST.
 PA Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies
 XX
 PS Disclosure; Page 51; 55pp; English.
 XX
 CC This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX
 XX
 SQ Sequence 118 AA;

Query Match 92.6%; Score 50; DB 20; Length 118;
 Best Local Similarity 100.0%; Pred. No. 0.084;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSFA 9
 |||||
 Db 98 arhnygsfa 106

RESULT 14
 Y06385
 ID Y06385 standard; Protein; 118 AA.
 XX
 AC Y06385;
 XX
 DT 06-SEP-1999 (first entry)
 XX
 DE Humanised LM609 antibody VH domain.
 DE
 KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX
 OS Homo sapiens.
 OS Synthetic.

XX
 FH Key Location/Qualifiers
 FT Peptide 1..2
 FT /note= "vector-encoded residues"
 FT Region 31..37
 FT /note= "CDR1"
 FT Region 52..67
 FT /note= "CDR2"
 FT Region 100..107
 FT /note= "CDR3"
 XX
 PN WO9929888-A1.
 XX
 PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 XX (SCRI) SCRIPPS RES INST.
 PA Barbas CF, Rader C;
 XX WPI; 1999-394979/33.
 DR
 XX Production of humanized mouse monoclonal antibodies
 XX
 PS Disclosure; Page 51; 55pp; English.
 XX
 CC This sequence represents the heavy chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it

CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 118 AA;

Query Match 92.6%; Score 50; DB 20; Length 118;
Best Local Similarity 100.0%; Pred. No. 0.084;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Caps 0;

QY 1 ARHNYGSFA 9
Db 98 arhnygsfa 106
|||||

RESULT 15
Y06386
ID Y06386 standard; Protein: 118 AA.
XX
AC Y06386;
XX
DT 06-SEP-1999 (first entry)
XX
DE Humanised LM609 antibody VH domain.
XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Homo sapiens.
OS Synthetic.
XX

Key Location/Qualifiers
FH Peptide 1..2
FT Region 31..37 /note= "vector-encoded residues"
FT Region 52..67 /note= "CDR1"
FT Region 100..107 /note= "CDR2"
FT Region /note= "CDR3"
XX
PN WO9929888-A1.
XX
PD 17-JUN-1999.
XX
PF 04-DEC-1998; 98WO-US25828.
XX
PR 05-DEC-1997; 97US-0986016.
XX
PA (SCRI) SCRIPPS RES INST.
XX
PI Barbas CF, Rader C;
XX
DR WPI; 1999-394979/33.
XX
PT Production of humanized mouse monoclonal antibodies
XX
PS Disclosure; Page 51-52; 55pp; English.
XX

This sequence represents the heavy chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 118 AA;

Query Match 92.6%; Score 50; DB 20; Length 118;
Best Local Similarity 100.0%; Pred. No. 0.084;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 98 arhnygsfa 106
|||||

Search completed: March 28, 2001, 06:59:48
Job time: 1384 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:55 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-80
Perfect score: 54
Sequence: 1 ARHNYGSFAA 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA:*

1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep:.*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep:.*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep:.*
4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep:.*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	36	66.7	94	3	US-09-147-550-14
2	36	66.7	94	3	US-09-147-550-45
3	36	66.7	94	3	US-09-147-550-48
4	36	66.7	94	3	US-09-147-550-77
5	36	66.7	94	3	US-09-147-550-84
6	36	66.7	94	3	US-09-147-550-90
7	36	66.7	94	3	US-09-147-550-101
8	36	66.7	119	3	US-08-767-128-6
9	34	63.0	286	2	US-08-809-267-3
10	34	63.0	286	4	PCT-US95-13662A-3
11	34	63.0	287	2	US-08-741-437-5
12	34	63.0	287	2	US-09-134-593-5
13	32	59.3	15	1	US-08-618-464-7
14	32	59.3	15	3	US-09-107-615-7
15	32	59.3	25	2	US-08-480-190-44
16	32	59.3	25	2	US-08-488-379-44
17	32	59.3	25	4	PCT-US93-07545-44
18	32	59.3	36	1	US-08-053-131-84
19	32	59.3	36	1	US-08-645-641-84
20	32	59.3	36	1	US-07-853-408B-84
21	32	59.3	36	2	US-08-096-762-84
22	32	59.3	36	2	US-08-308-865-84
23	32	59.3	36	4	PCT-US92-10983-84
24	32	59.3	80	1	US-08-264-250A-1
25	32	59.3	89	1	US-08-025-038-30
26	32	59.3	89	1	US-08-039-137-17
27	32	59.3	90	2	US-08-485-133-23
28	32	59.3	94	3	US-09-147-550-12

29 59.3 94 3 US-09-147-550-13 Sequence 13, Appl
30 59.3 94 3 US-09-147-550-15 Sequence 15, Appl
31 59.3 94 3 US-09-147-550-16 Sequence 16, Appl
32 59.3 94 3 US-09-147-550-17 Sequence 17, Appl
33 59.3 94 3 US-09-147-550-18 Sequence 18, Appl
34 59.3 94 3 US-09-147-550-19 Sequence 19, Appl
35 59.3 94 3 US-09-147-550-20 Sequence 20, Appl
36 59.3 94 3 US-09-147-550-21 Sequence 21, Appl
37 59.3 94 3 US-09-147-550-22 Sequence 22, Appl
38 59.3 94 3 US-09-147-550-24 Sequence 24, Appl
39 59.3 94 3 US-09-147-550-25 Sequence 25, Appl
40 59.3 94 3 US-09-147-550-26 Sequence 26, Appl
41 59.3 94 3 US-09-147-550-27 Sequence 27, Appl
42 59.3 94 3 US-09-147-550-28 Sequence 28, Appl
43 59.3 94 3 US-09-147-550-29 Sequence 29, Appl
44 59.3 94 3 US-09-147-550-30 Sequence 30, Appl
45 59.3 94 3 US-09-147-550-31 Sequence 31, Appl

ALIGNMENTS

RESULT 1

US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 66.7%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 2

US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 66.7%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 66.7%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 66.7%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 66.7%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

; ORGANISM: BOVINE
US-09-147-550-90

Query Match 66.7%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 7
US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: ALDA, YOKO
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101:
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 66.7%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 10;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 8
US-08-767-128-6
; Sequence 6, Application US/08767128
; Patent No. 6111079
; GENERAL INFORMATION:
; APPLICANT: WYLIE, DWANE E.
; APPLICANT: LOPEZ, OSVALDO
; APPLICANT: MURRAY, PETER JOSEPH
; APPLICANT: GOEBEL, PETER
; TITLE OF INVENTION: LEAD BINDING POLYPEPTIDES AND
; NUCLEOTIDES CODING THEREFORE
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Merchants, Gould, Smith, Edell, Welter & Schmidt
; STREET: 3100 No. 6111079west Center, 90 South Seventh St
; CITY: Minneapolis
; STATE: MN
; COUNTRY: USA
; ZIP: 55402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/767,128
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE: 04-DEC-1996
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US96/09258
; FILING DATE: 05-JUN-1996
; APPLICATION DATA:
; APPLICATION NUMBER: 08/541,373
; FILING DATE: 10-OCT-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/462,798
; FILING DATE: 05-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Carter, Charles G.
; REGISTRATION NUMBER: 35,093
; REFERENCE/DOCKET NUMBER: 8648,49USF1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 612/371-5278
; TELEFAX: 612/332-9081
; TELEX:
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FRAGMENT TYPE: internal
; ORIGINAL SOURCE:
US-08-767-128-6

Query Match 66.7%; Score 36; DB 3; Length 119;
Best Local Similarity 66.7%; Pred. No. 13;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSEA 9
Db 97 ARHHYGYA 105

RESULT 9
US-08-809-267-3
; Sequence 3, Application US/08809267
; Patent No. 5861296
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/809,267

; FILING DATE: 12-MAR-1997
; CLASSIFICATION: 433
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662
; FILING DATE: 25-OCT-1994
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; US-08-809-267-3

Query Match 63.0%; Score 34; DB 2; Length 286;
Best Local Similarity 83.3%; Pred. No. 68;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 10
PCT-US95-13662A-3
; Sequence 3, Application PC/TUS9513662A
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids

; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; PCT-US95-13662A-3

Query Match 63.0%; Score 34; DB 4; Length 286;
Best Local Similarity 83.3%; Pred. No. 68;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 11
US-08-741-437-5
; Sequence 5, Application US/08741437
; Patent No. 5843665
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE: Filed Herewith
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
; US-08-741-437-5

Query Match 63.0%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 69;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 92 HNYGAF 97

RESULT 12

US-09-134-593-5
; Sequence 5, Application US/09134593
; Patent No. 5981232
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette

; COMPUTER: IBM Compatible

; OPERATING SYSTEM: DOS

; SOFTWARE: FastSeq Version 1.5

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/134,593

; FILING DATE:
; APPLICATION NUMBER: US/741,437

; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.

; REGISTRATION NUMBER: 36,749

; REFERENCE/DOCKET NUMBER: PF-0148 US

; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555

; TELEFAX: (415) 845-4166

; INFORMATION FOR SEQ ID NO: 5:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids

; TYPE: amino acid

; STRANDEDNESS: single

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

; IMMEDIATE SOURCE:
; LIBRARY: GenBank

; CLONE: 4199

US-09-134-593-5

Query Match 63.0%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 69;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8

|||||

Db 92 HNYGAF 97

RESULT 13

US-08-618-464-7

; Sequence 7, Application US/08618464

; Patent No. 5773570

; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.

; APPLICANT: ALBANI, SALVATORE

; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN

IMMUNE PROTECTION AGAINST ARTHRITIS

; TITLE OF INVENTION: INDUCING

; TITLE OF INVENTION: INVOLVED IN

; TITLE OF INVENTION: THE PATHOGENESIS OF RHEUMATOID ARTHRITIS

; NUMBER OF SEQUENCES: 8

; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.

; STREET: 4225 Executive Square, Suite 1400

; CITY: La Jolla

; STATE: CALIFORNIA

; COUNTRY: US

ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464

; FILING DATE:
; CLASSIFICATION: 424

; ATTORNEY/AGENT INFORMATION:
; NAME: HOWELLS, STACY L.

; REGISTRATION NUMBER: 34,842

; REFERENCE/DOCKET NUMBER: 07340/042001

; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070

; TELEFAX: 619/678-5099

; INFORMATION FOR SEQ ID NO: 7:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 15 amino acids

; TYPE: amino acid

; STRANDEDNESS: single

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

; IMMEDIATE SOURCE:
; CLONE: S1

; FEATURE:
; NAME/KEY: Peptide

; LOCATION: 1..15

US-08-618-464-7

Query Match 59.3%; Score 32; DB 1; Length 15;

Best Local Similarity 100.0%; Pred. No. 8.6;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6

|||||

Db 11 RHNYG 15

RESULT 14

US-09-107-615-7

; Sequence 7, Application US/09107615

; Patent No. 6153200

; GENERAL INFORMATION:
; APPLICANT: CARSON, DENNIS A.

; APPLICANT: ALBANI, SALVATORE

; TITLE OF INVENTION: VACCINE COMPOSITIONS AND METHODS USEFUL IN

INDUCING IMMUNE PROTECTION AGAINST

; TITLE OF INVENTION: ARTHRITIC PEPTIDES INVOLVED IN

; TITLE OF INVENTION: THE PATHOGENESIS OF RHEUMATOID ARTHRITIS

; NUMBER OF SEQUENCES: 8

; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & RICHARDSON P.C.

; STREET: 4225 Executive Square, Suite 1400

; CITY: La Jolla

; STATE: CALIFORNIA

; COUNTRY: US

ZIP: 92037

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patent In Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,615

; FILING DATE:
; CLASSIFICATION:

; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/618,464

; FILING DATE:
; ATTORNEY/AGENT INFORMATION:

NAME: HOWELLS, STACY L.
REGISTRATION NUMBER: 34,842
REFERENCE/DOCKET NUMBER: 07340/042001
TELECOMMUNICATION INFORMATION:
TELEPHONE: 619/678-5070
TELEFAX: 619/678-5099
INFORMATION FOR SEQ ID NO: 7:
SEQUENCE CHARACTERISTICS:
LENGTH: 15 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
IMMEDIATE SOURCE:
CLONE: S1
FEATURE:
NAME/KEY: Peptide
LOCATION: 1.15
US-09-107-615-7

Query Match 59.3%; Score 32; DB 3; Length 15;
Best Local Similarity 100.0%; Pred. No. 8.6;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 11 RHNYG 15

RESULT 15
US-08-480-190-44
Sequence 44, Application US/08480190
Patent No. 5827516
GENERAL INFORMATION:
APPLICANT: Robert G. Urban
APPLICANT: Roman M. Chicz
APPLICANT: Dario A. A. Vignali
APPLICANT: Mary L. Hedley
APPLICANT: Lawrence J. Stern
APPLICANT: Jack L. Strominger
TITLE OF INVENTION: IMMUNOMODULATORY PEPTIDES
NUMBER OF SEQUENCES: 274
CORRESPONDENCE ADDRESS:
ADDRESSEE: Fish & Richardson
STREET: 225 Franklin Street
CITY: Boston
STATE: Massachusetts
COUNTRY: U.S.A.
ZIP: 02110-2804
COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
COMPUTER: IBM PS/2 Model 502 or 55SX
OPERATING SYSTEM: MS-DOS (Version 5.0)
SOFTWARE: WordPerfect (Version 5.1)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/480,190
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/077,255
FILING DATE: June 15, 1993
APPLICATION NUMBER: 07/925,460
FILING DATE: August 11, 1992
ATTORNEY/AGENT INFORMATION:
NAME: Clark, Paul T.
REGISTRATION NUMBER: 30,162
REFERENCE/DOCKET NUMBER: 00246/168001
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 542-5070
TELEFAX: (617) 542-8906
TELEX: 200154
INFORMATION FOR SEQ ID NO: 44:

SEQUENCE CHARACTERISTICS:
LENGTH: 25
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
US-08-480-190-44

Query Match 59.3%; Score 32; DB 2; Length 25;
Best Local Similarity 100.0%; Pred. No. 14;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYG 6
Db 15 RHNYG 19

Search completed: March 28, 2001, 07:01:55
Job time: 1334 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:26 ; Search time 130.08 Seconds
(without alignments)
6.786 Million cell updates/sec

Title: US-09-016-061-82
Perfect score: 72
Sequence: 1 QASQISINFLHWY 13

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_66:.*
1: pir1:.*
2: pir2:.*
3: pir3:.*
4: pir4:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	65	90.3	106	2 PL0267	Ig kappa chain V r
2	65	90.3	123	2 S35479	Ig kappa chain pre
3	62	86.1	122	2 S40370	Ig kappa chain - h
4	61	84.7	107	2 S32188	Ig kappa chain V r
5	60	83.3	96	2 G33730	Ig kappa chain V r
6	60	83.3	103	2 S19975	Ig kappa chain V r
7	59	81.9	95	2 PH0867	Ig kappa chain V r
8	59	81.9	102	2 S26346	Ig kappa chain V r
9	59	81.9	104	2 B43413	Ig kappa chain V r
10	59	81.9	107	2 B45722	anti-glycoprotein
11	59	81.9	107	2 A45722	anti-glycoprotein
12	59	81.9	138	2 A26471	Ig kappa chain pre
13	58	80.6	62	2 S42265	Ig kappa chain V r
14	58	80.6	87	2 I32592	Ig kappa chain V r
15	58	80.6	88	2 S34088	Ig kappa chain V r
16	58	80.6	88	2 S34087	Ig kappa chain V r
17	58	80.6	95	2 PH0862	Ig kappa chain V r
18	58	80.6	107	2 C45722	anti-glycoprotein
19	58	80.6	108	2 S19674	Ig kappa chain V r
20	58	80.6	110	2 S44118	Ig kappa chain V-J
21	58	80.6	117	2 S43528	Ig kappa chain V r
22	58	80.6	117	2 S42263	Ig kappa chain V r
23	58	80.6	127	2 S40367	Ig kappa chain V-J
24	58	80.6	129	1 K1HUWK	Ig kappa chain pre
25	58	80.6	129	2 S52789	Ig kappa chain V r
26	55	76.4	122	2 S40314	Ig kappa chain - h
27	54	75.0	92	1 KVRB38	Ig kappa chain V r
28	54	75.0	93	2 S38564	Ig kappa chain V r
29	54	75.0	106	2 PC4282	Ig kappa chain (an

30	54	75.0	107	2 B28044	Ig kappa chain V r
31	54	75.0	107	2 A28044	Ig kappa chain V r
32	54	75.0	107	2 D48677	Ig kappa chain V-J
33	54	75.0	107	2 B49026	Ig kappa chain V r
34	54	75.0	107	2 S69901	Ig kappa chain (cl
35	54	75.0	107	2 S69906	Ig kappa chain (cl
36	54	75.0	108	1 KVM5AR	Ig kappa chain V r
37	54	75.0	108	2 C26405	Ig kappa chain V r
38	54	75.0	108	2 B30551	Ig kappa chain V r
39	54	75.0	108	2 PL0282	Ig kappa chain V r
40	54	75.0	108	2 S38862	Ig kappa chain V r
41	54	75.0	108	2 S69903	Ig kappa chain (cl
42	54	75.0	108	2 S69900	Ig kappa chain (cl
43	54	75.0	108	2 S69902	Ig kappa chain (cl
44	54	75.0	115	2 JL0080	Ig kappa chain pre
45	54	75.0	115	2 A53276	Ig kappa chain V r

ALIGNMENTS

RESULT 1

PL0267
Ig kappa chain V region (anti-DNA, DP12VK) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 21-Jan-2000
C:Accession: PL0267
R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rohtstein J. Exp. Med. 171, 265-297, 1990
A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somat A:Reference number: PL0231; MUID:90111618
A:Accession: PL0267
A:Molecule type: mRNA
A:Residues: 1-106 <SHL>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
F:1-23/Region: framework 1
F:16-90/Domain: immunoglobulin homology <IMM>
F:24-34/Region: complementarity-determining 1
F:35-49/Region: framework 2
F:50-56/Region: complementarity-determining 2
F:57-88/Region: framework 3
F:89-97/Region: complementarity-determining 3
F:98-106/Region: framework 4

Query Match 90.3%; Score 65; DB 2; Length 106;
Best Local Similarity 84.6%; Pred. No. 0.0002;
Matches 11; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQISINFLHWY 13

Db 24 RASQISINFLHWY 36
:|||||||:||||

RESULT 2

S35479
Ig kappa chain precursor V region - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 19-Mar-1997 #sequence_revision 05-Dec-1998 #text_change 21-Jan-2000
C:Accession: S35479
R:Takeda, Y.; Wise, K.S.; Hoffman, R.W.
Nucleic Acids Res. 20, 4099, 1992
A:Title: Nucleotide sequences of immunoglobulin heavy and light chain V-regions from A:Reference number: S35479; MUID:92375706
A:Accession: S35479
A:Status: nucleic acid sequence not shown
A:Molecule type: DNA
A:Residues: 1-123 <TAK>
A:Cross-references: EMBL:M93959; NID:gl97572; PIDN:AAA39079.1; PID:5554148
C:Genetics:
A:Map position: 6
C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin
 F:1-12/Domain: signal sequence (fragment) #status predicted <SIG>
 F:13-123/Product: Ig kappa chain V region (fragment) #status predicted <MAT>
 F:28-102/Domain: immunoglobulin homology <IMM>

Query Match 90.3%; Score 65; DB 2; Length 123;
 Best Local Similarity 84.6%; Pred. No. 0.00024;
 Matches 11; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNLFHWY 13
 :|||||:||||
 Db 36 RASQISNYLHWY 48

RESULT 3

Ig kappa chain - human
 C:Species: Homo sapiens (man)
 C:Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000.
 C:Accession: S40370
 R:Klein, R.; Jaenichen, R.; Zachau, H.G.
 Eur. J. Immunol. 23, 3248-3271, 1993
 A:Title: Expressed human immunoglobulin chi genes and their hypermutation.
 A:Reference number: S40312; MUID:94080891
 A:Accession: S40370
 A:Status: preliminary; translation not shown
 A:Molecule type: mRNA
 A:Residues: 1-122 <KLE>
 A:Cross-references: EMBL:X72480; NID:9441428; PIDN:CAA51148.1; PID:9441429
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:30-104/Domain: immunoglobulin homology <IMM>

Query Match 86.1%; Score 62; DB 2; Length 122;
 Best Local Similarity 84.6%; Pred. No. 0.00078;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNLFHWY 13
 :|||||:||||
 Db 38 RASQISNLFHWY 50

RESULT 4

Ig kappa chain V region - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 06-Feb-1995 #sequence_revision 06-Feb-1995 #text_change 21-Jan-2000
 C:Accession: S32188
 R:Izui, S.

submitted to the EMBL Data Library, February 1993

A:Reference number: S32185
 A:Accession: S32188
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-107 <IZU>
 A:Cross-references: EMBL:X70090; NID:9288253; PIDN:CAA49695.1; PID:9288254
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:15-90/Domain: immunoglobulin homology <IMM>

Query Match 84.7%; Score 61; DB 2; Length 107;
 Best Local Similarity 76.9%; Pred. No. 0.001;
 Matches 10; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNLFHWY 13
 :|||:||||
 Db 24 RASQISNYLHWY 36

RESULT 5

G33730
 Ig kappa chain V region (23.32) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 09-Mar-1990 #sequence_revision 09-Mar-1990 #text_change 21-Jan-2000
 C:Accession: G33730
 R:Lawler, A.M.; Kearney, J.F.; Kuehl, M.; Gearhart, P.J.
 Proc. Natl. Acad. Sci. U.S.A. 86, 6744-6747, 1989
 A:Title: Early rearrangements of genes encoding murine immunoglobulin kappa-chains, u
 A:Reference number: A33730; MUID:89367325
 A:Accession: G33730
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-96 <LAW>
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 83.3%; Score 60; DB 2; Length 96;
 Best Local Similarity 76.9%; Pred. No. 0.0014;
 Matches 10; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNLFHWY 13
 :|||||:||||
 Db 24 RASQISDYLHWY 36

RESULT 6

Ig kappa chain V region (M-T408) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 06-Feb-1995 #sequence_revision 06-Feb-1995 #text_change 21-Jan-2000
 C:Accession: S19975
 R:Weissenhorn, W.; Riethmuller, G.; Weiss, E.M.; Rieber, E.P.
 submitted to the EMBL Data Library, March 1992
 A:Description: Structural characterization of CD4 mAb.
 A:Reference number: S19963
 A:Accession: S19975
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-103 <WEI>
 A:Cross-references: EMBL:X65097; NID:952296; PIDN:CAA6225.1; PID:952297
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:11-85/Domain: immunoglobulin homology <IMM>

Query Match 83.3%; Score 60; DB 2; Length 103;
 Best Local Similarity 76.9%; Pred. No. 0.0015;
 Matches 10; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNLFHWY 13
 :|||||:||||
 Db 19 RASQISDYLHWY 31

RESULT 7

Ig kappa chain V region (anti-DNA, R3.5H5G) - human (fragment)
 C:Species: Homo sapiens (man)
 C:Date: 09-Oct-1992 #sequence_revision 09-Oct-1992 #text_change 21-Jan-2000
 C:Accession: PH0867
 R:Manheimer-Lory, A.; Katz, J.B.; Pillinger, M.; Ghossein, C.; Smith, A.; Diamond, B.
 J. Exp. Med. 174, 1639-1652, 1991
 A:Title: Molecular characteristics of antibodies bearing an anti-DNA-associated idiot
 A:Reference number: PH0862; MUID:92078875
 A:Accession: PH0867
 A:Molecule type: DNA
 A:Residues: 1-95 <MAN>
 C:Comment: This antibody is produced by Epstein-Barr virus-transformed B cell that be
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-23/region: framework 1

F:16-90/Domain: immunoglobulin homology <IMM>
 F:24-34/Region: complementarity-determining 1
 F:35-49/Region: framework 2
 F:50-56/Region: complementarity-determining 2
 F:57-88/Region: framework 3
 F:89-95/Region: complementarity-determining 3

Query Match 81.9%; Score 59; DB 2; Length 95;
 Best Local Similarity 76.9%; Pred. No. 0.002;
 Matches 10; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNLFHWY 13
 :|||||:|||||
 Db 24 RASQSIGSLHWY 36

RESULT 8

Ig kappa chain V region - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
 C:Accession: S26346
 R:Stark, S.E.; Caton, A.J.
 J. Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protein e
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26346
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-102 <STA>
 A:Cross-references: EMBL:X59211; NID:q52338; PIDN:CAA41921.1; PID:gl334075
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:14-88/Domain: immunoglobulin homology <IMM>

Query Match 81.9%; Score 59; DB 2; Length 102;
 Best Local Similarity 84.6%; Pred. No. 0.0022;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNLFHWY 13
 :|||||||:|||||
 Db 22 RASQISNNLHWY 34

RESULT 9

Ig kappa chain V region - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 27-Apr-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
 C:Accession: B43413
 R:Tomiya, Y.; Brojer, E.; Ruggeri, Z.M.; Shattil, S.J.; Smiltneck, J.; Gorski, J.; Kum
 J. Biol. Chem. 267, 18085-18092, 1992
 A:Title: A molecular model of RGD ligands. Antibody D gene segments that direct specific
 A:Reference number: A43413; MUID:92388177
 A:Accession: B43413
 A>Status: preliminary; not compared with conceptual translation
 A:Molecule type: nucleic acid
 A:Residues: 1-104 <TOW>
 A:Note: sequence extracted from NCBI backbone (NCBIP:112818)
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:13-87/Domain: immunoglobulin homology <IMM>

Query Match 81.9%; Score 59; DB 2; Length 104;
 Best Local Similarity 84.6%; Pred. No. 0.0022;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNLFHWY 13
 :|||||||:|||||
 Db 21 RASQISNNLHWY 33

RESULT 10
 B45722
 anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 33) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
 C:Accession: B45722
 R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va
 J. Virol. 67, 489-496, 1993
 A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on
 A:Reference number: A45722; MUID:93100833
 A:Accession: B45722
 A>Status: preliminary; not compared with conceptual translation
 A:Molecule type: nucleic acid
 A:Residues: 1-107 <SIM>
 A:Note: sequence extracted from NCBI backbone (NCBIP:120590)
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: glycoprotein
 F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 81.9%; Score 59; DB 2; Length 107;
 Best Local Similarity 84.6%; Pred. No. 0.0023;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNLFHWY 13
 :|||||||:|||||
 Db 24 RASQISNNLHWY 36

RESULT 11

anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 5) - mouse (A45722)
 C:Species: Mus musculus (house mouse)
 C:Date: 03-Mar-1994 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
 C:Accession: A45722
 R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va
 J. Virol. 67, 489-496, 1993
 A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on
 A:Reference number: A45722; MUID:93100833
 A:Accession: A45722
 A>Status: preliminary; not compared with conceptual translation
 A:Molecule type: mRNA
 A:Residues: 1-107 <SIM>
 A:Note: sequence extracted from NCBI backbone (NCBIP:120589)
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: glycoprotein
 F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 81.9%; Score 59; DB 2; Length 107;
 Best Local Similarity 84.6%; Pred. No. 0.0023;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNLFHWY 13
 :|||||||:|||||
 Db 24 RASQISNNLHWY 36

RESULT 12

Ig kappa chain precursor V region (MAK33) - mouse (A26471)
 C:Species: Mus musculus (house mouse)
 C:Date: 05-Jun-1988 #sequence_revision 05-Jun-1988 #text_change 23-Jul-1999
 C:Accession: A26471
 R:Buckel, P.; Hubner-Parajsz, C.; Mattes, R.; Lenz, H.; Haug, H.; Beaucamp, K.
 Gene 51, 13-19, 1987
 A:Title: Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creat
 A:Reference number: A91572; MUID:87248058
 A:Accession: A26471
 A:Molecule type: mRNA
 A:Residues: 1-138 <BUC>

A:Cross-references: GB:M16162; NID:g196893; PIDN:AAA38823.1; PID:g196894
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-20/Domain: signal sequence #status predicted <SIG>
F:21-138/Product: Ig kappa chain V region #status predicted <WAT>

Query Match 81.9%; Score 59; DB 2; Length 138;
Best Local Similarity 84.6%; Pred. No. 0.003;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISINFLHWY 13
:|||||:|
Db 44 RASQISINLHWY 56

RESULT 13
S42265
Ig kappa chain V region (O18) - human
C:Species: Homo sapiens (man)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 17-Mar-1999
C:Accession: S42265
R:Scott, M.G.; Grimmins, D.L.; McCourt, D.W.; Chung, G.; Schaeble, K.F.; Thiebe, R.; Que
J. Immunol. 147, 4007-4013, 1991
A:Title: Clonal characterization of the human IgG antibody repertoire to Haemophilus inf
A:Reference number: S42263; MUID:92043792
A:Accession: S42265
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-62 <SCO>
A:Cross-references: EMBL:M64856
C:Genetics:
A:Introns: 19/1
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin

Query Match 80.6%; Score 58; DB 2; Length 62;
Best Local Similarity 76.9%; Pred. No. 0.0019;
Matches 10; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISINFLHWY 13
:|||||:|
Db 24 QASQDISNYLWY 36

RESULT 14
I52592
Ig kappa chain V region - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 21-Jan-2000
C:Accession: I52592
R:Wagner, S.D.; Martinelli, V.; Luzzatto, L.
Blood 83, 3647-3653, 1994
A:Title: Similar patterns of V kappa gene usage but different degrees of somatic mutatio
A:Reference number: I52592; MUID:94264318
A:Accession: I52592
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-87 <RES>
A:Cross-references: GB:S71057; NID:g547053; PIDN:AAB30971.1; PID:g547054
C:Genetics:
A:Gene: IGKV
C:Superfamily: immunoglobulin V region; immunoglobulin homology
F:9-83/Domain: immunoglobulin homology <IMM>

Query Match 80.6%; Score 58; DB 2; Length 87;
Best Local Similarity 76.9%; Pred. No. 0.0027;
Matches 10; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISINFLHWY 13
:|||||:|

Db 17 QASQDISNYLWY 29
RESULT 15
S34088
Ig kappa chain V region - human
C:Species: Homo sapiens (man)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 21-Jan-2000
C:Accession: S34088
R:Wagner, S.D.; Luzzatto, L.
Eur. J. Immunol. 23, 391-397, 1993
A:Title: V-kappa gene segments rearranged in chronic lymphocytic leukemia are distrib
A:Reference number: S34076; MUID:93170387
A:Accession: S34088
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-88 <WAG>
A:Cross-references: EMBL:X67172
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:9-83/Domain: immunoglobulin homology <IMM>

Query Match 80.6%; Score 58; DB 2; Length 88;
Best Local Similarity 76.9%; Pred. No. 0.0028;
Matches 10; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISINFLHWY 13
:|||||:|
Db 17 QASQDISNYLWY 29

Search completed: March 28, 2001, 07:04:27
Job time: 1065 sec

GenCore version 4.5

Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:05 ; Search time 72.95 Seconds

(without alignments)

5.693 Million cell updates/sec

Title: US-09-016-061-82

Perfect score: 72

Sequence: 1 QASQSISNFWY 13

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	58	80.6	129	1 KVIW_HUMAN	P04431 homo sapien
2	54	75.0	92	1 KV09_RABIT	P01690 oryctolagus
3	54	75.0	108	1 KV5K_MOUSE	P01644 mus musculus
4	54	75.0	108	1 KV5L_MOUSE	P01645 mus musculus
5	54	75.0	108	1 KV5M_MOUSE	P01646 mus musculus
6	54	75.0	117	1 KV10_RABIT	P01691 oryctolagus
7	53	73.6	108	1 KVIH_HUMAN	P01594 homo sapien
8	53	73.6	108	1 KV5U_MOUSE	P04946 mus musculus
9	52	72.2	108	1 KVIH_HUMAN	P01608 homo sapien
10	52	72.2	108	1 KV5J_MOUSE	P01643 mus musculus
11	51	70.8	108	1 KVIH_HUMAN	P01600 homo sapien
12	51	70.8	108	1 KV5N_MOUSE	P01647 mus musculus
13	51	70.8	108	1 KV5O_MOUSE	P01648 mus musculus
14	50	69.4	108	1 KVIH_HUMAN	P01593 homo sapien
15	49	68.1	115	1 KV3I_HUMAN	P04433 homo sapien
16	48	66.7	115	1 KV5I_MOUSE	P01642 mus musculus
17	48	66.7	117	1 KVIJ_HUMAN	P01602 homo sapien
18	48	66.7	129	1 KV3H_HUMAN	P04207 homo sapien
19	47	65.3	107	1 KV04_RABIT	P01685 oryctolagus
20	47	65.3	108	1 KVIH_HUMAN	P01605 homo sapien
21	47	65.3	108	1 KVIH_HUMAN	P01606 homo sapien
22	46.5	64.6	109	1 KV3D_HUMAN	P01622 homo sapien
23	46	63.9	108	1 KV08_RABIT	P01689 oryctolagus
24	46	63.9	108	1 KVIH_HUMAN	P01607 homo sapien
25	46	63.9	111	1 KVI2_RABIT	P01693 oryctolagus
26	45	62.5	107	1 KVI2_HUMAN	P01596 homo sapien
27	45	62.5	108	1 KV07_RABIT	P01688 oryctolagus
28	45	62.5	108	1 KV3V_MOUSE	P01674 mus musculus
29	45	62.5	109	1 KV03_RABIT	P01684 oryctolagus
30	44.5	61.8	109	1 KV3F_HUMAN	P01624 homo sapien
31	44	61.1	104	1 KVI7_RABIT	P01698 oryctolagus
32	44	61.1	108	1 KVI1_HUMAN	P01595 homo sapien
33	44	61.1	108	1 KVI1_HUMAN	P01597 homo sapien

ALIGNMENTS

```
RESULT 1
KV1W_HUMAN          STANDARD;          PRT;   129 AA.
ID   KV1W_HUMAN      AC   P04431;
DT   13-AUG-1987 (Rel. 05, Created)
DT   13-AUG-1987 (Rel. 05, Last sequence update)
DT   15-JUL-1999 (Rel. 38, Last annotation update)
DE   IG KAPPA CHAIN V-I REGION WALKER PRECURSOR.
OS   Homo sapiens (human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 85014148.
RA   Klobbeck H.G., Combrato G., Zachau H.G.;
RT   "Immunoglobulin genes of the kappa light chain type from two human
RT   lymphoid cell lines are closely related.";
RL   Nucleic Acids Res. 12:6995-7006(1984).
CC   -----
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -----
DR   EMBL; X00965; CAA25477.1; ALT_TERM.
DR   PIR; A01883; KIHUK.
DR   HSSP; P01607; IREI.
DR   INTERPRO; IPR003006; -.
DR   PFAM; PF00047; ig; 1.
KW   Immunoglobulin V region; Signal.
FT   SIGNAL          1..22
FT   CHAIN           23..129  IG KAPPA CHAIN V-I REGION WALKER.
FT   DOMAIN          23..45  FRAMEWORK 1.
FT   DOMAIN          46..56  COMPLEMENTARITY-DETERMINING 1.
FT   DOMAIN          57..71  FRAMEWORK 2.
FT   DOMAIN          72..78  COMPLEMENTARITY-DETERMINING 2.
FT   DOMAIN          79..110 FRAMEWORK 3.
FT   DOMAIN          111..119 COMPLEMENTARITY-DETERMINING 3.
FT   DOMAIN          120..129 FRAMEWORK 4.
FT   DISULFID        45..110 BY SIMILARITY.
FT   NON_TER         129..129
SQ   SEQUENCE 129 AA; 14069 MW; F941FA07D4AFC2F9 CRC64;
```

Query Match 80.6%; Score 58; DB 1; Length 129;
Best Local Similarity 76.9%; Pred. No. 0.0013;
Matches 10; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNFWY 13
:|||||:|
Db 46 RASQSISNFWY 58

```

RESULT 2
KV09_RABIT
ID KV09_RABIT STANDARD; PRT; 92 AA.
AC P01690;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DE IG KAPPA CHAIN V REGION 3381 (FRAGMENT)
OS Oryctolagus cuniculus (Rabbit);
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
RN [1]
RP SEQUENCE.
RX MEDLINE; 75176905.
RA Margolies M.N., Cannon L.E. III, Strosberg A.D., Haber E.;
RT "Diversity of light chain variable region sequences among rabbit
RT antibodies elicited by the same antigens.";
RL Proc. Natl. Acad. Sci. U.S.A. 72:2180-2184(1975).
CC -1- MISCELLANEOUS: THIS CHAIN WAS OBTAINED FROM ANTIBODY TO TYPE III
CC PNEUMOCOCCI AND WAS ISOLATED FROM THE SERUM OF A SINGLE RABBIT.
DR PIR: A01953; KVRB38.
DR INTERPRO: IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT DOMAIN 1 23
FT DOMAIN 24 34
FT DOMAIN 35 49
FT DOMAIN 50 56
FT DOMAIN 57 88
FT DOMAIN 89 >92
FT NON_TER 92 92
SQ SEQUENCE 92 AA; 9730 MW; 9A36B15913CB3BEE CRC64;

Query Match 75.0%; Score 54; DB 1; Length 92;
Best Local Similarity 76.9%; Pred. No. 0.0046;
Matches 10; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISINFLHWY 13
DB 24 QASESISNWLAWY 36

RESULT 3
KV5K_MOUSE
ID KV5K_MOUSE STANDARD; PRT; 108 AA.
AC P01644;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DE IG KAPPA CHAIN V-V REGION HP R16.7.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RX STRAIN=A/J;
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsonate antibodies differing
RT with respect to a crossreactive idiootype.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR: A01927; KVM5AR.
DR INTERPRO: IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23
FT DOMAIN 24 34
FT DOMAIN 35 49
FT DOMAIN 50 56
FT DOMAIN 57 88
FT DOMAIN 89 108
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11954 MW; 22F4642C63EFFF58E CRC64;

Query Match 75.0%; Score 54; DB 1; Length 108;
Best Local Similarity 69.2%; Pred. No. 0.0054;
Matches 9; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISINFLHWY 13
DB 24 RASQDISNYLWNY 36

RESULT 5
KV5M_MOUSE
ID KV5M_MOUSE STANDARD; PRT; 108 AA.
AC P01646;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DE IG KAPPA CHAIN V-V REGION HP 123B5.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

```

```

FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11910 MW; A554642C63EFFF597 CRC64;

Query Match 75.0%; Score 54; DB 1; Length 108;
Best Local Similarity 69.2%; Pred. No. 0.0054;
Matches 9; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISINFLHWY 13
DB 24 RASQDISNYLWNY 36

RESULT 4
KV5L_MOUSE
ID KV5L_MOUSE STANDARD; PRT; 108 AA.
AC P01645;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DE IG KAPPA CHAIN V-V REGION HP 93G7.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE.
RX STRAIN=A/J;
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsonate antibodies differing
RT with respect to a crossreactive idiootype.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR: A01927; KVM5AR.
DR INTERPRO: IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Antiarsonate antibody.
FT DOMAIN 1 23
FT DOMAIN 24 34
FT DOMAIN 35 49
FT DOMAIN 50 56
FT DOMAIN 57 88
FT DOMAIN 89 97
FT DOMAIN 98 108
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11954 MW; 22F4642C63EFFF58E CRC64;

Query Match 75.0%; Score 54; DB 1; Length 108;
Best Local Similarity 69.2%; Pred. No. 0.0054;
Matches 9; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISINFLHWY 13
DB 24 RASQDISNYLWNY 36

RESULT 5
KV5M_MOUSE
ID KV5M_MOUSE STANDARD; PRT; 108 AA.
AC P01646;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DE IG KAPPA CHAIN V-V REGION HP 123B5.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

```

```

RN (1)
RP SEQUENCE.
RC STRAIN=A/J;
RA MEDLINE; 82150934.
RA Siegelman M., Capra J.D.;
RT "Complete amino acid sequence of light chain variable regions derived
RT from five monoclonal anti-p-azophenylarsenate antibodies differing
RT with respect to a crossreactive idiotype.";
RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
DR PIR; A01927; KVMASR.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Antiarsenate antibody.
FT DOMAIN 1 23
FT DOMAIN 24 34
FT DOMAIN 35 49
FT DOMAIN 50 56
FT DOMAIN 57 88
FT DOMAIN 89 97
FT DOMAIN 98 108
FT DISULFID 23 88
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11989 MW; 4C98599C08EBA09A CRC64;

Query Match 75.0%; Score 54; DB 1; Length 108;
Best Local Similarity 69.2%; Pred. No. 0.0054;
Matches 9; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
Db 24 RASQDISNFWLHWY 36

RESULT 6
KV10_RABIT STANDARD; PRT; 117 AA.
AC P01691;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V REGION 12F2 PRECURSOR (FRAGMENT).
OS Oryctolagus cuniculus (Rabbit).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Lagomorpha; Leporidae; Oryctolagus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 83273646.
RA Dreher K.L., Emorine L., Kindt T.J., Max E.E.;
RT "cDNA clone encoding a complete rabbit immunoglobulin kappa light
RT chain of b4 allotype.";
RL Proc. Natl. Acad. Sci. U.S.A. 80:4489-4493(1983).
CC -1- MISCELLANEOUS: THIS CLONE WAS DERIVED FROM THE RABBIT-MOUSE
CC HYBRIDOMA 12F2; THE CHAIN PRODUCED IS A MONOCLONAL ANTIBODY
CC AGAINST STREPTOCOCCAL GROUP C VACCINE.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; K01358; AAB59259.1; ALT_TER.
DR PIR; A01954; K4RBF2.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Monoclonal antibody; Hybridoma; Signal.
FT NON_TER 1 1
FT SIGNAL <1 6
FT CHAIN 7 117
IG KAPPA CHAIN V REGION 12F2.

```

```

FT DOMAIN 7 29
FT DOMAIN 30 40
FT DOMAIN 41 55
FT DOMAIN 56 62
FT DOMAIN 63 94
FT DOMAIN 95 106
FT DOMAIN 107 116
FT DISULFID 29 86
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12288 MW; E24A7582389E4439 CRC64;

Query Match 75.0%; Score 54; DB 1; Length 117;
Best Local Similarity 76.9%; Pred. No. 0.0059;
Matches 10; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
Db 30 QASQISNFWLHWY 42

RESULT 7
KV1B_HUMAN STANDARD; PRT; 108 AA.
ID P01594;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-I REGION AU.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Hominiidae; Homo.
RN [1]
RP SEQUENCE.
RX MEDLINE; 72189444.
RA Schiechl H., Hilschmann N.;
RT "Rule of antibody structure. The primary structure of a monoclonal
RT immunoglobulin L-chain of the kappa-type, subgroup I (Bence-Jones
RT protein Au).";
RL Hoppe-Seyley's Z. Physiol. Chem. 353:345-370(1972).
RN [2]
RP X-RAY CRYSTALLOGRAPHY.
RX MEDLINE; 77022433.
RA Fehlgammer H., Schiffer M., Epp O., Colman P.M., Latman E.E.,
RA Schwager P., Seigemann W., Schramm H.J.;
RT "The structure determination of the variable portion of the
RT Bence-Jones protein Au.";
RL Biophys. Struct. Mech. 1:139-146(1975).
CC -1- MISCELLANEOUS: THE STRUCTURE OF THE V REGION WAS DETERMINED BY
CC MOLECULAR REPLACEMENT METHODS USING THE KNOWN STRUCTURE OF THE V
CC REGION OF THE KAPPA CHAIN REI.
CC -1- MISCELLANEOUS: THE C REGION OF THIS CHAIN HAS THE INV (3) MARKER.
CC PIR; A01862; K1HUAU.
DR HSSP; P01607; 1REI.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Bence-Jones protein.
FT DOMAIN 1 23
FT DOMAIN 24 34
FT DOMAIN 35 49
FT DOMAIN 50 56
FT DOMAIN 57 88
FT DOMAIN 89 97
FT DOMAIN 98 107
FT DISULFID 23 88
FT NON_TER 108 108
SQ SEQUENCE 108 AA; 11939 MW; E8011187EE5F6FB9 CRC64;

Query Match 73.6%; Score 53; DB 1; Length 108;
Best Local Similarity 69.2%; Pred. No. 0.0082;
Matches 9; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 1 QASQISNFWLHWY 13
    ||||| ||:|:|:|
Db 24 QASQDISDNLWY 36

RESULT 8
KV5U_MOUSE STANDARD; PRT; 108 AA.
AC P04946:
DT 13-AUG-1987 (Rel. 05, Created)
DT 13-AUG-1987 (Rel. 05, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-V REGION NQ5-89.4.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 83271467.
RA Kaartinen M., Griffiths G.M., Markham A.F., Milstein C.:
RT "mRNA sequences define an unusually restricted IgG response to 2-
RT phenylloxazalone and its early diversification.";
RL Nature 304:320-324(1983).
CC -1- MISCELLANEOUS: ANTI-2-PHENYL OXAZOLONE (PHOX) ANTIBODY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; K00745; AAA38690.1; -.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Hybridoma.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 FRAMEWORK 4.
FT DOMAIN 98 107 COMPLEMENTARITY-DETERMINING 3.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
FT SEQUENCE 108 AA; 11866 MW; DB2C885920DC6DDD CRC64;
SQ

Query Match 73.6%; Score 53; DB 1; Length 108;
Best Local Similarity 75.0%; Pred. No. 0.0082;
Matches 9; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 ASQISNFWLHWY 13
    ||||| ||:|:|:|
Db 25 ASQDISDNLWY 36

RESULT 9
KV1P_HUMAN STANDARD; PRT; 108 AA.
AC P01608;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-I REGION ROY.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE.
RX MEDLINE; 68362076.

```

```

RA Hilschmann N.:
RT "Chemical structure of 2 kappa-type Bence Jones proteins (Roy and
RT Cum.)";
RL Hoppe-Seyler's Z. Physiol. Chem. 348:1077-1080(1967).
RN [2]
RP REVISIONS TO 39 AND 41.
RA Hilschmann N., Barnikol H.U., Hess M., Langer B., Ponstingl H.,
RA Steinmetz-Kayne M., Suter L., Watanabe S.;
RL (In) Franek F., Shugar D. (eds.);
RL Gamma globulins: structure and function, pp.57-74, Academic Press,
RL New York (1969).
CC -1- MISCELLANEOUS: THE C REGION OF THIS CHAIN HAS THE INV (1,2)
CC MARKER.
CC -1- MISCELLANEOUS: THIS IS A BENCE-JONES PROTEIN.
DR PIR; A01874; KLHURY.
DR HSSP; P80362; 1WTL.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region; Bence-Jones protein.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 107 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
FT SEQUENCE 108 AA; 11782 MW; F5ACEDE5A313DF3A CRC64;
SQ

Query Match 72.2%; Score 52; DB 1; Length 108;
Best Local Similarity 76.9%; Pred. No. 0.012;
Matches 10; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QASQISNFWLHWY 13
    ||||| ||:|:|:|
Db 24 QASQDISDNLWY 36

RESULT 10
KV5J_MOUSE STANDARD; PRT; 108 AA.
ID KV5J_MOUSE
AC P01643;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-V REGION MOPC 173.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
RN [1]
RP SEQUENCE.
RX MEDLINE; 76091934.
RA Schiff C., Fougereau M.;
RT "Determination of the primary structure of a mouse IgG2a
RT immunoglobulin. Amino-acid sequence of the light chain.";
RL Eur. J. Biochem. 59:525-537(1975).
CC -1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM A MYELOMA PROTEIN.
DR PIR; A01926; KVM573.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig; 1.
KW Immunoglobulin V region.
FT DOMAIN 1 23 FRAMEWORK 1.
FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 35 49 FRAMEWORK 2.
FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 57 88 FRAMEWORK 3.
FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
FT DOMAIN 98 108 FRAMEWORK 4.
FT DISULFID 23 88 BY SIMILARITY.
FT NON_TER 108 108
FT SEQUENCE 108 AA; 11819 MW; 2AD29D92A72AA0A3 CRC64;
SQ

```

Query Match 72.2%; Score 52; DB 1; Length 108;
 Best Local Similarity 75.0%; Pred. No. 0.012;
 Matches 9; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 ASQSISNFWY 13
 :|||||:|:|
 DB 25 ASQSISNFWY 36

RESULT 11
 KV1H_HUMAN STANDARD; PRT; 108 AA.
 AC P01600;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG KAPPA CHAIN V-I REGION HAU.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE.
 RX MEDLINE; 71032830.
 RA Watanabe S., Hilschmann N.;
 RT "The primary structure of a monoclonal kappa-type immunoglobulin L-
 RT chain of subgroup I (Bence-Jones Protein Hau): subdivision within
 RT subgroups.";
 RL Hoppe-Sevler's Z. Physiol. Chem. 351:1291-1295(1970).
 CC -1- MISCELLANEOUS: THE C REGION OF THIS CHAIN HAS THE INV (3) MARKER.
 CC -1- MISCELLANEOUS: THIS IS A BENCE-JONES PROTEIN.
 DR PIR; A01868; KIHUHU.
 DR HSP; P80362; IWTL.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Bence-Jones protein.
 FT DOMAIN 1 23
 FT DOMAIN 24 34
 FT DOMAIN 35 49
 FT DOMAIN 50 56
 FT DOMAIN 57 88
 FT DOMAIN 89 97
 FT DOMAIN 98 107
 FT DISULFID 23 88
 FT NON_TER 108 108
 SQ SEQUENCE 108 AA; 11671 MW; 08D3A6160D8D0618 CRC64;

Query Match 70.8%; Score 51; DB 1; Length 108;
 Best Local Similarity 69.2%; Pred. No. 0.019;
 Matches 9; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNFWY 13
 :|||||:|:|
 DB 24 RASQISNFWY 36

RESULT 12
 KV5N_MOUSE STANDARD; PRT; 108 AA.
 AC P01647;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG KAPPA CHAIN V-V REGION HP 124E1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE.
 RC STRAIN-A/J;
 RX MEDLINE; 82150934.

RA Siegelman M., Capra J.D.;
 RT "Complete amino acid sequence of light chain variable regions derived
 RT from five monoclonal anti-p-azophenylarsonate antibodies differing
 RT with respect to a crossreactive idiotype.";
 RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
 CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
 DR PIR; A01927; KVMSAR.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Antiarsonate antibody.
 FT DOMAIN 1 23
 FT DOMAIN 24 34
 FT DOMAIN 35 49
 FT DOMAIN 50 56
 FT DOMAIN 57 88
 FT DOMAIN 89 97
 FT DOMAIN 98 108
 FT DISULFID 23 88
 FT NON_TER 108 108
 SQ SEQUENCE 108 AA; 11965 MW; 39971BC653EFEFA2 CRC64;

Query Match 70.8%; Score 51; DB 1; Length 108;
 Best Local Similarity 61.5%; Pred. No. 0.019;
 Matches 8; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNFWY 13
 :|||||:|:|
 DB 24 RASQISNFWY 36

RESULT 13
 KV5Q_MOUSE STANDARD; PRT; 108 AA.
 AC P01648;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG KAPPA CHAIN V-V REGION HP 91A3.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE.
 RC STRAIN-A/J;
 RC MEDLINE; 82150934.
 RA Siegelman M., Capra J.D.;
 RT "Complete amino acid sequence of light chain variable regions derived
 RT from five monoclonal anti-p-azophenylarsonate antibodies differing
 RT with respect to a crossreactive idiotype.";
 RL Proc. Natl. Acad. Sci. U.S.A. 78:7679-7683(1981).
 CC -1- MISCELLANEOUS: ANTI-ARSONATE HYBRIDOMA PROTEIN.
 DR PIR; A01927; KVMSAR.
 DR INTERPRO: IPR003006; -.
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Antiarsonate antibody.
 FT DOMAIN 1 23
 FT DOMAIN 24 34
 FT DOMAIN 35 49
 FT DOMAIN 50 56
 FT DOMAIN 57 88
 FT DOMAIN 89 97
 FT DOMAIN 98 108
 FT DISULFID 23 88
 FT NON_TER 108 108
 SQ SEQUENCE 108 AA; 11961 MW; D52EDA5E9A45291C CRC64;

Query Match 70.8%; Score 51; DB 1; Length 108;
 Best Local Similarity 61.5%; Pred. No. 0.019;
 Matches 8; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNFWY 13

modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

-----NOT_ANNOTATED_CDS-----

CC EMBL; X01668; -; NOT_ANNOTATED_CDS.
 DR PIR; A01900; K3HUVG.
 DR INTERPRO; IPR003006; -.
 DR PFAM; PF00047; Ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 20
 FT CHAIN 21 >115 IG KAPPA CHAIN V-III REGION VG.
 FT DOMAIN 21 43 FRAMEWORK 1.
 FT DOMAIN 44 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 69 FRAMEWORK 2.
 FT DOMAIN 70 76 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 77 108 FRAMEWORK 3.
 FT DOMAIN 109 115 COMPLEMENTARITY-DETERMINING 3.
 FT DISULFID 43 108 BY SIMILARITY.
 FT NON_TER 115 115
 SQ SEQUENCE 115 AA; 12575 MW; 2DB47CDA3A17D555 CRC64;

Query Match 68.1%; Score 49; DB 1; Length 115;
 Best Local Similarity 61.5%; Pred. No. 0.045;
 Matches 8; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISINFLHWY 13
 :|||:|:|:|
 Db 44 RASQSDINHLNLY 56

Search completed: March 28, 2001, 07:35:06
 Job time: 143 sec

Db 24 RASQSDINHLNLY 36
 :|||:|:|:|

RESULT 14
 KV31_HUMAN STANDARD; PRT; 108 AA.
 AC P0433;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG KAPPA CHAIN V-I REGION AG.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
 RN [1]
 RP SEQUENCE.
 RX MEDLINE; 69234734.
 RA Titani K., Shinoda T., Putnam F.W.;
 RT "The amino acid sequence of a kappa type Bence-Jones protein. 3. The
 RT complete sequence and the location of the disulfide bridges.";
 RL J. Biol. Chem. 244:3550-3560(1969).
 CC -|- MISCELLANEOUS: THE C REGION OF THIS CHAIN HAS THE INV (3) MARKER.
 CC -|- MISCELLANEOUS: THIS IS A BENCE-JONES PROTEIN.
 DR PIR; A01861; KIHUAG.
 DR HSSP; P01607; 1REI.
 DR INTERPRO; IPR003006; -.
 DR PFAM; PF00047; Ig; 1.
 KW Immunoglobulin V region; Bence-Jones protein.
 FT DOMAIN 1 23 FRAMEWORK 1.
 FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 35 49 FRAMEWORK 2.
 FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 57 88 FRAMEWORK 3.
 FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
 FT DOMAIN 98 107 FRAMEWORK 4.
 FT DISULFID 23 88
 FT NON_TER 108 108
 SQ SEQUENCE 108 AA; 11992 MW; E3B3B246C18F0C4F CRC64;

Query Match 69.4%; Score 50; DB 1; Length 108;
 Best Local Similarity 61.5%; Pred. No. 0.028;
 Matches 8; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISINFLHWY 13
 :|||:|:|:|
 Db 24 QASQSDINHLNLY 36

RESULT 15
 KV31_HUMAN STANDARD; PRT; 115 AA.
 AC P0433;
 DT 13-AUG-1987 (Rel. 05, Created)
 DT 13-AUG-1987 (Rel. 05, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG KAPPA CHAIN V-III REGION VG PRECURSOR (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 85087932.
 RA Pech M., Zachau H.G.;
 RT "Immunoglobulin genes of different subgroups are interdigitated
 RT within the VK locus.";
 RL Nucleic Acids Res. 12:9229-9236(1984).
 CC -----

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by Non-profit institutions as long as its content is in no way

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:07 ; Search time 443.95 Seconds
(without alignments)
3.432 Million cell updates/sec

Title: US-09-016-061-82
Perfect score: 72
Sequence: 1 QASQISINFLHWY 13

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL15:
1: sp_archaea:
2: sp_bacteria:
3: sp_fungi:
4: sp_human:
5: sp_invertebrate:
6: sp_mammal:
7: sp_mhc:
8: sp_organelle:
9: sp_phase:
10: sp_plant:
11: sp_rodent:
12: sp_virus:
13: sp_vertebrate:
14: sp_unclassified:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	58	80.6	107	4 Q9UL81	Q9UL81 homo sapien
2	53	73.6	108	4 Q9UL77	Q9UL77 homo sapien
3	51	70.8	108	4 Q9UL70	Q9UL70 homo sapien
4	48.5	67.4	101	11 Q9UL78	Q9J178 mus musculus
5	47	65.3	307	3 Q59680	Q59680 schizosacch
6	45	62.5	99	11 Q9UL74	Q9J174 mus musculus
7	43	59.7	108	4 Q9UL83	Q9UL83 homo sapien
8	43	59.7	109	4 Q9UL85	Q9UL85 homo sapien
9	43	59.7	130	8 Q80033	Q80033 exoneurella
10	43	59.7	130	8 Q80034	Q80034 exoneurella
11	43	59.7	131	8 Q79124	Q79124 braunsapis
12	43	59.7	131	8 Q79125	Q79125 brevinea
13	43	59.7	131	8 Q79126	Q79126 exoneurella
14	43	59.7	283	5 Q9NJV0	Q9NJV0 haemochus
15	42	58.3	650	5 Q9TXI6	Q9TXI6 caenorhabdi
16	42	58.3	688	8 Q9TK91	Q9TK91 mirabilis j
17	42	58.3	897	5 Q9XZR0	Q9XZR0 caenorhabdi
18	42	58.3	901	5 Q9TXI7	Q9TXI7 caenorhabdi
19	41	56.9	108	4 Q9UL79	Q9UL79 homo sapien

20 41 56.9 201 10 Q9SYN3 Q9syn3 arabidopsis
21 41 56.9 202 10 Q9M9G0 Q9m9g0 arabidopsis
22 41 56.9 400 5 O17674 O17674 caenorhabdi
23 40.5 56.2 97 11 Q9JL76 Q9j176 mus musculu
24 40 55.6 166 5 Q96211 Q96211 plasmodium
25 40 55.6 214 11 Q9R1A5 Q9ria5 mus musculu
26 40 55.6 267 8 Q9ML42 Q9ml42 nilaparvata
27 40 55.6 272 4 Q9NUU5 Q9nuu5 homo sapien
28 40 55.6 275 8 Q9MDI7 Q9md17 nilaparvata
29 40 55.6 298 11 Q9QYF0 Q9qyf0 mus musculu
30 40 55.6 413 8 Q9TCH5 Q9tch5 lasloglossu
31 40 55.6 413 8 Q9TCG0 Q9tcg0 lasloglossu
32 40 55.6 493 8 Q34084 Q34084 cecidosea e
33 40 55.6 701 8 Q9TKN4 Q9tkn4 garrya ellii
34 40 55.6 709 8 Q9TK94 Q9tk94 allionia vi
35 40 55.6 5388 5 Q9UID0 Q9uid0 leishmania
36 39 54.2 130 8 Q80035 Q80035 exoneurella
37 39 54.2 185 8 Q63601 Q63601 drosophila
38 39 54.2 187 10 Q9ZWD1 Q9zwd1 arabidopsis
39 39 54.2 334 2 Q9Z785 Q9z785 chlamydia p
40 39 54.2 399 4 Q16529 Q16529 homo sapien
41 39 54.2 593 5 Q9VMR6 Q9vmr6 drosophila
42 39 54.2 664 3 Q9URD2 Q9urd2 schizosacch
43 39 54.2 736 10 Q82754 Q82754 arabidopsis
44 39 54.2 801 3 Q9P3W3 Q9p3w3 schizosacch
45 39 54.2 3317 2 Q9RAH2 Q9rah2 nostoc sp.

ALIGNMENTS

RESULT 1

Q9UL81 PRELIMINARY; PRT; 107 AA.
ID Q9UL81
AC Q9UL81
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DE 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035033; AAD56269.1; -.
DR HSP; P80362; IWTI.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; 1g; 1.
FT NON_TER 1
FT NON_TER 107
SQ SEQUENCE 107 AA; 11501 MW; 070549FDE0754748 CRC64;

Query Match 80.6%; Score 58; DB 4; Length 107;

Best Local Similarity 76.9%; Pred. No. 0.0055; 0; Indels 0; Caps 0;

Matches 10; Conservative 3; Mismatches 0;

QY 1 QASQISINFLHWY 13

Db 24 RASQISINFLWNY 36

RESULT 2

Q9UL77 PRELIMINARY; PRT; 108 AA.
ID Q9UL77
AC Q9UL77

DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
 RT fetus."
 RL Clin. Immunol. Immunopathol. 87:184-192(1998).
 DR EMBL; AF035037; AAD56273.1; -;
 DR HSP; P01607; IREI.
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00047; Ig; 1.
 FT NON_TER 1 1
 FT NON_TER 108 108
 SQ SEQUENCE 108 AA; 11738 MW; C06681716C4D16F3 CRC64;

Query Match 73.6%; Score 53; DB 4; Length 108;
 Best Local Similarity 69.2%; Pred. No. 0.042;
 Matches 9; Conservative 4; Mismatches 0; Indels 0; Gaps 0;
 QY 1 QASQISNLFHWY 13
 :|||||:||||
 Db 24 RASQISSYLNWY 36

RESULT 3
 ID Q9UL70 PRELIMINARY; PRT; 108 AA.
 AC Q9UL70;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
 RT fetus."
 RL Clin. Immunol. Immunopathol. 87:184-192(1998).
 DR EMBL; AF035044; AAD56280.1; -;
 DR HSP; P01607; IREI.
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00047; Ig; 1.
 FT NON_TER 1 1
 FT NON_TER 108 108
 SQ SEQUENCE 108 AA; 11633 MW; B7BEDC3E41FCCA37 CRC64;

Query Match 70.8%; Score 51; DB 4; Length 108;
 Best Local Similarity 69.2%; Pred. No. 0.094;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
 QY 1 QASQISNLFHWY 13
 :|||||:||||
 Db 24 RASQISSYLNWY 36

RESULT 4

Q9JL78
 ID Q9JL78 PRELIMINARY; PRT; 101 AA.
 AC Q9JL78;
 DT 01-OCT-2000 (TReMBLrel. 15, Created)
 DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE ANTI-MYOSIN IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=A.CA;
 RA Malkiel S., Liao L., Cunningham M.W., Diamond B.;
 RT "Characterization of cross-reactive monoclonal anti-myosin/anti-n-
 RT acetyl-glucosamine antibodies from mice with autoimmune myocarditis."
 RL Submitted (NOV-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF206028; AAF69326.1; -;
 FT NON_TER 1 1
 FT NON_TER 101 101
 SQ SEQUENCE 101 AA; 10778 MW; 0A7F65E6A7E6F14D CRC64;

Query Match 67.4%; Score 48.5; DB 11; Length 101;
 Best Local Similarity 76.9%; Pred. No. 0.24;
 Matches 10; Conservative 1; Mismatches 1; Indels 1; Gaps 1;
 QY 2 ASQSI-SNFLHWY 13
 :|||||:||||
 Db 17 ASSSISSNLHWY 29

RESULT 5
 ID 059680 PRELIMINARY; PRT; 307 AA.
 AC 059680;
 DT 01-JAN-1999 (TReMBLrel. 09, Created)
 DT 01-JAN-1999 (TReMBLrel. 09, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE PROBABLE CYTOCHROME C1, HEME PROTEIN PRECURSOR.
 GN SPBC29A3.18.
 OS Schizosaccharomyces pombe (Fission yeast).
 OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetales;
 OC Schizosaccharomycetaceae; Schizosaccharomycetes.
 OX NCBI_TaxID=4896;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=972;
 RA Lyne M., Rajandream M.A., Barrell B.G., Volckaert G.;
 RL Submitted (MAR-1998) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: THIS IS THE HEME-CONTAINING COMPONENT OF THE CYTOCHROME
 CC B-C1 COMPLEX, WHICH ACCEPTS ELECTRONS FROM RIESKE PROTEIN AND
 CC TRANSFERS ELECTRONS TO CYTOCHROME C IN THE MITOCHONDRIAL
 CC RESPIRATORY CHAIN.
 CC -!- SUBUNIT: THE MAIN SUBUNITS OF COMPLEX B-C1 ARE: CYTOCHROME B,
 CC CYTOCHROME C1 AND THE RIESKE PROTEIN.
 CC -!- SUBCELLULAR LOCATION: ANCHORED IN THE INNER MITOCHONDRIAL MEMBRANE
 CC WITH ITS N-TERMINUS PROTRUDING INTO THE MITOCHONDRIAL
 CC INTERMEMBRANE SPACE (BY SIMILARITY).
 DR EMBL; AL0222299; CAAL8395.1; -;
 DR INTERPRO; IPR000345; -;
 DR INTERPRO; IPR002326; -;
 DR PFAM; PF02167; Cytochrome_C1; 1.
 DR PRINTS; PR00603; CYTOCHROME_C1.
 DR PROSITE; PS00190; CYTOCHROME_C; UNKNOWN_1.
 KW Electron transport; Respiratory chain; Oxidative phosphorylation;
 KW Heme; Mitochondrion; Transmembrane; Transit peptide.
 FT CHAIN 1 62 MITOCHONDRION (BY SIMILARITY).
 FT BINDING 63 307 PROBABLE CYTOCHROME C1, HEME PROTEIN.
 FT BINDING 102 102 HEME (COVALENT) (BY SIMILARITY).
 FT BINDING 105 105 HEME (COVALENT) (BY SIMILARITY).
 FT METAL 106 106 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).

```

FT METAL      225      225      IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
FT TRANSEM    273      287      ANCHORS TO THE MEMBRANE (BY SIMILARITY).
SQ SEQUENCE   307 AA; 34340 MW; FAD8B9D3A9A3C1B3 CRC64;

Query Match      65.3%; Score 47; DB 3; Length 307;
Best Local Similarity 58.3%; Pred. No. 1.3;
Matches 7; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 QASQSISNFWLHW 12
   : : : : :
Db 246 QAAKDVVNFVLFHW 257

RESULT 6
ID Q9JL74 PRELIMINARY; PRT; 99 AA.
AC Q9JL74;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE ANTI-MYOSIN IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BALB/C;
RA Malkiel S., Liao L., Cunningham M.W., Diamond B.;
RT "Characterization of cross-reactive monoclonal anti-myosin/anti-n-
RL acetyl-glucosamine antibodies from mice with autoimmune myocarditis.";
RL Submitted (NOV-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF206032; AAF69330.1; -.
FT NON_TER 1
FT NON_TER 99
SQ SEQUENCE 99 AA; 10939 MW; 3B25D0E784533324 CRC64;

Query Match      62.5%; Score 45; DB 11; Length 99;
Best Local Similarity 61.5%; Pred. No. 0.99;
Matches 8; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 QASQSISNFWLHW 13
   : : : : :
Db 16 KASQSVSNVAVY 28

RESULT 7
ID Q9UL83 PRELIMINARY; PRT; 108 AA.
AC Q9UL83;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN LIGHT CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RL fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035031; AAD56267.1; -.
DR HSSP; P01607; IREI.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 1
SQ SEQUENCE 108 AA; 11761 MW; FB1E43E7C7AFACCC CRC64;

Query Match      59.7%; Score 43; DB 4; Length 108;
Best Local Similarity 61.5%; Pred. No. 2.4;
Matches 9; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 ASQSISNFWLHW 13
   : : : : :
Db 25 ASQSISNFWLHW 36

RESULT 9
ID Q80033 PRELIMINARY; PRT; 130 AA.
AC Q80033;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE CYTOCHROME OXIDASE I (FRAGMENT).
OS Exoneurella lawsoni.
OG Mitochondrion.
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Hymenoptera; Apocrita; Aculeata;
OC Apoidea; Apidae; Exoneurella.
OX NCBI_TaxID=78187;
RN [1]
RP SEQUENCE FROM N.A.
RA Reyes S.G., Cooper S.J.B., Schwarz M.P.;
RT "Species phylogeny of the bee genus Exoneurella Michener (Hymenoptera:
RL Apoidea: Allodapini): evidence from molecular and morphological data
RT sets.";
RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
RL EMBL; AF072661; AAC24880.1; -.

```

```

FT NON_TER 108      108
SQ SEQUENCE 108 AA; 11834 MW; 9F9C5A92EBA96EEA CRC64;

Query Match      59.7%; Score 43; DB 4; Length 108;
Best Local Similarity 61.5%; Pred. No. 2.4;
Matches 8; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 QASQSISNFWLHW 13
   : : : : :
Db 24 RASQSVSNLAWY 36

RESULT 8
ID Q9UL85 PRELIMINARY; PRT; 109 AA.
AC Q9UL85;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RL fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035029; AAD56265.1; -.
DR HSSP; P01607; IREI.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 109
SQ SEQUENCE 109 AA; 11761 MW; FB1E43E7C7AFACCC CRC64;

Query Match      59.7%; Score 43; DB 4; Length 109;
Best Local Similarity 75.0%; Pred. No. 2.4;
Matches 9; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 ASQSISNFWLHW 13
   : : : : :
Db 25 ASQSISNFWLHW 36

RESULT 9
ID Q80033 PRELIMINARY; PRT; 130 AA.
AC Q80033;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE CYTOCHROME OXIDASE I (FRAGMENT).
OS Exoneurella lawsoni.
OG Mitochondrion.
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Hymenoptera; Apocrita; Aculeata;
OC Apoidea; Apidae; Exoneurella.
OX NCBI_TaxID=78187;
RN [1]
RP SEQUENCE FROM N.A.
RA Reyes S.G., Cooper S.J.B., Schwarz M.P.;
RT "Species phylogeny of the bee genus Exoneurella Michener (Hymenoptera:
RL Apoidea: Allodapini): evidence from molecular and morphological data
RT sets.";
RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
RL EMBL; AF072661; AAC24880.1; -.

```

DR INTERPRO: IPR000883; -
 KW PFAM: PF00115; COX1; 1.
 FT NON_TER 1 130
 SQ SEQUENCE 130 AA; 15339 MW; 11CF4F1F1EAE22F2 CRC64;

Query Match 59.7%; Score 43; DB 8; Length 130;
 Best Local Similarity 75.0%; Pred. No. 2.9;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 6 ISNPLHWY 13
 DB 19 ISSFIHWY 26

RESULT 10
 ID O80034 PRELIMINARY; PRT; 130 AA.
 AC O80034;
 DT 01-NOV-1998 (TREMBLrel. 08, Created)
 DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE CYTOCHROME OXIDASE I (FRAGMENT).
 OS Exoneurella tridentata.
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Hymenoptera; Apocrita; Aculeata;
 OC Apoidea; Apidae; Exoneurella.
 OX NCBI_TaxID=78189;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Reyes S.G., Cooper S.J.B., Schwarz M.P.;
 RT "Species phylogeny of the bee genus Exoneurella Michener (Hymenoptera:
 RT Apidae: Allodapini): evidence from molecular and morphological data
 RT sets.";
 RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AF072663; AAC24882.1; -
 DR INTERPRO: IPR000883; -
 DR PFAM: PF00115; COX1; 1.
 KW Mitochondrion.
 FT NON_TER 1 130
 SQ SEQUENCE 130 AA; 15438 MW; 4B9444ABF5AC3F4F CRC64;

Query Match 59.7%; Score 43; DB 8; Length 130;
 Best Local Similarity 75.0%; Pred. No. 2.9;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 6 ISNPLHWY 13
 DB 19 ISSFIHWY 26

RESULT 11
 ID O79124 PRELIMINARY; PRT; 131 AA.
 AC O79124;
 DT 01-NOV-1998 (TREMBLrel. 08, Created)
 DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE CYTOCHROME OXIDASE I (FRAGMENT).
 OS Braunsapis unicolor.
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Hymenoptera; Apocrita; Aculeata;
 OC Apoidea; Apidae; Braunsapis.
 OX NCBI_TaxID=78183;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Reyes S.G., Cooper S.J.B., Schwarz M.P.;

RT "Species phylogeny of the bee genus Exoneurella Michener (Hymenoptera:
 RT Apidae: Allodapini): evidence from molecular and morphological data
 RT sets.";
 RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AF072659; AAC24878.1; -
 DR INTERPRO: IPR000883; -
 DR PFAM: PF00115; COX1; 1.
 KW Mitochondrion.
 FT NON_TER 1 131
 SQ SEQUENCE 131 AA; 15603 MW; F1407925903C9FE8 CRC64;

Query Match 59.7%; Score 43; DB 8; Length 131;
 Best Local Similarity 75.0%; Pred. No. 2.9;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 6 ISNPLHWY 13
 DB 19 ISSFIHWY 26

RESULT 12
 ID O79125 PRELIMINARY; PRT; 131 AA.
 AC O79125;
 DT 01-NOV-1998 (TREMBLrel. 08, Created)
 DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE CYTOCHROME OXIDASE I (FRAGMENT).
 OS Brevineura xanthoclypeata.
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Hymenoptera; Apocrita; Aculeata;
 OC Apoidea; Apidae; Brevineura.
 OX NCBI_TaxID=78184;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Reyes S.G., Cooper S.J.B., Schwarz M.P.;
 RT "Species phylogeny of the bee genus Exoneurella Michener (Hymenoptera:
 RT Apidae: Allodapini): evidence from molecular and morphological data
 RT sets.";
 RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AF072660; AAC24879.1; -
 DR INTERPRO: IPR000883; -
 DR PFAM: PF00115; COX1; 1.
 KW Mitochondrion.
 FT NON_TER 1 131
 SQ SEQUENCE 131 AA; 15508 MW; D5E0508AB020093F CRC64;

Query Match 59.7%; Score 43; DB 8; Length 131;
 Best Local Similarity 75.0%; Pred. No. 2.9;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 6 ISNPLHWY 13
 DB 19 ISSFIHWY 26

RESULT 13
 ID O79126 PRELIMINARY; PRT; 131 AA.
 AC O79126;
 DT 01-NOV-1998 (TREMBLrel. 08, Created)
 DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE CYTOCHROME OXIDASE I (FRAGMENT).
 OS Exoneurella eremophila.
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Hymenoptera; Apocrita; Aculeata;

```

OC Apoidea: Apidae; Exoneurella.
OX NCBI_TaxID=78186;
RN [1]
RP SEQUENCE FROM N.A.
RA Reyes S.G., Cooper S.J.B., Schwarz M.P.;
RT "Species phylogeny of the bee genus Exoneurella Michener (Hymenoptera:
RT Apidae: Allodapini): evidence from molecular and morphological data
RT sets.";
RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF072662; AAC24881.1; -.
DR INTERPRO; IPR000883; -.
DR PFAM; PF00115; COX1; 1.
KW Mitochondrion.
FT NON_TER 1
FT NON_TER 131
SQ SEQUENCE 131 AA; 15531 MW; 55B915590EBFCF85 CRC64;

Query Match 59.7%; Score 43; DB 8; Length 131;
Best Local Similarity 75.0%; Pred. No. 2.9;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 6 ISNFLHWY 13
DB 19 ISSFIHWY 26

RESULT 14
OQNJVO PRELIMINARY; PRT; 283 AA.
AC OQNJVO;
DT 01-OCT-2000 (TReMBLrel. 15, Created)
DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE GALECTIN
GN HCO-GAL-3B.
OS Haemochus contortus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Strongylida;
OC Trichostrongyloidea; Haemonchidae; Haemonchinae; Haemonchus.
OX NCBI_TaxID=6289;
RN [1]
RP SEQUENCE FROM N.A.
RA Greenhalgh C.J., Loukas A., Donald D., Nikolaou S., Newton S.E.;
RT "A family of galectins from haemonchus contortus.";
RL Mol. Biochem. Parasitol. 107:117-121(2000).
DR EMBL; AF105969; AAF63406.1; -.
SQ SEQUENCE 283 AA; 32544 MW; F1B2E0DB346BF134 CRC64;

Query Match 59.7%; Score 43; DB 5; Length 283;
Best Local Similarity 75.0%; Pred. No. 6.2;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

OY 6 ISNFLHWY 13
DB 2 VSQFLHWY 9

RESULT 15
O9TXI6 PRELIMINARY; PRT; 650 AA.
AC O9TXI6;
DT 01-MAY-2000 (TReMBLrel. 13, Created)
DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
DE HYPOTHETICAL PROTEIN B0025.1B.
GN B0025.1B.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]

```

```

RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RX MEDLINE-99069613; PubMed-98519116;
RA None;
RT "Genome sequence of the nematode C. elegans: a platform for
RT investigating biology. The C. elegans Sequencing Consortium.";
RL Science 282:2012-2018(1998).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RA Davidson S., Wohldmann P.;
RT "The sequence of C. elegans cosmid B0025.";
RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RA Waterston R.;
RL Submitted (JAN-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; U97190; AAF23185.1; -.
DR INTERPRO; IPR000403; -.
DR INTERPRO; IPR001263; -.
DR PFAM; PF00454; PT3-PT4_Kinase; 1.
DR PFAM; PF00613; PT3Ka; 1.
DR PROSITE; PS00915; PT3_4_KINASE_1; UNKNOWN_1.
DR PROSITE; PS00916; PT3_4_KINASE_2; 1.
SQ SEQUENCE 650 AA; 73799 MW; 6C0514526F3FFDFE CRC64;

```

```

Query Match 58.3%; Score 42; DB 5; Length 650;
Best Local Similarity 50.0%; Pred. No. 21;
Matches 6; Conservative 4; Mismatches 2; Indels 0; Gaps 0;

OY 2 ASQSISNFLHWY 13
DB 240 ASPKVSNYLYWH 251

```

Search completed: March 28, 2001, 07:53:11
Job time: 504 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:48 ; Search time 154.19 Seconds
(without alignments)
2.883 Million cell updates/sec

Title: US-09-016-061-82
Perfect score: 72
Sequence: 1 QASQSISNLFHWY 13

Scoring table:
BLOSOM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

- Database : A_Geneseq_36:*
- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
 - 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
 - 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
 - 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
 - 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
 - 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
 - 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
 - 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
 - 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
 - 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
 - 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
 - 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
 - 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
 - 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
 - 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
 - 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
 - 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
 - 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
 - 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
 - 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
 - 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	72	100.0	13	19 W76031	LM609 grafted anti
2	65	90.3	13	19 W76011	LM609 grafted anti
3	65	90.3	107	19 W76006	LM609 grafted anti
4	65	90.3	107	19 W76002	Vitaxin antibody 1
5	65	90.3	107	19 W76004	LM609 antibody lig
6	61	84.7	105	20 W87456	Jk gene product.
7	61	84.7	105	20 W87458	Humanised anti-alp
8	61	84.7	107	20 W84098	Humanised anti-alp
9	61	84.7	108	20 W84094	Murine vitronectin
10	61	84.7	109	20 Y06380	Murine monoclonal
11	61	84.7	112	20 W84100	Vitronectin alpha-
12	60	83.3	88	21 Y56654	Partial peptide fr

13	60	83.3	107	20 Y30203	The variable light
14	60	83.3	107	20 Y30205	The variable light
15	60	83.3	108	17 W00241	EGF receptor chime
16	60	83.3	124	21 Y56719	Amino acid sequenc
17	60	83.3	128	20 Y30199	Light chain variab
18	60	83.3	214	20 Y30202	Light chain sequen
19	59	81.9	107	13 R25729	Humanised VL regio
20	59	81.9	108	12 R15438	Light chain variab
21	59	81.9	109	20 W89176	Anti-p53 monoclonal
22	59	81.9	127	15 R54093	Sequence of mouse
23	59	81.9	240	12 R15443	Single chain Fv fr
24	58	80.6	75	19 W62818	Amino acid sequenc
25	58	80.6	75	19 W62802	Amino acid sequenc
26	58	80.6	76	20 W80980	Variable kappa lig
27	58	80.6	86	19 W62806	Amino acid sequenc
28	58	80.6	101	13 R22577	Light chain VK10.1
29	58	80.6	104	19 W62821	Amino acid sequenc
30	58	80.6	104	19 W62822	Amino acid sequenc
31	58	80.6	104	19 W62804	Amino acid sequenc
32	58	80.6	105	20 W80968	Kappa light chain
33	58	80.6	105	20 W80974	Kappa light chain
34	58	80.6	105	20 W80978	Kappa light chain
35	58	80.6	108	15 R54258	Anti-HIV gp120 imm
36	58	80.6	108	17 W01281	VL region of HIV n
37	58	80.6	108	21 Y51133	Anti-gp120 antibod
38	58	80.6	108	21 Y98242	Anti-gp120 antibod
39	58	80.6	108	21 Y56675	Anti-IL5 MAB 4A6 1
40	58	80.6	120	21 Y56701	Rat anti-interleuk
41	58	80.6	122	18 W24538	Immunoglobulin RB6
42	58	80.6	238	20 Y21880	Amino acid sequenc
43	58	80.6	241	20 Y21882	Amino acid sequenc
44	57	79.2	108	15 R50219	HSV glycoprotein F
45	57	79.2	108	17 W04333	Light chain of mon

ALIGNMENTS

- RESULT 1
- W76031
 - ID W76031 standard; Protein; 13 AA.
 - AC W76031;
 - DT 02-NOV-1998 (first entry)
 - DE LM609 grafted antibody V-L region CDR1 protein fragment #2.
 - XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 - KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 - KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 - KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 - KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 - XX complementarity determining region.
 - OS Mus sp.
 - XX W09833919-A2.
 - PN 06-AUG-1998.
 - PD 30-JAN-1998; 98WO-US01826.
 - XX 30-JAN-1997; 97US-0791391.
 - PA (IXSY-) IXSYS INC.
 - XX Glaser SM, Huse WD;
 - PI WPI; 1998-437472/37.
 - DR N-PSDB; V49868.
 - XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 - PT

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 13 AA;

Query Match 100.0%; Score 72; DB 19; Length 13;
 Best Local Similarity 100.0%; Pred. No. 1.5e-05;
 Matches 13; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNHLHWY 13
 | | | | | | | | | |
 Db 1 qasqsisnflhw 13

RESULT 2
 W76011
 ID W76011 standard; Protein; 13 AA.
 XX
 AC W76011;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-L region CDR1 protein fragment #1.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.

XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49848.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Disclosure; Page 40; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 13 AA;

Query Match 90.3%; Score 65; DB 19; Length 13;
 Best Local Similarity 92.3%; Pred. No. 0.00019;
 Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNHLHWY 13
 | | | | | | | | | |
 Db 1 qasqsishhlw 13

RESULT 3
 W76006
 ID W76006 standard; Protein; 107 AA.
 XX
 AC W76006;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody light chain variable region protein fragment.

XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.

XX
 FH Key Location/Qualifiers
 FT Misc-difference 49
 FT /label= Arg, Met
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49843.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 19; Fig 7; 129pp; English.

XX
 CC This sequence represents a LM609 grafted antibody variable light chain
 CC region. LM609 and the antibody vitaxin bind selectively to integrin
 CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a ligand
 CC and thus block integrin-mediated signal transduction. This is useful in
 CC the treatment, prevention and diagnosis of alphavbeta3-mediated disease,

CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 107 AA;

Query Match 90.3%; Score 65; DB 19; Length 107;
 Best Local Similarity 92.3%; Pred. No. 0.0017;
 Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNFWLHWY 13
 DB 24 gasqsisnhlhw 36
 ||||| ||||

RESULT 4
 W76002 W76002 standard; Protein: 107 AA.
 XX AC W76002;
 XX DT 02-NOV-1998 (first entry)
 XX DE Vitaxin antibody light chain variable region protein fragment.
 XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX OS Mus sp.
 XX PN WO9833919-A2.
 XX PD 06-AUG-1998.
 XX PF 30-JAN-1998; 98WO-US01826.
 XX PR 30-JAN-1997; 97US-0791391.
 XX PA (IXSY-) IXSYS INC.
 XX PI Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 XX DR N-PSDB; V49821.

Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 integrin - and related grafted antibodies based on murine monoclonal
 LM609, also related nucleic acid, used to treat, prevent or diagnose
 angiogenesis or restenosis
 PS Claim 1; Fig 1b; 129pp; English.
 XX This sequence represents the vitaxin antibody variable light chain
 CC region. Vitaxin and the antibody LM609 bind selectively to integrin
 CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a
 CC ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX Sequence 107 AA;

Query Match 90.3%; Score 65; DB 19; Length 107;
 Best Local Similarity 92.3%; Pred. No. 0.0017;
 Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QASQSISNFWLHWY 13
 DB 24 gasqsisnhlhw 36
 ||||| ||||

RESULT 5
 W76004 W76004 standard; Protein: 107 AA.
 XX AC W76004;
 XX DT 02-NOV-1998 (first entry)
 XX DE LM609 antibody light chain variable region protein fragment.
 XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX OS Mus sp.
 XX PN WO9833919-A2.
 XX PD 06-AUG-1998.
 XX PF 30-JAN-1998; 98WO-US01826.
 XX PR 30-JAN-1997; 97US-0791391.
 XX PA (IXSY-) IXSYS INC.
 XX PI Glaser SM, Huse WD;
 XX WPI: 1998-437472/37.
 XX DR N-PSDB; W76004.

Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 integrin - and related grafted antibodies based on murine monoclonal
 LM609, also related nucleic acid, used to treat, prevent or diagnose
 angiogenesis or restenosis
 PS Claim 46; Fig 2b; 129pp; English.
 XX This sequence represents the LM609 antibody variable light chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX Sequence 107 AA;

Query Match 90.3%; Score 65; DB 19; Length 107;
 Best Local Similarity 92.3%; Pred. No. 0.0017;
 Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QASQSISNFWLHWY 13
 DB 24 gasqsisnhlhw 36
 ||||| ||||

Query Match 90.3%; Score 65; DB 19; Length 107;
 Best Local Similarity 92.3%; Pred. No. 0.0017;
 Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QASQSISNFWLHWY 13
 DB 24 gasqsisnhlhw 36
 ||||| ||||

```

RESULT 6
W87456
ID W87456 standard; Protein; 105 AA.
XX
AC W87456;
XX
DT 15-MAR-1999 (first entry)
XX
DE Jk gene product.
XX
KW Humanised antibody; monoclonal antibody; MAb; antibody engineering;
KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
KW angiogenesis; diabetic retinopathy; inflammation;
KW macular degeneration; osteoporosis; Paget's disease;
KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy;
KW D12H2CREI; Jk protein.
XX
OS Mus sp.
XX
PN W09840488-A1.
XX
PD 17-SEP-1998.
XX
PF 12-MAR-1998; 98WO-US04987.
XX
PR 12-MAR-1997; 97US-0039609.
XX
PA (SMIK ) SMITHKLINE BEECHAM CORP.
XX
PI Johanson KO, Jonak ZL, Taylor AH;
XX
DR WPI; 1999-034590/03.
DR N-PSDB; V71803.
XX
XX New anti alpha_v beta_3 vitronectin receptor antibodies - used for
PT immunotherapeutic treatment of e.g. diabetic retinopathy,
PT inflammatory disorders, atherosclerosis, restenosis, cancers or
PT osteoporosis
XX
PS Example 14; Page 66; 97pp; English.
XX
CC This polypeptide is encoded by a Jk synthetic gene segment (see
CC W71803). It was utilising in novel D12H2CREI humanised light chain
CC variable region (see W87458), which comprises a human REI framework
CC and complementarity determining regions from the anti-human alpha-v
CC beta-3 vitronectin receptor monoclonal antibody D12. Humanised D12
CC antibodies can be used for passive immunotherapy of disorders
CC mediated by the alpha-v beta-3 vitronectin receptor, e.g. restenosis
CC and angiogenic associated diseases.
XX
SQ Sequence 105 AA;

Query Match 84.7%; Score 61; DB 20; Length 105;
Best Local Similarity 84.6%; Pred. No. 0.0073;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
Db 24 rasqsisnhlwy 36

RESULT 7
W87458
ID W87458 standard; Protein; 105 AA.
XX
AC W87458;
XX
DT 15-MAR-1999 (first entry)
XX
DE Humanised anti-alpha-v beta-3 MAB D12H2LCREI VL.

```

```

XX
KW Humanised antibody; monoclonal antibody; MAB; antibody engineering;
KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
KW angiogenesis; diabetic retinopathy; inflammation;
KW macular degeneration; osteoporosis; Paget's disease;
KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy;
KW D12H2LCREI.
XX
OS Homo sapiens.
OS Synthetic.
XX
PN W09840488-A1.
XX
PD 17-SEP-1998.
XX
PF 12-MAR-1998; 98WO-US04987.
XX
PR 12-MAR-1997; 97US-0039609.
XX
PA (SMIK ) SMITHKLINE BEECHAM CORP.
XX
PI Johanson KO, Jonak ZL, Taylor AH;
XX
DR WPI; 1999-034590/03.
DR N-PSDB; V71805.
XX
XX New anti alpha_v beta_3 vitronectin receptor antibodies - used for
PT immunotherapeutic treatment of e.g. diabetic retinopathy,
PT inflammatory disorders, atherosclerosis, restenosis, cancers or
PT osteoporosis
XX
PS Example 14; Page 68-69; 97pp; English.
XX
CC This is the amino acid sequence of the light chain variable region
CC (VI) of humanised anti-alpha-v beta-3 vitronectin receptor.
CC monoclonal antibody D12H2LCREI. It is based on a synthetic
CC humanised kappa chain based on a modified human REI kappa
CC framework and complementarity determining regions from the murine
CC anti-human alpha-v beta-3 vitronectin receptor monoclonal antibody
CC D12 (see W84094). Humanised antibodies of the invention can be used
CC for passive immunotherapy of a disorder mediated by the alpha-v
CC beta-3 receptor, e.g. cardiovascular disorders or angiogenic-
CC related disorders, such as angiogenesis associated with diabetic
CC retinopathy, atherosclerosis and restenosis, chronic inflammatory
CC disorders, macular degeneration, rheumatoid arthritis and cancer,
CC e.g. solid tumour metastasis, and diseases where bone resorption is
CC associated with pathology such as osteoporosis, hyperparathyroidism,
CC Paget's disease, hypercalcaemia of malignancy, osteolytic lesions
CC produced by bone metastasis, bone loss due to immobilisation or sex
CC hormone deficiency. They can also be used for targeted drug
CC therapy, and for detection and diagnosis.
XX
SQ Sequence 105 AA;

Query Match 84.7%; Score 61; DB 20; Length 105;
Best Local Similarity 84.6%; Pred. No. 0.0073;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
Db 24 rasqsisnhlwy 36

RESULT 8
W84098
ID W84098 standard; Protein; 107 AA.
XX
AC W84098;
XX
DT 15-MAR-1999 (first entry)
XX

```

DE XX Humanised anti-alpha-v beta-3 MAB D12H2HC 1-0 VL.

KW XX Humanised antibody; monoclonal antibody; MAB; antibody engineering;

KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;

KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;

KW angiogenesis; diabetic retinopathy; inflammation;

KW macular degeneration; osteoporosis; Paget's disease;

KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy;

KW D12H2HC-10.

XX XX Homo sapiens.

OS OS Synthetic.

XX XX

XX XX Location/Qualifiers

FT FT Region 24..34

FT FT /label= CDR1

FT FT Region 50..56

FT FT /label= CDR2

FT FT Region 89..97

FT FT /label= CDR3

XX XX WO9840488-A1.

XX XX 17-SEP-1998.

XX XX 12-MAR-1998; 98WO-US04987.

XX XX 12-MAR-1997; 97US-0039609.

XX XX (SMIK) SMITHKLINE BEECHAM CORP.

XX XX Johanson KO, Jonak ZL, Taylor AH;

XX XX WPI; 1999-034590/03.

XX XX N-PSDB; V71800.

XX XX New anti alpha_v beta_3 vitronectin receptor antibodies - used for

XX immunotherapeutic treatment of e.g. diabetic retinopathy,

XX inflammatory disorders, atherosclerosis, restenosis, cancers or

XX osteoporosis

XX XX Claim 2; Page 61-62; 97pp; English.

XX XX This is the amino acid sequence of the light chain variable region

XX (VL) of humanised anti-alpha-v beta-3 vitronectin receptor

XX monoclonal antibody D12H2HC 1-0. It is based on the VL sequence

XX (see W84096) of human Kabat subgroup III kappa chain, with

XX complementarity determining regions (CDRs) from the murine

XX anti-human alpha-v beta-3 vitronectin receptor monoclonal antibody

XX D12 (see W84093). 3 Murine framework residues (1, 49 and 60)

XX are retained. The humanised light chain can be expressed in host

XX cells using nucleic acid molecules (see V71800) of the invention.

XX Humanised D12 VH is also provided (see W84097). The humanised

XX antibodies can be used for passive immunotherapy of disorders

XX mediated by the alpha-v beta-3 receptor, e.g. cardiovascular or

XX angiogenic-related disorders, such as angiogenesis associated

XX with diabetic retinopathy, atherosclerosis and restenosis, chronic

XX inflammatory disorders, macular degeneration, rheumatoid arthritis

XX and cancer, e.g. solid tumour metastasis, and diseases where bone

XX resorption is associated with pathology such as osteoporosis,

XX hyperparathyroidism, Paget's disease, hypercalcaemia of malignancy,

XX osteolytic lesions produced by bone metastasis, bone loss due to

XX immobilisation or sex hormone deficiency. They can also be used for

XX targeted drug therapy, and for detection and diagnosis.

XX XX Sequence 107 AA;

XX XX

XX Query Match 84.7%; Score 61; DB 20; Length 107;

XX Best Local Similarity 84.6%; Pred. No. 0.0074;

XX Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASOSISNHLHWY 13

Db 24 rasqsishlhw 36

RESULT 9

W84094

ID W84094 standard; Protein; 108 AA.

XX W84094;

AC XX

XX XX

DT 15-MAR-1999 (first entry)

XX XX

DE Murine vitronectin alpha-v beta-3 receptor MAB VL region.

XX XX

KW Humanised antibody; monoclonal antibody; MAB; antibody engineering;

KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;

KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;

KW angiogenesis; diabetic retinopathy; inflammation;

KW macular degeneration; osteoporosis; Paget's disease;

KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy.

XX XX Mus sp.

XX XX

XX XX Location/Qualifiers

FT FT Region 24..34

FT FT /label= CDR1

FT FT Region 50..56

FT FT /label= CDR2

FT FT Region 89..97

FT FT /label= CDR3

XX XX WO9840488-A1.

XX XX 17-SEP-1998.

XX XX 12-MAR-1998; 98WO-US04987.

XX XX 12-MAR-1997; 97US-0039609.

XX XX (SMIK) SMITHKLINE BEECHAM CORP.

XX XX Johanson KO, Jonak ZL, Taylor AH;

XX XX WPI; 1999-034590/03.

XX XX N-PSDB; V71798.

XX XX New anti alpha_v beta_3 vitronectin receptor antibodies - used for

XX immunotherapeutic treatment of e.g. diabetic retinopathy,

XX inflammatory disorders, atherosclerosis, restenosis, cancers or

XX osteoporosis

XX XX Example 13; Page 59-60; 97pp; English.

XX XX This is the amino acid sequence of the light chain variable region

XX (VL) of the anti-human alpha-v beta-3 vitronectin receptor murine

XX monoclonal antibody D12, as deduced from isolated cDNA (see

XX W71798). D12 VH (see W84093) and VL show sequence similarity to

XX Kabat VH subgroup I (see W84095) and Kabat VK subgroup III (see

XX W84096), respectively. Humanised VH (see W84097) and VL (see

XX W84098) were constructed by combining the framework regions of the

XX human V region consensus sequences with complementarity determining

XX regions of D12 (keeping some preferred murine framework residues).

XX The humanised antibodies are specifically reactive with the human

XX alpha-v beta-3 protein receptor and capable of neutralising the

XX receptor. They can be used for passive immunotherapy of a disorder

XX mediated by the alpha-v beta-3 receptor, e.g. cardiovascular

XX disorders or angiogenic-related disorders, such as angiogenesis

XX associated with diabetic retinopathy, atherosclerosis and

XX restenosis, chronic inflammatory disorders, macular degeneration,

XX rheumatoid arthritis and cancer, e.g. solid tumour metastasis, and

XX diseases where bone resorption is associated with pathology such as

XX osteoporosis, hyperparathyroidism, Paget's disease, hypercalcaemia

XX of malignancy, osteolytic lesions produced by bone metastasis, bone

CC loss due to immobilisation or sex hormone deficiency. They can also
 XX be used for targeted drug therapy, and for detection and diagnosis.

SQ Sequence 108 AA;

Query Match 84.7%; Score 61; DB 20; Length 108;
 Best Local Similarity 84.6%; Pred. No. 0.0075;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
 :||||| ||||
 Db 24 rasqsisnhlhw 36

RESULT 10
 Y06380
 ID Y06380 standard; Protein; 109 AA.

XX AC Y06380;

DT 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 V lambda.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Mus musculus.

XX FH Key Location/Qualifiers

FT Peptide 1..2 /note= "vector-encoded residues"
 FT Region 24..34
 FT /note= "CDR1"
 FT Region 50..56
 FT /note= "CDR2"
 FT Region 89..97
 FT /note= "CDR3"

XX W09929888-A1.

XX PN 17-JUN-1999.

XX PD 04-DEC-1998; 98WO-US25828.

XX PF 05-DEC-1997; 97US-0986016.

XX PR (SCRI) SCRIPPS RES INST.

XX PA Barbas CF, Rader C;

XX PI WPI; 1999-394979/33.

XX DR Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 49-50; 55pp; English.

XX This sequence represents the light chain V lambda region of
 CC murine monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 109 AA;

Query Match 84.7%; Score 61; DB 20; Length 109;
 Best Local Similarity 84.6%; Pred. No. 0.0076;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
 :||||| ||||
 Db 24 rasqsisnhlhw 36

RESULT 11
 W84100
 ID W84100 standard; Protein; 112 AA.

XX AC W84100;

XX DT 15-MAR-1999 (first entry)

XX DE Vitronectin alpha-v beta-3 MAB VL.

XX Humanised antibody; monoclonal antibody; MAB; antibody engineering;
 KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
 KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
 KW angiogenesis; diabetic retinopathy; inflammation;
 KW macular degeneration; osteoporosis; Paget's disease;
 KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy.

XX OS Mus sp.

XX PN W09840488-A1.

XX PD 17-SEP-1998.

XX PF 12-MAR-1998; 98WO-US04987.

XX PR 12-MAR-1997; 97US-0039609.

XX PA (SMIK) SMITHKLINE BEECHAM CORP.

XX PI Johanson KO, Jonak ZL, Taylor AH;

XX DR WPI; 1999-034590/03.

XX DR N-PSDB; V71802.

XX New anti alpha-v beta-3 vitronectin receptor antibodies - used for
 PT immunotherapeutic treatment of e.g. diabetic retinopathy,
 PT inflammatory disorders, atherosclerosis, restenosis, cancers or
 PT osteoporosis

XX PS Example 13; Page 64; 97pp; English.

XX This is the amino acid sequence of the region of the murine
 CC monoclonal antibody (MAB) D12 light chain variable region (VL)
 CC that is altered in humanised D12 VL (see also W84098). A
 CC synthetic gene (see V81902) encoding the protein was prepared
 CC from synthetic oligonucleotides and used to prepare an expression
 CC vector for humanised D12 VL. D12 is an anti-human alpha-v beta-3
 CC vitronectin receptor MAB. Humanised D12 MABs can be used for
 CC passive immunotherapy of disorders mediated by the alpha-v beta-3
 CC vitronectin receptor, e.g. restenosis and angiogenic associated
 CC diseases.

XX SQ Sequence 112 AA;

Query Match 84.7%; Score 61; DB 20; Length 112;
 Best Local Similarity 84.6%; Pred. No. 0.0078;
 Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13

Db :|||||
24 rasqsisnlhwy 36

RESULT 12

Y56654
ID Y56654 standard; protein; 88 AA.

XX AC Y56654;

XX DT 15-FEB-2000 (first entry)

XX DE Partial peptide fragment of chimpanzee V kappa cDNA clone 46-5.

XX KW Complementarity determining region; antibody; primate; immunogenicity;
KW Old World ape; Old World monkey; antigen-binding affinity.

XX OS Pan troglodytes.

XX PN WO9955369-A1.

XX PD 04-NOV-1999.

XX PF 28-APR-1999; 99WO-US09131.

XX PR 28-APR-1998; 98US-0083367.

XX PA (SMIK) SMITHKLINE BEECHAM CORP.

XX PI Taylor AH;

XX DR WPI: 2000-023265/02.

XX DR N-PSDB; Z39322.

XX PT Antibodies containing donor complementarity determining regions and
PT non-human primate acceptor frameworks, having reduced immunogenicity in
PT humans -

XX PS Claim 22; Page 70-71; 123pp; English.

XX CC The invention provides an antibody (Ab) comprising donor CDRs
CC (complementarity determining regions) derived from a non-human antigen-
CC specific donor antibody, and an acceptor framework from a non-human
CC primate. The Abs are prepared by grafting CDRs from a non-human antigen-
CC specific donor antibody onto homologous Old World ape or monkey acceptor
CC frameworks. The Abs have reduced immunogenicity and are better tolerated
CC in humans (because of the close similarity between the human and primate
CC proteins), but retain the full antigen-binding affinity of the donor
CC antibody.

XX SQ Sequence 88 AA;

Query Match 83.3%; Score 60; DB 21; Length 88;

Best Local Similarity 84.6%; Pred. No. 0.0087;

Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNLFHWY 13

Db :|||||
24 qasqsisnylswy 36

RESULT 13

Y30203

ID Y30203 standard; Protein; 107 AA.

XX AC Y30203;

XX DT 01-NOV-1999 (first entry)

XX DE The variable light chain of humanised antibody F4.

XX KW Light chain variable region; chimeric antibody; anti-CD40 antibody;

KW chi220; humoral immune response; T cell dependent antigen;
KW collagen induced arthritis; transplant induced rejection;
KW T cell mediated disorder; autoimmune disease; inflammatory disease;
KW transplantation.

XX OS Synthetic.

XX OS Homo sapiens.

XX PN WO9942075-A2.

XX PD 26-AUG-1999.

XX PF 10-FEB-1999; 99WO-US02949.

XX PR 19-FEB-1998; 98US-0026291.

XX PA (BRIM) BRISTOL-MYERS SQUIBB CO.

XX PI Aruffo AA, Bajorath J, Berry KK, Harris LJ, Hollenbaugh D;
PI Huse WD, Siadak AW, Thorne BA, Watkins JD, Wu H;

XX DR WPI: 1999-527408/44.

XX DR N-PSDB; Z10203.

XX PT Antibody that binds human CD40, for treating T cell mediated
PT disorders

XX PS Claim 21; Page 32-33; 77pp; English.

XX CC The present sequence represents the variable light chain of humanised
CC antibody F4. The antibody is effective in modulating humoral immune
CC response against T cell dependent antigens, collagen induced arthritis
CC and transplant induced rejection. They are also useful for their
CC anti-inflammatory properties. The antibodies have wide therapeutic
CC applications, including autoimmune and inflammatory diseases and
CC transplantation. The antibody can be used in a pharmaceutical composition
CC for treating a patient suffering from a T cell mediated disorder. They
CC can also be used to treat autoimmune diseases, inflammatory diseases,
CC and transplantation.

XX SQ Sequence 107 AA;

Query Match 83.3%; Score 60; DB 20; Length 107;

Best Local Similarity 76.9%; Pred. No. 0.011;

Matches 10; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNLFHWY 13

Db :|||||
24 rasqsisnylswy 36

RESULT 14

Y30205

ID Y30205 standard; Protein; 107 AA.

XX AC Y30205;

XX DT 01-NOV-1999 (first entry)

XX DE The variable light chain of humanised antibody L3.17.

XX KW Light chain variable region; chimeric antibody; anti-CD40 antibody;
KW chi220; humoral immune response; T cell dependent antigen;
KW collagen induced arthritis; transplant induced rejection;
KW T cell mediated disorder; autoimmune disease; inflammatory disease;
KW transplantation.

XX OS Synthetic.

XX OS Homo sapiens.

XX PN WO9942075-A2.

XX

PD 26-AUG-1999.
XX
PE 10-FEB-1999; 99WO-US02949.
XX
PR 19-FEB-1998; 98US-0026291.
XX
PA (BRIM) BRISTOL-MYERS SQUIBB CO.
XX
PI Aruffo AA, Bajorath J, Berry KK, Harris LJ, Hollenbaugh D;
PI Huse WD, Sisdak AW, Thorne BA, Watkins JD, Wu H;
XX WPI; 1999-527408/44.
DR N-PSDB; Z10205.
XX
XX Antibody that binds human CD40, for treating T cell mediated disorders
PT
XX
XX Claim 26; Page 33-34; 77pp; English.
XX The present sequence represents the variable light chain of humanised
CC antibody L3.17. The antibody is effective in modulating humoral immune
CC response against T cell dependent antigens, collagen induced arthritis
CC and transplant induced rejection. They are also useful for their
CC anti-inflammatory properties. The antibodies have wide therapeutic
CC applications, including autoimmune and inflammatory diseases and
CC transplantation. The antibody can be used in a pharmaceutical composition
CC for treating a patient suffering from a T cell mediated disorder. They
CC can also be used to treat autoimmune diseases, inflammatory diseases,
CC and transplantation.
XX
XX Sequence 107 AA;
SQ

Query Match 83.3%; Score 60; DB 20; Length 107;
Best Local Similarity 76.9%; Pred. No. 0.011;
Matches 10; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
Db :|||||:||||
24 rasqsisdylhwy 36

RESULT 15
W00241
ID W00241 standard; Protein; 108 AA.
AC W00241;
XX
XX 22-NOV-1996 (first entry)
XX
DE EGF receptor chimeric MAb chMint5 VL chain.
XX
KW Mouse-human chimeric antibody; monoclonal antibody; chMint5;
KW epidermal growth factor receptor; EGF-R; diagnosis; therapy;
KW immunotoxin; immunocytokine; tumour; cancer.
XX
OS Mus musculus.
XX
XX Key Location/Qualifiers
FH Region 24..34
FT /label= CDR1
FT Region 50..56
FT /label= CDR2
FT Region 89..97
FT /label= CDR3
XX
XX W09627010-A1.
PN
XX
XX 06-SEP-1996.
PD
XX
XX 01-MAR-1996; 96WO-EF00805.
PF
XX
XX 01-MAR-1995; 95IT-OFI0036.
PR

XX
PA (ITU-Y-) ITAL MIN UNIV RICERCA SCI & TECNOLOGICA.
XX
PI Anastasi AM, Colnaghi MI, De Santis R, Di Massimo AM;
PI Ferrer Marsal C, Mele A;
XX
XX WPI; 1996-412776/41.
DR N-PSDB; T33446.
DR
XX Murine/human chimeric monoclonal antibody, chMint5 specific for
PT EGF-R - shows a lower immunogenicity when administered to humans
XX
XX Claim 7; Page 18; 28pp; English.
XX The amino acid sequence (W00241) of the light chain variable region
CC (VL) of the epidermal growth factor receptor (EGF-R)-specific mouse-
CC human chimeric antibody chMint5 was deduced from a cDNA clone
CC (T33446) obt'd. by PCR amplification of murine Mint5 hybridoma DSM
CC ACC2150 cDNA. chMint5 comprises Mint5 VH and VL regions fused
CC to human C-gamma1 and CK regions. Constructs were expressed in
CC CHO cell transfectants. chMint5 shows lower immunogenicity than
CC Mint5 when administered to humans. It can be used in diagnostic
CC assays or used to produce immunotoxins or immunocytokines useful
CC for tumour therapy.
XX
SQ Sequence 108 AA;
XX

Query Match 83.3%; Score 60; DB 17; Length 108;
Best Local Similarity 84.6%; Pred. No. 0.011;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
Db :|||||:||||
24 rasqsisdylhwy 36

Search completed: March 28, 2001, 06:59:50
Job time: 1386 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:55 ; Search time 113.49 Seconds
(without alignments)
2.057 Million cell updates/sec

Title: US-09-016-061-82

Perfect score: 72

Sequence: 1 QASQISNPLHWY 13

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued_Patents_AA:*
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	60	83.3	96	2	US-08-737-560A-9
2	60	83.3	108	2	US-08-378-939-20
3	59	81.9	100	1	US-08-436-463-19
4	59	81.9	103	1	US-08-436-463-21
5	59	81.9	107	1	US-07-634-278-62
6	59	81.9	107	1	US-07-634-278-63
7	59	81.9	107	1	US-07-634-278-87
8	59	81.9	107	1	US-08-477-728-62
9	59	81.9	107	1	US-08-477-728-63
10	59	81.9	107	1	US-08-477-728-87
11	59	81.9	107	1	US-08-474-040-62
12	59	81.9	107	1	US-08-474-040-63
13	59	81.9	107	1	US-08-474-040-87
14	59	81.9	107	1	US-08-487-200-62
15	59	81.9	107	1	US-08-487-200-63
16	59	81.9	107	1	US-08-487-200-87
17	59	81.9	127	1	US-07-634-278-83
18	59	81.9	127	1	US-08-477-728-83
19	59	81.9	127	1	US-08-474-040-83
20	59	81.9	127	1	US-08-487-200-83
21	59	81.9	127	1	US-08-436-463-4
22	59	81.9	127	1	US-08-436-463-18
23	58	80.6	107	2	US-08-652-558-36
24	58	80.6	107	2	US-08-378-939-14
25	58	80.6	108	1	US-08-276-852-102
26	58	80.6	108	1	US-08-899-575-102
27	58	80.6	108	1	US-08-899-575-102
28	58	80.6	108	2	US-08-378-939-30

29 58 80.6 108 4 PCT-US95-08743-102 Sequence 102, Appl
30 57 79.2 56 1 US-08-162-102C-40 Sequence 40, Appl
31 57 79.2 108 1 US-08-162-102C-25 Sequence 25, Appl
32 57 79.2 108 2 US-08-737-560A-11 Sequence 11, Appl
33 57 79.2 108 4 PCT-US93-08786-25 Sequence 25, Appl
34 55 76.4 107 1 US-08-436-463-20 Sequence 20, Appl
35 55 76.4 107 1 US-08-107-669D-1 Sequence 1, Appl
36 55 76.4 107 1 US-08-472-788A-1 Sequence 1, Appl
37 55 76.4 107 2 US-08-477-531B-1 Sequence 1, Appl
38 55 76.4 107 2 US-07-934-373C-18 Sequence 18, Appl
39 55 76.4 107 2 US-08-082-842A-1 Sequence 1, Appl
40 55 76.4 107 3 US-08-437-642B-18 Sequence 18, Appl
41 55 76.4 107 4 PCT-US93-07832-18 Sequence 18, Appl
42 55 76.4 108 1 US-08-476-039-85 Sequence 85, Appl
43 55 76.4 108 3 US-08-476-349A-85 Sequence 85, Appl
44 55 76.4 108 3 US-08-974-899-3 Sequence 3, Appl
45 55 76.4 109 1 US-07-942-245-4 Sequence 4, Appl

ALIGNMENTS

RESULT 1
US-08-737-560A-9
; Sequence 9, Application US/08737560A
; Patent No. 5928893
; GENERAL INFORMATION:
; APPLICANT: KANG, Chang-Yuul
; APPLICANT: KIM, Joong-Gon
; TITLE OF INVENTION: MONOCLONAL ANTIBODY SPECIFIC FOR HUMAN
; TITLE OF INVENTION: 4-1BB AND CELL LINE PRODUCING SAME
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: KANG, Chang-Yuul
; STREET: Professor Apt. Ka-302, #244-2, Bongchun 7-dong,
; STREET: Kwanak-gu
; CITY: Seoul
; STATE: Seoul
; COUNTRY: Republic of Korea
; ZIP: 151-057
; ADDRESSEE: KIM, Joong-Gon
; STREET: Hanyang Apt. 72-1213, Apgu-jung-dong, Kangnam-gu
; CITY: Seoul
; STATE: Seoul
; COUNTRY: Republic of Korea
; ZIP: 135-110
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5inch, 1.44MB storage
; COMPUTER: IBM PC/AT
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: Word Perfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/737,560A
; FILING DATE: 13-NOV-1996
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: KR 95-8176
; FILING DATE: 08-APR-1995
; ATTORNEY/AGENT INFORMATION:
; NAME:
; REGISTRATION NUMBER:
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE:
; TELEFAX:
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 96 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; OTHER INFORMATION: VK23.32'CL

US-08-737-560A-9

Query Match 83.3%; Score 60; DB 2; Length 96;
Best Local Similarity 76.9%; Pred. No. 0.0031;
Matches 10; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNFWLHWY 13
:|||||:|||||
Db 24 RASQSISDYLHWY 36

RESULT 2

US-08-378-939-20
; Sequence 20, Application US/08378939
; Patent No. 5876961
; GENERAL INFORMATION:
; APPLICANT: CROWE, JAMES SCOTT
; APPLICANT: LEWIS, ALAN PETER
; TITLE OF INVENTION: PRODUCTION OF ANTIBODIES
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ROTHWELL, FIGG, ERNST & KURZ
; STREET: 555 THIRTEENTH ST. N.W.
; CITY: WASHINGTON
; STATE: D. C.
; COUNTRY: U.S.
; ZIP: 20004

COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/378,939
; FILING DATE:
; CLASSIFICATION: 435

PRIOR APPLICATION DATA: US 07/952640
; APPLICATION NUMBER: US 07/952640
; FILING DATE: 01-DEC-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: ERNST, BARBARA G
; REGISTRATION NUMBER: 30,377
; REFERENCE/DOCKET NUMBER: 1808-118
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 783-6040
; TELEFAX: (202) 783-6031
; INFORMATION FOR SEQ ID NO: 20:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-378-939-20

Query Match 83.3%; Score 60; DB 2; Length 108;
Best Local Similarity 76.9%; Pred. No. 0.0035;
Matches 10; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSISNFWLHWY 13
:|||||:|||||
Db 24 QASQSISNFWLHWY 36

RESULT 3

US-08-436-463-19
; Sequence 19, Application US/08436463
; Patent No. 5760185
; GENERAL INFORMATION:
; APPLICANT: KIMACHI, Kazuhiko
; APPLICANT: MAEDA, Hiroaki
; APPLICANT: NISHIYAMA, Kiyoto

APPLICANT: TOKIYOSHI, Sachio
; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
; STREET: 419 Seventh Street, N.W., Suite 400
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/436,463
; FILING DATE: 26-JUN-1995
; CLASSIFICATION: 536

PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 341255/1992
; FILING DATE: 28-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: YUN, Allen C.
; REGISTRATION NUMBER: 37,971
; REFERENCE/DOCKET NUMBER: KIMACHI-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-628-5197
; TELEFAX: 202-737-3528
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 100 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-436-463-19

Query Match 81.9%; Score 59; DB 1; Length 100;
Best Local Similarity 84.6%; Pred. No. 0.0047;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNFWLHWY 13
:|||||:|||||
Db 24 RASQSISNFWLHWY 36

RESULT 4

US-08-436-463-21
; Sequence 21, Application US/08436463
; Patent No. 5760185
; GENERAL INFORMATION:
; APPLICANT: KIMACHI, Kazuhiko
; APPLICANT: MAEDA, Hiroaki
; APPLICANT: NISHIYAMA, Kiyoto
; APPLICANT: TOKIYOSHI, Sachio
; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
; STREET: 419 Seventh Street, N.W., Suite 400
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30

;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/436,463
;; FILING DATE: 26-JUN-1995
;; CLASSIFICATION: 536
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: JP 341255/1992
;; FILING DATE: 28-NOV-1992
;; ATTORNEY/AGENT INFORMATION:
;; NAME: YUN, Allen C.
;; REGISTRATION NUMBER: 37,971
;; REFERENCE/DOCKET NUMBER: KIMACHI-1
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 202-628-5197
;; TELEFAX: 202-737-3528
;; INFORMATION FOR SEQ ID NO: 21:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 103 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
US-08-436-463-21

Query Match 81.98; Score 59; DB 1; Length 103;
Best Local Similarity 84.6%; Pred. No. 0.0048;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISISNHLHWY 13
Db 22 RASQISISNHLHWY 34

RESULT 5
US-07-634-278-62
; Sequence 62, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M

;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 11823-002600
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 326-2400
;; TELEFAX: (415) 326-2422
;; INFORMATION FOR SEQ ID NO: 62:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
US-07-634-278-62

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISISNHLHWY 13
Db 24 RASQISISNHLHWY 36

RESULT 6
US-07-634-278-63
; Sequence 63, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid

; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-63

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
:||||||| |||||
Db 24 RASQISNNLHWY 36

RESULT 7
US-07-634-278-87
; Sequence 87, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634, 278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590, 274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310, 252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290, 975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-87

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
:||||||| |||||
Db 24 RASQISNNLHWY 36

RESULT 8
US-08-477-728-62
; Sequence 62, Application US/08477728
; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, 8th Floor
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,728
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-477-728-62

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13
:||||||| |||||
Db 24 RASQISNNLHWY 36

RESULT 9
US-08-477-728-63
; Sequence 63, Application US/08477728

```

; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Crew LLP
; STREET: Two Embarcadero Center, 8th Floor
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,728
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-477-728-63

```

```

Query Match      81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 1 QASQSIISNLFHWY 13
   :|1111111111
Db 24 RASQSIISNLFHWY 36

```

```

RESULT 10
US-08-477-728-87
; Sequence 87, Application US/08477728
; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Crew LLP

```

```

; STREET: Two Embarcadero Center, 8th Floor
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,728
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-477-728-87

```

```

Query Match      81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 1 QASQSIISNLFHWY 13
   :|1111111111
Db 24 RASQSIISNLFHWY 36

```

```

RESULT 11
US-08-474-040-62
; Sequence 62, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Crew LLP
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:

```

```

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-474-040-62

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNLFHWY 13
Db 24 RASQISNNLHWY 36

RESULT 12
US-08-474-040-63
; Sequence 63, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995

```

```

; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-474-040-63

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNLFHWY 13
Db 24 RASQISNNLHWY 36

RESULT 13
US-08-474-040-87
; Sequence 87, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:

```

APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-474-040-87

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISISNLFHWY 13
:|||||
Db 24 RASQISISNLFHWY 36

RESULT 14
US-08-487-200-62
Sequence 62, Application US/08487200
Patent No. 5693762
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/487,200
FILING DATE: 7-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:

NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002610
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-487-200-62

Query Match 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISISNLFHWY 13
:|||||
Db 24 RASQISISNLFHWY 36

RESULT 15
US-08-487-200-63
Sequence 63, Application US/08487200
Patent No. 5693762
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/487,200
FILING DATE: 7-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002610
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422

; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-200-63

Query Match : 81.9%; Score 59; DB 1; Length 107;
Best Local Similarity 84.6%; Pred. No. 0.005;
Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISINLHWY 13
Db 24 RASQISNNLHWY 36

Search completed: March 28, 2001, 07:01:57
Job time: 1336 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:27 ; Search time 130.08 Seconds
(without alignments)
5.742 Million cell updates/sec

Title: US-09-016-061-84
Perfect score: 49
Sequence: 1 LLIRYSSQSSIS 11

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66:.*
1: pir1:.*
2: pir2:.*
3: pir3:.*
4: pir4:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	43	87.8	69	PH1080	Ig light chain V r
2	43	87.8	96	G33730	Ig kappa chain V r
3	43	87.8	104	B43413	Ig kappa chain V r
4	43	87.8	106	PL0267	Ig kappa chain V r
5	43	87.8	107	B45722	anti-glycoprotein
6	43	87.8	107	C45722	anti-glycoprotein
7	43	87.8	107	A45722	anti-glycoprotein
8	43	87.8	115	S10146	Ig kappa chain pre
9	43	87.8	138	A26471	Ig kappa chain pre
10	40	81.6	87	PH1082	Ig light chain V r
11	40	81.6	102	S26346	Ig kappa chain V r
12	40	81.6	108	C30502	Ig kappa chain V r
13	40	81.6	115	1 KVM5L7	Ig kappa chain pre
14	40	81.6	123	S35479	Ig kappa chain pre
15	40	81.6	128	PN0445	Ig kappa chain pre
16	39	79.6	67	PH1081	Ig light chain V r
17	39	79.6	103	S11975	Ig kappa chain V r
18	39	79.6	114	S00996	Ig kappa chain pre
19	37	75.5	500	S56276	probable membrane
20	36	73.5	3344	JQ1899	genome polyprotein
21	35	71.4	613	1 Q0BE33	BBF1 protein - hu
22	35	71.4	847	1 S36337	histidine decarbox
23	33	67.3	406	S82147	conserved hypothet
24	33	67.3	459	T11256	NADH dehydrogenase
25	33	67.3	598	T28238	ORF MSV077 hypothe
26	33	67.3	998	T04842	protein kinase hom
27	33	67.3	3125	1 GNVSPD	genome polyprotein
28	33	67.3	3140	1 GNVSRA	genome polyprotein
29	33	67.3	3140	2 S47508	genome polyprotein

30 33 67.3 3141 1 GNVSPD genome polyprotein
31 32 65.3 290 2 S26028 NADH dehydrogenase
32 32 65.3 365 2 F82398 transcription regu
33 32 65.3 380 2 B47029 methylase llapi -
34 32 65.3 547 1 D64249 hypothetical prote
35 32 65.3 622 2 S35122 site-specific DNA-
36 32 65.3 912 2 T18785 hypothetical prote
37 32 65.3 944 2 T18911 hypothetical prote
38 32 65.3 1150 2 T13824 LK6 protein kinase
39 32 65.3 1317 2 B83346 probable non-ribos
40 32 65.3 1339 2 H81307 restriction modifi
41 32 65.3 3066 1 JQ1661 genome polyprotein
42 32 65.3 3066 1 JQ1662 genome polyprotein
43 31 63.3 112 2 H82197 transcription repr
44 31 63.3 265 2 H64786 ybcM protein - Esc
45 31 63.3 290 2 S26016 NADH dehydrogenase

ALIGNMENTS

RESULT 1

PH1080
Ig light chain V region (clone 165.60) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
C:Accession: PH1080
R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PH1080
A:Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-69 <TIL>
A:Experimental source: B cell, strain [NZB x NZW]F1
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin

Query Match 87.8%; Score 43; DB 2; Length 69;
Best Local Similarity 81.8%; Pred. No. 0.043;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 1 LLIRYSSQSSIS 11
Db 17 LLIRYSSQSSIS 27

RESULT 2

G33730
Ig kappa chain V region (23.32) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 09-Mar-1990 #sequence_revision 09-Mar-1990 #text_change 21-Jan-2000
C:Accession: G33730
R:Lawler, A.M.; Kearney, J.F.; Kuehl, M.; Gearhart, P.J.
Proc. Natl. Acad. Sci. U.S.A. 86, 6744-6747, 1989
A:Title: Early rearrangements of genes encoding murine immunoglobulin kappa-chains, u
A:Reference number: A33730; MUID:89367325
A:Accession: G33730
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-96 <LAW>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 87.8%; Score 43; DB 2; Length 96;
Best Local Similarity 81.8%; Pred. No. 0.061;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 1 LLIRYSSQSSIS 11

Db 46 LLIKYASQSIS 56
|||:|:|||||

RESULT 3

Ig kappa chain V region - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 27-Apr-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: B43413
R:Tomiya, Y.; Brojer, E.; Ruggeri, Z.M.; Shattil, S.J.; Smiltneck, J.; Gorski, J.; Kum
J. Biol. Chem. 267, 18085-18092, 1992
A:Title: A molecular model of RGD ligands. Antibody D gene segments that direct specific
A:Reference number: A43413; MUID:92388177
A:Accession: B43413
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-104 <ROM>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:13-87/Domain: immunoglobulin homology <IMM>

Query Match 87.8%; Score 43; DB 2; Length 104;
Best Local Similarity 81.8%; Pred. No. 0.066;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
|||:|:|||||

Db 43 LLIKYASQSIS 53

RESULT 4

Ig kappa chain V region (anti-DNA, DP12VK) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 21-Jan-2000
C:Accession: PL0267
R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A
J. Exp. Med. 171, 265-297, 1990
A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic
A:Reference number: PL0231; MUID:90111618
A:Accession: PL0267

A:Molecule type: mRNA
A:Residues: 1-106 <SHL>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-23/Region: framework 1
F:16-90/Domain: immunoglobulin homology <IMM>
F:24-34/Region: complementarity-determining 1
F:35-49/Region: framework 2
F:50-56/Region: complementarity-determining 2
F:57-88/Region: framework 3
F:89-97/Region: complementarity-determining 3
F:98-106/Region: framework 4

Query Match 87.8%; Score 43; DB 2; Length 106;
Best Local Similarity 81.8%; Pred. No. 0.068;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
|||:|:|||||

Db 46 LLIKYASQSIS 56

RESULT 5

anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 33) - mouse (fr
C:Species: Mus musculus (house mouse)
C:Date: 27-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: B45722

R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va
J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on
A:Reference number: A45722; MUID:93100833
A:Accession: B45722

A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-107 <SIM>
A:Note: sequence extracted from NCBI backbone (NCBIP:120590)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 87.8%; Score 43; DB 2; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.068;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
|||:|:|||||

Db 46 LLIKYASQSIS 56

RESULT 6

anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 115) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: C45722

R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va
J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on
A:Reference number: A45722; MUID:93100833

A:Accession: C45722
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-107 <SIM>
A:Note: sequence extracted from NCBI backbone (NCBIP:120591)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 87.8%; Score 43; DB 2; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.068;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
|||:|:|||||

Db 46 LLIKYASQSIS 56

RESULT 7

anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 5) - mouse (fr
C:Species: Mus musculus (house mouse)
C:Date: 03-Mar-1994 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: A45722

R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va
J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on
A:Reference number: A45722; MUID:93100833

A:Accession: A45722
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: mRNA
A:Residues: 1-107 <SIM>
A:Note: sequence extracted from NCBI backbone (NCBIP:120589)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 87.8%; Score 43; DB 2; Length 107;

Best Local Similarity 81.8%; Pred. No. 0.068; Mismatches 0; Indels 0; Gaps 0;
Matches 9; Conservative 2;

QY 1 LLIRYSSQSIS 11
|||:|:|||||

Db 46 LLIKYASQSIS 56

RESULT 8

S10146

Ig kappa chain precursor V region (A14) - human (fragment)

C:Species: Homo sapiens (man)

C:Date: 31-Mar-1992 #sequence_revision 31-Mar-1992 #text_change 21-Jan-2000

C:Accession: S10146

R:Straubinger, B.; Thiebe, R.; Huber, C.; Osterholzer, E.; Zachau, H.G.

Biol. Chem. Hoppe-Seyler 369, 601-607, 1988

A:Title: Two unusual human immunoglobulin V-kappa genes.

A:Reference number: S00996; MUID:89134397

A:Accession: S10146

A:Molecule type: DNA

A:Residues: 1-115 <STR>

A:Cross-references: EMBL:M27751; NID:g185916; PIDN:AAA58913.1; PID:g185917

A:Note: this sequence was determined from the germline gene

C:Genetics: 17/1

A:introns: 17/1

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-20/Domain: signal sequence #status predicted <SIG>

F:21-115/Product: Ig kappa chain V region #status predicted <MAT>

F:36-110/Domain: immunoglobulin homology <IMM>

F:43-108/Disulfide bonds: #status predicted

Query Match

Best Local Similarity 87.8%; Score 43; DB 2; Length 115;

Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11

|||:|:|||||

Db 66 LLIKYASQSIS 76

RESULT 9

A26471

Ig kappa chain precursor V region (MAK33) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 05-Jun-1988 #sequence_revision 05-Jun-1988 #text_change 23-Jul-1999

C:Accession: A26471

R:Buckel, P.; Hubner-Parajsz, C.; Mattes, R.; Lenz, H.; Haug, H.; Beaucamp, K.

Gene 51, 13-19, 1987

A:Title: Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creatine

A:Reference number: A91572; MUID:87248058

A:Accession: A26471

A:Molecule type: mRNA

A:Residues: 1-138 <BUC>

A:Cross-references: GB:M16162; NID:g196893; PIDN:AAA38823.1; PID:g196894

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-20/Domain: signal sequence #status predicted <SIG>

F:21-138/Product: Ig kappa chain V region #status predicted <MAT>

Query Match

Best Local Similarity 87.8%; Score 43; DB 2; Length 138;

Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11

|||:|:|||||

Db 66 LLIKYASQSIS 76

RESULT 10

PH1082

Ig light chain V region (clone 165.54) - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000

C:Accession: PH1082

R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.

J. Exp. Med. 176, 761-779, 1992

A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective

A:Reference number: PH0971; MUID:92381444

A:Accession: PH1082

A:Status: nucleic acid sequence not shown

A:Molecule type: mRNA

A:Residues: 1-87 <TIL>

A:Experimental source: B cell, strain [NZB x NZW]F1

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: immunoglobulin

F:6-80/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 81.6%; Score 40; DB 2; Length 87;

Matches 8; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11

|||:|:|||||

Db 36 LLIKYASESIS 46

RESULT 11

S26346

Ig kappa chain V region - mouse

C:Species: Mus musculus (house mouse)

C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000

C:Accession: S26346

R:Stark, S.E.; Caton, A.J.

J. Exp. Med. 174, 613-624, 1991

A:Title: Antibodies that are specific for a single amino acid interchange in a proteol

A:Reference number: S26309; MUID:91341421

A:Accession: S26346

A:Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-102 <STA>

A:Cross-references: EMBL:X59211; NID:g52338; PIDN:CAA41921.1; PID:g1334075

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:14-88/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 81.6%; Score 40; DB 2; Length 102;

Matches 9; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11

|||:|:|||||

Db 44 LLIKYVSQSIS 54

RESULT 12

C30502

Ig kappa chain V region (D444) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 03-Nov-1988 #sequence_revision 03-Nov-1988 #text_change 21-Jan-2000

C:Accession: C30502

R:Eilat, D.; Webster, D.M.; Rees, A.R.

J. Immunol. 141, 1745-1753, 1988

A:Title: V region sequences of anti-DNA and anti-RNA autoantibodies from NZB/NZW F-1

A:Reference number: A30502; MUID:88315787

A:Accession: C30502

A:Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-108 <EIL>

A:Cross-references: GB:M21907; NID:g197071; PIDN:AAA38907.1; PID:g197072

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 81.6%; Score 40; DB 2; Length 108;
Best Local Similarity 72.7%; Pred. No. 0.3;
Matches 8; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
| | | : | : | | |
DB 46 LLIKYASESIS 56

RESULT 13

KVMSL7
Ig kappa chain precursor V region (L7) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 18-Dec-1981 #sequence_revision 18-Dec-1981 #text_change 22-Jun-1999
C:Accession: A01925
R:Pech, M.; Hochtl, J.; Schnell, H.; Zachau, H.G.
Nature 291, 668-670, 1981
A:Title: Differences between germ-line and rearranged immunoglobulin V-kappa coding sequences
A:Reference number: A93259; MUID:81220975
A:Accession: A01925
A:Molecule type: DNA
A:Residues: 1-115 <PEG>
A:Cross-references: GB:J00574; NID:g51718; PIDN:CAA24884.1; PID:g758153
A:Note: the sequence was determined from the germline gene
A:Note: there appear to be two possible splice junctions at the 3' end of the intron; the
C:Genetics:
A:introns: 17/1
C:Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kappa) chain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into larger
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer
F:1-20/Domain: signal sequence #status predicted <SIG>
F:21-115/Product: Ig kappa chain V region (L7) #status predicted <MAT>
F:36-110/Domain: immunoglobulin homology <IMM>
F:43-108/Disulfide bonds: #status predicted

Query Match 81.6%; Score 40; DB 1; Length 115;
Best Local Similarity 72.7%; Pred. No. 0.32;
Matches 8; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
| | | : | : | | |
DB 66 LLIKYASESIS 76

RESULT 14

S35479
Ig kappa chain precursor V region - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 19-Mar-1997 #sequence_revision 05-Dec-1998 #text_change 21-Jan-2000
C:Accession: S35479
R:Takeda, Y.; Wise, K.S.; Hoffman, R.W.
Nucleic Acids Res. 20, 4099, 1992
A:Title: Nucleotide sequences of immunoglobulin heavy and light chain V-regions from a
A:Reference number: S35479; MUID:92375706
A:Accession: S35479
A:Status: nucleic acid sequence not shown
A:Molecule type: DNA
A:Residues: 1-123 <TAK>
A:Cross-references: EMBL:M93959; NID:g197572; PIDN:AAA39079.1; PID:g554148
C:Genetics:
A:Map position: 6
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-12/Domain: signal sequence (fragment) #status predicted <SIG>
F:13-123/Product: Ig kappa chain V region (fragment) #status predicted <MAT>
F:28-102/Domain: immunoglobulin homology <IMM>

Query Match 81.6%; Score 40; DB 2; Length 123;
Best Local Similarity 81.8%; Pred. No. 0.34;
Matches 9; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
| | | : | : | | |
DB 58 LLIKYVSQSIS 68

RESULT 15

PN0445
Ig kappa chain precursor V-I region - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000
C:Accession: PN0445
R:Kaluz, B.; Betzl, G.; Shao, H.; Diamantstein, T.; Weidie, U.H.
Gene 122, 321-328, 1992
A:Title: A general method for chimerization of monoclonal antibodies by inverse polym
A:Reference number: PN0444; MUID:93138402
A:Accession: PN0445
A:Molecule type: mRNA
A:Residues: 1-128 <KAL>
A:Cross-references: GB:L02347
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-10/Domain: signal sequence #status predicted <SIG>
F:11-128/Product: Ig light chain kappa-1 V region #status predicted <MAT>
F:26-100/Domain: immunoglobulin homology <IMM>

Query Match 81.6%; Score 40; DB 2; Length 128;
Best Local Similarity 72.7%; Pred. No. 0.36;
Matches 8; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
| | | : | : | | |
DB 56 LLIKYASESIS 66

Search completed: March 28, 2001, 07:04:28
Job time: 1066 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:06 ; Search time 72.95 Seconds
(without alignments)
4.817 Million cell updates/sec

Title: US-09-016-061-84
Perfect score: 49
Sequence: 1 LLIRYSSQSSIS 11

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	81.6	115	1 KV5I_MOUSE	P01642 mus musculus
2	37	75.5	500	1 YFJL_YEAST	P43601 saccharomyc
3	36	73.5	3344	1 POLG_PPSVH	Q01901 p genome po
4	35	71.4	613	1 UL06_EBV	P03213 Epstein-bar
5	35	71.4	847	1 DCHS_DROME	Q05733 drosophila
6	33	67.3	459	1 NU4M_CERSI	O03204 ceratotheri
7	33	67.3	459	1 NU4M_RHIUN	Q96068 rhinoceros
8	33	67.3	1786	1 YCFL_ARATH	P56785 arabidopsis
9	33	67.3	3125	1 POLG_PPVNA	P17766 p genome po
10	33	67.3	3140	1 POLG_PPVRA	P17767 p genome po
11	33	67.3	3140	1 POLG_PPVSK	O84934 p genome po
12	33	67.3	3141	1 POLG_PPVD	P13529 p genome po
13	32	65.3	547	1 Y447_MYCGE	P47685 mycoplasma
14	32	65.3	622	1 MTLI_LACIA	P35516 lactococcus
15	32	65.3	3066	1 POLG_SBMVG	Q90069 s genome po
16	31	63.3	265	1 YBCM_ECOLI	P77634 escherichia
17	31	63.3	290	1 NU1M_ASGSU	P24875 ascaris suu
18	31	63.3	348	1 ABRB_ECOLI	P75747 escherichia
19	31	63.3	453	1 RADA_PSEAE	P96963 pseudomonas
20	31	63.3	542	1 CBPY_CANAL	P30574 candida alb
21	31	63.3	686	1 KNLC_STRPU	Q05090 strongyloce
22	31	63.3	717	1 PAL1_PPUAV	O64963 prunus aviu
23	30	61.2	161	1 YD03_MYCTU	Q10619 mycobacteri
24	30	61.2	185	1 YCXB_BACSU	Q08793 bacillus su
25	30	61.2	332	1 GAGR_HAEIN	P31766 haemophilus
26	30	61.2	376	1 PHAE_BORPE	Q00879 bordetella
27	30	61.2	582	1 HEX3_ADE12	P36712 human adeno
28	30	61.2	585	1 HEX3_ADE02	P03279 human adeno
29	30	61.2	585	1 HEX3_ADE05	P12537 human adeno
30	30	61.2	1014	1 CINI1_YEAST	P40987 saccharomyc
31	30	61.2	1209	1 THR_DROME	P42286 drosophila
32	30	61.2	1366	1 CA21_HUMAN	P08123 homo sapien
33	29	59.2	145	1 VPRE_HUMAN	P12018 homo sapien

ALIGNMENTS

```
RESULT 1
KV5I_MOUSE          STANDARD;          PRT; 115 AA.
ID   KV5I_MOUSE
DT   21-JUL-1986 (Rel. 01, Created)
DT   21-JUL-1986 (Rel. 01, Last sequence update)
DT   15-JUL-1999 (Rel. 38, Last annotation update)
DE   IG KAPPA CHAIN V-V REGION L7 PRECURSOR (FRAGMENT).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 81220975.
RA   Pech M., Hochtl J., Schnell H., Zachau H.G.;
RT   "Differences between germ-line and rearranged immunoglobulin V kappa
RT   coding sequences suggest a localized mutation mechanism.";
RL   Nature 291:668-670(1981).
CC   -!- MISCELLANEOUS: THERE APPEAR TO BE TWO POSSIBLE SPLICING JUNCTIONS AT
CC   THE 3' END OF THE INTRON. THE ALTERNATE WOULD CODE FOR A PROTEIN
CC   LACKING RESIDUES 17-19.
DR   PIR; A01925; KVMU57.
DR   INTERPRO; IPR003006;
KW   Immunoglobulin V region; Signal.
FT   CHAIN          1 20
FT   DOMAIN         21 >115
FT   DOMAIN         21 43
FT   DOMAIN         44 54
FT   DOMAIN         55 59
FT   DOMAIN         70 76
FT   DOMAIN         77 108
FT   DOMAIN         109 >115
FT   DISULFID       43 108
FT   NON_TER        115 115
SQ   SEQUENCE 115 AA; 12615 MW; C17BEC758C577E00 CRC64;
      P45361 clostridium
      Q92320 streptomyces
      P75942 escherichia
      P33986 acinetobact
      P45063 haemophilus
      Q23469 caenorhabd1
      P47720 mycoplasma
      P51116 homo sapien
      Q04652 drosophila
      Q12751 saccharomyc
      P19061 bacterioph
      P38850 saccharomyc
```

Query Match 81.6%; Score 40; DB 1; Length 115;
Best Local Similarity 72.7%; Pred. No. 0.1;
Matches 8; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

```
QY 1 LLIRYSSQSSIS 11
      |||:|:|:|
Db 66 LLIKYASESIS 76

RESULT 2
YFJL_YEAST          STANDARD;          PRT; 500 AA.
ID   YFJL_YEAST
AC   P43601;
DT   01-NOV-1995 (Rel. 32, Created)
DT   01-NOV-1995 (Rel. 32, Last sequence update)
DT   01-OCT-1996 (Rel. 34, Last annotation update)
DE   HYPOTHETICAL 55.1 KDA PROTEIN IN FABI-PES4 INTERGENIC REGION.
GN   YFR021W.
```


SQ SEQUENCE 459 AA; 51719 MW; F25C961D11EC5DPE CRC64;

Query Match 67.3%; Score 33; DB 1; Length 459;
 Best Local Similarity 60.0%; Pred. No. 15;
 Matches 6; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSI 10
 |||:||||:
 Db 177 LLIQYSTQTL 186

RESULT 7
 NUAM_RHIUN STANDARD; PRT; 459 AA.
 AC Q96088;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 15-JUL-1998 (Rel. 36, Last annotation update)
 DE NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4 (EC 1.6.5.3).
 GN MTNDA OR NDA OR NADH4
 OS Rhinoceros unicornis (Greater Indian rhinoceros).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Perissodactyla; Rhinocerotidae; Rhinoceros.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=KIDNEY;
 RX MEDLINE; 97051708.
 RA Xu X., Janke A., Arnason U.;
 RT "The complete mitochondrial DNA sequence of the greater Indian
 rhinoceros, Rhinoceros unicornis, and the Phylogenetic relationship
 among Carnivora, Perissodactyla, and Artiodactyla (+ Cetacea).";
 RL Mol. Biol. Evol. 13:1167-1173(1996).
 CC -1- CATALYTIC ACTIVITY: NADH + UBIQUINONE = NAD(+) + UBIQUINOL.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X97336; CAA66010.1; -;
 DR INTERPRO; IPR000260; -;
 DR INTERPRO; IPR001750; -;
 DR PFAM; PF00361; oxidored_q1; 1.
 DR PFAM; PF01059; oxidored_q5_N; 1.
 KW Oxidoreductase; NAD; Ubiquinone; Mitochondrion.
 SQ SEQUENCE 459 AA; 51888 MW; 77EF396801AEC3DB CRC64;

Query Match 67.3%; Score 33; DB 1; Length 459;
 Best Local Similarity 60.0%; Pred. No. 15;
 Matches 6; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSI 10
 |||:||||:
 Db 177 LLIQYSTQTL 186

RESULT 8
 YCF1_ARATH STANDARD; PRT; 1786 AA.
 AC P56785;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE HYPOTHETICAL 213.7 KDA PROTEIN YCF1.
 GN YCF1.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OG Chloroplast.

OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsals.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Sato S., Nakamura Y., Kaneko T., Asamizu E., Tabata S.;
 RT "Complete structure of the chloroplast genome of Arabidopsis
 thaliana.";
 RL Submitted (SEP-1999) to the EMBL/GenBank/DBDJ databases.
 CC -1- FUNCTION: NOT YET KNOWN.
 CC -1- SIMILARITY: TO A SIMILAR ORF IN OTHER PLANTS CHLOROPLAST.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; AP000423; BAA84445.1; -;
 DR EMBL; AP000423; BAA84433.1; -;
 KW Chloroplast; Hypothenical protein.
 SQ SEQUENCE 1786 AA; 213727 MW; CFFD2A4D776D7E5D CRC64;

Query Match 67.3%; Score 33; DB 1; Length 1786;
 Best Local Similarity 87.5%; Pred. No. 66;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSQS 9
 |||||:
 Db 670 LIRYSQS 677

RESULT 9
 POLG_PPVNA STANDARD; PRT; 3125 AA.
 AC P17766;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-AUG-1990 (Rel. 15, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN (P1); HELPER
 COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); PROTEIN P3; 6 KDA PROTEIN
 1 (6K1); CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KDA PROTEIN 2 (6K2);
 DE GENOME-LINKED PROTEIN (VPG); NUCLEAR INCLUSION PROTEIN A (NI-A) (NIA)
 DE (EC 3.4.22.-) (49 KDA PROTEINASE) (49 KDA-PRO); NUCLEAR INCLUSION
 DE PROTEIN B (NI-B) (NIB) (RNA-DIRECTED RNA POLYMERASE) (EC 2.7.7.48);
 DE COAT PROTEIN (CP)).
 OS Plum pox potyvirus (isolate NAT) (PPV).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
 OC Potyvirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89279232.
 RA Maiss E., Timpe U., Briske A., Jekmann W., Casper R., Himmeler G.,
 RA Mattanovich D., Katinger H.W.D.;
 RT "The complete nucleotide sequence of plum pox virus RNA.";
 RL J. Gen. Virol. 70:513-524(1989).
 CC -1- FUNCTION: HELPER COMPONENT-PROTEINASE IS REQUIRED FOR APHD
 TRANSMISSION AND ALSO HAS PROTEOLYTIC ACTIVITY.
 CC -1- FUNCTION: CYTOPLASMIC INCLUSION PROTEIN HAS HELICASE ACTIVITY. IT
 MAY BE INVOLVED IN REPLICATION.
 CC -1- FUNCTION: NUCLEAR INCLUSION PROTEIN A HAS PROTEOLYTIC ACTIVITY.
 CC -1- PTM: VPG IS COVALENTLY LINKED TO THE GENOMIC RNA.
 CC -1- PTM: THE VIRAL RNA OF POTYVIRUSES IS EXPRESSED AS A SINGLE
 POLYPROTEIN WHICH UNDERGOES POSTTRANSLATIONAL PROTEOLYTIC
 PROCESSING RESULTING IN THE PRODUCTION OF AT LEAST EIGHT
 INDIVIDUAL PROTEINS.
 CC -1- SIMILARITY: HC PROTEINASE BELONGS TO PEPTIDASE FAMILY C6.
 CC -1- SIMILARITY: NI-A PROTEINASE BELONGS TO PEPTIDASE FAMILY C4.
 CC -1- SIMILARITY: BELONGS TO THE POTYVIRUSES POLYPROTEIN FAMILY.

 This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (see http://www.isb-sib.ch/announce/
 or send an email to license@isb-sib.ch).

 EMBL; D13751; BAA02898.1; -
 PIR; JQ0003; GNVSP.
 INTERPRO: IPR001205; -
 INTERPRO: IPR001410; -
 INTERPRO: IPR001456; -
 INTERPRO: IPR001592; -
 INTERPRO: IPR001730; -
 INTERPRO: IPR002540; -
 PFM: PF00270; DEAD; 1.
 PFM: PF00863; Peptidase_C4; 1.
 PFM: PF00851; Peptidase_C6; 1.
 PFM: PF01577; Poty_P1; 1.
 PFM: PF00767; Poty_coat; 1.
 PFM: PF00680; RNA_dep_RNA_pol; 1.
 PRINTS: PR00966; NIAPOTVPTASE.
 Hydrolase; transferase; Thiol protease; RNA-directed RNA polymerase;
 Coat protein; Polyprotein; Covalent protein-RNA linkage; Helicase;
 ATP-binding.
 FT CHAIN 1 301
 FT CHAIN 302 914
 FT CHAIN 915 ?
 FT CHAIN ? 1168
 FT CHAIN 1169 1803
 FT CHAIN 1804 1856
 FT CHAIN 1857 ?
 FT CHAIN ? 2292
 FT CHAIN 2293 2810
 FT CHAIN 2811 3125
 FT BINDING 1919 1919
 FT NP_BIND 1253 1260
 FT SEQUENCE 3125 AA; 354261 MW; ED0DD33C439CB712 CRC64;

Query Match 67.3%; Score 33; DB 1; Length 3125;
 Best Local Similarity 60.0%; Pred. No. 1.2e+02;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRVSSQIS 11
 I::: :|||
 Db 1504 LVRYTKRSIS 1513

RESULT 10
 POLG_PPVRA STANDARD; PRT; 3140 AA.
 ID AC P17767;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE GENOME POLYPROTEIN [CONTAINS: N-TERMINAL PROTEIN (P1); HELPER
 COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); PROTEIN P3; 6 KDA PROTEIN
 1 (6K1); CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KDA PROTEIN 2 (6K2);
 DE GENOME-LINKED PROTEIN (VPC); NUCLEAR INCLUSION PROTEIN A (NI-A) (NTA)
 DE (EC 3.4.22.-) (49 KDA PROTEINASE) (49 KDA-PRO); NUCLEAR INCLUSION
 DE PROTEIN B (NI-B) (NIB) (RNA-DIRECTED RNA POLYMERASE) (EC 2.7.7.48);
 DE COAT PROTEIN (CP)].
 OS Plum pox potyvirus (strain Rankovic) (PPV).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
 OC Potyvirus.

RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89370814.
 RA Lain S., Riechmann J.L., Garcia J.A.;

RT "The complete nucleotide sequence of plum pox potyvirus RNA.";
 RL Virus Res. 13:157-172(1989).
 RN [2]
 RP SEQUENCE OF 1778-2342 FROM N.A.
 RX MEDLINE; 89268456.
 RA Garcia J.A., Riechmann J.L., Lain S.;
 RT "Proteolytic activity of the plum pox potyvirus N1a-like protein in
 Escherichia coli.";
 RT Virology 170:362-369(1989).
 RL [3]
 RN SEQUENCE OF 2263-3140 FROM N.A.
 RA Lain S., Riechmann J.L., Mendez E., Garcia J.A.;
 RT "Nucleotide sequence of the 3' terminal region of plum pox potyvirus
 RNA.";
 RL Virus Res. 10:325-342(1988).
 CC -!- FUNCTION: CYTOPLASMIC INCLUSION PROTEIN HAS HELICASE ACTIVITY. IT
 MAY BE INVOLVED IN REPLICATION.
 CC -!- FUNCTION: NUCLEAR INCLUSION PROTEIN A HAS PROTEOLYTIC ACTIVITY.
 CC -!- PTM: VPC IS COVALENTLY LINKED TO THE GENOMIC RNA.
 CC -!- PTM: THE VIRAL RNA OF POTYVIRUSES IS EXPRESSED AS A SINGLE
 POLYPROTEIN WHICH UNDERGOES POSTTRANSLATIONAL PROTEOLYTIC
 PROCESSING RESULTING IN THE PRODUCTION OF AT LEAST EIGHT
 INDIVIDUAL PROTEINS.
 CC -!- SIMILARITY: HC PROTEINASE BELONGS TO PEPTIDASE FAMILY C6.
 CC -!- SIMILARITY: NI-A PROTEINASE BELONGS TO PEPTIDASE FAMILY C4.
 CC -!- SIMILARITY: BELONGS TO THE POTYVIRUSES POLYPROTEIN FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (see http://www.isb-sib.ch/announce/
 or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; M21847; AAA85458.1; -
 CC EMBL; M26965; AAA47085.1; -
 CC PIR; A60009; GNVSRA.
 CC INTERPRO: IPR001205; -
 CC INTERPRO: IPR001410; -
 CC INTERPRO: IPR001456; -
 CC INTERPRO: IPR001592; -
 CC INTERPRO: IPR001730; -
 CC INTERPRO: IPR002540; -
 CC PFM: PF00270; DEAD; 1.
 CC PFM: PF00863; Peptidase_C4; 1.
 CC PFM: PF00851; Peptidase_C6; 1.
 CC PFM: PF01577; Poty_P1; 1.
 CC PFM: PF00767; Poty_coat; 1.
 CC PFM: PF00680; RNA_dep_RNA_pol; 1.
 CC PRINTS: PR00966; NIAPOTVPTASE.
 KW Hydrolase; transferase; Thiol protease; RNA-directed RNA polymerase;
 KW Coat protein; Polyprotein; Covalent protein-RNA linkage; Helicase;
 KW ATP-binding.
 FT CHAIN 1 301
 FT CHAIN 302 914
 FT CHAIN 915 ?
 FT CHAIN ? 1168
 FT CHAIN 1169 1803
 FT CHAIN 1804 1856
 FT CHAIN 1857 ?
 FT CHAIN ? 2292
 FT CHAIN 2293 2810
 FT CHAIN 2811 3140
 FT BINDING 1919 1919
 FT NP_BIND 1253 1260
 FT SEQUENCE 3140 AA; 355577 MW; 5F3DBB07982CF3F5 CRC64;

Query Match 67.3%; Score 33; DB 1; Length 3140;
 Best Local Similarity 60.0%; Pred. No. 1.2e+02;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSSQIS 11
 :||: :|||
 Db 1504 LVRVTKKIS 1513

RESULT 11
 POLG_PPVS STANDARD; PRT; 3140 AA.
 AC Q84934; 1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE GENOME POLYPROTEIN [CONTAINS: N-TERMINAL PROTEIN (P1); HELPER
 COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); PROTEIN P3; 6 KDA PROTEIN
 DE 1 (6K1); CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KDA PROTEIN 2 (6K2);
 DE GENOME-LINKED PROTEIN (VPG); NUCLEAR INCLUSION PROTEIN A (NI-A) (NIA)
 DE (EC 3.4.22.-) (49 KDA PROTEINASE) (49 KDA-PRO); NUCLEAR INCLUSION
 DE PROTEIN B (NI-B) (NIB) (RNA-DIRECTED RNA POLYMERASE) (EC 2.7.7.48);
 DE COAT PROTEIN (CP)].
 OS Plasmid pox polyvirus (strain SK 68) (PPV).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
 OC Potyvirus.
 RN [1]
 SEQUENCE FROM N.A.
 RX MEDLINE: 94167908.
 RA Palkovics L., Burgyn J., Balazs E.;
 RT Plasmid pox virus strains.";
 RL Virus Genes 7:339-347(1993).
 CC -1- FUNCTION: HELPER COMPONENT-PROTEINASE IS REQUIRED FOR APHID
 CC TRANSMISSION AND ALSO HAS PROTEOLYTIC ACTIVITY.
 CC -1- FUNCTION: CYTOPLASMIC INCLUSION PROTEIN HAS HELICASE ACTIVITY. IT
 CC MAY BE INVOLVED IN REPLICATION.
 CC -1- FUNCTION: NUCLEAR INCLUSION PROTEIN A HAS PROTEOLYTIC ACTIVITY.
 CC -1- PTM: VPG IS COVALENTLY LINKED TO THE GENOMIC RNA.
 CC -1- PTM: THE VIRAL RNA OF POTYVIRUSES IS EXPRESSED AS A SINGLE
 CC POLYPROTEIN WHICH UNDERGOES POSTTRANSLATIONAL PROTEOLYTIC
 CC PROCESSING RESULTING IN THE PRODUCTION OF AT LEAST EIGHT
 CC INDIVIDUAL PROTEINS.
 CC -1- SIMILARITY: HC PROTEINASE BELONGS TO PEPTIDASE FAMILY C6.
 CC -1- SIMILARITY: NI-A PROTEINASE BELONGS TO PEPTIDASE FAMILY C4.
 CC -1- SIMILARITY: BELONGS TO THE POTYVIRUSES POLYPROTEIN FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: M92280; AAB05823.1; -
 DR INTERPRO: IPR001205; -
 DR INTERPRO: IPR001410; -
 DR INTERPRO: IPR001456; -
 DR INTERPRO: IPR001592; -
 DR INTERPRO: IPR001730; -
 DR INTERPRO: IPR002540; -
 DR PFAM: PF00270; DEAD; 1.
 DR PFAM: PF00863; Peptidase_C4; 1.
 DR PFAM: PF00851; Peptidase_C6; 1.
 DR PFAM: PF00767; Poty_P1; 1.
 DR PFAM: PF01577; Poty_P1; 1.
 DR PFAM: PF00680; RNA_dep_RNA_pol; 1.
 DR PRINTS: PR00966; NTAOTYPTASE.
 KW Hydrolase; Transferase; Thiol protease; RNA-directed RNA polymerase;
 KW Coat protein; Polyprotein; Covalent protein-RNA linkage; Helicase;
 KW ATP-binding.
 FT CHAIN 1 301 N-TERMINAL PROTEIN.
 FT CHAIN 302 914 HELPER COMPONENT PROTEINASE.
 FT CHAIN 915 ? PROTEIN P3.
 FT CHAIN ? 1168 6 KDA PROTEIN 1.

FT CHAIN 1169 1803 CYTOPLASMIC INCLUSION PROTEIN.
 FT CHAIN 1804 1856 6 KDA PROTEIN 2.
 FT CHAIN 1857 ? GENOME-LINKED PROTEIN.
 FT CHAIN ? 2292 NUCLEAR INCLUSION PROTEIN A.
 FT CHAIN 2293 2810 NUCLEAR INCLUSION PROTEIN B.
 FT CHAIN 2811 3140 COAT PROTEIN.
 FT BINDING 1919 COVALENT LINKAGE OF VIRAL RNA (BY
 SIMILARITY).
 FT NP_BIND 1253 1260 ATP (POTENTIAL).
 SQ SEQUENCE 3140 AA; 355992 MW; 837A5A692B56436A CRC64;

Query Match 67.3%; Score 33; DB 1; Length 3140;
 Best Local Similarity 60.0%; Pred. No. 1.2e+02;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSSQIS 11
 :||: :|||
 Db 1504 LVRVTKKIS 1513

RESULT 12
 POLG_PPVD STANDARD; PRT; 3141 AA.
 AC P13529; O84929; P89038;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GENOME POLYPROTEIN [CONTAINS: N-TERMINAL PROTEIN (P1); HELPER
 COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); PROTEIN P3; 6 KDA PROTEIN
 DE 1 (6K1); CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KDA PROTEIN 2 (6K2);
 DE GENOME-LINKED PROTEIN (VPG); NUCLEAR INCLUSION PROTEIN A (NI-A) (NIA)
 DE (EC 3.4.22.-) (49 KDA PROTEINASE) (49 KDA-PRO); NUCLEAR INCLUSION
 DE PROTEIN B (NI-B) (NIB) (RNA-DIRECTED RNA POLYMERASE) (EC 2.7.7.48);
 DE COAT PROTEIN (CP)].
 OS Plasmid pox polyvirus (strain D) (PPV).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
 OC Potyvirus.
 RN [1]
 SEQUENCE FROM N.A.
 RX MEDLINE: 90098790.
 RA Teycheney P.Y., Tavert G., Delbos R., Raveionandro M., Dunez J.;
 RT "The complete nucleotide sequence of plasmid pox virus RNA (strain D).";
 RL Nucleic Acids Res. 17:10115-10116(1989).
 RN [2]
 SEQUENCE OF 2810-3141 FROM N.A., AND SEQUENCE OF 2812-2828.
 RA Raveionandro M., Varveri C., Delbos R., Dunez J.;
 RT "Nucleotide sequence of the capsid protein gene of plasmid pox
 poxvirus";
 RL J. Gen. Virol. 69:1509-1516(1988).
 RN [3]
 REVISIONS TO C-TERMINUS.
 RA le Gall O.;
 RL Submitted (DEC-1996) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: HELPER COMPONENT-PROTEINASE IS REQUIRED FOR APHID
 CC TRANSMISSION AND ALSO HAS PROTEOLYTIC ACTIVITY.
 CC -1- FUNCTION: CYTOPLASMIC INCLUSION PROTEIN HAS HELICASE ACTIVITY. IT
 CC MAY BE INVOLVED IN REPLICATION.
 CC -1- FUNCTION: NUCLEAR INCLUSION PROTEIN A HAS PROTEOLYTIC ACTIVITY.
 CC -1- PTM: VPG IS COVALENTLY LINKED TO THE GENOMIC RNA.
 CC -1- PTM: THE VIRAL RNA OF POTYVIRUSES IS EXPRESSED AS A SINGLE
 CC POLYPROTEIN WHICH UNDERGOES POSTTRANSLATIONAL PROTEOLYTIC
 CC PROCESSING RESULTING IN THE PRODUCTION OF AT LEAST EIGHT
 CC INDIVIDUAL PROTEINS.
 CC -1- SIMILARITY: HC PROTEINASE BELONGS TO PEPTIDASE FAMILY C6.
 CC -1- SIMILARITY: NI-A PROTEINASE BELONGS TO PEPTIDASE FAMILY C4.
 CC -1- SIMILARITY: BELONGS TO THE POTYVIRUSES POLYPROTEIN FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial

entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

```

CC EMBL; X16415; CAA34437.1; -.
CC EMBL; D00298; BAA00210.1; -.
CC PIR; S06929; GNVSPD.
CC PIR; JA0078; JA0078.
DR INTERPRO; IPR001205; -.
DR INTERPRO; IPR001410; -.
DR INTERPRO; IPR001456; -.
DR INTERPRO; IPR001592; -.
DR INTERPRO; IPR001730; -.
DR INTERPRO; IPR002540; -.
DR PFAM; PF00270; DEAD; 1.
DR PFAM; PF00863; Peptidase_C4; 1.
DR PFAM; PF00851; Peptidase_C6; 1.
DR PFAM; PF01577; Poty_P1; 1.
DR PFAM; PF00767; Poty_coat; 1.
DR PFAM; PF00680; RNA_dep_RNA_pol; 1.
DR PRINTS; PR00966; NIAPOTPTASE.
KW Hydrolase; Transferase; Thiol protease; RNA-directed RNA polymerase;
KW Coat protein; Polyprotein; Covalent protein-RNA linkage; Helicase;
KW ATP-binding.
FT CHAIN 1 301 N-TERMINAL PROTEIN.
FT CHAIN 302 915 HELPER COMPONENT PROTEINASE.
FT CHAIN 916 ? 6 KDA PROTEIN 1.
FT CHAIN ? 1169 PROTEIN P3.
FT CHAIN 1170 1804 CYTOPLASMIC INCLUSION PROTEIN.
FT CHAIN 1805 1857 6 KDA PROTEIN 2.
FT CHAIN 1858 ? GENOME-LINKED PROTEIN.
FT CHAIN ? 2293 NUCLEAR INCLUSION PROTEIN A.
FT CHAIN 2294 2811 NUCLEAR INCLUSION PROTEIN B.
FT CHAIN 2812 3141 COAT PROTEIN.
FT BINDING 1920 1920 COVALENT LINKAGE OF VIRAL RNA (BY SIMILARITY).
FT NP_BIND 1254 1261 ATP (POTENTIAL).
SQ SEQUENCE 3141 AA; 355569 MW; 6C3641C404414DBB CRC64;

Query Match 67.3%; Score 33; DB 1; Length 3141;
Best Local Similarity 60.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 2 LIRYSSQSI 11
   I::I::I::I::
Db 1505 LVRYTKKSIS 1514

RESULT 13
ID Y447_MYCGE STANDARD; PRT; 547 AA.
AC P47685;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HYPOTHETICAL PROTEIN MG447.
GN MG447.
OS Mycoplasma genitalium.
OC Bacteria; Firmicutes; Bacillus/Clostridium group; Mollicutes;
OC Mycoplasmataceae; Mycoplasma;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-ATCC 33530 / G-37;
RX MEDLINE; 96026346.
RA Fraser C.M., Gocayne J.D., White O., Adams M.D., Clayton R.A.,
RA Fleischmann R.D., Bult C.J., Kerlavage A.R., Sutton G., Kelley J.M.,
RA Fritchman J.L., Weidman J.F., Small K.V., Sandusky M., Fuhrmann J.L.,
RA Nguyen D.T., Utterback T.R., Saudek D.M., Phillips C.A., Merrick J.M.,
RA Tomb J.-F., Dougherty B.A., Bott K.F., Hu P.-C., Lucier T.S.,
RA Peterson S.N., Smith H.O., Hutchison C.A. III, Venter J.C.;
RT "The minimal gene complement of Mycoplasma genitalium."
RL Science 270:397-403(1995).
RN [2]

entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).


SEQUENCE OF 107-215 FROM N.A.  

  STRAIN-ATCC 33530 / G-37;  

  MEDLINE; 94075230.  

  RA Peterson S.N., Hu P.-C., Bott K.F., Hutchison C.A. III;  

  "A survey of the Mycoplasma genitalium genome by using random  

  sequencing.";  

  J. Bacteriol. 175:7918-7930(1993).  

  CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN (POTENTIAL).  

  CC  

  CC This SWISS-PROT entry is copyright. It is produced through a collaboration  

  between the Swiss Institute of Bioinformatics and the EMBL outstation -  

  the European Bioinformatics Institute. There are no restrictions on its  

  use by non-profit institutions as long as its content is in no way  

  modified and this statement is not removed. Usage by and for commercial  

  entities requires a license agreement (See http://www.isb-sib.ch/announce/  

  or send an email to license@isb-sib.ch).



EMBL; U39726; AAC72467.1; -;  

  EMBL; U39731; AAB01637.1; -;  

  EMBL; U01788; AAD10610.1; -;  

  DR TIGR; MG447; -;  

  DR INTERPRO; IPR002528; -;  

  DR PFAM; PF01554; UPF0013; 1.  

  KW Hypothetical protein; Transmembrane.  

  FT TRANSMEM 33 53 POTENTIAL.  

  FT TRANSMEM 107 127 POTENTIAL.  

  FT TRANSMEM 145 165 POTENTIAL.  

  FT TRANSMEM 203 223 POTENTIAL.  

  FT TRANSMEM 231 251 POTENTIAL.  

  FT TRANSMEM 263 283 POTENTIAL.  

  FT TRANSMEM 298 318 POTENTIAL.  

  FT TRANSMEM 351 371 POTENTIAL.  

  FT TRANSMEM 397 417 POTENTIAL.  

  FT TRANSMEM 432 452 POTENTIAL.  

  FT TRANSMEM 470 490 POTENTIAL.  

  FT TRANSMEM 499 519 POTENTIAL.  

  SQ SEQUENCE 547 AA; 62052 MW; E6D115C419A2E81B CRC64;



Query Match 65.3%; Score 32; DB 1; Length 547;  

  Best Local Similarity 60.0%; Pred. No. 30;  

  Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;



Qy 1 LLIRYSSQSI 10  

   I::I::I::I::  

Db 249 LLVRYSSLGV 258

RESULT 14
ID MTL1_LACLA STANDARD; PRT; 622 AA.
AC P35516;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-OCT-1994 (Rel. 30, Last annotation update)
DE MODIFICATION METHYLASE LLAI (EC 2.1.1.72) (ADENINE-SPECIFIC  

  METHYLTRANSFERASE LLAI) (M.LLAI).
OS Lactococcus lactis (subsp. lactis) (Streptococcus lactis).
OG Plasmid pTR2030.
OC Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
OC Lactococcus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 91294179.
RA Hill C., Miller L.A., Klaenhammer T.R.;  

RT "In vivo genetic exchange of a functional domain from a type II A  

  methylase between lactococcal plasmid pTR2030 and a virulent  

  bacteriophage.";  

  J. Bacteriol. 173:4363-4370(1991).  

  CC -!- FUNCTION: METHYLATION OF SPECIFIC ADENINE RESIDUES; REQUIRED FOR  

  BOTH RESTRICTION AND MODIFICATION ACTIVITIES. MAY RECOGNIZE A  

  NONPALINDROMIC SEQUENCE.  

  CC -!- CATALYTIC ACTIVITY: S-ADENOSYL-L-METHIONINE + DNA ADENINE =


```

CC S-ADENOSYL-L-HOMOCYSTEINE + DNA 6-METHYLAMINOPURINE.
 CC -1- SIMILARITY: CONTAINS TWO COPIES OF A SEGMENT OF FOUR AMINO ACIDS
 CC WHICH IS CHARACTERISTIC OF ADENINE-SPECIFIC METHYLASES.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; U17233; AAA65073.1; -
 CC PIR; A47029; A47029.
 CC REBASE; RB01188; L1A1.
 CC INTERPRO; IPR002052; -
 CC INTERPRO; IPR002294; -
 CC PFAM; PF02086; Methyltransf12; 2.
 CC PRINTS; PR00505; D12NGMTFRASE.
 CC PROSITE; PS00092; N6_MTASE; 1.
 CC Transferase; Methyltransferase; Restriction system; Repeat; Plasmid.
 CC SEQUENCE 622 AA; 72512 MW; 69A817F46BE9C772 CRC64;
 CC -----
 CC Query Match 65.3%; Score 32; DB 1; Length 622;
 CC Best Local Similarity 60.0%; Pred. No. 35;
 CC Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;
 CC -----
 CC QY 1 LLRYSSQSI 10
 CC :|: ||:|
 CC Db 281 VLVSYSNQS 290
 CC -----
 CC RESULT 15
 CC POLG_SBMVG STANDARD; PRT; 3066 AA.
 CC ID AC Q90069;
 CC DT 15-DEC-1998 (Rel. 37, Created)
 CC DT 15-DEC-1998 (Rel. 37, Last sequence update)
 CC DT 15-DEC-1998 (Rel. 37, Last annotation update)
 CC DE GENOME POLYPROTEIN [CONTAINS: N-TERMINAL PROTEIN (PI); HELPER
 CC COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); PROTEIN P3; 6 KDA PROTEIN
 CC 1 (6K1); CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KDA PROTEIN 2 (6K2);
 CC DE GENOME-LINKED PROTEIN (VPG); NUCLEAR INCLUSION PROTEIN A (NI-A) (NIA)
 CC (EC 3.4.22.-) (49 KDA PROTEINASE) (49 KDA-PRO); NUCLEAR INCLUSION
 CC DE PROTEIN B (NI-B) (NIB) (RNA-DIRECTED RNA POLYMERASE) (EC 2.7.7.48);
 CC DE COAT PROTEIN (CP)]
 CC OS Soybean mosaic virus (strain G2) (SMV).
 CC OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
 CC OC Potyvirus.
 CC RN [1]
 CC RP SEQUENCE FROM N.A.
 CC RX MEDLINE; 92356085.
 CC RA Jayaram C., Hill J.H., Miller W.A.;
 CC RT "Complete nucleotide sequences of two soybean mosaic virus strains
 CC differentiated by response of soybean containing the Rsv resistance
 CC gene.";
 CC RL J. Gen. Virol. 73:2067-2077(1992).
 CC CC -1- FUNCTION: HELPER COMPONENT-PROTEINASE IS REQUIRED FOR APHID
 CC TRANSMISSION AND ALSO HAS PROTEOLYTIC ACTIVITY.
 CC CC -1- FUNCTION: CYTOPLASMIC INCLUSION PROTEIN HAS HELICASE ACTIVITY. IT
 CC MAY BE INVOLVED IN REPLICATION
 CC CC -1- FUNCTION: NUCLEAR INCLUSION PROTEIN A HAS PROTEOLYTIC ACTIVITY.
 CC CC -1- PTM: VPG IS COVALENTLY LINKED TO THE GENOMIC RNA.
 CC CC -1- PTM: THE VIRAL RNA OF POTYVIRUSES IS EXPRESSED AS A SINGLE
 CC POLYPROTEIN WHICH UNDERGOES POSTTRANSLATIONAL PROTEOLYTIC
 CC PROCESSING RESULTING IN THE PRODUCTION OF AT LEAST EIGHT
 CC INDIVIDUAL PROTEINS.
 CC CC -1- SIMILARITY: HC PROTEINASE BELONGS TO PEPTIDASE FAMILY C6.
 CC CC -1- SIMILARITY: NI-A PROTEINASE BELONGS TO PEPTIDASE FAMILY C4.
 CC CC -1- SIMILARITY: BELONGS TO THE POTYVIRUSES POLYPROTEIN FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; S42280; CAB28008.1; -
 CC INTERPRO; IPR001205; -
 CC INTERPRO; IPR001410; -
 CC INTERPRO; IPR001456; -
 CC INTERPRO; IPR001592; -
 CC INTERPRO; IPR001730; -
 CC INTERPRO; IPR002540; -
 CC PFAM; PF00270; DEAD; 1.
 CC PFAM; PF00863; Peptidase_C4; 1.
 CC PFAM; PF00851; Peptidase_C6; 1.
 CC PFAM; PF01577; Poty_P1; 1.
 CC PFAM; PF00767; Poty_coat; 1.
 CC PFAM; PF00680; RNA_dep_RNA_pol; 1.
 CC PFAM; PF00271; helicase_C1
 CC PRINTS; PR00966; NIAPOTYPTASE.
 CC KW Hydrolyase; Transferase; Thiol protease; RNA-directed RNA polymerase;
 CC KW Coat protein; Polyprotein; Covalent protein-RNA linkage; Helicase;
 CC KW ATP-binding.
 CC FT CHAIN 1 ? N-TERMINAL PROTEIN.
 CC FT CHAIN ? ? HELPER COMPONENT PROTEINASE.
 CC FT CHAIN ? ? PROTEIN P3.
 CC FT CHAIN ? ? 6 KDA PROTEIN 1.
 CC FT CHAIN ? ? CYTOPLASMIC INCLUSION PROTEIN.
 CC FT CHAIN ? ? 6 KDA PROTEIN 2.
 CC FT CHAIN ? ? GENOME-LINKED PROTEIN.
 CC FT CHAIN ? ? NUCLEAR INCLUSION PROTEIN A.
 CC FT CHAIN ? ? NUCLEAR INCLUSION PROTEIN B.
 CC FT CHAIN ? 3066 COAT PROTEIN.
 CC FT NP_BIND 1249 1256 ATP (POTENTIAL).
 CC SQ SEQUENCE 3066 AA; 349538 MW; 2188A79DBD155399 CRC64;
 CC -----
 CC Query Match 65.3%; Score 32; DB 1; Length 3066;
 CC Best Local Similarity 55.6%; Pred. No. 2e+02;
 CC Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;
 CC -----
 CC QY 3 IRYSSQSI 11
 CC :|: ||:|
 CC Db 1501 VRYNKQSVS 1509

Search completed: March 28, 2001, 07:35:09
 Job time: 146 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:11 ; Search time 443.95 Seconds
(without alignments)
2.904 Million cell updates/sec

Title: US-09-016-061-84
Perfect score: 49
Sequence: 1 LLIRYSQSIS 11

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_15:
1: sp_archaea:
2: sp_bacteria:
3: sp_fungi:
4: sp_human:
5: sp_invertebrate:
6: sp_mammal:
7: sp_mhc:
8: sp_organellae:
9: sp_phage:
10: sp_plant:
11: sp_rodent:
12: sp_virus:
13: sp_vertebrate:
14: sp_unclassified:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	35	71.4	675	10 Q9M0X5	Q9m0x5 arabidopsis
2	35	71.4	847	5 Q9V5I3	Q9v5i3 drosophila
3	35	71.4	3344	12 P90213	P90213 papaya ring
4	34	69.4	141	2 Q9KEA6	Q9kea6 bacillus ha
5	34	69.4	3056	12 Q65892	Q65892 bean yellow
6	33	67.3	132	10 Q9SMA8	Q9sma8 oryza sativ
7	33	67.3	406	2 Q9KQW4	Q9kqw4 vibrio chol
8	33	67.3	422	2 Q9KXB5	Q9kxb5 escherichia
9	33	67.3	422	9 Q9XJL2	Q9xjl2 bacterioph
10	33	67.3	598	12 Q9YWL5	Q9ywl5 melanoplus
11	33	67.3	684	10 Q9SBC6	Q9sbc6 arabidopsis
12	33	67.3	998	10 Q9SVG2	Q9svg2 arabidopsis
13	33	67.3	3140	12 Q84925	Q84925 plum pox po
14	33	67.3	3140	12 Q9PYF0	Q9pyf0 plum pox vi
15	32	65.3	163	3 O13291	O13291 arthroderma
16	32	65.3	225	10 Q9M063	Q9m063 arabidopsis
17	32	65.3	262	8 Q9XMU4	Q9xmu4 tetrahymena
18	32	65.3	365	2 Q9KL23	Q9kl23 vibrio chol
19	32	65.3	428	5 O18656	O18656 brugia mala

20	32	65.3	545	10 Q9ZQ32	Q9zq32 arabidopsis
21	32	65.3	912	5 Q17532	Q17532 caenorhabdi
22	32	65.3	944	5 Q9XVFI	Q9xvfi caenorhabdi
23	32	65.3	1000	5 Q9V540	Q9v540 drosophila
24	32	65.3	1037	10 Q9SIP2	Q9sip2 arabidopsis
25	32	65.3	1090	5 Q9VGI5	Q9vgi5 drosophila
26	32	65.3	1115	4 Q9ULL0	Q9ull0 homo sapien
27	32	65.3	1142	5 Q9VGI4	Q9vgi4 drosophila
28	32	65.3	1150	5 Q94548	Q94548 drosophila
29	32	65.3	1250	2 Q9JN06	Q9jnn06 campylobact
30	32	65.3	1339	2 Q9PNP0	Q9pnp0 campylobact
31	32	65.3	3066	12 Q9IBP2	Q9ibp2 soybean mos
32	31	63.3	112	2 Q34419	Q34419 vibrio chol
33	31	63.3	235	10 Q9XHF3	Q9xhf3 zea mays (m
34	31	63.3	254	5 Q44877	Q44877 caenorhabdi
35	31	63.3	283	2 Q9RA04	Q9ra04 rhodococcus
36	31	63.3	297	5 Q22171	Q22171 caenorhabdi
37	31	63.3	326	12 Q96718	Q96718 chlorella v
38	31	63.3	345	10 Q9LY23	Q9ly23 arabidopsis
39	31	63.3	363	5 O16921	O16921 caenorhabdi
40	31	63.3	379	10 Q23457	Q23457 arabidopsis
41	31	63.3	402	2 Q9KP98	Q9kp98 vibrio chol
42	31	63.3	424	4 Q9UH98	Q9uh98 homo sapien
43	31	63.3	428	3 O13817	O13817 schizosacch
44	31	63.3	435	11 Q9QZE2	Q9qze2 mus musculu
45	31	63.3	435	11 Q9JMJ3	Q9jnj3 mus musculu

ALIGNMENTS

RESULT 1
Q9M0X5 PRELIMINARY; PRT; 675 AA.
AC Q9M0X5;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DE RECEPTOR PROTEIN KINASE-LIKE PROTEIN.
OS AT4G05200.
GN Arabidopsis thaliana (Mouse-ear cross).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsi.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RA Spiegel L.A., Huang E.N., Nascimeto L.U., de la Bastide M., Vil D.M.,
RA Preston R.R., Matero A., Shah R., O'Shaughnessy A., Rodriguez M.,
RA Shekher M., Schutz K., See L.H., Swaby I., Habermann K., Dadhia N.N.,
RA Mewes H.W., Lemcke K., Mayer K.F.X.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RA EU Arabidopsis sequencing project;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AL161503; CAB81062.1; -
KW Kinase
SQ SEQUENCE 675 AA; 75348 MW; 8F4525263199CDE8 CRC64;

Query Match 71.4%; Score 35; DB 10; Length 675;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 2 LLIRYSQSIS 10
:::|::|::|
Db 126 MVRYSNQSI 134

RESULT 2
Q9V5I3 PRELIMINARY; PRT; 847 AA.
ID Q9V5I3

AC Q9V513;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE HDC PROTEIN.
 GN HDC.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Phrygotea; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BERKELEY;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Anantides P.G., Scher S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Aghayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brothier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Fosler C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleab J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskaas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of Drosophila melanogaster."
 RL Science 287:2185-2195(2000).
 DR EMBL: AE003830; AAF58823.1;
 DR FLYBASE; FBgn0005619; Hdc.
 DR INTERPRO: IPR002129;
 DR PFAM: PF00282; pyridoxal_dec; 1.
 DR PRINTS; PR00800; VHDCRBOXLAS.
 DR PROSITE; PS00392; HDC_GAD_HDC_YDC; 1.
 SQ SEQUENCE 847 AA; 94035 MW; C04F32F01C176951 CRC64;

Query Match 71.4%; Score 35; DB 5; Length 847;
 Best Local Similarity 81.8%; Pred. No. 55;
 Matches 9; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 LLRYSSQSIS 11
 || |||||

Db 762 LLRYSSQSIS 772

RESULT 3
 P90213

ID P90213 PRELIMINARY; PRT; 3344 AA.
 AC P90213;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE PRSV YK POLYPROTEIN.
 OS Papaya ringspot virus.
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
 OC Polyvirus.
 OX NCBI_TaxID=12205;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=YK FROM TAIWAN;
 RA Wang C.H., Yeh S.D.;
 RL Submitted (APR-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL: X97251; CAA65886.1;
 DR MEROPS: C04.001;
 DR MEROPS: C06.001;
 DR MEROPS: S30.001;
 DR INTERPRO: IPR001205;
 DR INTERPRO: IPR001254;
 DR INTERPRO: IPR001410;
 DR INTERPRO: IPR001456;
 DR INTERPRO: IPR001592;
 DR INTERPRO: IPR001650;
 DR INTERPRO: IPR001730;
 DR INTERPRO: IPR002540;
 DR PFAM: PF00271; helicase_C; 1.
 DR PFAM: PF00680; RNA_dep_RNA_pol; 1.
 DR PFAM: PF00767; Poty_coat; 1.
 DR PFAM: PF00851; Peptidase_C6; 1.
 DR PFAM: PF00863; Peptidase_C4; 1.
 DR PFAM: PF01577; Poty_P1; 1.
 DR PRINTS; PR00966; NIAPOTYPTASE.
 KW Polyprotein.
 SQ SEQUENCE 3344 AA; 380584 MW; 7BFF421E092C4E85 CRC64;

Query Match 71.4%; Score 35; DB 12; Length 3344;
 Best Local Similarity 60.0%; Pred. No. 2.2e+02;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSSQSIS 11
 :|||||:

Db 1737 MIRYSQAVS 1746

RESULT 4

ID Q9KEA6 PRELIMINARY; PRT; 141 AA.
 AC Q9KEA6;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DE BH0947 PROTEIN.
 GN BH0947.
 OS Bacillus halodurans.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group;
 OC Bacillus/Staphylococcus group; Bacillus.
 OX NCBI_TaxID=86665;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=C-125 / JCM 9153;
 RA Takami H., Nakasone K., Takaki Y.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AP001510; BAB04666.1;
 SQ SEQUENCE 141 AA; 15618 MW; 58C490C4A57D201A CRC64;

Query Match 69.4%; Score 34; DB 2; Length 141;
 Best Local Similarity 77.8%; Pred. No. 15;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

```

QY 1 LLRYSSQS 9
Db 23 LLRYFSQS 31

RESULT 5
Q65892 PRELIMINARY; PRT; 3056 AA.
AC Q65892;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DE POLYPROTEIN.
OS Bean yellow mosaic virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
OC Potyvirus.
OX NCBI_TaxID=12197;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=MB4;
RA Nakamura S.;
RL Submitted (MAR-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE OF 1679-3056 FROM N.A.
RC STRAIN=MB4;
RA Nakamura S., Honkura R., Ugaki M., Ohshima M., Ohashi Y.;
RT "Nucleotide sequence of the 3'-terminal region of bean yellow mosaic
RT virus RNA and resistance to viral infection in transgenic Nicotiana
RT benthamiana expressing its coat protein gene.";
RL Ann. Phytopathol. Soc. Jpn. 60:295-304(1994).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=MB4;
RA Nakamura S., Honkura R., Iwai T., Ugaki M., Ohashi Y.;
RT "The complete nucleotide sequence of bean yellow mosaic virus genomic
RT RNA.";
RL Ann. Phytopathol. Soc. Jpn. 62:472-477(1996).
DR EMBL; D83749; BAA12099.1; -.
DR MEROPS; C04.001; -.
DR MEROPS; C06.001; -.
DR MEROPS; S30.001; -.
DR INTERPRO; IPR001205; -.
DR INTERPRO; IPR001254; -.
DR INTERPRO; IPR001410; -.
DR INTERPRO; IPR001456; -.
DR INTERPRO; IPR001592; -.
DR INTERPRO; IPR001730; -.
DR INTERPRO; IPR002540; -.
DR PFAM; PF00270; DEAD; 1.
DR PFAM; PF00680; RNA_dep_RNA_pol; 1.
DR PFAM; PF00767; Poly_coat; 1.
DR PFAM; PF00851; Peptidase_C6; 1.
DR PFAM; PF00863; Peptidase_C4; 1.
DR PFAM; PF01577; Poly_PL; 1.
DR PRINTS; PR00966; NIAPOTYPASE.
KW Polyprotein.
SQ SEQUENCE 3056 AA; 347574 MW; AFFBEOB50F12D9CF CRC64;

Query Match 69.4%; Score 34; DB 12; Length 3056;
Best Local Similarity 60.0%; Pred. No. 3; Mismatches 1; Indels 0; Gaps 0;
Matches 6; Conservative 3;

QY 2 LLRYSSQS 11
Db 1478 LLRYQSVS 1487

RESULT 6
Q9SMA8 PRELIMINARY; PRT; 132 AA.
ID Q9SMA8
AC Q9SMA8;
DT 01-MAY-2000 (TReMBLrel. 13, Created)

```

```

DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
DE ZWH0001.1 (FRAGMENT).
OS Oryza sativa (Rice).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; Liliopsida; Poales; Poaceae; Oryza.
OX NCBI_TaxID=4530;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. INDICA;
RA Hong G., Zhao W.;
RT "Oryza sativa genomic DNA, chromosome 4, clone: b6015.";
RL Submitted (AUG-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AL117264; CAB55385.1; -.
FT NON_TER 1
SQ SEQUENCE 132 AA; 14829 MW; 480E20C36B16AD0C CRC64;

Query Match 67.3%; Score 33; DB 10; Length 132;
Best Local Similarity 54.5%; Pred. No. 22;
Matches 6; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 LLRYSSQS 11
Db 101 LLRYQSVS 111

RESULT 7
Q9KQW4 PRELIMINARY; PRT; 406 AA.
ID Q9KQW4
AC Q9KQW4;
DT 01-OCT-2000 (TReMBLrel. 15, Created)
DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
DE HYPOTHETICAL PROTEIN VCI1884.
GN VCI1884.
OS Vibrio cholerae.
OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
OX NCBI_TaxID=666;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=EL TOR N16961 / SEROTYPE O1;
RX MEDLINE=20406633; PubMed=10952301;
RA Heidelberg J.F., Eisen J.A., Nelson W.C., Clayton R.A., Gwin M.L.,
RA Dodson R.J., Haft D.H., Hickey E.K., Peterson J.D., Unayam L.A.,
RA Gill S.R., Nelson K.E., Read T.D., Tettelin H., Richardson D.,
RA Ermolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P.,
RA McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O.,
RA Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C.,
RA Fraser C.M.;
RT "DNA sequence of both chromosomes of the cholera pathogen Vibrio
RT cholerae";
RL Nature 406:477-483(2000).
DR EMBL; AE004263; AAF95032.1; -.
DR TIGR; VCI1884; -.
SQ SEQUENCE 406 AA; 43747 MW; 4879D14D30442588 CRC64;

Query Match 67.3%; Score 33; DB 2; Length 406;
Best Local Similarity 60.0%; Pred. No. 69;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LLRYSSQS 11
Db 216 LLRYDAQTIS 225

RESULT 8
Q9KXB5 PRELIMINARY; PRT; 422 AA.
ID Q9KXB5
AC Q9KXB5;
DT 01-OCT-2000 (TReMBLrel. 15, Created)
DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)

```

DT 01-OCT-2000 (TREMBLrel..15, Last annotation update)
 DE HYPOTHETICAL 45.5 KDA PROTEIN.
 GN H0141.
 OS Escherichia coli O157:H7.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 CC Escherichia.
 OX NCBI_TaxID=83334;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=O157:H7;
 RA Makino K., Yokoyama K., Kubota Y., Yutsudo C.H., Kimura S.,
 RA Kurokawa K., Ishii K., Hattori M., Tatsuno I., Abe H., Iida T.,
 RA Yamamoto K., Onishi M., Hayashi T., Yasunaga T., Honda T.,
 RA Sasaki C., Shinagawa H.;
 RT "Complete nucleotide sequence of the prophage VT2-Sakai carrying the
 RT verotoxin 2 genes of the enterohemorrhagic Escherichia coli O157:H7
 RT derived from the Sakai outbreak";
 RL Genes Genet. Syst. 74:227-239(1999).
 DR EMBL; AP000422; BAA94169.1; -;
 KW Hypothetical protein.
 SQ SEQUENCE 422 AA; 45496 MW; 146BB1299BE985B0 CRC64;

Query Match 67.3%; Score 33; DB 2; Length 422;
 Best Local Similarity 60.0%; Pred. No. 72;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSSQSI 10
 | |||||:
 Db 387 LTIYNSQNV 396

RESULT 9
 Q9XJL2 PRELIMINARY; PRT; 422 AA.
 AC Q9XJL2;
 DT 01-NOV-1999 (TREMBLrel..12, Created)
 DT 01-NOV-1999 (TREMBLrel..12, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel..13, Last annotation update)
 DE HYPOTHETICAL 45.5 KDA PROTEIN.
 GN L0125.
 OS Bacteriophage 933W, and Bacteriophage VT2-Sa.
 OC Viruses; dsDNA viruses, no RNA stage; unclassified dsDNA phages.
 OX NCBI_TaxID=10730, 97081;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC SPECIES=Phage 933W;
 RX MEDLINE=99173898; PubMed=10074068;
 RA Plunkett G. III, Rose D.J., Durfee T.J., Blattner F.R.;
 RT "Sequence of Shiga toxin 2 phage 933W from Escherichia coli O157:H7;
 RT Shiga toxin as a phage late-gene product.";
 RL J. Bacteriol. 181:1767-1778(1999).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC SPECIES=Phage 933W;
 RA Plunkett G. III;
 RL Submitted (FEB-1999) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RC SPECIES=Phage VT2-Sa;
 RA Miyamoto H.;
 RL Submitted (JUN-1999) to the EMBL/GenBank/DBJ databases.
 RN [4]
 RP SEQUENCE FROM N.A.
 RC SPECIES=Phage VT2-Sa;
 RA Miyamoto H., Nakai W., Yajima N., Fujibayashi A., Higuchi T., Sato K.,
 RA Matsushiro A.;
 RT "Sequence analysis of Stx2-Converting phage VT2-Sa shows a great
 RT divergence in early regulation and replication regions.";
 RL DNA Res. 6:235-240(1999).
 DR EMBL; AF12520; AAD25468.1; -;
 DR EMBL; AP000363; BAA84345.1; -;
 KW Hypothetical protein.

SQ SEQUENCE 422 AA; 45496 MW; 146BB1299BE985B0 CRC64;
 Query Match 67.3%; Score 33; DB 9; Length 422;
 Best Local Similarity 60.0%; Pred. No. 72;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSSQSI 10
 | |||||:
 Db 387 LTIYNSQNV 396

RESULT 10
 Q9YWL5 PRELIMINARY; PRT; 598 AA.
 AC Q9YWL5;
 DT 01-MAY-1999 (TREMBLrel..10, Created)
 DT 01-MAY-1999 (TREMBLrel..10, Last sequence update)
 DT 01-MAY-1999 (TREMBLrel..10, Last annotation update)
 DE ORF MSV077 HYPOTHETICAL PROTEIN.
 GN MSV077.
 OS Melanoplus sanguinipes entomopoxvirus.
 OC Viruses; dsDNA viruses, no RNA stage; Poxviridae; Entomopoxvirinae;
 CC Entomopoxvirus B.
 OX NCBI_TaxID=83191;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=TUCSON;
 RX MEDLINE=99102612; PubMed=9847359;
 RA Afonso C.L., Tulman E.R., Lu Z., Oma E., Kutish G.F., Rock D.L.;
 RT "The genome of Melanoplus sanguinipes entomopoxvirus.";
 RL J. Virol. 73:533-552(1999).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=TUCSON;
 RA Afonso C.L., Tulman E.R., Lu Z., Oma E., Kutish G.F., Rock D.L.;
 RL Submitted (MAY-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF063866; AAC97632.1; -;
 SQ SEQUENCE 598 AA; 70312 MW; A52B887D6A451FFF CRC64;

Query Match 67.3%; Score 33; DB 12; Length 598;
 Best Local Similarity 54.5%; Pred. No. 1e+02;
 Matches 6; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 LLIRYSSQSI 11
 | |||||:
 Db 563 ILVRYASQIFS 573

RESULT 11
 Q9SBC6 PRELIMINARY; PRT; 684 AA.
 AC Q9SBC6;
 DT 01-MAY-2000 (TREMBLrel..13, Created)
 DT 01-MAY-2000 (TREMBLrel..13, Last sequence update)
 DT 01-JUN-2000 (TREMBLrel..14, Last annotation update)
 DE RECEPTOR-LIKE PROTEIN KINASE.
 GN RKCI.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 CC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Ohtake Y., Takahashi T., Komeda Y.;
 RT "Expression analysis of Arabidopsis thaliana genes encoding receptor-
 RT like protein kinases.";
 RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF084037; AAC95354.1; -;
 DR INTERPRO; IPR000719; -;

DR INTERPRO: IPR001245; -
DR INTERPRO: IPR002290; -
DR INTERPRO: IPR002902; -
DR PFAM: PF00069; pkinase; 1.
DR PFAM: PF01657; DUF26; 1.
DR PRINTS: PR00109; TYRKINASE.
DR PROSITE: PS00107; PROTEIN_KINASE_ATP; 1.
DR PROSITE: PS00108; PROTEIN_KINASE_ST; 1.
DR PROSITE: PS00011; PROTEIN_KINASE_DOM; 1.
KW Receptor; Kinase.
SQ SEQUENCE 684 AA; 76080 MW; 1AD4A6025FC8756D CRC64;

Query Match 67.3%; Score 33; DB 10; Length 684;
Best Local Similarity 60.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSSQSSIS 11
I:||||:|
DB 123 LVRYSNKSF 132

RESULT 12

Q9SVG2 PRELIMINARY; PRT; 998 AA.
AC Q9SVG2;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE PROTEIN KINASE-LIKE PROTEIN.
GN F21P8.140 OR AT4G23250.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RA Bevan M., Massenet O., Clabault G., Quigley F., Mache R., Bancroft I.,
RA Mewes H.W., Mayer K.F.X., Lemcke K., Schueller C.;
RL Submitted (APR-1998) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RA EU Arabidopsis sequencing project;
RL Submitted (JUN-1999) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RA Massenet O., Clabault G., Quigley F., Mache R., Mewes H.W., Lemcke K.,
RA Mayer K.F.X.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE FROM N.A.
RA EU Arabidopsis sequencing project;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AL022347; CAB18472.1; -
DR EMBL: AL161559; CAB79280.1; -
DR HSSP: P00523; 2PTK
DR INTERPRO: IPR000719; -
DR INTERPRO: IPR002290; -
DR INTERPRO: IPR002902; -
DR PFAM: PF00069; pkinase; 1.
DR PFAM: PF01657; DUF26; 2.
DR PROSITE: PS00107; PROTEIN_KINASE_ATP; 1.
DR PROSITE: PS00108; PROTEIN_KINASE_ST; 1.
DR PROSITE: PS00011; PROTEIN_KINASE_DOM; 1.
KW Kinase.
SQ SEQUENCE 998 AA; 111644 MW; 7F6BBFD7A572B924 CRC64;

Query Match 67.3%; Score 33; DB 10; Length 998;
Best Local Similarity 60.0%; Pred. No. 1.7e+02;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSSQSSIS 11
I:||||:|
DB 123 LVRYSNKSF 132

RESULT 13

Q84925 PRELIMINARY; PRT; 3140 AA.
AC Q84925;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE COAT PROTEIN (FRAGMENT).
OS Plum pox potyvirus (strain SK 68) (PPV).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
OC Potyvirus.
OX NCBI_TaxID=103927;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-DERIVED FROM SOUR CHERRY MAINTAINED ON NICOTIANA CLEVELANDII;
RA Maiss E., Deborre G., Jelkmann W., Casper R.;
RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
DR EMBL: X81083; CAA56974.1; -
DR INTERPRO: IPR001254; -
DR INTERPRO: IPR001410; -
DR INTERPRO: IPR001730; -
DR PRINTS: PR00966; NIAPOTYPTASE.
KW Coat protein.
FT CHAIN 1 >308 P1.
FT NON_CONS 308 309 HCPRQ.
FT CHAIN 309 >766
FT NON_CONS 766 767
FT CHAIN 767 >1116 P3.
FT NON_CONS 1116 1117
FT CHAIN 1117 >1168 6K1.
FT NON_CONS 1168 1169
FT CHAIN 1169 >1803 CI.
FT NON_CONS 1803 1804
FT CHAIN 1804 >1856 6K2.
FT NON_CONS 1856 1857
FT CHAIN 1857 >2049 VPG.
FT CHAIN 1857 >2292 NIA.
FT NON_CONS 2292 2293
FT CHAIN 2293 >2810 NIB.
FT NON_CONS 2810 2811
FT CHAIN 2811 >3140 COAT PROTEIN.
FT NON_TER 3140 3140
SQ SEQUENCE 3140 AA; 355547 MW; F18674C2EFBB8598 CRC64;

Query Match 67.3%; Score 33; DB 12; Length 3140;
Best Local Similarity 60.0%; Pred. No. 5.5e+02;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSSQSSIS 11
I:||||:|
DB 1504 LVRYTKKSI 1513

RESULT 14

Q9PYF0 PRELIMINARY; PRT; 3140 AA.
AC Q9PYF0;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE POLYPROTEIN.
OS Plum pox virus.
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potyviridae;
OC Potyvirus.
OX NCBI_TaxID=12211;
RN [1]
RP SEQUENCE FROM N.A.

RC STRAIN=M;
 RA Saenz P., Cervera M., Dallot S., Quiot L., Quiot J.B., Riechmann J.,
 RA Garcia J.,
 RT Identification of a plum pox potyvirus pathogenicity determinant in
 RT the sequence encoding the carboxyl terminal region of protein P3.;
 RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AJ243957; CAB51641.1;
 DR INTERPRO: IPR001205;
 DR INTERPRO: IPR001254;
 DR INTERPRO: IPR001410;
 DR INTERPRO: IPR001456;
 DR INTERPRO: IPR001592;
 DR INTERPRO: IPR001730;
 DR INTERPRO: IPR002540;
 DR PFAM; PF00680; RNA_dep_RNA_pol; 1.
 DR PFAM; PF00767; Poty_coat; 1.
 DR PFAM; PF00851; Peptidase_C6; 1.
 DR PFAM; PF00863; Peptidase_C4; 1.
 DR PFAM; PF01577; Poty_P1; 1.
 DR PRINTS; PR00966; NIAPOTYPTASE.
 KW Polyprotein.
 FT CHAIN 1 308 P1 PROTEIN.
 FT CHAIN 309 766 HC PROTEIN.
 FT CHAIN 767 1116 P3 PROTEIN.
 FT CHAIN 1117 1168 6K1 PROTEIN.
 FT CHAIN 1169 1803 CI PROTEIN.
 FT CHAIN 1804 1856 6K2 PROTEIN.
 FT CHAIN 1857 2292 N1A PROTEIN.
 FT CHAIN 2293 2810 N1B PROTEIN.
 FT CHAIN 2811 3140 COAT PROTEIN.
 SQ SEQUENCE 3140 AA; 355670 MW; 25AB3502E7DBC6C6 CRC64;

Query Match 67.3%; Score 33; DB 12; Length 3140;
 Best Local Similarity 60.0%; Pred. No. 5.5e+02;
 Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 LIRYSOSIS 11

DB 1504 LVRTRKSIS 1513

RESULT 15
 013291
 ID 013291 PRELIMINARY; PRT; 163 AA.
 AC 013291;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE CHITIN SYNTHASE 1.
 OS Arthroderma persicolor.
 OC Eukaryota; Fungi; Ascomycota; Onygenales; Arthrodermataceae;
 OC Arthroderma.
 OX NCBI_TaxID=65487;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-VUT-77160;
 RA Kano R., Nakamura Y., Watari T., Watanabe S., Takahashi H.,
 RA Tsujimoto H., Hasegawa A.,
 RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB006983; BAA22260.1;
 DR INTERPRO: IPR002923;
 DR PFAM; PF01644; Chitin_synth; 1.
 DR PRODOM; PD002998; -; 1.
 SQ SEQUENCE 163 AA; 18124 MW; A9ADD249AFBBB46 CRC64;

Query Match 65.3%; Score 32; DB 3; Length 163;
 Best Local Similarity 77.8%; Pred. No. 45;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 IRYSSOSIS 11

1111111

DB 108 IRYSSFSVS 116

Search completed: March 28, 2001, 07:53:18
 Job time: 511 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:50 ; Search time 154.19 Seconds
(without alignments)
2.439 Million cell updates/sec

Title: US-09-016-061-84
Perfect score: 49
Sequence: 1 LLIRYSSQSSIS 11

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_36.*
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	49	100.0	11	W76032	LM609 grafted anti
2	44	89.8	11	W76012	LM609 grafted anti
3	43	87.8	88	Y56553	Partial peptide fr
4	43	87.8	105	W87456	Jk gene product.
5	43	87.8	105	W87458	Humanised anti-alp
6	43	87.8	105	R41234	Monoclonal antibod
7	43	87.8	107	R25729	Humanised VL regio
8	43	87.8	107	R38601	HYH light chain.
9	43	87.8	107	W58482	Murine HYH antibod
10	43	87.8	107	W84098	Humanised anti-alp
11	43	87.8	108	W04333	Light chain of mon
12	43	87.8	108	W84094	Murine vitronectin

13	43	87.8	109	15	R52033	Light chain variab
14	43	87.8	109	20	Y06380	Murine monoclonal
15	43	87.8	112	20	W84100	Vitronectin alpha
16	43	87.8	127	15	R54093	Sequence of mouse
17	43	87.8	128	21	Y56718	Amino acid sequenc
18	41	83.7	107	19	W76002	Vitaxin antibody 1
19	41	83.7	107	19	W76004	LM609 antibody lig
20	40	81.6	104	19	W26795	Anti-gp54 MAb 48-l
21	40	81.6	106	19	W71241	Light chain variab
22	40	81.6	107	14	R32129	Anti-IL2R beta ant
23	40	81.6	107	14	R37612	HL2R Ab L chain v
24	40	81.6	107	14	R37610	B-B10 MAb L chain
25	40	81.6	107	15	R50190	Light chain variab
26	40	81.6	107	18	W08948	Kappa light chain
27	40	81.6	107	20	Y26979	Light chain variab
28	40	81.6	107	21	Y70604	EGF receptor chime
29	40	81.6	108	17	W00241	Vkappa region of h
30	40	81.6	127	15	R50187	Light chain variab
31	40	81.6	127	15	R50191	Light chain variab
32	40	81.6	127	15	R50192	Light chain variab
33	40	81.6	127	18	W08945	Kappa light chain
34	40	81.6	127	18	W08946	Kappa light chain
35	40	81.6	127	18	W08941	Kappa light chain
36	40	81.6	127	18	W08943	Kappa light chain
37	40	81.6	127	20	Y26980	Light chain variab
38	40	81.6	127	20	Y26981	Light chain variab
39	40	81.6	127	20	Y26982	Light chain variab
40	40	81.6	239	14	R34511	Fv(TU25). Homo sa
41	40	81.6	240	17	W05133	Single chain antib
42	40	81.6	240	19	W71243	scfv comprising he
43	40	81.6	240	19	W26799	Anti-gp54 MAb 48-l
44	40	81.6	245	21	Y70605	scfv fragment of h
45	40	81.6	651	17	W05135	scfv(225)-ETA fusi

ALIGNMENTS

RESULT 1

W76032
ID W76032 standard; Protein; 11 AA.
XX
AC W76032;
XX
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-L region CDR2 protein fragment #2.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-L region; CDR;
KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49869.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 11 AA;

Query Match 100.0%; Score 49; DB 19; Length 11;
 Best Local Similarity 100.0%; Pred. No. 0.00029;
 Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 LLIRYSQSIS 11
 |||||
 Db 1 llirysqsis 11

RESULT 2

W76012 ID W76012 standard; Protein; 11 AA.

XX AC W76012;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-L region CDR2 protein fragment #1.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.

OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX XX WPI; 1998-437472/37.

DR N-PSDB; V49849.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

XX PS Disclosure; Page 40; 129pp; English.

XX XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 11 AA;

Query Match 89.8%; Score 44; DB 19; Length 11;
 Best Local Similarity 90.9%; Pred. No. 0.0032;
 Matches 10; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 LLIRYSQSIS 11
 |||||
 Db 1 llirysqsis 11

RESULT 3

Y56653 ID Y56653 standard; protein; 88 AA.

XX AC Y56653;

XX DT 15-FEB-2000 (first entry)

XX DE Partial peptide fragment of chimpanzee V kappa cDNA clone 46-4.

XX KW Complementarity determining region; antibody; primate; immunogenicity;
 KW Old World ape; Old World monkey; antigen-binding affinity.

OS Pan troglodytes.

XX PN WO9955369-A1.

XX PD 04-NOV-1999.

XX PF 28-APR-1999; 99WO-US09131.

XX PR 28-APR-1998; 98US-0083367.

XX PA (SMIK) SMITHKLINE BEECHAM CORP.

XX PI Taylor AH;

XX DR WPI; 2000-023265/02.

XX DR N-PSDB; Z39321.

XX PT Antibodies containing donor complementarity determining regions and
 PT non-human primate acceptor frameworks, having reduced immunogenicity in
 PT humans -

XX PS Claim 22; Page 70; 123pp; English.

XX CC The invention provides an antibody (Ab) comprising donor CDRs
 CC (complementarity determining regions) derived from a non-human antigen-
 CC specific donor antibody, and an acceptor framework from a non-human
 CC primate. The Abs are prepared by grafting CDRs from a non-human antigen-
 CC specific donor antibody onto homologous Old World ape or monkey acceptor
 CC frameworks. The Abs have reduced immunogenicity and are better tolerated
 CC in humans (because of the close similarity between the human and primate
 CC proteins), but retain the full antigen-binding affinity of the donor
 CC antibody.

XX XX Sequence 88 AA;

Query Match 87.8%; Score 43; DB 21; Length 88;
 Best Local Similarity 81.8%; Pred. No. 0.062; 0; Indels 0; Gaps 0;
 Matches 9; Conservative 2; Mismatches 0;

Qy 1 LLIRYSSQSSIS 11
 |||:|:||||
 Db 46 llikyasqsis 56

RESULT 4

W87456 ID W87456 standard; Protein; 105 AA.
 XX AC W87456;
 XX DT 15-MAR-1999 (first entry)
 XX DE Jk gene product.
 XX OS
 XX PN W09840488-A1.
 XX PD 17-SEP-1998.
 XX PF 12-MAR-1998; 98WO-US04987.
 XX PR 12-MAR-1997; 97US-0039609.
 XX PA (SMIK) SMITHKLINE BEECHAM CORP.
 XX PI Johanson KO, Jonak ZL, Taylor AH;
 XX DR WPI; 1999-034590/03.
 XX DR N-PSDB; V71803.
 XX CC New anti alpha_v beta_3 vitronectin receptor antibodies - used for
 PT immunotherapeutic treatment of e.g. diabetic retinopathy,
 PT inflammatory disorders, atherosclerosis, restenosis, cancers or
 PT osteoporosis
 XX PS Example 14; Page 66; 97pp; English.
 XX CC This polypeptide is encoded by a Jk synthetic gene segment (see
 CC W71803). It was utilising in novel D12H2LCREI humanised light chain
 CC variable region (see W87458), which comprises a human REI framework
 CC and complementarity determining regions from the anti-human alpha-v
 CC beta-3 vitronectin receptor monoclonal antibody D12. Humanised D12
 CC antibodies can be used for passive immunotherapy of disorders
 CC mediated by the 'alpha-v beta-3 vitronectin receptor, e.g. restenosis
 CC and angiogenic associated diseases.
 XX CC

Sequence 105 AA;

Query Match 87.8%; Score 43; DB 20; Length 105;
 Best Local Similarity 81.8%; Pred. No. 0.076; 0; Indels 0; Gaps 0;
 Matches 9; Conservative 2; Mismatches 0;

Qy 1 LLIRYSSQSSIS 11
 |||:|:||||
 Db 46 llikyasqsis 56

RESULT 5

W87458

ID W87458 standard; Protein; 105 AA.
 XX AC W87458;
 XX DT 15-MAR-1999 (first entry)
 XX DE Humanised anti-alpha-v beta-3 MAB D12H2LCREI VL.
 XX OS
 XX PN W09840488-A1.
 XX PD 17-SEP-1998.
 XX PF 12-MAR-1998; 98WO-US04987.
 XX PR 12-MAR-1997; 97US-0039609.
 XX PA (SMIK) SMITHKLINE BEECHAM CORP.
 XX PI Johanson KO, Jonak ZL, Taylor AH;
 XX DR WPI; 1999-034590/03.
 XX DR N-PSDB; V71805.
 XX CC New anti alpha_v beta_3 vitronectin receptor antibodies - used for
 PT immunotherapeutic treatment of e.g. diabetic retinopathy,
 PT inflammatory disorders, atherosclerosis, restenosis, cancers or
 PT osteoporosis
 XX PS Example 14; Page 68-69; 97pp; English.
 XX CC This is the amino acid sequence of the light chain variable region
 CC (VL) of humanised anti-alpha-v beta-3 vitronectin receptor
 CC monoclonal antibody D12H2LCREI. It is based on a synthetic
 CC humanised kappa chain based on a modified human REI kappa
 CC framework and complementarity determining regions from the murine
 CC anti-human alpha-v beta-3 vitronectin receptor monoclonal antibody
 CC D12 (see W84094). Humanised antibodies of the invention can be used
 CC for passive immunotherapy of a disorder mediated by the alpha-v
 CC beta-3 receptor, e.g. cardiovascular disorders or angiogenic-
 CC related disorders, such as angiogenesis associated with diabetic
 CC retinopathy, atherosclerosis and restenosis, chronic inflammatory
 CC disorders, macular degeneration, rheumatoid arthritis and cancer,
 CC e.g. solid tumour metastasis, and diseases where bone resorption is
 CC associated with pathology such as osteoporosis, hyperparathyroidism,
 CC Paget's disease, hypercalcaemia of malignancy, osteolytic lesions
 CC produced by bone metastasis, bone loss due to immobilisation or sex
 CC hormone deficiency. They can also be used for targeted drug
 CC therapy, and for detection and diagnosis.
 XX CC

Sequence 105 AA;

Query Match 87.8%; Score 43; DB 20; Length 105;
 Best Local Similarity 81.8%; Pred. No. 0.076;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 LLIRYSSQSSIS 11
 |||:|:||||
 Db 46 llikyasqsis 56

RESULT 6
 ID R41234 standard; Protein; 106 AA.
 XX
 AC R41234;
 XX
 DT 18-MAR-1994 (first entry)
 XX
 DE Monoclonal antibody BW2121 V-gene light chain coding region.
 DE
 KW Monoclonal antibody; tumour; melanoma; ss.
 XX
 OS Mus musculus.
 XX
 PN EP561183-A.
 XX
 PD 22-SEP-1993.
 XX
 PF 25-FEB-1993; 93EP-0102895.
 XX
 PR 19-MAR-1992; 92DE-4208795.
 XX
 PA (BEHW) BEHRINGWERKE AG.
 XX
 PI Bosslet K, Dippold W, Seemann G;
 XX
 DR WPI: 1993-296513/38.
 DR N-PSDB; Q48766.
 XX
 PT Hybridoma 2121 (dsm acc 2036) and monoclonal antibody BW 2121 -
 PT specifically bind to gangliosides GD3 and GQ1B, useful for prodn.
 PT and diagnosis of melanoma or tumours expressing GD3 and GQ1B
 XX
 PS Claim 2; Page 6; 9pp; German.
 XX
 CC The monoclonal antibody BW2121 can be used for the detection of
 CC melanomas and other tumours expressing GD3 and GQ1b. The monoclonal
 CC antibody may also be used as part of a pharmaceutical composition or
 CC diagnostic kit.
 XX
 SQ Sequence 106 AA;

Query Match 87.8%; Score 43; DB 14; Length 106;
 Best Local Similarity 81.8%; Pred. No. 0.077; 0; Indels 0; Gaps 0;
 Matches 9; Conservative 2; Mismatches 0;

QY 1 LLIRYSSQSIS 11
 |||:|||||
 Db 46 llikysqsis 56

RESULT 7
 ID R25729 standard; Protein; 107 AA.
 XX
 AC R25729;
 XX
 DT 13-JAN-1993 (first entry)
 XX
 DE Humanised VL region of the mouse CMV5 antibody.
 XX
 KW Murine; immunoglobulin; CDR; non immunogenic; cytomegalovirus;
 KW 9H; light chain; variable region; framework; human; Wol.
 XX
 OS Mus musculus.
 XX
 FH Key Location/Qualifiers
 FT Region 24..34
 FT /note= "CDR"
 FT Region 50..56
 FT /note= "CDR"
 FT Region 89...97

FT Misc-difference 49 /note= "CDR"
 FT /note= "mutated residue"
 XX
 PN WO9211018-A.
 XX
 PD 09-JUL-1992.
 XX
 PF 19-DEC-1991; 91WO-US09711.
 XX
 PR 19-DEC-1990; 90US-0634278.
 XX
 PA (PROT-) PROTEIN DESIGN LABS INC.
 XX
 PI Co MS, Coellingh KL, Landolfi NF, Queen CL, Schneider WP;
 XX
 DR WPI: 1992-249842/30.
 XX
 PT New immunoglobulin(s) having murine CDRs in human framework
 PT regions - have lower antigenicity; useful for treating e.g. HSV,
 PT CMV, T-cell disorders, myeloid disorders and auto-immune
 PT conditions
 XX
 PS Claim 40; Fig 27A; 141pp; English.
 XX
 CC The sequence shows the humanised mature light chain variable
 CC region of the mouse CMV5 antibody. Murine CDRs were used
 CC in a human Wol framework to produce a pure humanised immunoglobulin
 CC (Ig) which is capable of binding to the gH glycoprotein of
 CC cytomegalovirus. The Ig is non immunogenic, due to the human
 CC framework, and has a strong affinity for its predetermined
 CC antigen. They can be produced in large quantities via recombinant
 CC DNA and monoclonal antibody technology. The humanised Igs may be
 CC used alone or in combination with chemotherapeutic agents such as
 CC non-steroidal anti-inflammatory drugs or immunosuppressants.
 CC See also R25721-32.
 XX
 SQ Sequence 107 AA;

Query Match 87.8%; Score 43; DB 13; Length 107;
 Best Local Similarity 81.8%; Pred. No. 0.078;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
 |||:|||||
 Db 46 llikysqsis 56

RESULT 8
 ID R38601 standard; peptide; 107 AA.
 XX
 AC R38601;
 XX
 DT 28-OCT-1993 (first entry)
 XX
 DE HYH light chain.
 XX
 KW Antibody; variable domain; light; L; heavy; H; consensus;
 KW affinity; antigen; immunogenicity; humanisation; framework.
 XX
 OS Homo sapiens.
 XX
 PN WO9311794-A.
 XX
 PD 24-JUN-1993.
 XX
 PF 14-DEC-1992; 92WO-US10906.
 XX
 PR 13-DEC-1991; 91US-0808464.
 XX
 PA (XOMA) XOMA CORP.

XX Fishwild DM, Kohn FR, Little RG, Studnicka GM;
XX WPI: 1993-213827/26.
XX Antibodies prepn. used for treatment of auto-immune diseases - by
XX replacement of critical residues to reduce immunogenicity but
XX retain binding affinity, etc.
XX Disclosure: Page 84; 160pp; English.
XX The amino acid sequences of the light and heavy chains of the
XX variable domains from antibodies HYH [HYHEI-10 Fab-lysozyme complex]
XX (R38601 and R38608, respectively), MCPC [IgA Fab MCP603-phosphocholine
XX complex] (R38602-03 and R38609-10, respectively), NEWN [Ig Fab' NEWN]
XX (R38604-05 and R38611, respectively) and KOL [IgG1 KOL] (R38606-07 and
XX R38612, respectively) may be used to determine an alignment from which
XX appropriate changes may be made.
XX Unlike other methods of humanisation, which advocate the
XX replacement of entire antibody framework regions with those of human
XX antibodies, this method involves only the introduction of human
XX residues into those positions not critical for antigen binding.
XX This ensures that the binding properties of the modified antibody
XX are not diminished.
XX Sequence 107 AA;

Query Match 87.8%; Score 43; DB 14; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.078; Indels 0; Gaps 0;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSSIS 11
Db 46 llikyasqsis 56
|||:|||||

RESULT 9
W58482
ID W58482 standard; protein; 107 AA.
AC W58482;
XX 18-AUG-1998 (first entry)
XX Murine HVH antibody light chain variable domain.
XX Humanised; human; mouse; CD5; anti-CD5 antibody; immunoglobulin;
KW depletion; cytotoxic; immunoconjugate; fusion protein; psoriasis;
KW autoimmune disease; rheumatoid arthritis; type I diabetes.
XX Mus sp.
OS US5770196-A.
PN 23-JUN-1998.
XX 07-JUN-1995; 95US-0472788.
XX 23-JUN-1993; 93US-0082842.
PR 13-DEC-1991; 91US-0808464.
PR 14-DEC-1992; 92WO-US10906.
PR 07-JUN-1995; 95US-0472788.
XX (XOMA) XOMA CORP.
PA Studnicka GM;
XX WPI: 1998-376744/32.
XX Depletion of CD5-positive cells in vivo - using anti-CD5 antibodies
XX with humanised variable regions

PS Disclosure: Column 43-44; 77pp; English.
XX A method has been developed of depleting CD5+ cells in an animal. The
XX method comprises administering a cytotoxic protein containing a modified
XX immunoglobulin (Ig) variable domain, where the protein is an anti-CD5 Ig
XX molecule or an immunoconjugate or fusion protein containing an anti-CD5
XX Ig molecule, and where the modified Ig variable domain comprises at
XX least one of (a) a modified light chain variable region (see W58478 or
XX W58480), and (b) a modified heavy chain variable region (see W58478 or
XX W58481), where W58478 and W58479 are humanised forms of the H65 light
XX and heavy chain variable domains with low risk amino acid substitutions
XX [i.e. low risk of reducing antigen-binding specificity.] and W58480 and
XX W58481 are humanised forms of the H65 light and heavy chain variable
XX domains with moderate risk amino acid substitutions and are present in
XX humanised H65 antibody he3 (ATCC HB 11206). The method is useful for
XX treating autoimmune diseases, especially systemic lupus erythematosus,
XX rheumatoid arthritis, psoriasis or type I diabetes. The present sequence
XX represents the murine HVH antibody light chain variable domain.
XX Sequence 107 AA;

Query Match 87.8%; Score 43; DB 19; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.078; Indels 0; Gaps 0;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSSIS 11
Db 46 llikyasqsis 56
|||:|||||

RESULT 10
W84098
ID W84098 standard; protein; 107 AA.
XX W84098;
XX 15-MAR-1999 (first entry)
XX Humanised anti-alpha-v beta-3 MAB D12HZHC 1-0 VL.
XX Humanised antibody; monoclonal antibody; MAB; antibody engineering;
KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
KW angiogenesis; diabetic retinopathy; inflammation;
KW macular degeneration; osteoporosis; Paget's disease;
KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy;
KW D12HZHC-10.
XX Homo sapiens.
OS Synthetic.
XX Key Location/Qualifiers
FT Region 24..34
FT /label= CDR1
FT Region 50..56
FT /label= CDR2
FT Region 89..97
FT /label= CDR3
XX WO9840488-A1.
PN 17-SEP-1998.
XX 12-MAR-1998; 98WO-US04987.
XX 12-MAR-1997; 97US-0039609.
XX (SMIK) SMITHKLINE BEECHAM CORP.
XX Johanson KO, Jonak ZL, Taylor AH;
XX WPI: 1999-034590/03.

DR N-PSDB; V71800.
 XX New anti alpha.v beta.3 vitronectin receptor antibodies - used for
 PT immunotherapeutic treatment of e.g. diabetic retinopathy,
 PT inflammatory disorders, atherosclerosis, restenosis, cancers or
 PT osteoporosis
 XX
 PS Claim 2; Page 61-62; 97pp; English.
 XX
 CC This is the amino acid sequence of the light chain variable region
 CC (VL) of humanised anti-alpha.v beta-3 vitronectin receptor
 CC monoclonal antibody D12H2HC 1-0. It is based on the VL sequence
 CC (see W84096) of human Kabat subgroup III kappa chain, with
 CC complementarity determining regions (CDRs) from the murine
 CC anti-human alpha-v beta-3 vitronectin receptor monoclonal antibody
 CC D12 (see W84095). 3 Murine framework residues (1, 49 and 60)
 CC are retained. The humanised light chain can be expressed in host
 CC cells using nucleic acid molecules (see W71800) of the invention.
 CC Humanised D12 VH is also provided (see W84097). The humanised
 CC antibodies can be used for passive immunotherapy of disorders
 CC mediated by the alpha.v beta-3 receptor, e.g. cardiovascular or
 CC angiogenic-related disorders, such as angiogenesis associated
 CC with diabetic retinopathy, atherosclerosis and restenosis, chronic
 CC inflammatory disorders, macular degeneration, rheumatoid arthritis
 CC and cancer, e.g. solid tumour metastasis, and diseases where bone
 CC resorption is associated with pathology such as osteoporosis,
 CC hyperparathyroidism, Paget's disease, hypercalcaemia of malignancy,
 CC osteolytic lesions produced by bone metastasis, bone loss due to
 CC immobilisation or sex hormone deficiency. They can also be used for
 CC targeted drug therapy, and for detection and diagnosis.
 XX
 SQ Sequence 107 AA;

Query Match 87.8%; Score 43; DB 20; Length 107;
 Best Local Similarity 81.8%; Pred. No. 0.078;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
 |||:|:||||
 Db 46 llikyasqsis 56

RESULT 11
 W04333
 ID W04333 standard; peptide; 108 AA.
 XX
 AC W04333;
 XX
 DT 23-JUN-1997 (first entry)
 XX
 DE Light chain of monoclonal antibody 4B4-1-1.
 XX
 KW Antibody; human; heavy chain; variable region; light chain; MAb; 4-1BB;
 KW tumour necrosis factor receptor; membrane protein; accessory molecule;
 KW T-cell; antigen-presenting cell; immune response; rheumatoid arthritis;
 KW immunosuppressive agent; autoimmune disease; rejection response; therapy;
 KW organ transplantation.
 XX
 OS Synthetic.
 XX

Key Location/Qualifiers
 FH Region 24..34
 FT /note= "complementarity determining region 1"
 FT Region 50..56
 FT /note= "complementarity determining region 2"
 FT Region 89..97
 FT /note= "complementarity determining region 3"
 XX
 XX W09632495-A1.
 PN 17-OCT-1996.
 PD
 XX

PF 06-APR-1996; 96WO-KR00045.
 XX
 PR 08-APR-1995; 95KR-0008176.
 XX
 PA (GLDS) LG CHEM LTD.
 XX
 PI Kang CY, Kim JG;
 XX
 DR WPI; 1996-477145/47.
 DR N-PSDB; T38510.
 XX
 CC W04332 and W04333 represent fragments of the variable regions of the
 CC heavy and light chains of the antibody of the invention. This sequence is
 CC encoded by nucleotides 1 to 324 of the coding sequence shown in T38510.
 CC The antibody of the invention (designated 4B4-1-1) is a monoclonal
 CC antibody (MAb) specific for human 4-1BB. 4-1BB encodes a member of the
 CC tumour necrosis factor receptor family of integral membrane proteins.
 CC 4-1BB is an accessory molecule expressed on the surface of T-cells in the
 CC initial stage of activation. The accessory molecules on the T-cell bind
 CC to the corresponding ligand on the antigen-presenting cell and this
 CC accelerates the activation of the T- and antigen-presenting cells,
 CC thereby promoting various immune responses. The MAb is specific for human
 CC 4-1BB, which is selectively expressed on activated T-cells. The MAb is
 CC useful as an immunosuppressive agent. It can be used for the treatment of
 CC autoimmune diseases, such as rheumatoid arthritis, and for preventing
 CC rejection response after organ transplantation.
 XX
 SQ Sequence 108 AA;

Query Match 87.8%; Score 43; DB 17; Length 108;
 Best Local Similarity 81.8%; Pred. No. 0.079;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
 |||:|:||||
 Db 46 llikyasqsis 56

RESULT 12
 W84094
 ID W84094 standard; Protein; 108 AA.
 XX
 AC W84094;
 XX
 DT 15-MAR-1999 (first entry)
 XX
 DE Murine vitronectin alpha.v beta-3 receptor MAB VL region.
 XX
 KW Humanised antibody; monoclonal antibody; MAb; antibody engineering;
 KW mouse; human; vitronectin; alpha.v beta-3; receptor; restenosis;
 KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
 KW angiogenesis; diabetic retinopathy; inflammation;
 KW macular degeneration; osteoporosis; Paget's disease;
 KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy.
 XX
 OS Mus sp.
 XX

Key Location/Qualifiers
 FH Region 24..34
 FT /label= CDR1
 FT Region 50..56
 FT /label= CDR2
 FT Region 89..97
 FT /label= CDR3
 XX
 XX W09840488-A1.

XX 17-SEP-1998.
 PD 12-MAR-1998; 98WO-US04997.
 XX 12-MAR-1997; 97US-0039609.
 XX (SMIK) SMITHKLINE BEECHAM CORP.
 PA Johanson KO, Jonak ZL, Taylor AH;
 PI WPI; 1999-034590/03.
 XX N-PSDB; V71798.
 DR New anti alpha_v beta_3 vitronectin receptor antibodies - used for
 PT immunotherapeutic treatment of e.g. diabetic retinopathy,
 PT inflammatory disorders, atherosclerosis, restenosis, cancers or
 PT osteoporosis
 XX Example 13; Page 59-60; 97pp; English.
 PS This is the amino acid sequence of the light chain variable region
 CC (VL) of the anti-human alpha-v beta-3 vitronectin receptor murine
 CC monoclonal antibody D12, as deduced from isolated cDNA (see
 CC W71798). D12 VH (see W84093) and VL show sequence similarity to
 CC Kabat VH subgroup I (see W84095) and Kabat VL subgroup III (see
 CC W84096), respectively. Humanised VH (see W84097) and VL (see
 CC W84098) were constructed by combining the framework regions of the
 CC human V region consensus sequences with complementarity determining
 CC regions of D12 (keeping some preferred murine framework residues).
 CC The humanised antibodies are specifically reactive with the human
 CC alpha-v beta-3 protein receptor and capable of neutralising the
 CC receptor. They can be used for passive immunotherapy of a disorder
 CC mediated by the alpha-v beta-3 receptor, e.g. cardiovascular
 CC disorders or angiogenic-related disorders, such as angiogenesis
 CC associated with diabetic retinopathy, atherosclerosis and
 CC restenosis, chronic inflammatory disorders, macular degeneration,
 CC rheumatoid arthritis and cancer, e.g. solid tumour metastasis, and
 CC diseases where bone resorption is associated with pathology such as
 CC osteoporosis, hyperparathyroidism, Paget's disease, hypercalcaemia
 CC of malignancy, osteolytic lesions produced by bone metastasis, bone
 CC loss due to immobilisation or sex hormone deficiency. They can also
 CC be used for targeted drug therapy, and for detection and diagnosis.
 XX Sequence 108 AA;

Query Match 87.8%; Score 43; DB 20; Length 108;
 Best Local Similarity 81.8%; Pred. No. 0.079;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
 Db 46 lllkyasqs 56

RESULT 13

R52033
 ID R52033 standard; Protein; 109 AA.

XX AC R52033;

XX 26-SEP-1996 (first entry)

XX Light chain variable region of murine antibody 3Hfm.

XX antibody; humanised; murine; human; heavy chain; light; variable;
 KW framework region; complementarity determining region; reshaping;
 KW modelling; surface residue; modify.

XX Mus sp.

XX Key Location/Qualifiers

ET Region 1..23
 FT /label= framework_region_1
 FT /note= "FR 1"
 FT 24..34
 FT /label= complementarity_determining_region_1
 FT /note= "CDR 1"
 FT 35..49
 FT /label= FR_2
 FT 50..56
 FT /label= CDR_2
 FT 57..88
 FT /label= FR_3
 FT 89..97
 FT /label= CDR_3
 FT 98..109
 FT /label= FR_4
 XX EP592106-A1.
 XX 13-APR-1994.
 XX 07-SEP-1993; 93EP-0307051.
 XX 09-SEP-1992; 92US-0942245.
 XX (PEDE/) PEDERSEN J T.
 XX (IMMU-) IMMUNOGEN INC.
 XX Guild BC, Pedersen JT, Rees AR, Roguska MA, Searle SMJ;
 XX WPI; 1994-120230/15.
 XX Method of resurfacing of rodent antibodies to produce humanised
 PT antibody forms - for producing non-human antibodies with improved
 PT therapeutic efficiency by presenting human surface on V-region
 XX Example 1; Fig 3A; 230pp; English.
 PS The present sequence is that of the light chain variable (LC VR) region
 CC of murine antibody 3Hfm. This sequence was aligned with 11 other known
 CC antibody LC VRs and a set of framework positions of surface exposed amino
 CC acid residues was determined. This information can be used in a method to
 CC determine how to modify a rodent antibody or fragment by resurfacing in
 CC order to produce a humanised rodent antibody. Residues (determined from
 CC alignment) at positions 1, 3, 5, 9, 15, 18, 46, 47, 51, 63, 66, 73, 86,
 CC 87, 111, 115, 116 and 117 are accessible residues. None of the entire
 CC combinations of surface residues in the murine sequences were found in
 CC the human sequences and vice versa. However the residues in individual
 CC positions appear to be conserved.
 XX Sequence 109 AA;

Query Match 87.8%; Score 43; DB 15; Length 109;
 Best Local Similarity 81.8%; Pred. No. 0.08;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
 Db 46 lllkyasqs 56

RESULT 14

Y06380
 ID Y06380 standard; Protein; 109 AA.

XX AC Y06380;

XX 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 V lambda.

XX Humanised antibody; antibody humanisation; antibody engineering;

KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis;
XX

OS Mus musculus.
XX
XX Key Location/Qualifiers
FH Peptide 1..2
FT Region /note= "vector-encoded residues"
FT Region 24..34 /note= "CDR1"
FT Region 50..56 /note= "CDR2"
FT Region 89..97 /note= "CDR3"
FT

XX WO9929888-A1.
PN 17-JUN-1999.
XX
XX 04-DEC-1998; 98WO-US25828.
PF
XX 05-DEC-1997; 97US-0986016.
PR
XX (SCRI) SCRIPPS RES INST.
PA
XX Barbas CF, Rader C;
PI
XX WPI; 1999-394979/33.
DR
XX Production of humanized mouse monoclonal antibodies
PT
XX Disclosure; Page 49-50; 55pp; English.
PS

XX This sequence represents the light chain V lambda region of
CC murine monoclonal antibody LM609. LM609 is directed to integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX

SQ Sequence 109 AA;

Query Match 87.8%; Score 43; DB 20; Length 109;
Best Local Similarity 81.8%; Pred. No. 0.08;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 1 LLIRYSQSIS 11
Db 46 llikyasqsis 56
|||:|||||

RESULT 15
W84100
ID W84100 standard; Protein; 112 AA.
XX
XX W84100;
XX
XX 15-MAR-1999 (first entry)
XX Vitronectin alpha-v beta-3 MAB VL.
DE
XX Humanised antibody; monoclonal antibody; MAB; antibody engineering;
KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;

KW angiogenesis; diabetic retinopathy; inflammation;
KW macular degeneration; osteoporosis; Paget's disease;
KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy.
XX
XX OS Mus sp.
XX
XX WO9840488-A1.
PN
XX
XX 17-SEP-1998.
PD
XX
XX 12-MAR-1998; 98WO-US04987.
PF
XX
XX 12-MAR-1997; 97US-0039609.
PR
XX (SMIK) SMITHKLINE BEECHAM CORP.
PA
XX
XX Johanson KO, Jonak ZL, Taylor AH;
PI
XX WPI; 1999-034590/03.
DR
XX N-PSDB; V71802.
DR
XX New anti alpha_v beta_3 vitronectin receptor antibodies - used for
PT immunotherapeutic treatment of e.g. diabetic retinopathy,
PT inflammatory disorders, atherosclerosis, restenosis, cancers or
PT osteoporosis
PT
XX Example 13; Page 64; 97pp; English.
XX

CC This is the amino acid sequence of the region of the murine
CC monoclonal antibody (MAB) D12 light chain variable region (VL)
CC that is altered in humanised D12 VL (see also W84098). A
CC synthetic gene (see V81902) encoding the protein was prepared
CC from synthetic oligonucleotides and used to prepare an expression
CC vector for humanised D12 VL. D12 is an anti-human alpha-v beta-3
CC vitronectin receptor MAB. Humanised D12 MABs can be used for
CC passive immunotherapy of disorders mediated by the alpha-v beta-3
CC vitronectin receptor, e.g. restenosis and angiogenic associated
CC diseases.
XX

SQ Sequence 112 AA;

Query Match 87.8%; Score 43; DB 20; Length 112;
Best Local Similarity 81.8%; Pred. No. 0.082;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 1 LLIRYSQSIS 11
Db 46 llikyasqsis 56
|||:|||||

Search completed: March 28, 2001, 06:59:52
Job time: 1388 sec

; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 83:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 127 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-477-728-83

Query Match 100.0%; Score 55; DB 1; Length 127;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QQNSNSWPHT 9
Db 109 QQNSNSWPHT 117

Search completed: March 28, 2001, 07:01:58
Job time: 1337 sec

APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/487,200
FILING DATE: 7-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002610
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-487-200-87

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QQSNSWPH 9
Db 89 QQSNSWPH 97

RESULT 14
US-07-634-278-83
Sequence 83, Application US/07634278
Patent No. 5530101
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:

ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/634,278
FILING DATE: 19-DEC-1990
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 83:
SEQUENCE CHARACTERISTICS:
LENGTH: 127 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-07-634-278-83

Query Match 100.0%; Score 55; DB 1; Length 127;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QQSNSWPH 9
Db 109 QQSNSWPH 117

RESULT 15
US-08-477-728-83
Sequence 83, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728

SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-474-040-62

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 9
US-08-474-040-63
; Sequence 63, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-63

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 10
US-08-474-040-87
; Sequence 87, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-87

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9

APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 63:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-63

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQNSWPHT 9
Db 89 QQNSWPHT 97

RESULT 7
US-08-477-728-87
Sequence 87, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:

NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-87

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQNSWPHT 9
Db 89 QQNSWPHT 97

RESULT 8
US-08-474-040-62
Sequence 62, Application US/08474040
Patent No. 5693761
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/474,040
FILING DATE: 07-JUN-1995
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:

NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-07-634-278-87

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
|||||
Db 89 QQSNSWPHT 97

RESULT 5
US-07-728-62
Sequence 62, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-62

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
|||||
Db 89 QQSNSWPHT 97

RESULT 6
US-08-477-728-63
Sequence 63, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:

```
QY 1 QOSNSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 2
US-07-634-278-62
; Sequence 62, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-62

Query Match 100.0%; Score 55; DB 1; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0064;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSNSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 4
US-07-634-278-87
; Sequence 87, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:58 ; Search time 113.49 Seconds
(without alignments)
1.424 Million cell updates/sec

Title: US-09-016-061-86
Perfect score: 55
Sequence: 1 QQSNWPHT 9

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgnl_7/ptodata/1/1aa/5A_COMB.pep:*
2: /cgnl_7/ptodata/1/1aa/5B_COMB.pep:*
3: /cgnl_7/ptodata/1/1aa/6_COMB.pep:*
4: /cgnl_7/ptodata/1/1aa/PCTUS_COMB.pep:*
5: /cgnl_7/ptodata/1/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query Match	Score	Length	ID	Description
1	55	100.0	100	1	US-08-436-463-19
2	55	100.0	107	1	US-07-634-278-62
3	55	100.0	107	1	US-07-634-278-63
4	55	100.0	107	1	US-07-634-278-87
5	55	100.0	107	1	US-08-477-728-62
6	55	100.0	107	1	US-08-477-728-63
7	55	100.0	107	1	US-08-477-728-87
8	55	100.0	107	1	US-08-474-040-62
9	55	100.0	107	1	US-08-474-040-63
10	55	100.0	107	1	US-08-474-040-87
11	55	100.0	107	1	US-08-487-200-62
12	55	100.0	107	1	US-08-487-200-63
13	55	100.0	107	1	US-08-487-200-87
14	55	100.0	127	1	US-07-634-278-83
15	55	100.0	127	1	US-08-477-728-83
16	55	100.0	127	1	US-08-474-040-83
17	55	100.0	127	1	US-08-487-200-83
18	55	100.0	127	1	US-08-436-463-4
19	49	89.1	107	1	US-08-436-463-20
20	49	89.1	107	1	US-08-107-669D-1
21	49	89.1	107	1	US-08-472-788A-1
22	49	89.1	107	2	US-08-477-531B-1
23	49	89.1	107	2	US-08-082-842A-1
24	49	89.1	109	1	US-07-942-245-4
25	49	89.1	143	2	US-08-653-402B-8
26	44	80.0	103	1	US-08-436-463-21
27	44	80.0	127	1	US-08-436-463-18
28	42	76.4	240	2	US-07-956-399-2

US-08-436-463-19
Sequence 19, Application US/08436463
Patent No. 5760185
GENERAL INFORMATION:
APPLICANT: KIMACHI, Kazuhiko
APPLICANT: MAEDA, Hiroaki
APPLICANT: NISHIYAMA, Kiyoto
APPLICANT: TOKIYOSHI, Sachio
TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
STREET: 419 Seventh Street, N.W., Suite 400
CITY: Washington
STATE: D.C.
COUNTRY: USA
ZIP: 20004
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/436,463
FILING DATE: 26-JUN-1995
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: JP 341255/1992
FILING DATE: 28-NOV-1992
ATTORNEY/AGENT INFORMATION:
NAME: YUN, Allen C.
REGISTRATION NUMBER: 37,971
REFERENCE/DOCKET NUMBER: KIMACHI-1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-628-5197
TELEFAX: 202-737-3528
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH: 100 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-436-463-19

ALIGNMENTS

RESULT 1
US-08-436-463-19
Sequence 19, Application US/08436463
Patent No. 5760185
GENERAL INFORMATION:
APPLICANT: KIMACHI, Kazuhiko
APPLICANT: MAEDA, Hiroaki
APPLICANT: NISHIYAMA, Kiyoto
APPLICANT: TOKIYOSHI, Sachio
TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
STREET: 419 Seventh Street, N.W., Suite 400
CITY: Washington
STATE: D.C.
COUNTRY: USA
ZIP: 20004
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/436,463
FILING DATE: 26-JUN-1995
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: JP 341255/1992
FILING DATE: 28-NOV-1992
ATTORNEY/AGENT INFORMATION:
NAME: YUN, Allen C.
REGISTRATION NUMBER: 37,971
REFERENCE/DOCKET NUMBER: KIMACHI-1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-628-5197
TELEFAX: 202-737-3528
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH: 100 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-436-463-19

Query Match 100.0%; Score 55; DB 1; Length 100;
Best Local Similarity 100.0%; Pred. No. 0.006;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

PT Depletion of CD5-positive cells in vivo - using anti-CD5 antibodies
 PT with humanised variable regions
 PS Disclosure; Column 43-44; 77pp; English.
 XX
 CC A method has been developed of depleting CD5+ cells in an animal. The
 CC method comprises administering a cytotoxic protein containing a modified
 CC immunoglobulin (Ig) variable domain, where the protein is an anti-CD5 Ig
 CC molecule or an immunoconjugate or fusion protein containing an anti-CD5
 CC Ig molecule, and where the modified Ig variable domain comprises at
 CC least one of (a) a modified light chain variable region (see W58478 or
 CC W58480), and (b) a modified heavy chain variable region (see W58479 or
 CC W58481), where W58478 and W58479 are humanised forms of the H65 light
 CC and heavy chain variable domains with low risk amino acid substitutions
 CC [i.e. low risk of reducing antigen-binding specificity.] and W58480 and
 CC W58481 are humanised forms of the H65 light and heavy chain variable
 CC domains with moderate risk amino acid substitutions and are present in
 CC humanised H65 antibody he3 (ATCC HB 11206). The method is useful for
 CC treating autoimmune diseases, especially systemic lupus erythematosus,
 CC rheumatoid arthritis, psoriasis or type I diabetes. The present sequence
 CC represents the murine HYH antibody light chain variable domain.
 XX
 SQ Sequence 107 AA;

Query Match 89.1%; Score 49; DB 19; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.082;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 Db 89 qgsnswpyt 97

RESULT 15
 ID R15438
 AC R15438 standard; Protein; 108 AA.
 AC R15438;
 DT 25-FEB-1992 (first entry)
 DE Light chain variable region of MAB 1A6.
 DE
 KW HRV; ICAM-1; antigen-binding fragment; inflammation;
 KW auto-immune disease.
 XX Homo sapiens.
 XX OS
 XX EP459577-A.
 XX 04-DEC-1991.
 XX 25-MAY-1991; 91EP-0201243.
 XX 01-JUN-1990; 90US-0532001.
 XX (MERI) MERCK & CO INC.
 XX Colonna RJ, Condra JH, Tomassini JE, Sardana VV;
 XX WPI; 1991-355850/49.
 XX Microbially expressed portions of monoclonal antibody - can block
 PT attachment of rhinovirus ligands to inter-cellular adhesion
 PT molecule (ICAM-1)
 PS
 XX Claim 1; Page 19; 28pp; English.

XX This is one of six antibody fragments from MAB's specific for domain
 CC 1 of ICAM-1. MAB 1A6 also specifically blocks the major group of
 CC human rhinovirus from binding to and infecting HeLa cells. The
 CC peptide fragments can be used to treat or prevent rhinovirus

CC Infection. See R15437-R15443.
 XX
 SQ Sequence 108 AA;

Query Match 89.1%; Score 49; DB 12; Length 108;
 Best Local Similarity 88.9%; Pred. No. 0.082;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 Db 89 qgsnswpyt 97

Search completed: March 28, 2001, 06:59:53
 Job time: 1389 sec

```

XX OS Mus sp.
XX PN WO9833919-A2.
XX XX
XX PD 06-AUG-1998.
XX PF 30-JAN-1998; 98WO-US01826.
XX PR 30-JAN-1997; 97US-0791391.
XX PA (IXSY-) IXSYS INC.
XX PI Glaser SM, Huse WD;
XX WPI; 1998-437472/37.
XX DR N-PSDB; V49821.
XX XX
XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX PT integrin - and related grafted antibodies based on murine monoclonal
XX PT LM609, also related nucleic acid, used to treat, prevent or diagnose
XX PT angiogenesis or restenosis
XX XX
XX PS Claim 1; Fig 1b; 129pp; English.
XX XX
XX CC This sequence represents the vitaxin antibody variable light chain
XX CC region. Vitaxin and the antibody LM609 bind selectively to integrin
XX CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a
XX CC ligand and thus block integrin-mediated signal transduction. This is
XX CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
XX CC disease, specifically angiogenesis and restenosis (but also e.g.
XX CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
XX CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
XX CC osteoporosis etc.). The antibodies contain non-murine framework regions
XX CC so are suitable for use in humans. Enhanced types of LM609 have affinity
XX CC more than 90 times greater than that of parent the parent antibody.
XX SQ Sequence 107 AA;

Query Match 89.1%; Score 49; DB 19; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.082;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db 89 qsgswpht 97

RESULT 13
W76004
ID W76004 standard; Protein; 107 AA.
XX AC W76004;
XX DT
XX DT 02-NOV-1998 (first entry)
XX DE LM609 antibody light chain variable region protein fragment.
XX XX
XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
XX KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
XX KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX KW macular degeneration; osteoporosis.
XX OS Mus sp.
XX PN WO9833919-A2.
XX XX
XX PD 06-AUG-1998.
XX PF 30-JAN-1998; 98WO-US01826.
XX XX

```

```

PR 30-JAN-1997; 97US-0791391.
XX (IXSY-) IXSYS INC.
XX PI Glaser SM, Huse WD;
XX WPI; 1998-437472/37.
XX DR N-PSDB; W76004.
XX XX
XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX PT integrin - and related grafted antibodies based on murine monoclonal
XX PT LM609, also related nucleic acid, used to treat, prevent or diagnose
XX PT angiogenesis or restenosis
XX XX
XX PS Claim 46; Fig 2b; 129pp; English.
XX XX
XX CC This sequence represents the LM609 antibody variable light chain region.
XX CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
XX CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
XX CC block integrin-mediated signal transduction. This is useful in the
XX CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
XX CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
XX CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
XX CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
XX CC etc.). The antibodies contain non-murine framework regions so are
XX CC suitable for use in humans. Enhanced types of LM609 have affinity more
XX CC than 90 times greater than that of parent the parent antibody.
XX SQ Sequence 107 AA;

Query Match 89.1%; Score 49; DB 19; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.082;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db 89 qsgswpht 97

RESULT 14
W58482
ID W58482 standard; protein; 107 AA.
XX AC W58482;
XX DT 18-AUG-1998 (first entry)
XX DE Murine HVH antibody light chain variable domain.
XX XX
XX KW Humanised; human; mouse; CD5; anti-CD5 antibody; immunoglobulin;
XX KW depletion; cytotoxic; immunoconjugate; fusion protein; psoriasis;
XX KW autoimmune disease; rheumatoid arthritis; type I diabetes.
XX OS Mus sp.
XX PN US5770196-A.
XX PD 23-JUN-1998.
XX PF 07-JUN-1995; 95US-0472788.
XX XX
XX PR 23-JUN-1993; 93US-0082842.
XX PR 13-DEC-1991; 91US-0808464.
XX PR 14-DEC-1992; 92WO-US10906.
XX PR 07-JUN-1995; 95US-0472788.
XX XX
XX PA (XOMA ) XOMA CORP.
XX PI Studnicka GM;
XX DR WPI; 1998-376744/32.
XX XX

```

RESULT 10
 R38601
 ID R38601 standard; peptide; 107 AA.
 XX
 AC R38601;
 AC
 XX
 DT 28-OCT-1993 (first entry)
 DE HTH light chain.
 XX
 KW Antibody; variable domain; light; L; heavy; H; consensus;
 KW affinity; antigen; immunogenicity; humanisation; framework.
 XX
 OS Homo sapiens.
 XX
 PN WO9311794-A.
 XX
 PD 24-JUN-1993.
 XX
 PF 14-DEC-1992; 92WO-US10906.
 XX
 PR 13-DEC-1991; 91US-0808464.
 XX
 PA (XOMA) XOMA CORP.
 XX
 PI Fishwild DM, Kohn FR, Little RG, Studnicka GM;
 XX
 DR WPI; 1993-213827/26.
 XX
 PT Antibodies prep. used for treatment of auto-immune diseases - by
 PT replacement of critical residues to reduce immunogenicity but
 PT retain binding affinity, etc.
 XX
 PS Disclosure; Page 84; 160pp; English.
 XX
 CC The amino acid sequences of the light and heavy chains of the
 CC variable domains from antibodies HYH [HYHEL-10 Fab-lysosyme complex]
 CC (R38601 and R38608, respectively), MCP [Iga Fab MCP603-phosphocholine
 CC complex] (R38602-03 and R38609-10, respectively), NEWM [Ig Fab' NEWM
 CC (R38604-05 and R38611, respectively) and KOL [IgG1 KOL] (R38606-07 and
 CC R38612, respectively) may be used to determine an alignment from which
 CC appropriate changes may be made.
 CC Unlike other methods of humanisation, which advocate the
 CC replacement of entire antibody framework regions with those of human
 CC antibodies, this method involves only the introduction of human
 CC residues into those positions not critical for antigen binding.
 CC This ensures that the binding properties of the modified antibody
 CC are not diminished.
 XX
 SQ Sequence 107 AA;
 Query Match 89.1%; Score 49; DB 14; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.082;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 QQNSNWPHT 9
 Db 89 qqnsnwpht 97
 RESULT 11
 W76006
 ID W76006 standard; Protein; 107 AA.
 XX
 AC W76006;
 XX
 DT 02-NOV-1998 (first entry)
 DE LM609 grafted antibody light chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 49 /label= Arg, Met
 FT
 XX
 PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49843.
 XX
 PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 19; Fig 7; 129pp; English.
 XX
 CC This sequence represents a LM609 grafted antibody variable light chain
 CC region. LM609 and the antibody vitaxin bind selectively to integrin
 CC alphaVbeta3 and can be used to inhibit binding of alphaVbeta3 to a ligand
 CC and thus block integrin-mediated signal transduction. This is useful in
 CC the treatment, prevention and diagnosis of alphaVbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 107 AA;
 Query Match 89.1%; Score 49; DB 19; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.082;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QQNSNWPHT 9
 Db 89 qqsgswpht 97
 RESULT 12
 W76002
 ID W76002 standard; Protein; 107 AA.
 XX
 AC W76002;
 XX
 DT 02-NOV-1998 (first entry)
 DE Vitaxin antibody light chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

CC antibody are given in R54092. The sequences of the CDRs in the VL of
 CC the recombinant anti-FHV-1 antibody are given in R54093. These CDR
 CC sequences are claimed.

XX Sequence 127 AA;

Query Match 100.0%; Score 55; DB 15; Length 127;
 Best Local Similarity 100.0%; Pred. No. 0.0085;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QQSNSWPHT 9
 Db 109 qqsnswpht 117
 |||||

RESULT 8
 ID W76034 standard; Protein; 9 AA.
 XX W76034;
 AC
 XX
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-L region CDR3 protein fragment #3.
 XX

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.

XX Mus sp.
 OS
 XX
 XX WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 XX

XX (IXSY-) IXSYS INC.
 XX
 XX Glaser SM, Huse WD;
 XX
 DR WPI: 1998-437472/37.
 DR N-PSDB; V49871.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 9 AA;

Query Match 89.1%; Score 49; DB 19; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSNSWPHT 9
 Db 1 qgstswpht 9
 |||||

RESULT 9
 ID W76013 standard; Protein; 9 AA.
 XX W76013;
 AC
 XX

XX 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-L region CDR3 protein fragment #1.
 XX

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.

XX Mus sp.
 OS
 XX WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 XX

XX (IXSY-) IXSYS INC.
 XX
 XX Glaser SM, Huse WD;
 XX
 DR WPI: 1998-437472/37.
 DR N-PSDB; V49850.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Disclosure; Page 40; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 9 AA;

Query Match 89.1%; Score 49; DB 19; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSNSWPHT 9
 Db 1 qqsngswpht 9
 |||||

CC humanisation strategy ensures epitope conservation.

XX Sequence 109 AA;

Query Match 100.0%; Score 55; DB 20; Length 109;
Best Local Similarity 100.0%; Pred. No. 0.0073;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSNSWPHT 9
Db 89 qqsnswpht 97

RESULT 6
Y06382
ID Y06382 standard; Protein; 109 AA.

XX Y06382;

XX 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VL domain.

XX Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.

XX Homo sapiens.
OS Synthetic.

XX Key Location/Qualifiers

FT Peptide 1..2 /note= "vector-encoded residues"
FT Region 24..34
FT /note= "CDR1"
FT Region 50..56
FT /note= "CDR2"
FT Region 89..97
FT /note= "CDR3"

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 50; 55pp; English.

XX This sequence represents the light chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.

XX Sequence 109 AA;

Query Match 100.0%; Score 55; DB 20; Length 109;
Best Local Similarity 100.0%; Pred. No. 0.0073;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSNSWPHT 9
Db 89 qqsnswpht 97

RESULT 7
R54093
ID R54093 standard; Protein; 127 AA.

XX R54093;

XX 29-DEC-1994 (first entry)

XX Sequence of mouse V-kappa showing the sequences of recombinant
DE anti-FHV-1 antibody CDRs 1, 2 and 3.

XX Feline herpes virus; FHV-1; monoclonal antibody; CDR;
KW complementarity determining region.

XX Mus musculus.

XX Key Location/Qualifiers

FT Peptide 1..20 /label= leader
FT Region 21..43 /label= FR1
FT Region 44..54 /label= CDR1
FT Region 55..70 /label= FR2
FT Region 71..76 /label= CDR2
FT Region 77..108 /label= FR3
FT Region 109..117 /label= CDR3
FT Region 118..127 /label= FR4

XX W09412661-A.

XX 09-JUN-1994.

XX 25-NOV-1993; 93WO-JP01724.

XX 28-NOV-1992; 92JP-0341255.

XX (KAGA) CHEMA SERO THERAPEUTIC RES INST.

XX Kimachi K, Maeda H, Nishiyama K, Tokiyoshi S;

XX WPI; 1994-200288/24.

XX N-PSDB; Q64167.

XX Feline monoclonal antibody and recombinant antibodies specific
PT for FHV-1 - for detection, treatment and prevention of FHV-1
PT infection.

XX Disclosure; Page 18-19; 53pp; Japanese.

XX The inventors claim a monoclonal antibody against feline herpes
CC virus (FHV-1). They also claim a recombinant antibody against FHV-1
CC and fragments of VH and VL CDR1, CDR2 and CDR3. The antibodies are
CC used in the detection, treatment and prevention of FHV-1. The
CC sequences of the CDRs in the VH of the recombinant anti-FHV-1

CC DNA¹ and monoclonal antibody technology. The humanised Igs may be
CC used alone or in combination with chemotherapeutic agents such as
CC non-steroidal anti-inflammatory drugs or immunosuppressants.
CC See also R25721-32.

XX
SQ Sequence 107 AA;

Query Match 100.0%; Score 55; DB 13; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.0071;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db |||||

RESULT 4

Y06388
ID Y06388 standard; Protein; 109 AA.

XX
AC Y06388;

DT 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VL domain.

DE Humanised antibody; antibody humanisation; antibody engineering;
XX LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.

XX Homo sapiens.
OS Synthetic.

XX
FH Key Location/Qualifiers
FT Peptide 1..2
FT /note= "vector-encoded residues"
FT Region 24..34
FT /note= "CDR1"
FT Region 50..56
FT /note= "CDR2"
FT Region 89..97
FT /note= "CDR3"

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52; 55pp; English.

XX This sequence represents the light chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired

CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.

XX
SQ Sequence 109 AA;

Query Match 100.0%; Score 55; DB 20; Length 109;
Best Local Similarity 100.0%; Pred. No. 0.0073;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db |||||

RESULT 5

Y06380
ID Y06380 standard; Protein; 109 AA.

XX
AC Y06380;

DT 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 V lambda.

DE Humanised antibody; antibody humanisation; antibody engineering;
XX LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.

XX Mus musculus.

XX
FH Key Location/Qualifiers
FT Peptide 1..2
FT /note= "vector-encoded residues"
FT Region 24..34
FT /note= "CDR1"
FT Region 50..56
FT /note= "CDR2"
FT Region 89..97
FT /note= "CDR3"

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 49-50; 55pp; English.

XX This sequence represents the light chain V lambda region of
CC murine monoclonal antibody LM609. LM609 is directed to integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the

PT Integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 PS Claim 62; Page 41; 129pp; English.
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 9 AA;

Query Match 100.0%; Score 55; DB 19; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.1e+05;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 Db | | | | | | | | | |

Db 1 qqsnswpht 9

RESULT 2
 Y06372
 ID Y06372 standard; Peptide; 9 AA.

XX Y06372;
 XX
 DT 06-SEP-1999 (first entry)
 XX

DE Murine monoclonal antibody LM609 VL CDR3.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.
 XX

OS Mus musculus.

XX WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPTS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

PT Production of humanized-mouse monoclonal antibodies

PS Disclosure; Page 45; 55pp; English.

XX This sequence represents complementarity determining region 3
 CC (LCB3) of the light chain of murine monoclonal antibody LM609.
 CC LM609 is directed to integrin alpha-v beta-3. It selectively
 CC promotes apoptosis of vascular cells stimulated to undergo
 CC angiogenesis, making it a tool for cancer diagnosis and therapy.
 CC The invention provides humanised antibodies, especially humanised
 CC LM609. In such humanized antibodies, a light chain CDR from a

CC mouse antibody such as LM609 is grafted onto a human light chain,
 CC and a heavy chain CDR from a mouse antibody is grafted onto a human
 CC antibody heavy chain to produce libraries from which a humanised
 CC murine antibody having the desired specificity is selected. By
 CC preserving the original CDR sequences such as the HCDR3 and LCDR3
 CC sequences of LM609, the humanisation strategy ensures epitope
 CC conservation.
 XX
 SQ Sequence 9 AA;

Query Match 100.0%; Score 55; DB 20; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.1e+05;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 Db | | | | | | | | | |

Db 1 qqsnswpht 9

RESULT 3
 R25729
 ID R25729 standard; Protein; 107 AA.

XX AC R25729;

XX 13-JAN-1993 (first entry)

XX Humanised VL region of the mouse CMV5 antibody.

XX Murine; immunoglobulin; CDR; non immunogenic; cytomegalovirus;
 KW gH; light chain; variable region; framework; human; Wol.

XX Mus musculus.

Key Location/Qualifiers
 Region 24..34

FT /note= "CDR"

FT Region 50..56

FT /note= "CDR"

FT Region 89..97

FT /note= "CDR"

FT Misc-difference 49

FT /note= "mutated residue"

XX WO9211018-A.

XX 09-JUL-1992.

XX 19-DEC-1991; 91WO-US09711.

XX 19-DEC-1990; 90US-0634278.

XX (PROT-) PROTEIN DESIGN LABS INC.

XX Co MS, Coelingh KL, Landolfi NF, Queen CL, Schneider WP;

XX WPI; 1992-249842/30.

XX New immunoglobulin(s) having murine CDRs in human framework

XX regions - have lower antigenicity; useful for treating e.g. HSV,

XX CMV, T-cell disorders, myeloid disorders and auto-immune

XX conditions

XX Claim 40; Fig 27A; 141pp; English.

XX The sequence shows the humanised mature light chain variable

XX region of the mouse CMV5 antibody. Murine CDRs were used

XX in a human Wol framework to produce a pure humanised immunoglobulin

XX (Ig) which is capable of binding to the gH glycoprotein of

XX cytomegalovirus. The Ig is non immunogenic, due to the human

XX framework, and has a strong affinity for its predetermined

XX antigen. They can be produced in large quantities via recombinant

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:52 ; Search time 154.19 Seconds
(without alignments)
1.996 Million cell updates/sec

Title: US-09-016-061-86

Perfect score: 55

Sequence: 1 QOSNSWPH 9

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_16:*

```

1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	55	100.0	9	19 W76033	LM609 grafted anti
2	55	100.0	9	20 W06372	Murine monoclonal
3	55	100.0	107	13 R25729	Humanised VL regio
4	55	100.0	109	20 Y06388	Humanised LM609 an
5	55	100.0	109	20 Y06380	Murine monoclonal
6	55	100.0	109	20 Y06382	Humanised LM609 an
7	55	100.0	127	15 R54093	Sequence of mouse
8	49	89.1	9	19 W76034	LM609 grafted anti
9	49	89.1	9	19 W76013	LM609 grafted anti
10	49	89.1	107	14 R38601	HYH light chain.
11	49	89.1	107	19 W76006	LM609 grafted anti
12	49	89.1	107	19 W76002	Vitaxin antibody 1

13	49	89.1	107	19 W76004	LM609 antibody lig
14	49	89.1	107	19 W58482	Murine HYH antibod
15	49	89.1	108	12 R15438	Light chain variab
16	49	89.1	109	15 R52033	Light chain variab
17	49	89.1	143	18 W19580	Mouse anti-idiotyp
18	49	89.1	240	12 R15443	Single chain Fv fr
19	46	83.6	105	20 W87456	JK gene product.
20	46	83.6	105	20 W87458	Humanised anti-alp
21	46	83.6	107	20 W84098	Humanised anti-alp
22	46	83.6	108	20 W84094	Murine vitronectin
23	46	83.6	112	20 W84100	Vitronectin alpha-
24	42	76.4	10	20 W89161	Anti-p53 monoclonal
25	42	76.4	20	20 W89169	Anti-p53 monoclonal
26	42	76.4	107	14 R32129	Anti-IL2R beta ant
27	42	76.4	109	20 W89176	Anti-p53 monoclonal
28	42	76.4	240	14 R34510	Fv(TU27). Homo sa
29	41	74.5	9	19 W76036	LM609 grafted anti
30	41	74.5	9	19 W44180	Monoclonal antibod
31	41	74.5	104	19 W26795	Anti-gp54 MAb 48-1
32	41	74.5	107	18 W28531	Humanised CA2 ligh
33	41	74.5	107	19 W40820	Light chain variab
34	41	74.5	107	20 Y23243	Light chain variab
35	41	74.5	108	16 R79884	Anti-EGFR antibody
36	41	74.5	127	19 W44176	Monoclonal antibod
37	41	74.5	240	19 W26799	Anti-gp54 MAb 48-1
38	40	72.7	9	20 Y26992	CDR3 domain reshap
39	40	72.7	23	20 Y12061	Human 5' EST secre
40	40	72.7	106	19 W71241	Light chain variab
41	40	72.7	107	15 R50190	Light chain variab
42	40	72.7	107	17 R88718	Mouse antibody kap
43	40	72.7	107	20 Y26979	Light chain variab
44	40	72.7	107	21 Y70604	Vkappa region of h
45	40	72.7	127	15 R50187	Light chain variab

ALIGNMENTS

RESULT 1

W76033
ID W76033 standard; Protein; 9 AA.

XX W76033;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-L region CDR3 protein fragment #2.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-L region; CDR;
KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49870.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

AC 013548;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
 DE YPR99CP.
 GN YPR099C.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomycetes.
 OX NCBI_TaxID=4932;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C (AB972);
 RX MEDLINE=97313271; PubMed=9169875;
 RA Bussey H., Storms R.K., Ahmed A., Albertmann K., Allen E., Ansong W.,
 RA Araujo R., Aparicio A., Barrell B., Badcock K., Benes V., Botstein D.,
 RA Bowman S., Bruckner M., Carpenter J., Cherry J.M., Chung E.,
 RA Churcher C., Coster F., Davis K., Davis R.W., Dietrich F.S.,
 RA Dellus H., DiPaolo T., Dubois E., Dusterhoft A., Duncan M., Floeth M.,
 RA Fortin N., Friesen J.D., Fritz C., Goffeau A., Hall J., Hebling U.,
 RA Heumann K., Hilbert H., Hillier L., Hunnicke-Smith S., Hyman R.,
 RA Johnston M., Kaiman S., Kleine K., Komp C., Kurdi O., Lashkari D.,
 RA Lew H., Lin A., Lin D., Louis E.J., Marathe R., Messenguy F.,
 RA Mewes H.W., Mirtipati S., Moestl D., Muller-Auer S., Namath A.,
 RA Newtich U., Oefner P., Pearson D., Petel F.X., Pohl T.M.,
 RA Purnelle D., Schafer M., Scharfe M., Scherens B., Schramm S.,
 RA Schroeder M., Solcu A.M., Tettelin H., Urrestarazu L.A., Ushinsky S.,
 RA Viereedeels F., Vissers S., Voss H., Walsh S.V., Wambutt R., Wang Y.,
 RA Wedler E., Wedler H., Winnett E., Zhong W.W., Zollner A., Vo D.H.,
 RA Hani J.;
 RA "The nucleotide sequence of Saccharomyces cerevisiae chromosome XVI.";
 RL Nature 387:0-0(0).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C (AB972);
 RA Johnston M., Andrews S., Brinkman R., Cooper J., Ding H., Du Z.,
 RA Favello A., Fulton L., Gattung S., Greco T., Kirsten J., Kucaba T.,
 RA Hallsworth K., Hawkins J., Hillier L., Jier M., Johnson D.,
 RA Johnston L., Langston Y., Latreille P., Le T., Mardis E., Menezes S.,
 RA Miller N., Nhan M., Pauley A., Peluso D., Rifken L., Riles L.,
 RA Taich A., Trevasakis E., Vignati D., Wilcox L., Wohlman P., Vaudin M.,
 RA Wilson R., Waterston R.;
 RA Submitted (JUL-1995) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C (AB972);
 RA Nelson J.;
 RA Submitted (JUL-1995) to the EMBL/GenBank/DBJ databases.
 RN [4]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C (AB972);
 RA Waterston R.;
 RA Submitted (JUL-1995) to the EMBL/GenBank/DBJ databases.
 RN [5]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C (AB972);
 RA Jia Y., Cherry J.M.;
 RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U32445; AAB68088.1;
 SQ SEQUENCE 118 AA; 13360 MW; 16DDC5E2B31655D5 CRC64;

Query Match 65.5%; Score 36; DB 3; Length 118;
 Best Local Similarity 100.0%; Pred. No. 19;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NSMPH 8
 Db 53 NSMPH 57

RESULT 15
 Q27824

ID Q27824
 AC Q27824;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE SERINE COLLAGENASE 1 PRECURSOR (EC 3.4.21.32) (BRACHYURIN)
 DE (COLLAGENOLYTIC PROTEASE).
 OS Uca pugnator (Atlantic sand-fiddler crab) (Celuca pugnator).
 OC Eukaryota; Metazoa; Arthropoda; Crustacea; Malacostraca;
 OC Eumalacostraca; Eucarida; Decapoda; Pleocyemata; Brachyura;
 OC Eubrachyura; Ocypodoidea; Ocypodidae; Celuca.
 OX NCBI_TaxID=6772;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=HEPATOPANCREAS;
 RX MEDLINE=96212234; PubMed=8626718;
 RA Tsu C.A., Craik C.S.;
 RT "Substrate recognition by recombinant serine collagenase 1 from Uca
 RT pugnator.";
 RL J. Biol. Chem. 271:11563-11570(1996).
 CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF PROTEINS, WITH BROAD SPECIFICITY
 CC FOR PEPTIDE BONDS. DEGRADATES NATIVE COLLAGEN AT ABOUT 75% OF THE
 CC LENGTH OF THE MOLECULE FROM THE N-TERMINUS. LOW ACTIVITY ON SMALL
 CC MOLECULE SUBSTRATES OF BOTH TRYPSIN AND CHYMOTRYPSIN.
 DR EMBL; U49931; AAC47030.1;
 DR HSP; P00771; LAZZ.
 DR INTERPRO; IPR001254;
 DR INTERPRO; IPR001314;
 DR PFAM; PF00089; trypsin; 1.
 DR PRINTS; PR00722; CHYMOTRYPSIN.
 DR PROSITE; PS00134; TRYPSIN_HIS; UNKNOWN_1.
 DR PROSITE; PS00135; TRYPSIN_SER; 1.
 KW Signal; Hydrolase.
 FT SIGNAL 1 15 POTENTIAL.
 FT CHAIN 45 270 SERINE COLLAGENASE 1.
 SQ SEQUENCE 270 AA; 28170 MW; C084D974968ED687 CRC64;

Query Match 65.5%; Score 36; DB 5; Length 270;
 Best Local Similarity 100.0%; Pred. No. 41;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NSMPH 8
 Db 54 NSMPH 58

Search completed: March 28, 2001, 07:53:21
 Job time: 514 sec

Db 195 QKSNSWGH 202
 6. :|||||

RESULT 10.

Q9NQS7 PRELIMINARY; PRT; 919 AA.
 AC Q9NQS7;
 DT 01-OCT-2000 (TReMBLrel. 15, Created)
 DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
 DE 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE INNER CENTROMERE PROTEIN INCENP.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Adams R.R., Eckley D.M., Mackay A., Earnshaw W.C.;
 RT "Characterization and expression of the human INCENP gene."
 RL Submitted (JUN-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF282265; AAF87584.1; -
 SQ SEQUENCE 919 AA; 105536 MW; 8F93024E411087C6 CRC64;

Query Match 67.3%; Score 37; DB 4; Length 919;
 Best Local Similarity 83.3%; Pred. No. 87;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 SNSWPH 8
 :|||||

Db 398 NNSWPH 403

RESULT 11

Q9XCE0 PRELIMINARY; PRT; 94 AA.
 AC Q9XCE0;
 DT 01-NOV-1999 (TReMBLrel. 12, Created)
 DT 01-NOV-1999 (TReMBLrel. 12, Last sequence update)
 DT 01-NOV-1999 (TReMBLrel. 12, Last annotation update)
 DE MUCONOLACTONE ISOMERASE.
 GN CAPC.
 OS Mycobacterium smegmatis.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Corynebacterineae; Mycobacteriaceae; Mycobacterium.
 OX NCBI_TaxID=1772;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MC2-155;
 RX MEDLINE=99328972; PubMed=10400584;
 RA Fernandes N.D., Wu Q.-L., Kong D., Puyang X., Garg S., Husson R.N.;
 RT "A mycobacterial extracytoplasmic sigma factor involved in survival
 following heat shock and oxidative stress."
 RL J. Bacteriol. 181:4266-4274(1999).
 DR EMBL; AF144091; AAD41808.1; -
 KW Isomerase.
 SQ SEQUENCE 94 AA; 10966 MW; D2D71632A2F2FFFO CRC64;

Query Match 65.5%; Score 36; DB 2; Length 94;
 Best Local Similarity 62.5%; Pred. No. 15;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOSNSWPH 8
 :|:||||

Db 35 QRSKWPH 42

RESULT 12

Q9Z9Y5 PRELIMINARY; PRT; 96 AA.
 ID Q9Z9Y5
 AC Q9Z9Y5;

DT 01-MAY-1999 (TReMBLrel. 10, Created)
 DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
 DT 01-MAY-1999 (TReMBLrel. 10, Last annotation update)
 DE MUCONOLACTONE ISOMERASE (EC 5.3.3.4).
 GN CAPC.
 OS Frateuria sp. ANA-18.
 OC Bacteria; Proteobacteria; gamma subdivision; Xanthomonas group;
 OC Frateuria.
 OX NCBI_TaxID=70412;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ANA-18;
 RX MEDLINE=99132292; PubMed=9931486;
 RA Murakami S., Takashima A., Takemoto J., Takenaka S., Shinke R.,
 RA Aoki K.;
 RT "Cloning and sequence analysis of two catechol-degrading gene clusters
 from the aniline-assimilating bacterium Frateuria species ANA-18."
 RL Gene 226:189-198(1999).
 DR EMBL; AB009343; BAA75206.1; -
 KW Isomerase.
 SQ SEQUENCE 96 AA; 11034 MW; 3D01BC0314DB6856 CRC64;

Query Match 65.5%; Score 36; DB 2; Length 96;
 Best Local Similarity 62.5%; Pred. No. 15;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOSNSWPH 8
 :|:||||

Db 35 QKSQKWP 42

RESULT 13

Q9UL85 PRELIMINARY; PRT; 109 AA.
 AC Q9UL85;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
 DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=98277139; PubMed=9614934;
 RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
 RA Young D.C.;
 RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
 fetus."
 RL Clin. Immunol. Immunopathol. 87:184-192(1998).
 DR EMBL; AF035029; AAD56265.1; -
 DR HSSP; P01607; IREI.
 DR INTERPRO; IPR003006; -
 DR PFAM; PF00047; ig; 1.
 FT NON_TER 1
 FT NON_TER 109 109
 SQ SEQUENCE 109 AA; 11761 MW; FB1E43E7C7AFACCC CRC64;

Query Match 65.5%; Score 36; DB 4; Length 109;
 Best Local Similarity 85.7%; Pred. No. 17;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSNSWP 7
 :|:||||

Db 89 QQYNSWP 95

RESULT 14

O13548 PRELIMINARY; PRT; 118 AA.
 ID O13548

RA Foster C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Helman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lesko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wasserman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of *Drosophila melanogaster*.";
RL Science 287:2185-2195(2000).
DR EMBL: AE003547; AAF50133.1; -;
DR FLYBASE: FBgn0036103; CG7958.
SQ SEQUENCE 1109 AA; 116491 MW; 4FD726183EB5642AC CRC64;

Query Match 69.1%; Score 38; DB 5; Length 1109;
Best Local Similarity 55.6%; Pred. No. 69;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSNSWPHPT 9
Db 591 QMNTNWPHPT 599

RESULT 8
Q9ZVX6 PRELIMINARY; PRT; 1109 AA.
ID Q9ZVX6
AC Q9ZVX6;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE PUTATIVE TMV RESISTANCE PROTEIN.
CN F12A24.5.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
[1]
RN SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RA Rounsley S.D., Lin X., Kaul S., Shea T.P., Fujii C.Y., Mason T.M.,
RA Shen M., Ronning C.M., Fraser C.M., Somerville C.R., Venter J.C.;
RT "Arabidopsis thaliana chromosome II BAC F12A24 genomic sequence.";
RL Submitted (OCT-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL: AC005167; AAC64218.1; -;
DR INTERPRO: IPR000157; -;
DR INTERPRO: IPR000767; -;
DR INTERPRO: IPR001611; -;
DR INTERPRO: IPR001617; -;
DR INTERPRO: IPR002182; -;
DR PFAM: PF00560; LRR; 3.
DR PFAM: PF00931; NB-ARC; 2.
DR PFAM: PF01582; TIR; 1.
DR PRINTS: PR00364; DISEASERSIST.
SQ SEQUENCE 1109 AA; 125679 MW; 865678FBC55DE694 CRC64;

Query Match 69.1%; Score 38; DB 10; Length 1109;
Best Local Similarity 66.7%; Pred. No. 69;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSNSWPHPT 9
Db 900 QOQHSWEHT 908

RESULT 9
Q9VSJ8 PRELIMINARY; PRT; 656 AA.
ID Q9VSJ8
AC Q9VSJ8;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE ANON-D52 PROTEIN.
DN ANON-D52.
GN ANON-D52.
OS *Drosophila melanogaster* (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Ananatis P.G., Scherer S.E., Li P.W., Hoskins R.A., Gallie R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Heit G., Nelson C.R., Miklos G.L.G.,
RA Abril J.F., Aqbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Bereman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotlier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahike C., Davenport L.B., Davies P.,
RA de Pablo B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Finkler C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Helman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lesko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wasserman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of *Drosophila melanogaster*.";
RL Science 287:2185-2195(2000).
DR EMBL: AE003555; AAF50421.1; -;
DR FLYBASE: FBgn0010431; anon-D52.
SQ SEQUENCE 656 AA; 75789 MW; DB4311709EDEF52 CRC64;

Query Match 67.3%; Score 37; DB 5; Length 656;
Best Local Similarity 75.0%; Pred. No. 63;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSNSWPH 8

DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
DE T1111.17 PROTEIN.
GN T1111.17.

OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RA Lin X., Kaul S., Town C.D., Benito M., Creasy T.H., Haas B.,
RA Ronning C.M., Koo H., Fujii C.Y., Utterback T.R., Barnstead M.E.,
RA Bowman C.L., White O., Nierman W.C., Fraser C.M.;
RT "Arabidopsis thaliana chromosome I BAC T1111 genomic sequence."
RL Submitted (DEC-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC012680; AAF18557.1; -;
DR INTERPRO: IPR001611; -;
DR PFAM; PF00560; LRR; 3;
DR PRINTS; PRO0019; LEURICHRPT.
SQ SEQUENCE 581 AA; 64828 MW; 5E6FAC53FDF49FD4 CRC64;

Query Match 70.9%; Score 39; DB 10; Length 581;

Best Local Similarity 75.0%; Pred. No. 25;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSNSWPH 8

DB 244 QOSNLWPH 251

RESULT 5

ID Q25679 PRELIMINARY; PRT; 278 AA.

AC Q25679;

DT 01-NOV-1996 (TReMBLrel. 01, Created)

DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)

DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)

DE HOX1 GENE.

GN HOX1.

OS Podocoryne carnea.

OC Eukaryota; Metazoa; Cnidaria; Hydrozoa; Hydroida; Anthomedusae;

OC Hydractiniidae; Podocoryne.

OX NCBI_TaxID=6096;

RN [1]

RP SEQUENCE FROM N.A.

RA MEDLINE=95301097; PubMed=7781898;

RA Aerne B., Baader C.D., Schmid V.;

RT "Life stage and tissue-specific expression of the homeobox gene cnox1-

pc of the hydrozoan Podocoryne carnea.";

RL Dev. Biol. 169:547-556(1995).

CC -1- SUBCELLULAR LOCATION: NUCLEAR (BY SIMILARITY).

DR EMBL; X81455; CAAS7211.1; -;

DR HSSP; P14653; 1B72.

DR INTERPRO; IPR001356; -;

DR PFAM; PF00046; homeobox.1.

DR PRINTS; PR00024; HOMEBOX.

DR PROSITE; PS00027; HOMEBOX_1; 1.

DR PROSITE; PS50071; HOMEBOX_2; 1.

KW Homeobox; Nuclear protein; DNA-binding.

SQ SEQUENCE 278 AA; 32680 MW; 259BD1156B271BA8 CRC64;

Query Match 69.1%; Score 38; DB 5; Length 278;

Best Local Similarity 85.7%; Pred. No. 19;

Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 SNSWPH 9

DB 256 SNSWPH 262

RESULT 6

ID O01350

AC O01350 PRELIMINARY; PRT; 497 AA.

DT 01-JUL-1997 (TReMBLrel. 04, Created)

DT 01-JUL-1997 (TReMBLrel. 04, Last sequence update)

DT 01-NOV-1998 (TReMBLrel. 08, Last annotation update)

DE GAG PROTEIN.

GN GAG.

OS Drosophila melanogaster (Fruit fly).

OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;

OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;

OC Ephydroidea; Drosophilidae; Drosophila.

OX NCBI_TaxID=7227;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=90136512; PubMed=2559313;

RA Tchurikov N.A., Gerasimova T.I., Johnson T.K., Barbakar N.I.,

RA Kenzior A.L., Georgiev G.P.;

RT "Mobile elements and transposition events in the cut locus of

RT Drosophila melanogaster.";

RL Mol. Gen. Genet. 219:241-248(1989).

RN [2]

RP SEQUENCE FROM N.A.

RA Tchurikov N.A., Ponomarenko N.A., Krasnov A.N.;

RL Submitted (FEB-1997) to the EMBL/GenBank/DBJ databases.

DR EMBL; U89994; AAB50147.1; -;

DR FLYBASE; FBgn0010302; Burdock.

SQ SEQUENCE 497 AA; 56804 MW; 6498A941089BCD4A CRC64;

Query Match 69.1%; Score 38; DB 5; Length 497;

Best Local Similarity 85.7%; Pred. No. 32;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSNSWP 7

DB 381 QQQNSWP 387

RESULT 7

ID Q9VTB9

AC Q9VTB9 PRELIMINARY; PRT; 1109 AA.

DT 01-MAY-2000 (TReMBLrel. 13, Created)

DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)

DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)

DE CG7958 PROTEIN.

GN CG7958.

OS Drosophila melanogaster (Fruit fly).

OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;

OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;

OC Ephydroidea; Drosophilidae; Drosophila.

OX NCBI_TaxID=7227;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=BERKELEY;

RA MEDLINE=20196006; PubMed=10731132;

RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,

RA Ananidis P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,

RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,

RA Sutton G.G., Wortman J.R., Vandal M.D., Zhang Q., Chen L.X.,

RA Brannon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,

RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,

RA April J.F., Agbayani A., An H.-J., Andrews-Pfannkuch C., Baldwin D.,

RA Balow R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,

RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,

RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,

RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,

RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,

RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,

RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,

RA Durbin K.J., Evangelista C.C., Ferraz C., Ferriera S., Fleischmann W.,

RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirkas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wasserman D.A., Weinstock G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of *Drosophila melanogaster*";
 RL Science 287:2185-2195(2000).
 DR EMBL: AE003555; AAF50437.1; -
 DR FLYBASE: FBgn0035879; CG7112.
 DR INTERPRO: IPR000195; -
 DR PFAM: PF00566; TBC; 1.
 SQ SEQUENCE 1194 AA; 133393 MW; E0E3DB547B4924E0 CRC64;

Query Match 80.0%; Score 44; DB 5; Length 1194;
 Best Local Similarity 77.8%; Pred. No. 6.2;
 Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHPT 9

Db 461 QOSSSWPYT 469

RESULT 2
 Q9M9E4 ID Q9M9E4 PRELIMINARY; PRT; 413 AA.
 AC Q9M9E4;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE F3F9.22.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsids.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Chao Q., Brooks S., Buehler E., Johnson-Hopson C., Khan S., Kim C.,
 RA Shinn P., Altafi H., Bei Q., Chin C., Chiou J., Choi E., Conn L.,
 RA Conway A., Gonzales A., Hansen N., Howng B., Koo T., Lam B., Lee J.,
 RA Lenz C., Li J., Liu A., Liu K., Liu S., Mukharsky N., Nguyen M.,
 RA Palm C., Pham P., Sakano H., Schwartz J., Southwick A., Thaveri A.,
 RA Toriumi M., Vaysberg M., Yu G., Federspiel N.A., Theologis A.,
 RA Ecker J.R.;
 RT "Genomic sequence for Arabidopsis thaliana BAC F3F9 from chromosome I";
 RL Submitted (NOV-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RA Ecker J.R.;

QY 1 QOSNSWPHPT 9

Db 145 QONNQWHT 153

RESULT 4
 Q9SEFK3 ID Q9SEFK3 PRELIMINARY; PRT; 581 AA.
 AC Q9SEFK3;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)

RA Conn L., Conway A., Gonzalez A., Hansen N., Howng B., Koo T., Lam B.,
 RA Lee J., Lenz C., Li J., Liu A., Liu K., Liu S., Mukharsky N.,
 RA Nguyen M., Palm C., Pham P., Sakano H., Schwartz J., Southwick A.,
 RA Thaveri A., Toriumi M., Vaysberg M., Yu G., Davis R., Federspiel N.,
 RA Theologis A., Ecker J.;
 RL Submitted (MAY-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AC013430; AAF71805.1; -
 SQ SEQUENCE 413 AA; 45745 MW; 2F0D48E28FAF6A43 CRC64;

Query Match 70.9%; Score 39; DB 10; Length 413;
 Best Local Similarity 75.0%; Pred. No. 18;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSNSWPHPT 8

Db 76 QSSNLWPH 83

RESULT 3
 P89903 ID P89903 PRELIMINARY; PRT; 523 AA.
 AC P89903;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE FROM AFRICAN GREEN MONKEY, TANTALUS SPECIES (SIVTAN) PROVIRAL DNA,
 DE COMPLETE GENOME.
 GN GAG.
 OS Chimpanzee immunodeficiency virus (SIV(cpz)) (CIV).
 OC Viruses; Retrovirdae; Retroviridae; Lentivirus.
 OX NCBI_TaxID=11723;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-TANTALUS-1;
 RC STRAIN-TANTALUS-1;
 RX MEDLINE=97223354; PubMed=9123848;
 RA Soares M.A., Robertson D.L., Hui H., Allan J.S., Shaw G.M., Hahn B.H.;
 RT "A full-length and replication-competent proviral clone of SIVAGM from
 RT tantalus monkeys";
 RL Virology 228:394-399(1997).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN-TANTALUS-1;
 RC Soares M.;

RA Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL: U58991; AAC57051.1; -
 DR HSSP: P03351; 1E1A.
 DR INTERPRO: IPR000071; -
 DR INTERPRO: IPR000721; -
 DR INTERPRO: IPR001878; -
 DR PFAM: PF00098; zf-CCHC; 2.
 DR PFAM: PF00540; gag-p17; 1.
 DR PFAM: PF00607; gag-p24; 1.
 DR PRINTS: PR00234; HIVMATRIX.
 DR PRINTS: PR00939; C2HCZNFINGER.
 SQ SEQUENCE 523 AA; 57688 MW; F623CED7277681AA CRC64;

Query Match 70.9%; Score 39; DB 12; Length 523;
 Best Local Similarity 66.7%; Pred. No. 22;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSNSWPHPT 9

Db 145 QONNQWHT 153

RESULT 4
 Q9SEFK3 ID Q9SEFK3 PRELIMINARY; PRT; 581 AA.
 AC Q9SEFK3;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:18 ; Search time 443.95 Seconds
(without alignments)
2.376 Million cell updates/sec

Title: US-09-016-061-86
Perfect score: 55
Sequence: 1 QQSNSWPH 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

- Database : SPTREMBL_15.*
- 1: sp_archaea.*
 - 2: sp_bacteria.*
 - 3: sp_fungi.*
 - 4: sp_human.*
 - 5: sp_invertebrate.*
 - 6: sp_mammal.*
 - 7: sp_mhc.*
 - 8: sp_organalle.*
 - 9: sp_phase.*
 - 10: sp_plant.*
 - 11: sp_rodent.*
 - 12: sp_virus.*
 - 13: sp_vertebrate.*
 - 14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	44	80.0	1194	5 QVSI2	Q9vsi2 drosophila
2	39	70.9	413	10 Q9M9D4	P89903 chimpanzee
3	39	70.9	523	12 P89903	Q9sfk3 arabidopsis
4	39	70.9	581	10 Q9SEFK3	Q25679 podocoryne
5	38	69.1	278	5 Q25679	O01350 drosophila
6	38	69.1	497	5 Q9VBTB9	Q9vbt9 drosophila
7	38	69.1	1109	5 Q9VTVX6	Q9vtx6 arabidopsis
8	38	69.1	1109	10 Q9VTVX6	Q9vtx8 drosophila
9	37	67.3	656	5 Q9VSIJ8	Q9vsi8 homo sapien
10	37	67.3	919	4 Q9NQS7	Q9xco0 mycobacteri
11	36	65.5	94	2 Q9XCE0	Q9z9y5 frateuria s
12	36	65.5	96	2 Q9Z9Y5	Q9ul85 homo sapien
13	36	65.5	109	4 Q9UL85	O13548 saccharomyc
14	36	65.5	118	3 O13548	Q27824 uca pugilat
15	36	65.5	270	5 Q27824	Q9xwz6 caenorhabdi
16	36	65.5	640	5 Q9XWZ6	Q9xs93 canis famil
17	36	65.5	978	6 Q9XS93	P73353 synechocyst
18	35	63.6	145	2 P73353	O88768 rattus norv
19	35	63.6	374	11 O88768	

20	35	63.6	374	11	Q9QUI9	Q9qui9 rattus norv
21	35	63.6	419	11	O63629	O63629 rattus norv
22	35	63.6	428	2	Q9KSE5	Q9kse5 vibrio chol
23	35	63.6	750	10	Q41103	Q41103 phaseolus v
24	34	61.8	151	5	O18581	O18581 nabis sp. m
25	34	61.8	151	5	Q23702	Q23702 ctenolepism
26	34	61.8	151	5	O02473	O02473 stylochus z
27	34	61.8	151	5	P91717	P91717 dugesia tig
28	34	61.8	164	12	Q9WSZ2	Q9wsz2 human herpe
29	34	61.8	224	12	O87449	O87449 chimpanzee
30	34	61.8	224	12	Q9Q068	Q9q068 chimpanzee
31	34	61.8	224	12	Q9Q066	Q9q066 chimpanzee
32	34	61.8	224	12	Q9Q065	Q9q065 chimpanzee
33	34	61.8	224	12	Q9Q064	Q9q064 chimpanzee
34	34	61.8	224	12	Q9Q063	Q9q063 chimpanzee
35	34	61.8	224	12	Q9Q062	Q9q062 chimpanzee
36	34	61.8	224	12	Q9Q061	Q9q061 chimpanzee
37	34	61.8	224	12	Q9Q060	Q9q060 chimpanzee
38	34	61.8	224	12	Q9Q059	Q9q059 chimpanzee
39	34	61.8	224	12	Q9Q058	Q9q058 chimpanzee
40	34	61.8	224	12	Q9Q057	Q9q057 chimpanzee
41	34	61.8	224	12	Q9Q056	Q9q056 chimpanzee
42	34	61.8	224	12	Q9Q055	Q9q055 chimpanzee
43	34	61.8	224	12	Q9Q054	Q9q054 chimpanzee
44	34	61.8	224	12	Q9Q053	Q9q053 chimpanzee
45	34	61.8	224	12	Q9Q049	Q9q049 chimpanzee

ALIGNMENTS

RESULT 1

Q9VSI2	ID	Q9VSI2	PRELIMINARY;	PRT;	1194 AA.
AC	Q9VSI2;				
DT	01-MAY-2000	(TremBLrel. 13, Created)			
DT	01-MAY-2000	(TremBLrel. 13, Last sequence update)			
DT	01-OCT-2000	(TremBLrel. 15, Last annotation update)			
DE	CG7112	PROTEIN.			
GN	CG7112				
OS	Drosophila melanogaster	(Fruit fly).			
OC	Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;				
OC	Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;				
OC	Ephydroidea; Drosophilidae; Drosophila.				
OX	NCBI_TaxID=7227;				
RN	[1]				
RP	SEQUENCE FROM N.A.				
RC	STRAIN=BERKELEY;				
RX	MEDLINE=20196006; PubMed=10731132;				
RA	Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,				
RA	Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,				
RA	George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,				
RA	Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,				
RA	Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,				
RA	Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,				
RA	Abriel J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,				
RA	Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,				
RA	Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,				
RA	Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,				
RA	Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,				
RA	Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,				
RA	de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,				
RA	Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,				
RA	Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,				
RA	Foster C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,				
RA	Glodek A., Gong F., Correll J.H., Gu Z., Guan P., Harris M.,				
RA	Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,				
RA	Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,				
RA	Jatali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,				
RA	Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,				
RA	Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,				
RA	Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,				
RA	Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,				

DR PFAM; PF00098; zf-CCHC; 2.
DR PRINTS; PR00234; HIV1MATRIX.
DR PRINTS; PR00939; C2HCZNFINGER.
KW AIDS; Core protein; Polyprotein.
FT CHAIN 1 141 CORE PROTEIN P17.
FT CHAIN 142 519 CORE PROTEINS P24 AND P15.
SQ SEQUENCE 519 AA; 58143 MW; 85A3AC06ECCDCA38 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 519;
Best Local Similarity 62.5%; Pred. No. 66;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSNSWPH 8
|||:
Db 145 QOGNAWVH 152

Search completed: March 28, 2001, 07:35:11
Job time: 148 sec

Query Match 61.8%; Score 34; DB 1; Length 459;
 Best Local Similarity 71.4%; Pred. No. 59;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 SNSWPH 9
 DB 188 TNSWAHT 194

RESULT 14
 TYTR_TRYCR STANDARD; PRT; 492 AA.

AC P28593;
 DT 01-DEC-1992 (Rel. 24, Created)
 DT 01-DEC-1992 (Rel. 24, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE TRYPAOTHIONE REDUCTASE (EC 1.6.4.8) (TR) (N1,N8-
 BIS(GLUTATHIONYL)SPERMIDINE REDUCTASE).
 GN TPR.

OS Trypanosoma cruzi.
 OC Eukaryota; Euglenozoa; Kinetoplastida; Trypanosomatidae; Trypanosoma.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 91187059.
 RA Sullivan F.X., Walsh C.T.;
 RT "Cloning, sequencing, overproduction and purification of
 trypanothione reductase from Trypanosoma cruzi.";
 RL Mol. Biochem. Parasitol. 44:145-148(1991).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN-SILVIO;
 RX MEDLINE; 95255281.
 RA Borges A., Cunningham M.L., Tover J., Fairlamb A.H.;
 RT "Site-directed mutagenesis of the redox-active cysteines of
 Trypanosoma cruzi trypanothione reductase.";
 RL Eur. J. Biochem. 228:745-752(1995).
 RN [3]
 RP X-RAY CRYSTALLOGRAPHY (3.3 ANGSTROMS).
 RX MEDLINE; 94211757.
 RA Lantwin C.B., Schlichting I., Kabsch W., Pai E.F., Krauth-Siegel R.L.;
 RT "The structure of Trypanosoma cruzi trypanothione reductase in the
 oxidized and NADPH reduced state.";
 RL Proteins 18:161-173(1994).
 RN [4]
 RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS).
 RX MEDLINE; 96367082.
 RA Zhang Y., Bond C.S., Bailey S., Cunningham M.L., Fairlamb A.H.,
 Hunter W.N.;
 RT "The crystal structure of trypanothione reductase from the human
 pathogen Trypanosoma cruzi at 2.3-A resolution.";
 RL Protein Sci. 5:52-61(1996).
 CC -1- FUNCTION: TRYPAOTHIONE IS THE PARASITE ANALOG OF GLUTATHIONE;
 CC THIS ENZYME IS THE EQUIVALENT OF GLUTATHIONE REDUCTASE.
 CC -1- CATALYTIC ACTIVITY: NADPH + TRYPAOTHIONE = NADP(+) + REDUCED
 CC TRYPAOTHIONE.
 CC -1- COFACTOR: FAD.
 CC -1- SUBUNIT: HOMODIMER.
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- MISCELLANEOUS: THE ACTIVE SITE IS A REDOX-ACTIVE DISULFIDE BOND.
 CC -1- SIMILARITY: BELONGS TO THE PYRIDINE NUCLEOTIDE-DISULFIDE
 CC OXIDOREDUCTASES CLASS-1.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; M38051; AAA63547.1; -;
 CC EMBL; Z13958; CAA78360.1; -;

DR PIR; S30204; S30204.
 DR PDB; LND4; 30-SEP-94.
 DR PDB; IAOG; 17-SEP-97.
 DR INTERPRO; IPR001100; -;
 DR INTERPRO; IPR001327; -;
 DR INTERPRO; IPR001864; -;
 DR PFAM; PF00070; PYL_redox; 1.
 DR PRINTS; PR00368; FADPNR.
 DR PRINTS; PR00411; PNRDRTASEI.
 DR PRINTS; PR00470; TRYPANRDTASE.
 DR PROSITE; PS00076; PYRIDINE_REDOX_1; 1.
 KW Redox-active center; Oxidoreductase; Flavoprotein; FAD; NADP;
 KW 3D-structure. 7 37 FAD (ADP PART) (PROBABLE).
 FT NP_BIND 53 58 REDOX-ACTIVE.
 FT DISULFID 317 327 FAD (FLAVIN PART) (BY SIMILARITY).
 FT NP_BIND 461 461 BY SIMILARITY.
 FT ACT_SITE 95 95 K -> N (IN STRAIN SILVIO).
 FT VARIANT 140 140 E -> A (IN STRAIN SILVIO).
 FT VARIANT 156 156 N -> H (IN STRAIN SILVIO).
 FT VARIANT 353 353 N -> T (IN STRAIN SILVIO).
 FT VARIANT 402 403 NI -> KV (IN STRAIN SILVIO).
 FT VARIANT 441 441 V -> I (IN STRAIN SILVIO).
 SQ SEQUENCE 492 AA; 53868 MW; 4AF179952A20750F CRC64;

Query Match 61.8%; Score 34; DB 1; Length 492;
 Best Local Similarity 83.3%; Pred. No. 63;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 SNSWPH 8
 DB 161 SGSWPH 166

RESULT 15
 GAG_SIVAT STANDARD; PRT; 519 AA.

AC P05892;
 DT 01-NOV-1988 (Rel. 09, Created)
 DT 01-NOV-1988 (Rel. 09, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE GAG POLYPROTEIN [CONTAINS: CORE PROTEINS P17, P24, AND P15].
 GN GAG.
 OS Simian immunodeficiency virus (TYO-1 isolate) (SIV-AGM).
 OC Viruses; Retrovirdae; Retroviridae; Lentivirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 88232906.
 RA Fukasawa M., Miura T., Hasegawa A., Morikawa S., Tsujimoto H.,
 RA Miki K., Kitamura T., Hayami M.;
 RT "Sequence of simian immunodeficiency virus from African green monkey,
 RT a new member of the HIV/SIV group.";
 RL Nature 333:457-461(1988).
 CC -1- MISCELLANEOUS: THIS IS AN AFRICAN GREEN MONKEY ISOLATE.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X07805; CAA30657.1; -;
 CC PIR; A30045; POLJG4.
 DR HSP; P05888; 1AAF.
 DR HIV; X07805; GAGSAGMTY.
 DR INTERPRO; IPR000071; -;
 DR INTERPRO; IPR000721; -;
 DR INTERPRO; IPR001878; -;
 DR PFAM; PF00540; gag_p17; 1.
 DR EMBL; X07805; gag_p24; 1.

KW Aromatic amino acid biosynthesis; Multifunctional enzyme;
 KW Oxidoreductase; Lyase; Transferase; Kinase; NADP; ATP-binding.
 FT DOMAIN 1 383 3-DEHYDROQUINATE SYNTHASE.
 FT DOMAIN 395 840 EPSP SYNTHASE.
 FT DOMAIN 867 1042 SHIKIMATE KINASE.
 FT DOMAIN 1043 1284 3-DEHYDROQUINASE.
 FT DOMAIN 1297 1581 SHIKIMATE DEHYDROGENASE.
 FT ACT_SITE 827 827 POTENTIAL.
 FT NP_BIND 875 882 ATP (POTENTIAL).
 FT ACT_SITE 1189 1189 BY SIMILARITY.
 FT ACT_SITE 1217 1217 FORMS A SCHIFF-BASE INTERMEDIATE (BY SIMILARITY).
 SQ SEQUENCE 1581 AA; 178043 MW; 417A84356061170F CRC64;

Query Match 65.5%; Score 36; DB 1; Length 1581;
 Best Local Similarity 71.4%; Pred. No. 92;
 Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 SNSWPHT 9
 :||||:|
 Db 1176 NNSWPT 1182

RESULT 11
 POLR_OYMW STANDARD; PRT; 1776 AA.
 AC P20127;
 DT 01-FEB-1991 (Rel. 17, Created)
 DT 01-FEB-1991 (Rel. 17, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE RNA REPLICASE POLYPROTEIN (EC 2.7.7.48).
 OS Ononis yellow mosaic virus.
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Tymovirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 90021186.
 RA Ding S.W., Keese P., Gibbs A.;
 RT "Nucleotide sequence of the ononis yellow mosaic tymovirus genome.";
 RL Virology 172:555-563(1989).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: J04375; AAA46796.1; .
 DR PIR: J0106; RWPYM.
 DR INTERPRO: IPR000606;
 DR PFAM: PF0143; Viral_helicase1.
 DR KW Transferase; RNA-directed RNA polymerase; Polyprotein; ATP-binding.
 FT NP_BIND 899 906 ATP (BY SIMILARITY).
 SQ SEQUENCE 1776 AA; 198127 MW; 1C2E37B9EC3A5333 CRC64;

Query Match 65.5%; Score 36; DB 1; Length 1776;
 Best Local Similarity 83.3%; Pred. No. 1e+02;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 SNSWPH 8
 :|||
 Db 1191 SNKWP 1196

RESULT 12
 KV1V_HUMAN
 ID KV1V_HUMAN STANDARD; PRT; 108 AA.
 AC P04430;
 DT 13-AUG-1987 (Rel. 05, Created)
 DT 13-AUG-1987 (Rel. 05, Last sequence update)

DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG KAPPA CHAIN V-I REGION' BAN.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE.
 RX MEDLINE; 86174817.
 RA Dwulet F.E., O'Connor T.P., Benson M.D.;
 RT "Polymorphism in a kappa I primary (AL) amyloid protein (BAN).";
 RL Mol. Immunol. 23:73-78(1986).
 DR PIR: A01878; KIHUBN.
 DR HSP; P80362; LWTL.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Amyloid.
 FT DOMAIN 1 23 FRAMEWORK 1.
 FT DOMAIN 24 34 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 35 49 FRAMEWORK 2.
 FT DOMAIN 50 56 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 57 88 FRAMEWORK 3.
 FT DOMAIN 89 97 COMPLEMENTARITY-DETERMINING 3.
 FT DOMAIN 98 107 FRAMEWORK 4.
 FT DISULFID 23 88 BY SIMILARITY.
 FT NON_TER 108 108
 SQ SEQUENCE 108 AA; 11840 MW; CD3FD944FE96FD37 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 108;
 Best Local Similarity 66.7%; Pred. No. 14;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSNWPHT 9
 :||:|:|
 Db 89 QQNSYPPT 97

RESULT 13
 NUAM_PELSU STANDARD; PRT; 459 AA.
 AC O79677;
 DT 15-JUL-1999 (Rel. 38, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4 (EC 1.6.5.3).
 GN ND4.
 OS Pelomedusa subrufa (African side-necked turtle).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Testudines; Pleurodira; Pelomedusidae; Pelomedusa.
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Zardoya R.;
 RL Submitted (DEC-1997) to the EMBL/GenBank/DBJ databases.
 CC -!- CATALYTIC ACTIVITY: NADH + UBIQUINONE = NAD(+) + UBIQUINOL.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: AF039066; AAD05057.1; .
 DR INTERPRO: IPR000260; .
 DR INTERPRO: IPR001750; .
 DR PFAM: PF00361; oxidored_q1; 1.
 DR PFAM: PF01059; oxidored_q5_N; 1.
 KW Oxidoreductase; NAD; Ubiquinone; Mitochondrion.
 SQ SEQUENCE 459 AA; 51629 MW; 89BC451BD09482CC CRC64;

OC Bacillus/Staphylococcus group; Staphylococcus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-FDA 574;
 RX MEDLINE; 92165839.
 RA Patti J.M., Jonsson H., Guss B., Switalski L.M., Wiberg K.,
 RA Lindberg M., Hoeek M.;
 RA "Molecular characterization and expression of a gene encoding a
 RT Staphylococcus aureus collagen adhesin.";
 RL J. Biol. Chem. 267:4766-4772(1992).
 RN [2]
 RP ERRATUM.
 RA Patti J.M., Jonsson H., Guss B., Switalski L.M., Wiberg K.,
 RA Lindberg M., Hoeek M.;
 RA J. Biol. Chem. 269:11672-11672(1994).
 RN [3]
 RP COLLAGEN-BINDING DOMAIN.
 RC STRAIN-FDA 574;
 RX MEDLINE; 94032261.
 RA Patti J.M., Boles J.O., Hoeek M.;
 RT "Identification and biochemical characterization of the ligand
 RT binding domain of the collagen adhesin from Staphylococcus aureus.";
 RL Biochemistry 32:11428-11435(1993).
 RN [4]
 RP X-RAY CRYSTALLOGRAPHY (2.0 ANGSTROMS) OF 169-318.
 RX MEDLINE; 97475225.
 RA Symersky J., Patti J.M., Carson M., House-Pompeo K., Teale M.,
 RA Moore D., Jin L., Schneider A., Delucas L.J., Hoeek M.,
 RA Narayana S.V.L.;
 RT "Structure of the collagen-binding domain from a Staphylococcus
 RT aureus adhesin.";
 RL Nat. Struct. Biol. 4:833-838(1997).
 CC -1- FUNCTION: MEDIATES ATTACHMENT OF STAPHYLOCOCCAL CELLS TO
 CC COLLAGEN-CONTAINING SUBSTRATA.
 CC -1- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. CELL WALL.
 CC -1- SIMILARITY: TO OTHER STREPTOCOCCAL AND STAPHYLOCOCCAL PROTEINS
 CC IN THE REGION OF THE MEMBRANE ANCHOR.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M81736; AAA20874.1; -
 DR PDB; 1AMX; 24-JUN-98.
 DR INTERPRO; IPR001899; -
 DR PROSITE; PS00343; GRAM_POS_ANCHORING; FALSE_NEG.
 KW Signal; Repeat; Transmembrane; Cell wall; 3D-structure.
 FT SIGNAL 1 29 POTENTIAL.
 FT CHAIN 30 1183 COLLAGEN ADHESIN.
 FT DOMAIN 30 1157 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 1158 1177 MEMBRANE ANCHOR (POTENTIAL).
 FT DOMAIN 1178 1183 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 151 318 COLLAGEN-BINDING.
 FT DOMAIN 533 1093 3 X 187 AA APPROXIMATE TANDEM REPEATS.
 FT DOMAIN 1093 1157 LYS/PRO-RICH (CELL WALL-SPANNING).
 FT DOMAIN 1151 1156 CONSERVED IN GRAM-POSITIVE COCCI SURFACE
 FT PROTEINS.
 FT REPEAT 533 719 B1.
 FT REPEAT 720 906 B2.
 FT REPEAT 907 1093 B3.
 SQ SEQUENCE 1183 AA; 133066 MW; B6A1CC072E575D76 CRC64;

Query Match 65.5%; Score 36; DB 1; Length 1183;
 Best Local Similarity 62.5%; Pred. No. 69;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 2 OSNSWPT 9
 :||:|

Db 666 ESNWTH 673
 RESULT 10
 AROL_PNECA STANDARD; PRT; 1581 AA.
 ID AROL_PNECA
 AC Q12659;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE PENTAFUNCTIONAL AROM POLYPEPTIDE [INCLUDES: 3-DEHYDROQUINATE SYNTHASE
 DE (EC 4.6.1.3); 3-DEHYDROQUINATE DEHYDRATASE (EC 4.2.1.10) (3-
 DEHYDROQUINASE); SHIKIMATE 5-DEHYDROGENASE (EC 1.1.1.25); SHIKIMATE
 DE KINASE (EC 2.7.1.71); 3-PHOSPHOSHAKIMATE 1-CARBOXYVINYLTRANSFERASE
 DE (EC 2.5.1.19) (5-ENOLPYRUVYLSHIKIMATE-3-PHOSPHATE SYNTHASE) (EPSP
 DE SYNTHASE) (EPSPS)].
 GN AROM.
 OS Pneumocystis carinii.
 OC Eukaryota; Fungi; Fungi Incertae sedis; Pneumocystidaceae;
 OC Pneumocystis.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 94172285.
 RA Banerji S., Wakefield A.E., Allen A.G., Maskell D.J., Peters S.E.,
 RA Hopkin J.M.;
 RT "The cloning and characterization of the arom gene of Pneumocystis
 RT carinii.";
 RL J. Gen. Microbiol. 139:2901-2914(1993).
 CC -1- FUNCTION: THE AROM POLYPEPTIDE CATALYSES 5 CONSECUTIVE ENZYMATIC
 CC REACTIONS IN PRECHORISMATE POLYAROMATIC AMINO ACID BIOSYNTHESIS.
 CC -1- CATALYTIC ACTIVITY: 7-PHOSPHO-3-DEOXY-ARABINO-HEPTULOSONATE -
 CC 3-DEHYDROQUINATE + ORTHOPHOSPHATE.
 CC -1- CATALYTIC ACTIVITY: 3-DEHYDROQUINATE - 3-DEHYDROSHIKIMATE + H(2)O.
 CC -1- CATALYTIC ACTIVITY: SHIKIMATE + NADP(+) - 5-DEHYDROSHIKIMATE +
 CC NADPH.
 CC -1- CATALYTIC ACTIVITY: ADP + SHIKIMATE - ADP + SHIKIMATE 3-PHOSPHATE.
 CC -1- CATALYTIC ACTIVITY: PHOSPHOENOLPYRUVATE + 3-PHOSPHOSHAKIMATE -
 CC ORTHOPHOSPHATE + O(5)-(1-CARBOXYVINYL)-3-PHOSPHOSHAKIMATE.
 CC -1- PATHWAY: SECOND TO SIXTH STEPS IN THE BIOSYNTHESIS OF CHORISMATE
 CC WITHIN THE BIOSYNTHESIS OF AROMATIC AMINO ACIDS (THE SHIKIMATE
 CC PATHWAY).
 CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -1- SIMILARITY: IN THE N-TERMINAL SECTION; BELONGS TO THE
 CC DEHYDROQUINATE SYNTHASE FAMILY.
 CC -1- SIMILARITY: IN THE 3RD SECTION; BELONGS TO THE SHIKIMATE KINASE
 CC FAMILY.
 CC -1- SIMILARITY: IN THE C-TERMINAL SECTION; BELONGS TO THE SHIKIMATE
 CC DEHYDROGENASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; L18918; AAA17839.1; -
 DR INTERPRO; IPR000623; -
 DR INTERPRO; IPR001381; -
 DR INTERPRO; IPR001986; -
 DR INTERPRO; IPR002658; -
 DR INTERPRO; IPR002907; -
 DR PFAM; PF01761; DHQ_synthase; 1.
 DR PFAM; PF01487; DHQinase_I; 1.
 DR PFAM; PF0275; EPSP_synthase; 1.
 DR PFAM; PF01202; SKI; 1.
 DR PFAM; PF01488; Shikimate_DH; 1.
 DR PRINTS; PRO1100; SHIKIMTKNASE.
 DR PROSITE; PS00104; EPSP_SYNTHASE_1; 1.
 DR PROSITE; PS00885; EPSP_SYNTHASE_2; 1.
 DR PROSITE; PS01028; DEHYDROQUINASE_I; 1.
 DR PROSITE; PS01128; SHIKIMATE_KINASE; 1.

30-MAY-2000 (Rel. 39, Last annotation update)
 KETOL-ACID REDUCTOISOMERASE PRECURSOR (EC 1.1.1.86) (ACETOHYDROXY-ACID
 REDUCTOISOMERASE) (ALPHA-KETO-BETA-HYDROXYLACIL REDUCTOISOMERASE).
 ILV-2.
 Neurospora crassa.
 Eukaryote; Fungi; Ascomycota; Sordariales; Sordariaceae; Neurospora.
 [1]
 SEQUENCE FROM N.A.
 MEDLINE; 93013010.
 Sista H., Bowman B.;
 "Characterization of the ilv-2 gene from Neurospora crassa encoding
 alpha-keto-beta-hydroxyacyl reductoisomerase.";
 Gene 120:115-118(1992).
 CC -1- CATALYTIC ACTIVITY: 2,3-DIHYDROXYISOLEVALERATE + NADP(+) =
 2-ACETOLACTATE + NADPH (ALSO: 2,3-DIHYDROXYACID-3-METHYLVALERATE
 + NADP(+)) - 2-ACETO-2-HYDROXYBUTYRATE + NADPH).
 CC -1- COFACTOR: REQUIRES MAGNESIUM.
 CC -1- PATHWAY: SECOND STEP IN VALINE AND ISOLEUCINE BIOSYNTHESIS.
 CC -1- SUBCELLULAR LOCATION: MITOCHONDRIAL.
 CC -1- SIMILARITY: BELONGS TO THE KETOL-ACID REDUCTOISOMERASE FAMILY.
 CC
 This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC
 EMBL; M84189; AAC00797.1; -;
 PIR; JC1428; JC1428.
 DR HSPG; Q01292; 1YVE.
 DR INTERPRO; IPR000506; -;
 DR PFAM; PF01450; ILVC; 1.
 KW Oxidoreductase; Branched-chain amino acid biosynthesis; Magnesium;
 NADP; Mitochondrion; Transit peptide.
 KW TRANSIT 1 26 MITOCHONDRION (POTENTIAL).
 FT CHAIN 27 400 KETOL-ACID REDUCTOISOMERASE.
 FT NP_BIND 90 99 NADPH (POTENTIAL).
 FT ACT_SITE 177 177 POTENTIAL.
 FT SEQUENCE 400 AA; 44508 MW; D8AA4C0A3F4BD7CB CRC64;
 SQ
 Query Match 65.5%; Score 36; DB 1; Length 400;
 Best Local Similarity 71.4%; Pred. No. 23;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 Qy 2 QSNSWPH 8
 Db 156 QSETWPH 162
 II : III
 RESULT 8
 KKIT CANFA
 ID KIT_CANFA STANDARD; PRT; 975 AA.
 AC Q97799;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE MAST/STEM CELL GROWTH FACTOR RECEPTOR PRECURSOR (EC 2.7.1.112) (SCFR)
 DE (PROTO-ONCOGENE TYROSINE-PROTEIN KINASE KIT) (C-KIT).
 GN KIT.
 OS Canis familiaris (Dog).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 99142897.
 RA Ma Y., Longley B.J., Wang X., Blount J.L., Langley K., Caughey G.H.;
 RT "Clustering of activating mutations in c-kit's juxtamembrane coding
 region in canine mast cell neoplasms.";
 RL J. Invest. Dermatol. 112:165-170(1999).
 CC -1- FUNCTION: THIS IS THE RECEPTOR FOR STEM CELL FACTOR (MAST CELL

GROWTH FACTOR). IT HAS A TYROSINE-PROTEIN KINASE ACTIVITY.
 BINDING OF THE LIGANDS LEADS TO THE AUTOPHOSPHORYLATION KIT AND
 ITS ASSOCIATION WITH SUBSTRATES SUCH AS PHOSPHATIDYLINOSITOL
 3-KINASE (PI3K).
 CC -1- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.
 CC -1- SIMILARITY: BELONGS TO THE CSF-1/PDGF RECEPTOR FAMILY OF TYROSINE-
 PROTEIN KINASES.
 CC -1- SIMILARITY: CONTAINS 5 IMMUNOGLOBULIN-LIKE DOMAINS.
 CC
 This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC
 EMBL; AF044249; AAD02327.1; -;
 DR HSPG; P08631; 2HCK.
 DR INTERPRO; IPR000719; -;
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00047; ig; 1.
 DR PFAM; PF00069; pkinase; 2.
 DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
 DR PROSITE; PS00109; PROTEIN_KINASE_TYR; 1.
 DR PROSITE; PS00240; RECEPTOR_TYR_KIN_III; 1.
 DR PROSITE; PS00011; PROTEIN_KINASE_DOM; 1.
 KW Transferase; Glycoprotein; Phosphorylation; ATP-binding; Signal;
 KW Transmembrane; Immunoglobulin domain.
 FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 975 MAST/STEM CELL GROWTH FACTOR RECEPTOR.
 FT DOMAIN 25 519 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 520 542 POTENTIAL.
 FT DOMAIN 543 975 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 588 936 PROTEIN KINASE.
 FT NP_BIND 594 602 ATP (BY SIMILARITY).
 FT BINDING 622 622 ATP (BY SIMILARITY).
 FT ACT_SITE 791 791 BY SIMILARITY.
 FT MOD_RES 822 822 PHOSPHORYLATION (AUTO-) (BY SIMILARITY).
 FT CARBOHYD 96 96 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 132 132 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 147 147 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 286 286 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 296 296 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 303 303 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 355 355 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 370 370 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 403 403 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 466 466 N-LINKED (GLCNAC...) (POTENTIAL).
 FT CARBOHYD 489 489 N-LINKED (GLCNAC...) (POTENTIAL).
 FT SEQUENCE 975 AA; 109335 MW; 8F570BDB9F05B1CB CRC64;
 SQ
 Query Match 65.5%; Score 36; DB 1; Length 975;
 Best Local Similarity 85.7%; Pred. No. 57;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 2 QSNSWPH 8
 Db 261 QSNSWHH 267
 II : III
 RESULT 9
 CNA STAAU
 ID CNA_STAAU STANDARD; PRT; 1183 AA.
 AC Q53654;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE COLLAGEN ADHESIN PRECURSOR.
 GN CNA.
 OS Staphylococcus aureus.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group;

RT Igm anti-gamma globulins (Lay/Pom) with shared idiotypic
RT specificities.";

RL Scand. J. Immunol. 5:677-684(1976).
CC -1- MISCELLANEOUS: THE SECOND AND THIRD HYPERVARIABLE REGIONS OF THIS
CC CHAIN ARE IDENTICAL WITH THOSE OF THE HUMAN POM V-III KAPPA CHAIN,
CC WITH WHICH IT SHARES CERTAIN IDIOTYPIC DETERMINANTS.

CC -1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM AN IGM WITH ANTI-GAMMA
CC GLOBULIN ACTIVITY.

DR PIR; A01871; KLHULY.

DR HSSP; P01607; IREI.

DR INTERPRO; IPR003006; -.

DR PFAM; PF00047; Ig; 1.

KW Immunoglobulin V region.

FT DOMAIN 1 23

FT DOMAIN 24 34

FT DOMAIN 35 49

FT DOMAIN 50 56

FT DOMAIN 57 88

FT DOMAIN 89 97

FT DOMAIN 98 107

FT DISULFID 23 88

FT NON_TER 108 108

SQ SEQUENCE 108 AA; 11834 MW; 739993A95431434A CRC64;

Query Match 65.5%; Score 36; DB 1; Length 108;

Best Local Similarity 66.7%; Pred. No. 6.1;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQNSWPH 9

II I:II I

Db 89 QQYNNWPH 97

RESULT 5

KV3F_HUMAN

ID KV3F_HUMAN STANDARD; PRT; 109 AA.

AC P01624;

DT 21-JUL-1986 (Rel. 01, Created)

DT 21-JUL-1986 (Rel. 01, Last sequence update)

DT 01-OCT-2000 (Rel. 40, Last annotation update)

DE IG KAPPA CHAIN V-III REGION POM.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

RN II

RP SEQUENCE.

RX MEDLINE; 76276460.

RA Klapper D.G., Capra J.D.;

RT "The amino acid sequence of the variable regions of the light chains

from two idiotypically cross reactive Igm anti-gamma globulins.";

RL Ann. Immunol. (Paris) 127C:261-271(1976).

CC -1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM AN IGM WITH ANTI-GAMMA

CC GLOBULIN ACTIVITY.

DR PIR; A01897; K3HUPM.

DR HSSP; P01789; 2MCP.

DR INTERPRO; IPR003006; -.

DR PFAM; PF00047; Ig; 1.

KW Immunoglobulin V region.

FT DISULFID 23 89

FT NON_TER 109 109

SQ SEQUENCE 109 AA; 11922 MW; 62821DDC6A8ABA86 CRC64;

Query Match 65.5%; Score 36; DB 1; Length 109;

Best Local Similarity 66.7%; Pred. No. 6.1;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQNSWPH 9

II I:II I

Db 90 QQYNNWPH 98

RESULT 6

COGS_UCAPU

ID COGS_UCAPU STANDARD; PRT; 226 AA.

AC P00771;

DT 21-JUL-1986 (Rel. 01, Created)

DT 15-JUL-1998 (Rel. 36, Last sequence update)

DT 15-DEC-1998 (Rel. 37, Last annotation update)

DE BRACHYURIN (EC 3.4.21.32) (COLLAGENOLYTIC PROTEASE).

OS Uca pugnator (Atlantic sand fiddler crab) (Celuca pugnator).

OC Eukaryota; Metazoa; Arthropoda; Crustacea; Malacostraca;

OC Eumalacostraca; Eucarida; Decapoda; Pleocyemata; Brachyura;

OC Eubrachyura; Ocypodoidea; Ocypodidae; Celuca.

RN II

RP SEQUENCE.

RC TISSUE=HEPATOPANCREAS;

RX MEDLINE; 81040004.

RA Grant G.A., Henderson K.O., Eisen A.Z., Bradshaw R.A.;

RT "Amino acid sequence of a collagenolytic protease from the

hepatopancreas of the fiddler crab, Uca pugnator.";

RL Biochemistry 19:4653-4659(1980).

RN II

RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS), AND REVISIONS.

RC TISSUE=HEPATOPANCREAS;

RX MEDLINE; 97299771.

RA Perona J.J., Tsu C.A., Craik C.S., Fletterick R.J.;

RT "Crystal structure of an ecotin-collagenase complex suggests a model

for recognition and cleavage of the collagen triple helix.";

RL Biochemistry 36:5381-5392(1997).

CC -1- FUNCTION: THIS ENZYME IS A SERINE PROTEASE CAPABLE OF DEGRADING

CC THE NATIVE TRIPLE HELIX OF COLLAGEN.

CC -1- CATALYTIC ACTIVITY: HYDROLYSIS OF PROTEINS, WITH BROAD SPECIFICITY

FOR PEPTIDE BONDS. DEGRADATES NATIVE COLLAGEN AT ABOUT 75% OF THE

LENGTH OF THE MOLECULE FROM THE N-TERMINUS. LOW ACTIVITY ON SMALL

MOLECULE SUBSTRATES OF BOTH TRYPSIN AND CHYMOTRYPSIN.

CC -1- SIMILARITY: BELONGS TO PEPTIDASE FAMILY S1; ALSO KNOWN AS THE

CC TRYPSIN FAMILY.

DR PIR; A00958; KCUF.

DR PDB; 1AZZ; 25-FEB-98.

DR INTERPRO; IPR001254; -.

DR INTERPRO; IPR001314; -.

DR PFAM; PF00089; trypsin; 1.

DR PRINTS; PR00722; CHYMOTRYPSIN.

DR PROSITE; PS00134; TRYPSIN_HIS; 1.

DR PROSITE; PS00135; TRYPSIN_SER; 1.

KW Hydrolyase; Serine protease; Collagen degradation; 3D-structure.

FT DISULFID 26 42

FT DISULFID 151 164

FT DISULFID 174 200

FT ACT_SITE 41 41

FT ACT_SITE 87 87

FT ACT_SITE 178 178

FT CONFLICT 91 91

FT CONFLICT 147 148

FT CONFLICT 175 175

FT CONFLICT 185 185

SQ SEQUENCE 226 AA; 23511 MW; E45591CAF332C8C CRC64;

QY 4 NSWPH 8

II IIII

Db 10 NSWPH 14

RESULT 7

ILV5_NEUCR

ID ILV5_NEUCR STANDARD; PRT; 400 AA.

AC P38674;

DT 01-FEB-1995 (Rel. 31, Created)

DT 01-FEB-1995 (Rel. 31, Last sequence update)

Query Match 65.5%; Score 36; DB 1; Length 226;
Best Local Similarity 100.0%; Pred. No. 13;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 RN [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN-K12 / AN387;
 RX MEDLINE; 93273744.
 RA Wissenbach U., Unden G.;
 RT "Physical map location of the new artPIOMJ genes of Escherichia coli,
 encoding a periplasmic arginine transport system.";
 RL J. Bacteriol. 175:3687-3688(1993).
 RN [2]
 RN SEQUENCE FROM N.A.
 RC STRAIN-K12 / MG1655;
 RX MEDLINE; 97426617.
 RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
 RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
 RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
 RA Mau B., Shao Y.;
 RT "The complete genome sequence of Escherichia coli K-12.";
 RL Science 277:1453-1474(1997).
 RN [3]
 RN SEQUENCE FROM N.A.
 RC STRAIN-K12;
 RX MEDLINE; 97061202.
 RA Oshima T., Aiba H., Baba T., Fujita K., Hayashi K., Honjo A.,
 RA Ikemoto K., Inada T., Itoh T., Kajihara M., Kanai K., Kashimoto K.,
 RA Kimura S., Kitagawa M., Makino K., Masuda S., Miki T., Mizobuchi K.,
 RA Mori H., Motomura K., Nakamura Y., Nishimoto H., Nishio Y., Saito N.,
 RA Sampei G., Seki Y., Tagami H., Takemoto K., Wada C., Yamamoto Y.,
 RA Yano M., Horikuchi T.;
 RT "A 718-kb DNA sequence of the Escherichia coli K-12 genome
 corresponding to the 12.7-28.0 min region on the linkage map.";
 RL DNA Res. 3:137-155(1996).
 CC -1- FUNCTION: PART OF THE BINDING-PROTEIN-DEPENDENT TRANSPORT SYSTEM
 CC FOR ARGinine. PROBABLY RESPONSIBLE FOR ENERGY COUPLING TO
 CC THE TRANSPORT SYSTEM.
 CC -1- SUBCELLULAR LOCATION: INNER MEMBRANE-ASSOCIATED (POTENTIAL).
 CC -1- SIMILARITY: BELONGS TO THE ATP-BINDING TRANSPORT PROTEIN FAMILY
 CC (ABC TRANSPORTERS).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See: <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X86160; CAA60101.1; -;
 DR EMBL; AE000188; AAC73951.1; -;
 DR EMBL; D90724; BAA35578.1; -;
 DR PIR; S31694; S31694.
 DR ECOGENE; EGI1624; ARTP.
 DR INTERPRO; IPR001617; -;
 DR PRAM; PF00005; ABC_trap; 1.
 DR PROSITE; PS00211; ABC_TRANSPORTER; 1.
 KW Amino-acid transport; Transport; ATP-binding; Inner membrane.
 FT NP_BIND 35 42 ATP (POTENTIAL).
 FT CONFLICT 94 95 WP -> CA (IN REF. 1).
 FT CONFLICT 121 121 R -> S (IN REF. 1).
 SQ SEQUENCE 242 AA; 27022 MW; D5B50062E523413A CRC64;

Query Match 69.1%; Score 38; DB 1; Length 242;
 Best Local Similarity 75.0%; Pred. No. 6.2;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

OY 1 QQSNWSPH 8
 I I I I I I
 DB 89 QQYNLWPH 96

RESULT 3
 CTCLACILW STANDARD; PRT; 96 AA.
 AC Q33947;
 DT 15-JUL-1999 (Rel. 38, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DE MUONOLACTONE DELTA-ISOMERASE 1 (EC 5.3.3.4) (MIASE 1).
 GN CATCI.
 OS Acinetobacter lwoffii.
 OC Bacteria; Proteobacteria; gamma subdivision; Moraxellaceae;
 OC Acinetobacter.
 RN [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN-K24;
 RX MEDLINE; 97405925.
 RA Kim S.I., Leem S.-H., Choi J.-S., Chung Y.H., Kim S., Park Y.-M.,
 RA Park Y.K., Lee Y.N., Ha K.-S.;
 RT "Cloning and characterization of two catA genes in Acinetobacter
 RT lwoffii K24.";
 RL J. Bacteriol. 179:5226-5231(1997).
 RN [2]
 RN SEQUENCE FROM N.A.
 RC STRAIN-K24;
 RX MEDLINE; 98139907.
 RA Kim S.I., Leem S.-H., Choi J.-S., Ha K.-S.;
 RT "Organization and transcriptional characterization of the catI gene
 RT cluster in Acinetobacter lwoffii K24.";
 RL Biochem. Biophys. Res. Commun. 243:289-294(1998).
 CC -1- CATALYTIC ACTIVITY: 2,5-DIHYDRO-5-OXOFURAN-2-ACETATE -
 CC 3,4-DIHYDRO-5-OXOFURAN-2-ACETATE.
 CC -1- PATHWAY: THIRD STEP IN THE CATABOLISM OF CATECHOL TO SUCCINATE-
 CC AND ACETYL-COA IN THE BETA-KETOADIPATE PATHWAY.
 CC -1- SUBUNIT: HOMODECAMER (BY SIMILARITY).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See: <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U77658; AAC46227.1; -;
 KW Aromatic hydrocarbons catabolism; Isomerase.
 SQ SEQUENCE 96 AA; 11048 MW; 6955AC14A5DDDEFA CRC64;

Query Match 65.5%; Score 36; DB 1; Length 96;
 Best Local Similarity 62.5%; Pred. No. 5.4;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

OY 1 QQSNWSPH 8
 I I I I I I
 DB 35 QKSGKWP 42

RESULT 4
 KVIM_HUMAN STANDARD; PRT; 108 AA.
 ID KVIM_HUMAN
 AC P01605;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DE IG KAPPA CHAIN V-I REGION LAY.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RN SEQUENCE.
 RP MEDLINE; 77038198.
 RA Capra J.D., Klapper D.G.;
 RT "Complete amino acid sequence of the variable domains of two human

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:09 ; Search time 72.95 Seconds
(without alignments)
3.941 Million cell updates/sec

Title: US-09-016-061-86

Perfect score: 55

Sequence: 1 QQNSNWPHT 9

Scoring table: Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	42	76.4	115	1 KV5I_MOUSE	P01642 mus musculus
2	38	69.1	242	1 ARTP_ECOLI	P30858 escherichia
3	36	65.5	96	1 CTCL_ACILW	O33947 acinetobact
4	36	65.5	108	1 KVIM_HUMAN	P01605 homo sapien
5	36	65.5	109	1 KV3F_HUMAN	P01624 homo sapien
6	36	65.5	226	1 COGS_UCAPU	P00771 uca pugilat
7	36	65.5	400	1 ILV5_NEUCR	P38674 neurospora
8	36	65.5	975	1 KKIT_CANFA	O97799 canis famill
9	36	65.5	1183	1 CNA_STAAR	Q53654 staphylococ
10	36	65.5	1581	1 AR01_PNECA	Q12659 p pentafunc
11	36	65.5	1776	1 POLR_OYMV	P20127 ononis yell
12	34	61.8	108	1 KVIV_HUMAN	P04430 homo sapien
13	34	61.8	459	1 NUAM_PELSU	O79677 pelomedusa
14	34	61.8	492	1 TYTR_TRYCR	P28593 trypanosoma
15	34	61.8	519	1 GAG_SIVAT	P05892 simian immu
16	34	61.8	520	1 GAG_SIVAT	P27972 simian immu
17	33	60.0	87	1 YIMC_BPPH1	P04035 bacterioph
18	33	60.0	129	1 KV3H_HUMAN	P04207 homo sapien
19	33	60.0	235	1 PSP_MOUSE	P07743 mus musculus
20	33	60.0	243	1 ARTP_HAEIN	P45092 haemophilus
21	33	60.0	254	1 VG12_BPMIL5	Q05328 mycobacteri
22	33	60.0	513	1 BMP6_HUMAN	P22004 homo sapien
23	33	60.0	521	1 GAG_SIVAG	P27978 simian immu
24	33	60.0	675	1 COP1_ARATH	P43254 arabidopsis
25	33	60.0	762	1 AOCX_BOVIN	Q29437 bos taurus
26	33	60.0	762	1 AOCY_BOVIN	O46406 bos taurus
27	33	60.0	822	1 DEXT_STRSL	Q59979 streptococ
28	32	58.2	192	1 Y3_SOCMV	P15633 soybean chl
29	32	58.2	194	1 VG37_HAEIN	P44231 haemophilus
30	32	58.2	253	1 RL6_YEAST	P05736 saccharomyc
31	32	58.2	266	1 ELI_PIG	P00772 sus scrofa
32	32	58.2	287	1 DLX3_MOUSE	Q64205 mus musculus
33	32	58.2	301	1 NKR5_HUMAN	P43631 homo sapien

ALIGNMENTS

RESULT 1

KV5I_MOUSE	STANDARD;	PRT;	115 AA.
AC P01642;			
DT 21-JUL-1986 (Rel. 01, Created)			
DT 21-JUL-1986 (Rel. 01, Last sequence update)			
DT 15-JUL-1999 (Rel. 38, Last annotation update)			
DE IG KAPPA CHAIN V-V REGION L7 PRECURSOR (FRAGMENT).			
OS Mus musculus (Mouse).			
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.			
RN [1]			
RP SEQUENCE FROM N.A.			
RX MEDLINE; 81220975.			
RA Pech M., Hochtl J., Schnell H., Zachau H.G.;			
RT "Differences between germ-line and rearranged immunoglobulin V kappa			
RT coding sequences suggest a localized mutation mechanism.";			
RL Nature 291:668-670(1981).			
CC -1- MISCELLANEOUS: THERE APPEAR TO BE TWO POSSIBLE SPICE JUNCTIONS AT			
CC THE 3' END OF THE INTRON. THE ALTERNATE WOULD CODE FOR A PROTEIN			
CC LACKING RESIDUES 17-19.			
DR PIR; A01925; KVM5L7.			
DR INTERPRO; IPR003006; -.			
DR PFAM; PF00047; ig; 1.			
KW Immunoglobulin V region; Signal.			
FT SIGNAL 1 20			
FT CHAIN 21 >115			
FT DOMAIN 21 43			
FT DOMAIN 44 54			
FT DOMAIN 55 69			
FT DOMAIN 70 76			
FT DOMAIN 77 108			
FT DOMAIN 109 >115			
FT DISULFID 43 108			
FT NON_TER 115 115			
SQ SEQUENCE 115 AA; 12615 MW; C17BEC758C577E00 CRC64;			

Query Match 76.4%; Score 42; DB 1; Length 115;
Best Local Similarity 100.0%; Pred. No. 0.58;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QQNSNP 7

Db 109 QQNSNP 115

RESULT 2

ARTP_ECOLI	STANDARD;	PRT;	242 AA.
ID ARTP_ECOLI			
AC P30858; P77355;			
DT 01-JUL-1993 (Rel. 26, Created)			
DT 01-NOV-1997 (Rel. 35, Last sequence update)			
DT 01-NOV-1997 (Rel. 35, Last annotation update)			
DE ARGININE TRANSPORT ATP-BINDING PROTEIN ARTP.			
GN ARTP.			

C:Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kappa) chain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into larger complexes.
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer
F:1-20/Domain: signal sequence #status predicted <SIG>
F:21-115/Product: Ig kappa chain V region (L7) #status predicted <MAT>
F:36-110/Domain: immunoglobulin homology <IMM>
F:43-108/Disulfide bonds: #status predicted

Query Match 76.4%; Score 42; DB 1; Length 115;
Best Local Similarity 100.0%; Pred. No. 0.98;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWP 7
DB 109 QQSNSWP 115

RESULT 13

PN0445
Ig kappa chain precursor V-I region - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000
C:Accession: PN0445
R:Kaluza, B.; Betzl, G.; Shao, H.; Diamantstein, T.; Weidle, U.H.
Gene 122, 321-328, 1992
A:Title: A general method for chimerization of monoclonal antibodies by inverse polymerase chain reaction
A:Reference number: PN0444; MUID:93138402
A:Accession: PN0445
A:Molecule type: mRNA
A:Residues: 1-128 <KAL>

A:Cross-references: G8:L02347
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-10/Domain: signal sequence #status predicted <SIG>
F:11-128/Product: Ig light chain kappa-1 V region #status predicted <MAT>
F:26-100/Domain: immunoglobulin homology <IMM>

Query Match 76.4%; Score 42; DB 2; Length 128;
Best Local Similarity 77.8%; Pred. No. 1.1;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSNSWP 9
DB 99 QQTNSWPT 107

RESULT 14

S40343
Ig kappa chain V-J region - human
C:Species: Homo sapiens (man)
C:Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C:Accession: S40343
R:Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993

A:Title: Expressed human immunoglobulin chi genes and their hypermutation.
A:Reference number: S40312; MUID:94080891

A:Accession: S40343
A>Status: preliminary; translation not shown
A:Molecule type: mRNA
A:Residues: 1-128 <KLE>
A:Cross-references: EMBL:X72453; NID:9441374; PID:9441375
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:36-110/Domain: immunoglobulin homology <IMM>

Query Match 72.7%; Score 40; DB 2; Length 128;
Best Local Similarity 66.7%; Pred. No. 2.5;
Matches 2; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSNSWP 9
DB 109 QQYNNWPT 117

RESULT 15

C40201
artifactual warning sequence (translated ALU class C) - human
C:Species: Homo sapiens (man)
C:Date: 31-Mar-1992 #sequence_revision 11-Aug-1995 #text_change 19-May-2000
C:Accession: C40201
R:Claverie, J.M.
A:Reference number: A40201
A:Accession: C40201
A:Molecule type: DNA
A:Residues: 1-613 <CLA>
R:Claverie, J.M.
Genomics 12, 838-841, 1992
A:Title: Identifying coding exons by similarity search: Alu-derived and other potential artifacts
A:Reference number: A40200; MUID:92241891
A:Contents: annotation
C:Comment: This "warning" entry is a conceptual translation in all 6 reading frames of the in-frame stop codons are shown as 'x'.
C:Comment: Any significant similarity of a predicted protein sequence to a portion of

Query Match 72.7%; Score 40; DB 4; Length 613;
Best Local Similarity 100.0%; Pred. No. 13;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 SNSWP 8
DB 588 SNSWP 593

Search completed: March 28, 2001, 07:04:29
Job time: 1067 sec

F:14-88/Domain: immunoglobulin homology <IMM>

Query Match 83.6%; Score 46; DB 2; Length 102;
Best Local Similarity 77.8%; Pred. No. 0.17;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
|||||

DB 87 QOSNTPYT 95

RESULT 8

Ig kappa chain V region - mouse (fragment)

C:Species: Mus musculus (house mouse)
C:Date: 27-Apr-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: B43413
R:Tomiyama, Y.; Brojer, E.; Ruggeri, Z.M.; Shattil, S.J.; Smiltneck, J.; Gorski, J.; Kum
J. Biol. Chem. 267, 18085-18092, 1992
A:Title: A molecular model of RGD ligands. Antibody D gene segments that direct specific
A:Reference number: A43413; MUID:92388177
A:Accession: B43413
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-104 <TOM>
A:Note: sequence extracted from NCBI backbone (NCBIP:112818)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:13-87/Domain: immunoglobulin homology <IMM>

Query Match 80.0%; Score 44; DB 2; Length 104;
Best Local Similarity 88.9%; Pred. No. 0.39;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
|||||

DB 86 QOSNSWPLT 94

RESULT 9

Ig kappa chain V region (D444) - mouse

C:Species: Mus musculus (house mouse)
C:Date: 03-Nov-1988 #sequence_revision 03-Nov-1988 #text_change 21-Jan-2000
C:Accession: C30502
R:Ellat, D.; Webster, D.M.; Rees, A.R.
J. Immunol. 141, 1745-1753, 1988
A:Title: V region sequences of anti-DNA and anti-RNA autoantibodies from NZB/NZW F-1 mice
A:Reference number: A30502; MUID:88315787
A:Accession: C30502
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-108 <EIL>
A:Cross-references: GB:M21907; NID:g197071; PIDN:AAA38907.1; PID:g197072
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 80.0%; Score 44; DB 2; Length 108;
Best Local Similarity 77.8%; Pred. No. 0.4;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
|||||

DB 89 QOSNSWPLT 97

RESULT 10

A26471
Ig kappa chain precursor V region (MAK33) - mouse

C:Species: Mus musculus (house mouse)
C:Date: 05-Jun-1988 #sequence_revision 05-Jun-1988 #text_change 23-Jul-1999
C:Accession: A26471
R:Buckel, P.; Hubner-Parajsz, C.; Mattes, R.; Lenz, H.; Haug, H.; Beaucamp, K.
Gene 51, 13-19, 1987
A:Title: Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creat
A:Reference number: A91572; MUID:87248058
A:Accession: A26471
A:Molecule type: mRNA
A:Residues: 1-138 <BUC>
A:Cross-references: GB:M16162; NID:g196893; PIDN:AAA38823.1; PID:g196894
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-20/Domain: signal sequence #status predicted <SIG>
F:21-138/Product: Ig kappa chain V region #status predicted <MAT>

Query Match 80.0%; Score 44; DB 2; Length 138;
Best Local Similarity 88.9%; Pred. No. 0.52;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
|||||

DB 109 QOSNSWPLT 117

RESULT 11

PHI082

Ig light chain V region (clone 165.54) - mouse (fragment)

C:Species: Mus musculus (house mouse)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000
C:Accession: PHI082
R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PHI082
A>Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-87 <TIL>
A:Experimental source: B cell, strain [NZB x NZW]FI
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin
F:6-80/Domain: immunoglobulin homology <IMM>

Query Match 76.4%; Score 42; DB 2; Length 87;
Best Local Similarity 100.0%; Pred. No. 0.73;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWP 7
|||||

DB 79 QOSNSWP 85

RESULT 12

KVNSL7

Ig kappa chain precursor V region (L7) - mouse

C:Species: Mus musculus (house mouse)
C:Date: 18-Dec-1981 #sequence_revision 18-Dec-1981 #text_change 22-Jun-1999
C:Accession: A01925
R:Pech, M.; Hochtl, J.; Schnell, H.; Zachau, H.G.
Nature 291, 668-670, 1981
A:Title: Differences between germ-line and rearranged immunoglobulin V-kappa coding s
A:Reference number: A93259; MUID:81220975
A:Accession: A01925
A:Molecule type: DNA
A:Residues: 1-115 <PEC>
A:Cross-references: GB:V01564; GB:J00574; NID:g51718; PIDN:CAA24884.1; PID:g758153
A:Note: the sequence was determined from the germline gene
A:Note: there appear to be two possible splice junctions at the 3' end of the intron;
C:Genetics:
A:Introns: 17/1

Query Match 100.0%; Score 55; DB 2; Length 123;
 Best Local Similarity 100.0%; Pred. No. 0.005;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 |||||
 Db 101 QQSNSWPHT 109

RESULT 3

B45722
 Anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 33) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
 C:Accession: B45722
 R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Vasquez, J.; Vitol, G.; 489-496, 1993
 A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on human IgG1 heavy chain variable domain (Mab 33) - mouse (fragment)
 A:Reference number: A45722; MUID:93100833
 A:Accession: B45722
 A:Status: preliminary; not compared with conceptual translation
 A:Molecule type: nucleic acid
 A:Residues: 1-107 <SIM>
 A:Note: sequence extracted from NCBI backbone (NCBIP:120590)
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: glycoprotein
 F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 94.5%; Score 52; DB 2; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.015;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 |||||
 Db 89 QQSNSWPHT 97

RESULT 4

PL0267
 Ig kappa chain V region (anti-DNA, DPL2VK) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 21-Jan-2000
 C:Accession: PL0267
 R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.; Exp. Med. 171, 265-297, 1990
 A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic hypermutation of the V region of the Ig kappa chain
 A:Reference number: PL0231; MUID:90111618
 A:Accession: PL0267
 A:Molecule type: mRNA
 A:Residues: 1-106 <SHL>
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-23/Region: framework 1
 F:16-90/Domain: immunoglobulin homology <IMM>
 F:24-34/Region: complementarity-determining 1
 F:35-49/Region: framework 2
 F:50-56/Region: complementarity-determining 2
 F:57-88/Region: framework 3
 F:89-97/Region: complementarity-determining 3
 F:98-106/Region: framework 4

Query Match 89.1%; Score 49; DB 2; Length 106;
 Best Local Similarity 88.9%; Pred. No. 0.051;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 |||||
 Db 89 QQSNSWPHT 97

RESULT 5

PH1081
 Ig light chain V region (clone 165.6) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
 C:Accession: PH1081
 R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.; Exp. Med. 176, 761-779, 1992
 A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective hypermutation of the V region of the Ig light chain
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PH1081
 A:Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-67 <TIL>
 A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin

Query Match 85.5%; Score 47; DB 2; Length 67;
 Best Local Similarity 88.9%; Pred. No. 0.072;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 |||||
 Db 58 QQSNSWPQT 66

RESULT 6

PH1080
 Ig light chain V region (clone 165.60) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
 C:Accession: PH1080
 R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.; Exp. Med. 176, 761-779, 1992
 A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective hypermutation of the V region of the Ig light chain
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PH1080
 A:Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-69 <TIL>
 A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin

Query Match 85.5%; Score 47; DB 2; Length 69;
 Best Local Similarity 88.9%; Pred. No. 0.074;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
 |||||
 Db 60 QQSNSWPQT 68

RESULT 7

S26346
 Ig kappa chain V region - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
 C:Accession: S26346
 R:Stark, S.E.; Caton, A.J.; Exp. Med. 174, 613-624, 1991
 A:Title: Antibodies that are specific for a single amino acid interchange in a protein are produced by a single clone
 A:Reference number: S26309; MUID:91341421
 A:Accession: S26346
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-102 <STA>
 A:Cross-references: EMBL:X59211; NID:952338; PIDN:CAA41921.1; PID:g1334075
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:28 ; Search time 130.08 Seconds
(without alignments)
4.698 Million cell updates/sec

Title: US-09-016-061-86

Perfect score: 55

Sequence: 1 QQNSNWPHT 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66:*

1: p1r1:*

2: p1r2:*

3: p1r3:*

4: p1r4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	55	100.0	107	2 A45722	anti-glycoprotein
2	55	100.0	123	2 S35479	Ig kappa chain pre
3	52	94.5	107	2 B45722	anti-glycoprotein
4	49	89.1	106	2 PLO267	Ig kappa chain v r
5	47	85.5	67	2 P1081	Ig light chain v r
6	47	85.5	69	2 P1080	Ig light chain v r
7	46	83.6	102	2 S26346	Ig kappa chain v r
8	44	80.0	104	2 B43413	Ig kappa chain v r
9	44	80.0	108	2 C30502	Ig kappa chain v r
10	44	80.0	138	2 A36471	Ig kappa chain pre
11	42	76.4	87	2 P1082	Ig light chain v r
12	42	76.4	115	1 KVMSL7	Ig kappa chain pre
13	42	76.4	128	2 PNO445	Ig kappa chain pre
14	40	72.7	128	2 S40343	Ig kappa chain v r
15	40	72.7	613	4 C40201	Ig kappa chain v r
16	38	69.1	91	2 S37527	artifact-warning s
17	38	69.1	242	2 H64824	Ig kappa chain v r
18	38	69.1	278	2 S60619	arginine transport
19	36	65.5	86	2 C28195	homeotic protein c
20	36	65.5	96	2 JC5945	Ig kappa chain v r
21	36	65.5	107	2 C45722	regulatory protein
22	36	65.5	108	1 K1HULY	anti-glycoprotein
23	36	65.5	109	1 K3HUPM	Ig kappa chain v r
24	36	65.5	118	2 S69461	Ig kappa chain v r
25	36	65.5	226	1 KCUF	hypothetical prote
26	36	65.5	400	1 JC1428	brachyurin (EC 3.4
27	36	65.5	640	2 T26820	ketol-acid reducto
28	36	65.5	1185	2 A42404	hypothetical prote
29	36	65.5	1581	2 T30832	collagen adhesin -
					pentafunctional en

30 36 65.5 1776 1 RRWPM
31 35 63.6 91 2 S37525
32 35 63.6 117 2 S40362
33 35 63.6 145 2 S77537
34 35 63.6 428 2 A82215
35 35 63.6 750 2 T10864
36 34 61.8 107 2 A28195
37 34 61.8 108 1 K1HUBN
38 34 61.8 108 2 PLO204
39 34 61.8 129 2 S40369
40 34 61.8 151 2 S37013
41 34 61.8 164 2 T44054
42 34 61.8 215 2 JE0243
43 34 61.8 459 2 T11110
44 34 61.8 492 1 S68968
45 34 61.8 519 1 FOLJG4

genome polyprotein
Ig kappa chain v r
Ig kappa chain - h
hypothetical prote
probable alanine r
transcription acti
Ig kappa chain v r
Ig kappa chain v-I
anti-DNA autoantib
Ig kappa chain - h
transposase (clone
glycoprotein gp82/
Ig kappa chain.NIG
NADH dehydrogenase
trypanothione redu
gag polyprotein -

ALIGNMENTS

RESULT 1

A45722

anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 5) - mouse (

C:Species: Mus musculus (house mouse)

C:Date: 03-Mar-1994 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000

C:Accession: A45722

R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdaloovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va
J. Virol. 67, 489-496, 1993

A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on

A:Reference number: A45722; MUID:93100833

A:Accession: A45722

A:Status: preliminary; not compared with conceptual translation

A:Molecule type: mRNA

A:Residues: 1-107 <SIM>

A:Note: sequence extracted from NCBI backbone (NCBIP:120589)

C:Superfamily: Immunoglobulin V region; immunoglobulin homology

C:Keywords: glycoprotein

F:16-90/Domain: immunoglobulin homology <IMM>

Query Match

100.0%; Score 55; DB 2; Length 107;

Best Local Similarity 100.0%; Pred. No. 0.0044;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQNSNWPHT 9

Db 89 QQNSNWPHT 97

RESULT 2

S35479

Ig kappa chain precursor V region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 19-Mar-1997 #sequence_revision 05-Dec-1998 #text_change 21-Jan-2000

C:Accession: S35479

R:Takeda, Y.; Wiser, K.S.; Hoffman, R.W.

Nucleic Acids Res. 20, 4099, 1992

A:Title: Nucleotide sequences of immunoglobulin heavy and light chain V-regions from

A:Reference number: S35479; MUID:92375706

A:Accession: S35479

A:Status: nucleic acid sequence not shown

A:Molecule type: DNA

A:Residues: 1-123 <TAK>

A:Cross-References: EMBL:M93959; NID:g197572; PIDN:AAA39079.1; PID:g554148

C:Genetics:

A:Map position: 6

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotrimer; immunoglobulin

F:1-12/Domain: signal sequence (fragment) #status predicted <SIG>

F:13-123/Product: Ig kappa chain V region (fragment) #status predicted <MAT>

F:28-102/Domain: immunoglobulin homology <IMM>

APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M.
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002610
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-487-200-87

Query Match 87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSI 11
| | | | |
DB 46 LLIKYASQSI 56

Search completed: March 28, 2001, 07:01:58
Job time: 1337 sec

```

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-487-200-62

```

```

Query Match      87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 LLIRYSSQSI 11
Db 46 LLIKYASQSI 56

```

```

RESULT 14
US-08-487-200-63
; Sequence 63, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200

```

```

; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-487-200-63

```

```

Query Match      87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 LLIRYSSQSI 11
Db 46 LLIKYASQSI 56

```

```

RESULT 15
US-08-487-200-87
; Sequence 87, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:

```

```

; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-474-040-63

Query Match      87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 1 LLIRYSSQIS 11
Db 46 LLIRYASQIS 56

RESULT 12
US-08-474-040-87
; Sequence 87, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:

```

```

; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-474-040-87

Query Match      87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 1 LLIRYSSQIS 11
Db 46 LLIRYASQIS 56

RESULT 13
US-08-487-200-62
; Sequence 62, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:

```

Query Match 87.8%; Score 43; DB 1; Length 107;
 Best Local Similarity 81.8%; Pred. No. 0.12;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
 Db 46 LLIKVASQSIS 56

RESULT 9
 ; Sequence 87, Application US/08477728
 ; Patent No. 5585089
 ; GENERAL INFORMATION:
 ; APPLICANT: QUEEN, Cary L.
 ; APPLICANT: SCHNEIDER, William P.
 ; APPLICANT: SELICK, Harold E.
 ; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
 ; NUMBER OF SEQUENCES: 113
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Townsend and Townsend and Crew LLP
 ; STREET: Two Embarcadero Center, 8th Floor
 ; CITY: Palo Alto
 ; STATE: California
 ; COUNTRY: US
 ; ZIP: 94111

COMPUTER READABLE FORM:
 MEDIUM TYPE: Floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: Patentin Release #1.0, Version #1.25
 CURRENT APPLICATION DATA:
 APPLICATION NUMBER: US/08/477,728
 FILING DATE: 07-JUN-1995
 CLASSIFICATION: 424
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/534,278
 FILING DATE: 19-DEC-1990

PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/590,274
 FILING DATE: 28-SEP-1990
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/310,252
 FILING DATE: 13-FEB-1989

PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/290,975
 FILING DATE: 28-DEC-1988
 ATTORNEY/AGENT INFORMATION:
 NAME: Smith, William M
 REGISTRATION NUMBER: 30,223
 REFERENCE/DOCKET NUMBER: 11823-002600
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: (415) 326-2400
 TELEFAX: (415) 326-2422
 INFORMATION FOR SEQ ID NO: 87:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 107 amino acids
 TYPE: amino acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 MOLECULE TYPE: peptide
 US-08-477-728-87

Query Match 87.8%; Score 43; DB 1; Length 107;
 Best Local Similarity 81.8%; Pred. No. 0.12;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
 Db 46 LLIKVASQSIS 56

RESULT 10
 US-08-474-040-62
 ; Sequence 62, Application US/08474040
 ; Patent No. 5693761
 ; GENERAL INFORMATION:
 ; APPLICANT: QUEEN, Cary L.
 ; APPLICANT: CO, Man Sung
 ; APPLICANT: SCHNEIDER, William P.
 ; APPLICANT: LANDOLFI, Nicholas F.
 ; APPLICANT: COELINGH, Kathleen L.
 ; APPLICANT: SELICK, Harold E.
 ; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
 ; NUMBER OF SEQUENCES: 113
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Townsend and Townsend Khourie and Crew
 ; STREET: 379 Lytton Avenue
 ; CITY: Palo Alto
 ; STATE: California
 ; COUNTRY: US
 ; ZIP: 94301

COMPUTER READABLE FORM:
 MEDIUM TYPE: Floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: Patentin Release #1.0, Version #1.25
 CURRENT APPLICATION DATA:
 APPLICATION NUMBER: US/08/474,040
 FILING DATE: 07-JUN-1995
 CLASSIFICATION: 536
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/634,278
 FILING DATE: 19-DEC-1990

PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/590,274
 FILING DATE: 28-SEP-1990
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/310,252
 FILING DATE: 13-FEB-1989

PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 07/290,975
 FILING DATE: 28-DEC-1988
 ATTORNEY/AGENT INFORMATION:
 NAME: Smith, William M
 REGISTRATION NUMBER: 30,223
 REFERENCE/DOCKET NUMBER: 11823-002600
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: (415) 326-2400
 TELEFAX: (415) 326-2422
 INFORMATION FOR SEQ ID NO: 62:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 107 amino acids
 TYPE: amino acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 MOLECULE TYPE: peptide
 US-08-474-040-62

Query Match 87.8%; Score 43; DB 1; Length 107;
 Best Local Similarity 81.8%; Pred. No. 0.12;
 Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
 Db 46 LLIKVASQSIS 56

RESULT 11
 US-08-474-040-63
 ; Sequence 63, Application US/08474040
 ; Patent No. 5693761
 ; GENERAL INFORMATION:
 ; APPLICANT: QUEEN, Cary L.
 ; APPLICANT: CO, Man Sung

; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-87

Query Match 87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 46 LLIKYASQSIS 56

RESULT 7
US-08-477-728-62
; Sequence 62, Application US/08477728
; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBLINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, 8th Floor
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/477,728
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1988
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-477-728-62

Query Match 87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 46 LLIKYASQSIS 56

RESULT 8
US-08-477-728-63
; Sequence 63, Application US/08477728
; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBLINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, 8th Floor
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/477,728
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1988
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-477-728-63

ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/634, 278
FILING DATE: 19-DEC-1990
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590, 274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310, 252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290, 975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-07-634-278-62

Query Match 87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
|||:|:||||
Db 46 LLIKVASQSIS 56

RESULT 5
US-07-634-278-63
; Sequence 63, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELING, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634, 278
; FILING DATE: 19-DEC-1990

CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590, 274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310, 252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290, 975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 63:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-07-634-278-63

Query Match 87.8%; Score 43; DB 1; Length 107;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
|||:|:||||
Db 46 LLIKVASQSIS 56

RESULT 6
US-07-634-278-87
; Sequence 87, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELING, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634, 278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590, 274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310, 252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290, 975

US-08-737-560A-9

Query Match 87.8%; Score 43; DB 2; Length 96;
Best Local Similarity 81.8%; Pred. No. 0.11; Indels 0; Gaps 0;
Matches 9; Conservative 2; Mismatches 0;

Qy 1 LLIRYSQSIS 11
Db 46 LLIKYASQSIS 56

RESULT 2

US-08-436-463-19
; Sequence 19, Application US/08436463

; Patent No. 5760185

; GENERAL INFORMATION:

; APPLICANT: KIMACHI, Kazuhiko

; APPLICANT: MAEDA, Hiroaki

; APPLICANT: NISHIYAMA, Kiyoto

; APPLICANT: TOKIYOSHI, Sachio

; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT

; TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY

; NUMBER OF SEQUENCES: 21

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.

; STREET: 419 Seventh Street, N.W., Suite 400

; CITY: Washington

; STATE: D.C.

; COUNTRY: USA

; ZIP: 20004

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/436,463

; FILING DATE: 26-JUN-1995

; CLASSIFICATION: 536

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: JP 341255/1992

; FILING DATE: 28-NOV-1992

; ATTORNEY/AGENT INFORMATION:

; NAME: YUN, Allen C.

; REGISTRATION NUMBER: 37,971

; REFERENCE/DOCKET NUMBER: KIMACHI-1

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 202-628-5197

; TELEFAX: 202-737-3528

; INFORMATION FOR SEQ ID NO: 19:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 100 amino acids

; TYPE: amino acid

; STRANDEDNESS: single

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-08-436-463-19

Query Match 87.8%; Score 43; DB 1; Length 100;
Best Local Similarity 81.8%; Pred. No. 0.11; Indels 0; Gaps 0;
Matches 9; Conservative 2; Mismatches 0;

Qy 1 LLIRYSQSIS 11
Db 46 LLIKYASQSIS 56

RESULT 3

US-08-326-362-4

; Sequence 4, Application US/08326362

; Patent No. 5730981

; GENERAL INFORMATION:

; APPLICANT: Bosslet, Klaus

; APPLICANT: Seeman, Gerhard

; APPLICANT: Dippold, Wolfgang

; TITLE OF INVENTION: Monoclonal Anti-Ganglioside Antibody,

; TITLE OF INVENTION: Its Preparation and Use as a Tumortherapeutic Agent

; NUMBER OF SEQUENCES: 4

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &

; ADDRESSEE: Dunner

; STREET: 1300 I Street, N.W., Suite 700

; CITY: Washington

; STATE: D.C.

; COUNTRY: USA

; ZIP: 20005-3315

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/326,362

; FILING DATE:

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/032,863

; FILING DATE: 17-MAR-1993

; APPLICATION NUMBER: DE P 42 08 795.3

; FILING DATE: 19-MAR-1992

; ATTORNEY/AGENT INFORMATION:

; NAME: Einaudi, Carol P.

; REGISTRATION NUMBER: 32,220

; REFERENCE/DOCKET NUMBER: 02481-1276-00000

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 202-408-4000

; TELEFAX: 202-408-4400

; INFORMATION FOR SEQ ID NO: 4:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 106 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

US-08-326-362-4

Query Match 87.8%; Score 43; DB 1; Length 106;
Best Local Similarity 81.8%; Pred. No. 0.12;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 LLIRYSQSIS 11
Db 46 LLIKYSESIS 56

RESULT 4

US-07-634-278-62

; Sequence 62, Application US/07634278

; Patent No. 5530101

; GENERAL INFORMATION:

; APPLICANT: QUEEN, Cary L.

; APPLICANT: CO, Mao Sung

; APPLICANT: SCHNEIDER, William P.

; APPLICANT: LANDOLFI, Nicholas F.

; APPLICANT: COELINGH, Kathleen L.

; APPLICANT: SELICK, Harold E.

; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS

; NUMBER OF SEQUENCES: 113

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Townsend and Townsend Khourie and Crew

; STREET: 379 Lytton Avenue

; CITY: Palo Alto

; STATE: California

; COUNTRY: US

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:57 ; Search time 113.49 Seconds
(without alignments)
1.740 Million cell updates/sec

Title: US-09-016-061-84

Perfect score: 49

Sequence: 1 LLIRYSSQIS11

Scoring table: BLOSOM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued Patents AA:*

1: /cgnl_7/ptodata/1/iaa/5A-COMB.pep:*

2: /cgnl_7/ptodata/1/iaa/5B-COMB.pep:*

3: /cgnl_7/ptodata/1/iaa/6-COMB.pep:*

4: /cgnl_7/ptodata/1/iaa/PCTUS-COMB.pep:*

5: /cgnl_7/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	43	87.8	96	2	US-08-737-560A-9
2	43	87.8	100	1	US-08-436-463-19
3	43	87.8	106	1	US-08-326-362-4
4	43	87.8	107	1	US-07-634-278-62
5	43	87.8	107	1	US-07-634-278-63
6	43	87.8	107	1	US-07-634-278-87
7	43	87.8	107	1	US-08-477-728-62
8	43	87.8	107	1	US-08-477-728-63
9	43	87.8	107	1	US-08-477-728-87
10	43	87.8	107	1	US-08-474-040-62
11	43	87.8	107	1	US-08-474-040-63
12	43	87.8	107	1	US-08-474-040-87
13	43	87.8	107	1	US-08-487-200-62
14	43	87.8	107	1	US-08-487-200-63
15	43	87.8	107	1	US-08-487-200-87
16	43	87.8	107	1	US-08-436-463-20
17	43	87.8	107	1	US-08-107-669D-1
18	43	87.8	107	1	US-08-472-788A-1
19	43	87.8	107	2	US-08-477-531B-1
20	43	87.8	107	2	US-08-082-842A-1
21	43	87.8	108	2	US-08-737-560A-11
22	43	87.8	109	1	US-07-942-245-4
23	43	87.8	127	1	US-07-634-278-83
24	43	87.8	127	1	US-08-477-728-83
25	43	87.8	127	1	US-08-474-040-83
26	43	87.8	127	1	US-08-487-200-83
27	43	87.8	127	1	US-08-436-463-4
28	43	87.8	127	1	US-08-436-463-18

29	41	83.7	103	1	US-08-436-463-21	Sequence 21, Appl
30	40	81.6	106	2	US-08-800-198-4	Sequence 4, Appl
31	40	81.6	106	3	US-09-296-595-4	Sequence 4, Appl
32	40	81.6	107	2	US-08-232-081B-9	Sequence 9, Appl
33	40	81.6	107	2	US-08-232-081B-40	Sequence 40, Appl
34	40	81.6	107	2	US-08-476-176B-4	Sequence 4, Appl
35	40	81.6	107	3	US-08-127-721A-4	Sequence 4, Appl
36	40	81.6	107	3	US-08-485-246A-4	Sequence 4, Appl
37	40	81.6	127	2	US-08-476-176B-6	Sequence 6, Appl
38	40	81.6	127	2	US-08-476-176B-8	Sequence 8, Appl
39	40	81.6	127	2	US-08-476-176B-10	Sequence 10, Appl
40	40	81.6	127	3	US-08-127-721A-4	Sequence 6, Appl
41	40	81.6	127	3	US-08-127-721A-8	Sequence 8, Appl
42	40	81.6	127	3	US-08-127-721A-10	Sequence 10, Appl
43	40	81.6	127	3	US-08-485-246A-6	Sequence 6, Appl
44	40	81.6	127	3	US-08-485-246A-8	Sequence 8, Appl
45	40	81.6	127	3	US-08-485-246A-10	Sequence 10, Appl

ALIGNMENTS

RESULT 1
US-08-737-560A-9
; Sequence 9, Application US/08737560A
; Patent No. 5928893
; GENERAL INFORMATION:
; APPLICANT: KANG, Chang-Yuul
; APPLICANT: KIM, Joong-Gon
; TITLE OF INVENTION: MONOCLONAL ANTIBODY SPECIFIC FOR HUMAN
; TITLE OF INVENTION: 4-1BB AND CELL LINE PRODUCING SAME
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: KANG, Chang-Yuul
; STREET: Professor Apt. Ka-302, #244-2, Bongchun 7-dong,
; STREET: Kwanak-gu
; CITY: Seoul
; STATE: Seoul
; COUNTRY: Republic of Korea
; Zip: 151-057
; ADDRESSEE: KIM, Joong-Gon
; STREET: Hanyang Apt. 72-1213, Apgujung-dong, Kangnam-gu
; CITY: Seoul
; STATE: Seoul
; COUNTRY: Republic of Korea
; Zip: 135-110
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5inch, 1.44MB storage
; COMPUTER: IBM PC/AT
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: Word Perfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/737,560A
; FILING DATE: 13-NOV-1996
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: KR 95-8176
; FILING DATE: 08-APR-1995
; ATTORNEY/AGENT INFORMATION:
; NAME:
; REGISTRATION NUMBER:
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE:
; TELEFAX:
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 96 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; OTHER INFORMATION: VK23.32'CL

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:29 ; Search time 130.08 Seconds
(without alignments)
4.698 Million cell updates/sec

Title: US-09-016-061-88
Perfect score: 54
Sequence: 1 QOSTSWPHT 9
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 6790655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_66:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	49	90.7	107	2 A45722	anti-glycoprotein
2	49	90.7	123	2 S35479	Ig kappa chain pre
3	46	85.2	107	2 B45722	anti-glycoprotein
4	43	79.6	106	2 PL0267	Ig kappa chain v r
5	41	75.9	67	2 PH1081	Ig light chain v r
6	41	75.9	69	2 PH1080	Ig light chain v r
7	40	74.1	102	2 S26346	Ig kappa chain v r
8	38	70.4	104	2 B43413	Ig kappa chain v r
9	38	70.4	108	2 C30502	Ig kappa chain v r
10	38	70.4	138	2 A28471	Ig kappa chain pre
11	38	70.4	235	1 SQMS	parotid secretory
12	37	68.5	433	2 B82965	hypothetical prote
13	37	68.5	739	2 S47772	biotin sulfoxide r
14	36	66.7	87	2 PH1082	Ig light chain v r
15	36	66.7	100	2 S63860	hypothetical prote
16	36	66.7	115	1 KVMSL7	Ig kappa chain pre
17	36	66.7	128	2 PN0445	Ig kappa chain pre
18	36	66.7	323	2 T46671	probable aromatase
19	35	64.8	170	2 C82480	hypothetical prote
20	35	64.8	235	2 B42337	parotid secretory
21	35	64.8	400	1 JCI1428	ketol-acid reducto
22	35	64.8	484	2 F82165	glycogen synthase
23	35	64.8	731	2 A83536	conserved hypothet
24	35	64.8	770	2 S76095	hypothetical prote
25	35	64.8	774	1 JQ0550	1,4-alpha-glucan b
26	35	64.8	4845	2 T31067	BIR repeat contain
27	34	63.0	96	2 JC5945	regulatory protein
28	34	63.0	97	2 D82789	hypothetical prote
29	34	63.0	118	2 S40374	Ig kappa chain - h

30	34	63.0	122	2 S40338	Ig kappa chain - h
31	34	63.0	128	2 S40343	Ig kappa chain v-j
32	34	63.0	133	2 S23230	Ig kappa chain pre
33	34	63.0	254	2 S30957	gene 12 protein -
34	34	63.0	448	2 T17290	hypothetical prote
35	34	63.0	452	1 WZBE4	gene 4 protein - h
36	34	63.0	608	2 T53269	prolactin receptor
37	34	63.0	613	4 C40201	artifect-warning s
38	34	63.0	640	2 T26820	hypothetical prote
39	34	63.0	815	2 H64949	biotin sulfoxide r
40	34	63.0	817	2 A47716	dolichyl-phosphate
41	34	63.0	848	2 C64841	trimethylamine-N-o
42	34	63.0	1045	2 T16275	hypothetical prote
43	34	63.0	1189	1 JC2366	protein-tyrosine-p
44	34	63.0	1918	2 S43719	lactase (EC 3.2.1.
45	34	63.0	1920	2 S43720	lactase (EC 3.2.1.

ALIGNMENTS

RESULT 1

A45722

anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 5) - mouse (

C;Species: Mus musculus (house mouse)

C;Date: 03-Mar-1994 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000

C;Accession: A45722

R;Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va

J. Virol. 67, 489-496, 1993

A;Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on

A;Reference number: A45722; MUID:93100833

A;Accession: A45722

A;Status: preliminary; not compared with conceptual translation

A;Molecule type: mRNA

A;Residues: 1-107 <SIM>

A;Note: sequence extracted from NCBI backbone (NCBIP:120589)

C;Superfamily: immunoglobulin V region; immunoglobulin homology

C;Keywords: glycoprotein

F;16-90/Domain: immunoglobulin homology <IMM>

Query Match 90.7%; Score 49; DB 2; Length 107;

Best Local Similarity 88.9%; Pred. No. 0.061;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9

Db 89 QOSTSWPHT 97

RESULT 2

S35479

Ig kappa chain precursor V region - mouse (fragment)

C;Species: Mus musculus (house mouse)

C;Date: 19-Mar-1997 #sequence_revision 05-Dec-1998 #text_change 21-Jan-2000

C;Accession: S35479

R;Takeda, Y.; Wise, K.S.; Hoffman, R.W.

Nucleic Acids Res. 20, 4099, 1992

A;Title: Nucleotide sequences of immunoglobulin heavy and light chain V-regions from

A;Reference number: S35479; MUID:92375706

A;Accession: S35479

A;Status: nucleic acid sequence not shown

A;Molecule type: DNA

A;Residues: 1-123 <TAK>

A;Cross-references: EMBL:M93959; NID:g197572; PIDN:AAA39079.1; PID:g554148

C;Genetics:

A;Map position: 6

C;Superfamily: immunoglobulin V region; immunoglobulin homology

C;Keywords: heterotrimer; immunoglobulin

F;1-12/Domain: signal sequence (fragment) #status predicted <SIG>

F;13-123/Product: Ig kappa chain V region (fragment) #status predicted <MAT>

F;28-102/Domain: immunoglobulin homology <IMM>

```

Query Match      90.7%; Score 49; DB 2; Length 123;
Best Local Similarity 88.9%; Pred. No. 0.071;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 101 QQSNSWPHT 109

RESULT 3
B45722
anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 33) - mouse (fr
C:Species: Mus musculus (house mouse)
C>Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: B45722
R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Vasqu
J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on hu
A:Reference number: B45722; MUID:93100833
A:Accession: B45722
A>Status: preliminary: not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-107 <SIM>
A>Note: sequence extracted from NCBI backbone (NCBIP:120590)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match      85.2%; Score 46; DB 2; Length 107;
Best Local Similarity 77.8%; Pred. No. 0.21;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 89 QOTNSWPHT 97

RESULT 4
PL0267
Ig kappa chain V region (anti-DNA, DP12VK) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C>Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 21-Jan-2000
C:Accession: PL0267
R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A
J. Exp. Med. 171, 265-297, 1990
A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic
A:Reference number: PL0231; MUID:90111618
A:Accession: PL0267
A:Molecule type: mRNA
A:Residues: 1-106 <SHL>
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-23/Region: framework 1
F:16-90/Domain: immunoglobulin homology <IMM>
F:24-34/Region: complementarity-determining 1
F:35-49/Region: framework 2
F:50-56/Region: complementarity-determining 2
F:57-88/Region: framework 3
F:89-97/Region: complementarity-determining 3
F:98-106/Region: framework 4

Query Match      79.6%; Score 43; DB 2; Length 106;
Best Local Similarity 77.8%; Pred. No. 0.68;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 89 QQSNSWPHT 97

```

```

RESULT 5
PHI081
Ig light chain V region (clone 165.6) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C>Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
C:Accession: PHI081
R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IGM and IgG anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PHI081
A>Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-67 <TIL>
A:Experimental source: B cell, strain [NZB x NZW]Fl
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin

Query Match      75.9%; Score 41; DB 2; Length 67;
Best Local Similarity 77.8%; Pred. No. 0.94;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 58 QQSNSWPHT 66

RESULT 6
PHI080
Ig light chain V region (clone 165.60) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C>Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
C:Accession: PHI080
R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IGM and IgG anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PHI080
A>Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-69 <TIL>
A:Experimental source: B cell, strain [NZB x NZW]Fl
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin

Query Match      75.9%; Score 41; DB 2; Length 69;
Best Local Similarity 77.8%; Pred. No. 0.97;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 60 QQSNSWPHT 68

RESULT 7
S26346
Ig kappa chain V region - mouse
C:Species: Mus musculus (house mouse)
C>Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
C:Accession: S26346
R:Stark, S.E.; Caton, A.J.
J. Exp. Med. 174, 613-624, 1991
A:Title: Antibodies that are specific for a single amino acid interchange in a protei
A:Reference number: S26309; MUID:91341421
A:Accession: S26346
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-102 <STA>
A:Cross-references: EMBL:X59211; NID:g52338; PTDN:CAA41921.1; PID:g1334075
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin

```

?

F:14-88/Domain: immunoglobulin homology <IMM>

Query Match 74.1%; Score 40; DB 2; Length 102;

Best Local Similarity 66.7%; Pred. No. 2.2;

Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSTSWPHT 9

||| :||:|

DB 87 QQSNTWPYT 95

RESULT 8

Ig kappa chain V region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 27-Apr-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000

C:Accession: B43413

R:Tomyama, Y.; Brojer, E.; Ruggeri, Z.M.; Shattil, S.J.; Smiltneck, J.; Gorski, J.; Kum

J. Biol. Chem. 267, 18085-18092, 1992

A:Title: A molecular model of RGD ligands. Antibody D gene segments that direct specific

A:Reference number: A43413; MUID:92388177

A:Accession: B43413

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-104 <TOM>

A>Note: sequence extracted from NCBI backbone (NCBIP:112818)

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:13-87/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 70.4%; Score 38; DB 2; Length 104;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSTSWPHT 9

||| :||:|

DB 86 QQSNSWPLT 94

RESULT 9

Ig kappa chain V region (D444) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 03-Nov-1988 #sequence_revision 03-Nov-1988 #text_change 21-Jan-2000

C:Accession: C30502

R:Eilat, D.; Webster, D.M.; Rees, A.R.

J. Immunol. 141, 1745-1753, 1988

A:Title: V region sequences of anti-DNA and anti-RNA autoantibodies from NZB/NZW F-1 mice

A:Reference number: A30502; MUID:88315787

A:Accession: C30502

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-108 <EIL>

A:Cross-references: GB:M21907; NID:g197071; PIDN:AAA38907.1; PID:g197072

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:16-90/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 70.4%; Score 38; DB 2; Length 108;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSTSWPHT 9

||| :||:|

DB 89 QQTNSWPRT 97

RESULT 10

A26471

Ig kappa chain precursor V region (MAK33) - mouse

C:Species: Mus musculus (house mouse)

C:Date: 05-Jun-1988 #sequence_revision 05-Jun-1988 #text_change 23-Jul-1999

C:Accession: A26471

R:Buckel, P.; Hubner-Parajsz, C.; Mattes, R.; Lenz, H.; Haug, H.; Beaucamp, K.

Gene 51, 13-19, 1987

A:Title: Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creat

A:Reference number: A91572; MUID:87248058

A:Accession: A26471

A:Molecule type: mRNA

A:Residues: 1-138 <BUC>

A:Cross-references: GB:M16162; NID:g196893; PIDN:AAA38823.1; PID:g196894

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-20/Domain: signal sequence #status predicted <SIG>

F:21-138/Product: Ig kappa chain V region #status predicted <MAT>

Query Match

Best Local Similarity 70.4%; Score 38; DB 2; Length 138;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSTSWPHT 9

||| :||:|

DB 109 QQSNSWPLT 117

RESULT 11

SOMS

parotid secretory protein precursor - mouse

N:Alternate names: PSP

C:Species: Mus musculus (house mouse)

C:Date: 31-Dec-1988 #sequence_revision 31-Dec-1988 #text_change 22-Jun-1999

C:Accession: A23031; I53236

R:Madsen, H.O.; Hjorth, J.P.

Nucleic Acids Res. 13, 1-13, 1985

A:Title: Molecular cloning of mouse PSP mRNA.

A:Reference number: A23031; MUID:85215456

A:Accession: A23031

A:Molecule type: mRNA

A:Residues: 1-235 <MAD>

A:Cross-references: GB:X01697; NID:g53810; PIDN:CAA25846.1; PID:g758163

R:Poulsen, K.; Jakobsen, B.K.; Mikkelsen, B.M.; Harmark, K.; Nielsen, J.T.; Hjorth, J

EMBO J. 5, 1891-1896, 1986

A:Title: Coordination of murine parotid secretory protein and salivary amylase expres

A:Reference number: I53236; MUID:87004556

A>Status: preliminary; translated from GB/EMBL/DBBJ

A:Molecule type: DNA

A:Residues: 1-87 <RES>

A:Cross-references: GB:M26807; NID:g200556; PIDN:AAA40009.1; PID:g554264

C:Comment: PSP is the most abundant protein in the parotid gland. Its function is not

C:Genetics:

A:Gene: PSP

A:Map position: 2

A:Introns: 41/1

A>Note: list of introns may be incomplete

C:Superfamily: parotid secretory protein

C:Keywords: parotid gland; saliva

F:1-20/Domain: signal sequence #status predicted <SIG>

F:21-235/Product: parotid secretory protein #status predicted <MAT>

Query Match

Best Local Similarity 70.4%; Score 38; DB 1; Length 235;

Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSTSWP 7

||| :||:|

DB 54 QQATSWP 60

RESULT 12

B82965

hypothetical protein PA5456 [imported] - pseudomonas aeruginosa (strain PA01)
C:Species: Pseudomonas aeruginosa
C:Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 15-Sep-2000
C:Accession: B82965
R:Stover, C.K.; Pham, X.O.; Erwin, A.L.; Mizouchi, S.D.; Warren, P.; Hickey, M.J.; Berman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; Lim, J.; Lory, S.; Olson, M.V.
Nature 406, 959-964, 2000
A:Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic pathogen
A:Reference number: A82950
A:Accession: B82965
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-433 <STO>
A:Cross-references: GB:AE004958; GB:AE004091; NID:g9951776; PIDN:AAG08841.1; GSPDB:GN0011
A:Experimental source: strain PA01
C:Genetics:
A:Gene: PA5456

Query Match 68.5%; Score 37; DB 2; Length 433;
Best Local Similarity 50.0%; Pred. No. 34;
Matches 4; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSTSWP 8
DB 346 BEATAMP 353

RESULT 13
S47772
biotin sulfoxide reductase (BC 1.-.-.-) 1 - Escherichia coli
C:Species: Escherichia coli
C:Date: 27-Jan-1995 #sequence_revision 27-Jan-1995 #text_change 24-Sep-1999
C:Accession: S47772; J0071; A65154
R:Plunkett, G.
submitted to the EMBL Data Library, March 1994
A:Reference number: S47666
A:Accession: S47772
A:Molecule type: DNA
A:Residues: 1-739 <PLU>
A:Cross-references: EMBL:U00039; NID:g466582; PIDN:AAB18528.1; PID:g466689
R:Pierston, D.E.; Campbell, A.
J. Bacteriol. 172, 2194-2198, 1990
A:Title: Cloning and nucleotide sequence of bscC, the structural gene for biotin sulfoxide reductase
A:Reference number: J0071; MUID:90202748
A:Accession: J0071
A:Molecule type: DNA
A:Residues: 1-544, 'AFLPRSGD', 554-557, 'OR', 561-708, 'MAVRVIRRHGKNTVRN' <PIE>
A:Cross-references: GB:M34827; NID:g145435; PIDN:AA23522.1; PID:g145436
R:Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; Cohen, A.; Rose, D.J.; Mau, B.; Shao, Y.
Science 277, 1453-1462, 1997
A:Title: The complete genome sequence of Escherichia coli K-12.
A:Reference number: A64720; MUID:97426617
A:Accession: A65154
A>Status: nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-739 <BLAT>
A:Cross-references: GB:AE000432; GB:U00096; NID:g2367241; PIDN:AAC76575.1; PID:g1789973;
A:Experimental source: strain K-12, substrain MG1655
C:Comment: This enzyme may serve as a scavenger, allowing the cell to utilize biotin sulfoxide reductase
C:Genetics:
A:Gene: bscC
A:Map position: 79 min
C:Superfamily: trimethylamine-N-oxide reductase
C:Keywords: ATP; molybdenum; P-loop; oxidoreductase
F:486-493/Region: nucleotide-binding motif A (P-loop)

Query Match 68.5%; Score 37; DB 2; Length 739;
Best Local Similarity 85.7%; Pred. No. 59;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWP 7
DB 129 QOSTSWP 135

RESULT 14
PH1082

Ig light chain V region (clone 165.54) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000
C:Accession: PH1082
R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marlon, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PH1082
A>Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-87 <TIL>
A:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin
F:6-80/Domain: immunoglobulin homology <IMM>

Query Match 66.7%; Score 36; DB 2; Length 87;
Best Local Similarity 85.7%; Pred. No. 9.3;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWP 7
DB 79 QOSTSWP 85

RESULT 15
S69860

hypothetical protein YML116w-a - yeast (Saccharomyces cerevisiae)
C:Species: Saccharomyces cerevisiae
C:Date: 23-Aug-1996 #sequence_revision 06-Sep-1996 #text_change 05-Nov-1999
C:Accession: S69860
R:Skelton, J.; Church, C.M.
submitted to the EMBL Data Library, May 1995
A:Reference number: S53954
A:Accession: S69860
A:Molecule type: DNA
A:Residues: 1-100 <SKE>
A:Cross-references: EMBL:249210; GSPDB:GN00013; MIPS:YML116w-a
C:Genetics:
A:Gene: MIPS:YML116w-a
A:Map position: 13L
C:Superfamily: Saccharomyces hypothetical protein YML116w-a

Query Match 66.7%; Score 36; DB 2; Length 100;
Best Local Similarity 66.7%; Pred. No. 11;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
DB 22 QDLTSWPNT 30

Search completed: March 28, 2001, 07:04:31
Job time: 1089 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:11 ; Search time 72.95 Seconds
(without alignments)
3.941 Million cell updates/sec

Title: US-09-016-061-88

Perfect score: 54

Sequence: 1 QQSTSWPHT 9

Scoring table:
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	38	70.4	235	1 PSP_MOUSE	P07743 mus musculus
2	37	68.5	777	1 BISC_ECOLI	P20099 escherichia
3	36	66.7	115	1 KV51_MOUSE	P01642 mus musculus
4	35	64.8	400	1 ILV5_NEUCR	P38674 neurospora
5	35	64.8	734	1 GLGB_AGRU	P52979 agrobacteri
6	35	64.8	770	1 GLGB_SINY3	P52981 synechocyst
7	35	64.8	773	1 GLGB_SINP7	P16954 synechococc
8	34	63.0	96	1 CTCL_ACILW	Q33947 acinetobact
9	34	63.0	178	1 ATPQ_DROME	Q24251 drosophila
10	34	63.0	254	1 VG12_BPML5	Q05328 mycobacteri
11	34	63.0	452	1 IE63_VZVD	P09269 varicella-z
12	34	63.0	608	1 PRUR_MOUSE	Q08501 mus musculus
13	34	63.0	809	1 B1S2_ECOLI	P46923 escherichia
14	34	63.0	817	1 PWT1_YEAST	P33775 saccharomyc
15	34	63.0	848	1 TORA_ECOLI	P33225 escherichia
16	34	63.0	1189	1 PTNE_MOUSE	Q62130 mus musculus
17	34	63.0	1926	1 LPH_RABIT	P09849 oryctolagus
18	33	61.1	591	1 LACL_CRYPA	Q03966 cryptoneutr
19	33	61.1	605	1 VP40_VZVD	P09286 varicella-z
20	33	61.1	668	1 MTMW_METWO	Q59647 methanobact
21	33	61.1	765	1 YF63_MYCTU	Q10768 mycobacteri
22	33	61.1	780	1 NH48_CAEEL	Q94407 caenorhabdi
23	33	61.1	810	1 IL4R_MOUSE	P16382 mus musculus
24	33	61.1	862	1 PCGV_MACNE	Q28858 macaca neme
25	33	61.1	862	1 BLM_HUMAN	P54132 homo sapien
26	33	61.1	1517	1 YD22_SCHPO	Q10250 schizosacch
27	33	61.1	1396	1 PCGV_HUMAN	P13611 homo sapien
28	32	59.3	105	1 RNF1_GIBBA	P16411 gibberella
29	32	59.3	105	1 RNF2_GIBBA	P16412 gibberella
30	32	59.3	106	1 RNF1_GIBFU	P10282 gibberella
31	32	59.3	175	1 VPG_BWVVF	P09511 beet wester
32	32	59.3	175	1 VPG_BWVVG	P09512 beet wester
33	32	59.3	179	1 RIML_ECOLI	P13857 escherichia

34 32 59.3 211 1 UL45_HSVMB P22652 marek's dis
35 32 59.3 211 1 UL45_HSVMM P22653 marek's dis
36 32 59.3 232 1 KLK_PIG P00752 sus scrofa
37 32 59.3 242 1 ARTP_ECOLI P30858 escherichia
38 32 59.3 261 1 KLK3_MOUSE P00756 mus musculus
39 32 59.3 272 1 OX40_MOUSE P47741 mus musculus
40 32 59.3 335 1 XYNB_STRLI P26515 streptomyce
41 32 59.3 336 1 CH12_ORYSA P25765 oryza sativ
42 32 59.3 348 1 NU2M_MYXGL O21078 myxine glut
43 32 59.3 367 1 YC36_HAEIN P44132 haemophilus
44 32 59.3 492 1 TYTR_TRYCR P28593 trypanosoma
45 32 59.3 513 1 BMP6_HUMAN P22004 homo sapien

ALIGNMENTS

RESULT 1

PSP_MOUSE
ID PSP_MOUSE STANDARD; PRT; 235 AA.

AC P07743;

DT 01-AUG-1988 (Rel. 08, Created)

DT 01-AUG-1988 (Rel. 08, Last sequence update)

DT 01-NOV-1997 (Rel. 35, Last annotation update)

DE PAROTID SECRETORY PROTEIN PRECURSOR (PSP).

GN PSP.

OS Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

RN [1]

RP SEQUENCE FROM N.A.

RC TISSUE=PAROTID GLAND;

RX MEDLINE; 85215456.

RA Madsen H.O., Hjorth J.P.;

RT "Molecular cloning of mouse PSP mRNA.";

RL Nucleic Acids Res. 13:1-13(1985).

[2]

RP SEQUENCE OF 1-87 FROM N.A.

RC STRAIN=C3H; TISSUE=SPLEEN;

RX MEDLINE; 87004356.

RA Poulsen K., Jakobsen B.K., Mikkelsen B.M., Harmark K.,

RA Nielsen J.T., Hjorth J.P.;

RT "Coordination of murine parotid secretory protein and salivary

RL amylase expression.";

EMBO J. 5:1891-1896(1986).

CC -1- FUNCTION: PSP IS THE MOST ABUNDANT PROTEIN IN THE PAROTID GLAND.

CC ITS FUNCTION IS NOT KNOWN; HOWEVER, ITS PRODUCTION IS COORDINATED

CC WITH THAT OF SALIVARY AMYLASE.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>

CC or send an email to license@isb-sib.ch).

CC -----

CC EMBL; X01697; CAA25846.1; -.

DR EMBL; M26807; AAA40009.1; -.

DR EMBL; M26806; AAA40009.1; JOINED.

DR PIR; A23031; SQMS.

DR MGD; MGI:97787; PSP.

DR Parotid gland; signal.

FT SIGNAL 1 20

FT CHAIN 21 235

SQ SEQUENCE 235 AA; 24753 MW; 23311BAEE6E2EF3 CRC64; .

POTENTIAL.

PAROTID SECRETORY PROTEIN.

Query Match 70.4%; Score 38; DB 1; Length 235;

Best Local Similarity 85.7%; Pred. No. 4;

Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSTSWP 7

Db 54 QOATSWP 60
||:||||

```

RESULT 2
BISC_ECOLI
ID BISC_ECOLI STANDARD; PRT; 777 AA.
AC P20099;
DT 01-FEB-1991 (Rel. 17, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE BIOTIN SULFOXIDE REDUCTASE 1 (EC 1.1.1.1) (BDS REDUCTASE 1) (BSO
DE REDUCTASE 1).
GN BISC.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 90202748.
RA Pierson D.E., Campbell A.;
RT "Cloning and nucleotide sequence of bisc, the structural gene for
RT biotin sulfoxide reductase in Escherichia coli.";
RL J. Bacteriol. 172:2194-2198(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN-K12 / MG1655;
RX MEDLINE; 94316500.
RA Sofia H.J., Burland V., Daniels D.L., Plunkett G. III, Blattner F.R.;
RT "Analysis of the Escherichia coli genome. V. DNA sequence of the
RT region from 76.0 to 81.5 minutes.";
RL Nucleic Acids Res. 22:2576-2586(1994).
CC -1- FUNCTION: THIS ENZYME MAY SERVE AS A SCAVENGER, ALLOWING THE CELL
CC TO UTILIZE BIOTIN SULFOXIDE AS A BIOTIN SOURCE.
CC -1- CATALYTIC ACTIVITY: REDUCES A SPONTANEOUS OXIDATION PRODUCT OF
CC BIOTIN, D-BIOTIN D-SULFOXIDE (BSO OR BDS), BACK TO BIOTIN.
CC -1- COFACTOR: MOLYBDENUM (MOLYBDOPROTEIN).
CC -1- MISCELLANEOUS: REQUIRES A SMALL THIOREDUXIN-LIKE PROTEIN FOR
CC ACTIVITY.
CC -1- SIMILARITY: BELONGS TO THE PROKARYOTIC MOLYBDOPROTEIN-CONTAINING
CC OXIDOREDUCTASE FAMILY.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
DR EMBL; M34827; AAA23522.1; ALT_FRAME.
DR EMBL; U00039; AAB18528.1; ALT_INIT.
DR EMBL; AE000432; AAC76575.1; ALT_INIT.
DR PTR; JVO071; JVO071.
DR HSSP; Q57366; 1CXT.
DR ECOGENE; EG10124; BISC.
DR INTERPRO; IPR001467; -.
DR PRAM; PF01568; Molybdop-binding; 1.
DR PRAM; PF00384; molybdopterin; 1.
DR PROSITE; PS00551; MOLYBDOPROTEIN_PROK_1; FALSE_NEG.
DR PROSITE; PS00490; MOLYBDOPROTEIN_PROK_2; 1.
DR PROSITE; PS00932; MOLYBDOPROTEIN_PROK_3; 1.
KW Oxidoreductase; Molybdenum.
FT CONFLICT 583 591 DFCRDLPLAH -> AFLPRASGD (IN REF. 1).
FT CONFLICT 596 598 ASG -> QR (IN REF. 1).
FT CONFLICT 747 777 NGCAGNTALAWLEKYNGLPELTLTAFEPASS ->
FT MAVRIRWGCKWNTVVRN (IN REF. 1).
SQ SEQUENCE 777 AA; 85950 MW; 51087D957E4FB38B CRC64;

```

Query Match 68.5%; Score 37; DB 1; Length 777;
Best Local Similarity 85.7%; Pred. No. 21;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

QY 1 QOATSWP 7
||:||||
Db 167 QOATSWP 173

RESULT 3
KV51_MOUSE
ID KV51_MOUSE STANDARD; PRT; 115 AA.
AC P01642;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-V REGION L7 PRECURSOR (FRAGMENT).
GN Mus musculus (Mouse).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 81220975.
RA Pech M., Hochtl J., Schnell H., Zachau H.G.;
RT "Differences between germ-line and rearranged immunoglobulin V kappa
RT coding sequences suggest a localized mutation mechanism.";
RL Nature 291:668-670(1981).
CC -1- MISCELLANEOUS: THERE APPEAR TO BE TWO POSSIBLE SPLICE JUNCTIONS AT
CC THE 3' END OF THE INTRON. THE ALTERNATE WOULD CODE FOR A PROTEIN
CC LACKING RESIDUES 17-19.
DR PIR; A01925; KVM5L7.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 20
FT CHAIN 21 >115 IG KAPPA CHAIN V-V REGION L7.
FT DOMAIN 21 43 FRAMEWORK 1.
FT DOMAIN 44 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 69 FRAMEWORK 2.
FT DOMAIN 70 76 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 77 108 FRAMEWORK 3.
FT DOMAIN 109 >115 COMPLEMENTARITY-DETERMINING 3.
FT DISULFID 43 108 BY SIMILARITY.
FT NON_TER 115 115
SQ SEQUENCE 115 AA; 12615 MW; C17BEC758C577E00 CRC64;

```

Query Match 66.7%; Score 36; DB 1; Length 115;
Best Local Similarity 85.7%; Pred. No. 44;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

QY 1 QOATSWP 7
||:||||
Db 109 QOATSWP 115

RESULT 4
ILV5_NEUCR
ID ILV5_NEUCR STANDARD; PRT; 400 AA.
AC P38674;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE KETOL-ACID REDUCTOISOMERASE PRECURSOR (EC 1.1.1.86) (ACETOHYDROXY-ACID
DE REDUCTOISOMERASE) (ALPHA-KETO-BETA-HYDROXYLACIL REDUCTOISOMERASE).
GN ILV-2.
OS Neurospora crassa.
OC Eukaryota; Fungi; Ascomycota; Sordariales; Sordariaceae; Neurospora.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 93013010.
RA Sista H., Bowman B.;
RT "Characterization of the ilv-2 gene from Neurospora crassa encoding
RT alpha-keto-beta-hydroxylacyl reductoisomerase.";
RL Gene 120:115-118(1992).
CC -1- CATALYTIC ACTIVITY: 2,3-DIHYDROXYISOVALERATE + NADP(+) =

```


2-ACETOLACTATE + NADPH (ALSO: 2,3-DIHYDROXYACID-3-METHYLVALERATE + NADP(+)) = 2-ACETO-2-HYDROXYBUTYRATE + NADPH).

-1- COFACTOR: REQUIRES MAGNESIUM.

-1- PATHWAY: SECOND STEP IN VALINE AND ISOLEUCINE BIOSYNTHESIS.

-1- SUBCELLULAR LOCATION: MITOCHONDRIAL.

-1- SIMILARITY: BELONGS TO THE KETO-ACID REDUCTOISOMERASE FAMILY.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

EMBL: M84189; AAB00797.1; -.
DR PIR: JCI428; JCI428.
DR HSP: Q01292; IYVE.
DR INTERPRO: IPR000506; -.
DR PFAM: PF01450; ILVC; 1.
KW Oxidoreductase; Branched-chain amino acid biosynthesis; Magnesium;
NADP; Mitochondrion; Transit peptide.
FT TRANSIT 1 26 MITOCHONDRION (POTENTIAL).
FT CHAIN 27 400 KETO-ACID REDUCTOISOMERASE.
FT NP_BIND 90 99 NADPH (POTENTIAL).
FT ACT_SITE 177 177 POTENTIAL.
SQ SEQUENCE 400 AA; 44508 MW; D8AA4C0A3F4BD7CB CRC64;

Query Match 64.8%; Score 35; DB 1; Length 400;
Best Local Similarity 71.4%; Pred. No. 24;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 QSTSWPH 8
DB 156 QSETWPH 162

RESULT 5
GLCB_AGRTU STANDARD; PRT; 734 AA.
AC P52979;
DT 01-OCT-1996 (Rel. 34, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE 1,4-ALPHA-GLUCAN BRANCHING ENZYME (EC 2.4.1.18) (GLYCOGEN BRANCHING ENZYME).
DE ENZYME).
GN Agrobacterium tumefaciens.
OS Bacteria; Proteobacteria; alpha subdivision; Rhizobiaceae group;
OC Rhizobiaceae; Agrobacterium.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-A348;
RX MEDLINE; 99069330.
RA Ugalde J.E., Lepek V., Uttaro A.D., Estrella J., Iglesias A.,
RA Ugalde R.A.;
RT Gene organization and transcription analysis of the Agrobacterium phosphoglucotransferase gene.
RL J. Bacteriol. 180:6557-6564(1998).
CC -1- CATALYTIC ACTIVITY: FORMATION OF 1,6-GLUCOSIDIC LINKAGES OF GLYCOGEN.
CC -1- PATHWAY: THIRD STEP IN GLYCOGEN BIOSYNTHESIS.
CC -1- SUBUNIT: MONOMER (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO FAMILY 13 OF GLYCOSYL HYDROLASES, ALSO KNOWN AS THE ALPHA-AMYLASE FAMILY.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

EMBL: AF033856; AAD03472.1; -.
DR INTERPRO: IPR000461; -.
DR PFAM: PF00128; alpha-amylase; 1.
KW Glycogen biosynthesis; Transferase; Glycosyltransferase.
FT ACT_SITE 417 417 BY SIMILARITY.
FT ACT_SITE 470 470 BY SIMILARITY.
FT ACT_SITE 538 538 BY SIMILARITY.
SQ SEQUENCE 734 AA; 83623 MW; 70A3CD35A77F31E6 CRC64;

Query Match 64.8%; Score 35; DB 1; Length 734;
Best Local Similarity 71.4%; Pred. No. 46;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSTSWP 7
DB 470 EESTSWP 476

RESULT 6
GLCB_SYNY3 STANDARD; PRT; 770 AA.
AC P52881;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE 1,4-ALPHA-GLUCAN BRANCHING ENZYME (EC 2.4.1.18) (GLYCOGEN BRANCHING ENZYME).
GN GILB OR SLL0158.
OS Synechocystis sp. (strain PCC 6803).
OC Bacteria; Cyanobacteria; Chroococcales; Synechocystis.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 96127529.
RA Kaneko T., Tanaka A., Sato S., Kotani H., Sazuka T., Miyajima N.,
RA Sugita M., Tabata S.;
RT Sequence analysis of the genome of the unicellular cyanobacterium Synechocystis sp. strain PCC6803. I. Sequence features in the 1 Mb region from map positions 64 to 92% of the genome.;
RL DNA Res. 2:153-166(1995).
CC -1- CATALYTIC ACTIVITY: FORMATION OF 1,6-GLUCOSIDIC LINKAGES OF GLYCOGEN.
CC -1- PATHWAY: THIRD STEP IN GLYCOGEN BIOSYNTHESIS.
CC -1- SUBUNIT: MONOMER (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO FAMILY 13 OF GLYCOSYL HYDROLASES, ALSO KNOWN AS THE ALPHA-AMYLASE FAMILY.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

EMBL: D63999; BAA10073.1; -.
DR INTERPRO: IPR000461; -.
DR PFAM: PF00128; alpha-amylase; 1.
KW Glycogen biosynthesis; Transferase; Glycosyltransferase.
FT ACT_SITE 433 433 BY SIMILARITY.
FT ACT_SITE 486 486 BY SIMILARITY.
FT ACT_SITE 554 554 BY SIMILARITY.
SQ SEQUENCE 770 AA; 89527 MW; A435AFC47703FA8A CRC64;

Query Match 64.8%; Score 35; DB 1; Length 770;
Best Local Similarity 71.4%; Pred. No. 48;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSTSWP 7

```

Db 486 EESTSWP 492
:::|||||
RESULT 7
GLGB_SYNP7 STANDARD; PRT; 773 AA.
AC P16954;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-AUG-1990 (Rel. 15, Last sequence update)
DT 01-FEB-1995 (Rel. 31, Last annotation update)
DE 1.4-ALPHA-GLUCAN BRANCHING ENZYME (EC 2.4.1.18) (GLYCOGEN BRANCHING
DE ENZYME).
GN GLGB.
OS Synchococcus sp. (strain PCC 7942) (Anacystis nidulans R2).
OC Bacteria; Cyanobacteria; Chroococcales; Synchococcus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 90323609.
RA Kiel J.A.K.W., Boels J.M., Beldman G., Venema G.;
RT "Nucleotide sequence of the Synchococcus sp. PCC7942 branching
RL enzyme gene (glgB): expression in Bacillus subtilis.";
Gene 89:77-84(1990).
CC -!- CATALYTIC ACTIVITY: FORMATION OF 1,6-GLUCOSIDIC LINKAGES OF
CC GLYCOGEN.
CC -!- PATHWAY: THIRD STEP IN GLYCOGEN BIOSYNTHESIS.
CC -!- SUBUNIT: MONOMER.
CC -!- MISCELLANEOUS: THE TEMPERATURE FOR OPTIMAL ACTIVITY IS
CC APPROXIMATELY 35 DEGREES CELSIUS.
CC -!- SIMILARITY: BELONGS TO FAMILY 13 OF GLYCOSYL HYDROLASES, ALSO
CC KNOWN AS THE ALPHA-AMYLASE FAMILY.
-----
DR EMBL; M31544; AAB39038.1; -
DR PIR; JQ0550; JQ0550.
DR INTERPRO; IPR000461; -
DR PFAM; PF00128; alpha-amylase; 1.
KW Glycogen biosynthesis; Transferase; Glycosyltransferase.
FT INIT-MET 0
FT ACT_SITE 439 439 BY SIMILARITY.
FT ACT_SITE 492 492 BY SIMILARITY.
FT ACT_SITE 560 560 BY SIMILARITY.
SQ SEQUENCE 773 AA; 89063 MW; 52BAAL7CA337BF57 CRC64;

Query Match 64.8%; Score 35; DB 1; Length 773;
Best Local Similarity 71.4%; Pred. No. 49;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSTSWP 7
:::|||||
Db 492 EESTSWP 498

RESULT 8
ID CTCL_ACILW STANDARD; PRT; 96 AA.
AC O33947;
DT 15-JUL-1999 (Rel. 38, Created)
DT 15-JUL-1999 (Rel. 38, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE MUCONOLACTONE DELTA-ISOMERASE 1 (EC 5.3.3.4) (MIASE 1).
GN CATC3.
OS Acinetobacter lwofii.
OC Bacteria; Proteobacteria; gamma subdivision; Moraxellaceae;
OC Acinetobacter.

RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 99168769.
RA Caggese C., Ragone G., Perrini B., Moschetti R., De Pinto V.,
RA Caizzi R., Barsanti P.;
RT "Identification of nuclear genes encoding mitochondrial proteins:
RT isolation of a collection of D. melanogaster cDNAs homologous to
RT sequences in the Human Gene Index database.";
RL Mol. Gen. Genet. 261:64-70(1999).
CC -!- FUNCTION: THIS IS ONE OF THE CHAINS OF THE NONENZYMATIC
CC COMPONENT (CF(0) SUBUNIT) OF THE MITOCHONDRIAL ATPASE COMPLEX.
CC IT HAS NO APPARENT BACTERIAL HOMOLOG AND ITS EXACT FUNCTION IS
CC UNKNOWN.
CC -!- SUBUNIT: F-TYPE ATPASES HAVE 2 COMPONENTS, CF(1) - THE CATALYTIC
CC CORE - AND CF(0) - THE MEMBRANE PROTON CHANNEL. CF(0) SEEMS TO

```

```

CC      HAVE NINE SUBUNITS: A, B, C, D, E, F, G, F6 AND 8 (OR A6L).
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC      the European Bioinformatics Institute. There are no restrictions on its
CC      use by non-profit institutions as long as its content is in no way
CC      modified and this statement is not removed. Usage by and for commercial
CC      entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC      or send an email to license@isb-sib.ch).
CC      -----
DR      EMBL: X99667; CAA67981.1; -.
DR      FLYBASE: FBgn0016120; ATPsyn-d.
KW      Hydrogen ion transport; CF(0); Mitochondrion.
SQ      SEQUENCE 178 AA; 20228 MW; 199B43BEBA8E02B9 CRC64;

Query Match      63.0%; Score 34; DB 1; Length 178;
Best Local Similarity 83.3%; Pred. No. 16;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 4 TSWPHT 9
Db 152 TPWPH 157

RESULT 10
VG12_BPML5      STANDARD; PRT; 254 AA.
AC Q05328;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE GENE 12 PROTEIN (GP12).
GN 12.
OS Mycobacteriophage L5.
OC Viruses.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 93211282.
RA Hatfull G.F., Sarkis G.J.;
RT "DNA sequence, structure and gene expression of mycobacteriophage L5:
RL Mol. Microbiol. 7:395-405(1993).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR      EMBL: Z18946; CAA79388.1; -.
DR      PIR: S30957; S30957.
SQ      SEQUENCE 254 AA; 28847 MW; 8627B76D26E42360 CRC64;

Query Match      63.0%; Score 34; DB 1; Length 254;
Best Local Similarity 71.4%; Pred. No. 23;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Oy 2 QSTSWPH 8
Db 234 QGFSWPH 240

RESULT 11
IE63_VZVD
ID IE63_VZVD      STANDARD; PRT; 452 AA.
AC P09269;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-APR-1993 (Rel. 25, Last annotation update)

```

```

DE      TRANSCRIPTIONAL REGULATOR IE63 HOMOLOG.
GN 4.
OS Varicella-zoster virus (strain Dumas) (VZV).
OC Viruses; dsRNA viruses, no RNA stage: Herpesviridae;
OC Alphaherpesvirinae; Varicellovirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 86306657.
RA Davison A.J., Scott J.E.;
RT "The complete DNA sequence of varicella-zoster virus.";
RL J. Gen. Virol. 67:1759-1816(1986).
CC -1- SIMILARITY: BELONGS TO FAMILY THAT GROUPS TOGETHER HSV-1 UL54,
CC HSV-2 UL54, EBV-1 5, VZV 4, EBV BMLF1, HCMV UL69, AND HVS-1 57.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR      EMBL: X04370; CAA27887.1; -.
DR      PIR: D27212; WZBE4.
KW Transcription regulation.
SQ      SEQUENCE 452 AA; 51543 MW; 42926E4A71E380B4 CRC64;

Query Match      63.0%; Score 34; DB 1; Length 452;
Best Local Similarity 71.4%; Pred. No. 42;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 1 QOSTSWP 7
Db 242 KONTSWP 248

RESULT 12
PRLR_MOUSE
ID PRLR_MOUSE      STANDARD; PRT; 608 AA.
AC Q08501; Q62099; P15213; P15212;
DT 01-APR-1990 (Rel. 14, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE PROLACTIN RECEPTOR PRECURSOR (PRL-R).
GN PRLR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A. (FORM PRL-R3).
RC STRAIN=C3H; TISSUE=MAMMARY GLAND;
RX MEDLINE: 94085788.
RA Moore R.C., Oka T.;
RT "Cloning and sequencing of the cDNA encoding the murine mammary gland
RL long-form prolactin receptor.";
RL Gene 134:263-265(1993).
RN [2]
RP SEQUENCE FROM N.A. (FORM PRL-R3).
RC STRAIN=SWISS WEBSTER; TISSUE=LIVER;
RX MEDLINE: 93307149.
RA Clarke D.L., Linzer D.I.H.;
RT "Changes in prolactin receptor expression during pregnancy in the
RL mouse ovary.";
RL Endocrinology 133:224-232(1993).
RN [3]
RP SEQUENCE FROM N.A. (FORM PRL-R3).
RA Sasaki M.;
RL Submitted (JUL-1992) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE FROM N.A. (FORM PRL-R3).
RC STRAIN=BALB/C; TISSUE=MAMMARY GLAND;
RA Edery M., Pezet A., Nandi S., Kelly P.A.;

```

RL Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
RN [5]
RP SEQUENCE FROM N.A. (FORMS PRL-R2 AND PRL-R1).
RC STRAIN=SWISS WEBSTER; TISSUE=LIVER;
RX MEDLINE; 89261824.
RA Davis J.A., Linzer D.I.H.;
RT "expression of multiple forms of the prolactin receptor in mouse
RT liver";
RL Mol. Endocrinol. 3:674-680(1989).
CC -1- FUNCTION: THIS IS A RECEPTOR FOR THE ANTERIOR PITUITARY HORMONE
CC PROLACTIN, AS WELL AS PLACENTAL LACTOGEN I AND II.
CC -1- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.
CC -1- ALTERNATIVE PRODUCTS: THREE FORMS, PRL-R1, PRL-R2 AND PRL-R3
CC (SHOWN HERE) ARE PRODUCED BY ALTERNATIVE SPLICING OF THE PRLR
CC GENE.
CC -1- SIMILARITY: BELONGS TO THE CYTOKINE FAMILY OF RECEPTORS.
CC -1- SIMILARITY: CONTAINS 2 FIBRONECTIN TYPE III-LIKE DOMAINS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; L13593; AAC37641.1; -
CC EMBL; L14811; AAA02686.1; -
CC EMBL; D10214; BAA01066.1; -
CC EMBL; X73372; CAA51789.1; -
CC EMBL; M22959; AAA39977.1; -
CC EMBL; M22958; AAA39976.1; -
CC PIR; JT0671; JT0671.
CC HSP; P16471; Ibp3.
CC MGD; MGI:97763; PRLR.
CC INTERPRO; IPR000950; -
CC INTERPRO; IPR001777; -
CC INTERPRO; IPR002465; -
CC PFAM; PF00041; fn3; 2.
CC PROSITE; PS01352; HEMATOPO_REC_L_F1; 1.
KW Receptor; Transmembrane; Glycoprotein; Signal; Repeat;
KW Alternative splicing.
FT SIGNAL 1 19
FT CHAIN 20 608
FT DOMAIN 20 229
FT TRANSEM 230 253
FT DOMAIN 254 608
FT DOMAIN 20 117
FT DOMAIN 119 222
FT DISULFID 31 41
FT DISULFID 70 81
FT CARBOHYD 54 54
FT CARBOHYD 99 99
FT CARBOHYD 127 127
FT VARSPLIC 281 292
FT VARSPLIC 293 608
FT VARSPLIC 281 303
FT VARSPLIC 304 608
FT CONFLICT 558 558
SQ SEQUENCE 608 AA; 68240 MW; B8CE202B2EFC9FC6 CRC64;

Query Match 63.0%; Score 34; DB 1; Length 608;
Best Local Similarity 71.4%; Pred. No. 57;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSTSWP 7
t :|:|:|:|
Db 474 KONTSWP 480

RESULT 13
BISZ_ECOLI
ID BISZ_ECOLI STANDARD; PRT; 809 AA.
AC P46923; P76292; P97187;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE BIORIN SULFOXIDE REDUCTASE 2 (EC 1.-.-.-) (BDS REDUCTASE 2) (BSO
DE REDUCTASE 2).
DE BISZ.
GN Escherichia coli.
OS Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
OC [1]
RN RP SEQUENCE FROM N.A.
RX STRAIN=K12 / ACC5;
RX MEDLINE; 97077292.
RA del Campillo-Campbell A., Campbell A.M.;
RT "Alternative gene for biotin sulfoxide reduction in Escherichia coli
RT K-12.";
RL J. Mol. Evol. 42:85-90(1996).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / MG1655;
RX MEDLINE; 97428617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;
RT "The complete genome sequence of Escherichia coli K-12";
RL Science 277:1453-1474(1997).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=K12;
RX MEDLINE; 97251358.
RA Itoh T., Alba H., Baba T., Fujita K., Hayashi K., Inada T.,
RA Isono K., Kasai H., Kimura S., Kitakawa M., Kitagawa M.,
RA Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,
RA Nakade S., Nakamura Y., Nishimoto H., Nishio Y., Oshima T.,
RA Saito N., Sampei G., Seki Y., Silvasundaram S., Tagami H.,
RA Takada J., Takemoto K., Wada C., Yamamoto Y., Horiuchi T.;
RT "A 460-kb DNA sequence of the Escherichia coli K-12 genome
RT corresponding to the 40.1-50.0 min region on the linkage map.";
RL DNA Res. 3:379-392(1996).
CC -1- FUNCTION: THIS ENZYME MAY SERVE AS A SCAVENGER, ALLOWING THE CELL
CC TO UTILIZE BIOTIN SULFOXIDE AS A BIOTIN SOURCE (BY SIMILARITY).
CC -1- CATALYTIC ACTIVITY: REDUCES A SPONTANEOUS OXIDATION PRODUCT OF
CC BIOTIN, D-BIOTIN D-SULFOXIDE (BSO OR BDS), BACK TO BIOTIN.
CC -1- COFACTOR: MOLYBDENUM (MOLYBDOPTERIN) (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE PROKARYOTIC MOLYBDOPTERIN-CONTAINING
CC OXIDOREDUCTASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U38839; AAC44131.1; -
CC EMBL; AE000281; AAC74942.1; ALT_INIT.
CC EMBL; D50829; BAA15682.1; -
CC EMBL; D50830; BAA15689.1; -
CC HSP; Q57366; ICXT.
CC ECOGENE; EGI3276; BISZ.
CC INTERPRO; IPR001467; -
CC PFAM; PF01568; Molydop_binding; 1.
CC PROSITE; PS00551; MOLYBDOPTERIN_PROK_1; FALSE_NEG.
CC PROSITE; PS00490; MOLYBDOPTERIN_PROK_2; 1.
CC PROSITE; PS00932; MOLYBDOPTERIN_PROK_3; 1.
KW Oxidoreductase; Molybdenum.

```

FT CONFLICT 76 76 A -> T (IN REF. 1).
FT CONFLICT 291 292 HD -> TI (IN REF. 1).
FT CONFLICT 299 304 YTTGVP -> TLPGIR (IN REF. 1).
FT CONFLICT 406 409 EMSA -> DFGSP (IN REF. 1).
FT CONFLICT 801 803 AFD -> GFG (IN REF. 1).
SQ SEQUENCE 809 AA; 88964 MW; 44A84F6302531D09 CRC64;

Query Match 63.0%; Score 34; DB 1; Length 809;
Best Local Similarity 71.4%; Pred. No. 77;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSTSWP 7
Db 195 EQQTSWP 201

RESULT 14
PMTL_YEAST STANDARD; PRT; 817 AA.
AC P33775;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE DOLICHYL-PHOSPHATE-MANNOSE--PROTEIN MANNOSYLTRANSFERASE 1
DE (EC 2.4.1.109).
GN PMT1 OR YDL095W OR D2390.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomycetes.
RN [1]
RP SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RX MEDLINE; 93376764.
RA Strahl-Bolsinger S., Immervoll T., Deutzmann R., Tanner W.;
RT "PMT1, the gene for a key enzyme of protein O-glycosylation in
RL Saccharomyces cerevisiae.";
RL Proc. Natl. Acad. Sci. U.S.A. 90:8164-8168(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-S288C / FV1679;
RX MEDLINE; 97082507.
RA Boskovic J., Saiz J.E., Soler-Mira A., Garcia-Cantalejo J.M.,
RA Ballesta J.P.G., Jimenez A., Remacha M.;
RT "The sequence of a 16,691 bp segment of Saccharomyces cerevisiae
RT chromosome IV identifies the DUN1, PMT1, PMT5, SRP14 and DPR1 genes,
RT and five new open reading frames.";
RL Yeast 12:1377-1384(1996).
RN [3]
RP CHARACTERIZATION.
RX MEDLINE; 97076135.
RA Gaentzsch M., Tanner W.;
RT "The PMT gene family: protein O-glycosylation in Saccharomycetes
RT cerevisiae is vital.";
RL EMBO J. 15:5752-5759(1996).
CC -!- FUNCTION: TRANSFERS MANNOSE FROM DOL-P-MANNOSE TO SER OR THR
CC RESIDUES ON PROTEINS. SEEMS TO BE ACTIVE ON CHITINASE.
CC -!- CATALYTIC ACTIVITY: DOLICHYL PHOSPHATE D-MANNOSE + PROTEIN -
CC DOLICHYL PHOSPHATE + O-D-MANNOSYL-PROTEIN.
CC -!- PATHWAY: GLYCOSYLATION.
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. ENDOPLASMIC
CC RETICULUM.
CC -!- SIMILARITY: BELONGS TO THE FUNGAL PMT FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; L19169; AAA02928.1; -
DR EMBL; X95644; CAA64917.1; -

```

```

DR EMBL; Z74144; CAA98663.1; -
DR PIR; A47716; A47716.
DR SGD; S0002253; PMT1.
KW Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW Endoplasmic reticulum; Multigene family.
FT DOMAIN 1 50 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 51 71 POTENTIAL.
FT DOMAIN 72 133 LUMENAL (POTENTIAL).
FT TRANSMEM 134 154 POTENTIAL.
FT DOMAIN 155 179 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 180 200 POTENTIAL.
FT DOMAIN 201 234 LUMENAL (POTENTIAL).
FT TRANSMEM 235 259 POTENTIAL.
FT DOMAIN 260 273 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 274 291 POTENTIAL.
FT DOMAIN 292 584 LUMENAL, CATALYTIC (POTENTIAL).
FT TRANSMEM 585 605 POTENTIAL.
FT DOMAIN 606 685 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 686 710 POTENTIAL.
FT DOMAIN 711 817 LUMENAL (POTENTIAL).
FT CARBOHYD 390 390 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CARBOHYD 513 513 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CARBOHYD 743 743 N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ SEQUENCE 817 AA; 92675 MW; 6309BBA71BAD8D21 CRC64;

Query Match 63.0%; Score 34; DB 1; Length 817;
Best Local Similarity 75.0%; Pred. No. 78;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSTSWP 8
Db 359 QQSTLYPH 366

RESULT 15
TORA_ECOLI STANDARD; PRT; 848 AA.
AC P33225; P78227;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE TRIMETHYLAMINE-N-OXIDE REDUCTASE PRECURSOR (EC 1.6.6.9) (TMAO
DE REDUCTASE) (TRIMETHYLAMINE OXIDASE).
GN TORA.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 40-46.
RC STRAIN-K12;
RX MEDLINE; 94293785.
RA Mejean V., Lobbi-Nivol C., Lepelletier M., Giordano G., Chippaux M.,
RA Pascal M.-C.;
RT "TMAO anaerobic respiration in Escherichia coli: involvement of the
RT tor operon.";
RL Mol. Microbiol. 11:1169-1179(1994).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-K12 / MG1655;
RX MEDLINE; 97426617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;
RT "The complete genome sequence of Escherichia coli K-12.";
RL Science 277:1453-1474(1997).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN-K12;
RX MEDLINE; 97061202.
RA Oshima T., Aiba H., Baba T., Fujita K., Hayashi K., Honjo A.,
RA Ikemoto K., Inada T., Itoh T., Kajihara M., Kanai K., Kashimoto K.,

```

Job time: 149 sec

RA Kimura S., Kitagawa M., Makino K., Masuda S., Miki T., Mizobuchi K.,
RA Mori H., Motomura K., Nakamura Y., Nashimoto H., Nishio Y., Saito N.,
RA Sampei G., Seki Y., Tagami H., Takemoto K., Wada C., Yamamoto Y.,
RT Yano M., Horiuchi T.;
RT "A 718-kb DNA sequence of the Escherichia coli K-12 genome
corresponding to the 12.7-28.0 min region on the linkage map.";
RL DNA Res. 3:137-155(1996).
RN [4]
RN SEQUENCE OF 767-848 FROM N.A.
RC STRAIN-K12;
RX MEDLINE; 94134696.
RY Ueguchi C., Kakeda M., Yamada H., Mizuno T.;
RT "An analogue of the DnaJ molecular chaperone in Escherichia coli.";
RL Proc. Natl. Acad. Sci. U.S.A. 91:1054-1058(1994).
CC -1- FUNCTION: REDUCES TRIMETHYLAMINE-N-OXIDE (TMAO) INTO
CC TRIMETHYLAMINE; AN ANAEROBIC REACTION COUPLED TO ENERGY-YIELDING
CC REACTIONS.
CC -1- CATALYTIC ACTIVITY: NADH + TRIMETHYLAMINE-N-OXIDE = NAD(+) +
CC TRIMETHYLAMINE + H(2)O.
CC -1- SUBCELLULAR LOCATION: PERIPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE PROKARYOTIC MOLYBDOPROTEIN-CONTAINING
CC OXIDOREDUCTASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X73888; CAA52095.1; -;
CC EMBL; AE000201; AAC74082.1; -;
CC EMBL; D90736; BAA36139.1; -;
CC EMBL; D90737; BAA35764.1; -;
CC EMBL; D16500; -; NOT_ANNOTATED_CDS.
CC PIR; S34222; S34222.
CC HSSP; Q57366; 1CXT.
CC ECGENE; EG11814; TORA.
CC INTERPRO; IPR001467; -;
CC PFAM; PF01568; Molybdop_binding; 1.
CC PFAM; PF00384; molybdopterin; 1.
CC PROSITE; PS00551; MOLYBDOPROTEIN_PROK_1; FALSE_NEG.
CC PROSITE; PS00490; MOLYBDOPROTEIN_PROK_2; 1.
CC PROSITE; PS00932; MOLYBDOPROTEIN_PROK_3; 1.
CC Oxidoreductase; NAD; Molybdenum; Periplasmic; Signal.
KW SIGNAL
FT SIGNAL 1 39
FT CHAIN 40 848 TRIMETHYLAMINE-N-OXIDE REDUCTASE.
FT CONFLICT 173 173 L -> R (IN REF. 1).
FT CONFLICT 176 176 A -> R (IN REF. 1).
FT CONFLICT 256 256 A -> R (IN REF. 1).
FT CONFLICT 258 258 V -> S (IN REF. 1).
FT CONFLICT 281 281 R -> G (IN REF. 1).
FT CONFLICT 325 325 Q -> E (IN REF. 1).
FT CONFLICT 348 348 T -> S (IN REF. 1).
FT CONFLICT 503 504 KL -> NV (IN REF. 1).
FT CONFLICT 713 714 QQ -> HE (IN REF. 1).
FT CONFLICT 751 751 L -> M (IN REF. 1).
FT CONFLICT 781 781 P -> L (IN REF. 1 AND 3).
SQ SEQUENCE 848 AA; 94456 MW; 59DDACB00B1843E7 CRC64;

Query Match 63.08; Score 34; DB 1; Length 848;
Best Local Similarity 71.4%; Pred. No. 81;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWP 7

Db 210 EQOTSWP 216

Search completed: March 28, 2001, 07:35:12

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:21 ; Search time 443.95 Seconds
(without alignments)
2.376 Million cell updates/sec

Title: US-09-016-061-88

Perfect score: 54

Sequence: 1 QQSTSWPHT 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mmc:*
- 8: sp_organelle:*
- 9: sp_phage:*
- 10: sp_plant:*
- 11: sp_rodent:*
- 12: sp_virus:*
- 13: sp_vertebrate:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	81.5	1194	Q9VSI2	Q9vsi2 drosophila
2	43	79.6	1109	Q9VTS9	Q9vts9 drosophila
3	37	68.5	551	Q9K6S3	Q9k6s3 bacillus ha
4	37	68.5	2556	Q9VXP7	Q9vxp7 drosophila
5	36	66.7	296	13 Q93312	Q93312 brachydanio
6	36	66.7	297	13 Q73779	Q73779 brachydanio
7	36	66.7	323	2 Q54490	Q54490 streptomyce
8	36	66.7	419	10 Q9SY03	Q9sy03 arabidopsis
9	35	64.8	170	2 Q9KMR2	Q9kmr2 vibrio chol
10	35	64.8	235	11 Q63471	Q63471 rattus norv
11	35	64.8	315	13 Q9YGU0	Q9ygu0 brachydanio
12	35	64.8	327	13 Q9YH10	Q9yh10 cyprinol ca
13	35	64.8	484	2 Q9KR86	Q9kr86 vibrio chol
14	35	64.8	1109	10 Q9ZVX6	Q9zvx6 arabidopsis
15	35	64.8	1313	5 Q9NE22	Q9ne22 leishmania
16	35	64.8	4829	4 Q9NR09	Q9nr09 homo sapien
17	35	64.8	4845	11 Q88738	Q88738 mus musculu
18	34	63.0	94	2 Q9XCE0	Q9xce0 mycobacteri
19	34	63.0	96	2 Q9Z9Y5	Q9z9y5 frateuria s

20	34	63.0	97	2 Q9PSI1	Q9psi1 xylella fas
21	34	63.0	178	5 Q9VE03	Q9ve03 drosophila
22	34	63.0	448	4 Q9UFP1	Q9ufp1 homo sapien
23	34	63.0	522	13 Q9VXC4	Q9vxc4 brachydanio
24	34	63.0	596	4 Q00185	Q00185 homo sapien
25	34	63.0	640	5 Q9XWZ6	Q9xwz6 caenorhabdi
26	34	63.0	734	5 Q9V706	Q9v706 drosophila
27	34	63.0	746	2 Q44289	Q44289 anabaena sp
28	34	63.0	849	11 Q9JLJ8	Q9jlj8 mus musculu
29	34	63.0	1045	5 Q20047	Q20047 caenorhabdi
30	34	63.0	1059	5 Q9VNP5	Q9vnp5 drosophila
31	34	63.0	1402	10 Q9SLI4	Q9sli4 arabidopsis
32	34	63.0	1919	6 Q29518	Q29518 oryctolagus
33	34	63.0	1920	6 Q29519	Q29519 oryctolagus
34	33.5	62.0	411	4 Q75876	Q75876 homo sapien
35	33	61.1	74	6 Q9N068	Q9n068 macaca fasc
36	33	61.1	160	4 Q9NTS8	Q9nts8 homo sapien
37	33	61.1	255	2 Q9SZA3	Q9sza3 streptomyce
38	33	61.1	267	6 Q02764	Q02764 oryctolagus
39	33	61.1	387	5 Q39907	Q39907 gonyaulax p
40	33	61.1	413	10 Q9M9E4	Q9m9e4 arabidopsis
41	33	61.1	486	10 Q9M9U1	Q9m9u1 arabidopsis
42	33	61.1	491	5 Q76269	Q76269 leishmania
43	33	61.1	491	5 Q76343	Q76343 leishmania
44	33	61.1	500	10 Q9SHG3	Q9shg3 arabidopsis
45	33	61.1	523	12 P89903	P89903 chimpanzee

ALIGNMENTS

RESULT 1

Q9VSI2 Q9VSI2 PRELIMINARY; PRT: 1194 AA.
AC Q9VSI2;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE C67112 PROTEIN.
GN C67112.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Peiryogeta; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; Pubmed=10731132;
RA Adams M.D., Ceiniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Ananaitides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Vandeil M.D., Zhang Q., Chen L.X.,
RA Brannon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkuch C., Baldwin D.,
RA Balow R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos J., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira J., Fleischmann W.,
RA Foslter C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodok A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,

```
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wasserman D.A., Weinstock G.M., Weissbach J., Yao Q.A.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL; AE003555; AAF50437.1; -.
DR FLYBASE; FBgn0035879; CG7112.
DR INTERPRO; IPR0010195; -.
DR PFAM; PF00566; TBC; 1.
SQ SEQUENCE 1194 AA; 133393 MW; E0E3DB547B4924E0 CRC64;

Query Match 81.5%; Score 44; DB 5; Length 1194;
Best Local Similarity 77.8%; Pred. No. 6.3;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 461 QOSSSWPYT 469

RESULT 2
Q9VTB9 ID Q9VTB9 PRELIMINARY; PRT; 1109 AA.
AC Q9VTB9;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DE CG7958 PROTEIN.
GN CG7958.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX - MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brannon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Abiril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Bereman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotlier P.,
RA Burlis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferrieria S., Fleischmann W.,
RA Folsler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
```

```
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wasserman D.A., Weinstock G.M., Weissbach J., Yao Q.A.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL; AE003547; AAF50133.1; -.
DR FLYBASE; FBgn0036103; CG7958.
SQ SEQUENCE 1109 AA; 116491 MW; 4FD726183EE642AC CRC64;

Query Match 79.6%; Score 43; DB 5; Length 1109;
Best Local Similarity 66.7%; Pred. No. 8.8;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 591 QMNTNPHT 599

RESULT 3
Q9K6S3 ID Q9K6S3 PRELIMINARY; PRT; 551 AA.
AC Q9K6S3;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE BH353 PROTEIN.
GN BH353.
OS Bacillus halodurans.
OC Bacteria; Firmicutes; Bacillus/Clostridium group; Bacillus.
OC Bacillus/Staphylococcus group; Bacillus.
OX NCBI_TaxID=86665;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=C-125 / JCM 9153;
RA Takami H., Nakasone K., Takaki Y.;
RA Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AP001519; BAB07372.1; -.
SQ SEQUENCE 551 AA; 62089 MW; A437311B8B9C1F60 CRC64;

Query Match 68.5%; Score 37; DB 2; Length 551;
Best Local Similarity 66.7%; Pred. No. 53;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 524 EQSTSWKYT 532

RESULT 4
Q9VXP7 ID Q9VXP7 PRELIMINARY; PRT; 2556 AA.
AC Q9VXP7;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE CG8473 PROTEIN.
GN CG8473.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
```


RP SEQUENCE FROM N.A.
 RC STRAIN=BERKELEY;
 RA MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scher S.E., Li P.W., Hoskins R.A., Galie R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Bailew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Bereman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Foster C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Correll J.H., Garg N.S., Gelbart W.M., Glasser K.,
 RA Harris N.L., Harvey D., Helman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattel B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Klanos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of Drosophila melanogaster.";
 RL Science 287:2185-2195(2000).
 DR EMBL; AE003500; AAF48511.1; -;
 DR FLYBASE; FBgn0030689; CG8473.
 DR INTERPRO; IPR001617; -;
 DR INTERPRO; IPR001680; -;
 DR INTERPRO; IPR002557; -;
 DR PFAM; PF00005; ABC_tran; 2.
 DR PFAM; PF00400; WD40; 2.
 DR PFAM; PF01607; Chitin_bind_2; 2.
 DR PROSITE; PS00678; WD_REPEATS; 1.
 SQ SEQUENCE 2556 AA; 290937 MW; 82612D442484D8CD CRC64;

Query Match 68.5%; Score 37; DB 5; Length 2556;
 Best Local Similarity 71.4%; Pred. No. 2.3e+02;

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 STSWPHT 9

DB 1652 NTKWPHT 1658

RESULT 5

ID O93312 PRELIMINARY; PRT; 296 AA.

AC O93312;

DT 01-NOV-1998 (TrEMBLrel. 08, Created)

DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)

DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)

DE FORKHEAD-5.

GN FKH5.

OS Brachydanio rerio (Zebrafish) (Zebra danio).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
 OC Cypriniformes; Cyprinidae; Rasbora; Danio.
 OX NCBI_TaxID=7955;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Grinblat Y., Gamse J., Patel M., Sive H.;
 RT "Determination of the zebrafish forebrain: induction and patterning.";
 RL Submitted (MAR-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF052651; AAC25103.1; -;
 DR HSSP; Q63245; 2HFH.
 DR INTERPRO; IPR001766; -;
 DR PFAM; PF00250; Fork_head; 1.
 DR PRINTS; PR00053; FORKHEAD.
 DR PROSITE; PS00657; FORK_HEAD_1; 1.
 DR PROSITE; PS00658; FORK_HEAD_2; UNKNOWN_1.
 DR PROSITE; PS50039; FORK_HEAD_3; 1.
 SQ SEQUENCE 296 AA; 33066 MW; 5909FB9552C3F61C CRC64;

Query Match 66.7%; Score 36; DB 13; Length 296;
 Best Local Similarity 62.5%; Pred. No. 44;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSTSWPH 8

DB 196 QLTAMPH 203

RESULT 6

ID O73779 PRELIMINARY; PRT; 297 AA.

AC O73779;

DT 01-AUG-1998 (TrEMBLrel. 07, Created)

DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)

DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)

DE FORK HEAD DOMAIN PROTEIN FKD3.

GN MAR OR FKD3.

OS Brachydanio rerio (Zebrafish) (Zebra danio).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;

OC Cypriniformes; Cyprinidae; Rasbora; Danio.

OX NCBI_TaxID=7955;

RN [1]

RP SEQUENCE FROM N.A.

RA Odenthal J., Nuesslein-Volhard C.;

RL Dev. Genes Evol. 0:0-0(1998).

DR EMBL; AF052246; AAC06363.1; -;

DR HSSP; Q63245; 2HFH.

DR ZFIN; ZDB-GENE-980526-563; mar.

DR INTERPRO; IPR001766; -;

DR PFAM; PF00250; Fork_head; 1.

DR PRINTS; PR00053; FORKHEAD.

DR PROSITE; PS00657; FORK_HEAD_1; 1.

DR PROSITE; PS00658; FORK_HEAD_2; UNKNOWN_1.

DR PROSITE; PS50039; FORK_HEAD_3; 1.

SQ SEQUENCE 297 AA; 32945 MW; 8E06934453255836 CRC64;

Query Match 66.7%; Score 36; DB 13; Length 297;
 Best Local Similarity 62.5%; Pred. No. 44;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSTSWPH 8

DB 191 QLTAMPH 198

RESULT 7

ID Q54490 PRELIMINARY; PRT; 323 AA.

AC Q54490;

DT 01-NOV-1996 (TrEMBLrel. 01, Created)

DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)

01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
 SNOE (AROMATASE).
 GN Streptomyces nogalater.
 OS Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomycetes.
 OX NCBI_TaxID=38314;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ATCC 27451;
 RA Ylihonko K., Tuukkanen J., Jussila S., Cong L., Mantsala P.;
 RX MEDLINE=96242142; PubMed=8668120;
 RT "A gene cluster involved in nogalamycin biosynthesis from Streptomycetes
 nogalater: sequence analysis and complementation of early-block
 mutations in the anthracycline pathway.";
 RL Mol. Gen. Genet. 251:113-120(1996).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ATCC 27451;
 RA Ylihonko K., Hakala J., Kunnari T., Mantsala P.;
 RX MEDLINE=96349102; PubMed=8760909;
 RT "Production of hybrid anthracycline antibiotics by heterologous
 expression of Streptomycetes nogalater nogalamycin biosynthesis genes.";
 RL Microbiology 142:1965-1972(1996).
 RN [4]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ATCC 27451;
 RA Ylihonko K., Hakala J., Skurnik M., Mantsala P.;
 RX MEDLINE=98007868; PubMed=9349712;
 RT "Characterization of Streptomycetes nogalater genes encoding enzymes
 involved in glycosylation steps in nogalamycin biosynthesis.";
 RL Mol. Gen. Genet. 256:203-209(1997).
 DR EMBL: AJ224512; CAA12012.1;
 SQ SEQUENCE 323 AA; 35864 MW; ABF4C42324C0254E CRC64;

Query Match 66.7%; Score 36; DB 2; Length 323;
 Best Local Similarity 83.3%; Pred. No. 48;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 4 TSWPHT 9
 Db 34 TSWPHT 39

RESULT 8
 Q9SY03 PRELIMINARY; PRT; 419 AA.
 AC Q9SY03;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE HYPOTHETICAL 46.0 KDA PROTEIN.
 GN T5J8.6 OR AT4G02760.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA de la Bastide M., Gnoj L., Habermann K., Huang E.N., Gottesman T.,
 RA Kaplan N., Lodhi M., Jensen K., Hameed A., Schutz K., Martienssen R.,
 RA Dedhia N., Parnell L.D., McCombie W.R.;
 RT "Arabidopsis thaliana BAC T5J8 from chromosome IV, short arm.";
 RL Submitted (FEB-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]

RP SEQUENCE FROM N.A.
 RA Spiegel L.A., Huang E.N., Nascimento L.U., de la Bastide M., Vil D.M.,
 RA Preston R.R., Shah R., O'Shaughnessy A., Rodriguez M.,
 RA Shekher M., Schutz K., See L.H., Swaby I., Habermann K., Dedhia N.N.,
 RA Mewes H.W., Lemcke K., Mayer K.F.X.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AC004044; AAD15350.1;
 DR EMBL: AL161495; CAB77761.1;
 KW Hypothetical protein.
 SQ SEQUENCE 419 AA; 45950 MW; D1EDE76771AA0A29 CRC64;

Query Match 66.7%; Score 36; DB 10; Length 419;
 Best Local Similarity 85.7%; Pred. No. 61;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWP 7
 Db 112 QNSTSWP 118

RESULT 9
 Q9KMR2 PRELIMINARY; PRT; 170 AA.
 ID Q9KMR2;
 AC Q9KMR2;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE HYPOTHETICAL PROTEIN VCA0258.
 GN VCA0258.
 OS Vibrio cholerae.
 OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
 OX NCBI_TaxID=666;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=EL TOR N16961 / SEROTYPE O1;
 RX MEDLINE=20406833; PubMed=10952301;
 RA Heidelberg J.F., Eisen J.A., Nelson W.C., Clayton R.A., Gwin M.L.,
 RA Dodson R.J., Haft D.H., Hickey E.K., Peterson J.D., Umayam L.A.,
 RA Gill S.R., Nelson K.E., Read T.D., Tettelin H., Richardson D.,
 RA Ermolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P.,
 RA McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O.,
 RA Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C.,
 RA Fraser C.M.;
 RT "DNA sequence of both chromosomes of the cholera pathogen Vibrio
 cholerae.";
 RL Nature 406:477-483(2000).
 DR EMBL: AE004366; AAF96169.1;
 DR TIGR: VCA0258;
 KW Hypothetical protein.
 SQ SEQUENCE 170 AA; 19430 MW; 9D70B2D1141851A9 CRC64;

Query Match 64.8%; Score 35; DB 2; Length 170;
 Best Local Similarity 100.0%; Pred. No. 39;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 TSWPH 8
 Db 56 TSWPH 60

RESULT 10
 Q63471 PRELIMINARY; PRT; 235 AA.
 ID Q63471;
 AC Q63471;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)

```

DE PAROTID SECRETORY PROTEIN PRECURSOR.
GN PSP.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
ON NCBI_TaxID=10116;
RX [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=92129360; PubMed=1370829;
RA Mirels L., Ball W.D.;
RT "Neonatal rat submandibular gland protein SMG-A and parotid secretory
RT protein are alternatively regulated members of a salivary protein
RT multigene family.";
RL J. Biol. Chem. 267:2679-2687(1992).
DR EMBL; M83209; AAC06334.1; -.
KW SIGNAL.
FT SIGNAL.
FT CHAIN
FT CHAIN 21 235 PAROTID SECRETORY PROTEIN.
SQ SEQUENCE 235 AA; 24529 MW; 0B36EC779025986E CRC64;

Query Match 64.8%; Score 35; DB 11; Length 235;
Best Local Similarity 71.4%; Pred. No. 53;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSTSWP 7
Db 54 QOATWTP 60

RESULT 11
QYGU00
ID QYGU00 PRELIMINARY; PRT; 315 AA.
AC QYGU00;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE HOMEBOX PROTEIN.
GN HOXA11A.
OS Brachydanio rerio (Zebrafish) (Zebra danio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
OC Cypriniformes; Cyprinidae; Rasboridae; Danio.
ON NCBI_TaxID=7955;
RX [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=99051425; PubMed=9831563;
RA Amores A., Force A., Yan Y.-L., Wang Y.-L., Fritz A., Prince V.,
RA Ho R., Amemiya C., Langeland J., Westerfield M., Ekker M.,
RA Postlethwait J.;
RT "Zebrafish hox clusters and vertebrate genome evolution.";
RL Science 282:1711-1714(1998).
DR EMBL; AF071240; AAD15934.1; -.
DR HSSP; P02834; 1BBI.
DR INTERPRO; IPR001356; -.
DR PFAM; PF00046; homeobox; 1.
DR PRINTS; PR00024; HOMEBOX.
DR PROSITE; PS00071; HOMEBOX_2; 1.
KW Homeobox; DNA-binding; Nuclear protein.
SQ SEQUENCE 315 AA; 36239 MW; 51F50C709B345CC5 CRC64;

Query Match 64.8%; Score 35; DB 13; Length 315;
Best Local Similarity 83.3%; Pred. No. 70;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 3 STSWPH 8
Db 71 STKWPH 76

RESULT 12
QYH10

```

```

ID QYH10 PRELIMINARY; PRT; 327 AA.
AC QYH10;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE CTH1 PROTEIN.
GN CTH1.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
OC Cypriniformes; Cyprinidae; Cyprininae; Cyprinus.
ON NCBI_TaxID=7962;
RX [1]
RP SEQUENCE FROM N.A.
RA Stevens C.J.M., Schipper H., Samallo J., Stroband H.W.J.,
RA Tekronnie G.;
RT "Blastomeres and cells with mesodermal fates of carp embryos
RT express cth1, a member of the TIS11 family of primary response
RT genes.";
RL Int. J. Dev. Biol. 42:181-188(1998).
RN [2]
RN SEQUENCE FROM N.A.
RA Stevens C.;
RL Submitted (DEC-1996) to the EMBL/GenBank/DBJ databases.
RN [3]
RN SEQUENCE FROM N.A.
RA Stroband H.W.J.;
RL Submitted (AUG-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y10163; CAA71245.2; -.
DR INTERPRO; IPR000571; -.
DR PFAM; PF00642; zf-CCCH; 4.
SQ SEQUENCE 327 AA; 36216 MW; 87D775113164DA21 CRC64;

Query Match 64.8%; Score 35; DB 13; Length 327;
Best Local Similarity 100.0%; Pred. No. 73;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 TSWPH 8
Db 221 TSWPH 225

RESULT 13
Q9KRB6
ID Q9KRB6 PRELIMINARY; PRT; 484 AA.
AC Q9KRB6;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE GLYCOGEN SYNTHASE.
GN VCL1726.
OS Vibrio cholerae.
OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
ON NCBI_TaxID=666;
RX [1]
RP SEQUENCE FROM N.A.
RA STRAIN=EL TOR N16961 / SEROTYPE O1;
RA MEDLINE=20406833; PubMed=10952301;
RA Heidelberg J.F., Eisen J.A., Nelson W.C., Peterson J.D., Umayam L.A.,
RA Dodson R.J., Haft D.H., Hickey E.K., Tettelin H., Richardson D.,
RA Gill S.R., Nelson K.E., Read T.D., Tettelin H., Richardson D.,
RA Ermolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P.,
RA McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O.,
RA Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C.,
RA Fraser C.M.;
RT "DNA sequence of both chromosomes of the cholera pathogen Vibrio
RT cholerae.";
RL Nature 406:477-483(2000).
DR EMBL; AE004250; AAF94876.1; -.
DR TIGR; VC1726; -.
SQ SEQUENCE 484 AA; 55066 MW; 776D1D3E6BCC0920 CRC64;

```

Query Match 64.8%; Score 35; DB 2; Length 484;
 Best Local Similarity 83.3%; Pred. No. 1.1e+02;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 4 TSWPHT 9
 | | | | |
 Db 65 THWPHT 70

RESULT 14
 Q92VX6 PRELIMINARY; PRT; 1109 AA.

AC Q92VX6;
 DT 01-MAY-1999 (TrEMBLrel. 10, Created)
 DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE PUTATIVE TMV RESISTANCE PROTEIN.
 GN F12A24.5.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 ON NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.

RC STRAIN=CV, COLUMBIA;
 RA Rounsley S.D., Lin X., Kaul S., Shea T.P., Fujii C.Y., Mason T.M.,
 RA Shen M., Rensing C.M., Fraser C.M., Somerville C.R., Venter J.C.;
 RT "Arabidopsis thaliana chromosome II BAC F12A24 genomic sequence.";
 RL Submitted (OCT-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AC005167; AAC64218.1; -
 DR INTERPRO: IPR000157; -
 DR INTERPRO: IPR000767; -
 DR INTERPRO: IPR001611; -
 DR INTERPRO: IPR001617; -
 DR INTERPRO: IPR002182; -
 DR PFAM: PF00560; LRR; 3.
 DR PFAM: PF00931; NB-ARC; 2.
 DR PFAM: PF01582; TIR; 1.
 DR PRINTS: PRO0364; DISEASERISIT.
 SQ SEQUENCE 1109 AA; 125679 MW; 865678PBC55DE694 CRC64;

Query Match 64.8%; Score 35; DB 10; Length 1109;
 Best Local Similarity 66.7%; Pred. No. 2.3e+02;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
 | | | | |
 Db 900 QOHSWEHT 908

RESULT 15
 Q9NE22 PRELIMINARY; PRT; 1313 AA.

AC Q9NE22;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE HYPOTHETICAL 140.2 KDA PROTEIN.
 GN L232.07.
 OS Leishmania major.
 OC Eukaryota; Euklenozoa; Kinetoplastida; Trypanosomatidae; Leishmania.
 ON NCBI_TaxID=5664;
 RN [1]
 RP SEQUENCE FROM N.A.

RC STRAIN=FRIEDLIN;
 RA Beck A., Klages S., Reinhardt R., Ivens A.C., Quail M.,
 RA Rajagream M.A., Barrell B.G.;
 RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.

RC STRAIN=FRIEDLIN;
 RA Ivens A.C., Lewis S.M., Bagherzadeh A., Zhang L., Chan H.M.,
 RA Smith D.F.;
 RT "A physical map of the Leishmania major Friedlin genome.";
 RL Genome Res. 8:135-145(1998).
 DR EMBL: AL354553; CAB89634.1; -
 KW Hypothetical protein.
 SQ SEQUENCE 1313 AA; 140187 MW; 2BA3034A75AD23AC CRC64;

Query Match 64.8%; Score 35; DB 5; Length 1313;
 Best Local Similarity 62.5%; Pred. No. 2.8e+02;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 QOSTSWPHT 9
 | | | | |
 Db 1218 QDTLWPHS 1225

Search completed: March 28, 2001, 07:53:24
 Job time: 517 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:53 ; Search time 154.19 Seconds
(without alignments)
1.996 Million cell updates/sec

Title: US-09-016-061-88

Perfect score: 54

Sequence: 1 QOSTSWPHT 9

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36:*

1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	54	100.0	9	19 W76034	LM609 grafted anti
2	49	90.7	9	19 W76033	LM609 grafted anti
3	49	90.7	9	20 W06372	Murine monoclonal
4	49	90.7	107	13 R25729	Humanised VL regio
5	49	90.7	109	20 Y06388	Humanised LM609 an
6	49	90.7	109	20 Y06380	Murine monoclonal
7	49	90.7	109	20 Y06382	Humanised LM609 an
8	49	90.7	127	15 R54033	Sequence of mouse
9	47	87.0	9	19 W76013	LM609 grafted anti
10	47	87.0	107	19 W76006	LM609 grafted anti
11	47	87.0	107	19 W76002	Vitaxin antibody 1
12	47	87.0	107	19 W76004	LM609 antibody lig

13	43	79.6	107	14 R38601	HYH light chain.
14	43	79.6	107	19 W58482	Murine HYH antibod
15	43	79.6	108	12 R15438	Light chain variab
16	43	79.6	109	15 R52033	Light chain variab
17	43	79.6	143	18 W19580	Mouse anti-idiotyp
18	43	79.6	240	12 R15443	Single chain Fv fr
19	40	74.1	105	20 W87456	JK gene product.
20	40	74.1	105	20 W87458	Humanised anti-alp
21	40	74.1	107	20 W84098	Humanised anti-alp
22	40	74.1	108	20 W84094	Murine vitronectin
23	40	74.1	112	20 W84100	Vitronectin alpha-
24	39	72.2	9	14 R37604	hIL2R Ab L chain v
25	39	72.2	9	19 W76036	LM609 grafted anti
26	39	72.2	107	14 R37612	hIL2R Ab L chain v
27	39	72.2	107	14 R37610	B-B10 MAb L chain
28	38	70.4	9	19 W44180	Monoclonal antibod
29	38	70.4	9	20 Y26992	CDR3 domain reshap
30	38	70.4	106	19 W71241	Light chain variab
31	38	70.4	107	15 R50190	Light chain variab
32	38	70.4	107	18 W28531	Humanised ca2 ligh
33	38	70.4	107	19 W40820	Light chain variab
34	38	70.4	107	20 Y26979	Light chain variab
35	38	70.4	107	20 Y23243	Light chain variab
36	38	70.4	107	21 Y70604	Vkappa region of h
37	38	70.4	127	15 R50187	Light chain variab
38	38	70.4	127	15 R50191	Light chain variab
39	38	70.4	127	15 R50192	Light chain variab
40	38	70.4	127	19 W44176	Monoclonal antibod
41	38	70.4	127	20 Y26980	Light chain variab
42	38	70.4	127	20 Y26981	Light chain variab
43	38	70.4	127	20 Y26982	Light chain variab
44	38	70.4	240	19 W71243	scFv comprising he
45	38	70.4	245	21 Y70605	scFv fragment of h

ALIGNMENTS

RESULT 1

ID W76034 standard; Protein; 9 AA.

XX W76034;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-L region CDR3 protein fragment #3.

DE Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; anglogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-L region; CDR;
KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 9705-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49871.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX angiogenesis or restenosis
 XX Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 9 AA;

Query Match 100.0%; Score 54; DB 19; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.1e+05;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSTSWPHT 9
 |||||
 Db 1 qqstswpht 9

RESULT 2
 ID W76033 standard; Protein; 9 AA.
 XX
 AC W76033;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-L region CDR3 protein fragment #2.

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49870.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 9 AA;

Query Match 90.7%; Score 49; DB 19; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSTSWPHT 9
 |||||
 Db 1 qqstswpht 9

RESULT 3
 ID Y06372 standard; Peptide; 9 AA.
 XX
 AC Y06372;

DT 06-SEP-1999 (first entry)

DE Murine monoclonal antibody LM609 VL CDR3.

KW Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus musculus.

XX WO9929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 45; 55pp; English.

XX This sequence represents complementarity determining region 3
 CC (LCDR3) of the light chain of murine monoclonal antibody LM609.
 CC LM609 is directed to integrin alpha-v beta-3. It selectively
 CC promotes apoptosis of vascular cells stimulated to undergo
 CC angiogenesis, making it a tool for cancer diagnosis and therapy.

CC The invention provides humanised antibodies, especially humanised
 CC mouse antibody such as LM609 is grafted onto a human light chain,
 CC and a heavy chain CDR from a mouse antibody is grafted onto a human
 CC antibody heavy chain to produce libraries from which a humanised
 CC murine antibody having the desired specificity is selected. By
 CC preserving the original CDR sequences such as the HCDR3 and LCDR3
 CC sequences of LM609, the humanisation strategy ensures epitope
 CC conservation.

XX Sequence 9 AA;

Query Match 90.7%; Score 49; DB 20; Length 9;
Best Local Similarity 88.9%; Pred. No. 2.1e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSTSWPHT 9
| | | | | | | | | |
Db 1 qqsnswpht 9

RESULT 4

R25729 R25729 standard; Protein; 107 AA.

AC XX

DT 13-JAN-1993 (first entry)

Humanised VL region of the mouse CMV5 antibody.

Murine; immunoglobulin; CDR: non immunogenic; cytomegalovirus;
gH; light chain; variable region; framework; human; Wol.

OS Mus musculus.

Key Location/Qualifiers

Region 24..34

/note= "CDR"

Region 50..56

/note= "CDR"

Region 89..97

/note= "CDR"

Misc-difference 49

/note= "mutated residue"

XX WO9211018-A.

XX 09-JUL-1992.

XX 19-DEC-1991; 91WO-US09711.

XX 19-DEC-1990; 90US-0634278.

XX (PROT-) PROTEIN DESIGN LABS INC.

XX Co MS, Coellingh KL, Landolfi NF, Queen CL, Schneider WP;

XX WPI; 1992-249842/30.

XX New immunoglobulin(s) having murine CDRs in human framework

XX regions - have lower antigenicity; useful for treating e.g. HSV,

XX CMV, T-cell disorders, myeloid disorders and auto-immune

XX conditions

XX Claim 40; Fig 27A; 141pp; English.

XX The sequence shows the humanised mature light chain variable

XX region of the mouse CMV5 antibody. Murine CDRs were used

XX in a human Wol framework to produce a pure humanised immunoglobulin

XX (Ig) which is capable of binding to the gH glycoprotein of

XX cytomegalovirus. The Ig is non immunogenic, due to the human

XX framework, and has a strong affinity for its predetermined

XX antigen. They can be produced in large quantities via recombinant

XX DNA and monoclonal antibody technology. The humanised Igs may be

XX used alone or in combination with chemotherapeutic agents such as

XX non-steroidal anti-inflammatory drugs or immunosuppressants.

XX See also R25721-32.

XX Sequence 107 AA;

Query Match 90.7%; Score 49; DB 13; Length 107;

Best Local Similarity 88.9%; Pred. No. 0.06;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSTSWPHT 9

| | | | | | | | | |

Db 89 qqsnswpht 97

RESULT 5

Y06388

ID Y06388 standard; Protein; 109 AA.

XX Y06388;

AC XX

DT 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VL domain.

XX Humanised antibody; antibody humanisation; antibody engineering;

XX LM609; monoclonal antibody; complementarity determining region;

XX CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;

XX cancer; therapy; diagnosis.

XX Homo sapiens.

OS Synthetic.

XX Key

Location/Qualifiers

Peptide 1..2

/note= "vector-encoded residues"

Region 24..34

/note= "CDR1"

Region 50..56

/note= "CDR2"

Region 89..97

/note= "CDR3"

XX WO929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52; 55pp; English.

XX This sequence represents the light chain variable region of a

XX humanised LM609 antibody. LM609 is directed to human integrin

XX alpha-v beta-3. It selectively promotes apoptosis of vascular

XX cells that have been stimulated to undergo angiogenesis, making it

XX a tool for cancer diagnosis and therapy. The invention provides

XX humanised antibodies, especially humanised LM609. In such humanized

XX antibodies, a light chain CDR from a mouse antibody such as LM609 is

XX grafted onto a human light chain, and a heavy chain CDR from a mouse

XX antibody is grafted onto a human antibody heavy chain to produce

XX libraries from which a humanised murine antibody having the desired

XX specificity is selected. By preserving the original CDR sequences

XX such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the

XX humanisation strategy ensures epitope conservation.

XX Sequence 109 AA;

```

Query Match      90.7%; Score 49; DB 20; Length 109;
Best Local Similarity 88.9%; Pred. No. 0.061;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
   ||| |||||
Db 89 qqsnswpht 97

RESULT 6
Y06380
ID Y06380 standard; Protein; 109 AA.
XX
AC Y06380;
XX
DT 06-SEP-1999 (first entry)
XX
DE Murine monoclonal antibody LM609 V lambda.
XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Mus musculus.
XX
FH Key Location/Qualifiers
FT Peptide 1..2
FT /note= "vector-encoded residues"
FT Region 24..34
FT /note= "CDR1"
FT Region 50..56
FT /note= "CDR2"
FT Region 89..97
FT /note= "CDR3"
XX
PN WO9929888-A1.
XX
PD 17-JUN-1999.
XX
PF 04-DEC-1998; 98WO-US25828.
XX
PR 05-DEC-1997; 97US-0986016.
XX
PA (SCRI ) SCRIPPS RES INST.
XX
PI Barbas CF, Rader C;
XX
DR WPI; 1999-394979/33.
XX
PT Production of humanized mouse monoclonal antibodies
XX
PS Disclosure; Page 49-50; 55pp; English.
XX
CC This sequence represents the light chain V lambda region of
CC murine monoclonal antibody LM609. LM609 is directed to integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 109 AA;

Query Match      90.7%; Score 49; DB 20; Length 109;
Best Local Similarity 88.9%; Pred. No. 0.061;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
   ||| |||||
Db 89 qqsnswpht 97

RESULT 7
Y06382
ID Y06382 standard; Protein; 109 AA.
XX
AC Y06382;
XX
DT 06-SEP-1999 (first entry)
XX
DE Humanised LM609 antibody VL domain.
XX
KW Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
KW cancer; therapy; diagnosis.
XX
OS Homo sapiens.
XX
OS Synthetic.
XX
FH Key Location/Qualifiers
FT Peptide 1..2
FT /note= "vector-encoded residues"
FT Region 24..34
FT /note= "CDR1"
FT Region 50..56
FT /note= "CDR2"
FT Region 89..97
FT /note= "CDR3"
XX
PN WO9929888-A1.
XX
PD 17-JUN-1999.
XX
PF 04-DEC-1998; 98WO-US25828.
XX
PR 05-DEC-1997; 97US-0986016.
XX
PA (SCRI ) SCRIPPS RES INST.
XX
PI Barbas CF, Rader C;
XX
DR WPI; 1999-394979/33.
XX
PT Production of humanized mouse monoclonal antibodies
XX
PS Disclosure; Page 50; 55pp; English.
XX
CC This sequence represents the light chain variable region of a
CC humanised LM609 antibody. LM609 is directed to human integrin
CC alpha-v beta-3. It selectively promotes apoptosis of vascular
CC cells that have been stimulated to undergo angiogenesis, making it
CC a tool for cancer diagnosis and therapy. The invention provides
CC humanised antibodies, especially humanised LM609. In such humanized
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
CC grafted onto a human light chain, and a heavy chain CDR from a mouse
CC antibody is grafted onto a human antibody heavy chain to produce
CC libraries from which a humanised murine antibody having the desired
CC specificity is selected. By preserving the original CDR sequences
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
CC humanisation strategy ensures epitope conservation.
XX
SQ Sequence 109 AA;

Query Match      90.7%; Score 49; DB 20; Length 109;
Best Local Similarity 88.9%; Pred. No. 0.061;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```


Qy 1 QOSTSWPHT 9
 III IIIII
 Db 89 qqnswpht 97

RESULT 8
 R54093
 ID R54093 standard; Protein; 127 AA.
 XX AC R54093;
 XX
 DT 29-DEC-1994 (first entry)
 XX
 DE Sequence of mouse V-kappa showing the sequences of recombinant
 DE anti-FHV-1 antibody CDRs 1, 2 and 3.
 XX
 XX Feline herpes virus: FHV-1; monoclonal antibody; CDR;
 KW complementarity determining region.
 XX
 XX Mus musculus.
 XX
 XX Key Location/Qualifiers
 FH Peptide 1..20
 FT /label= leader
 FT Region 21..43
 FT /label= FR1
 FT Region 44..54
 FT /label= CDR1
 FT Region 55..70
 FT /label= FR2
 FT Region 71..76
 FT /label= CDR2
 FT Region 77..108
 FT /label= FR3
 FT Region 109..117
 FT /label= CDR3
 FT Region 118..127
 FT /label= FR4
 XX
 XX W09412661-A.
 PN
 XX
 PD 09-JUN-1994.
 XX
 XX 25-NOV-1993; 93WO-JP01724.
 XX
 XX 28-NOV-1992; 92JP-0341255.
 XX
 XX (KAGA) CEMO SERO THERAPEUTIC RES INST.
 PA
 XX
 XX Kimachi K, Maeda H, Nishiyama K, Tokiyoshi S;
 XX
 XX WPI; 1994-200288/24.
 DR N-PSDB; 064167.
 XX
 XX Feline monoclonal antibody and recombinant antibodies specific
 PT for FHV-1 - for detection, treatment and prevention of FHV-1
 PT infection.
 XX
 XX Disclosure; Page 18-19; 53pp; Japanese.
 PS
 XX The inventors claim a monoclonal antibody against feline herpes
 CC virus (FHV-1). They also claim a recombinant antibody against FHV-1
 CC and fragments of VH and VL CDR1, CDR2 and CDR3. The antibodies are
 CC used in the detection, treatment and prevention of FHV-1. The
 CC sequences of the CDRs in the VH of the recombinant anti-FHV-1
 CC antibody are given in R54092. The sequences of the CDRs in the VL of
 CC the recombinant anti-FHV-1 antibody are given in R54093. These CDR
 CC sequences are claimed.
 XX
 XX Sequence 127 AA;

Query Match 90.7%; Score 49; DB 15; Length 127;
 Best Local Similarity 88.9%; Pred. No. 0.072;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
 III IIIII
 Db 109 qqnswpht 117

RESULT 9
 W76013
 ID W76013 standard; Protein; 9 AA.
 XX
 AC W76013;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-L region CDR3 protein fragment #1.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 XX
 XX Glaser SM, Huse WD;
 XX
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49850.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Disclosure; Page 40; 129pp; English.
 XX
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically,
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 9 AA;
 SQ

Query Match 87.0%; Score 47; DB 19; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
 III IIIII
 Db 1 qqsgswpht 9

```

RESULT 10
W76006
ID W76006 standard; Protein; 107 AA.
XX AC
XX W76006;
XX
DT 02-NOV-1998 (first entry)
XX DE
XX LM609 grafted antibody light chain variable region protein fragment.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI: 1998-437472/37.
XX
XX N-PSDB; V49843.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 19; Fig 7; 129pp; English.
XX
XX This sequence represents a LM609 grafted antibody variable light chain
CC region. LM609 and the antibody vitaxin bind selectively to integrin
CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a
CC ligand and thus block integrin-mediated signal transduction. This is
CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
CC disease, specifically angiogenesis and restenosis (but also e.g.
CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
CC osteoporosis etc.). The antibodies contain non-murine framework regions
CC so are suitable for use in humans. Enhanced types of LM609 have affinity
CC more than 90 times greater than that of parent the parent antibody.
XX
XX Sequence 107 AA;
XX
XX Query Match 87.0%; Score 47; DB 19; Length 107;
XX Best Local Similarity 88.9%; Pred. No. 0.14;
XX Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX
XX 1 QQSTSWPHT 9
XX ||| |||||
XX 89 qqsgswpht 97
XX
XX Db
XX
XX RESULT 11
W76002
ID W76002 standard; Protein; 107 AA.
XX AC
XX W76002;
XX
DT 02-NOV-1998 (first entry)
XX DE
XX LM609 antibody light chain variable region protein fragment.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI: 1998-437472/37.
XX
XX N-PSDB; V49843.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 19; Fig 7; 129pp; English.
XX
XX This sequence represents a LM609 grafted antibody variable light chain
CC region. LM609 and the antibody vitaxin bind selectively to integrin
CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a
CC ligand and thus block integrin-mediated signal transduction. This is
CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
CC disease, specifically angiogenesis and restenosis (but also e.g.
CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
CC osteoporosis etc.). The antibodies contain non-murine framework regions
CC so are suitable for use in humans. Enhanced types of LM609 have affinity
CC more than 90 times greater than that of parent the parent antibody.
XX
XX Sequence 107 AA;
XX
XX Query Match 87.0%; Score 47; DB 19; Length 107;
XX Best Local Similarity 88.9%; Pred. No. 0.14;
XX Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX
XX 1 QQSTSWPHT 9
XX ||| |||||
XX 89 qqsgswpht 97
XX
XX Db
XX
XX RESULT 12
W76004
ID W76004 standard; Protein; 107 AA.
XX AC
XX W76004;
XX
DT 02-NOV-1998 (first entry)
XX DE
XX LM609 antibody light chain variable region protein fragment.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

```

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.

OS Mus sp.

PN WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

PR 30-JAN-1997; 97US-0791391.

PA (IXSY-) IXSYS INC.

PI Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; W76004.

XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 46; Fig 2b; 129pp; English.

XX This sequence represents the LM609 antibody variable light chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 107 AA;

Query Match 87.0%; Score 47; DB 19; Length 107;

Best Local Similarity 88.9%; Pred. No. 0.14;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSTSWPHT 9

Db 89 qgsgswpht 97

RESULT 13

R38601
 ID R38601 standard; peptide; 107 AA.

AC R38601;

DT 28-OCT-1993 (first entry)

XX HYH light chain.

XX Antibody; variable domain; light; L; heavy; H; consensus;
 KW affinity; antigen; immunogenicity; humanisation; framework.

XX Homo sapiens.

OS WO9311794-A.

PN 24-JUN-1993.

XX 14-DEC-1992; 92WO-US10906.

PR 13-DEC-1991; 91US-0808464.

XX (XOMA) XOMA CORP.

PA Fishwild DM, Kohn FR, Little RG, Studnicka GM;

PI WPI; 1993-213827/26.

XX Antibodies prepn. used for treatment of auto-immune diseases - by
 PT replacement of critical residues to reduce immunogenicity but
 PT retain binding affinity, etc.

XX Disclosure; Page 84; 160pp; English.

XX The amino acid sequences of the light and heavy chains of the
 CC variable domains from antibodies HYH [HYHEL-10 Fab-lysozyme complex]
 CC (R38601 and R38608, respectively), MCPC [IgA Fab MCP603-phosphocholine
 CC complex] (R38602-03 and R38609-10, respectively), NEWM [Ig Fab, NEW]
 CC (R38604-05 and R38611, respectively) and KOL [IgG1 KOL] (R38606-07 and
 CC R38612, respectively) may be used to determine an alignment from which
 CC appropriate changes may be made.

XX Unlike other methods of humanisation, which advocate the
 CC replacement of entire antibody framework regions with those of human
 CC antibodies, this method involves only the introduction of human
 CC residues into those positions not critical for antigen binding.
 CC This ensures that the binding properties of the modified antibody
 CC are not diminished.

XX Sequence 107 AA;

Query Match 79.6%; Score 43; DB 14; Length 107;

Best Local Similarity 77.8%; Pred. No. 0.72;

Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSTSWPHT 9

Db 89 qgsgswpht 97

RESULT 14

W58482

ID W58482 standard; protein; 107 AA.

XX W58482;

DT 18-AUG-1998 (first entry)

XX Murine HYH antibody light chain variable domain.

XX Humanised; human; mouse; CD5; anti-CD5 antibody; immunoglobulin;
 KW depletion; cytotoxic; immunoconjugate; fusion protein; psoriasis;
 KW autoimmune disease; rheumatoid arthritis; type I diabetes.

XX Mus sp.

XX US5770196-A.

XX 23-JUN-1998.

XX 07-JUN-1995; 95US-0472788.

XX 23-JUN-1993; 93US-0082842.

PR 13-DEC-1991; 91US-0808464.

PR 14-DEC-1992; 92WO-US10906.

PR 07-JUN-1995; 95US-0472788.

XX (XOMA) XOMA CORP.

XX Studnicka GM;

XX WPI; 1998-376744/32.

PT Depletion of CD5-positive cells in vivo - using anti-CD5 antibodies
 XX with humanised variable regions

PS Disclosure; Column 43-44; 77pp; English.

XX A method has been developed of depleting CD5+ cells in an animal. The
 CC method comprises administering a cytotoxic protein containing a modified
 CC immunoglobulin (Ig) variable domain, where the protein is an anti-CD5 Ig
 CC molecule or an immunoconjugate or fusion protein containing an anti-CD5
 CC Ig molecule, and where the modified Ig variable domain comprises at
 CC least one of (a) a modified light chain variable region (see W58478 or
 CC W58480), and (b) a modified heavy chain variable region (see W58479 or
 CC W58481), where W58478 and W58479 are humanised forms of the H65 light
 CC and heavy chain variable domains with low risk amino acid substitutions
 CC [i.e. low risk of reducing antigen-binding specificity.] and W58480 and
 CC W58481 are humanised forms of the H65 light and heavy chain variable
 CC domains with moderate risk amino acid substitutions and are present in
 CC humanised H65 antibody he3 (ATCC HB 11206). The method is useful for
 CC treating autoimmune diseases, especially systemic lupus erythematosus,
 CC rheumatoid arthritis, psoriasis or type I diabetes. The present sequence
 CC represents the murine HVH antibody light chain variable domain.

XX Sequence 107 AA;

Query Match 79.6%; Score 43; DB 19; Length 107;
 Best Local Similarity 77.8%; Pred. No. 0.72;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOQSTSWPHT 9
 Db 89 qqsnswpvt 97
 ||| |||:|

RESULT 15

R15438
 ID R15438 standard; Protein; 108 AA.

XX AC R15438;

DT 25-FEB-1992 (first entry)

XX Light chain variable region of MAb 1A6.

XX HRV; ICAM-1; antigen-binding fragment; inflammation;
 KW auto-immune disease.

XX OS Homo sapiens.

XX PN EP459577-A.

XX PD 04-DEC-1991.

XX PF 25-MAY-1991; 91EP-0201243.

XX PR 01-JUN-1990; 90US-0532001.

XX PA (MERI) MERCK & CO INC.

XX PI Colonna RJ, Condra JH, Tomassini JE, Sardana VV;

XX WPI; 1991-355850/49.

XX Microbially expressed portions of monoclonal antibody - can block
 PT attachment of rhinovirus ligands to inter-cellular adhesion
 PT molecule (ICAM-1)

XX Claim 1; Page 19; 28pp; English.

XX This is one of six antibody fragments from MAB's specific for domain
 CC 1 of ICAM-1. MAB 1A6 also specifically blocks the major group of
 CC human rhinovirus from binding to and infecting HeLa cells. The
 CC peptide fragments can be used to treat or prevent rhinovirus

CC infection. See R15437-R15443.

XX

SQ Sequence 108 AA;

Query Match 79.6%; Score 43; DB 12; Length 108;
 Best Local Similarity 77.8%; Pred. No. 0.72;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOQSTSWPHT 9

Db 89 qqsnswpvt 97
 ||| |||:|

Search completed: March 28, 2001, 06:59:53
 Job time: 1389 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:58 ; Search time 113.49 Seconds
(without alignments)
1.424 Million cell updates/sec

Title: US-09-016-061-88

Perfect score: 54

Sequence: 1 QOSTSWPHT 9

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA.*

1: /cgnl_7/ptodata/1/1aa/5A_COMB.pep.*

2: /cgnl_7/ptodata/1/1aa/5B_COMB.pep.*

3: /cgnl_7/ptodata/1/1aa/6_COMB.pep.*

4: /cgnl_7/ptodata/1/1aa/PCTUS_COMB.pep.*

5: /cgnl_7/ptodata/1/1aa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	49	90.7	100	1	US-08-436-463-19
2	49	90.7	107	1	US-07-634-278-62
3	49	90.7	107	1	US-07-634-278-63
4	49	90.7	107	1	US-07-634-278-87
5	49	90.7	107	1	US-08-477-728-62
6	49	90.7	107	1	US-08-477-728-63
7	49	90.7	107	1	US-08-477-728-87
8	49	90.7	107	1	US-08-474-040-62
9	49	90.7	107	1	US-08-474-040-63
10	49	90.7	107	1	US-08-474-040-87
11	49	90.7	107	1	US-08-487-200-62
12	49	90.7	107	1	US-08-487-200-63
13	49	90.7	107	1	US-08-487-200-87
14	49	90.7	127	1	US-07-634-278-83
15	49	90.7	127	1	US-08-477-728-83
16	49	90.7	127	1	US-08-474-040-83
17	49	90.7	127	1	US-08-487-200-83
18	49	90.7	127	1	US-08-436-463-4
19	43	79.6	107	1	US-08-436-463-20
20	43	79.6	107	1	US-08-107-669D-1
21	43	79.6	107	1	US-08-472-788A-1
22	43	79.6	107	2	US-08-477-531B-1
23	43	79.6	107	2	US-08-082-842A-1
24	43	79.6	109	1	US-07-942-245-4
25	43	79.6	143	2	US-08-653-402B-8
26	39	72.2	9	2	US-08-232-081B-6
27	39	72.2	107	2	US-08-232-081B-9
28	39	72.2	107	2	US-08-232-081B-40

29 38 70.4 9 2 US-08-476-176B-55 Sequence 55, Appl
30 38 70.4 9 3 US-08-127-721A-55 Sequence 55, Appl
31 38 70.4 9 3 US-08-485-246A-55 Sequence 55, Appl
32 38 70.4 13 1 US-08-221-580-7 Sequence 7, Appl
33 38 70.4 13 4 PCT-US95-04018-69 Sequence 69, Appl
34 38 70.4 103 1 US-08-436-463-21 Sequence 21, Appl
35 38 70.4 106 2 US-08-800-198-4 Sequence 4, Appl
36 38 70.4 106 3 US-09-296-595-4 Sequence 4, Appl
37 38 70.4 107 1 US-08-192-102-3 Sequence 3, Appl
38 38 70.4 107 1 US-08-324-799-3 Sequence 3, Appl
39 38 70.4 107 2 US-08-192-861A-3 Sequence 3, Appl
40 38 70.4 107 2 US-08-476-176B-4 Sequence 4, Appl
41 38 70.4 107 3 US-08-127-721A-4 Sequence 4, Appl
42 38 70.4 107 3 US-08-485-246A-4 Sequence 4, Appl
43 38 70.4 127 1 US-08-436-463-18 Sequence 18, Appl
44 38 70.4 127 2 US-08-476-176B-6 Sequence 6, Appl
45 38 70.4 127 2 US-08-476-176B-8 Sequence 8, Appl

ALIGNMENTS

RESULT 1
US-08-436-463-19
; Sequence 19, Application US/08436463
; Patent No. 5760185
; GENERAL INFORMATION:
; APPLICANT: KIMACHI, Kazuhiko
; APPLICANT: MAEDA, Hiroaki
; APPLICANT: NISHIYAMA, Kiyoto
; APPLICANT: TOKIYOSHI, Sachio
; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
; TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BROWDY AND NEWMARK, P.L.L.C.
; STREET: 419 Seventh Street, N.W., Suite 400
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/436,463
; FILING DATE: 26-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 341255/1992
; FILING DATE: 28-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: YUN, Allen C.
; REGISTRATION NUMBER: 37,971
; REFERENCE/DOCKET NUMBER: KIMACHI-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-628-5197
; TELEFAX: 202-737-3528
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 100 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-436-463-19

Query Match 90.7%; Score 49; DB 1; Length 100;
Best Local Similarity 88.9%; Pred. No. 0.082;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 2

US-07-634-278-62
; Sequence 62, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-62

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 3

US-07-634-278-63
; Sequence 63, Application US/07634278

; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-63

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 4

US-07-634-278-87
; Sequence 87, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS

NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/634,278
FILING DATE: 19-DEC-1990
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-07-634-278-87

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 5
US-08-477-728-62
Sequence 62, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-62

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 6
US-08-477-728-63
Sequence 63, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-477-728-63

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QQSNWPHT 97

RESULT 7
US-08-477-728-87
; Sequence 87, Application US/08477728
; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, 8th Floor
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,728
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:

; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-477-728-87

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QQSNWPHT 97

RESULT 8
US-08-474-040-62
; Sequence 62, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:

SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-474-040-62

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 QOSTSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 9
US-08-474-040-63
; Sequence 63, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourile and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-63

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 QOSTSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 10
US-08-474-040-87
; Sequence 87, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourile and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-87

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 QOSTSWPHT 9

```
Db      89 QOQNSWPHT 97
      111 111111
RESULT 11
US-08-487-200-62
; Sequence 62, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-200-62

Query Match      90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy      1 QOQTSWPHT 9
      111 111111
Db      89 QOQNSWPHT 97
      111 111111
RESULT 13
US-08-487-200-87
; Sequence 87, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
```

SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-474-040-62

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 9
US-08-474-040-63
; Sequence 63, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-63

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 10
US-08-474-040-87
; Sequence 87, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-87

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9

```
Db      89 QQSNSWPHT 97
      111 111111
RESULT 11
US-08-487-200-62
; Sequence 62, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-200-62

Query Match      90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 QOSTSWPHT 9
      111 111111
Db      89 QQSNSWPHT 97
      111 111111
RESULT 13
US-08-487-200-87
; Sequence 87, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-200-63

Query Match      90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 QOSTSWPHT 9
      111 111111
Db      89 QQSNSWPHT 97
      111 111111
RESULT 12
US-08-487-200-63
```

APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/487,200
FILING DATE: 7-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002610
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-487-200--87

Query Match 90.7%; Score 49; DB 1; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.088;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 89 QQSNWPHT 97

RESULT 14
US-07-634-278-83
Sequence 83, Application US/07634278
Patent No. 5530101
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:

ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/634,278
FILING DATE: 19-DEC-1990
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 83:
SEQUENCE CHARACTERISTICS:
LENGTH: 127 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-07-634-278-83

Query Match 90.7%; Score 49; DB 1; Length 127;
Best Local Similarity 88.9%; Pred. No. 0.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
Db 109 QQSNWPHT 117

RESULT 15
US-08-477-728-83
Sequence 83, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728

FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/534,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 83:
SEQUENCE CHARACTERISTICS:
LENGTH: 127 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-477-728-83

Query Match 90.7%; Score 49; DB 1; Length 127;
Best Local Similarity 88.9%; Pred. No. 0.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSTSWPHT 9
Db 109 QQNSWPHT 117

Search completed: March 28, 2001, 07:01:58
Job time: 1337 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:31 ; Search time 130.08 Seconds
(without alignments)
4.698 Million cell updates/sec

Title: US-09-016-061-90

Perfect score: 51

Sequence: 1 QQSGSWPLT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR66.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	45	88.2	104	2 B43413	Ig kappa chain V r
2	45	88.2	138	2 A26471	Ig kappa chain pre
3	40	78.4	106	2 P0267	Ig kappa chain V r
4	40	78.4	106	2 PC4282	Ig kappa chain (an
5	40	78.4	107	2 C45722	anti-glycoprotein
6	39	76.5	67	2 PH1081	Ig light chain V r
7	39	76.5	69	2 PH1080	Ig light chain V r
8	39	76.5	553	2 T15220	hypothetical prote
9	38	74.5	107	2 A45722	anti-glycoprotein
10	38	74.5	123	2 S35479	Ig kappa chain pre
11	37	72.5	102	2 S26346	Ig kappa chain V r
12	37	72.5	128	2 PN0445	Ig kappa chain pre
13	37	72.5	144	2 P10106	Ig kappa chain pre
14	37	72.5	154	2 T17816	hypothetical prote
15	37	72.5	642	2 H69466	conserved hypothet
16	37	72.5	764	2 T48446	hypothetical prote
17	36	70.6	87	2 PH1082	Ig light chain V r
18	36	70.6	91	2 S37525	Ig kappa chain V r
19	36	70.6	108	2 C30502	Ig kappa chain V r
20	36	70.6	115	1 KVM5L7	Ig kappa chain pre
21	36	70.6	117	2 S40362	Ig kappa chain - h
22	36	70.6	169	2 D65126	probable general s
23	36	70.6	204	2 T32062	hypothetical prote
24	36	70.6	275	2 D70737	hypothetical prote
25	36	70.6	543	2 T06523	cytochrome P450 mo
26	36	70.6	1221	2 E83327	conserved hypothet
27	35	68.6	100	2 G81749	hypothetical prote
28	35	68.6	107	2 B45722	anti-glycoprotein
29	35	68.6	235	1 SQMS	parotid secretory

30 35 68.6 317 2 B82084
31 35 68.6 365 1 SAVLWE
32 35 68.6 366 1 SAVLBD
33 35 68.6 366 1 SAVLWD
34 35 68.6 499 2 A27198
35 35 68.6 508 2 A26874
36 35 68.6 939 2 H71532
37 35 68.6 939 2 H81686
38 35 68.6 940 2 B72120
39 34 66.7 91 2 S37511
40 34 66.7 96 2 JC5945
41 34 66.7 125 2 S40344
42 34 66.7 146 2 G65008
43 34 66.7 219 2 H75621
44 34 66.7 250 2 B83008
45 34 66.7 259 2 G75400

probable cobalamin
large surface anti
large surface anti
large surface anti
cellulase (EC 3.2.
cellulase (EC 3.2.
valine--trna ligas
valyl--trna synthet
valine--trna ligas
Ig kappa chain V r
regulatory protein
Ig kappa chain V-J
hypothetical prote
GGDEF family prote
histidine utilizat
probable oxidoredu

ALIGNMENTS

RESULT 1

B43413

Ig kappa chain V region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C>Date: 27-Apr-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000

C:Accession: B43413

R:Tomiyama, Y.; Brojer, E.; Ruggeri, Z.M.; Shattil, S.J.; Smiltneck, J.; Gorski, J.;

J. Biol. Chem. 267, 18085-18092, 1992

A:Title: A molecular model of RGD ligands. Antibody D gene segments that direct speci

A:Reference number: A43413; MUID:92388177

A:Accession: B43413

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-104 <FOM>

A:Note: sequence extracted from NCBI backbone (NCBIP:112818)

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotrimer; immunoglobulin

F:13-87/Domain: immunoglobulin homology <IMM>

Query Match 88.2%; Score 45; DB 2; Length 104;
Best Local Similarity 88.9%; Pred. No. 0.41;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9

DB 86 QQSNWPLT 94

RESULT 2

A26471

Ig kappa chain precursor V region (MAK33) - mouse

C:Species: Mus musculus (house mouse)

C>Date: 05-Jun-1988 #sequence_revision 05-Jun-1988 #text_change 23-Jul-1999

C:Accession: A26471

R:Buckel, P.; Hubner-Parajsz, C.; Mattes, R.; Lenz, H.; Haug, H.; Beaucamp, K.

Gene 51, 13-19, 1987

A:Title: Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creat

A:Reference number: A91572; MUID:87248058

A:Accession: A26471

A:Molecule type: mRNA

A:Residues: 1-138 <BUC>

A:Cross-references: GB:M16162; NID:gl96893; PIDN:AAA38823.1; PID:gl96894

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotrimer; immunoglobulin

F:1-20/Domain: signal sequence #status predicted <SIG>

F:21-138/Product: Ig kappa chain V region #status predicted <MAT>

Query Match 88.2%; Score 45; DB 2; Length 138;
Best Local Similarity 88.9%; Pred. No. 0.54;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
 ||| |||||
 Db 109 QOQNSWPLT 117

RESULT 3

PL0267
 Ig kappa chain V region (anti-DNA, DP12VK) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 21-Jan-2000
 C:Accession: PL0267
 R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.
 J. Exp. Med. 171, 265-297, 1990
 A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic
 A:Reference number: PL0231; MUID:90111618
 A:Accession: PL0267
 A:Molecule type: mRNA
 A:Residues: 1-106 <SHL>
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-23/Region: framework 1
 F:16-90/Domain: immunoglobulin homology <IMM>
 F:24-34/Region: complementarity-determining 1
 F:35-49/Region: framework 2
 F:50-56/Region: complementarity-determining 2
 F:57-88/Region: framework 3
 F:89-97/Region: complementarity-determining 3
 F:98-106/Region: framework 4

Query Match 78.4%; Score 40; DB 2; Length 106;
 Best Local Similarity 77.8%; Pred. No. 3;
 Matches 7; Conservative 0; Mismatches 0; Indels 2; Gaps 0;

QY 1 QOQSGSWPLT 9
 ||| |||||
 Db 89 QOQNSWPYT 97

RESULT 4

PC4282
 Ig kappa chain (anti-SS-A/Ro 60K peptide) (E-42 and E-56) - human (fragment)
 C:Species: Homo sapiens (man)
 C:Date: 07-Jul-1997 #sequence_revision 29-Aug-1997 #text_change 21-Jan-2000
 C:Accession: PC4282; PC4284
 R:Suzuki, H.; Takemura, H.; Suzuki, M.; Sekine, Y.; Kashiwagi, H.
 Biochem. Biophys. Res. Commun. 232, 101-106, 1997
 A:Title: Molecular cloning of anti-ss-A/Ro 60-kDa peptide fab fragments from infiltration
 A:Reference number: PC4279; MUID:97236289
 A:Accession: PC4282
 A:Molecule type: protein
 A:Residues: 1-106 <SU2>
 A:Note: E-42
 A:Accession: PC4284
 A:Molecule type: protein
 A:Residues: 1-106 <SU2>
 A:Note: E-56

C:Comment: This antibody is commonly found in systemic autoimmune diseases such as Sjogren
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 F:14-88/Domain: immunoglobulin homology <IMM>

Query Match 78.4%; Score 40; DB 2; Length 106;
 Best Local Similarity 77.8%; Pred. No. 3;
 Matches 7; Conservative 0; Mismatches 0; Indels 2; Gaps 0;

QY 1 QOQSGSWPLT 9
 ||| |||||
 Db 87 QORASWPLT 95

RESULT 5

C45722
 anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 115) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
 C:Accession: C45722
 R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Va
 J. Virol. 67, 489-496, 1993
 A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on
 A:Reference number: A45722; MUID:93100833
 A:Accession: C45722
 A>Status: preliminary; not compared with conceptual translation
 A:Molecule type: nucleic acid
 A:Residues: 1-107 <SIM>
 A:Note: sequence extracted from NCBI backbone (NCBIP:120591)
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: glycoprotein
 F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 78.4%; Score 40; DB 2; Length 107;
 Best Local Similarity 77.8%; Pred. No. 3.1;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
 ||| |||||
 Db 89 QOSHNPWT 97

RESULT 6

PHI081
 Ig light chain V region (clone 165.6) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
 C:Accession: PHI081
 R:Fillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
 J. Exp. Med. 176, 761-779, 1992
 A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PHI081
 A>Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-67 <TIL>
 A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin

Query Match 76.5%; Score 39; DB 2; Length 67;
 Best Local Similarity 77.8%; Pred. No. 2.8;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
 ||| |||||
 Db 58 QOQNSWPQT 66

RESULT 7

PHI080
 Ig light chain V region (clone 165.60) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
 C:Accession: PHI080
 R:Fillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
 J. Exp. Med. 176, 761-779, 1992
 A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PHI080
 A>Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-69 <TIL>
 A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin

Query Match 76.5%; Score 39; DB 2; Length 69;
 Best Local Similarity 77.8%; Pred. No. 2.9;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
 ||| ||| |
 Db 60 QQSNWPQT 68

RESULT 8

T15220

Hypothetical protein F57C9.8 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C:Date: 20-Sep-1999 #sequence_revision 20-Sep-1999 #text_change 20-Sep-1999

C:Accession: T15220

R:Gaisel, C.; Kramer, J.; Gibson, A.

submitted to the EMBL Data Library, May 1997

A:Description: The sequence of C. elegans cosmid F57C9.

A:Reference number: Z18309

A:Accession: T15220

A:Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-553 <GEI>

A:Cross-references: EMBL:AF003142; NID:g2088743; PIDN:AAB54191.1; GSPDB:GN

A:Experimental source: strain Bristol N2; clone F57C9

C:Genetics:

A:Gene: CESP:F57C9.8

A:Map position: 1

A:Introns: 184/1; 233/3; 286/3; 496/1

Query Match 76.5%; Score 39; DB 2; Length 553;
 Best Local Similarity 66.7%; Pred. No. 24;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
 |:|||||:
 Db 373 QRSGSWPFS 381

RESULT 9

A45722

anti-glycoprotein II monoclonal antibody light-chain variable domain (Mab 5) - mouse (fra

C:Species: Mus musculus (house mouse)

C:Date: 03-Mar-1994 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000

C:Accession: A45722

R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Vasqu

J. Virol. 67, 489-496, 1993

A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on hu

A:Reference number: A45722; MUID:93100833

A:Accession: A45722

A:Status: preliminary; not compared with conceptual translation

A:Molecule type: mRNA

A:Residues: 1-107 <STM>

A:Note: sequence extracted from NCBI backbone (NCBIP:120589)

C:Superfamily: immunoglobulin V region; Immunoglobulin homology

C:Keywords: glycoprotein

F:16-90/Domain: Immunoglobulin homology <IMM>

Query Match 74.5%; Score 38; DB 2; Length 107;
 Best Local Similarity 77.8%; Pred. No. 6.8;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
 ||| ||| |
 Db 89 QQSNWPHT 97

RESULT 10

S35479

Ig kappa chain precursor V-I region - human (fragment)

C:Species: Homo sapiens (man)

C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000

C:Accession: PN0445

R:Kaluza, B.; Betzl, G.; Shao, H.; Diamantsein, T.; Weidle, U.H.

Gene 122, 321-328, 1992

A:Title: A general method for chimerization of monoclonal antibodies by inverse polym

A:Reference number: PN0444; MUID:93138402

A:Accession: PN0445

A:Molecule type: mRNA

A:Residues: 1-128 <KAL>

Ig kappa chain precursor V region - mouse (fragment)

C:Species: Mus musculus (house mouse)

C:Date: 19-Mar-1997 #sequence_revision 05-Dec-1998 #text_change 21-Jan-2000

C:Accession: S35479

R:Takeda, Y.; Wise, K.S.; Hoffman, R.W.

Nucleic Acids Res. 20, 4099, 1992

A:Title: Nucleotide sequences of immunoglobulin heavy and light chain V-regions from

A:Reference number: S35479; MUID:92375706

A:Accession: S35479

A:Status: nucleic acid sequence not shown

A:Molecule type: DNA

A:Residues: 1-123 <YAK>

A:Cross-references: EMBL:M93959; NID:g197572; PIDN:AAA39079.1; PID:g554148

C:Genetics:

A:Map position: 6

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-12/Domain: signal sequence (fragment) #status predicted <SIG>

F:13-123/Product: Ig kappa chain V region (fragment) #status predicted <MAT>

F:18-102/Domain: immunoglobulin homology <IMM>

Query Match 74.5%; Score 38; DB 2; Length 123;
 Best Local Similarity 77.8%; Pred. No. 7.9;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
 ||| ||| |
 Db 101 QQSNWPHT 109

RESULT 11

S26346

Ig kappa chain V region - mouse

C:Species: Mus musculus (house mouse)

C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000

C:Accession: S26346

R:Stark, S.E.; Caton, A.J.

J. Exp. Med. 174, 613-624, 1991

A:Title: Antibodies that are specific for a single amino acid interchange in a protei

A:Reference number: S26309; MUID:91341421

A:Accession: S26346

A:Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-102 <STA>

A:Cross-references: EMBL:X59211; NID:g52338; PIDN:CAA41921.1; PID:gl334075

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:14-88/Domain: immunoglobulin homology <IMM>

Query Match 72.5%; Score 37; DB 2; Length 102;
 Best Local Similarity 66.7%; Pred. No. 9.7;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
 ||| :||| |
 Db 87 QQSNWPHT 95

RESULT 12

PN0445

Ig kappa chain precursor V-I region - human (fragment)

C:Species: Homo sapiens (man)

C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000

C:Accession: PN0445

R:Kaluza, B.; Betzl, G.; Shao, H.; Diamantsein, T.; Weidle, U.H.

Gene 122, 321-328, 1992

A:Title: A general method for chimerization of monoclonal antibodies by inverse polym

A:Reference number: PN0444; MUID:93138402

A:Accession: PN0445

A:Molecule type: mRNA

A:Residues: 1-128 <KAL>

A:Cross-references: GB:L02347

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-10/Domain: signal sequence #status predicted <SIG>

F:11-128/Product: Ig light chain kappa-1 V region #status predicted <MAT>

F:26-100/Domain: immunoglobulin homology <IMM>

Query Match 72.5%; Score 37; DB 2; Length 128;
Best Local Similarity 66.7%; Pred. No. 12;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9

Db 99 QQTNSWPTT 107

RESULT 13

PL0106

Ig kappa chain precursor V-J-C region (LS1) - human (fragment)

C:Species: Homo sapiens (man)

C:Date: 30-Jun-1992 #sequence_revision 30-Jun-1992 #text_change 21-Jan-2000

C:Accession: PL0106

R:Silberstein, L.E.; Litwin, S.; Carnack, C.E.

J. Exp. Med. 169, 1631-1643, 1989

A:Title: Relationship of variable region genes expressed by a human B cell lymphoma sec

A:Reference number: PL0106; MUID:89235583

A:Accession: PL0106

A:Molecule type: mRNA

A:Residues: 1-144 <SIL>

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotetramer; immunoglobulin

F:1-20/Domain: signal sequence #status predicted <SIG>

F:21-115/Domain: V region <VRE>

F:36-110/Domain: immunoglobulin homology <IMM>

F:44-54/Region: complementarity-determining 1

F:70-76/Region: complementarity-determining 2

F:109-115/Region: complementarity-determining 3

F:116-127/Domain: J region <JRG>

F:128-144/Domain: C region (fragment) <CRE>

Query Match 72.5%; Score 37; DB 2; Length 144;
Best Local Similarity 66.7%; Pred. No. 14;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9

Db 109 QQRSNWPLT 117

RESULT 14

T17816

hypothetical protein a317L - Chlorella virus PBCV-1

C:Species: Chlorella virus PBCV-1

C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999

C:Accession: T17816

R:Graves, W.V.; Van Etten, J.L.

submitted to the EMBL Data Library, May 1999

A:Reference number: Z18806

A:Accession: T17816

A:Molecule type: translated from GB/EMBL/DBJ

A:Residues: 1-154 <GRA>

A:Cross-references: EMBL:U42580; NID:g4028896; PIDN:AAC96685.1

A:Experimental source: specific host Chlorella strain NC64A

C:Genetics:

A>Note: a317L

Query Match 72.5%; Score 37; DB 2; Length 154;
Best Local Similarity 75.0%; Pred. No. 15;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPL 8

Db 33 QQTSGSWPV 40

RESULT 15

H69466

conserved hypothetical protein AF1737 - Archaeoglobus fulgidus

C:Species: Archaeoglobus fulgidus

C:Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 29-Sep-1999

C:Accession: H69466

R:Klenk, H.P.; Clayton, R.A.; Tomb, J.F.; White, O.; Nelson, K.E.; Ketchum, K.A.; Dod

; Fleischmann, R.D.; Quackenbush, J.; Lee, N.H.; Sutton, G.G.; Gill, S.; Kirkness, E

Glodek, A.; Zhou, L.; Overbeek, R.; Gocayne, J.D.; Weidman, J.F.; McDonald, L.

Nature 390, 364-370, 1997

A:Authors: Utterback, T.; Cotton, M.D.; Spriggs, T.; Artiach, P.; Kaine, B.P.; Sykes,

Smith, H.O.; Woese, C.R.; Venter, J.C.

A:Title: The complete genome sequence of the hyperthermophilic, sulfate-reducing arch

A:Reference number: A69250; MUID:98049343

A:Accession: H69466

A>Status: preliminary; nucleic acid sequence not shown; translation not shown

A:Molecule type: DNA

A:Residues: 1-642 <KLE>

A:Cross-references: GB:AE000983; GB:AE000782; NID:g2689306; PIDN:AAB89512.1; PID:g264

C:Superfamily: conserved hypothetical protein yyal

Query Match 72.5%; Score 37; DB 2; Length 642;

Best Local Similarity 85.7%; Pred. No. 63;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 QSGSWPLT 9

Db 101 SGGWPLT 107

Search completed: March 28, 2001, 07:04:32

Job time: 1070 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:12 ; Search time 72.95 Seconds
(without alignments)
3.941 Million cell updates/sec

Title: us-09-016-061-90

Perfect score: 51

Sequence: 1 QQSGSWPLT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	78.4	745	1 CUL2_HUMAN	Q13617 homo sapien
2	36	70.6	115	1 KV51_MOUSE	P01642 mus musculus
3	36	70.6	169	1 GSPH_ECOLI	P41443 escherichia
4	36	70.6	543	1 C821_PEA	Q43068 pisum sativ
5	35	68.6	235	1 PSP_MOUSE	P07743 mus musculus
6	35	68.6	365	1 VMSA_HPBDC	P30029 duck hepati
7	35	68.6	366	1 VMSA_HPBDB	P17194 duck hepati
8	35	68.6	499	1 GUN1_BACSU	P07983 bacillus su
9	35	68.6	499	1 GUN1_BACSU	P07983 bacillus su
10	35	68.6	939	1 SVV_CHLTR	O84304 chlamydia t
11	35	68.6	940	1 SVV_CHLTPN	Q92987 chlamydia p
12	34	66.7	92	1 CATC_RHOOP	P95609 rhodococcus
13	34	66.7	96	1 CTC1_ACILW	O33947 acinetobact
14	34	66.7	146	1 YFDK_ECOLI	P77656 escherichia
15	34	66.7	470	1 IE63_HSVB	P28939 equine herp
16	34	66.7	470	1 IE63_HSVB	Q05906 equine herp
17	34	66.7	540	1 NUSA_MYCPN	P75591 mycoplasma
18	34	66.7	777	1 BISC_ECOLI	P20099 escherichia
19	34	66.7	1456	1 RRPO_PVX	P09395 potato viru
20	34	66.7	1456	1 RRPO_PVXCP	P22591 potato viru
21	34	66.7	1456	1 RRPO_PVXHB	P07630 potato viru
22	34	66.7	1456	1 RRPO_PVX33	P17779 potato viru
23	34	66.7	2329	1 YS89_CAEEL	Q09624 caenorhabdi
24	33	64.7	226	1 NUKM_NEUCR	O47950 neurospora
25	33	64.7	251	1 BIOC_ECOLI	P12999 escherichia
26	33	64.7	300	1 GP40_HUMAN	O14842 homo sapien
27	33	64.7	468	1 NIFB_KLEPN	P10390 klebsiella
28	33	64.7	516	1 Y4NW_RHISN	P55585 rhizobium s
29	33	64.7	517	1 LAD1_HUMAN	O00515 homo sapien
30	33	64.7	796	1 PTPA_RAT	Q03348 rattus norv
31	33	64.7	802	1 PTPA_HUMAN	P18433 homo sapien
32	33	64.7	829	1 PTPA_MOUSE	P18052 mus musculus
33	33	64.7	3329	1 BRC2_MOUSE	P97929 mus musculus

34 33 64.7 3418 1 BRC2_HUMAN P51587 homo sapien
35 32 62.7 302 1 CYSO_ECOLI P21156 escherichia
36 32 62.7 336 1 CHI2_ORYSA P25765 oryza sativ
37 32 62.7 402 1 QPDE_PSEAE Q01602 pseudomonas
38 32 62.7 471 1 STCH_HUMAN P48723 homo sapien
39 32 62.7 474 1 P2X2_CAVPO O70397 cavia porce
40 32 62.7 492 1 TYTR_TRYCR P28593 trypanosoma
41 32 62.7 528 1 HEXA_MOUSE P29416 mus musculus
42 32 62.7 529 1 HEXA_HUMAN P06865 homo sapien
43 32 62.7 575 1 MIS_BOVIN P03972 bos taurus
44 32 62.7 621 1 TRA_STRLI P22409 streptomyce
45 32 62.7 630 1 Y4BJ_RHISN P55377 rhizobium s

ALIGNMENTS

RESULT 1

ID CUL2_HUMAN STANDARD; PRT; 745 AA.
AC Q13617; O00200;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE CULLIN HOMOLOG 2 (CUL-2).
GN CUL2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=KIDNEY;
RX MEDLINE; 9725922.
RA Pause A., Lee S., Worrel R., Chen D.Y.T., Burgess W.H.,
RA Linehan W.M., Klausner R.D.;
RT "The von Hippel-Lindau tumor-suppressor gene product forms a stable
complex with human CUL-2, a member of the Cdc53 family of proteins.";
RL Proc. Natl. Acad. Sci. U.S.A. 94:2156-2161(1997).
RN [2]
RP SEQUENCE OF 95-745 FROM N.A.
RX MEDLINE; 96279828.
RA Kipreos E.T., Lander L.E., Wing J.P., He W.W., Hedgecock E.M.;
RT "cul-1 is required for cell cycle exit in C. elegans and identifies a
novel gene family.";
RL Cell 85:829-839(1996).
CC -1- FUNCTION: FORMS A STABLE COMPLEX WITH THE VHL TUMOR SUPPRESSOR.
CC -1- SIMILARITY: BELONGS TO THE CULLIN FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U83410; AAC51190.1; -;
DR EMBL; U58088; AAC50545.1; -;
DR MIM; 603135; -;
DR INTERPRO; IPR001373; -;
DR PRAM; PF00888; Cullin; 1.
DR PROSITE; PS01256; CULLIN_1; 1.
DR PROSITE; PSS0069; CULLIN_2; 1.
DR CONFLICT 95 98. SKGA -> IRHE (IN REF. 2).
FT CONFLICT 109 109 S -> N (IN REF. 2).
FT CONFLICT 681 681 Q -> H (IN REF. 2).
SQ SEQUENCE 745 AA; 86956 MW; A39475AE379C9005 CRC64;

Query Match 78.4%; Score:40; DB 1; Length 745;
Best Local Similarity 75.0%; Pred.No. 7.8;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

```

QY 2 QSGSWPLT 9
DB 513 QAGAWPLT 520

RESULT 2
KVSI_MOUSE
ID KVSI_MOUSE STANDARD; PRT; 115 AA.
AC P01642;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG KAPPA CHAIN V-V REGION L7 PRECURSOR (FRAGMENT).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 81220975.
RA Pech M., Hochtl J., Schnell H., Zachau H.G.;
RT "Differences between germ-line and rearranged immunoglobulin V kappa
RL coding sequences suggest a localized mutation mechanism.";
RL Nature 291:668-670(1981).
CC -1- MISCELLANEOUS: THERE APPEAR TO BE TWO POSSIBLE SPLICING JUNCTIONS AT
CC THE 3' END OF THE INTRON. THE ALTERNATE WOULD CODE FOR A PROTEIN
CC LACKING RESIDUES 17-19.
CC PIR; A01925; KVM5L7.
DR INTERPRO: IPR003006; -
DR PFAM: PF00047; ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 20
FT CHAIN 21 >115 IG KAPPA CHAIN V-V REGION L7.
FT DOMAIN 21 43 FRAMEWORK 1.
FT DOMAIN 44 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 69 FRAMEWORK 2.
FT DOMAIN 70 76 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 77 108 FRAMEWORK 3.
FT DOMAIN 109 >115 COMPLEMENTARITY-DETERMINING 3.
FT DISULFID 43 108 BY SIMILARITY.
FT NON_TER 115 115
SQ SEQUENCE 115 AA; 12615 MW; C17BEC758C577E00 CRC64;

Query Match 70.6%; Score 36; DB 1; Length 115;
Best Local Similarity 85.7%; Pred. No. 6.3;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QSGSWP 7
DB 109 QQSNSWP 115

RESULT 3
GSPH_ECOLI
ID GSPH_ECOLI STANDARD; PRT; 169 AA.
AC P41443;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE PUTATIVE GENERAL SECRETION PATHWAY PROTEIN H PRECURSOR (PROTEIN
DE TRANSPORT PROTEIN HOFH).
GN HOFH OR HOPH.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN-K12 / MG1655;
RX MEDLINE; 97426617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;

"The complete genome sequence of Escherichia coli K-12.";
Science 277:1453-1474(1997).
[2]
SEQUENCE OF 1-30 FROM N.A.
STRAIN-K12.
MEDLINE; 95204361.
RA Stojiljkovic I., Schoenherr R., Kusters J.G.;
RT "Identification of the hopG gene, a component of Escherichia coli
RT K-12 type II export system, and its conservation among different
RT pathogenic Escherichia coli and Shigella isolates.";
RL J. Bacteriol. 177:1892-1895(1995).
CC -1- FUNCTION: INVOLVED IN A GENERAL SECRETION PATHWAY (GSP) FOR THE
CC EXPORT OF PROTEINS (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE PULH/OUTH/XPSH/XEXH/XCPU FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch)
CC -----
CC EMBL; U18997; AAA58126.1; -
CC EMBL; AF000409; AAC76354.1; -
CC EMBL; U20786; AAA69032.1; -
CC ECOGENE; EG12887; HOFH.
DR INTERPRO: IPR001120; -
DR INTERPRO: IPR002416; -
DR PRINTS; PR00885; BCTERIALGSPH.
DR PROSITE; PS00409; PROKAR_NTER_METHYL; 1.
KW Transport; Methylation.
FT PROPEP 1 6 BY SIMILARITY.
FT CHAIN 7 169 PUTATIVE GENERAL SECRETION PATHWAY
FT PROTEIN H.
FT MOD_RES 7 7 METHYLATION (BY SIMILARITY).
SQ SEQUENCE 169 AA; 18565 MW; D42B1127FBB81A09 CRC64;

Query Match 70.6%; Score 36; DB 1; Length 169;
Best Local Similarity 100.0%; Pred. No. 9.2;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 QSGSWPL 8
DB 154 QSGSWPL 159

RESULT 4
C821_PEA
ID C821_PEA STANDARD; PRT; 543 AA.
AC Q43068;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE CYTOCHROME P450 82A1 (EC 1.14.-.-) (CYPLXXXII) (FRAGMENT).
GN CYP82A1 OR CYP82.
OS Pisum sativum (Garden pea).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids I;
OC Fabales; Fabaceae; Papilionoideae; Pisum.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 96417083.
RA Frank M.R., Deyneka J.M., Schuler M.A.;
RT "Cloning of wound-induced cytochrome P450 monooxygenases expressed in
RT pea.";
RL Plant Physiol. 110:1035-1046(1996).
CC -1- INDUCTION: BY WOUND.
CC -1- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

```

the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

EMBL: U29333; AAC49188.1; -
 INTERPRO: IPR001128; -
 PFAM: PF00067; P450; 1.
 PROSITE: PS00086; CYTOCHROME_P450; 1.
 Oxidoreductase; Monooxygenase; Membrane; Heme.
 NON_TER 1
 BINDING 480 480 HEME (BY SIMILARITY).
 SQ SEQUENCE 543 AA; 62064 MW; C8C86A415317C56A CRC64;

Query Match 70.6%; Score 36; DB 1; Length 543;
 Best Local Similarity 100.08; Pred. No. 29;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 SGSWPL 8
 Db 39 SGSWPL 44

RESULT 5
 PSP_MOUSE
 ID PSP_MOUSE STANDARD; PRT; 235 AA.
 AC P07743;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-AUG-1988 (Rel. 08, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE PAROTID SECRETORY PROTEIN PRECURSOR (PSP).
 GN PSP.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=PAROTID GLAND;
 RX MEDLINE; 85215456.
 RA Madsen H.O., Hjorth J.P.;
 RT "Molecular cloning of mouse PSP mRNA."
 RL Nucleic Acids Res. 13:1-13(1985).
 RN [2]
 RP SEQUENCE OF 1-87 FROM N.A.
 RC STRAIN=C3H; TISSUE=SPLEEN;
 RX MEDLINE; 87004556.
 RA Poulsen K., Jakobsen B.K., Mikkelsen B.M., Harmark K.,
 RA Nielsen J.T., Hjorth J.P.;
 RT "Coordination of murine parotid secretory protein and salivary amylase expression."
 RL EMBO J. 5:1891-1896(1986).
 CC ITS FUNCTION: PSP IS THE MOST ABUNDANT PROTEIN IN THE PAROTID GLAND.
 CC WITH THAT OF SALIVARY AMYLASE.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

EMBL: X01697; CAA25846.1; -
 EMBL: M26807; AAA40009.1; -
 DR EMBL; M26806; AAA40009.1; JOINED.
 DR PIR; A23031; SQMS.
 DR MGD; MGI:97787; PSP.
 KW Parotid gland; Signal.
 FT SIGNAL 1 20
 FT CHAIN 21 235
 POTENTIAL.
 PAROTID SECRETORY PROTEIN.

SQ SEQUENCE 235 AA; 24753 MW; 23311BAE1E6E2EF3 CRC64;

Query Match 68.6%; Score 35; DB 1; Length 235;
 Best Local Similarity 75.0%; Pred. No. 19;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPL 8
 Db 54 QQATSWPL 61

RESULT 6

VMSA_HPBDC STANDARD; PRT; 365 AA.
 AC P30029;
 DT 01-APR-1993 (Rel. 25, Created)
 DT 01-APR-1993 (Rel. 25, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE MAJOR SURFACE ANTIGEN PRECURSOR.
 GN S.
 OS Duck hepatitis B virus (strain China) (DHBV).
 OC Viruses; Retroviridae; Hepadnaviridae; Avihepadnavirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 91045091.
 RA Tong S., Mattes F., Teubner K., Blum H.E.;
 RT "Complete nucleotide sequence of a Chinese duck hepatitis B virus."
 RL Nucleic Acids Res. 18:6139-6139(1990).
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

EMBL: M21953; AAA45746.1; -
 DR PIR; S12842; SAVLWE.
 DR INTERPRO: IPR000349; -
 DR PFAM; PF00695; VMSA; 2.
 KW Antigen.
 FT PROPEP 1 198
 FT CHAIN 199 365
 FT CARBOHYD 297 297
 FT N-LINKED (GLCNAC...) (POTENTIAL).
 SQ SEQUENCE 365 AA; 40511 MW; 67F3A4174CB7D884 CRC64;

Query Match 68.6%; Score 35; DB 1; Length 365;
 Best Local Similarity 71.4%; Pred. No. 29;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWP 7
 Db 96 QQQGWMP 102

RESULT 7

VMSA_HPBDB STANDARD; PRT; 366 AA.
 AC P17194;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-MAY-1991 (Rel. 18, Last sequence update)
 DT 01-MAY-1991 (Rel. 18, Last annotation update)
 DE MAJOR SURFACE ANTIGEN PRECURSOR.
 GN S.
 OS Duck hepatitis B virus (brown Shanghai duck isolate S5) (DHBV).
 OC Viruses; Retroviridae; Hepadnaviridae; Avihepadnavirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 90085807.
 RA Uchida M., Esumi M., Shikata T.;

RT "Molecular cloning and sequence analysis of duck hepatitis B virus
 RL genomes of a new variant isolated from Shanghai ducks.";
 Virology 173:600-606(1989).

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

DR EMBL: M32990; AAA45755.1; ALT_INIT.
 DR PIR: C33746; SAVLWD.
 DR INTERPRO: IPR000349; -
 DR PFAM: PF00695; VMSA; 2.
 KW Antigen.
 FT PROPEP 1 199
 FT CHAIN 200 366 MAJOR SURFACE ANTIGEN.
 FT CARBOHYD 170 170 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 298 298 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 366 AA; 40897 MW; 5B72879A182EFF38 CRC64;

Query Match 68.6%; Score 35; DB 1; Length 366;
 Best Local Similarity 71.4%; Pred. No. 30;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWP 7
 II I I I I
 Db 96 QQQGAWP 102

RESULT 8
 ID VMSA_HPBWDW STANDARD; PRT; 366 AA.
 AC P17195;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-MAY-1991 (Rel. 18, Last sequence update)
 DT 01-MAY-1991 (Rel. 18, Last annotation update)
 DE MAJOR SURFACE ANTIGEN PRECURSOR.
 GN S.
 OS Duck hepatitis B virus (white Shanghai duck isolate S31) (DHBV).
 OC Viruses; Retroviruses; Hepadnaviridae; Avihepadnavirus.
 RN [1]
 RX MEDLINE; 90085807.
 RA Uchida M., Esumi M., Shikata T.;
 RT "Molecular cloning and sequence analysis of duck hepatitis B virus
 RL genomes of a new variant isolated from Shanghai ducks.";
 RL Virology 173:600-606(1989).
 CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

DR EMBL: M32991; AAA45752.1; ALT_INIT.
 DR PIR: D33746; SAVLWD.
 DR INTERPRO: IPR000349; -
 DR PFAM: PF00695; VMSA; 2.
 KW Antigen.
 FT PROPEP 1 199
 FT CHAIN 200 366 MAJOR SURFACE ANTIGEN.
 FT CARBOHYD 170 170 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 298 298 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 366 AA; 40858 MW; CF60E78B7B2FCD52 CRC64;

Query Match 68.6%; Score 35; DB 1; Length 366;

Best Local Similarity 71.4%; Pred. No. 30;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWP 7
 II I I I I
 Db 96 QQQGAWP 102

RESULT 9
 ID GUNL_BACSU STANDARD; PRT; 499 AA.
 AC P07983;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-NOV-1991 (Rel. 20, Last sequence update)
 DT 01-OCT-1994 (Rel. 30, Last annotation update)
 DE ENDOGLUCANASE PRECURSOR (EC 3.2.1.4) (ENDO-1,4-BETA-GLUCANASE)
 DE (CELLULOSE).
 GN BGLC OR GLD.
 OS Bacillus subtilis.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group;
 OC Bacillus/Staphylococcus group; Bacillus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=DLG;
 RX MEDLINE; 87194581.
 RA Robson L.M., Chambliss G.H.;
 RT "Endo-beta-1,4-glucanase gene of Bacillus subtilis DLG.";
 RL J. Bacteriol. 169:2017-2025(1987).
 CC -!- CATALYTIC ACTIVITY: ENDOHYDROLYSIS OF 1,4-BETA-D-GLUCOSIDIC
 CC LINKAGES IN CELLULOSE.
 CC -!- SIMILARITY: BELONGS TO CELLULOSE FAMILY A (FAMILY 5 OF GLYCOSYL
 CC HYDROLASES).

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

DR EMBL: M16185; AAA22496.1; ALT_INIT.
 DR PIR: A26874; A26874.
 DR HSP: Q06851; INBC.
 DR INTERPRO: IPR001547; -
 DR INTERPRO: IPR001956; -
 DR PFAM: PF00942; CBD_3; 1.
 DR PFAM: PF00150; cellulase; 1.
 DR PROSITE: PS00659; GLYCOSYL_HYDROL_F5; 1.
 KW Cellulose degradation; Hydrolase; Glycosidase; Signal.
 FT SIGNAL 1 29
 FT CHAIN 30 499 ENDOGLUCANASE.
 FT ACT_SITE 169 169 PROTON DONOR (BY SIMILARITY).
 FT ACT_SITE 257 257 NUCLEOPHILE (BY SIMILARITY).
 FT DOMAIN 350 499 CELLULOSE-BINDING (BY SIMILARITY).
 SQ SEQUENCE 499 AA; 55187 MW; 339D04EE95A63EE1 CRC64;

Query Match 68.6%; Score 35; DB 1; Length 499;
 Best Local Similarity 62.5%; Pred. No. 40;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 QSGSWPLT 9
 II I I I I I I
 Db 309 KTGQWPLT 316

RESULT 10
 ID SYV_CHLTR STANDARD; PRT; 939 AA.
 AC O84304;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)

DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE VALYL-TRNA SYNTHETASE (EC 6.1.1.9) (VALINE--TRNA LIGASE) (VALRS).
 GN VALS OR CT302.
 OS Chlamydia trachomatis.
 OC Bacteria; Chlamydiales; Chlamydiaceae; Chlamydia.
 RP [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN-D/UN-3/CX;
 RX MEDLINE: 99000809.
 RA Stephens R.S., Kalman S., Lammel C.J., Fan J., Marathe R., Aravind L.,
 RA Mitchell W.P., Olinger L., Tatusov R.L., Zhao Q., Koonin E.V.,
 RA Davis R.W.;
 RT "Genome sequence of an obligate intracellular pathogen of humans:
 RT Chlamydia trachomatis."
 RL Science 282:754-759(1998).
 CC -!- SUBCELLULAR LOCATION: ATP + L-VALINE + TRNA(VAL) = AMP +
 CC PYROPHOSPHATE + L-VALYL-TRNA(VAL).
 CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: AE001302; AAC67895.1; -;
 DR INTERPRO: IPR001412; -;
 DR INTERPRO: IPR002300; -;
 DR PFAM: PF00133; trna-synt.1; 1.
 DR PRINTS: PR00986; TRNASYNTHAL.
 DR PROSITE: PS00178; AA_TRNA_LIGASE_I; 1.
 KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 FT SIMILAR 47 57 "HIGH" REGION.
 FT SIMILAR 563 567 "KMSKS" REGION.
 FT BINDING 566 566 ATP (BY SIMILARITY).
 SQ SEQUENCE 939 AA; 107036 MW; CEB8449DC7BB9066 CRC64;

 Query Match 68.6%; Score 35; DB 1; Length 939;
 Best Local Similarity 85.7%; Pred. No. 74;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

 QY 3 SGSWPLT 9
 DB 459 SGLWPLT 465

 RESULT 11
 STV_CHLPN STANDARD; PRT; 940 AA.
 AC Q92987;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE VALYL-TRNA SYNTHETASE (EC 6.1.1.9) (VALINE--TRNA LIGASE) (VALRS).
 GN VALS OR CPN0094.
 OS Chlamydia pneumoniae (Chlamydophila pneumoniae).
 OC Bacteria; Chlamydiales; Chlamydiaceae; Chlamydophila.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-CWL029;
 RX MEDLINE: 99206606.
 RA Kalman S., Mitchell W., Marathe R., Lammel C., Fan J., Hyman R.W.,
 RA Olinger L., Grimwood J., Davis R.W., Stephens R.S.;
 RT "Comparative genomes of Chlamydia pneumoniae and C. trachomatis."
 RL Nat. Genet. 21:385-389(1999).
 CC -!- CATALYTIC ACTIVITY: ATP + L-VALINE + TRNA(VAL) = AMP +
 CC PYROPHOSPHATE + L-VALYL-TRNA(VAL).

CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: AE001595; AAD18247.1; -;
 DR INTERPRO: IPR001412; -;
 DR INTERPRO: IPR002300; -;
 DR PFAM: PF00133; trna-synt.1; 1.
 DR PRINTS: PR00986; TRNASYNTHAL.
 DR PROSITE: PS00178; AA_TRNA_LIGASE_I; 1.
 KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 FT SIMILAR 47 57 "HIGH" REGION.
 FT SIMILAR 564 568 "KMSKS" REGION.
 FT BINDING 567 567 ATP (BY SIMILARITY).
 SQ SEQUENCE 940 AA; 107111 MW; 28054683FB9D0404 CRC64;

 Query Match 68.6%; Score 35; DB 1; Length 940;
 Best Local Similarity 85.7%; Pred. No. 74;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

 QY 3 SGSWPLT 9
 DB 460 SGLWPLT 466

 RESULT 12
 CATC_RHOOP STANDARD; PRT; 92 AA.
 ID CATC_RHOOP
 AC P95609;
 DT 15-JUL-1999 (Rel. 38, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE MUCONOLACTONE DELTA-ISOMERASE (EC 5.3.3.4) (MIASE).
 GN CATC.
 OS Rhodococcus opacus.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Corynebacterineae; Nocardiaceae; Rhodococcus.
 RN [1]
 RP SEQUENCE FROM N.A., AND SEQUENCE OF 1-20.
 RC STRAIN-1CP;
 RX MEDLINE: 97144521.
 RA Eulberg D., Golovleva L.A., Schloemann M.;
 RT "Characterization of catechol catabolic genes from Rhodococcus
 RT erythropolis 1CP."
 RL J. Bacteriol. 179:370-381(1997).
 CC -!- CATALYTIC ACTIVITY: 2,5-DIHYDRO-5-OXOFURAN-2-ACETATE =
 CC 3,4-DIHYDRO-5-OXOFURAN-2-ACETATE.
 CC -!- PATHWAY: THIRD STEP IN THE CATABOLISM OF CATECHOL TO SUCCINATE-
 CC AND ACETYL-COA IN THE BETA-KETOADIPATE PATHWAY.
 CC -!- SUBUNIT: HOMODICAMER (BY SIMILARITY).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: X99622; CAA67935.1; -;
 DR Aromatic hydrocarbons catabolism; Isomerase.
 FT INIT_MET 0
 SQ SEQUENCE 92 AA; 10780 MW; 9CCE5A17DED4B153 CRC64;

Query Match 66.7%; Score 34; DB 1; Length 92;
 Best Local Similarity 71.4%; Pred. No. 11;
 Matches 5; Conservative 1; Mismatches 0; Gaps 0;

Qy 1 QOQSGSWP 7
 Db 35 QRSQKWP 41

RESULT 13
 CTCL1-ACILW
 ID CTCL1-ACILW STANDARD; PRT; 96 AA.
 AC O33947;
 DT 15-JUL-1999 (Rel. 38, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE MUONOLACTONE DELTA-ISOMERASE 1 (EC 5.3.3.4) (MIASE 1).
 GN CAPT1.
 OS Acinetobacter lwoffii.
 OC Bacteria; Proteobacteria; gamma subdivision; Moraxellaceae;
 OC Acinetobacter.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-K24;
 RX MEDLINE: 97405925.
 RA Kim S.I., Leem S.-H., Choi J.-S., Chung Y.H., Kim S., Park Y.-M.,
 RA Park Y.K., Lee Y.N., Ha K.-S.;
 RT "Cloning and characterization of two catA genes in Acinetobacter
 RT lwoffii K24.";
 RL J. Bacteriol. 179:5226-5231(1997).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN-K24;
 RX MEDLINE: 98139907.
 RA Kim S.I., Leem S.-H., Choi J.-S., Ha K.-S.;
 RA "Organization and transcriptional characterization of the catI gene
 RT cluster in Acinetobacter lwoffii K24.";
 RL Biochem. Biophys. Res. Commun. 243:289-294(1998).
 CC -!- CATALYTIC ACTIVITY: 2,5-DIHYDRO-5-OXOFURAN-2-ACETATE =
 CC 3,4-DIHYDRO-5-OXOFURAN-2-ACETATE.
 CC -!- PATHWAY: THIRD STEP IN THE CATABOLISM OF CATECHOL TO SUCCINATE-
 CC AND ACETYL-COA IN THE BETA-KETOADIPATE PATHWAY.
 CC -!- SUBUNIT: HOMODECAMER (BY SIMILARITY).
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 DR EMBL; U77658; AAC46227.1;
 KW Aromatic hydrocarbons catabolism; Isomerase.
 SQ SEQUENCE 96 AA; 11048 MW; 6955AC14A5DDDEFA CRC64;

Query Match 66.7%; Score 34; DB 1; Length 96;
 Best Local Similarity 71.4%; Pred. No. 12;
 Matches 5; Conservative 1; Mismatches 0; Gaps 0;

Qy 1 QOQSGSWP 7
 Db 35 QRSQKWP 41

RESULT 14
 YFDK_ECOLI
 ID YFDK_ECOLI STANDARD; PRT; 146 AA.
 AC P77656;
 DT 15-DEC-1998 (Rel. 37, Created)

DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE HYPOTHETICAL 16.4 KDA PROTEIN IN INTC-DSDC INTERGENIC REGION.
 GN YFDK.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-K12 / MG1655;
 RX MEDLINE: 97426617.
 RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
 RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
 RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
 RA Mau B., Shao Y.;
 RT "The complete genome sequence of Escherichia coli K-12.";
 RL Science 277:1453-1474(1997).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN-K12;
 RX MEDLINE: 97349980.
 RA Yamamoto Y., Aiba H., Baba T., Hayashi K., Inada T., Isono K.,
 RA Itoh T., Kimura S., Kitagawa M., Makino K., Miki T., Mitsuhashi N.,
 RA Mizobuchi K., Mori H., Nakade S., Nakamura Y., Nashimoto H.,
 RA Oshima T., Oyama S., Saito N., Sampei G., Satoh Y., Sivasubram S.,
 RA Tagami H., Takahashi H., Takeda J., Takemoto K., Uehara K., Wada C.,
 RA Yamagata S., Horiuchi T.;
 RT "Construction of a contiguous 874-kb sequence of the Escherichia coli
 RT - K12 genome corresponding to 50.0-68.8 min on the linkage map and
 RT analysis of its sequence features.";
 RL DNA Res. 4:91-113(1997).
 CC -!- SIMILARITY: STRONG, TO E.COLI YMFS.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 DR EMBL; AE000324; AAC75413.1;
 DR EMBL; D90866; CAB22145.1;
 DR EMBL; D90865; CAB22143.1;
 DR EMBL; E014135; YFDK.
 KW Hypothetical protein.
 SQ SEQUENCE 146 AA; 16408 MW; 28F3CA711C5E9C79 CRC64;

Query Match 66.7%; Score 34; DB 1; Length 146;
 Best Local Similarity 83.3%; Pred. No. 18;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 QOQSGSWP 7
 Db 23 QOQSGSWP 28

RESULT 15
 IE63_HSVEB
 ID IE63_HSVEB STANDARD; PRT; 470 AA.
 AC P28939;
 DT 01-DEC-1992 (Rel. 24, Created)
 DT 01-DEC-1992 (Rel. 24, Last sequence update)
 DT 01-APR-1993 (Rel. 25, Last annotation update)
 DE TRANSCRIPTIONAL REGULATOR IE63 HOMOLOG.
 GN 5.
 OS Equine herpesvirus type 1 (strain Ab4p) (EHV-1).
 OC Viruses; GSDNA viruses, no RNA stage; Herpesviridae;
 OC Alphaherpesvirinae; Varicellovirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE: 92295566.


```

RA  Telford E.A.R., Watson M.S., McBride K., Davison A.J.;
RT  "The DNA sequence of equine herpesvirus-1.";
RL  Virolology 189:304-316(1992).
CC  -!- SIMILARITY: BELONGS TO FAMILY THAT GROUPS TOGETHER HSV-1 UL54,
CC      HSV-2 UL54, EBV-1 5, VZV 4, EBV BMLF1, HCMV UL69, AND HVS-1 57.
CC  -----
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
DR  EMBL; M86664; AAB02440.1; -.
DR  PIR; F36795; WZBEA4.
KW  Transcription regulation.
SQ  SEQUENCE 470 AA; 51320 MW; 99AC5258EFB74B0E CRC64;

```

Query Match 66.7%; Score 34; DB 1; Length 470;
 Best Local Similarity 71.4%; Pred. No. 57;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSGSWP 7
 | :| | | |
 Db 127 OSAGSWP 133

Search completed: March 28, 2001, 07:35:14
 Job time: 151 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:24 ; Search time 443.95 Seconds
(without alignments)
2.376 Million cell updates/sec

Title: US-09-016-061-90
Perfect score: 51
Sequence: 1 QSGSWPLT 9

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

SPTREMBL_15:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mhc:*
- 8: sp_organelle:*
- 9: sp_phase:*
- 10: sp_plant:*
- 11: sp_rodent:*
- 12: sp_virus:*
- 13: sp_vertebrate:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	41	80.4	153	13 Q9YH52	Q9YH52 gallus gall
2	40	78.4	745	4 Q9UNF9	Q9UNF9 homo sapien
3	40	78.4	1194	5 Q9VSI2	Q9VSI2 drosophila
4	39	76.5	553	5 Q01825	Q01825 caenorhabdi
5	38	74.5	265	5 Q9VX10	Q9VX10 drosophila
6	38	74.5	379	4 Q9NR37	Q9NR37 homo sapien
7	38	74.5	399	4 Q9NR37	Q9NR37 homo sapien
8	38	74.5	447	4 Q9UHD6	Q9UHD6 homo sapien
9	38	74.5	459	4 Q9Y638	Q9Y638 homo sapien
10	38	74.5	471	4 Q9UB19	Q9UB19 homo sapien
11	38	74.5	497	4 Q9UHD5	Q9UHD5 homo sapien
12	37	72.5	154	12 Q84631	Q84631 paramecium
13	37	72.5	642	1 Q28537	Q28537 archaeglob
14	37	72.5	737	5 Q9U9P1	Q9U9P1 drosophila
15	37	72.5	764	10 Q9L275	Q9L275 arabidopsis
16	37	72.5	781	5 Q9VRA2	Q9VRA2 drosophila
17	36	70.6	204	5 Q16703	Q16703 caenorhabdi
18	36	70.6	275	2 Q50711	Q50711 mycobacteri
19	36	70.6	396	2 Q9RDF1	Q9RDF1 streptomyce

20	36	70.6	613	5 Q9VHU1	Q9VHU1 drosophila
21	36	70.6	847	10 Q9SGW2	Q9SGW2 arabidopsis
22	36	70.6	1903	5 Q9USD6	Q9USD6 plautia sta
23	35	68.6	100	2 Q9PLT4	Q9PLT4 chlamydia m
24	35	68.6	123	4 Q9UKB9	Q9UKB9 homo sapien
25	35	68.6	317	2 Q9KPI7	Q9KPI7 vibrio chol
26	35	68.6	327	12 Q67852	Q67852 duck hepati
27	35	68.6	330	12 Q72885	Q72885 duck hepati
28	35	68.6	330	12 Q66405	Q66405 duck hepati
29	35	68.6	366	12 Q66404	Q66404 duck hepati
30	35	68.6	407	2 Q9R904	Q9R904 brachyspira
31	35	68.6	413	2 Q9R905	Q9R905 brachyspira
32	35	68.6	415	2 Q9ZH11	Q9ZH11 serpulina i
33	35	68.6	415	2 Q9R908	Q9R908 treponema h
34	35	68.6	415	2 Q9R902	Q9R902 serpulina i
35	35	68.6	416	2 Q9ZHJ3	Q9ZHJ3 brachyspira
36	35	68.6	418	2 Q9ZH16	Q9ZH16 brachyspira
37	35	68.6	420	2 Q9ZH17	Q9ZH17 serpulina s
38	35	68.6	420	2 Q9R907	Q9R907 treponema h
39	35	68.6	421	2 Q9ZH18	Q9ZH18 serpulina a
40	35	68.6	421	2 Q9R906	Q9R906 serpulina m
41	35	68.6	422	2 Q9R903	Q9R903 brachyspira
42	35	68.6	423	2 Q9ZHJ0	Q9ZHJ0 serpulina i
43	35	68.6	423	2 Q9ZHJ2	Q9ZHJ2 brachyspira
44	35	68.6	424	2 Q9ZH19	Q9ZH19 serpulina m
45	35	68.6	426	3 Q9UWV5	Q9UWV5 alternaria

ALIGNMENTS

RESULT 1

Q9YH52 ID Q9YH52 PRELIMINARY; PRT; 153 AA.

AC Q9YH52;

DT 01-MAY-1999 (TrEMBLrel. 10, Created)

DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)

DT 01-MAY-1999 (TrEMBLrel. 10, Last annotation update)

DE HYPOTHETICAL 17.4 KDA PROTEIN.

OS Gallus gallus (Chicken).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;

OC Gallus.

OX NCBI_TaxID=9031;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=H.B19;

RX MEDLINE=90077532; PubMed=2592020;

RA Kaufman J., Salomonsen J., Skjold K.;

RT "B-G cDNA clones have multiple small repeats and hybridize to both

RT chicken MHC regions."

RL Immunogenetics 30:440-451(1989).

DR EMBL; M27666; AAA69840.1; -

KW Hypothetical protein.

SQ SEQUENCE 153 AA; 17404 MW; 6D344F572FA7EE48 CRC64;

Query Match 80.4%; Score 41; DB 13; Length 153;
Best Local Similarity 87.5%; Pred. No. 4.2;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 QSGSWPLT 9
Db 65 QSGHWPLT 72

RESULT 2

Q9UNF9 ID Q9UNF9 PRELIMINARY; PRT; 745 AA.

AC Q9UNF9;

DT 01-MAY-2000 (TrEMBLrel. 13, Created)

DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)

DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)

DE CULLIN 2.
 GN Homo sapiens (Human).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 [1]
 RN SEQUENCE FROM N.A.
 RC TISSUE=BRAIN;
 RC MEDLINE=99194561; PubMed=10092517;
 RA Wada H., Yeh E.T., Kanitani T.;
 RT "Identification of NEDD8-conjugation site in human cullin-2";
 RL Biochem. Biophys. Res. Commun. 257:100-105(1999).
 DR EMBL; AF126404; AAD23581.1; -
 DR INTERPRO; IPR001373; -
 DR PFAM; PF00888; Cullin; 1.
 DR PROSITE; PS01256; CULLIN_1; 1.
 DR PROSITE; PS00069; CULLIN_2; 1.
 DR VARIANT 109 109 N -> S.
 FT SEQUENCE 745 AA; 86982 MW; 30647248F671AB0E CRC64;
 SQ SEQUENCE 745 AA; 86982 MW; 30647248F671AB0E CRC64;

Query Match 78.4%; Score 40; DB 4; Length 745;
 Best Local Similarity 75.0%; Pred. No. 29;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 2 QSGSWPLT 9
 ||| ||||
 Db 513 QAGAWPLT 520

RESULT 3
 ID Q9VSI2 PRELIMINARY; PRT; 1194 AA.
 AC Q9VSI2;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE CG7112 PROTEIN.
 GN CG7112
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN=BERKELEY;
 RC MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Ananides P.G., Scher S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brannon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Aghayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brothier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherty J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Fosler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwan C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,

RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirkas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wasserman D.A., Weinstein G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of Drosophila melanogaster";
 RL Science 287:2185-2195(2000).
 DR EMBL; AE003555; AAF50437.1; -
 DR FLYBASE; FBgn0035879; CG7112.
 DR INTERPRO; IPR000195; -
 DR PFAM; PF00566; TBC; 1.
 SQ SEQUENCE 1194 AA; 133393 MW; E0E3DB547B4924E0 CRC64;

Query Match 78.4%; Score 40; DB 5; Length 1194;
 Best Local Similarity 77.8%; Pred. No. 46;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Oy 1 QSGSWPLT 9
 ||| ||||
 Db 461 QSSSWPYT 469

RESULT 4
 ID 001825 PRELIMINARY; PRT; 553 AA.
 AC 001825;
 DT 01-JUL-1997 (TrEMBLrel. 04, Created)
 DT 01-JUL-1997 (TrEMBLrel. 04, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE SIMILAR TO BETA-CHIMAERIN.
 GN F57C9.8.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditidae;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN=BRISTOL N2;
 RC MEDLINE=94150718; PubMed=7906398;
 RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
 RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
 RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
 RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
 RA Jones M., Kershaw J., Kirsten T., Laister N., Latreille P.,
 RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
 RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Showkeen R.,
 RA Smaldon N., Smith A., Sonnhammer E., Staden R., Sulston J.,
 RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
 RA Watson A., Weinstein L., Wilkinson-Sproat J., Wohlman P.;
 RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 elegans";
 RL Nature 368:32-38(1994).
 [2]
 RN SEQUENCE FROM N.A.
 RC STRAIN=BRISTOL N2;
 RA Geisel C., Kramer J., Gibson A.;
 RL Submitted (MAY-1997) to the EMBL/GenBank/DBJ databases.
 [3]
 RN SEQUENCE FROM N.A.
 RC STRAIN=BRISTOL N2;
 RA Waterston R.;
 RL Submitted (MAY-1997) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF003142; AAB54191.1; -
 DR HSP; P27986; IPBW.
 DR INTERPRO; IPR000198; -

DR PFAM: PF00620: RhoGAP: 1.
SQ SEQUENCE 553 AA; 60849 MW; A50EDF9C2F560139 CRC64;

Query Match 76.5%; Score 39; DB 5; Length 553;
Best Local Similarity 66.7%; Pred. No. 33;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Oy 1 QOQSGSWPLT 9
I:|||||
Db 373 QRSQSWPFS 381

RESULT 5
O9VXLO PRELIMINARY; PRT; 265 AA.
AC O9VXLO;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DE CG12697 PROTEIN.
GN CG12697.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scher S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Foster C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lal Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacle J.M.,
RA Palazzolo M., Pittman G.S., Fan S., Pollard J.R., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster";
RL Science 287:2185-2195(2000).
DR EMBL; AE003500; AAF48549.1; -;
DR FLYBASE; FBgn030715; CG12697.
SQ SEQUENCE 265 AA; 30472 MW; 892FEFBF7B2EE8D4 CRC64;

Query Match 74.5%; Score 38; DB 5; Length 265;
Best Local Similarity 85.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Oy 3 SGSWPLT 9
I:|||||
Db 21 NGSWPLT 27

RESULT 6
Q9NR38 PRELIMINARY; PRT; 379 AA.
AC Q9NR38;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE PURINOCEPTOR P2X2H.
GN P2X2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Homnidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=PROSTATE;
RA Chang T.K., Kosaka A.H., Oglesby I.B., Gever J.R., Lachnit W.G.,
RA Ford A.P.D.W., Chang D.J.;
RT "Cloning and Molecular Characterization of Human P2X2 and Its Splice Variants";
RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF260428; AAF74203.1; -;
SQ SEQUENCE 379 AA; 41254 MW; 8D1AA9A069D7F008 CRC64;

Query Match 74.5%; Score 38; DB 4; Length 379;
Best Local Similarity 85.7%; Pred. No. 34;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Oy 3 SGSWPLT 9
I:|||||
Db 296 SGSWPT 302

RESULT 7
Q9NR37 PRELIMINARY; PRT; 399 AA.
AC Q9NR37;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE PURINOCEPTOR P2X2I.
GN P2X2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Homnidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=PROSTATE;
RA Chang T.K., Kosaka A.H., Oglesby I.B., Gever J.R., Lachnit W.G.,
RA Ford A.P.D.W., Chang D.J.;
RT "Cloning and Molecular Characterization of Human P2X2 and Its Splice Variants";
RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF260429; AAF74204.1; -;
SQ SEQUENCE 399 AA; 43726 MW; 8B55562C9BAEAE5E CRC64;

Query Match 74.5%; Score 38; DB 4; Length 399;
Best Local Similarity 85.7%; Pred. No. 36;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWPLT 9
 Db 316 SGSWPVT 322

RESULT 8
 Q9UHD6 PRELIMINARY; PRT; 447 AA.

AC Q9UHD6;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2000 (Tremblrel. 14, Last annotation update)
 DE P2X2C RECEPTOR.
 GN P2X2.

OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=PIUTITARY;
 RA Lynch K.J., Touma E., Niforatos W., Kage K.L., Burgard E.C.,
 RA van Biesen T., Kowaluk E.A., Jarvis M.F.;
 RT "Molecular and Functional Characterization of Human P2X(2)
 RT Receptors.";
 RL Mol. Pharmacol. 56:1171-1181(1999).
 DR EMBL; AF190824; AAF19172.1; -;
 DR INTERPRO; IPR001429; -;
 DR P2X2A RECEPTOR.
 DR PRAM; PF00864; P2X_receptor; 1.
 DR PRINTS; PRO1307; P2XRECEPTOR.
 DR PRINTS; PRO1309; P2X2RECEPTOR.
 DR PROSITE; PS01212; P2X_RECEPTOR; 1.
 KW Receptor.
 SQ SEQUENCE 447 AA; 49266 MW; BAF5513A27314DID CRC64;

Query Match 74.5%; Score 38; DB 4; Length 447;
 Best Local Similarity 85.7%; Pred. No. 40;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWPLT 9
 Db 364 SGSWPVT 370

RESULT 9
 Q9V638 PRELIMINARY; PRT; 459 AA.

AC Q9V638;
 DT 01-NOV-1999 (Tremblrel. 12, Created)
 DT 01-NOV-1999 (Tremblrel. 12, Last sequence update)
 DT 01-MAY-2000 (Tremblrel. 13, Last annotation update)
 DE P2X2A RECEPTOR.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=PLACENTA;
 RA McMahon R.A., Egan T.M., Hurley P.T., Nelson A., Rogers M., Martin F.;
 RT "Cloning of the human P2X2 receptor cDNA and multiple splice
 RT variants.";
 RL Submitted (NOV-1998) to the EMBL/GenBank/DBJ databases.
 CC -1- SUBUNIT: HOMO- OR HETEROPOLYMERS (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN.
 CC -1- SIMILARITY: BELONGS TO THE P2X RECEPTOR FAMILY.
 DR EMBL; AF109387; AAD42947.1; -;
 DR INTERPRO; IPR001429; -;
 DR PRAM; PF00864; P2X_receptor; 1.
 DR PROSITE; PS01212; P2X_RECEPTOR; 1.
 KW Receptor; Ionic channel; Transmembrane; Ion transport.

SQ SEQUENCE 459 AA; 50655 MW; 21E3B4513E6A1F46 CRC64;

Query Match 74.5%; Score 38; DB 4; Length 459;
 Best Local Similarity 85.7%; Pred. No. 41;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWPLT 9
 Db 376 SGSWPVT 382

RESULT 10
 Q9UBL9 PRELIMINARY; PRT; 471 AA.

AC Q9UBL9;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-OCT-2000 (Tremblrel. 15, Last annotation update)
 DE P2X2A RECEPTOR (PURINOCEPTOR P2X2A).
 GN P2X2.

OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Lynch K.J., Touma E., Niforatos W., Kage K.L., Burgard E.C.,
 RA van Biesen T., Kowaluk E.A., Jarvis M.F.;
 RT "Molecular and Functional Characterization of Human P2X(2)
 RT Receptors.";
 RL Mol. Pharmacol. 56:1171-1181(1999).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=PROSTATE;
 RA Chang T.K., Kosaka A.H., Oglesby I.B., Gevert J.R., Lachnit W.G.,
 RA Ford A.P.D.W., Chang D.J.;
 RT "Cloning and Molecular Characterization of Human P2X2 and Its Splice
 RT Variants.";
 RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF190826; AAF19174.1; -;
 DR EMBL; AF190822; AAF19170.1; -;
 DR EMBL; AF260426; AAF74201.1; -;
 DR INTERPRO; IPR001429; -;
 DR INTERPRO; IPR003045; -;
 DR PFAM; PF00864; P2X_receptor; 1.
 DR PRINTS; PRO1307; P2XRECEPTOR.
 DR PRINTS; PRO1309; P2X2RECEPTOR.
 DR PROSITE; PS01212; P2X_RECEPTOR; 1.
 KW Receptor.
 SQ SEQUENCE 471 AA; 51754 MW; 84CD61DA136EF420 CRC64;

Query Match 74.5%; Score 38; DB 4; Length 471;
 Best Local Similarity 85.7%; Pred. No. 42;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWPLT 9
 Db 388 SGSWPVT 394

RESULT 11
 Q9UHD5 PRELIMINARY; PRT; 497 AA.

AC Q9UHD5;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2000 (Tremblrel. 14, Last annotation update)
 DE P2X2D RECEPTOR.
 GN P2X2.

OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=PIUTARY;
 RA Lynch K.J., Touma E., Niforatos W., Kage K.L., Burgard E.C.,
 RA van Biesen T., Kowaluk E.A., Jarvis M.F.;
 RT "Molecular and Functional Characterization of Human P2X(2)
 Receptors";
 RL Mol. Pharmacol. 56:1171-1181(1999).
 DR EMBL; AF190825; AAF19173.1; -;
 DR INTERPRO; IPR001429; -;
 DR INTERPRO; IPR003045; -;
 DR PFAM; PF00864; P2X_receptor; 1.
 DR PRINTS; PR01307; P2XRECEPTOR.
 DR PRINTS; PR01309; P2X2RECEPTOR.
 DR PROSITE; PS01212; P2X_RECEPTOR; 1.
 KW Receptor.
 SQ SEQUENCE 497 AA; 54513 MW; FC4007F5BDD46E0E CRC64;

Query Match 74.5%; Score 38; DB 4; Length 497;
 Best Local Similarity 85.7%; Pred. No. 44;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWPLT 9
 |||||:
 Db 414 SGSWPVT 420

RESULT 12
 Q84631
 ID Q84631 PRELIMINARY; PRT; 154 AA.
 AC Q84631;
 DT 01-NOV-1996 (TREMBLrel. 01, Created)
 DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
 DT 01-NOV-1998 (TREMBLrel. 08, Last annotation update)
 DE GENOME, PARTIAL SEQUENCE.
 GN A317L.
 OS Paramyxium bursaria chlorella virus 1 (PBCV-1).
 OC Viruses; dsDNA viruses, no RNA stage; Phycodnaviridae; Phycodnavirus.
 OX NCBI_TaxID=10506;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=951313167; PubMed=7831789;
 RA Lu Z., Li Y., Zhang Y., Kutish G.F., Rock D.L., Van Etten J.L.;
 RT "Analysis of 45 kb of DNA located at the left end of the chlorella
 RT virus PBCV-1 genome";
 RL Virology 206:339-352(1995).
 DR EMBL; U42580; AAC96685.1; -;
 SQ SEQUENCE 154 AA; 18564 MW; 7B45E2E7F518E15 CRC64;

Query Match 72.5%; Score 37; DB 12; Length 154;
 Best Local Similarity 75.0%; Pred. No. 22;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSGSWPL 8
 | |||||:
 Db 33 QTSGSWPV 40

RESULT 13
 O28537
 ID O28537 PRELIMINARY; PRT; 642 AA.
 AC O28537;
 DT 01-JAN-1998 (TREMBLrel. 05, Created)
 DT 01-JAN-1998 (TREMBLrel. 05, Last sequence update)
 DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
 DE CONSERVED HYPOTHETICAL PROTEIN.
 GN AF1737.
 OS Archaeoglobus fulgidus.
 OC Archaea; Euryarchaeota; Archaeoglobales; Archaeoglobaceae;

OC Archaeoglobus.
 OX NCBI_TaxID=2234;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=VC-16 / DSM 4304 / ATCC 49558;
 RX MEDLINE=98049343; PubMed=9389475;
 RA Klenk H.-P., Clayton R.A., Tomb J.-F., White O., Nelson K.E.,
 RA Ketchum K.A., Dodson R.J., Gwinn M., Hickey E.K., Peterson J.D.,
 RA Richardson D.L., Kerlavage A.R., Graham D.E., Kyrpides N.C.,
 RA Fleischmann R.D., Quackenbush J., Lee N.H., Sutton G.G., Gill S.,
 RA Kirkness E.F., Dougherty B.A., McKenney K., Adams M.D., Loftus B.,
 RA Peterson S., Reich C.I., McNeil L.K., Badger J.H., Glodek A., Zhou L.,
 RA Overbeek R., Gocayne J.D., Weidman J.F., McDonald L., Utterback T.,
 RA Cotton M.D., Spriggs T., Artlich P., Kaine B.P., Sykes S.M.,
 RA Sadov P.W., D'Andrea K.P., Bowman C., Fujii C., Garland S.A.,
 RA Mason T.M., Olsen G.J., Fraser C.M., Smith H.O., Woese C.R.,
 RA Venter J.C.;
 RT "The complete genome sequence of the hyperthermophilic, sulphate-
 RT reducing archaeon Archaeoglobus fulgidus";
 RL Nature 390:364-370(1997).
 DR EMBL; AE000983; AAB89512.1; -;
 DR TIGR; AF1737; -;
 KW Hypothetical protein.
 SQ SEQUENCE 642 AA; 74057 MW; 3E680BA624D747B5 CRC64;

Query Match 72.5%; Score 37; DB 1; Length 642;
 Best Local Similarity 85.7%; Pred. No. 85;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 SGSWPLT 9
 || |||||
 Db 101 SGCWPLT 107

RESULT 14
 Q909P1
 ID Q909P1 PRELIMINARY; PRT; 737 AA.
 AC Q909P1;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE MAROON-LIKE PROTEIN.
 GN MAL.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CANTON S;
 RA Primus J., Arcangeli L., Finnerty V.;
 RT "The maroon-like gene in Drosophila encodes a putative sulfatase";
 RL Submitted (JUN-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF162681; AAD50777.1; -;
 SQ SEQUENCE 737 AA; 83139 MW; 76DFEE077E3F06D4 CRC64;

Query Match 72.5%; Score 37; DB 5; Length 737;
 Best Local Similarity 100.0%; Pred. No. 97;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 GSWPLT 9
 |||||:
 Db 533 GSWPLT 538

RESULT 15
 Q9LZ75
 ID Q9LZ75 PRELIMINARY; PRT; 764 AA.
 AC Q9LZ75;
 DT 01-OCT-2000 (TREMBLrel. 15, Created)

DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DE 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 GN T32M21_100.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Bevan M., Terry N., Ardiles W., Buysshaert C., Dasseville R.,
 RA De Clerck R., De Keyser A., Neyt P., Rouze P., Van Den Daele H.,
 RA Villarroel R., Gielens J., Van Montagu M., Bancroft I., Mewes H.W.,
 RA Rudd S., Lemcke K., Mayer K.F.X.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AL162875; CAB85556.1; -;
 KW Hypothetical protein.
 SQ SEQUENCE 764 AA; 86299 MW; AFE0E482FF091CB8 CRC64;

Query Match 72.5%; Score 37; DB 10; Length 764;
 Best Local Similarity 62.5%; Pred. No. 1e+02;
 Matches 5; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 2 QSGSWPLT 9
 :||:|:
 Db 112 ESGAWPVT 119

Search completed: March 28, 2001, 07:53:27
 Job time: 520 sec

GenCore version 4.5.
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:53 ; Search time 154.19 Seconds
(without alignments)
1.996 Million cell updates/sec

Title: US-09-016-061-90
Perfect score: 51
Sequence: 1 QQSGSWPLT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36.*

1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	51	100.0	9	19 W76035	LM609 grafted anti
2	45	88.2	9	14 R37604	hIL2R Ab L chain V
3	45	88.2	9	19 W76036	LM609 grafted anti
4	45	88.2	107	14 R37612	hIL2R Ab L chain V
5	45	88.2	107	14 R37610	B-B10 MAb L chain
6	44	86.3	9	19 W76013	LM609 grafted anti
7	44	86.3	107	19 W76006	LM609 grafted anti
8	44	86.3	107	19 W76002	Vitaxin antibody I
9	44	86.3	107	19 W76004	LM609 antibody lig
10	42	82.4	127	21 Y32405	Mouse anti-verotox
11	42	82.4	127	21 Y32407	Mouse anti-verotox
12	41	80.4	105	20 W87456	JK gene product.

13	41	80.4	105	20 W87458	Humanised anti-alp
14	41	80.4	107	20 W84098	Humanised anti-alp
15	41	80.4	108	20 W84094	Murine vitronectin
16	41	80.4	112	20 W84100	Vitronectin alpha-
17	40	78.4	107	14 R38601	HYH light chain.
18	40	78.4	107	19 W58482	Murine HYH antibody
19	40	78.4	108	12 R15438	Light chain variab
20	40	78.4	109	15 R52033	Light chain variab
21	40	78.4	143	18 W19580	Mouse anti-idiotyp
22	40	78.4	240	12 R15443	Single chain Fv fr
23	39	76.5	9	19 W44180	Monoclonal antibod
24	39	76.5	9	20 Y26992	CDR3 domain reshap
25	39	76.5	106	19 W1241	Light chain variab
26	39	76.5	107	15 R50190	Light chain variab
27	39	76.5	107	18 W28531	Humanised cA2 ligh
28	39	76.5	107	19 W40820	Light chain variab
29	39	76.5	107	20 Y26979	Light chain variab
30	39	76.5	107	20 Y23243	Light chain variab
31	39	76.5	107	21 Y70604	Vkappa region of h
32	39	76.5	127	15 R50187	Light chain variab
33	39	76.5	127	15 R50191	Light chain variab
34	39	76.5	127	15 R50192	Light chain variab
35	39	76.5	127	19 W44176	Monoclonal antibod
36	39	76.5	127	20 Y26980	Light chain variab
37	39	76.5	127	20 Y26981	Light chain variab
38	39	76.5	127	20 Y26982	Light chain variab
39	39	76.5	240	19 W71243	scFv comprising he
40	39	76.5	245	21 Y70605	scFv fragment of h
41	38	74.5	9	19 W76033	LM609 grafted anti
42	38	74.5	9	20 Y06372	Murine monoclonal
43	38	74.5	107	13 R25729	Humanised VL regio
44	38	74.5	109	20 Y06388	Humanised LM609 an
45	38	74.5	109	20 Y06380	Murine monoclonal

ALIGNMENTS

RESULT 1
W76035 W76035 standard; Protein; 9 AA.
XX
AC W76035;
XX
DT 02-NOV-1998 (first entry)
XX
DE LM609 grafted antibody V-L region CDR3 protein fragment #4.
XX
KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-L region; CDR;
KW complementarity determining region.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
DR WPI; 1998-437472/37.
XX
DR N-PSDB; V49872.
XX
PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 XS angiogenesis or restenosis
 XS Claim 62; Page 44; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 9 AA;

Query Match: 100.0%; Score 51; DB 19; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.1e+05;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
 Db | | | | | | | | | |
 1 qqsgswplt 9

RESULT 2
 ID R37604 standard; peptide; 9 AA.
 XX
 AC R37604;
 XX
 DT. 13-OCT-1993 (first entry)
 XX
 DE hIL2R Ab L chain V region CDR3.
 XX
 KW Complementarity-determining region; CDR; humanised; antibody; hIL2R;
 KW human; interleukin; IL-2; receptor; murine; anti-human; Ab; T-cell;
 KW monoclonal antibody; B-B10; mixed lymphocyte reaction; variable; V;
 KW region; PCR; framework; plasmid.
 XX
 OS Mus musculus.
 XX
 PN WO9311238-A.
 XX
 PD 10-JUN-1993.
 XX
 PF 03-DEC-1992; 92WO-JP01583.
 XX
 PR 06-DEC-1991; 91JP-0323319.
 XX
 PA (BIOT) BIOTEST PHARMA GMBH.
 PA (INNO-) INNOTHERAPIE LAB.
 PA (SUMO) SUMITOMO PHARM CO LTD.
 XX
 XX Gomi H, Nakatani T, Noguchi H, Wijdenes J;
 XX WPI; 1993-197057/24.
 XX
 XX Humanised antibody comprising - CDR region of mouse MAB B-B10
 PT specific for IL-2 receptor useful for treating carcinoma
 PT expressing IL-2 receptor
 XX
 PS Claim 1; Page 43; 62pp; English.
 XX
 CC The sequences given in R37599-604 represent the complementarity-
 CC determining regions (CDRs) of a humanised antibody (Ab) which binds
 CC specifically to human interleukin (IL)-2 receptor (hIL2R). These

CC CDRs were derived from the murine anti-human IL-2 receptor monoclonal
 CC Ab (MAB) B-B10 (see also Q43242-43). This MAB is antagonistic to the
 CC binding of IL-2 to the IL-2 receptor on human T-cells. It also
 CC inhibits the human mixed lymphocyte reaction. The CDNA encoding the
 CC variable (V) region of the B-B10 Ab was cloned by PCR and sequenced
 CC (see also Q43226-32 and Q43233-36). A human Ab with high levels of
 CC amino acid sequence homology to the murine sequence was selected and
 CC the framework of this Ab was bound with the B-B10 V region CDR and a
 CC part of the framework to design several kinds of the humanised B-B10 V
 CC region (see also Q43244-45). The DNA sequence coding this humanised
 CC B-B10 was synthesised and a plasmid expressing humanised B-B10 was
 CC constructed.
 XX
 SQ Sequence 9 AA;

Query Match: 88.2%; Score 45; DB 14; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
 Db | | | | | | | | | |
 1 qqsgswplt 9

RESULT 3
 W76036 standard; Protein; 9 AA.
 ID W76036
 XX
 AC W76036;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-L region CDR3 protein fragment #5.
 XX

Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 LM609; inhibitor; integrin-mediated signal transduction; treatment;
 diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 macular degeneration; osteoporosis; primer; V-L region; CDR;
 complementarity determining region.

Mus sp.
 WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI; 1998-437472/37.
 DR N-PSDB; V49873.
 XX

Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 integrin - and related grafted antibodies based on murine monoclonal
 LM609, also related nucleic acid, used to treat, prevent or diagnose
 angiogenesis or restenosis

Claim 62; Page 44; 129pp; English.

W76007-W76040 are protein fragments of the grafted monoclonal antibody
 LM609 heavy and light chain variable region. LM609 and the antibody
 vitaxin bind selectively to integrin alphavbeta3 and can be used to
 inhibit binding of alphavbeta3 to a ligand and thus block
 integrin-mediated signal transduction. This is useful in the treatment,
 prevention and diagnosis of alphavbeta3-mediated disease, specifically
 angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 9 AA;

Query Match 88.2%; Score 45; DB 19; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
 |||||
 Db 1 qqsgswpqt 9

RESULT 4

R37612 R37612 standard; Protein; 107 AA.

XX AC R37612;

DT 13-OCT-1993 (first entry)

XX hIL2R Ab L chain V region..

XX Complementarity-determining region; CDR; humanised; antibody; hIL2R;
 KW human; interleukin; IL-2; receptor; murine; anti-human; Ab; T-cell;
 KW monoclonal antibody; B-B10; mixed lymphocyte reaction; variable; V;
 KW region; PCR; framework; plasmid; heavy; H; light; L.

XX Mus musculus/Homo sapiens.

XX WO9311238-A.

XX 10-JUN-1993.

XX 03-DEC-1992; 92WO-JP01583.

XX 06-DEC-1991; 91JP-0323319.

XX (BIOT) BIOTEST PHARMA GMBH.

XX (INNO-) INNOTHERAPIE LAB.

XX (SUMU) SUMITOMO PHARM CO LTD.

XX Gomi H, Nakatani T, Noguchi H, Wijdenes J;

XX WPI: 1993-197057/24.

XX N-PSDB; Q43245.

XX Humanised antibody comprising - CDR region of mouse MAB B-B10
 PT specific for IL-2 receptor useful for treating carcinoma
 PT expressing IL-2 receptor

XX Claim 2; Fig 5; 62pp; English.

XX The sequences given in R37611-12 represent the heavy (H) and light (L)
 CC chain variable (V) regions of a humanised antibody (Ab) which binds
 CC specifically to human interleukin (IL)-2 receptor (hIL2R). The
 CC complementarity-determining regions (CDRs) of these V regions were
 CC derived from the murine anti-human IL-2 receptor monoclonal Ab (MAB)
 CC B-B10 (see also R37599-04). This MAB is antagonistic to the binding
 CC of IL-2 to the IL-2 receptor on human T-cells. It also inhibits
 CC the human mixed lymphocyte reaction. The cDNA encoding the variable
 CC (V) region of the B-B10 Ab was cloned by PCR and sequenced (see also
 CC Q43226-32 and Q43233-36). A human Ab with high levels of amino acid
 CC sequence homology to the murine sequence was selected and the
 CC framework of this Ab was bound with the B-B10 V region CDR and a
 CC part of the framework to design several kinds of the humanised B-B10
 CC V region. The DNA sequence coding this humanised B-B10 was
 CC synthesised and a plasmid expressing humanised B-B10 was constructed.

XX SQ Sequence 107 AA;

Query Match 88.2%; Score 45; DB 14; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.35;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
 |||||
 Db 89 qqssswplt 97

RESULT 5

R37610 R37610 standard; Protein; 107 AA.

XX AC R37610;

DT 13-OCT-1993 (first entry)

XX B-B10 MAb L chain V region.

XX Complementarity-determining region; CDR; humanised; antibody; hIL2R;
 KW human; interleukin; IL-2; receptor; murine; anti-human; Ab; T-cell;
 KW monoclonal antibody; B-B10; mixed lymphocyte reaction; variable; V;
 KW region; PCR; framework; plasmid; heavy; H; light; L.

XX Mus musculus.

XX WO9311238-A.

XX 10-JUN-1993.

XX 03-DEC-1992; 92WO-JP01583.

XX 06-DEC-1991; 91JP-0323319.

XX (BIOT) BIOTEST PHARMA GMBH.

XX (INNO-) INNOTHERAPIE LAB.

XX (SUMU) SUMITOMO PHARM CO LTD.

XX Gomi H, Nakatani T, Noguchi H, Wijdenes J;

XX WPI: 1993-197057/24.

XX N-PSDB; Q43243.

XX Humanised antibody comprising - CDR region of mouse MAB B-B10
 PT specific for IL-2 receptor useful for treating carcinoma
 PT expressing IL-2 receptor

XX Disclosure; Fig 2; 62pp; English.

XX The sequences given in R37609-10 represent the heavy (H) and light (L)
 CC chain variable (V) regions of the murine anti-human IL-2 receptor
 CC monoclonal antibody (MAB) B-B10, respectively. This MAB was used in
 CC the construction of a humanised antibody (Ab) which binds specifically
 CC to human interleukin (IL)-2 receptor (hIL2R). The complementarity
 CC determining regions (CDRs) for the hIL2R MAB were derived from B-B10
 CC (see also R37599-04). The hIL2R MAB is antagonistic to the binding
 CC of IL-2 to the IL-2 receptor on human T-cells. It also inhibits
 CC the human mixed lymphocyte reaction. The cDNA encoding the variable
 CC (V) region of the B-B10 Ab was cloned by PCR and sequenced (see also
 CC Q43226-32 and Q43233-36). A human Ab with high levels of amino acid
 CC sequence homology to the murine sequence was selected and the
 CC framework of this Ab was bound with the B-B10 V region CDR and a
 CC part of the framework to design several kinds of the humanised B-B10
 CC V region. The DNA sequence coding this humanised B-B10 was
 CC synthesised and a plasmid expressing humanised B-B10 was constructed.

XX SQ Sequence 107 AA;

Query Match 88.2%; Score 45; DB 14; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.35;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
 III IIIII
 Db 89 qqsswpl 97

RESULT 6
 ID W76013 standard; Protein; 9 AA.
 XX AC W76013;
 XX DT 02-NOV-1998 (first entry)
 XX DE LM609 grafted antibody V-L region CDR3 protein fragment #1.
 XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.
 XX OS Mus sp.
 XX PN W09833919-A2.
 XX PD 06-AUG-1998.
 XX PF 30-JAN-1998; 98WO-US01826.
 XX PR 30-JAN-1997; 97US-0791391.
 XX PA (IXSY-) IXSYS INC.
 XX PI Glaser SM, Huse WD;
 XX DR WPI; 1998-437472/37.
 XX DR N-PSDB; V49850.
 XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX PS Disclosure; Page 40; 129pp; English.

XX CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX SQ Sequence 9 AA;

Query Match 86.3%; Score 44; DB 19; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
 IIIII I
 Db 1 qqsgswpl 9

RESULT 7
 W76006

ID W76006 standard; Protein; 107 AA.
 XX AC W76006;
 XX DT 02-NOV-1998 (first entry)
 XX DE LM609 grafted antibody light chain variable region protein fragment.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX OS Mus sp.

XX FT Key Location/Qualifiers
 FT Misc-difference 49
 FT /label= Arg, Met
 XX PN W09833919-A2.
 XX PD 06-AUG-1998.
 XX PF 30-JAN-1998; 98WO-US01826.
 XX PR 30-JAN-1997; 97US-0791391.
 XX PA (IXSY-) IXSYS INC.
 XX PI Glaser SM, Huse WD;
 XX DR WPI; 1998-437472/37.
 XX DR N-PSDB; V49843.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX PS Claim 19; Fig 7; 129pp; English.

XX CC This sequence represents a LM609 grafted antibody variable light chain
 CC region. LM609 and the antibody vitaxin bind selectively to integrin
 CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a ligand
 CC and thus block integrin-mediated signal transduction. This is useful in
 CC the treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX SQ Sequence 107 AA;

Query Match 86.3%; Score 44; DB 19; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.52;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
 IIIII I
 Db 89 qqsgswpl 97

RESULT 8
 W76002
 ID W76002 standard; Protein; 107 AA.

KW	diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW	neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX	macular degeneration; osteoporosis.
OS	Mus sp.
XX	WO9833919-A2.
PN	06-AUG-1998.
XX	30-JAN-1998; 98WO-US01826.
PF	30-JAN-1997; 97US-0791391.
XX	(IXSY-) IXSYS INC.
XX	Glaser SM, Huse WD;
PI	WPI: 1998-437472/37.
DR	N-PSDB; W76004.
XX	Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT	integrin - and related grafted antibodies based on murine monoclonal
PT	LM609, also related nucleic acid, used to treat, prevent or diagnose
PT	angiogenesis or restenosis
XX	Claim 46; Fig 2b; 129pp; English.
XX	This sequence represents the LM609 antibody variable light chain region.
CC	LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
CC	and can be used to inhibit binding of alphavbeta3 to a ligand and thus
CC	block integrin-mediated signal transduction. This is useful in the
CC	treatment, prevention and diagnosis of alphavbeta3-mediated disease,
CC	specifically angiogenesis and restenosis (but also e.g. (non-)immune
CC	inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
CC	psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
CC	etc.). The antibodies contain non-murine framework regions so are
CC	suitable for use in humans. Enhanced types of LM609 have affinity more
CC	than 90 times greater than that of parent the parent antibody.
XX	Sequence 107 AA;
SQ	
Query Match	86.3%; Score 44; DB 19; Length 107;
Best Local Similarity	88.9%; Pred. No. 0.52;
Matches	8; Conservative 0; Mismatches 1; Indels 0; Gaps
Qy	1 QQSGSWPLT 9
Db	89 qqsgswpht 97
RESULT 10	
Y32405	
ID	Y32405 standard; Protein; 127 AA.
XX	Y32405;
XX	13-MAR-2000 (first entry)
DT	
XX	Mouse anti-verotoxin II antibody VTml-1 light chain variable region.
DE	
XX	Verotoxin II; VT2; shiga-like toxin; VTml-1; MuVTml-1;
KW	monoclonal antibody; light chain; mouse; humanised antibody;
KW	Escherichia coli; VPEC; infection; haemolytic uraemic syndrome;
KW	HUS; therapy.
XX	Mus musculus.
OS	
XX	Key Location/Qualifiers
FT	Peptide 1..20
FT	/note= "signal peptide"
FT	Protein 21..127

FT FT /note= "mature protein"
 FT FT 44..54
 FT FT /note= "complementarity determining region 1"
 FT FT 70..76
 FT FT /note= "complementarity determining region 2"
 FT FT 109..117
 FT FT /note= "complementarity determining region 3"
 FT FT 62
 FT FT /note= "encoded by GAG"
 XX XX
 PN W09959629-A1.
 XX 25-NOV-1999.
 XX 19-MAY-1999; 99WO-US111179.
 XX 20-MAY-1998; 98US-0086570.
 XX (TEIJ) TEIJIN LTD.
 PA (PROT-) PROTEIN DESIGN LABS INC.
 XX Matsumoto Y, Imaizumi A, Kimura T, Takedo T, Co MS, Vasques M;
 XX WPI; 2000-086580/07.
 DR N-PSDB; Y35242.
 XX Humanized antibody binding to verotoxin II used for treating Verotoxin
 PT producing E. coli -
 PT Claim 5; Fig 1b; 59pp; English.
 PS XX
 CC This sequence represents the light chain variable region of murine
 CC monoclonal antibody Vtm1-1 (MuVtm1-1), an antibody that specifically
 CC binds to the B subunit of verotoxin II (VT2). The invention relates
 CC to humanised antibodies against VT2 that are capable of neutralizing
 CC VT2 and/or VT2 variants. The humanised antibody is a humanized form
 CC of MuVtm1-1 comprising the complementarity determining regions of
 CC MuVtm1-1 and the heavy and light chain variable region frameworks
 CC from the human GF4 antibody heavy and light chain frameworks,
 CC provided that at least 1 position selected from L49, H29, H30, H49
 CC and H98 is occupied by the amino acid at the equivalent position of
 CC the MuVtm1-1 antibody heavy or light chain variable region framework.
 CC Such humanized antibodies (see Y32406-07) have an affinity for VT2
 CC that is 3-, 5 or 10-times that of MuVtm1-1. They are used for
 CC treating a patient suffering from, or at risk of, the toxic effects
 CC from VT2 (claimed), especially for treating verotoxin producing
 CC Escherichia coli (VTEC) infection, and haemolytic uraemic syndrome
 CC (HUS).
 XX SQ Sequence 127 AA;
 Query Match 82.4%; Score 42; DB 21; Length 127;
 Best Local Similarity 88.9%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QQSGSWPLT 9
 Db 109 qqsyswplt 117
 RESULT 11
 Y32407
 ID Y32407 standard; Protein; 127 AA.
 XX AC Y32407;
 XX AC
 XX 13-MAR-2000 (first entry)
 XX Moué-anti-verotoxin II antibody Vtm1-1 humanised VL region.
 DE Verotoxin II; VT2; shiga-like toxin; Vtm1-1; MuVtm1-1;
 KW monoclonal antibody; light chain; mouse; humanised antibody; human;
 KW

KW Escherichia coli; VTEC; infection; haemolytic uraemic syndrome;
 KW HUS; therapy.
 XX Homo sapiens.
 OS Synthetic.
 XX Key Location/Qualifiers
 FT Peptide 1..20
 FT /note= "signal peptide"
 FT Protein 21..127
 FT /note= "mature protein"
 FT 44..54
 FT /note= "complementarity determining region 1"
 FT 70..76
 FT /note= "complementarity determining region 2"
 FT 109..117
 FT /note= "complementarity determining region 3"
 XX W09959629-A1.
 PN 25-NOV-1999.
 XX 19-MAY-1999; 99WO-US111179.
 XX 20-MAY-1998; 98US-0086570.
 XX (TEIJ) TEIJIN LTD.
 PA (PROT-) PROTEIN DESIGN LABS INC.
 XX Matsumoto Y, Imaizumi A, Kimura T, Takedo T, Co MS, Vasques M;
 XX WPI; 2000-086580/07.
 DR N-PSDB; Y35244.
 XX Humanized antibody binding to verotoxin II used for treating Verotoxin
 PT producing E. coli -
 XX Claim 12; Fig 2b; 59pp; English.
 CC This sequence represents a humanised light chain variable region of
 CC murine monoclonal antibody Vtm1-1 (MuVtm1-1), an antibody that
 CC specifically binds to the B subunit of verotoxin II (VT2). The
 CC invention relates to humanised antibodies against VT2 that are capable
 CC of neutralizing VT2 and/or VT2 variants. The humanised antibody is a
 CC humanized form of MuVtm1-1 comprising the complementarity determining
 CC regions of MuVtm1-1 and the heavy and light chain variable region
 CC frameworks from the human GF4 antibody heavy and light chain
 CC frameworks, provided that at least 1 position selected from L49, H29,
 CC H30, H49 and H98 is occupied by the amino acid at the equivalent
 CC position of the MuVtm1-1 antibody heavy or light chain variable region
 CC framework. Such humanized antibodies have an affinity for VT2 that is
 CC 3-, 5 or 10-times that of MuVtm1-1. They are used for treating a
 CC patient suffering from, or at risk of, the toxic effects from VT2
 CC (claimed), especially for treating verotoxin producing Escherichia
 CC coli (VTEC) infection, and haemolytic uraemic syndrome (HUS).
 XX SQ Sequence 127 AA;
 Query Match 82.4%; Score 42; DB 21; Length 127;
 Best Local Similarity 88.9%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QQSGSWPLT 9
 Db 109 qqsyswplt 117
 RESULT 12
 W87456
 ID W87456 standard; Protein; 105 AA.
 XX AC W87456;
 AC

XX 15-MAR-1999 (first entry)
 DT Jk gene product.
 XX
 DE Humanised antibody; monoclonal antibody; MAB; antibody engineering;
 XX mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
 KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
 KW angiogenesis; diabetic retinopathy; inflammation;
 KW macular degeneration; osteoporosis; Paget's disease;
 KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy;
 KW D12H2LCREI; Jk protein.
 XX Mus sp.
 OS
 XX WO9840488-A1.
 PN 17-SEP-1998.
 PD 12-MAR-1998; 98WO-US04987.
 PF 12-MAR-1997; 97US-0039609.
 PR (SMIK) SMITHKLINE BEECHAM CORP.
 PA Johanson KO, Jonak ZL, Taylor AH;
 XX WPI; 1999-034590/03.
 DR N-PSDB; V71803.
 XX New anti alpha_v beta_3 vitronectin receptor antibodies - used for
 PT immunotherapeutic treatment of e.g. diabetic retinopathy,
 PT inflammatory disorders, atherosclerosis, restenosis, cancers or
 PT osteoporosis
 PT
 PS Example 14; Page 66; 97pp; English.
 XX This polypeptide is encoded by a Jk synthetic gene segment (see
 CC V71803). It was utilising in novel D12H2LCREI humanised light chain
 CC variable region (see W87458), which comprises a human REI framework
 CC and complementarity determining regions from the anti-human alpha-v
 CC beta-3 vitronectin receptor monoclonal antibody D12. Humanised D12
 CC antibodies can be used for passive immunotherapy of disorders
 CC mediated by the alpha-v beta-3 vitronectin receptor, e.g. restenosis
 CC and angiogenic associated diseases.
 XX
 SQ Sequence 105 AA;
 Query Match 80.4%; Score 41; DB 20; Length 105;
 Best Local Similarity 77.8%; Pred. No. 1.8;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 1 QQSGSWPLT 9
 Db III III I
 89 qqsnswpft 97
 RESULT 13
 W87458
 ID W87458 standard; Protein; 105 AA.
 XX
 AC W87458;
 XX
 DT 15-MAR-1999 (first entry)
 XX Humanised anti-alpha-v beta-3 MAB D12H2LCREI VL.
 DE
 XX Humanised antibody; monoclonal antibody; MAB; antibody engineering;
 KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
 KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
 KW angiogenesis; diabetic retinopathy; inflammation;
 KW macular degeneration; osteoporosis; Paget's disease;
 KW

KW hyperparathyroidism; hypercalcaemia; therapy; immunotherapy;
 KW D12H2LCREI.
 XX Homo sapiens.
 OS Synthetic.
 XX WO9840488-A1.
 PN 17-SEP-1998.
 PD 12-MAR-1998; 98WO-US04987.
 PF 12-MAR-1997; 97US-0039609.
 PR (SMIK) SMITHKLINE BEECHAM CORP.
 PA Johanson KO, Jonak ZL, Taylor AH;
 XX WPI; 1999-034590/03.
 DR N-PSDB; V71805.
 XX New anti alpha_v beta_3 vitronectin receptor antibodies - used for
 PT immunotherapeutic treatment of e.g. diabetic retinopathy,
 PT inflammatory disorders, atherosclerosis, restenosis, cancers or
 PT osteoporosis
 PT
 PS Example 14; Page 68-69; 97pp; English.
 XX This is the amino acid sequence of the light chain variable region
 CC (VL) of humanised anti-alpha-v beta-3 vitronectin receptor
 CC monoclonal antibody D12H2LCREI. It is based on a synthetic
 CC humanised kappa chain based on a modified human REI kappa
 CC framework and complementarity determining regions from the murine
 CC anti-human alpha-v beta-3 vitronectin receptor monoclonal antibody
 CC D12 (see W84094). Humanised antibodies of the invention can be used
 CC for passive immunotherapy of a disorder mediated by the alpha-v
 CC beta-3 receptor, e.g. cardiovascular disorders or angiogenic-
 CC related disorders, such as angiogenesis associated with diabetic
 CC retinopathy, atherosclerosis and restenosis, chronic inflammatory
 CC disorders, macular degeneration, rheumatoid arthritis and cancer, is
 CC e.g. solid tumour metastasis, and diseases where bone resorption is
 CC associated with pathology such as osteoporosis, hyperparathyroidism,
 CC Paget's disease, hypercalcaemia of malignancy, osteolytic lesions
 CC produced by bone metastasis, bone loss due to immobilisation or sex
 CC hormone deficiency. They can also be used for targeted drug
 CC therapy, and for detection and diagnosis.
 XX
 SQ Sequence 105 AA;
 Query Match 80.4%; Score 41; DB 20; Length 105;
 Best Local Similarity 77.8%; Pred. No. 1.8;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 1 QQSGSWPLT 9
 Db III III I
 89 qqsnswpft 97
 RESULT 14
 W84098
 ID W84098 standard; Protein; 107 AA.
 XX
 AC W84098;
 XX
 DT 15-MAR-1999 (first entry)
 XX Humanised anti-alpha-v beta-3 MAB D12H2HC 1-0 VL.
 DE
 XX Humanised antibody; monoclonal antibody; MAB; antibody engineering;
 KW mouse; human; vitronectin; alpha-v beta-3; receptor; restenosis;
 KW cancer; metastasis; rheumatoid arthritis; atherosclerosis;
 KW angiogenesis; diabetic retinopathy; inflammation;
 KW

Query Match 80.4%; Score 41; DB 20; Length 108;
Best Local Similarity 77.8%; Pred. No. 1.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPLT 9
 | | | | | | |
Db 89 qqsnswpft 97

Search completed: March 28, 2001, 06:59:53
Job time: 1389 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:58 ; Search time 113.49 Seconds
(without alignments)
1.424 Million cell updates/sec

Title: US-09-016-061-90
Perfect score: 51
Sequence: 1 QOQSGSWPLT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued Patents_AA: *
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	45	88.2	9	2	US-08-232-081B-6
2	45	88.2	103	1	US-08-436-463-21
3	45	88.2	107	2	US-08-232-081B-9
4	45	88.2	107	2	US-08-232-081B-40
5	45	88.2	127	1	US-08-436-463-18
6	40	78.4	107	1	US-08-436-463-20
7	40	78.4	107	1	US-08-107-669D-1
8	40	78.4	107	1	US-08-472-788A-1
9	40	78.4	107	2	US-08-477-531B-1
10	40	78.4	107	2	US-08-082-842A-1
11	40	78.4	109	1	US-07-942-245-4
12	40	78.4	143	2	US-08-653-402B-8
13	39	76.5	9	2	US-08-476-176B-55
14	39	76.5	9	3	US-08-127-721A-55
15	39	76.5	9	3	US-08-485-246A-55
16	39	76.5	13	1	US-08-221-580-7
17	39	76.5	13	4	PCT-US95-04018-69
18	39	76.5	106	3	US-08-800-198-4
19	39	76.5	106	3	US-09-296-595-4
20	39	76.5	107	1	US-08-192-102-3
21	39	76.5	107	1	US-08-324-799-3
22	39	76.5	107	2	US-08-192-861A-3
23	39	76.5	107	2	US-08-476-176B-4
24	39	76.5	107	3	US-08-127-721A-4
25	39	76.5	107	3	US-08-485-246A-4
26	39	76.5	127	2	US-08-476-176B-6
27	39	76.5	127	2	US-08-476-176B-8
28	39	76.5	127	2	US-08-476-176B-10

29	39	76.5	127	3	US-08-127-721A-6	Sequence 6, Appli
30	39	76.5	127	3	US-08-127-721A-8	Sequence 8, Appli
31	39	76.5	127	3	US-08-127-721A-10	Sequence 10, Appl
32	39	76.5	127	3	US-08-485-246A-6	Sequence 6, Appli
33	39	76.5	127	3	US-08-485-246A-8	Sequence 8, Appli
34	39	76.5	127	3	US-08-485-246A-10	Sequence 10, Appl
35	39	76.5	240	2	US-08-800-198-8	Sequence 8, Appli
36	39	76.5	240	3	US-09-296-595-8	Sequence 8, Appli
37	38	74.5	100	1	US-08-436-463-19	Sequence 19, Appl
38	38	74.5	107	1	US-07-634-278-62	Sequence 62, Appl
39	38	74.5	107	1	US-07-634-278-63	Sequence 63, Appl
40	38	74.5	107	1	US-07-634-278-87	Sequence 87, Appl
41	38	74.5	107	1	US-08-477-728-62	Sequence 62, Appl
42	38	74.5	107	1	US-08-477-728-63	Sequence 63, Appl
43	38	74.5	107	1	US-08-477-728-87	Sequence 87, Appl
44	38	74.5	107	1	US-08-474-040-62	Sequence 62, Appl
45	38	74.5	107	1	US-08-474-040-63	Sequence 63, Appl

ALIGNMENTS

RESULT 1
US-08-232-081B-6
; Sequence 6, Application US/08232081B
; Patent No. 5886152
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, TOMOYUKI
; APPLICANT: GOMI, HIDEYUKI
; APPLICANT: WIJDENES, JOHN
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 42
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH AND BIRCH
; STREET: PO BOX 747
; CITY: FALLS CHURCH
; STATE: VA
; COUNTRY: USA
; ZIP: 22040-0747
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081B
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, LEONARD R
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-232-081B-6

Query Match 88.2%; Score 45; DB 2; Length 9;
Best Local Similarity 88.9%; Pred No. 1.3e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 QOQSGSWPLT 9
Db 1 QOQSSWPLT 9

RESULT 2
US-08-436-463-21
; Sequence 21, Application US/08436463
; Patent No. 5760185
; GENERAL INFORMATION:
; APPLICANT: KIMACHI, Kazuhiko
; APPLICANT: MAEDA, Hiroaki
; APPLICANT: NISHIYAMA, Kiyoto
; APPLICANT: TOKIYOSHI, Sachio
; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
; TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BROWDY AND NETMARK, P.L.L.C.
; STREET: 419 Seventh Street, N.W., Suite 400
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/436,463
; FILING DATE: 26-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 341255/1992
; FILING DATE: 28-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: YUN, Allen C.
; REGISTRATION NUMBER: 37,971
; REFERENCE/DOCKET NUMBER: KIMACHI-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-628-5197
; TELEFAX: 202-737-3528
; INFORMATION FOR SEQ ID NO: 21:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 103 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-436-463-21

Query Match 88.2%; Score 45; DB 1; Length 103;
Best Local Similarity 88.9%; Pred. No. 0.37;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 QQSGSWPLT 9
Db 86 QQSNWPLT 94

RESULT 3
US-08-232-081B-9
; Sequence 9, Application US/08232081B
; Patent No. 5886152
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, TOMOYUKI
; APPLICANT: GOMI, HIDEYUKI
; APPLICANT: WIJDENES, JOHN
; APPLICANT: NOGUCHI, HIROSHI
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 42
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH AND BIRCH
; STREET: PO BOX 747

; CITY: FALLS CHURCH
; STATE: VA
; COUNTRY: USA
; ZIP: 22040-0747
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081B
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, LEONARD R
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-232-081B-9

Query Match 88.2%; Score 45; DB 2; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.38;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 QQSGSWPLT 9
Db 89 QQSSWPLT 97

RESULT 4
US-08-232-081B-40
; Sequence 40, Application US/08232081B
; Patent No. 5886152
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, TOMOYUKI
; APPLICANT: GOMI, HIDEYUKI
; APPLICANT: WIJDENES, JOHN
; APPLICANT: NOGUCHI, HIROSHI
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 42
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH AND BIRCH
; STREET: PO BOX 747
; CITY: FALLS CHURCH
; STATE: VA
; COUNTRY: USA
; ZIP: 22040-0747
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081B
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, LEONARD R
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050

INFORMATION FOR SEQ ID NO: 40:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-232-081B-40

Query Match 88.2%; Score 45; DB 2; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.38;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
Db 89 QQSSSWPLT 97

RESULT 5
US-08-436-463-18
; Sequence 18, Application US/08436463
; Patent No. 5760185
; GENERAL INFORMATION:
; APPLICANT: KIMACHI, Kazuhiko
; APPLICANT: MAEDA, Hiroaki
; APPLICANT: NISHIYAMA, Kiyoto
; APPLICANT: TOKIYOSHI, Sachio
; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
; TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
; STREET: 419 Seventh Street, N.W., Suite 400
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/436.463
; FILING DATE: 26-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
; STREET: 419 Seventh Street, N.W., Suite 400
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/436.463
; FILING DATE: 26-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 341255/1992
; FILING DATE: 28-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: YUN, Allen C.
; REGISTRATION NUMBER: 37,971
; REFERENCE/DOCKET NUMBER: KIMACHI-1
; TELEPHONE: 202-628-5197
; TELEFAX: 202-737-3528
; INFORMATION FOR SEQ ID NO: 18:
SEQUENCE CHARACTERISTICS:
LENGTH: 127 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-436-463-18

Query Match 88.2%; Score 45; DB 1; Length 127;
Best Local Similarity 88.9%; Pred. No. 0.46;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
Db 109 QQSNWPLT 117

RESULT 6
US-08-436-463-20
; Sequence 20, Application US/08436463
; Patent No. 5760185
; GENERAL INFORMATION:
; APPLICANT: KIMACHI, Kazuhiko
; APPLICANT: MAEDA, Hiroaki
; APPLICANT: NISHIYAMA, Kiyoto
; APPLICANT: TOKIYOSHI, Sachio
; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT
; TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY
; NUMBER OF SEQUENCES: 21
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.
; STREET: 419 Seventh Street, N.W., Suite 400
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/436.463
; FILING DATE: 26-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 341255/1992
; FILING DATE: 28-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: YUN, Allen C.
; REGISTRATION NUMBER: 37,971
; REFERENCE/DOCKET NUMBER: KIMACHI-1
; TELEPHONE: 202-628-5197
; TELEFAX: 202-737-3528
; INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-436-463-20

Query Match 78.4%; Score 40; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
Db 89 QQSNWPLT 97

RESULT 7
US-08-107-669D-1
; Sequence 1, Application US/08107669D
; Patent No. 5766886
; GENERAL INFORMATION:
; APPLICANT: Studnicka, Gary M.
; TITLE OF INVENTION: Modified Antibody Variable Domains (as amended)
; NUMBER OF SEQUENCES: 67
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: United States of America

```
;
;
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/107,669D
; FILING DATE: 13-AUG-1993
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/10906
; FILING DATE: 14-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/808,464
; FILING DATE: 13-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Michele A. Cimbala
; REGISTRATION NUMBER: 33,851
; REFERENCE/DOCKET NUMBER: 0610.1000001/MAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202/371-2600
; TELEFAX: 202/371-2540
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-107-669D-1.

Query Match 78.4%; Score 40; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
Db 89 QQSNWPYT 97

RESULT 8
US-08-472-788A-1
; Sequence 1, Application US/08472788A
; Patent No. 5770196
; GENERAL INFORMATION:
; APPLICANT: Studnicka, Gary M.
; TITLE OF INVENTION: Modified Antibody Variable Domains
; NUMBER OF SEQUENCES: 89
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/472,788A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/082,842
; FILING DATE: 23-JUN-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/10906
; FILING DATE: 14-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/808,464
```

```
;
;
; FILING DATE: 13-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Cimbala, Michele A.
; REGISTRATION NUMBER: 33,851
; REFERENCE/DOCKET NUMBER: 0610.1000003
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202/371-2600
; TELEFAX: 202/371-2540
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-472-788A-1

Query Match 78.4%; Score 40; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
Db 89 QQSNWPYT 97

RESULT 9
US-08-477-531B-1
; Sequence 1, Application US/08477531B
; Patent No. 5821123
; GENERAL INFORMATION:
; APPLICANT: Studnicka, Gary M.
; TITLE OF INVENTION: Modified Antibody Variable Domains (as amended)
; NUMBER OF SEQUENCES: 67
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: United States of America
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,531B
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 436
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/107,669
; FILING DATE: 13-AUG-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/10906
; FILING DATE: 14-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/808,464
; FILING DATE: 13-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Michele A. Cimbala
; REGISTRATION NUMBER: 33,851
; REFERENCE/DOCKET NUMBER: 0610.1000004/MAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202/371-2600
; TELEFAX: 202/371-2540
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
```

US-08-477-531B-1

Query Match 78.4%; Score 40; DB 2; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
||| ||| |

Db 89 QQSNWPYT 97

RESULT 10

US-08-082-842A-1
; Sequence 1, Application US/08082842A
; Patent No. 5869619
; GENERAL INFORMATION:
; APPLICANT: Studnicka, Gary M.
; TITLE OF INVENTION: Modified Antibody Variable Domains
; NUMBER OF SEQUENCES: 89
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein and Fox P.L.L.C.
; STREET: 1100 New York Ave., N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/082,842A
; FILING DATE: 23-JUN-1993
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/10906
; FILING DATE: 14-DEC-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/808,464
; FILING DATE: 13-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Gimballa, Michele A.
; REGISTRATION NUMBER: 33,851
; REFERENCE/DOCKET NUMBER: 0610.1000002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202/371-2600
; TELEFAX: 202/371-2540
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein

Query Match 78.4%; Score 40; DB 2; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
||| ||| |

Db 89 QQSNWPYT 97

RESULT 11

US-07-942-245-4
; Sequence 4, Application US/07942245
; Patent No. 5639641
; GENERAL INFORMATION:

; APPLICANT: PEDERSEN, Jan T.
; APPLICANT: SEARLE, Stephen M.J.
; APPLICANT: REES, Anthony R.
; APPLICANT: ROGUSKA, Michael A.
; APPLICANT: GUILD, Braydon C.
; TITLE OF INVENTION: SURFACE RESIDUE VENEERING OF RODENT
; NUMBER OF SEQUENCES: 522
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sughrue, Mion, Zinn, Macpeak & Seas
; STREET: 2100 Pennsylvania Avenue, N.W.
; CITY: Washington
; STATE: D.C.
; COUNTRY: United States
; ZIP: 20037-3202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: HP 9000/700 Workstation
; OPERATING SYSTEM: UNIX
; SOFTWARE: In house
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/942,245
; FILING DATE: 09-SEP-1992
; CLASSIFICATION: 530
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 293-7060
; TELEFAX: (202) 293-7860
; TELEX: 6491103
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 109 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide

US-07-942-245-4

Query Match 78.4%; Score 40; DB 1; Length 109;
Best Local Similarity 77.8%; Pred. No. 2.8;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
||| ||| |

Db 89 QQSNWPYT 97

RESULT 12

US-08-653-402B-8
; Sequence 8, Application US/08653402B
; Patent No. 5969107
; GENERAL INFORMATION:

; APPLICANT: CARCELLER, Ana
; APPLICANT: ROSELL, Elisabeth
; APPLICANT: GOMEZ, Alicia
; APPLICANT: ADEN, Jaume
; APPLICANT: PIULATS, Jaume
; TITLE OF INVENTION: Anti-idiotypic antibodies which induce an
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
; STREET: 2200 Clarendon Boulevard, Suite 1400
; CITY: Arlington
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/653,402B

; FILING DATE: 24-MAY-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95107967.2
; FILING DATE: 26-MAY-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lebovitz, Richard M.
; REGISTRATION NUMBER: 37,067
; REFERENCE/DOCKET NUMBER: MERCK 1781
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-243-6333
; TELEFAX: 703-243-6410
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 143 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-653-402B-8

Query Match 78.4%; Score 40; DB 2; Length 143;
Best Local Similarity 77.8%; Pred. No. 3.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
||| ||| |
Db 109 QQSNWPT 117

RESULT 13
US-08-476-176B-55
; Sequence 55, Application US/08476176B
; Patent No. 5958708
; GENERAL INFORMATION:
; APPLICANT: Hardman, No. 5958708man
; APPLICANT: Kolbinger, Frank
; APPLICANT: Saldanha, Jose
; TITLE OF INVENTION: Reshaped monoclonal antibodies against an
; TITLE OF INVENTION: immunoglobulin isotype
; NUMBER OF SEQUENCES: 55
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 5958708artis Patent Department
; STREET: 59 Route 10
; CITY: East Hanover
; STATE: New Jersey
; COUNTRY: USA
; ZIP: 07936-1080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/476,176B
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/127,721
; FILING DATE: 27-SEPTEMBER-1993
; APPLICATION NUMBER: US 07/952,802
; FILING DATE: 25-SEPTEMBER-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: No. 5958708ak, Henry P.
; REGISTRATION NUMBER: 33,200
; REFERENCE/DOCKET NUMBER: 4-19276/A/P2/CIP
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (908) 277-5110
; TELEFAX: (908) 277-4306
; INFORMATION FOR SEQ ID NO: 55:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid

; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-476-176B-55

Query Match 76.5%; Score 39; DB 2; Length 9;
Best Local Similarity 77.8%; Pred. No. 1.3e+05;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
||| ||| |
Db 1 QQSDSWPTT 9

RESULT 14
US-08-127-721A-55
; Sequence 55, Application US/08127721A
; Patent No. 6066718
; GENERAL INFORMATION:
; APPLICANT: Hardman, No. 6066718man
; APPLICANT: Kolbinger, Frank
; APPLICANT: Saldanha, Jose
; TITLE OF INVENTION: Reshaped monoclonal antibodies against an
; TITLE OF INVENTION: immunoglobulin isotype
; NUMBER OF SEQUENCES: 55
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 6066718artis Patent and Trademark Department
; STREET: 59 Route 10
; CITY: East Hanover
; STATE: New Jersey
; COUNTRY: USA
; ZIP: 07936-1080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/127,721A
; FILING DATE: 27-SEPTEMBER-1993
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/952,802
; FILING DATE: 25-SEPTEMBER-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: No. 6066718ak, Henry P.
; REGISTRATION NUMBER: 33,200
; REFERENCE/DOCKET NUMBER: 4-19276/A/P2/CIP
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (908) 277-5110
; TELEFAX: (908) 277-4306
; INFORMATION FOR SEQ ID NO: 55:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-127-721A-55

Query Match 76.5%; Score 39; DB 3; Length 9;
Best Local Similarity 77.8%; Pred. No. 1.3e+05;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPLT 9
||| ||| |
Db 1 QQSDSWPTT 9

RESULT 15
US-08-485-246A-55
; Sequence 55, Application US/08485246A
; Patent No. 6072035

GENERAL INFORMATION:
APPLICANT: Hardman, No. 6072035man
APPLICANT: Kolbinger, Frank
APPLICANT: Saldanha, Jose
TITLE OF INVENTION: Reshaped monoclonal antibodies against an
TITLE OF INVENTION: immunoglobulin isotype
NUMBER OF SEQUENCES: 55
CORRESPONDENCE ADDRESS:
ADDRESSEE: No. 6072035artis Patent Department
STREET: 59 Route 10
CITY: East Hanover
STATE: New Jersey
COUNTRY: USA
ZIP: 07936-1080
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/485.246A
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/127.721
FILING DATE: 27-SEPTEMBER-1993
APPLICATION NUMBER: US 07/952.802
FILING DATE: 25-SEPTEMBER-1992
ATTORNEY/AGENT INFORMATION:
NAME: No. 6072035ak, Henry P.
REGISTRATION NUMBER: 33,200
REFERENCE/DOCKET NUMBER: 4-19276/A/P2/CIP
TELECOMMUNICATION INFORMATION:
TELEPHONE: (908) 277-5110
TELEFAX: (908) 277-4306
INFORMATION FOR SEQ ID NO: 55:
SEQUENCE CHARACTERISTICS:
LENGTH: 9 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-485-246A-55

Query Match 76.5%; Score 39; DB 3; Length 9;
Best Local Similarity 77.8%; Pred. No. 1.3e+05;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
Oy 1 QOQSGSWPLT 9
| | | | |
Db 1 QOQSDSWPTT 9

Search completed: March 28, 2001, 07:01:58
Job time: 1337 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:32 ; Search time 130.08 Seconds
(without alignments)
4.698 Million cell updates/sec

Title: US-09-016-061-92

Perfect score: 52

Sequence: 1 QQSGSWPQT 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	46	88.5	67	2 PH1081	Ig light chain V r
2	46	88.5	69	2 PH1080	Ig light chain V r
3	41	78.8	107	2 A45722	anti-glycoprotein
4	41	78.8	123	2 S35479	Ig kappa chain pre
5	40	76.9	106	2 P10267	Ig kappa chain V r
6	39	75.0	104	2 B43413	Ig kappa chain V r
7	39	75.0	108	2 C30502	Ig kappa chain V r
8	39	75.0	138	2 A26471	Ig kappa chain pre
9	38	73.1	107	2 B45722	anti-glycoprotein
10	38	73.1	553	2 T15220	hypothetical prote
11	37	71.2	102	2 S26346	Ig kappa chain V r
12	37	71.2	128	2 PNO445	Ig kappa chain pre
13	36	69.2	87	2 PH1082	Ig light chain V r
14	36	69.2	115	2 KVMSL7	Ig kappa chain pre
15	36	69.2	154	2 T17816	hypothetical prote
16	36	69.2	331	2 T48867	hypothetical prote
17	36	69.2	1456	1 WMMGPV	RNA-directed RNA p
18	36	69.2	1456	2 J02294	hypothetical 165.1
19	36	69.2	1456	2 S14005	hypothetical prote
20	35	67.3	365	1 SAVLWE	large surface anti
21	35	67.3	366	1 SAVLBD	large surface anti
22	35	67.3	366	1 SAVLWD	large surface anti
23	35	67.3	366	2 A37374	Fc gamma (IgG) rec
24	35	67.3	470	1 W2BEA4	transcription acti
25	35	67.3	470	1 B42746	transcription acti
26	35	67.3	618	2 T49177	hypothetical prote
27	35	67.3	753	2 JC2099	glutenin, high mol
28	35	67.3	789	2 A30843	glutenin high mole
29	35	67.3	791	2 JN0690	glutenin, high-mol

30 35 67.3 815 2 B30843 glutenin high mole
31 35 67.3 815 2 JN0689 glutenin, high-mol
32 35 67.3 830 2 S15720 glutenin high mole
33 34 65.4 96 2 JC5945 regulatory protein
34 34 65.4 106 2 PC4282 Ig kappa chain (an
35 34 65.4 107 2 C45722 anti-glycoprotein
36 34 65.4 146 2 G65008 anti-glycoprotein
37 34 65.4 179 1 XXECPL ribosomal-protein-
38 34 65.4 199 2 B49055 major histocompati
39 34 65.4 215 2 T16383 hypothetical prote
40 34 65.4 219 2 H75621 GGNF family prote
41 34 65.4 231 1 HLCBBL class II histocomp
42 34 65.4 250 2 B83008 histidine utilizat
43 34 65.4 259 2 G75400 probable oxidoredu
44 34 65.4 263 2 A23659 spectrin beta chai
45 34 65.4 295 2 S77308 hypothetical prote

ALIGNMENTS

RESULT 1
PH1081
Ig light chain V region (clone 165.6) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
C:Accession: PH1081
R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IGM and Igg anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PH1081
A:Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-67 <TIL>
A:Experimental source: B cell, strain [NZB x NZW]F1
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin

Query Match 88.5%; Score 46; DB 2; Length 67;
Best Local Similarity 88.9%; Pred. No. 0.15;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
Db 58 QQSNWPQT 66
III IIIII

RESULT 2
PH1080
Ig light chain V region (clone 165.60) - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 15-Jun-1996
C:Accession: PH1080
R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marion, T.N.
J. Exp. Med. 176, 761-779, 1992
A:Title: Both IGM and Igg anti-DNA antibodies are the products of clonally selective
A:Reference number: PH0971; MUID:92381444
A:Accession: PH1080
A:Status: nucleic acid sequence not shown
A:Molecule type: mRNA
A:Residues: 1-69 <TIL>
A:Experimental source: B cell, strain [NZB x NZW]F1
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: immunoglobulin

Query Match 88.5%; Score 46; DB 2; Length 69;
Best Local Similarity 88.9%; Pred. No. 0.15;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9

Db 60 QQSGSWPQT 68
 ||| |||||

RESULT 3

A45722
 anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 5) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C>Date: 03-Mar-1994 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
 C:Accession: A45722
 R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Vasquez, J.; Virol, G.F., 489-496, 1993
 A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on human glycoprotein H
 A:Reference number: A45722; MUID:93100833
 A:Accession: A45722
 A:Status: preliminary; not compared with conceptual translation
 A:Molecule type: mRNA
 A:Residues: 1-107 <SIM>
 A>Note: sequence extracted from NCBI backbone (NCBIP:120589)
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: glycoprotein
 F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 78.8%; Score 41; DB 2; Length 107;
 Best Local Similarity 77.8%; Pred. No. 1.8;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 ||| |||||

RESULT 4

S35479
 Ig kappa chain precursor V region - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C>Date: 19-Mar-1997 #sequence_revision 05-Dec-1998 #text_change 21-Jan-2000
 C:Accession: S35479
 R:Takeda, Y.; Wise, K.S.; Hoffman, R.W.
 Nucleic Acids Res. 20, 4099, 1992
 A:Title: Nucleotide sequences of immunoglobulin heavy and light chain V-regions from a mouse
 A:Reference number: S35479; MUID:92375706
 A:Accession: S35479
 A:Status: nucleic acid sequence not shown
 A:Molecule type: DNA
 A:Residues: 1-123 <TAK>

A:Cross-references: EMBL:M93959; NID:g197572; PIDN:AAA39079.1; PID:g554148
 C:Genetics:
 A:Map position: 6

C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-12/Domain: signal sequence (fragment) #status predicted <SIG>
 F:13-123/Product: Ig kappa chain V region (fragment) #status predicted <MAT>
 F:28-102/Domain: immunoglobulin homology <IMM>

Query Match 78.8%; Score 41; DB 2; Length 123;
 Best Local Similarity 77.8%; Pred. No. 2.1;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 ||| |||||

RESULT 5

PL0267
 Ig kappa chain V region (anti-DNA, DPL2VK) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C>Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 21-Jan-2000
 C:Accession: PL0267
 R:Shlomchik, M.; Mascelli, M.; Shan, H.; Radic, M.Z.; Pisetsky, D.; Marshak-Rothstein, A.

J. Exp. Med. 171, 265-297, 1990
 A:Title: Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic hypermutation
 A:Reference number: PL0231; MUID:90111618
 A:Accession: PL0267
 A:Molecule type: mRNA
 A:Residues: 1-106 <SHL>
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:1-23/Region: framework 1
 F:16-90/Domain: immunoglobulin homology <IMM>
 F:24-34/Region: complementarity-determining 1
 F:35-49/Region: framework 2
 F:50-56/Region: complementarity-determining 2
 F:57-88/Region: framework 3
 F:89-97/Region: complementarity-determining 3
 F:98-106/Region: framework 4

Query Match 76.9%; Score 40; DB 2; Length 106;
 Best Local Similarity 77.8%; Pred. No. 2.6;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 ||| |||||

RESULT 6

B43413
 Ig kappa chain V region - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C>Date: 27-Apr-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
 C:Accession: B43413
 R:Tomiya, Y.; Brojer, E.; Ruggeri, Z.M.; Shattil, S.J.; Smiltneck, J.; Gorski, J.; J. Biol. Chem. 267, 18085-18092, 1992
 A:Title: A molecular model of RGD ligands. Antibody D gene segments that direct specific binding to alpha 5 beta 1 integrin
 A:Reference number: A43413; MUID:92388177
 A:Accession: B43413

A:Status: preliminary; not compared with conceptual translation
 A:Molecule type: nucleic acid
 A:Residues: 1-104 <TOM>
 A>Note: sequence extracted from NCBI backbone (NCBIP:112818)
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin
 F:13-87/Domain: immunoglobulin homology <IMM>

Query Match 75.0%; Score 39; DB 2; Length 104;
 Best Local Similarity 77.8%; Pred. No. 3.9;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 ||| |||||

RESULT 7

C30502
 Ig kappa chain V region (D444) - mouse
 C:Species: Mus musculus (house mouse)
 C>Date: 03-Nov-1988 #sequence_revision 03-Nov-1988 #text_change 21-Jan-2000
 C:Accession: C30502
 R:Eilat, D.; Webster, D.M.; Rees, A.R.
 J. Immunol. 141, 1745-1753, 1988
 A:Title: V region sequences of anti-DNA and anti-RNA autoantibodies from NZB/NZW F-1 mice
 A:Reference number: A30502; MUID:88315787
 A:Accession: C30502

A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-108 <EIL>
 A:Cross-references: GB:M21907; NID:g197071; PIDN:AAA38907.1; PID:g197072
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer; immunoglobulin

F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 75.0%; Score 39; DB 2; Length 108;
Best Local Similarity 66.7%; Pred. No. 4;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
||: |||: |
Db 89 QQTNSWPHT 97

RESULT 8
A26471
Ig kappa chain precursor V region (MAK33) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 05-Jun-1988 #sequence_revision 05-Jun-1988 #text_change 23-Jul-1999
C:Accession: A26471
R:Buckel, P.; Hubner-Parajisz, C.; Mattes, R.; Lenz, H.; Haug, H.; Beaucamp, K.
Gene 51, 13-19, 1997
A:Title: Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creatine
A:Reference number: A91572; MUID:87248058
A:Accession: A26471
A:Molecule type: mRNA
A:Residues: 1-138 <BUC>
A:Cross-references: GB:M16162; NID:gl96893; PIDN:AAA38823.1; PID:gl96894
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-20/Domain: signal sequence #status predicted <SIG>
F:21-138/Product: Ig kappa chain V region #status predicted <MAT>

Query Match 75.0%; Score 39; DB 2; Length 138;
Best Local Similarity 77.8%; Pred. No. 5.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
||| ||| |
Db 109 QOQNSWPHT 117

RESULT 9
B45722
anti-glycoprotein H monoclonal antibody light-chain variable domain (Mab 33) - mouse (fr
C:Species: Mus musculus (house mouse)
C:Date: 22-Sep-1993 #sequence_revision 18-Nov-1994 #text_change 21-Jan-2000
C:Accession: B45722
R:Simpson, J.A.; Chow, J.C.; Baker, J.; Avdalovic, N.; Yuan, S.; Au, D.; Co, M.S.; Vasqu
J. Virol. 67, 489-496, 1993
A:Title: Neutralizing monoclonal antibodies that distinguish three antigenic sites on hu
A:Reference number: A45722; MUID:93100833
A:Accession: B45722
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-107 <SIM>
A>Note: sequence extracted from NCBI backbone (NCBIP:120590)
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: glycoprotein
F:16-90/Domain: immunoglobulin homology <IMM>

Query Match 73.1%; Score 38; DB 2; Length 107;
Best Local Similarity 66.7%; Pred. No. 6;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
||: ||| |
Db 89 QQTNSWPHT 97

RESULT 10
T15220
hypothetical protein F57C9.8 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans
C:Date: 20-Sep-1999 #sequence_revision 20-Sep-1999 #text_change 20-Sep-1999
C:Accession: T15220
R:Geisel, C.; Kramer, J.; Gibson, A.
submitted to the EMBL Data Library, May 1997
A:Description: The sequence of C. elegans cosmid F57C9.
A:Reference number: Z18309
A:Accession: T15220
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-553 <GEI>
A:Cross-references: EMBL:AF003142; NID:g2088743; PID:g2088751; PIDN:AAB54191.1; GSPDB
A:Experimental source: strain Bristol N2; clone F57C9
C:Genetics:
A:Gene: CESP:F57C9.8
A:Map position: 1
A:Introns: 184/1; 233/3; 286/3; 496/1

Query Match 73.1%; Score 38; DB 2; Length 553;
Best Local Similarity 85.7%; Pred. No. 32;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOQSGSWP 7
|: ||| |
Db 373 QRSQSWP 379

RESULT 11
S26346
Ig kappa chain V region - mouse
C:Species: Mus musculus (house mouse)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
C:Accession: S26346
R:Stark, S.E.; Caton, A.J.
J. Exp. Med. 174, 613-624, 1991
A:Title: Antibodies that are specific for a single amino acid interchange in a protei
A:Reference number: S26309; MUID:91341421
A:Accession: S26346
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-102 <STA>
A:Cross-references: EMBL:X59211; NID:g52338; PIDN:CAA41921.1; PID:gl334075
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:14-88/Domain: immunoglobulin homology <IMM>

Query Match 71.2%; Score 37; DB 2; Length 102;
Best Local Similarity 66.7%; Pred. No. 8.6;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
||| ||| |
Db 87 QQSNTWPYT 95

RESULT 12
PN0445
Ig kappa chain precursor V-I region - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000
C:Accession: PN0445
R:Kaluzza, B.; Betzl, G.; Shao, H.; Diamantsein, T.; Weidle, U.H.
Gene 122, 321-328, 1992
A:Title: A general method for chimerization of monoclonal antibodies by inverse polym
A:Reference number: PN0444; MUID:93138402
A:Accession: PN0445
A:Molecule type: mRNA
A:Residues: 1-128 <KAL>
A:Cross-references: GB:L02347
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin

F:1-10/Domain: signal sequence #status predicted <SIG>
 F:11-128/Product: Ig light chain kappa-1 V region #status predicted <MAT>
 F:26-100/Domain: immunoglobulin homology <IMM>

Query Match 71.2%; Score 37; DB 2; Length 128;
 Best Local Similarity 66.7%; Pred. No. 11;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
 ||: ||| |
 Db 99 QQTNSWPTT 107

RESULT 13

PH1082
 Ig light chain V region (clone 165.54) - mouse (fragment)
 C:Species: Mus musculus (house mouse)
 C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 21-Jan-2000
 C:Accession: PH1082
 R:Tillman, D.M.; Jou, N.T.; Hill, R.J.; Marlon, T.N.
 J. Exp. Med. 176, 761-779, 1992
 A:Title: Both IgM and IgG anti-DNA antibodies are the products of clonally selective B cell clones
 A:Reference number: PH0971; MUID:92381444
 A:Accession: PH1082
 A:Status: nucleic acid sequence not shown
 A:Molecule type: mRNA
 A:Residues: 1-87 <TIL>
 A:Experimental source: B cell, strain [NZB x NZW]F1
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: immunoglobulin
 F:6-80/Domain: immunoglobulin homology <IMM>

Query Match 69.2%; Score 36; DB 2; Length 87;
 Best Local Similarity 85.7%; Pred. No. 11;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWP 7
 ||| |||
 Db 79 QQSNSWP 85

RESULT 14

KVMSL7
 Ig kappa chain precursor V region (L7) - mouse
 C:Species: Mus musculus (house mouse)
 C:Date: 18-Dec-1981 #sequence_revision 18-Dec-1981 #text_change 22-Jun-1999
 C:Accession: A01925
 R:Pech, M.; Hochtl, J.; Schnell, H.; Zachau, H.G.
 Nature 291, 668-670, 1981
 A:Title: Differences between germ-line and rearranged immunoglobulin V-kappa coding sequences
 A:Reference number: A93259; MUID:81220975
 A:Accession: A01925
 A:Molecule type: DNA
 A:Residues: 1-115 <PEC>
 A:Cross-references: GB:V01564; GB:J00574; NID:g51718; PIDN:CAR24884.1; PID:g758153
 A:Note: the sequence was determined from the germline gene
 A:Note: there appear to be two possible splice junctions at the 3' end of the intron; the
 C:Genetics:
 A:Introns: 17/1
 C:Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kappa) chain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into larger
 C:Superfamily: immunoglobulin V region; immunoglobulin homology
 C:Keywords: heterotetramer
 F:1-20/Domain: signal sequence #status predicted <SIG>
 F:21-115/Product: Ig kappa chain V region (L7) #status predicted <MAT>
 F:36-110/Domain: immunoglobulin homology <IMM>
 F:43-108/Disulfide bonds: #status predicted

Query Match 69.2%; Score 36; DB 1; Length 115;
 Best Local Similarity 85.7%; Pred. No. 14;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 QQSGSWP 7
 ||| |||
 Db 109 QQSNSWP 115

RESULT 15

TI7816
 hypothetical protein a317L - Chlorella virus PBCV-1
 C:Species: Chlorella virus PBCV-1
 C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999
 C:Accession: TI7816
 R:Graves, M.V.; Van Etten, J.L.
 submitted to the EMBL Data Library, May 1999
 A:Reference number: Z18806
 A:Accession: TI7816
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: DNA
 A:Residues: 1-154 <GRA>
 A:Cross-references: EMBL:U42580; NID:g4028896; PIDN:AAC96685.1
 A:Experimental source: specific host Chlorella strain NC64A
 C:Genetics:
 A:Note: a317L

Query Match 69.2%; Score 36; DB 2; Length 154;
 Best Local Similarity 85.7%; Pred. No. 19;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWP 7
 ||| |||
 Db 33 QTSNSWP 39

Search completed: March 28, 2001, 07:04:33
 Job time: 1071 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:14 ; Search time 72.95 Seconds
(without alignments)
3.941 Million cell updates/sec

Title: US-09-016-061-92
Perfect score: 52
Sequence: 1 QSGSWPQT 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	ID	Description
1	36	69.2	92	1 CATC_RHOOP
2	36	69.2	115	1 KV51_MOUSE
3	36	69.2	1456	1 RPO_PVX
4	36	69.2	1456	1 RPO_PVXCP
5	36	69.2	1456	1 RPO_PVXHB
6	36	69.2	1456	1 RPO_PVXX3
7	35	67.3	365	1 -VMSA_HPBDC
8	35	67.3	366	1 FCN_RAT
9	35	67.3	366	1 VMSA_HPBDB
10	35	67.3	366	1 VMSA_HPBDB
11	35	67.3	366	1 VMSA_HPBDB
12	35	67.3	470	1 IE63_HSVK
13	34	65.4	96	1 CTCL_ACILW
14	34	65.4	146	1 YFDK_ECOLI
15	34	65.4	179	1 RIML_ECOLI
16	34	65.4	231	1 HB2L_CHICK
17	34	65.4	318	1 GBLP_DROME
18	34	65.4	318	1 PEK7_MOUSE
19	34	65.4	323	1 PEK7_MOUSE
20	34	65.4	491	1 TTR_CRIFA
21	34	65.4	492	1 TTR_TRYBB
22	34	65.4	492	1 TTR_TRYCO
23	34	65.4	745	1 CUL2_HUMAN
24	34	65.4	1335	1 RPO_FXMV
25	33	63.5	353	1 LEU3_BACFR
26	33	63.5	360	1 V647_BPMU
27	33	63.5	436	1 VU10_HSV6U
28	33	63.5	443	1 XJJJ_ECOLI
29	33	63.5	468	1 NIFB_KLEPN
30	33	63.5	528	1 HEXA_MOUSE
31	33	63.5	529	1 HEXA_HUMAN
32	33	63.5	658	1 EGIN_HUMAN
33	33	63.5	855	1 ENV_FIVT2

34	33	63.5	1435	1 NOS1_RABIT	O19132 oryctolagus
35	33	63.5	3329	1 BRC2_MOUSE	P97929 mus musculus
36	33	63.5	3418	1 BRC2_HUMAN	P51587 homo sapien
37	32	61.5	109	1 KV3B_HUMAN	P01620 homo sapien
38	32	61.5	169	1 GSPH_ECOLI	P41443 escherichia
39	32	61.5	276	1 RCEL_RHOP	O83005 rhodopsin
40	32	61.5	336	1 CH12_ORYSA	P25765 oryza sativ
41	32	61.5	365	1 FCGN_MOUSE	O61559 mus musculus
42	32	61.5	402	1 OPDE_PSEAE	Q01602 pseudomonas
43	32	61.5	473	1 XLA_CLOSR	P48790 clostridium
44	32	61.5	492	1 TYTR_TRYCR	P28593 trypanosoma
45	32	61.5	510	1 NOAL_HUMAN	P51513 homo sapien

ALIGNMENTS

RESULT 1					
CATC_RHOOP					
ID	CATC_RHOOP	STANDARD;	PRT;	92 AA.	
AC	P95609;				
DT	15-JUL-1999 (Rel. 38, Created)				
DT	15-JUL-1999 (Rel. 38, Last sequence update)				
DT	15-JUL-1999 (Rel. 38, Last annotation update)				
DE	MUCONOLACTONE DELTA-ISOMERASE (EC 5.3.3.4) (MIASE).				
GN	CATC.				
OS	Rhodococcus opacus.				
OC	Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;				
OC	Actinomycetales; Corynebacterineae; Nocardiaceae; Rhodococcus.				
RN	[1]				
RP	SEQUENCE FROM N.A., AND SEQUENCE OF 1-20.				
RC	STRAIN=ICP;				
RX	MEDLINE; 97114521.				
RA	Eulberg D., Golovleva L.A., Schloemann M.;				
RT	"Characterization of catechol catabolic genes from Rhodococcus				
RT	erythropolis ICP.";				
RL	J. Bacteriol. 179:370-381(1997).				
CC	-1- CATALYTIC ACTIVITY: 2,5-DIHYDRO-5-OXOFURAN-2-ACETATE =				
CC	3,4-DIHYDRO-5-OXOFURAN-2-ACETATE.				
CC	-1- PATHWAY: THIRD STEP IN THE CATABOLISM OF CATECHOL TO SUCCINATE-				
CC	AND ACETYL-COA IN THE BETA-KETOADIPIRATE PATHWAY.				
CC	-1- SUBUNIT: HOMODECAMER (BY SIMILARITY).				
CC	-----				
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration				
CC	between the Swiss Institute of Bioinformatics and the EMBL outstation -				
CC	the European Bioinformatics Institute. There are no restrictions on its				
CC	use by non-profit institutions as long as its content is in no way				
CC	modified and this statement is not removed. Usage by and for commercial				
CC	entities requires a license agreement (See http://www.isb-sib.ch/announce/				
CC	or send an email to license@isb-sib.ch).				
CC	-----				
DR	EMBL; X99622; CAA67935.1; ..				
KW	Aromatic hydrocarbons catabolism; Isomerase.				
FT	INIT_MET 0				
FT	SEQUENCE 92 AA; 10780 MW; 9CCE5A17DED4B153 CRC64;				

Query Match 69.2%; Score 36; DB 1; Length 92;
Best Local Similarity 62.5%; Pred. No. 6.1;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QSGSWPQT 8
Db 35 QSGSWPQT 42

RESULT 2					
KV51_MOUSE					
ID	KV51_MOUSE	STANDARD;	PRT;	115 AA.	
AC	P01642;				
DT	21-JUL-1986 (Rel. 01, Created)				
DT	21-JUL-1986 (Rel. 01, Last sequence update)				
DT	15-JUL-1999 (Rel. 38, Last annotation update)				

DE IG KAPPA CHAIN V-V REGION L7 PRECURSOR (FRAGMENT).
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 81220975.
 RA Pech M., Hochtl J., Schnell H., Zachau H.G.;
 RT "Differences between germ-line and rearranged immunoglobulin V kappa
 coding sequences suggest a localized mutation mechanism.";
 RL Nature 291:668-670(1981).
 CC -!- MISCELLANEOUS: THERE APPEAR TO BE TWO POSSIBLE SPLICING JUNCTIONS AT
 THE 3' END OF THE INTRON. THE ALTERNATE WOULD CODE FOR A PROTEIN
 LACKING RESIDUES 17-19.
 DR PIR: A01925; KVM5L7.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; Ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 20
 FT CHAIN 21 >115 IG KAPPA CHAIN V-V REGION L7.
 FT DOMAIN 21 43 FRAMEWORK 1.
 FT DOMAIN 44 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 69 FRAMEWORK 2.
 FT DOMAIN 70 76 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 77 108 FRAMEWORK 3.
 FT DOMAIN 109 >115 COMPLEMENTARITY-DETERMINING 3.
 FT DISULFID 43 108 BY SIMILARITY.
 FT NON_TER 115 115
 SQ SEQUENCE 115 AA; 12615 MW; C17BEC758C577E00 CRC64;

Query Match 69.2%; Score 36; DB 1; Length 115;
 Best Local Similarity 85.7%; Pred. No. 7.6;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSGSWP 7

DB 109 QOSGSWP 115

RESULT 3

RRPO_PVX ID RRPO_PVX STANDARD; PRT; 1456 AA.
 AC P09395;
 DT 01-MAR-1989 (Rel. 10, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE RNA REPLICATION PROTEIN (165 KDA PROTEIN) (ORF 1) [CONTAINS: RNA-
 DIRECTED RNA POLYMERASE (EC 2.7.7.48); PROBABLE HELICASE].
 OS Potato virus X (PVX).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89083520.
 RA Skryabin K.G., Kraev A.S., Morozov S.Y., Rozanov M.N., Chernov B.K.,
 RA Lukashova L.I., Atabekov J.G.;
 RT "The nucleotide sequence of potato virus X RNA.";
 RL Nucleic Acids Res. 16:10929-10930(1988).
 CC -!- FUNCTION: RNA-REPLICATION. THE CENTRAL PART OF THIS PROTEIN
 POSSIBLY FUNCTIONS AS A ATP-BINDING HELICASE.

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>)
 CC or send an email to license@isb-sib.ch.
 CC -----

DR EMBL; M72416; AAA47167.1; -;
 DR EMBL; X05198; CAA28826.1; -;
 DR INTERPRO: IPR000506; -;
 DR PFAM; PF01443; Viral_helicase; 1.

KW ATP-binding; Helicase; RNA replication; RNA-directed RNA polymerase;
 KW Transferase.
 FT NP_BIND 735 742 ATP (POTENTIAL).
 SQ SEQUENCE 1456 AA; 165406 MW; F09FDF47E298988C CRC64;

Query Match 69.2%; Score 36; DB 1; Length 1456;
 Best Local Similarity 62.5%; Pred. No. 86;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSGSWP 8

DB 1361 QKGSWPE 1368

RESULT 4

RRPO_PVX ID RRPO_PVX STANDARD; PRT; 1456 AA.
 AC P22591;
 DT 01-AUG-1991 (Rel. 19, Created)
 DT 01-AUG-1991 (Rel. 19, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE RNA REPLICATION PROTEIN (165 KDA PROTEIN) (ORF 1) [CONTAINS: RNA-
 DIRECTED RNA POLYMERASE (EC 2.7.7.48); PROBABLE HELICASE].
 OS Potato virus X (strain CP) (PVX).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 90364772.
 RA Orman B.E., Celnik R.M., Mandel A.M., Torres H.N., Mentaberry A.N.;
 RT "Complete cDNA sequence of a South American isolate of potato virus
 X.";
 RL Virus Res. 16:293-306(1990).
 CC -!- FUNCTION: RNA-REPLICATION. THE CENTRAL PART OF THIS PROTEIN
 POSSIBLY FUNCTIONS AS A ATP-BINDING HELICASE.

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>)
 CC or send an email to license@isb-sib.ch.
 CC -----

DR EMBL; M31541; AAA47178.1; -;
 DR EMBL; X55802; CAA39324.1; -;
 DR PIR; S14005; S14005.
 DR INTERPRO: IPR000606; -;
 DR PFAM; PF01443; Viral_helicase; 1.

KW ATP-binding; Helicase; RNA replication; RNA-directed RNA polymerase;
 KW Transferase.
 FT NP_BIND 735 742 POTENTIAL.
 SQ SEQUENCE 1456 AA; 165301 MW; 489BA57EA070BD2E CRC64;

Query Match 69.2%; Score 36; DB 1; Length 1456;
 Best Local Similarity 62.5%; Pred. No. 86;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSGSWP 8

DB 1361 QKGSWPE 1368

RESULT 5

RRPO_PVX ID RRPO_PVX STANDARD; PRT; 1456 AA.
 AC Q07630;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE RNA REPLICATION PROTEIN (165 KDA PROTEIN) (ORF 1) [CONTAINS: RNA-
 DIRECTED RNA POLYMERASE (EC 2.7.7.48); PROBABLE HELICASE].

OS Potato virus X (strain HB) (PVX).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 94015010.
 RA Querci M., van der Vlugt R., Goldbach R., Salazar L.F.;
 RT "RNA sequence of potato virus X strain HB.";
 RL J. Gen. Virol. 74:2251-2255(1993)
 CC -!- FUNCTION: RNA-REPLICATION. THE CENTRAL PART OF THIS PROTEIN
 CC POSSIBLY FUNCTIONS AS A ATP-BINDING HELICASE.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X72214; CAA51012.1; -.
 DR INTERPRO; IPR000606; -.
 DR PFAM; PF01443; Viral_helicase1; 1.
 KW ATP-binding; Helicase; RNA replication; RNA-directed RNA polymerase;
 KW Transferase. 735 742 ATP (POTENTIAL).
 FT NP_BIND 1456 AA; 165138 MW; 10730A1EADA4FAB4 CRC64;
 SQ SEQUENCE 1456 AA; 165138 MW; 10730A1EADA4FAB4 CRC64;
 Query Match 69.2%; Score 36; DB 1; Length 1456;
 Best Local Similarity 62.5%; Pred. No. 86;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QOQSGWPQ 8
 Db 1361 QKGSWPE 1368
 RESULT 6
 RRPO_PVXX3
 ID RRPO_PVXX3 STANDARD; PRT; 1456 AA.
 AC P17779;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-AUG-1990 (Rel. 15, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE RNA REPLICATION PROTEIN (165 KDA PROTEIN) (ORF 1) [CONTAINS: RNA-
 DE DIRECTED RNA POLYMERASE (EC 2.7.7.48); PROBABLE HELICASE].
 OS Potato virus X (strain X3) (PVX).
 OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 8829944.
 RA Huisman M.J., Linthorst H.J.M., Bol J.F., Cornelissen B.J.C.;
 RT "The complete nucleotide sequence of potato virus X and its
 RT homologues at the amino acid level with various plus-stranded RNA
 RT viruses.";
 RL J. Gen. Virol. 69:1789-1798(1988).
 CC -!- FUNCTION: RNA-REPLICATION. THE CENTRAL PART OF THIS PROTEIN
 CC POSSIBLY FUNCTIONS AS A ATP-BINDING HELICASE.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; D00344; BAA00249.1; -.
 DR PIR; JA0102; WNWGPV.
 DR INTERPRO; IPR000606; -.
 DR PFAM; PF01443; Viral_helicase1; 1.
 KW ATP-binding; Helicase; RNA replication; RNA-directed RNA polymerase;
 KW Transferase.

FT NP_BIND 735 742 ATP (POTENTIAL).
 SQ SEQUENCE 1456 AA; 165605 MW; E06E3FF2AB48E97B CRC64;
 Query Match 69.2%; Score 36; DB 1; Length 1456;
 Best Local Similarity 62.5%; Pred. No. 86;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QOQSGWPQ 8
 Db 1361 QKGSWPE 1368
 RESULT 7
 VMSA_HPBDC
 ID VMSA_HPBDC STANDARD; PRT; 365 AA.
 AC P30029;
 DT 01-APR-1993 (Rel. 25, Created)
 DT 01-APR-1993 (Rel. 25, Last sequence update)
 DT 13-JUL-1999 (Rel. 38, Last annotation update)
 DE MAJOR SURFACE ANTIGEN PRECURSOR.
 GN S.
 OS Duck hepatitis B virus (strain China) (DHBV).
 OC Viruses; Retroid viruses; Hepadnaviridae; Avihepadnavirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 91045091.
 RA Tong S., Mattes F., Teubner K., Blum H.E.;
 RT "Complete nucleotide sequence of a Chinese duck hepatitis B virus.";
 RL Nucleic Acids Res. 18:6139-6139(1990).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M21953; AAA45746.1; -.
 DR PIR; S12842; SAVLWE.
 DR INTERPRO; IPR000349; -.
 DR PFAM; PF00695; VMSA; 2.
 KW Antigen.
 FT PROPEP 1 198
 FT CHAIN 199 365 MAJOR SURFACE ANTIGEN
 FT CARBOHYD 297 297 N-LINKED (GLCNAC...) (POTENTIAL).
 SQ SEQUENCE 365 AA; 40511 MW; 67F3A4174CB7D884 CRC64;
 Query Match 67.3%; Score 35; DB 1; Length 365;
 Best Local Similarity 71.4%; Pred. No. 34;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QOQSGWP 7
 Db 96 QOQGWAP 102
 RESULT 8
 FCGN_RAT
 ID FCGN_RAT STANDARD; PRT; 366 AA.
 AC P13599;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 15-JUL-1998 (Rel. 36, Last annotation update)
 DE IGG RECEPTOR FCN LARGE SUBUNIT P51 PRECURSOR (FCRN) (NEONATAL FC
 DE RECEPTOR) (IGG FC FRAGMENT RECEPTOR TRANSPORTER, ALPHA CHAIN).
 GN FCGRT OR FCRN.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 RN [1]

SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
 RC STRAIN-WISTAR;
 RX MEDLINE; 89097257.
 RA Simister N.E., Mostov K.E.;
 RT "An Fc receptor structurally related to MHC class I antigens.";
 RL Nature 337:184-187(1989).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE-EPIITHELIUM;
 RX MEDLINE; 90315866.
 RA Simister N.E., Mostov K.E.;
 RT "Cloning and expression of the neonatal rat intestinal Fc receptor, a
 major histocompatibility complex class I antigen homolog.";
 RL Cold Spring Harb. Symp. Quant. Biol. 54:571-580(1989).
 RN [3]
 RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
 RX MEDLINE; 95059482.
 RA Burmeister W.P., Huber A.H., Bjorkman P.J.;
 RT "Crystal structure of the complex of rat neonatal Fc receptor with
 Fc.";
 RL Nature 372:379-383(1994).
 RN [4]
 RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
 RX MEDLINE; 98154319.
 RA Vaughn D.E., Bjorkman P.J.;
 RT "Structural basis of pH-dependent antibody binding by the neonatal Fc
 receptor.";
 RL Structure 6:63-73(1998).
 CC -!- FUNCTION: BINDS TO THE FC REGION OF MONOMERIC IMMUNOGLOBULINS
 CC GAMMA. MEDIATES THE SELECTIVE UPTAKE OF IGG FROM MILK AND HELPS
 CC NEWBORN ANIMALS TO ACQUIRE PASSIVE IMMUNITY. IGG IN THE MILK IS
 CC BOUND AT THE APICAL SURFACE OF THE INTESTINAL EPITHELIUM. THE
 CC RESULTANT FCN-IGG COMPLEXES ARE TRANSCYTOSED ACROSS THE
 CC INTESTINAL EPITHELIUM AND IGG IS RELEASED FROM FCN INTO BLOOD OR
 CC TISSUE FLUIDS (BY SIMILARITY).
 CC -!- SUBUNIT: FCN COMPLEX CONSIST OF TWO SUBUNITS: P51, AND P14 WHICH
 CC IS EQUIVALENT TO BETA-2-MICROGLOBULIN. IT FORMS AN MCH CLASS I-
 CC LIKE HETERODIMER.
 CC -!- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.
 CC -!- TISSUE SPECIFICITY: INTESTINAL EPITHELIUM.
 CC -!- SIMILARITY: STRONG, TO MHC CLASS I ANTIGENS.
 CC -----
 CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X14323; CAA32503.1; -;
 DR EMBL; M35495; AAA41611.1; -;
 DR PIR; S02117; S02117.
 DR PIR; A37374; A37374.
 DR PDB; 1FRT; 14-FEB-95.
 DR PDB; 3FRU; 10-JUN-98.
 DR INTERPRO; IPR000495; -;
 DR INTERPRO; IPR001039; -;
 DR INTERPRO; IPR001220; -;
 DR INTERPRO; IPR003006; -;
 DR PFAM; PF00129; MHC_I; 1.
 DR PFAM; PF00047; Ig; 1.
 DR PROSITE; PS00290; IG_MHC; 1.
 DR KW IgG-binding protein; Receptor; Transmembrane; Glycoprotein; Signal;
 DR Immunoglobulin domain; 3D-structure.
 FT SIGNAL 1 22
 FT CHAIN 23 366 IGG RECEPTOR FCN LARGE SUBUNIT P51.
 FT DOMAIN 23 111 EXTRACELLULAR ALPHA-1.
 FT DOMAIN 112 201 EXTRACELLULAR ALPHA-2.
 FT DOMAIN 202 291 EXTRACELLULAR ALPHA-3.
 FT DOMAIN 292 298 CONNECTING PEPTIDE.
 FT TRANSMEM 299 322 POTENTIAL.
 FT DOMAIN 323 366 CYTOPLASMIC (POTENTIAL).

FT DISULFID 120 183 BY SIMILARITY.
 FT DISULFID 222 276 BY SIMILARITY.
 FT CARBOHYD 109 109 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 126 126 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 150 150 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 247 247 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 366 AA; 40168 MW; 8A8BF2873A698BB5 CRC64;
 Query Match 67.3%; Score 35; DB 1; Length 366;
 Best Local Similarity 71.4%; Pred. No. 34;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 3 SGSPQPT 9
 DB 152 SGENPET 158
 II II:I
 RESULT 9
 VMSA_HPBDB
 ID VMSA_HPBDB STANDARD; PRT; 366 AA.
 AC P17194;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-MAY-1991 (Rel. 18, Last sequence update)
 DT 01-MAY-1991 (Rel. 18, Last annotation update)
 DE MAJOR SURFACE ANTIGEN PRECURSOR.
 GN S.
 OS Duck hepatitis B virus (brown Shanghai duck isolate S5) (DHBV).
 CC Viruses; Retroid viruses; Hepadnaviridae; Avihepadnavirus.
 CC [1]
 RX MEDLINE; 90085807.
 RA Uchida M., Esumi M., Shikata T.;
 RT "Molecular cloning and sequence analysis of duck hepatitis B virus
 RT genomes of a new variant isolated from Shanghai ducks.";
 RL Virology 173:600-606(1989).
 CC -----
 CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M32990; AAA45755.1; ALT_INIT.
 DR PIR; C33746; SAVLBD.
 DR INTERPRO; IPR000349; -;
 DR PFAM; PF00695; VMSA; 2.
 KW Antigen.
 FT PROPEP 1 199 MAJOR SURFACE ANTIGEN.
 FT CHAIN 200 366
 FT CARBOHYD 170 170 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 298 298 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 366 AA; 40897 MW; 5B72879A182EFF38 CRC64;
 Query Match 67.3%; Score 35; DB 1; Length 366;
 Best Local Similarity 71.4%; Pred. No. 34;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 QQSGSWP 7
 DB 96 QQQGWAP 102
 II II:II
 RESULT 10
 VMSA_HPBDB
 ID VMSA_HPBDB STANDARD; PRT; 366 AA.
 AC P17195;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-MAY-1991 (Rel. 18, Last sequence update)
 DT 01-MAY-1991 (Rel. 18, Last annotation update)

MAJOR SURFACE ANTIGEN PRECURSOR.

S. Duck hepatitis B virus (white Shanghai duck isolate S31) (DHBV).
 Viruses; Retroviridae; Hepadnaviridae; Avihepadnavirus.
 [1]
 RN SEQUENCE FROM N.A.
 RP MEDLINE; 90085807.
 RA Uchida M., Esumi M., Shikata T.;
 RT "Molecular cloning and sequence analysis of duck hepatitis B virus
 genomes of a new variant isolated from Shanghai ducks.";
 RL Virology 173:600-606(1989).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M32991; AAA45752.1; ALT_INIT.
 DR PIR; D33746; SAVLWD.
 DR INTERPRO; IPR000349; -
 DR PFAM; PF00695; VMSA; 2.
 KW Antigen.
 FT PROPEP 1 199
 FT CHAIN 200 366
 FT CARBOHYD 170 170
 FT CARBOHYD 298 298
 FT CARBOHYD 366 366
 SQ SEQUENCE 366 AA; 40858 MW; CF60E78B7B2FCD52 CRC64;
 CC -----
 CC Query Match 67.3%; Score 35; DB 1; Length 366;
 CC Best Local Similarity 71.4%; Pred. No. 34;
 CC Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 CC -----
 Qy 1 QOSGSWP 7
 Db 96 QOQGAWP 102
 CC -----
 RESULT 11
 ID IE63_HSVB STANDARD; PRT; 470 AA.
 AC P28939;
 DT 01-DEC-1992 (Rel. 24, Created)
 DT 01-DEC-1992 (Rel. 24, Last sequence update)
 DT 01-APR-1993 (Rel. 25, Last annotation update)
 DE TRANSCRIPTIONAL REGULATOR IE63 HOMOLOG.
 GN 5.
 OS Equine herpesvirus type 1 (strain Ab4p) (EHV-1).
 OC Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
 OC Alphaherpesvirinae; Varicellovirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 92295566.
 RA Telford E.A.R., Watson M.S., McBride K., Davison A.J.;
 RT "The DNA sequence of equine herpesvirus-1";
 RL Virology 189:304-316(1992).
 CC -!- SIMILARITY: BELONGS TO FAMILY THAT GROUPS TOGETHER HSV-1 UL54,
 CC HSV-2 UL54, EHV-1 5, VZV 4, EBV BMLF1, HCMV UL69, AND HVS-1 57.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M86664; AAB02440.1;
 DR PIR; F36795; W2BEA4.
 KW Transcription regulation.

SQ SEQUENCE 470 AA; 51320 MW; 99AC5258EFB74B0E CRC64;
 CC -----
 CC Query Match 67.3%; Score 35; DB 1; Length 470;
 CC Best Local Similarity 62.5%; Pred. No. 43;
 CC Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 CC -----
 Qy 1 QOSGSWP 8
 Db 127 QSAGSWPK 134
 CC -----
 RESULT 12
 ID IE63_HSVK STANDARD; PRT; 470 AA.
 AC Q05906;
 DT 01-JUN-1994 (Rel. 29, Created)
 DT 01-JUN-1994 (Rel. 29, Last sequence update)
 DT 01-JUN-1994 (Rel. 29, Last annotation update)
 DE TRANSCRIPTIONAL REGULATOR IE63 HOMOLOG.
 GN UL3.
 OS Equine herpesvirus type 1 (strain Kentucky A) (EHV-1).
 OC Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
 OC Alphaherpesvirinae; Varicellovirus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 92365125.
 RA Zhao Y., Holden V.R., Harty R.N., O'Callaghan D.J.;
 RT "Identification and transcriptional analyses of the UL3 and UL4 genes
 RT of equine herpesvirus 1, homologs of the ICP27 and glycoprotein K
 RT genes of herpes simplex virus.";
 RL J. Virol. 66:5363-5372(1992).
 CC -!- SIMILARITY: BELONGS TO FAMILY THAT GROUPS TOGETHER HSV-1 UL54,
 CC HSV-2 UL54, EHV-1 5, VZV 4, EBV BMLF1, HCMV UL69, AND HVS-1 57.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M95822; AAA46099.1;
 DR PIR; B42746; B42746.
 KW Transcription regulation.
 SQ SEQUENCE 470 AA; 51389 MW; 48DBE440E11363F7 CRC64;
 CC -----
 CC Query Match 67.3%; Score 35; DB 1; Length 470;
 CC Best Local Similarity 62.5%; Pred. No. 43;
 CC Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 CC -----
 Qy 1 QOSGSWP 8
 Db 127 QSAGSWPK 134
 CC -----
 RESULT 13
 ID CTCL_ACTILW STANDARD; PRT; 96 AA.
 AC O33947;
 DT 15-JUL-1999 (Rel. 38, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE MUCONOLACTONE DELTA-ISOMERASE 1 (EC 5.3.3.4) (MIASE 1).
 GN CATC1.
 OS Acinetobacter lwooffii.
 OC Bacteria; Proteobacteria; gamma subdivision; Moraxellaceae;
 OC Acinetobacter.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-K24;

RX MEDLINE; 97405925.
 RA Kim S.-I., Leem S.-H., Choi J.-S., Chung Y.H., Kim S., Park Y.-M.,
 RA Park Y.K., Lee Y.N., Ha K.-S.;
 RT "Cloning and characterization of two catA genes in Acinetobacter
 RT lwoffii K24.";
 RL J. Bacteriol. 179:5226-5231(1997).
 RL [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K24;
 RX MEDLINE; 98139907.
 RA Kim S.-I., Leem S.-H., Choi J.-S., Ha K.-S.;
 RT "Organization and transcriptional characterization of the catI gene
 RT cluster in Acinetobacter lwoffii K24.";
 RL Biochem. Biophys. Res. Commun. 243:289-294(1998).
 CC -1- CATALYTIC ACTIVITY: 2,5-DIHYDRO-5-OXOFURAN-2-ACETATE =
 CC 3,4-DIHYDRO-5-OXOFURAN-2-ACETATE.
 CC -1- PATHWAY: THIRD STEP IN THE CATABOLISM OF CATECHOL TO SUCCINATE-
 CC AND ACETYL-COA IN THE BETA-KETOADIPATE PATHWAY.
 CC -1- SUBUNIT: HOMODECAMER (BY SIMILARITY).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U77658; AAC46227.1; -;
 KW Aromatic hydrocarbons catabolism; Isomerase.
 SQ SEQUENCE 96 AA; 11048 MW; 6955AC14A5DDDEFA CRC64;

Query Match 65.4%; Score 34; DB 1; Length 96;
 Best Local Similarity 71.4%; Pred. No. 14;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOQSWP 7
 Db 35 QKSGKWP 41

RESULT 14
 YFDK_ECOLI
 ID YFDK_ECOLI STANDARD; PRT; 146 AA.
 AC P77656;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE HYPOTHETICAL 16.4 KDA PROTEIN IN INTC-DSDC INTERGENIC REGION.
 GN YFDK.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12 / MG1655;
 RX MEDLINE; 97426617.
 RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
 RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
 RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
 RA Mau B., Shao Y.;
 RA "The complete genome sequence of Escherichia coli K-12.";
 RT Science 277:1453-1474(1997).
 RL [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12;
 RX MEDLINE; 97349980.
 RA Yamamoto Y., Alba H., Baba T., Hayashi K., Inada T., Isono K.,
 RA Ito T., Kimura S., Kitagawa M., Makino K., Miki T., Mitsuhashi N.,
 RA Mizobuchi K., Mori H., Nakade S., Nakamura Y., Nashimoto H.,
 RA Oshima T., Oyama S., Saito N., Sampei G., Satoh Y., Sivasundaram S.,
 RA Tagami H., Takahashi H., Takeda J., Takemoto K., Uehara K., Wada C.,

RA Yamagata S., Horiuchi T.;
 RT "Construction of a contiguous 874-kb sequence of the Escherichia coli
 RT - K12 genome corresponding to 50.0-68.8 min on the linkage map and
 RT analysis of its sequence features.";
 RL DNA Res. 4:91-113(1997).
 CC -1- SIMILARITY: STRONG, TO E.COLI YMFS.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AE000324; AAC75413.1; -;
 DR EMBL; D90866; CAB22145.1; -;
 DR EMBL; D90865; CAB22143.1; -;
 DR ECOGENE; EG14135; YFDK.
 KW Hypothetical protein.
 SQ SEQUENCE 146 AA; 16408 MW; 28F3CA711C5E9C79 CRC64;

Query Match 65.4%; Score 34; DB 1; Length 146;
 Best Local Similarity 83.3%; Pred. No. 21;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 QOQSWP 7
 Db 23 QAGSWP 28

RESULT 15
 RIML_ECOLI
 ID RIML_ECOLI STANDARD; PRT; 179 AA.
 AC P13857;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE RIBOSOMAL-PROTEIN-SERINE ACETYLTRANSFERASE (EC 2.3.1.-) (ACETYLATING
 DE ENZYME FOR N-TERMINAL OF RIBOSOMAL PROTEIN L7/L12).
 GN RIML.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MB2052;
 RX MEDLINE; 89364711.
 RA Tanaka S., Matsushita Y., Yoshikawa A., Isono K.;
 RA "Cloning and molecular characterization of the gene rimL which
 RT encodes an enzyme acetylating ribosomal protein L12 of Escherichia
 RT coli K12.";
 RL Mol. Gen. Genet. 217:289-293(1989).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12 / MG1655;
 RX MEDLINE; 97426617.
 RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
 RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
 RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
 RA Mau B., Shao Y.;
 RA "The complete genome sequence of Escherichia coli K-12.";
 RT Science 277:1453-1474(1997).
 RL [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=K12;
 RX MEDLINE; 97251357.
 RA Alba H., Baba T., Fujita K., Hayashi K., Inada T., Isono K.,
 RA Itoh T., Kasai H., Kashimoto K., Kimura S., Kitakawa M.,
 RA Kitagawa M., Makino K., Miki T., Mizobuchi K., Mori H., Mori T.,
 RA Motomura K., Nakade S., Nakamura Y., Nashimoto H., Nishio Y.,
 RA Oshima T., Saito N., Sampei G., Seki Y., Sivasundaram S.,

```

RA Tagami H., Takeda J., Takemoto K., Takeuchi Y., Wada C.,
RA Yamamoto Y., Horiuchi T.;
RT "A 570-kb DNA sequence of the Escherichia coli K-12 genome
RT corresponding to the 28.0-40.1 min region on the linkage map.";
RL DNA Res. 3:363-377(1996).
CC -!- FUNCTION: THIS ENZYME ACETYLATES THE N-TERMINAL SERINE OF
CC RIBOSOMAL PROTEIN L7/LJ2.
CC -!- CATALYTIC ACTIVITY: ACETYL-COA + RIBOSOMAL-PROTEIN L-SERINE =
CC COA + RIBOSOMAL-PROTEIN N-ACETYL-L-SERINE.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO THE ACETYLTRANSFERASE FAMILY. RIML
CC SUBFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X15860; CAA33869.1; -.
DR EMBL; AE000240; AAC74509.1; -.
DR EMBL; D90781; BAAL5048.1; -.
DR EMBL; D90782; BAAL5057.1; -.
DR PIR; S04776; XKECPL.
DR SWISS-2DPAGE; P13857; COLI.
DR ECO2DBASE; F037.8; 6TH EDITION.
DR ECO2DBASE; F038.5; 6TH EDITION.
DR ECGENE; EGI0853; RIML.
DR INTERPRO; IPR000182; -.
DR PFAM; PF00583; Acetyltransf; 1.
KW Transferase; Acyltransferase.
SQ SEQUENCE 179 AA; 20680 MW; 9946F97C2A20CB1D CRC64;

```

```

Query Match      65.4%; Score 34; DB 1; Length 179;
Best Local Similarity 75.0%; Pred. NO. 26;
Matches      6; Conservative      1; Mismatches      1; Indels      0; Gaps      0;

OY      1 QQSGSWPQ 8
      III :III
Db      36 QQSLNWPQ 43

```

Search completed: March 28, 2001, 07:35:15
Job time: 152 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:27 ; Search time 443.95 Seconds
(without alignments)
2.376 Million cell updates/sec

Title: US-09-016-061-92
Perfect score: 52
Sequence: 1 QQSGSWPQT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues.

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mhc:*
- 8: sp_organelle:*
- 9: sp_phase:*
- 10: sp_plant:*
- 11: sp_rodent:*
- 12: sp_virus:*
- 13: sp_vertebrate:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	76.9	1194	5 Q9VSI2	Q9vsi2 drosophila
2	38	73.1	553	5 O01825	O01825 caenorhabdi
3	37	71.2	327	12 Q67852	Q67852 duck hepati
4	37	71.2	350	10 Q49958	Q49958 triticum tu
5	36	69.2	154	12 Q84631	Q84631 paramecium
6	36	69.2	331	2 Q08246	Q08246 streptomyce
7	36	69.2	613	5 Q9VHU1	Q9vhu1 drosophila
8	36	69.2	764	10 Q9LRH7	Q9lrh7 pisum sativ
9	36	69.2	1456	12 Q85198	Q85198 potato viru
10	36	69.2	1456	12 Q85245	Q85245 potato viru
11	36	69.2	1456	12 Q9JEX8	Q9jex8 potato viru
12	36	69.2	1456	12 Q9IMP2	Q9imp2 gallus gall
13	35	67.3	153	13 Q9YH52	Q9yh52 streptomyce
14	35	67.3	164	2 Q54250	Q54250 streptomyce
15	35	67.3	330	12 Q72895	Q72895 duck hepati
16	35	67.3	330	12 Q66405	Q66405 duck hepati
17	35	67.3	366	12 Q66404	Q66404 duck hepati
18	35	67.3	379	4 Q9NR38	Q9nr38 homo sapien
19	35	67.3	399	4 Q9NR37	Q9nr37 homo sapien

20	35	67.3	405	10	Q41516	Q41516 triticum ae
21	35	67.3	405	10	Q9SYI0	Q9syi0 triticum ae
22	35	67.3	447	4	Q9UHD6	Q9und6 homo sapien
23	35	67.3	459	4	Q9Y638	Q9y638 homo sapien
24	35	67.3	471	4	Q9UBL9	Q9ubl9 homo sapien
25	35	67.3	497	4	Q9UHD5	Q9uhd5 homo sapien
26	35	67.3	618	10	Q9LXQ8	Q9lxq8 arabidopsis
27	35	67.3	789	10	Q42451	Q42451 triticum ae
28	35	67.3	815	10	Q41553	Q41553 triticum ae
29	35	67.3	830	10	Q03872	Q03872 triticum ae
30	35	67.3	929	5	Q9VR32	Q9vr32 drosophila
31	35	67.3	2245	2	Q9L6C9	Q9l6c9 pseudomonas
32	34	65.4	94	2	Q9XCE0	Q9xce0 mycobacteri
33	34	65.4	96	2	Q9Z9Y5	Q9z9y5 frateuria s
34	34	65.4	215	5	Q20513	Q20513 caenorhabdi
35	34	65.4	218	2	Q9KZ8	Q9kz8 streptomyce
36	34	65.4	219	2	Q9R259	Q9rzs9 deinococcus
37	34	65.4	256	10	Q9MB72	Q9mb72 volvox cart
38	34	65.4	259	2	Q9RU17	Q9ru17 deinococcus
39	34	65.4	267	10	Q9XJ63	Q9xj63 oryza sativ
40	34	65.4	267	10	Q9SEW9	Q9sew9 oryza sativ
41	34	65.4	295	2	P73598	P73598 synecocyst
42	34	65.4	318	5	Q9VLW5	Q9vlw5 drosophila
43	34	65.4	350	2	Q9RN58	Q9rn58 streptomyce
44	34	65.4	354	5	Q9N5V9	Q9n5v9 caenorhabdi
45	34	65.4	400	1	Q9YEB4	Q9yee4 aeropyrum p

ALIGNMENTS

RESULT	1
Q9VSI2	
ID	Q9VSI2
AC	Q9VSI2; PRELIMINARY; PRT: 1194 AA.
DT	01-MAY-2000 (TREMREL. 13, Created)
DT	01-MAY-2000 (TREMREL. 13, Last sequence update)
DE	01-OCT-2000 (TREMREL. 15, Last annotation update)
DE	CG7112 PROTEIN.
GN	CG7112.
OS	Drosophila melanogaster (Fruit fly).
OC	Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC	pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC	Ephydroidea; Drosophilidae; Drosophila.
OX	NCBI_TaxID=7227;
OX	[1]
RN	SEQUENCE FROM N.A.
RP	STRAIN=BERKELEY;
RX	MEDLINE=20196006; PubMed=10731132;
RA	Adams M.D., Celnik S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA	Amanatides P.G., Scher S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA	George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA	Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA	Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA	Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA	Abril J.F., Agayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA	Ballwe R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA	Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA	Borkova D., Bonch M.R., Bouck J., Brokstein P., Brotter P.,
RA	Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA	Cherry J.M., Cui S., Dahlke C., Davenport L.B., Davies P.,
RA	de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA	Dodson K., Dou P.L.E., Downes M., Dugan-Kocha S., Dunkov B.C., Dunn P.,
RA	Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA	Fosler C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA	Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA	Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA	Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwan C.,
RA	Jalali M., Kaulush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA	Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA	Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA	Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA	Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,

```

RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Klamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Swirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL; AE003555; AAF50437.1; -
DR FLYBASE; FBgn0035879; CG7112.
DR INTERPRO; IPR000195; -
DR PFAM; PF00566; TBC; 1.
SQ SEQUENCE 1194 AA; 133393 MW; E0E3DB547B4924E0 CRC64;

Query Match 76.9%; Score 40; DB 5; Length 1194;
Best Local Similarity 77.8%; Pred. No. 39;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
   ||| ||| |
Db 461 QOQSSWFPY 469

RESULT 2
ID 001825 PRELIMINARY; PRT; 553 AA.
AC 001825;
DT 01-JUL-1997 (TREMBLrel. 04, Created);
DT 01-JUL-1997 (TREMBLrel. 04, Last sequence update);
DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update);
DE SIMILAR TO BETA-CHINAERIN.
GN F57C9.8.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightings J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Shownkeen R.,
RA Smaildon N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans.";
RL Nature 368:32-38(1994).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RX Giesel C., Kramer J., Gibson A.;
RA Submitted (MAY-1997) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN-BRISTOL N2;
RX Waterston R.;
RA Submitted (MAY-1997) to the EMBL/GenBank/DBJ databases.
RL EMBL; AF003142; AAB54191.1; -
DR HSSP; P27986; IPBW.
DR INTERPRO; IPR000198; -

```

```

DR PFAM; PF00620; RhoGAP; 1.
SQ SEQUENCE 553 AA; 60849 MW; A50EDF9C2F560139 CRC64;

Query Match 73.1%; Score 38; DB 5; Length 553;
Best Local Similarity 85.7%; Pred. No. 41;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOQSGSWP 7
   |:|||||
Db 373 QRSQSWP 379

RESULT 3
ID Q67852 PRELIMINARY; PRT; 327 AA.
AC Q67852;
DT 01-NOV-1996 (TREMBLrel. 01, Created);
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update);
DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update);
DE SURFACE PROTEIN.
GN PRES.
OS Duck hepatitis B virus (DHBV).
OC Viruses; Retroid viruses; Hepadnaviridae; Avihepadnavirus.
OX NCBI_TaxID=12639;
RN [1]
RP SEQUENCE FROM N.A.
RA Shi H., Cullen J.M., Newbold J.E.;
RL Submitted (DEC-1992) to the EMBL/GenBank/DBJ databases.
DR EMBL; M95589; AAA45749.1; -
DR INTERPRO; IPR000349; -
DR PFAM; PF00695; VMSA; 2.
SQ SEQUENCE 327 AA; 36356 MW; 6875E959746DADEB CRC64;

Query Match 71.2%; Score 37; DB 12; Length 327;
Best Local Similarity 62.5%; Pred. No. 37;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQ 8
   ||| ||| |
Db 60 QOQGWPE 67

RESULT 4
ID Q49958 PRELIMINARY; PRT; 350 AA.
AC Q49958;
DT 01-JUN-1998 (TREMBLrel. 06, Created);
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update);
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update);
DE LOW MOLECULAR WEIGHT GLUTENIN SUBUNIT PRECURSOR (FRAGMENT).
GN LMW-GS.
OS Triticum turgidum subsp. durum (durum wheat).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; Liliopsida; Poales; Poaceae; Triticum.
OX NCBI_TaxID=4567;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. LANGDON;
RA D'Ovidio R., Simeone M., Masci S., Porceddu E.;
RL Theor. Appl. Genet. 95:1119-1126(1997).
DR EMBL; Y14104; CAA74550.1; -
DR MENDEL; 24598; Tridu; 2372; 24598.
DR INTERPRO; IPR001376; -
DR INTERPRO; IPR001954; -
DR INTERPRO; IPR003015; -
DR PRINTS; PR00208; GLIADGLUTEN.
DR PRINTS; PR00209; GLIADIN.
DR PROSITE; PS00038; HELIX_LOOP_HELIX; UNKNOWN_1.
KW Signal.
FT SIGNAL 1 20 POTENTIAL.
FT CHAIN 21 >350 POTENTIAL.

```

FT NON_TER 350 350
SQ SEQUENCE 350 AA: 39791 MW: 3590FDDFE55545EC CRC64;

Query Match 71.2%; Score 37; DB 10; Length 350;
Best Local Similarity 75.0%; Pred. No. 40;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSGSWPQ 8
II IIII

Db 286 QQLGQWPQ 293

RESULT 5
Q04631 PRELIMINARY;
AC Q84631; PRT; 154 AA.
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-NOV-1998 (TREMBlrel. 08, Last annotation update)
DE GENOME, PARTIAL SEQUENCE.
GN A317L.

OS Paramecium bursaria chlorella virus 1 (PBCV-1).
OC Viruses: dsDNA viruses, no RNA stage; Phycodnaviridae; Phycodnavirus.
OX NCBI_TaxID=10506;
RN [1]

RP SEQUENCE FROM N.A.
RX MEDLINE=95133167; PubMed=7831789;
RA Lu Z., Li Y., Zhang Y., Kulish G.F., Rock D.L., Van Etten J.L.;
RT "Analysis of 45 Kb of DNA located at the left end of the chlorella
RT virus PBCV-1 genome."
RL Virology 206:339-352(1995).
DR EMBL: U42580; AAC96685.1;
SQ SEQUENCE 154 AA: 18564 MW: 7B45EE2E7F518E15 CRC64;

Query Match 69.2%; Score 36; DB 12; Length 154;
Best Local Similarity 85.7%; Pred. No. 27;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSGSWP 7
I IIIII

Db 33 QTSGSWP 39

RESULT 6
Q08246 PRELIMINARY;
AC Q08246; PRT; 331 AA.
DT 01-JUL-1997 (TREMBlrel. 04, Created)
DT 01-JUL-1997 (TREMBlrel. 04, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE TDP-D-GLUCOSE-4, 6, -DEHYDRATASE.

GN MTME.
OS Streptomyces argillaceus.
OC Bacteria: Firmicutes; Actinobacteria; Actinobacteridae;
OC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=41951;

RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=ATCC 12956;
RX MEDLINE=97294479; PubMed=9150235;
RA Lombo F., Siens K., Brana A.F., Mendez C., Bindsail K., Salas J.A.;
RT "Cloning and insertional inactivation of Streptomyces argillaceus
RT genes involved in the earliest steps of biosynthesis of the sugar
RT moieties of the antitumor polyketide mithramycin."
RL J. Bacteriol. 179:3354-3357(1997).

RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 12956;
RA Salas J.A.;
RL Submitted (JUL-1998) to the EMBL/GenBank/DBJ databases.
RN [3]

RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 12956;
RX MEDLINE=96257259; PubMed=8654997;
RA Lombo F., Blanco G., Fernandez E., Mendez C., Salas J.A.;
RT "Characterization of Streptomyces argillaceus genes encoding a
RT polyketide synthase involved in the biosynthesis of the antitumor
RT mithramycin."
RL Gene 172:87-91(1996).
DR EMBL: Y10907; CAA71847.1;
DR EMBL: AJ007932; CAA07755.1;
DR HSSP: P27830; IRLX.
DR INTERPRO: IPR001509;
DR INTERPRO: IPR002198;
DR PFAM: PF01370; Epimerase; 1.
DR PROSITE: PS00061; ADH_SHORT; UNKNOWN 1.
SQ SEQUENCE 331 AA: 36352 MW: D6F8E881928837AB CRC64;

Query Match 69.2%; Score 36; DB 2; Length 331;
Best Local Similarity 71.4%; Pred. No. 57;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWPQT 9
:IIII:

Db 137 AGSWPET 143

RESULT 7
Q9VHU1 PRELIMINARY;
ID Q9VHU1; PRT; 613 AA.
AC Q9VHU1;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2000 (TREMBlrel. 14, Last annotation update)
DE CG9630 PROTEIN.

GN CG9630.

OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Phryganea; Drosophilidae; Drosophila.

OX NCBI_TaxID=7227;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=BERKELEY;

RX MEDLINE=20196006; PubMed=10731132;

RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballow R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Bertram B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Folsler C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houch J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jamali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacled J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,

```

RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Swirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wasserman D.A., Weinstock G.M., Weissenbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W.W., Zhou X., Zhu S., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.,
RA "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL: AE003678; AAF54208.1; -.
DR FLYBASE: FBgn0037561; CG9630.
DR INTERPRO: IPR000629; -.
DR INTERPRO: IPR001410; -.
DR INTERPRO: IPR001650; -.
DR PFAM: PF00270; DEAD; 1.
DR PFAM: PF00271; helicase.C; 1.
DR PROSITE: PS00039; DEAD_ATP_HELICASE; 1.
SQ SEQUENCE 613 AA; 69083 MW; C7798033336A02879 CRC64;

Query Match 69.2%; Score 36; DB 5; Length 613;
Best Local Similarity 71.4%; Pred. No. 1e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOQSGSWP 7
Db 513 EQTGSWP 519
:|:|:|:|

RESULT 8
Q9LRH7 PRELIMINARY; PRT; 764 AA.
ID Q9LRH7
AC Q9LRH7
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MIXED-AMYRIN SYNTHASE.
GN OSCPSM.
OS Pisum sativum (Garden pea).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids I;
OC Fabales; Fabaceae; Papilionoideae; Pisum.
OC NCBI_TaxID=3888;
RN [1]
RP SEQUENCE FROM N.A.
RA Morita M., Shibuya M., Kushihiro T., Masuda K., Ebizuka Y.;
RT "Molecular cloning and functional expression of triterpene synthases
RT from pea (Pisum sativum): New alpha-amyrin-producing enzyme is a
RT multifunctional triterpene synthase.";
RL Eur. J. Biochem. 267:3453-3460(2000).
DR EMBL: AB034803; BAA97559.1; -.
SQ SEQUENCE 764 AA; 88276 MW; DED4CAE6CB822197 CRC64;

Query Match 69.2%; Score 36; DB 10; Length 764;
Best Local Similarity 62.5%; Pred. No. 1.3e+02;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWP 8
Db 714 QEEDGWPQ 721
:|:|:|:|

RESULT 9
Q85198 PRELIMINARY; PRT; 1456 AA.
ID Q85198
AC Q85198
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE 16S KDA PROTEIN.
OS Potato virus X (PVX).

```

```

OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
OX NCBI_TaxID=12183;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=HB;
RX MEDLINE=94025577; PubMed-8212565;
RA Goulden M.G., Kohm B.A., Santa Cruz S., Kavanagh T.A., Baulcombe D.C.;
RT "A feature of the coat protein of potato virus X affects both induced
RT virus resistance in potato and viral fitness.";
RL Virology 197:293-302(1993).
DR EMBL: Z23256; CAA80774.1; -.
DR INTERPRO: IPR000130; -.
DR INTERPRO: IPR000606; -.
DR PFAM: PF01443; Viral_helicase; 1.
DR PROSITE: PS00142; ZINC_PROTEASE; UNKNOWN.1.
SQ SEQUENCE 1456 AA; 165140 MW; 708B4CBE7645CE03 CRC64;

Query Match 69.2%; Score 36; DB 12; Length 1456;
Best Local Similarity 62.5%; Pred. No. 2.4e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQ 8
Db 1361 QRKGSWPE 1368
:|:|:|:|

RESULT 10
Q85245 PRELIMINARY; PRT; 1456 AA.
ID Q85245
AC Q85245;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE PUTATIVE REPLICASE COMPONENT.
OS Potato virus X (PVX).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
OX NCBI_TaxID=12183;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92351559; PubMed=1641981;
RA Kavanagh T., Goulden M., Santa Cruz S., Chapman S., Barker I.,
RA Baulcombe D.;
RT "Molecular analysis of a resistance-breaking strain of potato virus
RT X.";
RL Virology 189:609-617(1992).
DR EMBL: M95516; AAA03489.1; -.
DR INTERPRO: IPR000130; -.
DR INTERPRO: IPR000606; -.
DR INTERPRO: IPR001993; -.
DR PFAM: PF01443; Viral_helicase; 1.
DR PROSITE: PS00142; ZINC_PROTEASE; UNKNOWN.1.
DR PROSITE: PS00215; MITOCH_CARRIER; UNKNOWN.1.
SQ SEQUENCE 1456 AA; 165533 MW; 0A50CBCC4ED25446 CRC64;

Query Match 69.2%; Score 36; DB 12; Length 1456;
Best Local Similarity 62.5%; Pred. No. 2.4e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQ 8
Db 1361 QRKGSWPE 1368
:|:|:|:|

RESULT 11
Q85198 PRELIMINARY; PRT; 1456 AA.
ID Q85198
AC Q85198;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE REPLICASE.

```

```
OS Potato virus X (PVX).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
OX NCBI_TaxID=12183;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-ROTH1;
RA Malcuit I., Marano M.R., Kavanagh T.A., de Jong W., Forsyth A.,
RA Baulcombe D.C.;
RT "The 25 kDa movement protein of PVX elicits subcellular fragmentation
RT leading to NB-mediated cell death in potato.";
RL Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-ROTH1;
RA Malcuit I., de Jong W., Baulcombe D.C., Shields D.C., Kavanagh T.A.;
RT "Acquisition of multiple virulence/avirulence determinants in potato
RT virus X (PVX) strains has occurred through convergent evolution rather
RT than through recombination.";
RL Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF111193; AAF67818.1; -
SQ SEQUENCE 1456 AA; 165778 MW; 00479DB454A77090 CRC64;

Query Match 69.2%; Score 36; DB 12; Length 1456;
Best Local Similarity 62.5%; Pred. No. 2.4e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPO 8
DB 1361 QKKGWPE 1368
I: |||||
|: |||||

RESULT 12
Q9IMP2 PRELIMINARY; PRT; 1456 AA.
ID Q9IMP2
AC Q9IMP2;
DT 01-OCT-2000 (TReMBLrel. 15, Created)
DT 01-OCT-2000 (TReMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE REPLICASE.
OS Potato virus X (PVX).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Potexvirus.
OX NCBI_TaxID=12183;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-CP4;
RA Malcuit I., de Jong W., Baulcombe D.C., Shields D.C., Kavanagh T.A.;
RT "Acquisition of multiple virulence/avirulence determinants in potato
RT virus X (PVX) strains has occurred through convergent evolution rather
RT than through recombination.";
RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF172259; AAF89747.1; -
SQ SEQUENCE 1456 AA; 165416 MW; 5197CA9105DA9B13 CRC64;

Query Match 69.2%; Score 36; DB 12; Length 1456;
Best Local Similarity 62.5%; Pred. No. 2.4e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPO 8
DB 1361 QKKGWPE 1368
I: |||||
|: |||||

RESULT 13
Q9YH52 PRELIMINARY; PRT; 153 AA.
ID Q9YH52
AC Q9YH52;
DT 01-MAY-1999 (TReMBLrel. 10, Created)
DT 01-MAY-1999 (TReMBLrel. 10, Last sequence update)
DT 01-MAY-1999 (TReMBLrel. 10, Last annotation update)
DE HYPOTHETICAL 17.4 KDA PROTEIN.
OS Gallus gallus (Chicken).
```

```
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-H.B19;
RX MEDLINE=90077532; PubMed=2592020;
RA Kaufman J., Salomonsen J., Skjoldt K.;
RT "B-G cDNA clones have multiple small repeats and hybridize to both
RT chicken MHC regions.";
RL Immunogenetics 30:440-451(1989).
DR EMBL; M27666; AAA69840.1; -
SQ SEQUENCE 153 AA; 17404 MW; 6D344F572FA7EE48 CRC64;

Query Match 67.3%; Score 35; DB 13; Length 153;
Best Local Similarity 75.0%; Pred. No. 40;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 QSGSWPOT 9
DB 65 QSGHWPLT 72
I: ||| |||
|: ||| |||

RESULT 14
Q54250 PRELIMINARY; PRT; 164 AA.
ID Q54250
AC Q54250;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-MAY-2000 (TReMBLrel. 13, Last annotation update)
DE DNDP-GLUCOSE DEHYDRATASE (FRAGMENT).
GN SCHE.
OS Streptomyces ghanaensis.
OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
OC Actinomycetales; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=35758;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-ATCC 14672;
RX MEDLINE=96313316; PubMed=8768522;
RA Decker H., Gaisser S., Schneider P., Westrich L., Wohlleben W.,
RA Bechtold A.;
RT "A general approach for cloning and characterizing dNDP-glucose
RT dehydratase genes from actinomycetes.";
RL FEMS Microbiol. Lett. 141:195-201(1996).
DR EMBL; X97854; CAA66448.1; -
DR HSSP; P27830; 1BXK
DR INTERPRO; IPR001509; -
DR INTERPRO; IPR002198; -
DR PFAM; PFO1370; Epimerase; 1.
DR PROSITE; PS00061; ADH_SHORT; UNKNOWN_1.
FT NON_TER 1 164
FT NON_TER 164 164
SQ SEQUENCE 164 AA; 17695 MW; F927F461BA6C50A0 CRC64;

Query Match 67.3%; Score 35; DB 2; Length 164;
Best Local Similarity 83.3%; Pred. No. 43;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 GSWPOT 9
DB 122 GSWPET 127
I: |||||
|: |||||

RESULT 15
Q72885 PRELIMINARY; PRT; 330 AA.
ID Q72885
AC Q72885;
DT 01-AUG-1998 (TReMBLrel. 07, Created)
```

DT 01-AUG-1998 (TRENBLrel. 07, last sequence update)
DT 01-MAY-2000 (TRENBLrel. 13, last annotation update)
DE SURFACE PROTEIN.
OS Duck hepatitis B virus (DHBV).
OC Viruses; Retroid viruses; Hepadnaviridae; Avihepadnavirus.
OX NCBI_TaxID=12639;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-AUSTRALIAN DHBV;
RA Triyatni M., Qiao M., Ey P., Burrell C., Jilbert A.R.;
RL Submitted (MAY-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AJ006350; CAA06988.1; -.
DR INTERPRO; IPR000349; -.
DR PFAM; PF00695; VMSA; 2.
SQ SEQUENCE 330 AA; 36789 MW; EDED4F42373ADA99 CRC64;

Query Match 67.3%; Score 35; DB 12; Length 330;
Best Local Similarity 71.4%; Pred. No. 85;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWP 7
|||:||
Db 60 QQGAWP 66

Search completed: March 28, 2001, 07:53:31
Job time: 524 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:53 ; Search time 154.19 Seconds
(without alignments)
1.996 Million cell updates/sec

Title: US-09-016-061-92

Perfect score: 52

Sequence: 1 QQSGSWPQT 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36:*

1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*

2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*

3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*

4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*

5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*

6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*

7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*

8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*

9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*

10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*

11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*

12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*

13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*

14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*

15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*

16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*

17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*

18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*

19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*

20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*

21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	52	100.0	9	19 W76036	LM609 grafted anti
2	47	90.4	9	19 W76013	LM609 grafted anti
3	47	90.4	107	19 W76006	LM609 grafted anti
4	47	90.4	107	19 W76002	Vitaxin antibody 1
5	47	90.4	107	19 W76004	LM609 antibody lig
6	45	86.5	9	19 W76035	LM609 grafted anti
7	41	78.8	9	19 W76033	LM609 grafted anti
8	41	78.8	9	20 Y06372	Murine monoclonal
9	41	78.8	107	13 R25729	Humanised VL regio
10	41	78.8	109	20 Y06388	Humanised LM609 an
11	41	78.8	109	20 Y06380	Murine monoclonal
12	41	78.8	109	20 Y06382	Humanised LM609 an

13	41	78.8	127	15 R54093	Sequence of mouse
14	40	76.9	107	14 R38601	HYH light chain.
15	40	76.9	107	19 W58482	Murine HYH antibody
16	40	76.9	108	12 R15438	Light chain variab
17	40	76.9	109	15 R52033	Light chain variab
18	40	76.9	143	18 W19580	Mouse anti-idiotyp
19	40	76.9	240	12 R15443	Single chain Fv fr
20	39	75.0	9	14 R37604	hIL2R Ab L chain v
21	39	75.0	9	19 W76034	LM609 grafted anti
22	39	75.0	9	20 Y26992	CDR3 domain reshap
23	39	75.0	106	19 W71241	Light chain variab
24	39	75.0	107	14 R37612	hIL2R Ab L chain v
25	39	75.0	107	14 R37610	B-B10 MAb L chain
26	39	75.0	107	15 R50190	Light chain variab
27	39	75.0	107	20 Y26979	Light chain variab
28	39	75.0	107	21 Y70604	Vkappa region of h
29	39	75.0	127	15 R50187	Light chain variab
30	39	75.0	127	15 R50191	Light chain variab
31	39	75.0	127	15 R50192	Light chain variab
32	39	75.0	127	20 Y26980	Light chain variab
33	39	75.0	127	20 Y26981	Light chain variab
34	39	75.0	127	20 Y26982	Light chain variab
35	39	75.0	240	19 W71243	Light chain variab
36	39	75.0	245	21 Y70605	scFv comprising he
37	38	73.1	105	20 W87456	JK gene product.
38	38	73.1	105	20 W87458	Humanised anti-alp
39	38	73.1	107	20 W84098	Humanised anti-alp
40	38	73.1	108	20 W84094	Murine vitronectin
41	38	73.1	112	20 W84100	Vitronectin alpha-
42	38	73.1	179	20 Y74170	Human prostate tum
43	37	71.2	107	14 R32129	Anti-IL2R beta ant
44	37	71.2	240	14 R34510	Fv(TU27). Homo sa
45	36	69.2	9	19 W44180	Monoclonal antibody

ALIGNMENTS

RESULT 1

W76036

ID W76036 standard; Protein; 9 AA.

XX

AC W76036;

XX

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-L region CDR3 protein fragment #5.

XX

Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-L region; CDR;

KW complementarity determining region.

XX

OS Mus sp.

XX

PN WO9833919-A2.

XX

PD 06-AUG-1998.

XX

PF 30-JAN-1998; 98WO-US01826.

XX

PR 30-JAN-1997; 97US-0791391.

XX

PA (IXSY-) IXSYS INC.

XX

PI Glaser SM, Huse WD;

XX

WPI; 1998-437472/37.

DR N-PSDB; V49873.

XX

PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 44; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 9 AA;

Query Match 100.0%; Score 52; DB 19; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.1e+05;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 Db 1 qqsgswpqt 9
 |||||

RESULT 2

ID W76013 standard; Protein; 9 AA.
 XX W76013;
 AC
 XX 02-NOV-1998 (first entry)
 DT
 XX LM609 grafted antibody V-L region CDR3 protein fragment #1.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-L region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX W09833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 XX N-PSDB; V49850.
 DR
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Disclosure; Page 40; 129pp; English.
 XX
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 9 AA;

Query Match 90.4%; Score 47; DB 19; Length 9;
 Best Local Similarity 88.9%; Pred. No. 2.1e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 Db 1 qqsgswpqt 9
 |||||

RESULT 3

ID W76006 standard; Protein; 107 AA.
 XX W76006;
 AC
 XX 02-NOV-1998 (first entry)
 DT
 XX LM609 grafted antibody light chain variable region protein fragment.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.
 XX
 XX Key Location/Qualifiers
 FT Misc-difference 49
 FT /label= Arg, Met
 XX W09833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 XX N-PSDB; V49843.
 DR
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 19; Fig 7; 129pp; English.
 XX
 CC This sequence represents a LM609 grafted antibody variable light chain
 CC region. LM609 and the antibody vitaxin bind selectively to integrin
 CC alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a ligand
 CC and thus block integrin-mediated signal transduction. This is useful in
 CC the treatment, prevention and diagnosis of alphavbeta3-mediated disease,

CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 107 AA;

Query Match 90.4%; Score 47; DB 19; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.21;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 | | | | | | | |
 DB 89 qqsgswpht 97

RESULT 4

ID W76002 standard; Protein; 107 AA.
 XX
 AC W76002;
 XX
 DT 02-NOV-1998 (first entry)
 DE Vitaxin antibody light chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.

XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49821.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 1; Fig 1b; 129pp; English.

XX This sequence represents the vitaxin antibody variable light chain
 CC region. Vitaxin and the antibody LM609 bind selectively to integrin
 CC alphaVbeta3 and can be used to inhibit binding of alphaVbeta3 to a
 CC ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphaVbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 107 AA;

Query Match 90.4%; Score 47; DB 19; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.21;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 | | | | | | | |
 DB 89 qqsgswpht 97

RESULT 5

ID W76004 standard; Protein; 107 AA.
 XX
 AC W76004;
 XX
 DT 02-NOV-1998 (first entry)
 DE LM609 antibody light chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 OS Mus sp.

XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR N-PSDB; W76004.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 46; Fig 2b; 129pp; English.

XX This sequence represents the LM609 antibody variable light chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphaVbeta3
 CC and can be used to inhibit binding of alphaVbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphaVbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 107 AA;

Query Match 90.4%; Score 47; DB 19; Length 107;
 Best Local Similarity 88.9%; Pred. No. 0.21;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
 | | | | | | | |
 DB 89 qqsgswpht 97

```

RESULT 6
W76035
ID W76035 standard; Protein; 9 AA.
XX
XX W76035;
AC
XX
XX
DT 02-NOV-1998 (first entry)
XX
XX LM609 grafted antibody V-L region CDR3 protein fragment #4.
DE
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-L region; CDR;
KW complementarity determining region.
XX
XX OS Mus sp.
XX
XX WO9833919-A2.
PN
XX
XX 06-AUG-1998.
PD
XX
XX 30-JAN-1998; 98WO-US01826.
PF
XX
XX 30-JAN-1997; 97US-0791391.
PR
XX
XX (IXSY-) IXSYS INC.
PA
XX
XX Glaser SM, Huse WD;
PI
XX
XX WPI; 1998-437472/37.
DR
XX
XX N-PSDB; V49870.
DR
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 44; 129pp; English.
PS
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 9 AA;

Query Match 86.5%; Score 45; DB 19; Length 9;
Best Local Similarity 88.9%; Pred. No. 2.1e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPOT 9
Db 1 qqsgswpht 9

RESULT 7
ID W76033 standard; Protein; 9 AA.
XX
XX W76033;
AC
XX
XX
DT 02-NOV-1998 (first entry)
XX
XX LM609 grafted antibody V-L region CDR3 protein fragment #4.
DE
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-L region; CDR;
KW complementarity determining region.
XX
XX OS Mus sp.
XX
XX WO9833919-A2.
PN
XX
XX 06-AUG-1998.
PD
XX
XX 30-JAN-1998; 98WO-US01826.
PF
XX
XX 30-JAN-1997; 97US-0791391.
PR
XX
XX (IXSY-) IXSYS INC.
PA
XX
XX Glaser SM, Huse WD;
PI
XX
XX WPI; 1998-437472/37.
DR
XX
XX N-PSDB; V49870.
DR
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 44; 129pp; English.
PS
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 9 AA;

Query Match 78.8%; Score 41; DB 19; Length 9;
Best Local Similarity 77.8%; Pred. No. 2.1e+05;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPOT 9
Db 1 qqsgswpht 9

RESULT 8
ID Y06372 standard; Peptide; 9 AA.
XX
XX Y06372;
AC
XX
XX
DT 06-SEP-1999 (first entry)
XX
XX Murine monoclonal antibody LM609 VL CDR3.
DE
XX
XX Humanised antibody; antibody humanisation; antibody engineering;
KW LM609; monoclonal antibody; complementarity determining region;
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;

```

cancer; therapy; diagnosis.

XX
XX
OS
XX
XX
PN
XX
XX
XX
XX
XX
PF
XX
XX
PR
XX
XX
PA
XX
XX
PI
XX
XX
DR
XX
XX
XX
PT
XX
XX
PS
XX
XX
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
CC
XX
SQ

Mus musculus.

W09929888-A1.

17-JUN-1999.

04-DEC-1998; 98WO-US25828.

05-DEC-1997; 97US-0986016.

(SCRI) SCRIPPS RES INST.

Barbas CF, Rader C;

WPI; 1999-394979/33.

Production of humanized mouse monoclonal antibodies

Disclosure; Page 45; 55pp; English.

This sequence represents complementarity determining region 3 (CDR3) of the light chain of murine monoclonal antibody LM609. LM609 is directed to integrin alpha-v beta-3. It selectively promotes apoptosis of vascular cells stimulated to undergo angiogenesis, making it a tool for cancer diagnosis and therapy. The invention provides humanised antibodies, especially humanised LM609. In such humanized antibodies, a light chain CDR from a mouse antibody such as LM609 is grafted onto a human light chain, and a heavy chain CDR from a mouse antibody is grafted onto a human antibody heavy chain to produce libraries from which a humanised murine antibody having the desired specificity is selected. By preserving the original CDR sequences such as the HCDR3 and LCDR3 sequences of LM609, the humanisation strategy ensures epitope conservation.

Sequence 9 AA;

Query Match 78.8%; Score 41; DB 20; Length 9;

Best Local Similarity 77.8%; Pred. No. 2.1e+05;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9

Db 1 qqsnswpht 9

RESULT 9

ID R25729 standard; Protein; 107 AA.

XX R25729;

DT 13-JAN-1993 (first entry)

DE Humanised VL region of the mouse CMV5 antibody.

XX Murine; immunoglobulin; CDR; non immunogenic; cytomegalovirus; gH; light chain; variable region; framework; human; Wol.

OS Mus musculus.

XX Key Location/Qualifiers

FT Region 24..34

FT /note= "CDR"

FT Region 50..56

FT /note= "CDR"

FT Region 89..97

FT /note= "CDR"

FT Misc-difference 49

FT /note= "mutated residue"

XX W09211018-A.

XX 09-JUL-1992.

XX 19-DEC-1991; 91WO-US09711.

XX 19-DEC-1990; 90US-0634278.

XX (PROT-) PROTEIN DESIGN LABS INC.

XX Co MS, Coellingh KL, Landolfi NF, Queen CL, Schneider WP;

XX WPI; 1992-249842/30.

XX New immunoglobulin(s) having murine CDRs in human framework

XX regions - have lower antigenicity; useful for treating e.g. HSV,

XX CMV, T-cell disorders, myeloid disorders and auto-immune

XX conditions

XX Claim 40; Fig 27A; 141pp; English.

XX The sequence shows the humanised mature light chain variable

XX region of the mouse CMV5 antibody. Murine CDRs were used

XX in a human Wol framework to produce a pure humanised immunoglobulin

XX (Ig) which is capable of binding to the gH glycoprotein of

XX cytomegalovirus. The Ig is non immunogenic, due to the human

XX framework, and has a strong affinity for its predetermined

XX antigen. They can be produced in large quantities via recombinant

XX DNA and monoclonal antibody technology. The humanised Igs may be

XX used alone or in combination with chemotherapeutic agents such as

XX non-steroidal anti-inflammatory drugs or immunosuppressants.

XX See also R25721-32.

XX Sequence 107 AA;

Query Match 78.8%; Score 41; DB 13; Length 107;

Best Local Similarity 77.8%; Pred. No. 2.4;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9

Db 89 qqsnswpht 97

RESULT 10

ID Y06388 standard; Protein; 109 AA.

XX Y06388;

XX 06-SEP-1999 (first entry)

XX Humanised LM609 antibody VL domain.

XX Humanised antibody; antibody humanisation; antibody engineering;

XX LM609; monoclonal antibody; complementarity determining region;

XX CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;

XX cancer; therapy; diagnosis.

XX Homo sapiens.

OS Synthetic.

XX Key Location/Qualifiers

FT Peptide 1..2

FT /note= "vector-encoded residues"

FT Region 24..34

FT /note= "CDR1"

FT Region 50..56

FT /note= "CDR2"

FT Region 89..97

FT /note= "CDR3"

XX
PN W09929888-A1.

XX
PD 17-JUN-1999.

XX
PF 04-DEC-1998; 98WO-US25828.

XX
PR 05-DEC-1997; 97US-0986016.

XX
PA (SCRI) SCRIPPS RES INST.

XX
PI Barbas CF, Rader C;

XX
DR WPI; 1999-394979/33.

XX
PT Production of humanized mouse monoclonal antibodies

XX
PS Disclosure; Page 52; 55pp; English.

XX
CC This sequence represents the light chain variable region of a

XX
CC humanised LM609 antibody. LM609 is directed to human integrin

XX
CC alpha-v beta-3. It selectively promotes apoptosis of vascular

XX
CC cells that have been stimulated to undergo angiogenesis, making it

XX
CC a tool for cancer diagnosis and therapy. The invention provides

XX
CC humanised antibodies, especially humanised LM609. In such humanized

XX
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is

XX
CC grafted onto a human light chain, and a heavy chain CDR from a mouse

XX
CC antibody is grafted onto a human antibody heavy chain to produce

XX
CC libraries from which a humanised murine antibody having the desired

XX
CC specificity is selected. By preserving the original CDR sequences

XX
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the

XX
CC humanisation strategy ensures epitope conservation.

XX
SQ Sequence 109 AA;

Query Match 78.8%; Score 41; DB 20; Length 109;

Best Local Similarity 77.8%; Pred. No. 2.4;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9

Db 89 qgsnswpht 97

RESULT 11

Y06380

ID Y06380 standard; Protein; 109 AA.

XX
AC Y06380;

XX
DT 06-SEP-1999 (first entry)

XX
DE Murine monoclonal antibody LM609 V lambda.

XX
KW Humanised antibody; antibody humanisation; antibody engineering;

XX
KW LM609; monoclonal antibody; complementarity determining region;

XX
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;

XX
KW cancer; therapy; diagnosis.

XX
OS Mus musculus.

XX
FH Key Location/Qualifiers

XX
FT Peptide 1..2

XX
FT /note= "vector-encoded residues"

XX
FT Region 24..34

XX
FT /note= "CDR1"

XX
FT Region 50..56

XX
FT /note= "CDR2"

XX
FT Region 89..97

XX
FT /note= "CDR3"

XX
PN W09929888-A1.

XX
PD 17-JUN-1999.

XX
PF 04-DEC-1998; 98WO-US25828.

XX
PR 05-DEC-1997; 97US-0986016.

XX
PA (SCRI) SCRIPPS RES INST.

XX
PI Barbas CF, Rader C;

XX
DR WPI; 1999-394979/33.

XX
PT Production of humanized mouse monoclonal antibodies

XX
PS Disclosure; Page 49-50; 55pp; English.

XX
CC This sequence represents the light chain V lambda region of

XX
CC murine monoclonal antibody LM609. LM609 is directed to integrin

XX
CC alpha-v beta-3. It selectively promotes apoptosis of vascular

XX
CC cells that have been stimulated to undergo angiogenesis, making it

XX
CC a tool for cancer diagnosis and therapy. The invention provides

XX
CC humanised antibodies, especially humanised LM609. In such humanized

XX
CC antibodies, a light chain CDR from a mouse antibody such as LM609 is

XX
CC grafted onto a human light chain, and a heavy chain CDR from a mouse

XX
CC antibody is grafted onto a human antibody heavy chain to produce

XX
CC libraries from which a humanised murine antibody having the desired

XX
CC specificity is selected. By preserving the original CDR sequences

XX
CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the

XX
CC humanisation strategy ensures epitope conservation.

XX
SQ Sequence 109 AA;

Query Match 78.8%; Score 41; DB 20; Length 109;

Best Local Similarity 77.8%; Pred. No. 2.4;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9

Db 89 qgsnswpht 97

RESULT 12

Y06382

ID Y06382 standard; Protein; 109 AA.

XX
AC Y06382;

XX
DT 06-SEP-1999 (first entry)

XX
DE Humanised LM609 antibody VL domain.

XX
KW Humanised antibody; antibody humanisation; antibody engineering;

XX
KW LM609; monoclonal antibody; complementarity determining region;

XX
KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;

XX
KW cancer; therapy; diagnosis.

XX
OS Homo sapiens.

XX
OS Synthetic.

XX
FH Key Location/Qualifiers

XX
FT Peptide 1..2

XX
FT /note= "vector-encoded residues"

XX
FT Region 24..34

XX
FT /note= "CDR1"

XX
FT Region 50..56

XX
FT /note= "CDR2"

XX
FT Region 89..97

XX
FT /note= "CDR3"

XX
PN W09929888-A1.

PD 17-JUN-1999.
 XX
 PF 04-DEC-1998; 98WO-US25828.
 XX
 PR 05-DEC-1997; 97US-0986016.
 XX
 XX (SCRI) SCRIPPS RES INST.
 XX
 XX Barbas CF, Rader C;
 PI
 XX
 DR WPI; 1999-394979/33.
 XX
 XX Production of humanized mouse monoclonal antibodies
 PT
 XX
 PS Disclosure; Page 50; 55pp; English.
 XX
 CC This sequence represents the light chain variable region of a
 CC humanised LM609 antibody. LM609 is directed to human integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.
 XX
 SQ Sequence 109 AA;

Query Match 78.8%; Score 41; DB 20; Length 109;
 Best Local Similarity 77.8%; Pred. No. 2.4;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9
 ||| ||| |
 Db 89 qqnsnswpht 97

RESULT 13
 R54093
 ID R54093 standard; Protein; 127 AA.
 XX
 AC R54093;
 XX
 DT 29-DEC-1994 (first entry)
 XX
 DE Sequence of mouse V-kappa showing the sequences of recombinant
 DE anti-FHV-1 antibody CDRs 1, 2 and 3.
 XX
 KW Feline herpes virus; FHV-1; monoclonal antibody; CDR;
 KW complementarity determining region.
 XX
 OS Mus musculus.

XX Key Location/Qualifiers
 FH Peptide 1..20
 FT /label= leader
 FT Region 21..43
 FT /label= FRI
 FT Region 44..54
 FT /label= CDR1
 FT Region 55..70
 FT /label= FR2
 FT Region 71..76
 FT /label= CDR2
 FT Region 77..108
 FT /label= FR3
 FT Region 109..117
 FT /label= CDR3

FT Region 118..127
 FT /label= FR4
 XX
 PN W09412661-A.
 XX
 PD 09-JUN-1994.
 XX
 PF 25-NOV-1993; 93WO-JP01724.
 XX
 PR 28-NOV-1992; 92JP-0341255.
 XX
 XX (KAGA) CHEMA SERO THERAPEUTIC RES INST.
 XX
 XX Kimachi K, Maeda H, Nishiyama K, Tokiyoshi S;
 PI
 XX
 DR WPI; 1994-200288/24.
 DR N-PSDB; Q64167.
 XX
 PT Feline monoclonal antibody and recombinant antibodies specific
 PT for FHV-1 - for detection, treatment and prevention of FHV-1
 PT infection.
 XX
 PS Disclosure; Page 18-19; 53pp; Japanese.
 XX
 CC The inventors claim a monoclonal antibody against feline herpes
 CC virus (FHV-1). They also claim a recombinant antibody against FHV-1
 CC and fragments of VH and VL CDR1, CDR2 and CDR3. The antibodies are
 CC used in the detection, treatment and prevention of FHV-1. The
 CC sequences of the CDRs in the VH of the recombinant anti-FHV-1
 CC antibody are given in R54092. The sequences of the CDRs in the VL of
 CC the recombinant anti-FHV-1 antibody are given in R54093. These CDR
 CC sequences are claimed.
 XX
 SQ Sequence 127 AA;

Query Match 78.8%; Score 41; DB 15; Length 127;
 Best Local Similarity 77.8%; Pred. No. 2.9;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9
 ||| ||| |
 Db 109 qqnsnswpht 117

RESULT 14
 R38601
 ID R38601 standard; peptide; 107 AA.
 XX
 AC R38601;
 XX
 DT 28-OCT-1993 (first entry)
 XX
 DE HVH light chain.
 XX
 KW Antibody; variable domain; light; L; heavy; H; consensus;
 KW affinity; antigen; immunogenicity; humanisation; framework.
 XX
 OS Homo sapiens.
 XX
 PN W09311794-A.
 XX
 PD 24-JUN-1993..
 XX
 PF 14-DEC-1992; 92WO-US10906.
 XX
 PR 13-DEC-1991; 91US-0808464.
 XX
 XX (XOMA) XOMA CORP.
 XX
 PI Fishwild DM, Kohn FR, Little RG, Studnicka GM;
 XX
 XX WPI; 1993-213827/26.

XX Antibodies prepn. used for treatment of auto-immune diseases - by
PT replacement of critical residues to reduce immunogenicity but
PT retain binding affinity, etc.
XX
XX Disclosure; Page 84; 160pp; English.
XX
CC The amino acid sequences of the light and heavy chains of the
CC variable domains from antibodies HYH [HYHEL-10 Fab-lysozyme complex]
CC (R38601 and R38608, respectively), MCPC [IGA Fab MCP603-phosphocholine
CC complex] (R38602-03 and R38609-10, respectively), NEWM [Ig Fab' NEW]
CC (R38604-05 and R38611, respectively) and KOL [IgG1 KOL] (R38606-07 and
CC R38612, respectively) may be used to determine an alignment from which
CC appropriate changes may be made.
CC Unlike other methods of humanisation, which advocate the
CC replacement of entire antibody framework regions with those of human
CC antibodies, this method involves only the introduction of human
CC residues into those positions not critical for antigen binding.
CC This ensures that the binding properties of the modified antibody
CC are not diminished.
XX
XX Sequence 107 AA;

Query Match 76.9%; Score 40; DB 14; Length 107;
Best Local Similarity 77.8%; Pred. No. 3.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
Db 89 qgsnswpyt 97
||| ||| |

RESULT 15
W58482
ID W58482 standard; protein; 107 AA.
XX
XX W58482;
AC
XX
DT 18-AUG-1998 (first entry)
XX
DE Murine HYH antibody light chain variable domain.
XX
XX Humanised; human; mouse; CD5; anti-CD5 antibody; immunoglobulin;
XX depletion; cytotoxic; immunoconjugate; fusion protein; psoriasis;
XX autoimmune disease; rheumatoid arthritis; type I diabetes.
XX
XX Mus sp.
XX
XX US5770196-A.
XX
XX 23-JUN-1998.
XX
XX 07-JUN-1995; 95US-0472788.
XX
XX 23-JUN-1993; 93US-0082842.
XX 13-DEC-1991; 91US-0808464.
XX 14-DEC-1992; 92WO-US10906.
XX 07-JUN-1995; 95US-0472788.
XX
XX (XOMA) XOMA CORP.
XX
XX Studnicka GM;
XX
XX WPI; 1998-376744/32.
XX
XX Depletion of CD5-positive cells in vivo - using anti-CD5 antibodies
XX with humanised variable regions
XX
XX Disclosure; Column 43-44; 77pp; English.
XX
XX A method has been developed of depleting CD5+ cells in an animal. The
XX method comprises administering a cytotoxic protein containing a modified

CC immunoglobulin (Ig) variable domain, where the protein is an anti-CD5 Ig
CC molecule or an immunoconjugate or fusion protein containing an anti-CD5
CC Ig molecule, and where the modified Ig variable domain comprises at
CC least one of (a) a modified light chain variable region (see W58478 or
CC W58480), and (b) a modified heavy chain variable region (see W58479 or
CC W58481), where W58478 and W58479 are humanised forms of the H65 light
CC and heavy chain variable domains with low risk amino acid substitutions
CC [i.e. low risk of reducing antigen-binding specificity.] and W58480 and
CC W58481 are humanised forms of the H65 light and heavy chain variable
CC domains with moderate risk amino acid substitutions and are present in
CC humanised H65 antibody he3 (ATCC HB 11206). The method is useful for
CC treating autoimmune diseases, especially systemic lupus erythematosus,
CC rheumatoid arthritis, psoriasis or type I diabetes. The present sequence
CC represents the murine HYH antibody light chain variable domain.
XX
XX Sequence 107 AA;

Query Match 76.9%; Score 40; DB 19; Length 107;
Best Local Similarity 77.8%; Pred. No. 3.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QQSGSWPQT 9
Db 89 qgsnswpyt 97
||| ||| |

Search completed: March 28, 2001, 06:59:53
Job time: 1389 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:58 ; Search time 113.49 Seconds
(without alignments)
1.424 Million cell updates/sec

Title: US-09-016-061-92

Perfect score: 52

Sequence: 1 QSGSWPQT 9

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA.*

1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*

2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*

3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*

4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*

5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	41	78.8	100	1	US-08-436-463-19
2	41	78.8	107	1	US-07-634-278-62
3	41	78.8	107	1	US-07-634-278-63
4	41	78.8	107	1	US-07-634-278-87
5	41	78.8	107	1	US-08-477-728-62
6	41	78.8	107	1	US-08-477-728-63
7	41	78.8	107	1	US-08-477-728-87
8	41	78.8	107	1	US-08-474-040-62
9	41	78.8	107	1	US-08-474-040-63
10	41	78.8	107	1	US-08-474-040-87
11	41	78.8	107	1	US-08-487-200-62
12	41	78.8	107	1	US-08-487-200-63
13	41	78.8	107	1	US-08-487-200-87
14	41	78.8	127	1	US-07-634-278-83
15	41	78.8	127	1	US-08-474-040-83
16	41	78.8	127	1	US-08-474-040-83
17	41	78.8	127	1	US-08-487-200-83
18	41	78.8	127	1	US-08-436-463-4
19	40	76.9	107	1	US-08-436-463-20
20	40	76.9	107	1	US-08-107-669D-1
21	40	76.9	107	1	US-08-472-788A-1
22	40	76.9	107	2	US-08-477-531B-1
23	40	76.9	107	2	US-08-082-842A-1
24	40	76.9	109	1	US-07-942-245-4
25	40	76.9	143	2	US-08-653-402B-8
26	39	75.0	9	2	US-08-232-081B-6
27	39	75.0	9	2	US-08-476-176B-55
28	39	75.0	9	3	US-08-127-721A-55

29 39 75.0 9 3 US-08-485-246A-55 Sequence 55, Appl
30 39 75.0 103 1 US-08-436-463-21 Sequence 21, Appl
31 39 75.0 106 2 US-08-800-198-4 Sequence 4, Appl
32 39 75.0 106 3 US-09-296-595-4 Sequence 4, Appl
33 39 75.0 107 2 US-08-232-081B-9 Sequence 9, Appl
34 39 75.0 107 2 US-08-232-081B-40 Sequence 40, Appl
35 39 75.0 107 2 US-08-476-176B-4 Sequence 4, Appl
36 39 75.0 107 3 US-08-127-721A-4 Sequence 4, Appl
37 39 75.0 107 3 US-08-485-246A-4 Sequence 4, Appl
38 39 75.0 127 1 US-08-436-463-18 Sequence 18, Appl
39 39 75.0 127 2 US-08-476-176B-8 Sequence 8, Appl
40 39 75.0 127 2 US-08-476-176B-8 Sequence 8, Appl
41 39 75.0 127 3 US-08-476-176B-10 Sequence 10, Appl
42 39 75.0 127 3 US-08-127-721A-6 Sequence 6, Appl
43 39 75.0 127 3 US-08-127-721A-8 Sequence 8, Appl
44 39 75.0 127 3 US-08-127-721A-10 Sequence 10, Appl
45 39 75.0 127 3 US-08-485-246A-6 Sequence 6, Appl

ALIGNMENTS

RESULT 1

US-08-436-463-19

; Sequence 19, Application US/08436463

; Patent No. 5760185

; GENERAL INFORMATION:

; APPLICANT: KIMACHI, Kazuhiko

; APPLICANT: MAEDA, Hiroaki

; APPLICANT: NISHIYAMA, Kiyoto

; APPLICANT: TOKIYOSHI, Sachio

; TITLE OF INVENTION: ANTI-FELINE HERPES VIRUS-1 RECOMBINANT

; TITLE OF INVENTION: ANTIBODY AND GENE FRAGMENT CODING FOR SAID ANTIBODY

; NUMBER OF SEQUENCES: 21

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: BROWDY AND NEIMARK, P.L.L.C.

; STREET: 419 Seventh Street, N.W., Suite 400

; CITY: Washington

; STATE: D.C.

; COUNTRY: USA

; ZIP: 20004

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/436,463

; FILING DATE: 26-JUN-1995

; CLASSIFICATION: 536

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: JP 341255/1992

; FILING DATE: 28-NOV-1992

; ATTORNEY/AGENT INFORMATION:

; NAME: YUN, Allen C.

; REGISTRATION NUMBER: 37,971

; REFERENCE/DOCKET NUMBER: KIMACHI-1

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 202-628-5197

; TELEFAX: 202-737-3528

; INFORMATION FOR SEQ ID NO: 19:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 100 amino acids

; TYPE: amino acid

; STRANDEDNESS: single

; TOPOLOGY: linear

; MOLECULE TYPE: protein

; US-08-436-463-19

Query Match 78.8%; Score 41; DB 1; Length 100;
Best Local Similarity 77.8%; Pred. No. 2.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPOT 9
Db 89 QOQNSWPHT 97

RESULT 2

US-07-634-278-62
; Sequence 62, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-62

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPOT 9
Db 89 QOQNSWPHT 97

RESULT 3

US-07-634-278-63
; Sequence 63, Application US/07634278

; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-07-634-278-63

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOQSGSWPOT 9
Db 89 QOQNSWPHT 97

RESULT 4

US-07-634-278-87
; Sequence 87, Application US/07634278
; Patent No. 5530101
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS

NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-07-634-278-87

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
Db 89 QQSNWPHT 97

RESULT 5
US-08-477-728-62
Sequence 62, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 62:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-477-728-62

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
Db 89 QQSNWPHT 97

RESULT 6
US-08-477-728-63
Sequence 63, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728
FILING DATE: 07-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; -LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-477-728-63

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9
Db 89 QQNSNSWPHT 97

RESULT 7
US-08-477-728-87
; Sequence 87, Application US/08477728
; Patent No. 5585089
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, 8th Floor
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,728
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:

; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; -LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-477-728-87

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9
Db 89 QQNSNSWPHT 97

RESULT 8
US-08-474-040-62
; Sequence 62, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Khourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:

SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-474-040-62

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSGSWPQT 9
DB 89 QOSNSWPHT 97

RESULT 9
US-08-474-040-63
; Sequence 63, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBLINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version: #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-63

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSGSWPQT 9
DB 89 QOSNSWPHT 97

RESULT 10
US-08-474-040-87
; Sequence 87, Application US/08474040
; Patent No. 5693761
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBLINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/474,040
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-474-040-87

Query Match 78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSGSWPQT 9

```
Db      89  QQNSNWPHT 97
      111 1111 1
RESULT 11
US-08-487-200-62
; Sequence 62, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-200-62

Query Match      78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      1  QQSGSWPQT 9
      111 1111 1
Db      89  QQNSNWPHT 97
      111 1111 1
RESULT 13
US-08-487-200-87
; Sequence 87, Application US/08487200
; Patent No. 5693762
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,200
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002610
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-200-63

Query Match      78.8%; Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      1  QQSGSWPQT 9
      111 1111 1
Db      89  QQNSNWPHT 97
      111 1111 1
RESULT 12
US-08-487-200-63
```

APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELING, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/487,200
FILING DATE: 7-JUN-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/634,278
FILING DATE: 19-DEC-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002610
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 87:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-487-200-87

Query Match 78.8% Score 41; DB 1; Length 107;
Best Local Similarity 77.8%; Pred. No. 2.7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9
11111111
Db 89 QOQNSWPHT 97

RESULT 14
US-07-634-278-83
Sequence 83, Application US/07634278
Patent No. 5530101
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas L.
APPLICANT: COELING, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:

ADDRESSEE: Townsend and Townsend Khourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/634,278
FILING DATE: 19-DEC-1990
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/290,975
FILING DATE: 28-DEC-1988
ATTORNEY/AGENT INFORMATION:
NAME: Smith, William M
REGISTRATION NUMBER: 30,223
REFERENCE/DOCKET NUMBER: 11823-002600
TELEPHONE: (415) 326-2400
TELEFAX: (415) 326-2422
INFORMATION FOR SEQ ID NO: 83:
SEQUENCE CHARACTERISTICS:
LENGTH: 127 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-07-634-278-83

Query Match 78.8% Score 41; DB 1; Length 127;
Best Local Similarity 77.8%; Pred. No. 3.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOQSGSWPQT 9
11111111
Db 109 QOQNSWPHT 117

RESULT 15
US-08-477-728-83
Sequence 83, Application US/08477728
Patent No. 5585089
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: SCHNEIDER, William P.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend and Crew LLP
STREET: Two Embarcadero Center, 8th Floor
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94111
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/477,728

; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 83:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 127 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-477-728-83

Query Match 78.8%; Score 41; DB 1; Length 127;
Best Local Similarity 77.8%; Pred. No. 3.2;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 1 QQSGSWPQT 9
Db 109 QQNSWPHT 117

Search completed: March 28, 2001, 07:01:59
Job time: 1338 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:33 ; Search time 130.08 Seconds
(without alignments)
5,220 Million cell updates/sec

Title: US-09-016-061-94

Perfect score: 55

Sequence: 1 ARNHGSPAS 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR_66.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	38	69.1	196	2 H64968	acetyl CoA acetyl
2	38	69.1	219	1 QCEC35	hypothetical 23.4K
3	37	67.3	731	1 JC2464	probable copper-tr
4	36	65.5	322	1 A29928	membrane-associate
5	36	65.5	360	2 S48566	hypothetical prote
6	36	65.5	470	2 H71667	glutamate--trNA li
7	36	65.5	473	2 D70405	glutamate--trNA li
8	35	63.6	233	2 H82163	arginyl--trNA-prote
9	35	63.6	272	2 S27819	vitelline B1 precu
10	35	63.6	272	2 S27820	vitelline B2 precu
11	35	63.6	446	2 T19625	hypothetical prote
12	35	63.6	448	1 A60003	nucleocapsid prote
13	35	63.6	538	2 T28874	hypothetical prote
14	35	63.6	628	1 A56707	protein-tyrosine k
15	35	63.6	722	2 S64492	hypothetical prote
16	35	63.6	1291	2 T13389	MHC class II histo
17	34	61.8	89	2 S38688	MHC class II histo
18	34	61.8	89	2 S38683	MHC class II histo
19	34	61.8	89	2 S38684	MHC class II histo
20	34	61.8	127	2 D54759	terminal oxidase (
21	34	61.8	170	2 D75554	hypothetical prote
22	34	61.8	225	2 T47095	MHC class II OVAR-
23	34	61.8	236	2 S16389	sporamin - sweet p
24	34	61.8	284	2 S62931	probable membrane
25	34	61.8	284	2 S62955	probable membrane
26	34	61.8	379	1 F64633	site-specific DNA-
27	34	61.8	381	2 A71882	type II DNA modifi
28	34	61.8	1446	1 A45344	immediate-early pr
29	34	61.8	1460	1 EDBE1F	immediate-early pr

RESULT 1
H64968
acetyl CoA acetyltransferase - Escherichia coli
C:Species: Escherichia coli
C:Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 18-Jun-1999
C:Accession: H64968; I69646; I69656
R:Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.;
A.: Rose, D.J.; Mau, B.; Shao, Y.
Science 277, 1453-1462, 1997
A:Title: The complete genome sequence of Escherichia coli K-12.
A:Reference number: A64720; MUID:97426617
A:Accession: H64968
A:Status: nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-196 <BLAT>
A:Cross-references: GB:AE000294; GB:U00096; NID:g1788338; PIDN:AAC75094.1; PID:g17883
A:Experimental source: strain K-12, substrain MG1655
R:Yao, Z.; Valvano, M.A.
J. Bacteriol. 176, 4133-4143, 1994
A:Title: Genetic analysis of the O-specific lipopolysaccharide biosynthesis region (r
erotypes Y and 4a.
A:Reference number: I55053; MUID:94292434
A:Accession: I69646
A:Status: translated from GB/EMBL/DDBJ
A:Molecule type: DNA
A:Residues: 1-167, 'LFRKYCHC', 177-186, 'IMR', 190-196 <RES>
A:Cross-references: EMBL:U03041; NID:g501028; PIDN:AAC31635.1; PID:g510256
R:Stevenson, G.; Neal, B.; Liu, D.; Hobbs, M.; Packer, N.H.; Batley, M.; Redmond, J.W
J. Bacteriol. 176, 4144-4156, 1994
A:Title: Structure of the O antigen of Escherichia coli K-12 and the sequence of its
A:Reference number: I55054; MUID:94292435
A:Accession: I69656
A:Status: translated from GB/EMBL/DDBJ
A:Molecule type: DNA
A:Residues: 1-167, 'LFRKYCHC', 177-186, 'IMR', 190-196 <RE2>
A:Cross-references: EMBL:U09876; NID:g508236; PID:g508245
C:Genetics:
A:Gene: yefH
A:Map position: 45 min
C:Superfamily: galactoside acetyltransferase
Query Match 69.1%; Score 38; DB 2; Length 196;
Best Local Similarity 100.0%; Pred. No. 6.3;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSF 8

Db 105 HNHGSF 110

RESULT 2

Q9CEA5

hypothetical 23.4K protein (ansa 3' region) - Escherichia coli
 C:Species: Escherichia coli
 C:Date: 31-Dec-1990 #sequence_revision 17-Oct-1997 #text_change 26-Aug-1999
 C:Accession: H64936; J00048
 R:Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; Cohen, A.; Rose, D.J.; Mau, B.; Shao, Y.
 Science 277, 1453-1462, 1997
 A:Title: The complete genome sequence of Escherichia coli K-12.
 A:Reference number: A64720; MUID:97426617
 A:Accession: H64936
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-219 <BLAT>
 A:Cross-references: GB:AE000271; GB:U00096; NID:gl788058; PIDN:AACT4838.1; PID:gl788066;
 A:Experimental source: strain K-12, substrain MG1655
 R:Jerlstrom, P.G.; Bezjak, D.A.; Jennings, M.P.; Beacham, I.R.
 Gene 78, 37-46, 1989
 A:Title: Structure and expression in Escherichia coli K-12 of the L-asparaginase I-encoding gene
 A:Reference number: JU0047; MUID:89357501
 A:Accession: JU0048
 A:Molecule type: DNA
 A:Residues: 7-219 <JER>
 A:Cross-references: GB:M26934; NID:gl45278; PIDN:AAA23447.1; PID:gl45280
 C:Genetics:
 A:Gene: ydjB
 A:Map position: 39 min
 C:Superfamily: Escherichia coli hypothetical 23.4K protein (ansa 3' region)

Query Match 69.1%; Score 38; DB 1; Length 219;
 Best Local Similarity 100.0%; Pred. No. 7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY -4 NHGSEFAS 10

| | | | |

Db 63 NHGSEFAS 69

RESULT 3

JC2464
 probable copper-transporting ATPase (EC 3.6.1.-) HRA-1 - Enterobacteriaceae spp.
 C:Species: Enterobacteriaceae spp.
 C:Date: 16-Oct-1998 #sequence_revision 16-Oct-1998 #text_change 18-Jun-1999
 C:Accession: JC2464
 R:Trenor III., C.; Lin, W.; Andrews, N.C.
 Biochem. Biophys. Res. Commun. 205, 1644-1650, 1994
 A:Title: Novel bacterial P-type ATPases with histidine-rich heavy-metal-associated sequence
 A:Reference number: JC2464; MUID:95110304
 A:Accession: JC2464
 A:Molecule type: mRNA
 A:Residues: 1-731 <TRE>
 A:Cross-references: GB:U16658; NID:g643612; PIDN:AAA62113.1; PID:g643613
 A:Experimental source: human small intestine cDNA library
 A:Note: the source species is uncertain; the cloned sequence did not hybridize with human
 C:Superfamily: Enterococcus copper-transporting ATPase copB; ATPase nucleotide-binding domain
 C:Keywords: ATP; copper transport; hydrolase; ion transport; phosphoprotein; transmembrane
 F:7-92/Region: His-rich
 F:135-477/Domain: ATPase transduction domain homology <ATT>
 F:544-685/Domain: ATPase nucleotide-binding domain homology <ATN>
 F:287/Active site: Glu #status predicted
 F:431/Active site: Asp (aspartylphosphate intermediate) #status predicted

Query Match 67.3%; Score 37; DB 1; Length 731;
 Best Local Similarity 75.0%; Pred. No. 36;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGSEF 8

| | | | |

Db 88 ARNHGSEF 95

RESULT 4

A29928
 membrane-associated 40K protein precursor - Vibrio anguillarum plasmid pJM1
 C:Species: Vibrio anguillarum
 C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 18-Aug-2000
 C:Accession: A29928; C41671
 R:Actis, L.A.; Tolmasky, M.E.; Farrell, D.H.; Crosa, J.H.
 J. Biol. Chem. 263, 2853-2860, 1988
 A:Title: Genetic and molecular characterization of essential components of the Vibrio
 A:Reference number: A92707; MUID:88139336
 A:Accession: A29928
 A:Molecule type: DNA
 A:Residues: 1-322 <ACT>
 A:Cross-references: GB:J03529; NID:gl50755; PIDN:AAA91580.1; PID:gl50756
 R:Koester, W.L.; Actis, L.A.; Waldbeser, L.S.; Tolmasky, M.E.; Crosa, J.H.
 J. Biol. Chem. 266, 23829-23833, 1991
 A:Title: Molecular characterization of the iron transport system mediated by the pJM1
 A:Reference number: A41671; MUID:92084677
 A:Accession: C41671
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-154 <KOE>
 A:Cross-references: GB:M74068
 C:Superfamily: iron(III) diclinate transport protein
 C:Keywords: membrane protein
 F:1-22/Domain: signal sequence #status predicted <SIG>
 F:23-322/Product: membrane-associated 40K protein #status predicted <MAT>

Query Match 65.5%; Score 36; DB 1; Length 322;
 Best Local Similarity 75.0%; Pred. No. 24;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSFAS 10

| | | | |

Db 203 HNHGSFSS 210

RESULT 5

S48566
 hypothetical protein YLR215c - yeast (Saccharomyces cerevisiae)
 N:Alternate names: hypothetical protein L8167.23
 C:Species: Saccharomyces cerevisiae
 C:Date: 02-Dec-1994 #sequence_revision 02-Dec-1994 #text_change 24-Nov-1999
 C:Accession: S48566
 R:Pauley, A.
 submitted to the EMBL Data Library, September 1994
 A:Description: The sequence of S. cerevisiae cosmid 8167.
 A:Reference number: S48545
 A:Accession: S48566
 A:Molecule type: DNA
 A:Residues: 1-360 <PAU>
 A:Cross-references: EMBL:U14913; NID:g544497; PIDN:AAB67444.1; PID:g544519; GSPDB:GNO
 C:Genetics:
 A:Gene: MIPS:YLR215c
 A:Map position: 12R
 C:Superfamily: Saccharomyces cerevisiae hypothetical protein YLR215c

Query Match 65.5%; Score 36; DB 2; Length 360;
 Best Local Similarity 77.8%; Pred. No. 27;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHHGSEFAS 10

| | | | |

Db 304 RHNTGRFAS 312

RESULT 6

H71667
 glutamate--tRNA ligase (EC 6.1.1.17) (gltX2) RP623 - Rickettsia prowazekii
 C:Species: Rickettsia prowazekii
 C:Date: 21-Nov-1998 #sequence_revision 21-Nov-1998 #text_change 20-Jun-2000

C:Accession: H71667
R:Andersson, S.G.E.; Zomorodipour, A.; Andersson, J.O.; Sicheritz-Ponten, T.; Alsmark, U.
Nature 396, 133-140, 1998
A:Title: The genome sequence of *Rickettsia prowazekii* and the origin of mitochondria.
A:Reference number: A71630; MUID:99039499
A:Accession: H71667
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-470 <AND>
A:Cross-references: GB:AJ235272; GB:AJ235269; NID:3861033; PIDN:CAAL15066.1; PID:386116
A:Experimental source: strain Madrid E
C:Genetics:
A:Gene: gltX2; RP623
C:Superfamily: glutamate--tRNA ligase; glutamine--tRNA ligase homology
C:Keywords: aminoacyl-tRNA synthetase; ligase; protein biosynthesis
F:4-281/Domain: glutamine--tRNA ligase homology <EGL>

Query Match 65.58; Score 36; DB 2; Length 470;
Best Local Similarity 75.08; Pred. No. 35;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
||||| 1
Db 31 ARHNGKF 38
||||| 1

RESULT 7
D70405
glutamate--tRNA ligase (EC 6.1.1.17) - Aquifex aeolicus
C:Species: Aquifex aeolicus
C:Date: 08-May-1998 #sequence_revision 08-May-1998 #text_change 21-Jan-2000
C:Accession: D70405
R:Deckert, G.; Warren, P.V.; Gaasterland, T.; Young, W.G.; Lenox, A.L.; Graham, D.E.; O.V.
Nature 392, 353-358, 1998
A:Title: The complete genome of the hyperthermophilic bacterium *Aquifex aeolicus*.
A:Reference number: A70300; MUID:98196666
A:Accession: D70405
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-473 <AOQ>
A:Cross-references: GB:AE000729; NID:2983659; PIDN:AAC07230.1; PID:g2983664; GB:AE00069
A:Experimental source: strain VF5
C:Genetics:
A:Gene: gltX
C:Superfamily: glutamate--tRNA ligase; glutamine--tRNA ligase homology
C:Keywords: aminoacyl-tRNA synthetase; ligase; protein biosynthesis
F:4-276/Domain: glutamine--tRNA ligase homology <EGL>

Query Match 65.58; Score 36; DB 2; Length 473;
Best Local Similarity 75.08; Pred. No. 35;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
||||| 1
Db 31 ARHNGKF 38
||||| 1

RESULT 8
H82163
arginyl-tRNA-protein transferase-related protein Vcl736 [imported] - *Vibrio cholerae* (94
C:Species: *Vibrio cholerae*
C:Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 15-Sep-2000
C:Accession: H82163
R:Heidelbergl, J.F.; Eisen, J.A.; Nelson, W.C.; Clayton, R.A.; Gwinn, M.L.; Dodson, R.J.;
chardson, D.; Ermolaeva, M.D.; Vamathevan, J.; Bass, S.; Qin, H.; Dragoi, I.; Sellers, R.
l, R.R.; Mekalanos, J.J.; Venter, J.C.; Fraser, C.M.
Nature 406, 477-483, 2000
A:Title: DNA Sequence of both chromosomes of the cholera pathogen *Vibrio cholerae*.
A:Reference number: A82035; MUID:20406833
A:Accession: H82163

A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-233 <HEI>
A:Cross-references: GB:AE004251; GB:AE003852; NID:g9656248; PIDN:AAF94886.1; GSPDB:GN
A:Experimental source: serogroup O1; strain N16961; biotype El Tor
C:Genetics:
A:Gene: Vcl736
A:Map position: 1

Query Match 63.68; Score 35; DB 2; Length 233;
Best Local Similarity 85.78; Pred. No. 27;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGGS 7
||||| 1
Db 117 ARRHGGS 123
||||| 1

RESULT 9
S27819
vitelline B1 precursor - liver fluke
N:Alternate names: eggshell protein B1
C:Species: *Fasciola hepatica* (liver fluke)
C:Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 04-Feb-2000
R:Rice-Ficht, A.C.; Dusek, K.A.; Kochevar, G.J.; Waite, J.H.
Mol. Biochem. Parasitol. 54, 129-141, 1992
A:Title: Eggshell precursor proteins of *Fasciola hepatica*, I. Structure and expressio
A:Reference number: A48436; MUID:93063029
A:Accession: A48436
A:Molecule type: mRNA; protein
A:Residues: 1-272 <RIC>
A:Cross-references: EMBL:M93024; NID:g159065; PIDN:AAA29143.1; PID:g159066
A:Note: sequence extracted from NCBI backbone (NCBIN:117208, NCBIPI:117210)
R:Waite, J.H.; Rice-Ficht, A.C.
Mol. Biochem. Parasitol. 54, 143-151, 1992
A:Title: Eggshell precursor proteins of *Fasciola hepatica*, II. Microheterogeneity in
A:Reference number: A48437; MUID:93063030
A:Accession: A48437
A:Status: preliminary
A:Molecule type: protein
A:Residues: 20-47 <WAI1>
A:Cross-references: PID:g259030; PIDN:AAB23982.1
A:Note: sequence extracted from NCBI backbone (NCBIPI:117211)
A:Accession: B48437
A:Status: preliminary
A:Molecule type: protein
A:Residues: 172-193 <WA2>
A:Cross-references: PID:g259031; PIDN:AAB23983.1
A:Note: sequence extracted from NCBI backbone (NCBIPI:117213)
R:Waite, J.H.
Anal. Biochem. 192, 429-433, 1991
A:Title: Detection of peptidyl-3,4-dihydroxyphenylalanine by amino acid analysis and
A:Reference number: A59161; MUID:91241559
A:Accession: A59161
A:Molecule type: protein
A:Residues: 62-70 <WA3>
A:Experimental source: egg shell
C:Keywords: egg shell
F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-272/Product: vitelline B1 #status predicted <MAT>
F:63/Modified site: 3',4'-dihydroxyphenylalanine (Tyr) #status experimental

Query Match 63.68; Score 35; DB 2; Length 272;
Best Local Similarity 75.08; Pred. No. 31;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
||||| 1
Db 19 ARRHGKF 26
||||| 1

```
RESULT 10
S27820
vitelline B2 precursor - liver fluke
N:Alternate names: eggshell protein B2
C:Species: Fasciola hepatica (liver fluke)
C:Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 04-Feb-2000
C:Accession: S27820
R:Rice-Ficht, A.C.; Dusek, K.A.; Kochevar, G.J.; Waite, J.H.
submitted to the EMBL Data Library, May 1992
A:Description: Eggshell precursor proteins of Fasciola hepatica: I. structure and expres
A:Reference number: S27819
A:Accession: S27820
A:Molecule type: mRNA
A:Residues: 1-272 <RIC>
A:Cross-references: EMBL:M93025; NID:g159067; PIDN:AAA29144.1; PID:g159068
C:Keywords: egg shell
F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-272/Product: vitelline B2 #status predicted <MAT>

Query Match      63.6%; Score 35; DB 2; Length 272;
Best Local Similarity 75.0%; Pred. No. 31;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSF 8
   ||| ||
Db 19 ARHPHGKF 26

RESULT 11
T19625
hypothetical protein C31H5.6 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000
R:Kershaw, J.
submitted to the EMBL Data Library, April 1997
A:Reference number: Z19153
A:Accession: T19625
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-446 <WIL>
A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6
A:Experimental source: clone C31H5
C:Genetics:
A:Gene: CESP:C31H5.6
A:Map position: 1
A:Introns: 49/2; 85/1; 120/2; 183/3; 218/3; 255/3; 285/2; 331/3; 360/3
C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match      63.6%; Score 35; DB 2; Length 446;
Best Local Similarity 66.7%; Pred. No. 51;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSFAS 10
   ||| ||| |
Db 51 RHNYGSHAA 59

RESULT 12
A60003
nucleocapsid protein - human coronavirus (strain OC43)
C:Species: human coronavirus
C:Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 26-Feb-1999
C:Accession: A60003
R:Ramahora, T.; Soe, L.H.; Lai, M.M.C.
Virus Res. 12, 1-9, 1989
A:Title: Sequence analysis of nucleocapsid gene and leader RNA of human coronavirus OC43
A:Reference number: A60003; MUID:89243809
A:Accession: A60003
A:Molecule type: genomic RNA

A:Residues: 1-448 <KAM>
C:Genetics:
A:Gene: N
C:Superfamily: coronavirus nucleocapsid protein
C:Keywords: glycoprotein; nucleocapsid
F:17,221,336,388,408,421/Binding site: carbohydrate (Asn) (covalent) #status predicted

Query Match      63.6%; Score 35; DB 1; Length 448;
Best Local Similarity 85.7%; Pred. No. 51;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSF 8
   ||| |||
Db 103 RHNRCGSF 109

RESULT 13
T28874
hypothetical protein R04E5.2 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 29-Oct-1999 #sequence_revision 29-Oct-1999 #text_change 18-Feb-2000
C:Accession: T28874
R:Miller, N.
submitted to the EMBL Data Library, December 1995
A:Description: The sequence of C. elegans cosmid R04E5.
A:Reference number: Z20535
A:Accession: T28874
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-538 <MIL>
A:Cross-references: EMBL:U41538; PIDN:AAC48179.1; GSPDB:GN00028; CESP:R04E5.2
A:Experimental source: strain Bristol N2; clone R04E5
C:Genetics:
A:Gene: CESP:R04E5.2
A:Map position: X
A:Introns: 28/2; 52/3; 91/2; 133/3; 169/1; 199/3; 240/2; 269/3; 302/3; 329/3; 368/3;

Query Match      63.6%; Score 35; DB 2; Length 538;
Best Local Similarity 62.5%; Pred. No. 62;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSFA 9
   ||: ||| ||
Db 434 KHHGKFA 441

RESULT 14
A56707
protein-tyrosine kinase (EC 2.7.1.112) syk, splice form B - rat
N:contains: protein-tyrosine kinase syk, splice form A
C:Species: Rattus norvegicus (Norway rat)
C:Date: 19-Oct-1995 #sequence_revision 23-May-1997 #text_change 10-Sep-1999
C:Accession: A56707; B56707; A48875
R:Rowley, R.B.; Bolen, J.B.; Fargnoli, J.
J. Biol. Chem. 270, 12659-12664, 1995
A:Title: Molecular cloning of rodent p72(Syk). Evidence of alternative mRNA splicing.
A:Reference number: A56707; MUID:95279402
A:Accession: A56707
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: mRNA
A:Residues: 1-628 <ROW>
A:Cross-references: GB:U21684
A:Accession: B56707
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: mRNA
A:Residues: 1-275,299-628 <R02>
A:Cross-references: GB:U21683
R:Benhamou, M.; Ryba, N.J.P.; Nishikata, H.; Kihara, H.; Siraganian, R.P.
J. Biol. Chem. 268, 23318-23324, 1993
A:Title: Protein tyrosine kinase p72syk in high affinity IgE receptor signaling: iden
```

A:Reference number: A48875; MUID:94043123
 A:Accession: A48875
 A:Status: preliminary; translated from GB/EMBL/DBDJ
 A:Molecule type: mRNA
 A:Residues: 15-22,'E','23-263,'M',265-269,'S',271-444,'EL',447-628 <RES>
 A:Cross-references: GB:L20838; NID:9416152; PIDN:AAA42308.1; PID:9416153
 C:Superfamily: protein-tyrosine kinase ZAP-70; protein kinase homology; SH2 homology
 C:Keywords: alternative splicing; ATP; autophosphorylation; phosphoprotein; phosphotrans
 F:1-628/Product: protein-tyrosine kinase syk, splice form B #status predicted <PRB>
 F:1-275,299-628/Product: protein-tyrosine kinase syk, splice form A #status predicted <R
 F:14-105/Domain: SH2 homology <SH2A>
 F:166-257/Domain: SH2 homology <SH2B>
 F:362-626/Domain: protein kinase homology <KIN>
 F:370-378/Region: protein kinase ATP-binding motif

Query Match 63.6%; Score 35; DB 1; Length 628;
 Best Local Similarity 77.8%; Pred. No. 72;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGSGFA 9
 ||| |
 Db 194 ARDNGSFA 202

RESULT 15
 S64492
 hypothetical protein YGR178c - yeast (Saccharomyces cerevisiae)
 N:Alternate names: hypothetical protein G7139
 C:Species: Saccharomyces cerevisiae
 C:Date: 17-May-1996 #sequence_revision 17-May-1996 #text_change 29-Oct-1999
 C:Accession: S64492
 R:Hebling, U.; Hofmann, B.; Delli, H.
 submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64003
 A:Accession: S64492
 A:Molecule type: DNA
 A:Residues: 1-722 <HEB>
 A:Cross-references: EMBL:Z72963; NID:gl323314; PIDN:CAA97204.1; PID:e243559; PID:gl32331
 A:Experimental source: strain S288C
 C:Genetics:
 A:Gene: SGD:PPB1
 A:Cross-references: SGD:S0003410; MIPS:YGR178c
 A:Map position: 7R

Query Match 63.6%; Score 35; DB 2; Length 722;
 Best Local Similarity 85.7%; Pred. No. 83;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSF 8
 | | | | |
 Db 474 RHNHGSF 480

Search completed: March 28, 2001, 07:04:35
 Job time: 1073 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:15 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-94
Perfect score: 55
Sequence: 1 ARNHGSFAS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	38	69.1	196	1 WBBJ_ECOLI	P37750 escherichia
2	38	69.1	213	1 PNCA_ECOLI	P21369 escherichia
3	36	65.5	218	1 YAVH_RHISN	Q53216 rhizobium s
4	36	65.5	322	1 FATB_VIBAN	P11460 vibrio angu
5	36	65.5	470	1 SVE2_RICPR	Q9zct8 rickettsia
6	36	65.5	473	1 SVE_AQUAE	P07271 aquifex aeo
7	35	63.6	197	1 EGS_FASHE	P07915 fasciola he
8	35	63.6	448	1 NCAP_CVHOC	P33469 human coron
9	35	63.6	567	1 CC45_XENLA	Q9yh26 xenopus lae
10	35	63.6	629	1 KSVK_RAT	Q64725 rattus norv
11	35	63.6	722	1 PBP1_YEAST	P53297 saccharomyc
12	34	61.8	284	1 YNB9_YEAST	P53975 saccharomyc
13	34	61.8	284	1 YND3_YEAST	P53964 saccharomyc
14	34	61.8	1446	1 IE18_PPRKA	P33479 pseudorabie
15	34	61.8	1461	1 IE18_PPRVF	P11675 pseudorabie
16	33	60.0	339	1 YDND_BACSU	P96651 bacillus su
17	33	60.0	369	1 RP2_THEMA	Q9xlr5 thermotoga
18	33	60.0	480	1 SVE_HAEIN	P43818 haemophilus
19	33	60.0	927	1 CC15_SCHPO	Q09822 schizosacch
20	33	60.0	966	1 M172_HUMAN	Q14596 homo sapien
21	33	60.0	1403	1 YDF3_SCHPO	Q10475 schizosacch
22	33	60.0	2109	1 RPPL_VSVSJ	P03523 vesicular s
23	32	58.2	129	1 YP56_MYCTU	Q50742 mycobacteri
24	32	58.2	190	1 SLTD_HAEIN	P44830 haemophilus
25	32	58.2	231	1 ARAD_ECOLI	P08203 escherichia
26	32	58.2	231	1 ARAD_SALTY	P06190 salmonella
27	32	58.2	231	1 SGBE_ECOLI	P37680 escherichia
28	32	58.2	231	1 SGBE_HAEIN	P44989 haemophilus
29	32	58.2	376	1 HPPD_RAT	P32755 rattus norv
30	32	58.2	392	1 HPPD_HUMAN	P32754 homo sapien
31	32	58.2	392	1 HPPD_MOUSE	P49429 mus musculu
32	32	58.2	434	1 TA47_TREPA	P29723 treponema p
33	32	58.2	473	1 SYTM_SCHPO	O13969 schizosacch

RESULT 1

ID	WBBJ_ECOLI	STANDARD;	PRT;	196 AA.
AC	P37750; P76375;			
DT	01-OCT-1994 (Rel. 30, Created)			
DT	15-DEC-1998 (Rel. 37, Last sequence update)			
DT	30-MAY-2000 (Rel. 39, Last annotation update)			
DE	POTATIVE LIPOLYSACCHARIDE BIOSYNTHESIS O-ACETYL TRANSFERASE WBBJ			
DE	(EC 2.3.1.-).			
GN	WBBJ.			
OS	Escherichia coli.			
OC	Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;			
OC	Escherichia.			
[1]				
RN	SEQUENCE FROM N.A.			
RP	STRAIN=K12 / W3110;			
RC	MEDLINE: 94292434.			
RX	Yao Z., Valvano M.A.;			
RA	"Genetic analysis of the O-specific lipopolysaccharide biosynthesis			
RT	region (rfb) of Escherichia coli K-12 W3110: identification of genes			
RT	that confer group 6 specificity to Shigella flexneri serotypes Y and			
RT	4a.";			
RL	J. Bacteriol. 176:4133-4143(1994).			
[2]				
RN	SEQUENCE FROM N.A.			
RP	STRAIN=K12 / WGI;			
RC	MEDLINE: 94292435.			
RX	Stevenson G., Neal B., Liu D., Hobbs M., Packer N.H., Batley M.,			
RA	Redmond J.W., Lindquist L., Reeves P.R.;			
RT	"Structure of the O antigen of Escherichia coli K-12 and the sequence			
RT	of its rfb gene cluster.";			
RL	J. Bacteriol. 176:4144-4156(1994).			
[3]				
RN	REVISIONS TO 168-176 AND 187-189.			
RP	STRAIN=K12 / WGI;			
RC	Stevenson G.;			
RA	Submitted (Dec-1997) to the EMBL/GenBank/DBJ databases.			
RN				
[4]				
RN	SEQUENCE FROM N.A.			
RP	STRAIN=K12 / MGI655;			
RC	MEDLINE: 97426617.			
RX	Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,			
RA	Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,			
RA	Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,			
RA	Mau B., Shao Y.;			
RT	"The complete genome sequence of Escherichia coli K-12.";			
RL	Science 277:1453-1474(1997).			
[5]				
RN	SEQUENCE FROM N.A.			
RP	STRAIN=K12;			
RC	MEDLINE: 97251358.			
RX	Itoh T., Aiba H., Baba T., Fujita K., Hayashi K., Inada T.,			
RA	Isono K., Kasai H., Kimura S., Kitakawa M., Kitagawa M.,			
RA	Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,			
RA	Nakade S., Nakamura Y., Nishimoto H., Nishio Y., Oshima T.,			
RA	Saito N., Sampei G., Seki Y., Sivasundaram S., Tagami H.,			

34	32	58.2	593	1	ARSD_HUMAN	P51689 homo sapien
35	32	58.2	635	1	KSYK_TRYBB	P43405 trypanosoma
36	32	58.2	676	1	HS7C_MYCTU	P20030 mycobacteri
37	32	58.2	1178	1	RPOB_MYCTU	P47766 mycobacteri
38	32	58.2	1179	1	RPOB_MYCTU	P30760 mycobacteri
39	31	56.4	65	1	CCSA_PEA	P31172 pisum sativ
40	31	56.4	69	1	GLUC_CANFA	P29794 canis famil
41	31	56.4	141	1	HBAI_IGUIG	P18974 iguana igua
42	31	56.4	151	1	GLUC_CHICK	P01277 gallus gall
43	31	56.4	158	1	GLUC_PIG	P01274 sus scrofa
44	31	56.4	161	1	PTB1_XENLA	P48532 xenopus lae
45	31	56.4	180	1	GLUC_BOVIN	P01272 bos taurus

ALIGNMENTS

RP SEQUENCE FROM N.A.
RX MEDLINE; 96389014.
RA Freiberg C., Perret X., Broughton W.J., Rosenthal A.;
RT "Sequencing the 500-kb GC-rich symbiotic replicon of *Rhizobium* sp.
NGR234 using dye terminators and a thermostable 'sequenase': a
beginning.";
RL Genome Res. 6:590-600(1996).
CC -1- SIMILARITY: NONE OBVIOUS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Z68203; CAA92423.1; -;
DR EMBL; AE000101; AAB91896.1; -;
KW Hypothetical protein; Plasmid.
SQ SEQUENCE 218 AA; 24594 MW; 501C6CB38A09A2E5 CRC64;

Query Match 65.5%; Score 36; DB 1; Length 218;
Best Local Similarity 66.7%; Pred. No. 5;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
QY 1 ARNHGSPA 9
|||
Db 68 ARDNHGSYS 76

RESULT 4
FATB_VIBAN
ID FATB_VIBAN STANDARD; PRT; 322 AA.
AC P11460;
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-OCT-1989 (Rel. 12, Last sequence update)
DT 01-OCT-1994 (Rel. 30, Last annotation update)
DE FERRIC ANGUIBACTIN-BINDING PROTEIN PRECURSOR.
GN FATB.
OS Vibrio anguillarum.
OG Plasmid pJMI.
OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; *Vibrio*.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-775;
RX MEDLINE; 88139336.
RA Actis L.A., Tolmasky M.E., Farrell D.H., Crosa J.H.;
RT "Genetic and molecular characterization of essential components of
the *Vibrio anguillarum* plasmid-mediated iron-transport system.";
RL J. Biol. Chem. 263:2853-2860(1988).
RN [2]
RP SEQUENCE OF 1-154 FROM N.A.
RC STRAIN-775;
RX MEDLINE; 92084677.
RA Koester W.L., Actis L.A., Waldbeser L.S., Tolmasky M.E., Crosa J.H.;
RT "Molecular characterization of the iron transport system mediated by
the pJMI plasmid in *Vibrio anguillarum* 775.";
RL J. Biol. Chem. 266:23829-23833(1991).
CC -1- FUNCTION: BINDS FERRIC ANGUIBACTIN; PART OF THE BINDING-PROTEIN-
DEPENDENT TRANSPORT SYSTEM FOR UPTAKE OF FERRIC ANGUIBACTIN.
CC -1- SUBCELLULAR LOCATION: ATTACHED TO THE INNER MEMBRANE BY A LIPID
ANCHOR (POTENTIAL).
CC -1- SIMILARITY: BELONGS TO THE BACTERIAL EXTRACELLULAR SOLUTE-BINDING
PROTEIN FAMILY 8.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

CC or send an email to license@isb-sib.ch.
CC -----
DR EMBL; J03529; AAA91580.1; -;
DR EMBL; M74068; AAA25643.1; ALT_INIT.
DR PIR; A29928; A29928.
DR INTERPRO; IPR002491; -;
DR PFAM; PF01497; Peripla_BP_2; 1.
DR PROSITE; PS00013; PROKAR_LIPOPROTEIN; 1.
KW Transport; Iron transport; Signal; Inner membrane; Lipoprotein;
KW Plasmid.
FT SIGNAL 1 22 POTENTIAL.
FT CHAIN 23 322 FERRIC ANGUIBACTIN-BINDING PROTEIN.
FT LIPID 23 23 N-ACYL DIGLYCERIDE (POTENTIAL).
SQ SEQUENCE 322 AA; 35635 MW; FB8674EED5CF73F7 CRC64;

Query Match 65.5%; Score 36; DB 1; Length 322;
Best Local Similarity 75.0%; Pred. No. 7.6;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
QY 3 HNHGSPAS 10
|||
Db 203 HNHGSPSS 210

RESULT 5
SYE2_RICPR
ID SYE2_RICPR STANDARD; PRT; 470 AA.
AC Q9ZCT8;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
(GLURS 2).
GN GLTX2 OR RP623.
OS Rickettsia prowazekii.
OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
OC Rickettsiaceae; Rickettsieae; Rickettsia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-MADRID E;
RX MEDLINE; 99039499.
RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
RA Sacheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
RT "The genome sequence of *Rickettsia prowazekii* and the origin of
mitochondria.";
RL Nature 396:133-140(1998).
CC -1- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -1- SUBUNIT: MONOMER (BY SIMILARITY).
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ235272; CAA15066.1; -;
DR HSP; P27000; IGLN.
DR INTERPRO; IPR000924; -;
DR INTERPRO; IPR001412; -;
DR PFAM; PF00749; trna-synt_lc; 1.
DR PRINTS; PS00967; TRNASYNTHGLU.
DR PROSITE; PS00178; AA_TRNA_LIGASE_I; FALSE NEG.
KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 239 243 "KMSKS" REGION.
FT BINDING 242 242 ATP (BY SIMILARITY).
CC -----


```

SQ SEQUENCE 470 AA; 53696 MW; DF1CE50A20B8A9FD CRC64;

Query Match 65.5%; Score 36; DB 1; Length 470;
Best Local Similarity 75.0%; Pred. No. 11;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
    ||||| 1
DB 31 ARHNGGKF 38

RESULT 6
ID SVE-AQUAE STANDARD; PRT; 473 AA.
AC 06271;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)
DE (GLURS).
DE (GLURS).
GN GLTX OR AQ_1221.
OS Aquifex aeolicus.
OC Bacteria; Aquificales; Aquificaceae; Aquifex.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=VF5;
RX MEDLINE; 98196666.
RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
RA Graham D.E., Overbeek R., Snead M.A., Keller M., Aujay M., Huber R.,
RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
RT "The complete genome of the hyperthermophilic bacterium Aquifex
RT aeolicus."
RL Nature 392:353-358(1998).
CC -1- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -1- SUBUNIT: MONOMER (BY SIMILARITY).
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL; M15871; AAA29138.1; -.
KW Eggshell; Signal.
FT SIGNAL 1 17
FT CHAIN 18 197 PUTATIVE EGGSHELL PROTEIN.
FT SEQUENCE 197 AA; 22470 MW; 72033ED203FC1A3E CRC64;

Query Match 63.6%; Score 35; DB 1; Length 197;
Best Local Similarity 75.0%; Pred. No. 7;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
    ||||| 1
DB 17 ARHNGGKF 24

RESULT 8
NCAP_CVHOC STANDARD; PRT; 448 AA.
ID NCAP_CVHOC STANDARD; PRT; 448 AA.
AC P33469;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE NUCLEOCAPSID PROTEIN.
DE GN N.
OS Human coronavirus (strain OC43).
OC Viruses; ssRNA positive-strand viruses, no DNA stage; Nidovirales;
OC Coronaviridae; Coronavirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 89243809.
RA Kanahora T., Soe L.H., Lai M.M.C.;
RT "Sequence analysis of nucleocapsid gene and leader RNA of human
RT coronavirus OC43."
RL Virus Res. 12:1-9(1989).
PIR: A60003; A60003.
DR INTERPRO: IPR001218; -.
DR PFAM: PF00937; Corona_nucleoca; 1.
KW Nucleocapsid.
SQ SEQUENCE 448 AA; 49316 MW; 5193AB1AE0D75626 CRC64;

Query Match 63.6%; Score 35; DB 1; Length 448;
Best Local Similarity 85.7%; Pred. No. 17;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSF 8
    ||||| 1
DB 103 RHNHGSF 109

EGGS_FASHE
ID EGGS_FASHE STANDARD; PRT; 197 AA.

```

```

RESULT 9
CC45_XENLA STANDARD; PRT; 567 AA.
ID CC45_XENLA STANDARD; PRT; 567 AA.
AC Q9YH26;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE CDC45-RELATED PROTEIN.
GN CDC45.
OS Xenopus laevis (African clawed frog).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Batrachia; Anura; Mesobatrachia; Pipoidae; Pipidae;
OC Xenopodidae; Xenopus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 98429493.
RA Minura S., Takisawa H.;
RT "Xenopus Cdc45-dependent loading of DNA polymerase alpha onto
chromatin under the control of S-phase Cdk."
RL EMBO J. 17:5699-5707(1998).
CC -!- FUNCTION: REQUIRED FOR INITIATION OF CHROMOSOMAL DNA REPLICATION.
CC -!- SUBCELLULAR LOCATION: NUCLEAR.
CC -!- SIMILARITY: BELONGS TO THE CDC45 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U21684; AAA75167.1; -.
CC EMBL; U21683; AAA75166.1; -.
CC DR HSSP; P43405; ICSY.
CC DR INTERPRO; IPR000719; -.
CC DR INTERPRO; IPR000980; -.
CC DR INTERPRO; IPR001245; -.
CC DR PFAM; PF00017; SH2; 2.
CC DR PFAM; PF00069; kinase; 1.
CC DR PRINTS; PR00401; SH2DOMAIN.
CC DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
CC DR PROSITE; PS00109; PROTEIN_KINASE_TYR; 1.
CC DR PROSITE; PS50011; PROTEIN_KINASE_DOM; 1.
CC DR PROSITE; PS50001; SH2; 2.
CC KW Transferase; Tyrosine-protein kinase; ATP-binding; Phosphorylation;
KW SH2 domain; Alternative splicing.
FT DOMAIN 14 106 SH2.
FT DOMAIN 167 258 SH2.
FT DOMAIN 365 625 PROTEIN_KINASE.
FT NP_BIND 371 379 ATP (BY SIMILARITY).
FT BINDING 396 396 ATP (BY SIMILARITY).
FT ACT_SITE 488 488 BY SIMILARITY.
FT MOD_RES 519 519 PHOSPHORYLATION (AUTO-) (BY SIMILARITY).
FT VARSPIC 277 299 MISSING (IN ISOFORM SYKA).
SQ SEQUENCE 567 AA; 65444 MW; 9A32FB20097F7C86 CRC64;

Query Match 63.6%; Score 35; DB 1; Length 567;
Best Local Similarity 71.4%; Pred. No. 21;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARNHNGS 7
Db 251 SRNHGN 257
:|||||:

RESULT 10
KSYK_RAT STANDARD; PRT; 629 AA.
ID KSYK_RAT STANDARD; PRT; 629 AA.
AC O64725;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE TYROSINE-PROTEIN KINASE SYK (BC 2.7.1.112) (SPLEEN TYROSINE KINASE).
GN SYK.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 95279402.
RA Rowley R.B., Bolen J.B., Fargnoli J.;
RT "Molecular cloning of rodent p72Syk. Evidence of alternative mRNA
splicing."
RL J. Biol. Chem. 270:12659-12664(1995).
CC -!- FUNCTION: MAY PARTICIPATE IN SIGNALING PATHWAYS. PLAYS A ROLE IN
CC LYMPHOCYTE ACTIVATION.
CC -!- CATALYTIC ACTIVITY: ATP + A PROTEIN TYROSINE = ADP + PROTEIN
CC TYROSINE PHOSPHATE.
CC -!- ALTERNATIVE PRODUCTS: 2 ISOFORMS; SYKA AND SYKB (SHOWN HERE);
CC ARE PRODUCED BY ALTERNATIVE SPLICING.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AF062494; AAC67520.1; -.
CC KW DNA replication; Cell cycle; Nuclear protein.
SQ SEQUENCE 567 AA; 65444 MW; 9A32FB20097F7C86 CRC64;

Query Match 63.6%; Score 35; DB 1; Length 629;
Best Local Similarity 77.8%; Pred. No. 24;
Matches 7; Conservative 1; Mismatches 0; Indels 1; Gaps 0;

Oy 1 ARNHNGSFA 9
Db 195 ARDNNGSFA 203
|||:|||||

RESULT 11
PBPL_YEAST STANDARD; PRT; 722 AA.
ID PBPL_YEAST STANDARD; PRT; 722 AA.
AC P53297;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE PAB1-BINDING PROTEIN 1.
GN PBPL OR MRS16 OR YGR178C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomyces.
RN [1]
RP SEQUENCE FROM N.A.
RA Hebling U., Hofmann B., Delius H.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-DBY747;
RA Mecklenbrauer I.;
RT "Sequencing and characterization of a suppressor of the pet- phenotype
RT in a Saccharomyces cerevisiae strain without mitochondrial group II
RT introns."
RL Thesis (1996), Vienna Biocentre, Austria.
RN [3]

```

RP CHARACTERIZATION.
RX MEDLINE; 99038243.
RA Mangus D.A., Amrani N., Jacobson A.;
RT "Pbip, a factor interacting with Saccharomyces cerevisiae poly(A)-
RL binding protein, regulates polyadenylation.";
RL Mol. Cell. Biol. 18:7383-7396(1998).
CC -!- FUNCTION: APPEARS TO PROMOTE PROPER POLYADENYLATION. IN THE
CC ABSENCE OF PBIP, THE 3' TERMINI OF PRE-MRNAs ARE PROPERLY CLEAVED
CC BUT LACK FULL-LENGTH POLY(A) TAILS. MAY ACT TO REPRESS THE ABILITY
CC OF PAB1 TO NEGATIVELY REGULATE POLYADENYLATION.
CC -!- SUBUNIT: INTERACTS WITH PAB1.
CC -!- SUBCELLULAR LOCATION: NUCLEAR AND CYTOPLASMIC.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Z72963; CAA97204.1; -
DR EMBL; U46931; AAB94294.1; -
DR SGD; S0003410; PBIP.
KW Nuclear protein.
SQ SEQUENCE 722 AA; 78781 MW; 92005F3A2346193E CRC64;

Query Match 63.6%; Score 35; DB 1; Length 722;
Best Local Similarity 85.7%; Pred. No. 27;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 2 RHNHGSF 8
I | | | | |
Db 474 RHNHGSF 480

RESULT 12
YNB9_YEAST
ID YNB9_YEAST STANDARD; PRT; 284 AA.
AC P53975;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE HYPOTHETICAL 31.3 KDA PROTEIN IN HDAL-PUB1 INTERGENIC REGION
DE PRECURSOR.
GN YNL019C OR N2827.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomycetes.
RN [1]
RP SEQUENCE FROM N.A.
RA Andre B., Iraqui Housaini I., Urrestazu L.A., Vissers S.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: TO YEAST YNL033W.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Z71295; CAA95881.1; -
DR SGD; S0004964; YNL019C.
KW Hypothetical protein; Signal.
FT SIGNAL 1 24 POTENTIAL.
FT CHAIN 25 284 HYPOTHETICAL PROTEIN YNL019C.
FT CARBOHYD 270 270 N-LINKED (GLCNAC...) (POTENTIAL).
SQ SEQUENCE 284 AA; 31326 MW; 0AD55E3495B2B284 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 284;
Best Local Similarity 55.6%; Pred. No. 16;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 ARNHGSFA 9
: | | | | :
Db 194 SHNHGSIS 202

RESULT 13
YND3_YEAST
ID YND3_YEAST STANDARD; PRT; 284 AA.
AC P53964;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 31.4 KDA PROTEIN IN NCE3-HHT2 INTERGENIC REGION
DE PRECURSOR.
GN YNL033W OR N2743.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomycetes.
RN [1]
RP SEQUENCE FROM N.A.
RA Dueterhoeft A., Floeth M., Fritz C., Heuss-Neitzel D.,
RA Hilbert H., Moestl D.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: TO YEAST YNL019C.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Z71309; CAA95896.1; -
DR SGD; S0004978; YNL033W.
KW Hypothetical protein; Signal.
FT SIGNAL 1 24 POTENTIAL.
FT CHAIN 25 284 HYPOTHETICAL PROTEIN YNL033W.
FT CARBOHYD 270 270 N-LINKED (GLCNAC...) (POTENTIAL).
SQ SEQUENCE 284 AA; 31386 MW; 1BC45E3495B2A395 CRC64;

Query Match 61.8%; Score 34; DB 1; Length 284;
Best Local Similarity 55.6%; Pred. No. 16;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 ARNHGSFA 9
: | | | | :
Db 194 SHNHGSIS 202

RESULT 14
IEI8_PVKA
ID IEI8_PVKA STANDARD; PRT; 1446 AA.
AC P33479;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE IMMEDIATE-EARLY PROTEIN IE180.
GN IE.
OS Pseudorabies virus (strain Kaplan) (PRV).
OC Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
OC Alphaherpesvirinae; Varicellovirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 91021039.
RA Vleck C., Kozmik Z., Paces V., Schirm S., Schwyzler M.;
RT "Pseudorabies virus immediate-early gene overlaps with an oppositely
oriented open reading frame: characterization of their promoter and

```
RT enhancer regions."
RL Virology 179:365-377(1990).
CC -!- FUNCTION: THIS IE PROTEIN IS A MULTIFUNCTIONAL PROTEIN CAPABLE
CC OF MIGRATING TO THE NUCLEUS, BINDING TO DNA, TRANS-ACTIVATING
CC OTHER VIRAL GENES, AND AUTOREGULATING ITS OWN SYNTHESIS.
CC -!- SUBCELLULAR LOCATION: NUCLEUS OF INFECTED CELLS.
CC -!- PTM: A LONG STRETCH OF SERINE RESIDUES MAY BE A MAJOR SITE OF
CC PHOSPHORYLATION.
CC -!- SIMILARITY: BELONGS TO THE ICP4/IE140/IE180 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M34651; AAA47470.1; -.
CC PIR; A45344; A45344.
CC Early protein; Transcription regulation; Trans-acting factor;
CC DNA-binding; Phosphorylation; Nuclear protein.
CC DOMAIN 347 354 POLY-SER.
CC FT DOMAIN 379 397 POLY-SER.
CC SEQUENCE 1446 AA; 148640 MW; 81F43A3DE3DDA068 CRC64;
CC
CC
CC Query Match 61.8%; Score 34; DB 1; Length 1446;
CC Best Local Similarity 75.0%; Pred. No. 88;
CC Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
CC
CC Qy 1 ARNHGGSF 8
CC | | | | |
CC Db 583 APHGHSF 590
CC
CC RESULT 15
CC IE18-PRVIF STANDARD; PRT; 1461 AA.
CC AC P11675;
CC DT 01-OCT-1989 (Rel. 12, Created)
CC DT 01-APR-1990 (Rel. 14, Last sequence update)
CC DT 01-FEB-1994 (Rel. 28, Last annotation update)
CC DE IMMEDIATE-EARLY PROTEIN IE180.
CC GN IE.
CC OS Pseudorabies virus (strain Indiana-Funkhauser / Becker) (PRV).
CC OC Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
CC OC Alphaherpesvirinae; Varicellovirus.
CC RN [1]
CC RP SEQUENCE FROM N.A.
CC RX MEDLINE; 89315207.
CC RA Cheung A.K.;
CC FT "DNA nucleotide sequence analysis of the immediate-early gene of
CC RT pseudorabies virus."
CC RL Nucleic Acids Res. 17:4637-4646(1989).
CC RN [2]
CC RP REVISIONS.
CC RA Cheung A.K.;
CC RL Submitted (NOV-1989) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: THIS IE PROTEIN IS A MULTIFUNCTIONAL PROTEIN CAPABLE
CC OF MIGRATING TO THE NUCLEUS, BINDING TO DNA, TRANS-ACTIVATING
CC OTHER VIRAL GENES, AND AUTOREGULATING ITS OWN SYNTHESIS.
CC -!- SUBCELLULAR LOCATION: NUCLEUS OF INFECTED CELLS.
CC -!- PTM: A LONG STRETCH OF SERINE RESIDUES MAY BE A MAJOR SITE OF
CC PHOSPHORYLATION.
CC -!- SIMILARITY: BELONGS TO THE ICP4/IE140/IE180 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
```

```
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X15120; CAA33214.1; -.
CC PIR; S04713; EDBEIF.
CC Early protein; Transcription regulation; Trans-acting factor;
CC DNA-binding; Phosphorylation; Nuclear protein.
CC FT DOMAIN 390 405 POLY-SER.
CC FT DOMAIN 958 966 POLY-SER.
CC SQ SEQUENCE 1461 AA; 149833 MW; 7F31E7ABE403B208 CRC64;
CC
CC Query Match 61.8%; Score 34; DB 1; Length 1461;
CC Best Local Similarity 75.0%; Pred. No. 89;
CC Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
CC
CC Qy 1 ARNHGGSF 8
CC | | | | |
CC Db 594 APHGHSF 601
CC
CC Search completed: March 28, 2001, 07:35:16
CC Job time: 153 sec
```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:31 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-94
Perfect score: 55
Sequence: 1 ARNHGSPAS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mhc:*
- 8: sp_organelle:*
- 9: sp_phage:*
- 10: sp_plant:*
- 11: sp_rodent:*
- 12: sp_virus:*
- 13: sp_vertebrate:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	38	69.1	839	10 Q9LIE5	Q9LIE5 arabidopsis
2	37	67.3	227	5 Q9VNI9	Q9VNI9 drosophila
3	37	67.3	326	2 Q9RJG3	Q9RJG3 streptomyce
4	37	67.3	731	2 Q93369	Q93369 escherichia
5	36	65.5	89	7 Q19495	Q19495 gallus galli
6	36	65.5	360	3 Q05791	Q05791 saccharomyc
7	35	63.6	161	5 Q9VZ39	Q9VZ39 drosophila
8	35	63.6	233	2 Q9KRA6	Q9KRA6 vibrio chol
9	35	63.6	272	5 Q24950	Q24950 fasciola he
10	35	63.6	272	5 Q24951	Q24951 fasciola he
11	35	63.6	446	5 Q62086	Q62086 caenorhabdi
12	35	63.6	615	11 Q63614	Q63614 rattus norv
13	35	63.6	1291	5 Q77261	Q77261 drosophila
14	35	63.6	1300	5 Q9W5E0	Q9W5E0 drosophila
15	34	61.8	39	7 P79474	P79474 cervus elap
16	34	61.8	39	7 P79477	P79477 cervus elap
17	34	61.8	39	7 P79478	P79478 cervus elap
18	34	61.8	39	7 P79479	P79479 cervus elap
19	34	61.8	76	7 Q9TPC2	Q9TPC2 macaca mula

20	34	61.8	82	7	Q30606	Q30606 macaca mula
21	34	61.8	82	7	Q30608	Q30608 macaca mula
22	34	61.8	82	7	Q30637	Q30637 macaca mula
23	34	61.8	82	7	Q30638	Q30638 macaca mula
24	34	61.8	82	7	Q30658	Q30658 macaca mula
25	34	61.8	82	7	Q30659	Q30659 macaca mula
26	34	61.8	82	7	Q30666	Q30666 macaca mula
27	34	61.8	82	7	Q30667	Q30667 macaca mula
28	34	61.8	82	7	Q30668	Q30668 macaca mula
29	34	61.8	82	7	Q19287	Q19287 macaca mula
30	34	61.8	82	7	Q19288	Q19288 macaca mula
31	34	61.8	82	7	Q9TFC9	Q9TFC9 callicebus
32	34	61.8	82	7	Q9MXN1	Q9MXN1 macaca mula
33	34	61.8	83	6	Q9TSS5	Q9TSS5 bos indicus
34	34	61.8	83	7	Q98002	Q98002 ovis aries
35	34	61.8	85	7	Q30796	Q30796 ovis aries
36	34	61.8	85	7	Q30800	Q30800 ovis aries
37	34	61.8	85	7	Q30803	Q30803 ovis aries
38	34	61.8	85	7	Q30812	Q30812 ovis aries
39	34	61.8	85	7	P79966	P79966 capra aegag
40	34	61.8	85	7	P79967	P79967 capra aegag
41	34	61.8	85	7	P79968	P79968 capra aegag
42	34	61.8	86	7	Q30326	Q30326 bos taurus
43	34	61.8	89	7	Q19210	Q19210 capra hircu
44	34	61.8	89	7	Q19212	Q19212 capra hircu
45	34	61.8	89	7	Q30521	Q30521 galago sene

ALIGNMENTS

RESULT 1

Q9LIE5 PRELIMINARY; PRT; 839 AA.

AC Q9LIE5;

DT 01-OCT-2000 (Tremblrel. 15, Created)

DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)

DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE

DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.

OS Arabidopsis thaliana (Mouse-ear cress).

OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;

OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;

OC Brassicales; Brassicaceae; Arabidopsids.

OX NCBI_TaxID=3702;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN-COLUMBIA;

RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;

RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.

RN [2]

RP SEQUENCE FROM N.A.

RC STRAIN-COLUMBIA;

RA Nakamura Y.;

RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.

RT Sequence features of the regions of 4,251,695 bp covered by ninety P1,

RT TAC and BAC clones."

RL DNA Res. 7:217-221(2000).

DR EMBL; AP001306; BAB03065.1; ..

SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 69.1%; Score 38; DB 10; Length 839;
Best Local Similarity 75.0%; Pred. No. 36;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSPF 8

Db 274 SRHNGSPF 281

RESULT 2

Q9VNI9

ID Q9VNI9 PRELIMINARY; PRT; 227 AA.
 AC Q9VNI9;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE CG2023 PROTEIN.
 GN CG2023.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BERKELEY;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Anantides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballwey L.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Bereman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottiler P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadiou E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Foslter C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacieb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Swirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of drosophila melanogaster."
 RL Science 287:2185-2195(2000).
 DR EMBL; AE003601; AAF51945.1;
 DR FLYBASE; FBgn0037383; CG2023.
 SQ SEQUENCE 227 AA; 25695 MW; 768718C22AE7C60E CRC64;

Query Match 67.3%; Score 37; DB 5; Length 227;
 Best Local Similarity 70.0%; Pred. No. 16;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGGSFAS 10

|||||

Db 126 ARHNGSLVS 135

RESULT 3

ID Q9RJG3

AC Q9RJG3 PRELIMINARY; PRT; 326 AA.

DT 01-MAY-2000 (TrEMBLrel. 13, Created)

DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE PUTATIVE ARAC FAMILY TRANSCRIPTIONAL REGULATOR.
 GN SCF76.11.
 OS Streptomyces coelicolor.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
 OX NCBI_TaxID=1902;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=A3(2);
 RA Murphy L., Harris D.;
 RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=A3(2);
 RA Thomson N.R., Parkhill J., Barrell B.G., Rajandream M.A.;
 RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=A3(2);
 RA Redenbach M., Kieser H.M., Denapaite D., Eichner A., Cullum J.,
 RA Kinashi H., Hopwood D.A.;
 RT "A set of ordered cosmids and a detailed genetic and physical map for
 RT the 8 Mb Streptomyces coelicolor A3(2) chromosome."
 RL Mol. Microbiol. 21:77-96(1996).
 DR EMBL; AL121600; CAB56731.1;
 DR INTERPRO; IPR000005;
 DR PFAM; PF00165; HTH_Arac; 1.
 SQ SEQUENCE 326 AA; 34425 MW; 2FEF5346ACAC80D6 CRC64;
 Query Match 67.3%; Score 37; DB 2; Length 326;
 Best Local Similarity 85.7%; Pred. No. 23;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 2 RHNHGSF 8
 |||||
 Db 85 RHGHSF 91
 RESULT 4
 ID Q59369 PRELIMINARY; PRT; 731 AA.
 AC Q59369;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE HISTIDINE RICH P TYPE APPASE.
 GN HRA-1.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 OX NCBI_TaxID=562;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC MEDLINE=95110304; PubMed=7811248;
 RA Trenor C.C., Lin W., Andrews N.C.;
 RT "Novel bacterial P-type APPases with histidine-rich heavy-metal-
 RT associated sequences."
 RL Biochem. Biophys. Res. Commun. 205:1644-1650(1994).
 DR EMBL; U16658; AAA62113.1;
 DR INTERPRO; IPR001757;
 DR PFAM; PF00122; EI-E2_APPase; 1.
 DR PROSITE; PS00154; ATPASE_EI_E2; UNKNOWN1.
 KW Hydrolase; Transmembrane; Phosphorylation; ATP-binding.
 FT MOD_RES 431 431 PHOSPHORYLATION (PROBABLE).
 SQ SEQUENCE 731 AA; 78453 MW; 06237F155E151F0D CRC64;

Query Match 67.3%; Score 37; DB 2; Length 731;
 Best Local Similarity 75.0%; Pred. No. 49;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

```

QY 1 ARHHGSF 8
Db 88 AHHHGSF 95

RESULT 5
O19495 PRELIMINARY: PRT: 89 AA.
AC O19495;
DT 01-JAN-1998 (TREMBlrel. 05, Created)
DT 01-JAN-1998 (TREMBlrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
GN B-LBI.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=15.151-5; TISSUE=BURSA;
RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
RL Immunogenetics 47:350-354(1998).
DR EMBL; U91532; AAC15813.1; -
DR INTERPRO; IPR000353; -
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 89
SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEB1379 CRC64;

Query Match 65.5%; Score 36; DB 7; Length 89;
Best Local Similarity 66.7%; Pred. NO. 10;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
Db 75 RHNYGDFES 83

RESULT 6
O05791 PRELIMINARY: PRT: 360 AA.
AC Q05791;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-NOV-1998 (TREMBlrel. 08, Last annotation update)
DE CHROMOSOME XII COSMID 8167.
GN L8167.23.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomyces.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C (AB972);
RX MEDLINE=97313267; PubMed=9169871;
RA Johnston M., Hillier L., Riles L., Albermann K., Andre B., Ansoerge W.,
RA Benes V., Bruckner M., Delius H., Dubois E., Dusterhoft A.,
RA Entian K.D., Floeth M., Goffeau A., Hebling U., Heumann K.,
RA Heuss-Neitzel D., Hilbert H., Hilger F., Kleine K., Kottler P.,
RA Louis E.J., Messenguy F., Mewes H.W., Miosga T., Mostl D.,
RA Muller-Auer S., Nentwich U., Obermaier B., Piravandi E., Pohl T.M.,
RA Portetle D., Purnelle B., Reckmann S., Rieger M., Rinke M., Rose M.,
RA Scharfe M., Scherens B., Scholler P., Schwager C., Schwarz S.,
RA Underwood A.P., Urrestazu L.A., Vandenbol M., Verhasselt P.,
RA Vierendeels F., Voet M., Volckaert G., Voss H., Wambui R., Wedler E.,
RA Wedler H., Zimmermann F.K., Zollner A., Hani J., Hoheisel J.D.;
RT "The nucleotide sequence of Saccharomyces cerevisiae chromosome XII.";
RL Nature 387:0-0(0).
```

```

RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C (AB972);
RA Pauley A.;
RL Submitted (SEP-1994) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C (AB972);
RA Waterston R.;
RL Submitted (SEP-1994) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C (AB972);
RA Cherry J.M.;
RL Submitted (AUG-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; U14913; AAB67444.1; -
SQ SEQUENCE 360 AA; 41852 MW; 61CCC9DCEAFA1197 CRC64;

Query Match 65.5%; Score 36; DB 3; Length 360;
Best Local Similarity 77.8%; Pred. NO. 38;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
Db 304 RHNTGFEAS 312

RESULT 7
Q9VZ39 PRELIMINARY: PRT: 161 AA.
AC Q9VZ39;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE CG1545 PROTEIN.
GN CG1545.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Abrell J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Bereman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Fostler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kaul S., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
```

```

RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Klamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirkas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL: AE003484; AAF47989.1; -.
DR FLYBASE: FBgn0030259; CG1545.
SQ SEQUENCE 161 AA; 18109 MW; 2B17085850A450E3 CRC64;

Query Match 63.6%; Score 35; DB 5; Length 161;
Best Local Similarity 75.0%; Pred. No. 27;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSFAS 10
Db 77 YNHGSWAS 84

RESULT 8
Q9KRA6 PRELIMINARY; PRT; 233 AA.
ID Q9KRA6
AC Q9KRA6
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE ARGINYL-TRNA-PROTEIN TRANSFERASE-RELATED PROTEIN.
GN VC1736.
OS Vibrio cholerae.
OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
OX NCBI_TaxID=666;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=EL TOR N16961 / SEROTYPE O1;
RX MEDLINE=20406833; PubMed=10952301;
RA Heidelberg J.F., Eisen J.A., Nelson W.C., Clayton R.A., Gwinn M.L.,
RA Dodson R.J., Haft D.H., Hick E.K., Peterson J.D., Umayam L.A.,
RA Gill S.R., Nelson K.E., Rhee T.D., Tettelin H., Richardson D.,
RA Emolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P.,
RA McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O.,
RA Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C.,
RA Fraser C.M.;
RT "DNA sequence of both chromosomes of the cholera pathogen Vibrio
RT cholerae."
RL Nature 406:477-483(2000).
DR EMBL: AE004251; AAF94886.1; -.
DR TIGR: VC1736; -.
KW Transferase.
SQ SEQUENCE 233 AA; 27350 MW; AEB6E95905EC2C3C CRC64;

Query Match 63.6%; Score 35; DB 2; Length 233;
Best Local Similarity 85.7%; Pred. No. 39;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGS 7
Db 117 ARRHGS 123

RESULT 9
Q24950 PRELIMINARY; PRT; 272 AA.
ID Q24950
AC Q24950
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)

RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Klamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirkas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL: AE003484; AAF47989.1; -.
DR FLYBASE: FBgn0030259; CG1545.
SQ SEQUENCE 161 AA; 18109 MW; 2B17085850A450E3 CRC64;

Query Match 63.6%; Score 35; DB 5; Length 161;
Best Local Similarity 75.0%; Pred. No. 27;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSFAS 10
Db 77 YNHGSWAS 84

RESULT 8
Q9KRA6 PRELIMINARY; PRT; 233 AA.
ID Q9KRA6
AC Q9KRA6
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE ARGINYL-TRNA-PROTEIN TRANSFERASE-RELATED PROTEIN.
GN VC1736.
OS Vibrio cholerae.
OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
OX NCBI_TaxID=666;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=EL TOR N16961 / SEROTYPE O1;
RX MEDLINE=20406833; PubMed=10952301;
RA Heidelberg J.F., Eisen J.A., Nelson W.C., Clayton R.A., Gwinn M.L.,
RA Dodson R.J., Haft D.H., Hick E.K., Peterson J.D., Umayam L.A.,
RA Gill S.R., Nelson K.E., Rhee T.D., Tettelin H., Richardson D.,
RA Emolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P.,
RA McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O.,
RA Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C.,
RA Fraser C.M.;
RT "DNA sequence of both chromosomes of the cholera pathogen Vibrio
RT cholerae."
RL Nature 406:477-483(2000).
DR EMBL: AE004251; AAF94886.1; -.
DR TIGR: VC1736; -.
KW Transferase.
SQ SEQUENCE 233 AA; 27350 MW; AEB6E95905EC2C3C CRC64;

Query Match 63.6%; Score 35; DB 2; Length 233;
Best Local Similarity 85.7%; Pred. No. 39;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGS 7
Db 117 ARRHGS 123

RESULT 9
Q24950 PRELIMINARY; PRT; 272 AA.
ID Q24950
AC Q24950
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)

```

```

DE VITELLINE PROTEIN B1 PRECURSOR.
OS Fasciola hepatica (Liver fluke).
OC Eukaryota; Metazoa; Platyhelminthes; Neodermata; Trematoda; Digenea;
OC Echinostomida; Echinostomata; Fasciolidae; Fasciolidae; Fasciola.
OX NCBI_TaxID=6192;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93063029; PubMed=1435854;
RA Rice-Ficht A.C., Dusek K.A., Kochevar G.J., Waite J.H.;
RT "Eggshe'll precursor proteins of Fasciola hepatica, I. Structure and
RT expression of vitelline protein B.";
RL MOL. Biochem. Parasitol. 54:129-141(1992).
DR EMBL: M93024; AAA29143.1; -.
KW SIGNAL.
FT CHAIN 1 19 POTENTIAL.
FT CHAIN 20 272 VITELLINE PROTEIN B1.
SQ SEQUENCE 272 AA; 31211 MW; BFCFDBEF6736BDCA CRC64;

Query Match 63.6%; Score 35; DB 5; Length 272;
Best Local Similarity 75.0%; Pred. No. 45;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSF 8
Db 19 ARRHGKF 26

RESULT 10
Q24951 PRELIMINARY; PRT; 272 AA.
ID Q24951
AC Q24951
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
DE VITELLINE PROTEIN B2 PRECURSOR.
OS Fasciola hepatica (Liver fluke).
OC Eukaryota; Metazoa; Platyhelminthes; Neodermata; Trematoda; Digenea;
OC Echinostomida; Echinostomata; Fasciolidae; Fasciolidae; Fasciola.
OX NCBI_TaxID=6192;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93063029; PubMed=1435854;
RA Rice-Ficht A.C., Dusek K.A., Kochevar G.J., Waite J.H.;
RT "Eggshe'll precursor proteins of Fasciola hepatica, I. Structure and
RT expression of vitelline protein B.";
RL MOL. Biochem. Parasitol. 54:129-141(1992).
DR EMBL: M93025; AAA29144.1; -.
KW SIGNAL.
FT CHAIN 1 19 POTENTIAL.
FT CHAIN 20 272 VITELLINE PROTEIN B2.
SQ SEQUENCE 272 AA; 31418 MW; 27D51230F278F6CC CRC64;

Query Match 63.6%; Score 35; DB 5; Length 272;
Best Local Similarity 75.0%; Pred. No. 45;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSF 8
Db 19 ARRHGKF 26

RESULT 11
Q62086 PRELIMINARY; PRT; 446 AA.
ID Q62086
AC Q62086
DT 01-AUG-1998 (TrEMBLrel. 07, Created)
DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE C3IH5.6 PROTEIN.
GN C3IH5.6.
OS Caenorhabditis elegans.

```


OC	Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC	Rhabditidae; Peloderinae; Caenorhabditis.
OX	NCBI_TaxID=6239;
RN	[1]
RP	SEQUENCE FROM N.A.
RA	Kershaw J.;
RL	Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
RN	[2]
RP	SEQUENCE FROM N.A.
RX	MEDLINE=94150718; PubMed=7906398;
RA	Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA	Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA	Crafton M., Dear S., Du Z., Durbin R., Favellio A., Fulton L.,
RA	Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA	Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA	Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA	Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Showkneen R.,
RA	Smaldon N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA	Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA	Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.;
RT	"2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT	elegans."
RL	Nature 368:32-38(1994).
DR	EMBL: 293778; CAB07846.1; -;
DR	INTERPRO: IPR000379; -;
DR	INTERPRO: IPR002925; -;
DR	PFAM: PF01738; DLH; 2.
SQ	SEQUENCE 446 AA; 50763 MW; 82AD969CDDAD753DE CRC64;

Query Match 63.6%; Score 35; DB 5; Length 446;
Best Local Similarity 66.7%; Pred. NO. 72;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSFAS 10
 DB 51 RHNHGSFAS 59

RESULT 12
063614

```

ID Q63614 PRELIMINARY; PRT; 615 AA.
AC Q63614;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE TYROSINE KINASE RECEPTOR (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
CX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=SPLEEN;
RA MEDLINE=94043123; PubMed=7693687;
RX Benhamou M., Ryba N.J.P., Nishikata H., Kihara H., Siraganian R.P.;
RT "Protein-tyrosine kinase p72syk in high affinity IgE receptor
RT signaling. Identification as a component of pp72 and association with
RT the receptor gamma chain after receptor aggregation.";
RL J. Biol. Chem. 268:23318-23324(1993).
DR EMBL; L20838; AAA42308.1; -.
DR HSSP; P43405; 1A81.
DR INTERPRO; IPR000719; -.
DR INTERPRO; IPR000980; -.
DR INTERPRO; IPR001245; -.
DR PFAM; PF00017; SH2; 2.
DR PFAM; PF00069; pkinaase; 1.
DR PRINTS; PR00109; TYRKINASE.
DR PRINTS; PR00401; SH2DOMAIN.
DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
DR PROSITE; PS00109; PROTEIN_KINASE_TYR; 1.
DR PROSITE; PS50001; SH2; 2.
DR PROSITE; PS50011; PROTEIN_KINASE_DOM; 1.

```

```

FT  NON_TER      1 1
FT  NON_TER      615 615
SQ  SEQUENCE     615 AA; 70008 MW;  B41D4CEE59A567A2 CRC64;

Query Match      63.6%; Score 35; DB 11; Length 615;
Best Local Similarity 77.8%; Pred No. 98;
Matches 7; Conservative 1; Mismatches 0; Gaps 0;

Qy  1 ARHNHGSFA 9
    |||:||||
Db  181 ARDNGSFA 189

RESULT 13
O77261
ID O77261 PRELIMINARY; PRT; 1291 AA.
AC O77261;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE EG:115C2.10 PROTEIN.
DE EG:115C2.10.
GN EG:115C2.10.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RA Salles C., Valenti P., Darlamitsou A., Henderson N., Campbell L.,
RA Glover D.;
RT "Sequencing the distal x chromosome of Drosophila melanogaster.";
RL Submitted (SEP-1998) to the EMBL/GenBank/DBJ databases.
[2]
RP SEQUENCE FROM N.A.
RA BENOS P.;
RL Submitted (MAY-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AL031581; CAA20894.2; -
DR INTERPRO; IPR001214; -
DR PFAM; PF00856; SET; 1.
SQ SEQUENCE 1291 AA; 137366 MW;  021DD566196196BA CRC64;

```

Query Match 63.6%; Score 35; DB 5; Length 1291;
Best Local Similarity 75.0%; Pred. No. 2e+02;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNHGSFAS 10
|||
Dp 554 HNHGOHAS 561

RESULT 14

Q9W5E0 Q9W5E0 PRELIMINARY; PRT; 1300 AA.
AC Q9W5E0;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2000 (TREMBlrel. 14, Last annotation update)
EG: 115C2.10 PROTEIN.
GN EG: 115C2.10
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxId=7227;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Ananidis P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,

RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Foster C., Gabrielian A.B., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirska R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.:
 RT "The genome sequence of *Drosophila melanogaster*.";
 RL Science 287:2185-2195(2000).
 DR EMBL; AE003418; AAF4537.1; -
 DR FLYBASE; FBgn0025639; EG:115C2.10.
 DR INTERPRO; IPR001214; -
 SQ SEQUENCE 1300 AA; 137524 MW; 7186D0198CC16926 CRC64;

Query Match 63.6%; Score 35; DB 5; Length 1300;
 Best Local Similarity 75.0%; Pred. No. 2e+02;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNHGSPAS 10
 DB 554 HNHGQHAS 561

RESULT 15
 P79474
 ID P79474 PRELIMINARY; PRT; 39 AA.
 AC P79474;
 DT 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swabrick P.A., Crawford A.M.:
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63077; AAB3777.1; -
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE . 39 AA; 4767 MW; CAF3680999733D1D CRC64;

Query Match 61.8%; Score 34; DB 7; Length 39;
 Best Local Similarity 66.7%; Pred. No. 11;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 HNHGSPAS 10
 DB 25 HNHGVPES 33

Search completed: March 28, 2001, 07:53:33
 Job time: 526 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:53 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-94

Perfect score: 55

Sequence: 1 ARNHGSEFAS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	55	100.0	10	19 W76037	LM609 grafted anti
2	51	92.7	10	19 W76020	LM609 grafted anti
3	49	89.1	10	19 W76038	LM609 grafted anti
4	49	89.1	10	19 W76024	LM609 grafted anti
5	46	83.6	10	19 W76025	LM609 grafted anti
6	46	83.6	10	19 W76030	LM609 grafted anti
7	45	81.8	10	19 W76026	LM609 grafted anti
8	45	81.8	10	19 W76027	LM609 grafted anti
9	45	81.8	10	19 W76028	LM609 grafted anti
10	45	81.8	10	19 W76029	LM609 grafted anti
11	45	81.8	10	19 W76010	LM609 grafted anti
12	45	81.8	117	19 W76001	Vitaxin antibody h

13	45	81.8	117	19 W76003	LM609 antibody hea
14	45	81.8	117	20 Y06381	Murine monoclonal
15	45	81.8	117	20 Y06387	Humanised LM609 an
16	45	81.8	118	20 Y06384	Humanised LM609 an
17	45	81.8	118	20 Y06385	Humanised LM609 an
18	45	81.8	118	20 Y06386	Humanised LM609 an
19	45	81.8	118	20 Y06383	Humanised LM609 an
20	45	81.8	130	20 Y06379	Murine monoclonal
21	43	78.2	10	19 W76040	LM609 grafted anti
22	42	76.4	10	19 W76021	LM609 grafted anti
23	41	74.5	10	19 W76039	LM609 grafted anti
24	41	74.5	10	19 W76022	LM609 grafted anti
25	41	74.5	10	19 W76023	LM609 grafted anti
26	37	67.3	110	20 W84099	Vitronectin alpha-
27	37	67.3	117	20 W84093	Murine vitronectin
28	37	67.3	117	20 W84097	Humanised anti-alp
29	36	65.5	8	20 Y06371	Murine monoclonal
30	35	63.6	286	20 Y43477	Amino acid sequenc
31	34	61.8	99	20 Y29137	DNA-binding/dimeri
32	34	61.8	204	19 W59609	H. pylori GPHO 403
33	34	61.8	358	19 W98649	Streptococcus pneu
34	34	61.8	827	21 Y81662	Vesiculovirus larg
35	33	60.0	2109	17 W04540	S. pneumoniae deri
36	32	58.2	119	19 Y86109	Sequence of the hu
37	32	58.2	120	15 R48621	Region for producti
38	32	58.2	121	16 R65173	Chlamydia pneumoni
39	32	58.2	165	20 Y34655	Human 35 kDa opson
40	32	58.2	218	17 R94178	Klebsiella oxytoca
41	32	58.2	238	21 Y70730	Human 35 kDa opson
42	32	58.2	288	17 R94179	Membrane-bound pro
43	32	58.2	299	21 Y66687	Human 35 kDa opson
44	32	58.2	313	17 R94183	Neisseria gonorrhoe
45	32	58.2	360	20 Y38857	

ALIGNMENTS

RESULT 1

W76037

ID W76037 standard; Protein; 10 AA.

XX

AC W76037;

XX

DT 02-NOV-1998 (first entry)

XX

DE LM609 grafted antibody V-H region CDR3 protein fragment #13.

XX

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

KW complementarity determining region.

XX

OS Mus sp.

XX

XX W09833919-A2.

PN

XX

PD 06-AUG-1998.

XX

PF 30-JAN-1998; 98WO-US01826.

XX

PR 30-JAN-1997; 97US-0791391.

XX

PA (IXSY-) IXSYS INC.

XX

XX Glaser SM, Huse WD;

PI

XX WPI; 1998-437472/37.

DR

XX N-PSDB; V49874.

XX

PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 43; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and the antibody
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC vitaxin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 100.0%; Score 55; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00021;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARNHGGSFAS 10
 Db | | | | | | | | | |
 1 arnhggsfas 10
 RESULT 2
 W76020
 ID W76020 standard; Protein; 10 AA.
 XX
 AC W76020;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #2.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI: 1998-437472/37.
 DR N-PSDB: V49857.
 XX
 PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 92.7%; Score 51; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0011;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARNHGGSFA 9
 Db | | | | | | | | | |
 1 arnhggsfa 9
 RESULT 3
 W76038
 ID W76038 standard; Protein; 10 AA.
 XX
 AC W76038;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #14.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.
 XX
 PA (IXSY-) IXSYS INC.
 XX
 PI Glaser SM, Huse WD;
 XX
 DR WPI: 1998-437472/37.
 DR N-PSDB: V49875.
 XX
 PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 43; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 89.1%; Score 49; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0026;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 ARHNHGSFAS 10
 II|II|II|I
 DB 1 arhnhsfys 10

RESULT 4

W76024
 ID W76024 standard; Protein; 10 AA.

XX AC W76024;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #6.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN W09833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49861.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 89.1%; Score 49; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0026;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNHGSFAS 10
 II|II|II|II|I
 DB 1 arhnysgsfas 10

RESULT 5

W76025
 ID W76025 standard; Protein; 10 AA.

XX AC W76025;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #7.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX PN W09833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49862.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 83.6%; Score 46; DB 19; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.0094;
 Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNHGSFAS 10
 II|II|II|II|I

```

Db      1 arhnygsfat 10

RESULT  6
W76030
ID      W76030 standard; Protein; 10 AA.
AC      W76030;
XX
XX      02-NOV-1998 (first entry)
XX
XX      LM609 grafted antibody V-H region CDR3 protein fragment #12.
XX
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX
XX      Mus sp.
XX      OS
XX      WO9833919-A2.
XX      PN
XX      PD
XX      06-AUG-1998.
XX      PP
XX      30-JAN-1998; 98WO-US01826.
XX      PR
XX      30-JAN-1997; 97US-0791391.
XX      PA
XX      (IXSY-) IXSYS INC.
XX      PI
XX      Glaser SM, Huse WD;
XX      DR
XX      WPI; 1998-437472/37.
XX      DR
XX      N-PSDB; V49867.
XX
XX      Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX      integrin - and related grafted antibodies based on murine monoclonal
XX      LM609, also related nucleic acid, used to treat, prevent or diagnose
XX      angiogenesis or restenosis
XX
XX      Claim 62; Page 41; 129pp; English.
XX
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
XX      LM609 heavy and light chain variable region. LM609 and the antibody
XX      vitaxin bind selectively to integrin alphavbeta3 and can be used to
XX      inhibit binding of alphavbeta3 to a ligand and thus block
XX      integrin-mediated signal transduction. This is useful in the treatment,
XX      prevention and diagnosis of alphavbeta3-mediated disease, specifically
XX      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX      arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX      contain non-murine framework regions so are suitable for use in humans.
XX      Enhanced types of LM609 have affinity more than 90 times greater than
XX      that of parent the parent antibody.
XX
XX      Sequence 10 AA;

Query Match      83.6%; Score 46; DB 19; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.0094;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy      1 ARHNHGSFAS 10
        ||||:||||
Db      1 arhnygsfaa 10

RESULT  7
W76026
ID      W76026 standard; Protein; 10 AA.
XX
XX
XX      02-NOV-1998 (first entry)
XX
XX      LM609 grafted antibody V-H region CDR3 protein fragment #9.
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

```

```

AC      W76026;
XX
XX      02-NOV-1998 (first entry)
XX
XX      LM609 grafted antibody V-H region CDR3 protein fragment #8.
XX
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX
XX      Mus sp.
XX      OS
XX      WO9833919-A2.
XX      PN
XX      PD
XX      06-AUG-1998.
XX      PP
XX      30-JAN-1998; 98WO-US01826.
XX      PR
XX      30-JAN-1997; 97US-0791391.
XX      PA
XX      (IXSY-) IXSYS INC.
XX      PI
XX      Glaser SM, Huse WD;
XX      DR
XX      WPI; 1998-437472/37.
XX      DR
XX      N-PSDB; V49863.
XX
XX      Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX      integrin - and related grafted antibodies based on murine monoclonal
XX      LM609, also related nucleic acid, used to treat, prevent or diagnose
XX      angiogenesis or restenosis
XX
XX      Claim 62; Page 41; 129pp; English.
XX
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
XX      LM609 heavy and light chain variable region. LM609 and the antibody
XX      vitaxin bind selectively to integrin alphavbeta3 and can be used to
XX      inhibit binding of alphavbeta3 to a ligand and thus block
XX      integrin-mediated signal transduction. This is useful in the treatment,
XX      prevention and diagnosis of alphavbeta3-mediated disease, specifically
XX      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX      arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX      contain non-murine framework regions so are suitable for use in humans.
XX      Enhanced types of LM609 have affinity more than 90 times greater than
XX      that of parent the parent antibody.
XX
XX      Sequence 10 AA;

Query Match      81.8%; Score 45; DB 19; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.014;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy      1 ARHNHGSFA 9
        ||||:||||
Db      1 arhnygsfa 9

RESULT  8
W76027
ID      W76027 standard; Protein; 10 AA.
XX
XX      02-NOV-1998 (first entry)
XX
XX      LM609 grafted antibody V-H region CDR3 protein fragment #9.
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

```

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.
 OS Mus sp.
 XX
 XX WO9833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX
 XX (IXSY-) IXSYS INC.
 PA
 XX
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 XX N-PSDB; V49864.
 DR
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 PT
 XX
 PS Claim 62; Page 41; 129pp; English.
 PS
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 CC
 XX
 SQ Sequence 10 AA;
 SQ
 Query Match 81.8%; Score 45; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.014;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNHGSPA 9
 Db ||||:||||
 1 arhnygsfa 9
 RESULT 9
 W76028
 ID W76028 standard; Protein; 10 AA.
 XX
 AC W76028;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 XX LM609 grafted antibody V-H region CDR3 protein fragment #10.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX

XX WO9833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX
 XX (IXSY-) IXSYS INC.
 PA
 XX
 XX Glaser SM, Huse WD;
 PI
 XX WPI; 1998-437472/37.
 DR
 XX N-PSDB; V49865.
 DR
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 PT
 XX
 PS Claim 62; Page 41; 129pp; English.
 PS
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 CC
 XX
 SQ Sequence 10 AA;
 SQ
 Query Match 81.8%; Score 45; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.014;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNHGSPA 9
 Db ||||:||||
 1 arhnygsfa 9
 RESULT 10
 W76029
 ID W76029 standard; Protein; 10 AA.
 XX
 AC W76029;
 XX
 XX 02-NOV-1998 (first entry)
 DT
 XX LM609 grafted antibody V-H region CDR3 protein fragment #11.
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX WO9833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX

PR 30-JAN-1997; 97US-0791391.
 XX (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49866.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphaVbeta3 and can be used to
 CC inhibit binding of alphaVbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphaVbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 81.8%; Score 45; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.014; Indels 0; Gaps 0;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARNHGSFA 9
 Db 1 arhnygsfa 9
 RESULT 11
 W76010
 ID W76010 standard; Protein; 10 AA.
 XX
 XX AC W76010;
 XX
 XX DT 02-NOV-1998 (first entry)
 XX LM609 grafted antibody V-H region CDR3 protein fragment #1.
 XX
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 XX Mus sp.
 XX
 XX PN WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 1; Fig 1a; 129pp; English.

DR N-PSDB; V49847.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Disclosure; Page 40; 129pp; English.
 XX
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphaVbeta3 and can be used to
 CC inhibit binding of alphaVbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphaVbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 81.8%; Score 45; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.014; Indels 0; Gaps 0;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARNHGSFA 9
 Db 1 arhnygsfa 9
 RESULT 12
 W76001
 ID W76001 standard; Protein; 117 AA.
 XX
 XX AC W76001;
 XX
 XX DT 02-NOV-1998 (first entry)
 XX Vitaxin antibody heavy chain variable region protein fragment.
 DE
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX
 XX Mus sp.
 XX
 XX PN WO9833919-A2.
 XX
 XX PD 06-AUG-1998.
 XX
 XX PF 30-JAN-1998; 98WO-US01826.
 XX
 XX PR 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 XX N-PSDB; V49820.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 1; Fig 1a; 129pp; English.

XX This sequence represents a fragment of the vitaxin antibody variable
 CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to
 CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3
 CC to a ligand and thus block integrin-mediated signal transduction. This is
 CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated
 CC disease, specifically angiogenesis and restenosis (but also e.g.
 CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

Query Match 81.8%; Score 45; DB 19; Length 117;
 Best Local Similarity 88.9%; Pred. No. 0.2;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSA 9
 III:III
 Db 97 arhnygsfa 105

RESULT 13
 W76003
 ID W76003 standard; Protein; 117 AA.
 XX
 AC W76003;
 XX
 DT 02-NOV-1998 (first entry)
 DE LM609 antibody heavy chain variable region protein fragment.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis.
 XX

OS Mus sp.
 XX
 PN W09833919-A2.
 XX
 PD 06-AUG-1998.

PF 30-JAN-1998; 98WO-US01826.
 XX
 PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

PI Glaser SM, Huse WD;

DR WPI: 1998-437472/37.

DR N-PSDB; V49822.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis

CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.
 XX
 SQ Sequence 117 AA;

Query Match 81.8%; Score 45; DB 19; Length 117;
 Best Local Similarity 88.9%; Pred. No. 0.2;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSA 9
 III:III
 Db 97 arhnygsfa 105

RESULT 14
 Y06381
 ID Y06381 standard; Protein; 117 AA.
 XX

XX Y06381;

XX AC
 DT 06-SEP-1999 (first entry)

XX DE Murine monoclonal antibody LM609 VH region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX OS Mus musculus.

XX PN W09929888-A1.

XX PD 17-JUN-1999.

XX PF 04-DEC-1998; 98WO-US25828.

XX PR 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX PI Barbas CF, Rader C;

XX DR WPI: 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanised
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 117 AA;

Query Match 81.8%; Score 45; DB 20; Length 117;
 Best Local Similarity 88.9%; Pred. No. 0.2;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSA 9

Db 97 arhnygsfa 105

Db 97 arhnygsfa 105

Search completed: March 28, 2001, 06:59:55
Job time: 1391 sec

RESULT 15
Y06387
ID Y06387 standard; Protein; 117 AA.

XX AC Y06387;
XX DT 06-SEP-1999 (first entry)
XX DE Humanised LM609 antibody VH domain.

XX KW Humanised antibody; antibody humanisation; antibody engineering;
XX KW LM609; monoclonal antibody; complementarity determining region;
XX KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
XX KW cancer; therapy; diagnosis.

XX OS Homo sapiens.
XX OS Synthetic.
XX FH Key Location/Qualifiers
FT Peptide 1..2
FT Region 31..35 /note= "vector-encoded residues"
FT Region 50..66 /note= "CDR1"
FT Region 107..117 /note= "CDR2"
FT Region /note= "CDR3"

XX PN W09929888-A1.
XX PD 17-JUN-1999.
XX PF 04-DEC-1998; 98WO-US25828.
XX PR 05-DEC-1997; 97US-0986016.
XX PA (SCRI) SCRIPPS RES INST.
XX PI Barbas CF, Rader C;
XX DR WPI; 1999-394979/33.
XX PT Production of humanized mouse monoclonal antibodies

XX PS Disclosure; Page 52; 55pp; English.
XX CC This sequence represents the heavy chain variable region of a
XX CC humanised LM609 antibody. LM609 is directed to human integrin
XX CC alpha-v beta-3. It selectively promotes apoptosis of vascular
XX CC cells that have been stimulated to undergo angiogenesis, making it
XX CC a tool for cancer diagnosis and therapy. The invention provides
XX CC humanised antibodies, especially humanised LM609. In such humanized
XX CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
XX CC grafted onto a human light chain, and a heavy chain CDR from a mouse
XX CC antibody is grafted onto a human antibody heavy chain to produce
XX CC libraries from which a humanised murine antibody having the desired
XX CC specificity is selected. By preserving the original CDR sequences
XX CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
XX CC humanisation strategy ensures epitope conservation.

XX SQ Sequence 117 AA;

Query Match 81.8%; Score 45; DB 20; Length 117;
Best Local Similarity 88.9%; Pred. No. 0.2;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNGSFA 9
||||:||||

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:01:59 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-94
Perfect score: 55
Sequence: 1 ARNHGSFAS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued_Patents_AA:*
1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep:*
2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep:*
3: /cgnl_7/ptodata/1/iaa/6_COMB.pep:*
4: /cgnl_7/ptodata/1/iaa/PCPTUS_COMB.pep:*
5: /cgnl_7/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	38	69.1	213	2	US-08-655-821-16
2	34	61.8	94	3	US-09-147-550-14
3	34	61.8	94	3	US-09-147-550-45
4	34	61.8	94	3	US-09-147-550-48
5	34	61.8	94	3	US-09-147-550-77
6	34	61.8	94	3	US-09-147-550-84
7	34	61.8	94	3	US-09-147-550-90
8	34	61.8	94	3	US-09-147-550-101
9	34	61.8	204	1	US-08-591-989-4
10	33	60.0	907	3	US-08-938-830-26
11	33	60.0	907	3	US-09-020-222-26
12	33	60.0	2109	4	PCT-US96-06053-6
13	32	58.2	103	2	US-08-596-319-31
14	32	58.2	120	1	US-08-111-080-28
15	32	58.2	120	1	US-08-211-980-28
16	32	58.2	120	1	PCT-US93-07967-28
17	32	58.2	121	1	US-08-275-053-13
18	32	58.2	231	3	US-08-926-842B-20
19	32	58.2	240	3	US-08-926-842B-21
20	32	58.2	384	1	US-08-707-793A-5
21	32	58.2	384	1	US-08-707-792A-5
22	32	58.2	392	3	US-08-979-917A-2
23	32	58.2	393	3	US-08-979-917A-3
24	32	58.2	443	1	US-07-940-245-2
25	32	58.2	443	1	US-08-226-486-2
26	32	58.2	466	1	US-08-785-066-2
27	32	58.2	466	3	US-09-007-355-2
28	32	58.2	466	3	US-08-913-489-2

29 58.2 536 2 US-08-551-211-3 Sequence 3, Appli
30 58.2 630 2 US-08-394-177-5 Sequence 5, Appli
31 58.2 630 2 US-08-596-319-2 Sequence 2, Appli
32 58.2 630 3 US-08-394-912A-5 Sequence 5, Appli
33 58.2 1148 2 US-08-313-185-58 Sequence 58, Appli
34 58.2 1148 3 US-09-082-614A-58 Sequence 58, Appli
35 56.4 14 3 US-08-956-307B-3 Sequence 3, Appli
36 56.4 69 1 US-08-193-863-1 Sequence 1, Appli
37 56.4 69 1 US-08-377-833-1 Sequence 1, Appli
38 56.4 69 1 US-08-324-502-1 Sequence 1, Appli
39 56.4 69 1 US-08-083-501-1 Sequence 1, Appli
40 56.4 69 1 US-08-415-939-1 Sequence 1, Appli
41 56.4 69 1 US-08-548-152-1 Sequence 1, Appli
42 56.4 70 1 US-08-193-863-2 Sequence 2, Appli
43 56.4 70 1 US-08-377-833-2 Sequence 2, Appli
44 56.4 70 1 US-08-324-502-2 Sequence 2, Appli
45 56.4 70 1 US-08-083-501-2 Sequence 2, Appli

ALIGNMENTS

RESULT 1
US-08-655-821-16
; Sequence 16, Application US/08655821
; Patent No. 5846718
; GENERAL INFORMATION:
; APPLICANT: Zhang, Ying
; APPLICANT: Scorio, Angelo
; TITLE OF INVENTION: IDENTIFICATION OF PYRAZINAMIDE-RESISTANT
; TITLE OF INVENTION: MYCOBACTERIA AND METHODS FOR TREATING
; TITLE OF INVENTION: MYCOBACTERIAL INFECTIONS
; NUMBER OF SEQUENCES: 16
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CA
; COUNTRY: USA
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/655,821
; FILING DATE: 31-MAY-1996
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Ellison, Eldora L.
; REGISTRATION NUMBER: 39,967
; REFERENCE/DOCKET NUMBER: 07662/003001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619/678-5070
; TELEFAX: 619/678-5099
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 213 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-655-821-16

Query Match 69.1%; Score 38; DB 2; Length 213;
Best Local Similarity 100.0%; Pred. No. 7.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 4 NHGSFAS 10
DB 57 NHGSFAS 63

RESULT 2
US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Alda, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 61.8%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNGSFAS 10
DB 80 RHNGVFES 88

RESULT 3
US-09-147-550-45
; Sequence 45, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Alda, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 61.8%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNGSFAS 10
DB 80 RHNGVFES 88

RESULT 4

US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Alda, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 61.8%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNGSFAS 10
DB 80 RHNGVFES 88

RESULT 5
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Alda, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 61.8%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNGSFAS 10
DB 80 RHNGVFES 88

RESULT 6
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540

; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 61.8%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
|||:| |
DB 80 RHNYGVFES 88

RESULT 7
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-90

Query Match 61.8%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
|||:| |
DB 80 RHNYGVFES 88

RESULT 8
US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF

; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 61.8%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 16;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
|||:| |
DB 80 RHNYGVFES 88

RESULT 9
US-08-591-989-4
; Sequence 4, Application US/08591989
; Patent No. 5795721
; GENERAL INFORMATION:
; APPLICANT: Ross S. Rabin, Sumedha Jayasena
; APPLICANT: and Larry Gold
; TITLE OF INVENTION: HIGH AFFINITY NUCLEIC
; TITLE OF INVENTION: ACID LIGANDS OF ICP4
; NUMBER OF SEQUENCES: 87
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Swanson & Bratschun, L.L.C.
; STREET: 8400 East Prentice Avenue, Suite #200
; CITY: Englewood
; STATE: Colorado
; COUNTRY: USA
; ZIP: 80111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.40 MB
; MEDIUM TYPE: storage
; COMPUTER: IBM COMPATIBLE
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 6.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/591.989
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Barry J. Swanson
; REGISTRATION NUMBER: 33,215
; REFERENCE/DOCKET NUMBER: NEX 49
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (303) 793-3333
; TELEFAX: (303) 793-3433
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 204
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-591-989-4

Query Match 61.8%; Score 34; DB 1; Length 204;
Best Local Similarity 75.0%; Pred. No. 36;

Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARNHGGSF 8

Db 137 APHGHGSF 144

RESULT 10

US-08-938-830-26
; Sequence 26, Application US/08938830
; Patent No. 6040437
; GENERAL INFORMATION:
; APPLICANT: Lasky, Laurence A.
; APPLICANT: Doshenko, Donald J.
; TITLE OF INVENTION: Tyrosine Phosphorylated Cleavage
; TITLE OF INVENTION: Furrow-Associated Proteins (PSTPIPS)
; NUMBER OF SEQUENCES: 73
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080

; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatIn (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/938,830
; FILING DATE:
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/798419
; FILING DATE: 07-FEB-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Dreger, Ginger R.
; REGISTRATION NUMBER: 33,055
; REFERENCE/DOCKET NUMBER: P1066P1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-3216
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 26:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 907 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear

US-08-938-830-26

Query Match 60.0%; Score 33; DB 3; Length 907;
Best Local Similarity 60.0%; Pred. No. 2.5e+02;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARNHGGSFAS 10

Db 464 SRHGHGSQTS 473

RESULT 11

US-09-020-222-26
; Sequence 26, Application US/09020222
; Patent No. 6111073
; GENERAL INFORMATION:
; APPLICANT: Lasky, Laurence A.
; TITLE OF INVENTION: Tyrosine Phosphorylated Cleavage
; TITLE OF INVENTION: Furrow-Associated Proteins (PSTPIPS)
; NUMBER OF SEQUENCES: 27
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco

; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatIn (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/020,222
; FILING DATE: 06-FEB-1998
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/798419
; FILING DATE: 02/07/1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Dreger, Ginger R.
; REGISTRATION NUMBER: 33,055
; REFERENCE/DOCKET NUMBER: P1066r1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-3216
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 26:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 907 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear

US-09-020-222-26

; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatIn (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/020,222
; FILING DATE: 06-FEB-1998
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/798419
; FILING DATE: 02/07/1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Dreger, Ginger R.
; REGISTRATION NUMBER: 33,055
; REFERENCE/DOCKET NUMBER: P1066r1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650/225-3216
; TELEFAX: 650/952-9881
; INFORMATION FOR SEQ ID NO: 26:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 907 amino acids
; TYPE: Amino Acid
; TOPOLOGY: Linear

US-09-020-222-26

Query Match 60.0%; Score 33; DB 3; Length 907;
Best Local Similarity 60.0%; Pred. No. 2.5e+02;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARNHGGSFAS 10

Db 464 SRHGHGSQTS 473

RESULT 12

PCT-US96-06053-6
; Sequence 6, Application PC/TUS9606053
; GENERAL INFORMATION:
; APPLICANT: Yale University
; TITLE OF INVENTION: RECOMBINANT VESICULOVIRUSES AND THEIR
; TITLE OF INVENTION: USES
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: PENNIE & EDMONDS
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US96/06053
; FILING DATE: 01-MAY-1996
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 6523-009-228
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-9741/8864
; TELEX: 66141 PENNIE
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:

US-09-020-222-26

;
; LENGTH: 2109 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US96-06053-6

Query Match 60.0%; Score 33; DB 4; Length 2109;
Best Local Similarity 60.0%; Pred. No. 5.9e+02;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARNHGSEFAS 10
Db 1232 SRMSGGFAS 1241

RESULT 13

US-08-596-319-31
; Sequence 31, Application US/08596319
; Patent No. 5981262
; GENERAL INFORMATION:
; APPLICANT: Brugg, Joan
; APPLICANT: Morgenstern, Jay
; APPLICANT: Shue, Lily
; APPLICANT: Zydowsky, Lynne
; APPLICANT: Zoller, Mark
; APPLICANT: Pawson, Anthony
; TITLE OF INVENTION: HUMAN syk
; NUMBER OF SEQUENCES: 33
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ARIAD Pharmaceuticals, Inc.
; STREET: 26 Landsdowne Street
; CITY: Cambridge
; STATE: MA
; COUNTRY: USA
; ZIP: 02139

COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/596,319
; FILING DATE: 31-JAN-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO US94/04540
; FILING DATE: 25-APR-1994
; CLASSIFICATION: 435
; APPLICATION DATA:
; FILING DATE: 23-APR-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: BERSTEIN, David L.
; REGISTRATION NUMBER: 31,235
; REFERENCE/DOCKET NUMBER: ARIAD305A-PCT/US
; TELEPHONE: (617) 494-0400
; TELEFAX: (617) 494-0208
; INFORMATION FOR SEQ ID NO: 31:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 103 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-596-319-31

Query Match 58.2%; Score 32; DB 2; Length 103;
Best Local Similarity 66.7%; Pred. No. 40;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGSEFA 9
Db 29 ARDNNGSYA 37

RESULT 14

US-08-111-080-28
; Sequence 28, Application 08/111080
; Patent No. 5558865
; GENERAL INFORMATION:
; APPLICANT: Ohno, Tsuneya
; TITLE OF INVENTION: HIV Immunotherapeutics
; NUMBER OF SEQUENCES: 38
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray &
; STREET: 6300 Sears Tower, 233 S. Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: USA
; ZIP: 60606
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: 08/111,080
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/748,562
; FILING DATE: 22-AUG-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/07111
; FILING DATE: 24-AUG-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/039,457
; FILING DATE: 22-APR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Borun, Michael F.
; REGISTRATION NUMBER: 25,447
; REFERENCE/DOCKET NUMBER: 31629
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (312) 474-6300
; TELEFAX: (312) 474-0448
; TELEX: 25-3856
; INFORMATION FOR SEQ ID NO: 28:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 120 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-111-080-28

Query Match 58.2%; Score 32; DB 1; Length 120;
Best Local Similarity 60.0%; Pred. No. 47;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARNHGSEFAS 10
Db 98 ARENHGTTS 107

RESULT 15

US-08-211-980-28
; Sequence 28, Application US/08211980
; Patent No. 5665569
; GENERAL INFORMATION:
; APPLICANT: Ohno, Tsuneya
; TITLE OF INVENTION: HIV Immunotherapeutics

NUMBER OF SEQUENCES: 38
CORRESPONDENCE ADDRESS:
ADDRESSEE: Marshall, O'Toole, Gerstein, Murray &
ADDRESSEE: Borun
STREET: 6300 Sears Tower, 233 S. Wacker Drive
CITY: Chicago
STATE: Illinois
COUNTRY: USA
ZIP: 60606
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/211,980
FILING DATE:
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US92/07111
FILING DATE: 24-AUG-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/039,457
FILING DATE: 22-APR-1993
ATTORNEY/AGENT INFORMATION:
NAME: Borun, Michael F.
REGISTRATION NUMBER: 25,447
REFERENCE/DOCKET NUMBER: 31629
TELECOMMUNICATION INFORMATION:
TELEPHONE: (312) 474-6300
TELEFAX: (312) 474-0448
TELEX: 25-3856
INFORMATION FOR SEQ ID NO: 28:
SEQUENCE CHARACTERISTICS:
LENGTH: 120 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-211-980-28

Query Match 58.2%; Score 32; DB 1; Length 120;
Best Local Similarity 60.0%; Pred. No. 47;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSFAS 10
|||
Db 98 ARENHGTTTS 107

Search completed: March 28, 2001, 07:02:00
Job time: 1339 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:35 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-96

Perfect score: 58

Sequence: 1 ARNHGFSY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	72.4	233	2 H82163	arginyl-trna-protein
2	40	69.0	555	2 T21028	hypothetical prote
3	39	67.2	350	2 S76212	hypothetical prote
4	39	67.2	470	2 H71667	glutamate--trna li
5	38	65.5	196	2 H64968	acetyl CoA acetyl
6	38	65.5	722	2 S64492	hypothetical prote
7	37	63.8	530	2 T01030	hypothetical prote
8	37	63.8	547	2 T48551	fructosidase-like
9	37	63.8	731	1 JC2464	probable copper-tr
10	37	63.8	849	2 E82038	GGDEF family prote
11	36	62.1	275	2 S75190	hypothetical prote
12	36	62.1	473	2 D70405	glutamate--trna li
13	36	62.1	548	1 B44511	fumarate hydratase
14	35	60.3	86	2 A81873	hypothetical prote
15	35	60.3	108	2 C72852	AcOrf-19 protein -
16	35	60.3	108	2 D44221	AcOrf-19 protein -
17	35	60.3	110	2 T41765	ACMNPV orf19 - Bom
18	35	60.3	113	2 S26468	Ig heavy chain V r
19	35	60.3	272	2 S27819	vitelline B1 precu
20	35	60.3	272	2 S27820	vitelline B2 precu
21	35	60.3	349	2 S15011	mbhl protein - mou
22	35	60.3	352	1 A39834	actin-capping prot
23	35	60.3	448	1 A60003	nucleocapsid prote
24	35	60.3	543	2 T27190	hypothetical prote
25	35	60.3	552	2 T27191	hypothetical prote
26	35	60.3	639	2 S30859	hypothetical prote
27	35	60.3	696	2 T48432	maturase-like prote
28	35	60.3	1466	2 T17138	ClfAA protein - ra
29	35	60.3	1467	2 T18411	latrophilin-1, bra

30 35 60.3 1471 2 T17149
 31 35 60.3 1472 2 T18413
 32 35 60.3 1510 2 T17145
 33 35 60.3 1515 2 T17156
 34 35 60.3 2470 2 I50726
 35 34.5 59.5 308 2 E81288
 36 34 58.6 139 2 G29380
 37 34 58.6 140 2 I37782
 38 34 58.6 236 2 S16389
 39 34 58.6 379 1 F64633
 40 34 58.6 381 2 A71882
 41 34 58.6 466 2 JC5897
 42 34 58.6 467 2 T40348
 43 34 58.6 604 2 S05447
 44 34 58.6 813 2 A72203
 45 34 58.6 1012 2 T23160

ClfBA protein - ra
 latrophilin-1, bra
 ClfAB protein - ra
 ClfBB protein - ra
 cation-independent
 hypothetical prote
 Ig heavy chain pre
 Ig variable region
 sporamin - sweet p
 site-specific DNA-
 type II DNA modifi
 killer cell inhibi
 hypothetical prote
 finger protein gla
 cellobiose-phospho
 hypothetical prote

arginyl-trna-protein transferase-related protein VCL736 [imported] - Vibrio cholerae
 C:Species: Vibrio cholerae
 C>Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 15-Sep-2000
 C:Accession: H82163
 R:Heidelberger, J.F.; Eisen, J.A.; Nelson, W.C.; Clayton, R.A.; Gwinn, M.L.; Dodson, R.
 chardson, D.; Esmolaeva, M.D.; Vamathevan, J.; Bass, S.; Qin, H.; Dragoi, I.; Sellers
 I, R.R.; Mekalanos, J.J.; Venter, J.C.; Fraser, C.M.
 Nature 406, 477-483, 2000
 A>Title: DNA Sequence of both chromosomes of the cholera pathogen Vibrio cholerae.
 A:Reference number: AB2035; MUID:20406833
 A:Accession: H82163
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-233 <HEI>
 A:Cross-references: GB:AE004251; GB:AE003852; NID:g9656248; PIDN:AAF94886.1; GSPDB:GN
 A:Experimental source: serogroup O1; strain N16961; biotype El Tor
 C:Genetics:
 A:Gene: VCL736
 A:Map position: 1

Query Match 72.4%; Score 42; DB 2; Length 233;
 Best Local Similarity 77.8%; Pred. No. 2.5;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGFSY 9
 ||| ||| |
 DB 117 ARRHGSMY 125

RESULT 2
 T21028
 hypothetical protein F16H6.1 - Caenorhabditis elegans
 C:Species: Caenorhabditis elegans
 C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999
 C:Accession: T21028
 R:Matthews, L.
 submitted to the EMBL Data Library, November 1996
 A:Reference number: Z19362
 A:Accession: T21028
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: DNA
 A:Residues: 1-555 <WIL>
 A:Cross-references: EMBL:Z81506; PIDN:CAB04128.1; GSPDB:GN00023; CESP:F16H6.1
 A:Experimental source: clone F16H6
 C:Genetics:
 A:Gene: CESP:F16H6.1
 A:Map position: 5
 A:Introns: 123/1; 318/3

ALIGNMENTS

Query Match 69.0%; Score 40; DB 2; Length 555;
 Best Local Similarity 87.5%; Pred. No. 14;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFYS 10
 || |||||
 Db 314 HNHGSFYS 321

RESULT 3
 S76212
 hypothetical protein - *Synechocystis* sp. (strain PCC 6803)
 C:Species: *Synechocystis* sp.
 A:Variety: PCC 6803
 C:Date: 25-Apr-1997 #sequence_revision 25-Apr-1997 #text_change 08-Oct-1999
 C:Accession: S76212
 R:Kaneko, T.; Sato, S.; Kotani, H.; Tanaka, A.; Asamizu, E.; Nakamura, Y.; Miyajima, N.; O, K.; Okumura, S.; Shimpo, S.; Takeuchi, C.; Wada, T.; Watanabe, A.; Yamada, M.; Yasuda
 DNA Res. 3, 109-136, 1996
 A:Title: Sequence analysis of the genome of the unicellular cyanobacterium *Synechocystis*
 S.
 A:Reference number: S74322; MUID:97061201
 A:Accession: S76212
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-350 <RAN>
 A:Cross-references: EMBL:D90914; GB:AB001339; NID:q1653477; PIDN:BAA18471.1; PID:d101920
 A:Note: the nucleotide sequence was submitted to the EMBL Data Library, June 1996

Query Match 67.2%; Score 39; DB 2; Length 350;
 Best Local Similarity 71.4%; Pred. No. 13;
 Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSFY 9
 |||||
 Db 247 HNHGNY 253

RESULT 4
 H71667
 glutamate--tRNA ligase (EC 6.1.1.17) (gltX2) RP623 - *Rickettsia prowazekii*
 C:Species: *Rickettsia prowazekii*
 C:Date: 21-Nov-1998 #sequence_revision 21-Nov-1998 #text_change 20-Jun-2000
 C:Accession: H71667
 R:Andersson, S.G.E.; Zomorodipour, A.; Andersson, J.O.; Sichert-Ponten, T.; Alsmark, U.
 Nature 396, 133-140, 1998
 A:Title: The genome sequence of *Rickettsia prowazekii* and the origin of mitochondria.
 A:Reference number: A71630; MUID:99039499
 A:Accession: H71667
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-470 <RAN>
 A:Cross-references: GB:AJ235272; GB:AJ235269; NID:g3861033; PIDN:CAA15066.1; PID:g386116
 A:Experimental source: strain Madrid E
 C:Genetics:
 A:Gene: gltX2; RP623
 C:Superfamily: glutamate--tRNA ligase; glutamine--tRNA ligase homology
 C:Keywords: aminocacyl-tRNA synthetase; ligase; protein biosynthesis
 F:4-281/Domain: glutamine--tRNA ligase homology <ECL>

Query Match 67.2%; Score 39; DB 2; Length 470;
 Best Local Similarity 66.7%; Pred. No. 17;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNGSFY 9
 |||||
 Db 31 ARHNGKFF 39

RESULT 5

H64968
 acetyl CoA acetyltransferase - *Escherichia coli*
 C:Species: *Escherichia coli*
 C:Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 18-Jun-1999
 C:Accession: H64968; I69646; I69656
 R:Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.;
 .A.; Rose, D.J.; Mau, B.; Shao, Y.
 Science 277, 1453-1462, 1997
 A:Title: The complete genome sequence of *Escherichia coli* K-12.
 A:Reference number: A64720; MUID:97426617
 A:Accession: H64968
 A:Status: nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-196 <BLAT>
 A:Cross-references: GB:AE000294; GB:U00096; NID:q1788338; PIDN:AAC75094.1; PID:g17883
 A:Experimental source: strain K-12, substrain MGL655
 R:Yao, Z.; Valvano, M.A.
 J. Bacteriol. 176, 4133-4143, 1994
 A:Title: Genetic analysis of the O-specific lipopolysaccharide biosynthesis region (r
 erotypes Y and 4a.
 A:Reference number: I55053; MUID:94292434
 A:Accession: I69646
 A:Status: translated from GB/EMBL/DBJ
 A:Molecule type: DNA
 A:Residues: 1-167, 'LFRKYCHC', 177-186, 'IMR', 190-196 <RES>
 A:Cross-references: EMBL:U03041; NID:q501028; PIDN:AAC31635.1; PID:g510256
 R:Stevenson, G.; Neal, B.; Liu, D.; Hobbs, M.; Packer, N.H.; Batley, M.; Redmond, J.W.
 J. Bacteriol. 176, 4144-4156, 1994
 A:Title: Structure of the O antigen of *Escherichia coli* K-12 and the sequence of its
 A:Reference number: I55054; MUID:94292435
 A:Accession: I69656
 A:Status: translated from GB/EMBL/DBJ
 A:Molecule type: DNA
 A:Residues: 1-167, 'LFRKYCHC', 177-186, 'IMR', 190-196 <RE2>
 A:Cross-references: EMBL:U09876; NID:q508236; PID:g508245
 C:Genetics:
 A:Gene: yefH
 A:Map position: 45 min
 C:Superfamily: galactoside acetyltransferase

Query Match 65.5%; Score 38; DB 2; Length 196;
 Best Local Similarity 100.0%; Pred. No. 11;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSF 8
 |||||
 Db 105 HNHGSF 110

RESULT 6
 S64492
 hypothetical protein YGR178c - yeast (*Saccharomyces cerevisiae*)
 N:Alternate names: hypothetical protein G7139
 C:Species: *Saccharomyces cerevisiae*
 C:Date: 17-May-1996 #sequence_revision 17-May-1996 #text_change 29-Oct-1999
 C:Accession: S64492
 R:Hebling, U.; Hofmann, B.; Delius, H.
 submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64003
 A:Accession: S64492
 A:Molecule type: DNA
 A:Residues: 1-722 <HEB>
 A:Cross-references: EMBL:Z72963; NID:gi323314; PIDN:CAA97204.1; PID:g243559; PID:gi32
 A:Experimental source: strain S288C
 C:Genetics:
 A:Gene: SGD:PPB1
 A:Cross-references: SGD:S0003410; MIPS:YGR178c
 A:Map position: 7R

Query Match 65.5%; Score 38; DB 2; Length 722;
 Best Local Similarity 75.0%; Pred. No. 40;

```

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNHGSFY 9
Db 474 RRNHGSFF 481

RESULT 7
Hypothetical protein YUP8H12R.13 - Arabidopsis thaliana
C:Species: Arabidopsis thaliana (mouse-ear cress)
C>Date: 05-Feb-1999 #sequence_revision 05-Feb-1999 #text_change 22-Oct-1999
C:Accession: T01030
R:Theologis, A.; Vysotskaia, V.S.; Osborne, B.I.; Schwartz, J.R.; Federspiel, N.A.; Kwak,
Oefner, P.; Davis, R.W.
Submitted to the EMBL Data Library, May 1998
A:Description: Arabidopsis thaliana chromosome 1 YAC YUP8H12R sequence.
A:Reference number: Z14227
A:Accession: T01030
A:Status: translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-530 <THE>
A:Cross-references: EMBL:AC002986; NID:g2494106; PID:g3152559; GSPDB:GN000059; ATSP:YUP8H
C:Genetics:
A:Gene: ATSP:YUP8H12R.13
A:Map position: 1
A:Introns: 37/3; 77/1; 100/3; 219/3; 380/3; 451/3; 499/3

Query Match 63.8%; Score 37; DB 2; Length 530;
Best Local Similarity 62.5%; Pred. No. 44;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HHNHGSFY 10
Db 192 HHNNYVS 199

RESULT 8
fructosidase-like protein - Arabidopsis thaliana
N:Alternate names: protein F14F18.90
C:Species: Arabidopsis thaliana (mouse-ear cress)
C>Date: 20-Apr-2000 #sequence_revision 20-Apr-2000 #text_change 19-May-2000
C:Accession: T48551
R:Bevan, M.; Hilbert, H.; Braun, M.; Holzer, E.; Brandt, A.; Duesterhoeft, A.; Bancroft,
submitted to the Protein Sequence Database, April 2000
A:Reference number: Z24490
A:Accession: T48551
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-547 <BEV>
A:Cross-references: EMBL:AL163812
A:Experimental source: cultivar Columbia; BAC clone F14F18
C:Genetics:
A:Map position: 5
A:Introns: 31/1; 319/3; 373/3; 453/2; 483/3
A:Note: F14F18.90
C:Superfamily: beta-fructofuranosidase

Query Match 63.8%; Score 37; DB 2; Length 547;
Best Local Similarity 55.6%; Pred. No. 46;
Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNHGSFY 10
Db 275 RYDHGTFYA 283

RESULT 9
probable copper-transporting ATPase (EC 3.6.1.1-) HRA-1 - Enterobacteriaceae spp.

```

```

C:Species: Enterobacteriaceae spp.
C>Date: 16-Oct-1998 #sequence_revision 16-Oct-1998 #text_change 18-Jun-1999
C:Accession: JC2464
R:Trenor III., C.; Lin, W.; Andrews, N.C.
Biochem. Biophys. Res. Commun. 205, 1644-1650, 1994
A:Title: Novel bacterial P-type ATPases with histidine-rich heavy-metal-associated se
A:Reference number: JC2464; MUID:95110304
A:Accession: JC2464
A:Molecule type: mRNA
A:Residues: 1-731 <TRE>
A:Cross-references: GB:U16658; NID:g643612; PID:AAA62113.1; PID:g643613
A:Experimental source: human small intestine cDNA library
A:Note: the source species is uncertain; the cloned sequence did not hybridize with h
C:Superfamily: Enterococcus copper-transporting ATPase copB; ATPase nucleotide-bindin
C:Keywords: ATP; copper transport; hydrolase; ion transport; phosphoprotein; transmem
F:7-92/Region: His-rich
F:135-477/Domain: ATPase transduction domain homology <APT>
F:544-685/Domain: ATPase nucleotide-binding domain homology <ATN>
F:287/Active site: Glu #status predicted
F:431/Active site: Asp (aspartylphosphate intermediate) #status predicted

Query Match 63.8%; Score 37; DB 1; Length 731;
Best Local Similarity 75.0%; Pred. No. 61;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGGSF 8
Db 88 AHHHGGSF 95

RESULT 10
GGDEF family protein VC2750 [imported] - Vibrio cholerae (group O1 strain N16961)
C:Species: Vibrio cholerae
C>Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 15-Sep-2000
C:Accession: E82038
R:Heidelberg, J.F.; Eisen, J.A.; Nelson, W.C.; Clayton, R.A.; Gwinn, M.L.; Dodson, R.
chardson, D.; Ermolaeva, M.D.; Vamathevan, J.; Bass, S.; Qin, H.; Dragoi, I.; Sellers
J.; R.R.; Mekalanos, J.J.; Venter, J.C.; Fraser, C.M.
Nature 406, 477-483, 2000
A:Title: DNA Sequence of both chromosomes of the cholera pathogen Vibrio cholerae.
A:Reference number: A82035; MUID:20406833
A:Accession: E82038
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-849 <HEI>
A:Cross-references: GB:AE004340; GB:AE003852; NID:g9657344; PID:AAF95889.1; GSPDB:GN
A:Experimental source: serogroup O1; strain N16961; biotype El Tor
C:Genetics:
A:Gene: VC2750
A:Map position: 1

Query Match 63.8%; Score 37; DB 2; Length 849;
Best Local Similarity 70.0%; Pred. No. 70;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARNHGGSFY 10
Db 572 AETHHSFY 581

RESULT 11
hypothetical protein slr2042 - Synechocystis sp. (strain PCC 6803)
C:Species: Synechocystis sp.
A:Variety: PCC 6803
C>Date: 25-Apr-1997 #sequence_revision 25-Apr-1997 #text_change 20-Jun-2000
C:Accession: S75190
O: Kaneko, T.; Sato, S.; Kotani, H.; Tanaka, A.; Asamizu, E.; Nakamura, Y.; Miyajima,
R.; Kanehisa, K.; Okumura, S.; Shimpo, S.; Takeuchi, C.; Wada, T.; Watanabe, A.; Yamada, M.; Yas
DNA Res. 3, 109-136, 1996

```

A:Title: Sequence analysis of the genome of the unicellular cyanobacterium *Synechocystis* s.
 A:Reference number: S74322; MUID:97061201
 A:Accession: S75190
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-275 <RAN>
 A:Cross-references: EMBL:D90903; GB:AB001339; NID:g1652127; PIDN:BAAL7104.1; PID:g165218
 A:Note: the nucleotide sequence was submitted to the EMBL Data Library, June 1996

Query Match 62.1%; Score 36; DB 2; Length 275;
 Best Local Similarity 62.5%; Pred. No. 35;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Oy 2 RHNHGSPY 9
 Db 253 OHNHGQLY 260
 ||||| |

RESULT 12
 D70405
 glutamate--trna ligase (EC 6.1.1.17) - Aquifex aeolicus
 C:Species: Aquifex aeolicus
 C:Date: 08-May-1998 #sequence_revision 08-May-1998 #text_change 21-Jan-2000
 C:Accession: D70405
 R:Deckert, G.; Warren, P.V.; Gaasterland, T.; Young, W.G.; Lenox, A.L.; Graham, D.E.; O'V.
 Nature 392, 353-358, 1998
 A:Title: The complete genome of the hyperthermophilic bacterium *Aquifex aeolicus*.
 A:Reference number: A70300; MUID:98196666
 A:Accession: D70405
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-473 <AQF>
 A:Cross-references: GB:AE000729; NID:g2983659; PIDN:AAC07230.1; PID:g2983664; GB:AE00065
 A:Experimental source: strain VF5
 C:Genetics:
 A:Gene: gltX
 C:Superfamily: glutamate--trna ligase; glutamine--trna ligase homology
 C:Keywords: aminoacyl-trna synthetase; ligase; protein biosynthesis
 F:4-276/Domain: glutamine--trna ligase homology <EGL>

Query Match 62.1%; Score 36; DB 2; Length 473;
 Best Local Similarity 75.0%; Pred. No. 60;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Oy 1 ARNHGGSF 8
 Db 31 ARNHNGGF 38
 ||||| |

RESULT 13
 B44511
 fumarate hydratase (EC 4.2.1.2) fumb, iron-dependent - *Escherichia coli*
 N:Alternate names: fumarase B
 C:Species: *Escherichia coli*
 C:Date: 03-Mar-1993 #sequence_revision 10-Oct-1997 #text_change 18-Jun-1999
 C:Accession: A65222; B44511; S56351
 R:Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; Co
 A.; Rose, D.J.; Mau, B.; Shao, Y.
 Science 277, 1453-1462, 1997
 A:Title: The complete genome sequence of *Escherichia coli* K-12.
 A:Reference number: A64720; MUID:97426617
 A:Accession: A65222
 A:Status: nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-548 <BLAT>
 A:Cross-references: GB:AE000485; GB:U00096; NID:g1790563; PIDN:AAC77083.1; PID:g1790564;
 A:Experimental source: strain K-12, substrain MG1655
 R:Bell, P.J.; Andrews, S.C.; Sivak, M.N.; Guest, J.R.
 J. Bacteriol., 171, 3494-3503, 1989

A:Title: Nucleotide sequence of the FNR-regulated fumarase gene (fumb) of *Escherichia*
 A:Reference number: A44511; MUID:89255123
 A:Accession: B44511
 A:Molecule type: DNA
 A:Residues: 1-49, 'V', '51-548 <BEL>
 A:Cross-references: EMBL:M27058; NID:gl46046; PIDN:AAA23827.1; PID:gl46048
 R:Burland, V.; Plunkett III, G.; Sofia, H.J.; Daniels, D.L.; Blattner, F.R.
 Nucleic Acids Res. 23, 2105-2119, 1995
 A:Title: Analysis of the *Escherichia coli* genome VI: DNA sequence of the region from
 A:Reference number: S56314; MUID:95334362
 A:Accession: S56351
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-49, 'X', '51-548 <BUR>
 A:Cross-references: EMBL:U14003; NID:gl263172; PIDN:AAA97022.1; PID:g536967
 A:Note: the nucleotide sequence was submitted to the EMBL Data Library, August 1994
 C:Comment: In *E. coli*, three fumarate hydratase genes (fuma, fumb, and fumC) have bee
 class I hydratase.
 C:Genetics:
 A:Gene: fumb
 A:Map position: 93.5 min
 C:Complex: homodimer
 C:Function:
 A:Description: catalyzes the stereospecific interconversion of fumarate and L-malate
 A:Note: expressed at higher level under anaerobic conditions
 C:Superfamily: iron-dependent fumarate hydratase; iron-dependent tartrate dehydratase
 C:Keywords: 4Fe-4S; carbon-oxygen lyase; homodimer; hydro-lyase; iron-sulfur protein;
 F:2-548/Product: fumarate hydratase fumb, iron-dependent #status predicted <MAT>
 F:93-300/Domain: iron-dependent tartrate dehydratase alpha chain homology <TTDA>
 F:373-537/Domain: iron-dependent tartrate dehydratase beta chain homology <TTDB>

Query Match 62.1%; Score 36; DB 1; Length 548;
 Best Local Similarity 66.7%; Pred. No. 69;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Oy 1 ARNHGGSF 9
 Db 473 ACHKHGGFY 481
 | | | | |

RESULT 14
 A81873
 hypothetical protein NMA1076 [imported] - *Neisseria meningitidis* (group A strain Z249
 C:Species: *Neisseria meningitidis*
 C:Date: 05-May-2000 #sequence_revision 05-May-2000 #text_change 05-May-2000
 C:Accession: A81873
 R:Parkhill, J.; Achtman, M.; James, K.D.; Bentley, S.D.; Churcher, C.; Klee, S.R.; Mo
 ; Holroyd, S.; Jagels, K.; Leather, S.; Moule, S.; Mungall, K.; Quail, M.A.; Rajandre
 Nature 404, 502-506, 2000
 A:Title: Complete DNA sequence of a serogroup A strain of *Neisseria meningitidis* Z2491
 A:Reference number: A81775; MUID:20222556
 A:Accession: A81873
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-86 <PAR>
 A:Cross-references: GB:AL162755; GB:AL157959; NID:g7379742; PIDN:CAB84339.1; PID:g737
 A:Experimental source: serogroup A, strain Z2491
 C:Genetics:
 A:Gene: NMA1076

Query Match 60.3%; Score 35; DB 2; Length 86;
 Best Local Similarity 62.5%; Pred. No. 17;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNHGGSF 9
 Db 62 KHNKGNFY 69
 : || | | |

RESULT 15
 C72852

AcOrf-19 protein - Autographa californica nuclear polyhedrosis virus
C:Species: Autographa californica nuclear polyhedrosis virus, ACMNPV
A:Note: dsDNA virus
C>Date: 12-Nov-1999 #sequence_revision 12-Nov-1999 #text_change 11-Jan-2000
C:Accession: C72852
R:Ayres, M.D.; Howard, S.C.; Kuzio, J.; Lopez-Ferber, M.; Possee, R.D.
Virology 202, 586-605, 1994
A:Title: The complete DNA sequence of Autographa californica nuclear polyhedrosis virus.
A:Reference number: A72850; MUID:94303173
A:Accession: C72852
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-108 <AYR>
A:Cross-references: GB:L22858; NID:g510708; PIDN:AAA66649.1; PID:g559088
C:Genetics:
A:Gene: AcOrf-19
C:Superfamily: ACMNPV hypothetical protein 19

Query Match 50.3%; Score 35; DB 2; Length 108;
Best Local Similarity 66.7%; Pred. No. 21;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGGSFY 9
| |||||
Db 25 ANRNHSSFY 33

Search completed: March 28, 2001, 07:04:36
Job time: 1074 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:16 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-96
Perfect score: 58
Sequence: 1 ARNHGSPYS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	39	67.2	470	1 SYE2_RICPR	Q9zct8 rickettsia
2	38	65.5	196	1 WBBJ_ECOLI	P37750 escherichia
3	38	65.5	722	1 PBPI_YEAST	P53297 saccharomyc
4	36	62.1	275	1 YK42_YEYN3	P73079 synechocyst
5	36	62.1	473	1 SYE_AQUAE	O67271 aquifex aeo
6	36	62.1	548	1 FUMB_ECOLI	P14407 escherichia
7	35	60.3	108	1 Y019_NPVAC	P14424 autographa
8	35	60.3	197	1 EGG5_FASHE	P07915 fasciola he
9	35	60.3	218	1 Y4VH_RHTSN	Q53216 rhizobium s
10	35	60.3	352	1 CAPG_MOUSE	P24452 mus musculu
11	35	60.3	448	1 NCAP_CVHOC	P33469 human coron
12	35	60.3	567	1 CC45_XENLA	Q9yh26 xenopus lae
13	35	60.3	659	1 RA24_YEAST	P32641 saccharomyc
14	34	58.6	349	1 P16P_NOSPU	P48847 nostoc punc
15	34	58.6	435	1 PURA_SPICI	P52150 spiroplasma
16	34	58.6	604	1 GLAS_DROME	P13360 drosophila
17	34	58.6	718	1 LSP2_DROME	Q24388 drosophila
18	34	58.6	1446	1 IE18_PRVKA	P33479 pseudorabie
19	34	58.6	1461	1 IE18_PRVIF	P11675 pseudorabie
20	33	56.9	81	1 YWR4_CAEEL	Q10927 caenorhabdi
21	33	56.9	225	1 CD9_MOUSE	P40240 mus musculu
22	33	56.9	284	1 YNB9_YEAST	P53975 saccharomyc
23	33	56.9	284	1 YND3_YEAST	P53964 saccharomyc
24	33	56.9	322	1 FATB_VIBAN	P11460 vibrio angu
25	33	56.9	347	1 UL33_HSV6U	P52380 herpes simp
26	33	56.9	394	1 IPOU_DROME	P24350 drosophila
27	33	56.9	480	1 SYE_HAETN	P43818 haemophilus
28	33	56.9	486	1 GATC_DROME	P91623 drosophila
29	33	56.9	502	1 KIR3_MOUSE	Q61288 mus musculu
30	33	56.9	503	1 KIR3_HUMAN	P37023 homo sapien
31	33	56.9	505	1 KIR3_RAT	P80203 rattus norv
32	33	56.9	596	1 GLMS_HELPJ	Q9zj94 h glucosami
33	33	56.9	596	1 GLMS_HELPY	O26060 h glucosami

34	33	56.9	692	1 AMO_PICAN	P12807 pichia angu
35	33	56.9	767	1 AMDM_SCHPO	P50998 schizosacch
36	33	56.9	783	1 FAND_ECOLI	P12050 escherichia
37	33	56.9	798	1 YLFN_CAEEL	Q20296 caenorhabdi
38	33	56.9	966	1 M172_HUMAN	Q14596 homo sapien
39	33	56.9	1046	1 POL_FENV1	P31792 feline endo
40	33	56.9	1189	1 POL_BAEV1	P10272 baboon endo
41	32	55.2	117	1 GVPK_HALME	Q02236 halobacteri
42	32	55.2	129	1 YP56_MYCTU	Q50742 mycobacteri
43	32	55.2	166	1 YO21_BHP1	P51723 bacterioph
44	32	55.2	174	1 YO30_BHP1	P51734 bacterioph
45	32	55.2	190	1 SLVD_HAEIN	P44830 haemophilus

ALIGNMENTS

RESULT 1					
SYE2_RICPR	AC	Q9ZCT8;	STANDARD;	PRT;	470 AA.
DT	30-MAY-2000	(Rel. 39, Created)			
DT	30-MAY-2000	(Rel. 39, Last sequence update)			
DT	30-MAY-2000	(Rel. 39, Last annotation update)			
DE	GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)				
DE	(GLURS 2).				
GN	GLTX2 OR RP623.				
OS	Rickettsia prowazekii.				
OC	Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;				
OC	Rickettsiaceae; Rickettsieae; Rickettsia.				
RN	[1]				
RP	SEQUENCE FROM N.A.				
RC	STRAIN=MADRID E;				
RX	MEDLINE; 99039499.				
RA	Andersson S.G.E., Zomorodipour A., Andersson J.O.,				
RA	Sicheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,				
RA	Eriksson A.-S., Winkler H.H., Kurland C.G.;				
RT	"The genome sequence of Rickettsia prowazekii and the origin of				
RT	mitochondria."				
RL	Nature 396:133-140(1998).				
CC	-!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +				
CC	PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).				
CC	-!- SUBUNIT: MONOMER (BY SIMILARITY).				
CC	-!- SUBCELLULAR LOCATION: CYTOPLASMIC.				
CC	-!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.				
CC	-----				
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration				
CC	between the Swiss Institute of Bioinformatics and the EMBL outstation -				
CC	the European Bioinformatics Institute. There are no restrictions on its				
CC	use by non-profit institutions as long as its content is in no way				
CC	modified and this statement is not removed. Usage by and for commercial				
CC	entities requires a license agreement (See http://www.isb-sib.ch/announce/				
CC	or send an email to license@isb-sib.ch).				
CC	-----				
CC	EMBL; AJ235272; CAA15066.1;				
DR	HSSP; P27000; IGLN.				
DR	INTERPRO; IPR000924; ..				
DR	INTERPRO; IPR001412; ..				
DR	PFAM; PF00749; trna-synt_lc; 1.				
DR	PRINTS; PR00987; TRNASYNTHGLU.				
DR	PROSITE; PS00178; AA-TRNA-LIGASE-I; FALSE NEG.				
KW	Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.				
FT	SIMILAR 10 20 "HIGH" REGION.				
FT	SIMILAR 239 243 "KMSKS" REGION.				
FT	BINDING 242 242 ATP (BY SIMILARITY).				
SQ	SEQUENCE 470 AA; 53696 MW; DFICE50A20B8A9FD CRC64;				

Query Match 67.2%; Score 39; DB 1; Length 470;
Best Local Similarity 66.7%; Pred. No. 4.9;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
QY 1 ARNHGSPFY 9

use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announcement/ or send an email to license@isb-sib.ch).

CC EMBL; U03041; AAC31635.1; -
DR EMBL; U09876; AAB88406.1; -
DR EMBL; AE000294; AAC75094.1; -
DR EMBL; D90841; CAB21803.1; -
DR EMBL; D90842; CAB21811.1; -
DR ECOGENE; EG11984; WBBJ.
DR INTERPRO; IPR001451; -
DR PFAM; PF00132; hexapep; 1.
DR PROSITE; PS00101; HEXAPEP_TRANSFERASES; FALSE_NEG.
KW Lipopolysaccharide biosynthesis; Transferase; Acyltransferase; Repeat.
FT CONFLICT 168 176 SIPENTVIA -> LFRKYCHC (IN REF. 1).
FT CONFLICT 187 189 NHE -> IMR (IN REF. 1).
SQ SEQUENCE 196 AA; 21675 MW; D1C2FA7D3B29A1B1 CRC64;

Query Match 65.5%; Score 38; DB 1; Length 196;
Best Local Similarity 100.0%; Pred. No. 2.9;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSF 8
DB 105 HNHGSF 110

RESULT 3
PBPL_YEAST STANDARD; PRT; 722 AA.

ID PBPL_YEAST STANDARD; PRT; 722 AA.
AC P53297;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE PABL-BINDING PROTEIN 1.
GN PBPL OR MRS16 OR YGRI78C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Saccharomycetes.
[1]
RN SEQUENCE FROM N.A.
RA Hebling U., Hofmann B., Delius H.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DDBJ databases.
[2]
RN SEQUENCE FROM N.A.
RP STRAIN=BDY747;
RC Mecklenbrauer I.;
RT "Sequencing and characterization of a suppressor of the pet- phenotype
in a Saccharomyces cerevisiae strain without mitochondrial group II
introns."
RL Thesis (1996), Vienna Biocentre, Austria.
[3]
RN CHARACTERIZATION.
RX MEDLINE; 99038243.
RA Mangus D.A., Amrani N., Jacobson A.;
RT "Pbp1p, a factor interacting with Saccharomyces cerevisiae poly(A)-
binding protein, regulates polyadenylation."
RT Mol. Cell. Biol. 18:7383-7396(1998).
CC -!- FUNCTION: APPEARS TO PROMOTE PROPER POLYADENYLATION. IN THE
ABSENCE OF PBPLP, THE 3'TERMINI OF PRE-MRNAS ARE PROPERLY CLEAVED
BUT LACK FULL-LENGTH POLY(A) TAILS. MAY ACT TO REPRESS THE ABILITY
OF PABL TO NEGATIVELY REGULATE POLYADENYLATION.
CC -!- SUBUNIT: INTERACTS WITH PABL.
CC -!- SUBCELLULAR LOCATION: NUCLEAR AND CYTOPLASMIC.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announcement/

||||| :
31 ARHNGKFF 39

RESULT 2
WBBJ_ECOLI STANDARD; PRT; 196 AA.

ID WBBJ_ECOLI STANDARD; PRT; 196 AA.
AC F3750; P76375;
DT 01-OCT-1994 (Rel. 30, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE PUTATIVE LIPOPOLYSACCHARIDE BIOSYNTHESIS O-ACETYL TRANSFERASE WBBJ
(EC 2.3.1.-).
WBWJ.
GN Escherichia coli.
OS Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
[1]
RN SEQUENCE FROM N.A.
RP STRAIN=K12 / W3110;
RC MEDLINE; 94292434.
RA Yao Z., Vaivano M.A.;
RT "Genetic analysis of the O-specific lipopolysaccharide biosynthesis
region (rfb) of Escherichia coli K-12 W3110: identification of genes
that confer group 6 specificity to Shigella flexneri serotypes Y and
4a";
RT J. Bacteriol. 176:4143-4143(1994).
[2]
RN SEQUENCE FROM N.A.
RP STRAIN=K12 / WC1;
RC MEDLINE; 94292435.
RA Stevenson G., Neal B., Liu D., Hobbs M., Packer N.H., Batley M.,
RD Redmond J.W., Lindquist L., Reeves P.R.;
RT "Structure of the O antigen of Escherichia coli K-12 and the sequence
of its rfb gene cluster";
RT J. Bacteriol. 176:4144-4156(1994).
[3]
RN REVISIONS TO 168-176 AND 187-189.
RP STRAIN=K12 / WG1;
RC Stevenson G.;
RA Submitted (DEC-1997) to the EMBL/GenBank/DDBJ databases.
[4]
RN SEQUENCE FROM N.A.
RP STRAIN=K12 / MG1655;
RC MEDLINE; 97426617.
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;
RT "The complete genome sequence of Escherichia coli K-12.";
RT Science 277:1453-1474(1997).
[5]
RN SEQUENCE FROM N.A.
RP STRAIN=K12;
RC MEDLINE; 97251358.
RX Itoh T., Alba H., Baba T., Fujita K., Hayashi K., Inada T.,
RA Isono K., Kasai H., Kimura S., Kitakawa M., Kitagawa M.,
RA Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,
RA Nakade S., Nakamura Y., Nashimoto H., Nishio Y., Oshima T.,
RA Saito N., Sampei G., Seki Y., Sivasubramanian S., Tagami H.,
RA Takeda J., Takemoto K., Wada C., Yamamoto Y., Horichi T.;
RT "A 460-kb DNA sequence of the Escherichia coli K-12 genome
corresponding to the 40.1-50.0 min region on the linkage map.";
RL DNA Res. 3:379-392(1996).
CC -!- FUNCTION: PUTATIVE O-ACETYLTRANSFERASE THAT TRANSFERS AN O-ACETYL
ON THE O ANTIGEN.
CC ON THE O ANTIGEN.
CC -!- PATHWAY: LIPOPOLYSACCHARIDE BIOSYNTHESIS.
CC -!- SIMILARITY: BELONGS TO THE CYSE/LACA/LPXA/NODL FAMILY OF
O-ACETYLTRANSFERASES. COMPOSED OF MULTIPLE REPEATS OF [LIV]-G-X(4).

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announcement/

```

CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; 272963; CA97204.1; -.
DR EMBL; 046931; AAB94294.1; -.
DR SGD; S0003410; PBPI.
KW Nuclear protein.
SQ SEQUENCE 722 AA; 78781 MW; 92005F3A2346193E CRC64;

Query Match 65.5%; Score 38; DB 1; Length 722;
Best Local Similarity 75.0%; Pred. No. 12;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNGSFY 9
Db 474 RHNGSFF 481

RESULT 4
YK42_SYNY3
ID YK42_SYNY3 STANDARD; PRT; 275 AA.
AC P73079;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HYPOTHETICAL 31.9 KDA PROTEIN SLR2042.
GN SLR2042.
OS Synechocystis sp. (strain PCC 6803).
OC Bacteria; Cyanobacteria; Chroococcales; Synechocystis.
RN [1]
RX SEQUENCE FROM N.A.
RP MEDLINE; 97061201.
RA Kaneko T., Sato S., Kotani H., Tanaka A., Asamizu E., Nakamura Y.,
RA Miyajima N., Hirosewa M., Sugiyama M., Sasamoto S., Kimura T.,
RA Hosouchi T., Matsuno A., Muraki A., Nakazaki N., Naruo K., Okumura S.,
RA Shampo S., Takeuchi C., Wada T., Watanabe A., Yamada M., Yasuda M.,
RA Tabata S.;
RT "Sequence analysis of the genome of the unicellular cyanobacterium
RT Synechocystis sp. strain PCC6803. II. Sequence determination of the
RT entire genome and assignment of potential protein-coding regions.";
RL DNA Res. 3:109-136(1996).
CC -!- SIMILARITY: TO E.COLI YEEL.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; D90903; BAA17104.1; -.
KW Hypothetical protein.
SQ SEQUENCE 275 AA; 31929 MW; 3A46776EA239BD9E CRC64;

Query Match 62.1%; Score 36; DB 1; Length 275;
Best Local Similarity 62.5%; Pred. No. 9.9;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNGSFY 9
Db 253 QHNGQLY 260

RESULT 5
SYE_AQUAE
ID SYE_AQUAE STANDARD; PRT; 473 AA.
AC O67271;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE GLUTAMYL-TRNA SYNTHETASE (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE)

DE (GLURS).
GN GLTX OR AQ_1221.
OS Aquifex aeolicus.
OC Bacteria; Aquificales; Aquificaceae; Aquifex.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=VF5;
RX MEDLINE; 98196666.
RA Deckert G., Warren P.V., Gaasterland T., Young W.G., Lenox A.L.,
RA Graham D.E., Overbeek R., Snead M.A., Keller M., Aujaay R.,
RA Feldman R.A., Short J.M., Olson G.J., Swanson R.V.;
RT "The complete genome of the hyperthermophilic bacterium Aquifex
RT aeolicus.";
RL Nature 392:353-358(1998).
CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AE000729; AAC07230.1; -.
DR INTERPRO; IPR000924; -.
DR INTERPRO; IPR001412; -.
DR PFAM; PF00749; trna-synt_lc; 1.
DR PRINTS; PR00987; TRNASYNTHGLU.
DR PROSITE; PS00178; AA-TRNA-LIGASE_I; 1.
KW Aminoacyl-tRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 242 246 "RMSKS" REGION.
FT BINDING 245 245 ATP (BY SIMILARITY).
SQ SEQUENCE 473 AA; 55121 MW; 5CB4D1590973E07A CRC64;

Query Match 62.1%; Score 36; DB 1; Length 473;
Best Local Similarity 75.0%; Pred. No. 18;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGSGF 8
Db 31 ARHNGGFF 38

RESULT 6
FUMB_ECOLI
ID FUMB_ECOLI STANDARD; PRT; 548 AA.
AC P14407; P78139;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE FUMARATE HYDRATASE CLASS I, ANAEROBIC (EC 4.2.1.2) (FUMARASE).
GN FUMB.
OS Escherichia coli.
OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
OC Escherichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K12;
RX MEDLINE; 89255123.
RA Bell P.J., Andrews S.C., Sivak M.N., Guest J.R.;
RT "Nucleotide sequence of the FNR-regulated fumarase gene (fumb) of
RT Escherichia coli K-12.";
RL J. Bacteriol. 171:3494-3503(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / MG1655;

```



```

RX MEDLINE; 95334362.
RA Burland V.D., Plunkett G. III, Sofia H.J., Daniels D.L.,
RA Blattner F.R.;
RT "Analysis of the Escherichia coli genome VI: DNA sequence of the
RT region from 92.8 through 100 minutes.";
RL Nucleic Acids Res. 23:2105-2119(1995).
CC -!- FUNCTION: IT FUNCTIONS IN THE GENERATION OF FUMARATE FOR USE AS AN
CC ANAEROBIC ELECTRON ACCEPTOR.
CC -!- CATALYTIC ACTIVITY: L-MALATE = FUMARATE + H(2)O.
CC -!- COFACTOR: BINDS A 4FE-4S CLUSTER.
CC -!- ENZYME REGULATION: SUBJECT TO ANAEROBIC REPRESSION.
CC -!- PATHWAY: FERMENTATIVE PATHWAY THAT LEADS TO THE PRODUCTION OF
CC SUCCINATE.
CC -!- SUBUNIT: HOMODIMER.
CC -!- SIMILARITY: 79% IDENTITY WITH E.COLI FUM.
CC -!- SIMILARITY: TO OTHER THERMOLABILE CLASS I FUMARASES.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M27058; AAA23827.1; -.
CC DR EMBL; U14003; AAA97022.1; -.
CC DR EMBL; AE000485; AAC77083.1; -.
CC DR PIR; B44511; B44511
CC DR ECOGENE; EGI0357; FUMB.
CC DR INTERPRO; IPR000362; -.
CC DR PFAM; PF00206; lyase_1; 1.
CC DR PROSITE; PS00163; FUMARATE LYASES; 1.
CC KW Lyase: Tricarboxylic acid cycle; Iron-sulfur; 4Fe-4S.
CC FT METAL 318 318 IRON-SULFUR (4FE-4S) (BY SIMILARITY).
CC FT ACT-SITE 397 397 POTENTIAL.
CC FT BINDING 463 463 CARBOXYL GROUP (POTENTIAL).
CC FT CONFLICT 50 50 V -> L (IN AAC77083).
CC SQ SEQUENCE 548 AA; 60091 MW; 336854D8FA5551AB CRC64;

Query Match 62.1%; Score 36; DB 1; Length 548;
Best Local Similarity 66.7%; Pred. No. 21;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSPY 9
DB 473 ACKHGGFY 481

RESULT 7
Y019_NPVAC STANDARD; PRT; 108 AA.
AC P41424;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 12.2 KDA PROTEIN IN EGT-TAP1 INTERGENIC REGION (ORF4).
OS Autographa californica nuclear polyhedrosis virus (AcMNPV).
OC Viruses; dsDNA viruses, no RNA stage; Baculoviridae;
OC Nucleopolyhedrovirus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=C6;
RX MEDLINE; 94303173.
RA Ayres M.D., Howard S.C., Kuzio J., Lopez-Ferber M., Possee R.D.;
RT "The complete DNA sequence of Autographa californica nuclear
RT polyhedrosis virus.";
RL Virology 202:586-605(1994).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=E2;
RX MEDLINE; 93079853.

```

```

RA Braunagel S.C., Daniel K.D., Reilly L.M., Guarino L.A., Hong T.,
RA Summers M.D.;
RT "Sequence, genomic organization of the EcoRI-A fragment of Autographa
RT californica nuclear polyhedrosis virus, and identification of a
RT viral-encoded protein resembling the outer capsid protein VP8 of
RT rotavirus.";
RL Virology 191:1003-1008(1992).
CC -!- SIMILARITY: TO CORRESPONDING ORF IN OPMNPV.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; L22858; AAA66649.1; -.
CC DR EMBL; M96361; AAA66789.1; -.
CC DR PIR; D44221; D44221.
CC FT Hypothetical protein.
CC KW CONFLICT 6 6 A -> R (IN REF. 2).
CC SQ SEQUENCE 108 AA; 12162 MW; 8363B15DF72486A1 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 108;
Best Local Similarity 66.7%; Pred. No. 5;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSPY 9
DB 25 ANRNHSFY 33

RESULT 8
EGGS_FASHE STANDARD; PRT; 197 AA.
AC P07915;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE PUTATIVE EGGSHELL PROTEIN PRECURSOR.
OS Fasciola hepatica (liver fluke).
OC Eukaryota; Metazoa; Platyhelminthes; Neodermata; Trematoda; Digenea;
OC Echinostomida; Echinostomata; Fasciolidae; Fasciola.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 87175670.
RA Zurita M., Bieber D., Ringold G., Mansour T.E.;
RT "Cloning and characterization of a female genital complex cDNA from
RT the liver fluke Fasciola hepatica.";
RL Proc. Natl. Acad. Sci. U.S.A. 84:2340-2344(1987).
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M15871; AAA29138.1; -.
CC KW Eggshell; Signal.
CC FT SIGNAL 1 17
CC FT CHAIN 18 197 PUTATIVE EGGSHELL PROTEIN.
CC SQ SEQUENCE 197 AA; 22470 MW; 72033ED203FC1A3E CRC64;

Query Match 60.3%; Score 35; DB 1; Length 197;
Best Local Similarity 75.0%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSPY 8

```

```

Db 17 ARHPGKF 24
      ||| || |
RESULT 9
Y4VH_RHISN
ID Y4VH_RHISN STANDARD; PRT; 218 AA.
AC Q53216;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DE 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 24.6 KDA PROTEIN Y4VH.
GN Y4VH.
OS Rhizobium sp. (strain NGR234).
OC Plasmid sym pNGR234a.
OC Bacteria; Proteobacteria; alpha subdivision; Rhizobiaceae group;
OC Rhizobiaceae; Rhizobium.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 97305956.
RA Freiberg C.A., Fellay R., Broughton W.J., Rosenthal A.,
RA Perret X.;
RT "Molecular basis of symbiosis between Rhizobium and legumes.";
RL Nature 387:394-401(1997).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE; 96389014.
RA Freiberg C., Perret X., Broughton W.J., Rosenthal A.;
RT "Sequencing the 500-kb GC-rich symbiotic replicon of Rhizobium sp.
RT NGR234 using dye terminators and a thermostable 'sequenase'; a
RT beginning.";
RL Genome Res. 6:590-600(1996).
CC -!- SIMILARITY: NONE OBVIOUS.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Z68203; CAA92423.1; -.
DR EMBL; AE00101; AAB91896.1; -.
KW Hypothetical protein; Plasmid.
SQ SEQUENCE 218 AA; 24594 MW; 501C6CB38A09A2E5 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 218;
Best Local Similarity 75.0%; Pred. No. 12;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNHGSF 8
      ||| |||
Db 68 ARDNHGSY 75
      ||| |||
RESULT 10
CAPC_MOUSE
ID CAPC_MOUSE STANDARD; PRT; 352 AA.
AC P24452;
DT 01-MAR-1992 (Rel. 21, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE MACROPHAGE CAPPING PROTEIN (MYC BASIC MOTIF HOMOLOG-1) (ACTIN-CAPPING
DE PROTEIN GCAP39).
GN CAPC OR MBH1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-NIH;

RX MEDLINE; 91184120.
RA Prendergast G.C., Ziff E.B.;
RT "Mbh 1: a novel gelsolin/severin-related protein which binds actin in
RT vitro and exhibits nuclear localization in vivo.";
RL EMBO J. 10:757-766(1991).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE-KIDNEY;
RX MEDLINE; 91075231.
RA Yu F.-X., Johnston P.A., Suedhof T.C., Yin H.L.;
RT "gCap39, a calcium ion- and polyphosphoinositide-regulated actin
RT capping protein.";
RL Science 250:1413-1415(1990).
RN [3]
RP PARTIAL SEQUENCE.
RX MEDLINE; 91009264.
RA Johnston P.A., Yu F.-X., Reynolds G.A., Yin H.L., Moomaw C.R.,
RA Slaughter C.A., Suedhof T.C.;
RT "Purification and expression of gCap39. An intracellular and secreted
RT Ca2(+)-dependent actin-binding protein enriched in mononuclear
RT phagocytes.";
RL J. Biol. Chem. 265:17946-17952(1990).
RN [4]
RP SUBCELLULAR LOCATION.
RX MEDLINE; 94123352.
RA Onoda K., Yu F.-X., Yin H.L.;
RT "gCap39 is a nuclear and cytoplasmic protein.";
RL Cell Motil. Cytoskeleton 26:227-238(1993).
CC -!- FUNCTION: CALCIUM-SENSITIVE PROTEIN WHICH REVERSIBLY BLOCKS THE
CC BARBED ENDS OF ACTIN FILAMENTS BUT DOES NOT SEVER PREFORMED ACTIN
CC FILAMENTS. MAY PLAY AN IMPORTANT ROLE IN MACROPHAGE FUNCTION. MAY
CC PLAY A ROLE IN REGULATING CYTOPLASMIC AND/OR NUCLEAR STRUCTURES
CC THROUGH POTENTIAL INTERACTIONS WITH ACTIN. MAY BIND DNA. UNCAPPING
CC OCCURS EITHER WHEN CA(2+) FALLS OR WHEN THE CONCENTRATION OF
CC POLYPHOSPHOSITIDE RISES, BOTH AT LOW AND HIGH CA(2+).
CC -!- SUBCELLULAR LOCATION: NUCLEAR, CYTOPLASMIC AND SECRETED. NUCLEAR
CC GCAP39 REDISTRIBUTES THROUGHOUT THE CYTOPLASM DURING MITOSIS AND
CC IS EXCLUDED FROM REGIONS CONTAINING CHROMOSOMES.
CC -!- TISSUE SPECIFICITY: PRESENT IN A LARGE VARIETY OF TISSUES AND IS
CC PARTICULARLY ABUNDANT IN KIDNEY AND LUNG.
CC -!- PTM: PHOSPHORYLATED. NUCLEAR GCAP39 IS MORE HIGHLY PHOSPHORYLATED
CC THAN CYTOPLASMIC GCAP39.
CC -!- SIMILARITY: BELONGS TO THE VILLIN/GELSOLIN FAMILY.
CC -!- CAUTION: THIS PROTEIN WAS ORIGINALLY THOUGHT TO BE A DNA-BINDING
CC PROTEIN WITH A HELIX-LOOP-HELIX DOMAIN.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X54511; CAA38370.1; -.
DR PIR; A39834; A39834.
DR PIR; S15011; S15011.
DR HSP; P10733; ISVO.
DR MGD; MGI:1098259; CAPG.
DR INTERPRO; IPR001974; -.
DR PFAM; PF00626; Gelsolin; 3.
KW Nuclear protein; Actin-binding; Repeat; Phosphorylation.
FT DOMAIN 139 148 NUCLEAR LOCALIZATION SIGNAL (POTENTIAL).
FT DOMAIN 32 310 3 X APPROXIMATE REPEATS.
FT REPEAT 32 78 1.
FT REPEAT 155 192 2.
FT REPEAT 267 312 3.
FT REPEAT 32 32 V -> W (IN REF. 1).
FT CONFLICT 98 98 V -> L (IN REF. 1).
FT CONFLICT 117 117 MISSING (IN REF. 1).
FT CONFLICT 122 135 VESAFHKTSGARG -> GRVGISQDNLRTAP (IN
FT REF. 1).
FT CONFLICT 156 156 P -> A (IN REF. 1).

```


CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; U18922; AAB64700.1; -
 DR PIR; S30859; S30859.
 DR SGD; S0000975; RAD24.
 KW DNA damage; DNA repair; Nuclear protein; Cell cycle.
 SQ SEQUENCE 659 AA; 75726 MW; 130FE54875CAA930 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 659;
 Best Local Similarity 71.4%; Pred. No. 39;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 NHGSEFY 9
 Db 436 NHGTVY 442
 |||||

RESULT 14
 F16P_NOSPU
 ID F16P_NOSPU STANDARD; PRT; 349 AA.
 AC P48847;

DT 01-FEB-1996 (Rel. 33, Created)
 DT 01-FEB-1996 (Rel. 33, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE FRUCTOSE-1,6-BISPHOSPHATASE (EC 3.1.3.11) (D-FRUCTOSE-1,6-BISPHOSPHATE
 DE 1-PHOSPHOHYDROLASE) (FBPASE).
 GN FBP.

OS Nostoc punctiforme.
 OC Bacteria; Cyanobacteria; Nostocales; Nostocaceae; Nostoc.
 RN [1]

RP SEQUENCE FROM N.A.
 RC STRAIN-ATCC 29133 / PCC 73102;
 RA Summers M.L., Wolf R.E. Jr., Chu S., Meeks J.C.;
 RL Submitted (DEC-1994) to the EMBL/GenBank/DBJ databases.
 CC -!- CATALYTIC ACTIVITY: D-FRUCTOSE 1,6-BISPHOSPHATE + H(2)O =
 CC D-FRUCTOSE 6-PHOSPHATE + ORTHOPHOSPHATE.
 CC -!- PATHWAY: KEY ENZYME OF THE REDUCTIVE CARBON DIOXIDE ASSIMILATION.
 CC OR CALVIN CYCLE OF PHOTOSYNTHETIC CARBON DIOXIDE ASSIMILATION.
 CC -!- SIMILARITY: BELONGS TO THE FBPAE FAMILY.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; L32796; AAA50768.1; -
 DR HSP; P0636; 3FBP.
 DR INTERPRO: IPR000146; -
 DR PFAM; PF00316; FBPAse; 1.
 DR PRINTS; PR00115; FBPHPTASE.
 DR PRINTS; PR00377; INFBBPHPTASE.
 DR PROSITE; PS00124; FBPAse; 1.
 KW Hydrolyase; Carbohydrate metabolism; Calvin cycle; Photosynthesis.
 FT ACT_SITE 288 BY SIMILARITY.
 SQ SEQUENCE 349 AA; 38618 MW; 6720CF7C8F38127E CRC64;

Query Match 58.6%; Score 34; DB 1; Length 349;
 Best Local Similarity 85.7%; Pred. No. 30;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 4 NHGSEFY 10
 Db 222 NHGSVYS 228
 |||||

RESULT 15:
 PURA_SPICI

ID PURA_SPICI STANDARD; PRT; 435 AA.
 AC P52150;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE ADENYLOSUCCINATE SYNTHETASE (EC 6.3.4.4) (IMP--ASPARTATE LIGASE)
 DE (ADSS) (AMPSASE).
 GN PURA.
 OS Spiroplasma citri.
 OC Bacteria; Firmicutes; Bacillus/Clostridium group; Mollicutes;
 OC Spiroplasmataceae; Spiroplasma.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-R8A2HP;
 RA Citti C., Saillard C., Bove J.M.;
 RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: PLAYS AN IMPORTANT ROLE IN THE DE NOVO PATHWAY OF PURINE
 CC NUCLEOTIDE BIOSYNTHESIS.
 CC -!- CATALYTIC ACTIVITY: GTP + IMP + L-ASPARTATE = GDP + ORTHOPHOSPHATE
 CC + ADENYLOSUCCINATE.
 CC -!- PATHWAY: FIRST COMMITTED STEP IN AMP BIOSYNTHESIS.
 CC -!- SIMILARITY: BELONGS TO THE ADENYLOSUCCINATE SYNTHETASE FAMILY.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----
 DR EMBL; L22971; AAA26586.1; -
 DR HSP; P12283; 1ADI.
 DR INTERPRO: IPR001114; -
 DR PFAM; PF00709; Adenylsucc_synth; 1.
 DR PROSITE; PS00513; ADENYLOSUCCIN_SYN_2; 1.
 DR PROSITE; PS01266; ADENYLOSUCCIN_SYN_1; 1.
 KW Lyase; Purine biosynthesis; Ligase; GTP-binding.
 FT NP_BIND 17 23 GTP (POTENTIAL).
 FT ACT_SITE 146 146 BY SIMILARITY.
 FT ACT_SITE 153 153 BY SIMILARITY.
 SQ SEQUENCE 435 AA; 49609 MW; 74EB74E7B5A2091A CRC64;

Query Match 58.6%; Score 34; DB 1; Length 435;
 Best Local Similarity 66.7%; Pred. No. 38;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNHGSFY 9
 Db 217 AIHNHOKFY 225
 |||||

Search completed: March 28, 2001, 07:35:18
 Job time: 155 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:33 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-96
Perfect score: 58
Sequence: 1 ARNHGGSFY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_15.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phage.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_invertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	42	72.4	233	2	Q9KRA6
2	40	69.0	555	5	Q9XV91
3	39	67.2	350	2	P74376
4	38	65.5	191	10	Q9W8I3
5	38	65.5	278	5	Q9VP63
6	38	65.5	839	10	Q9LIE5
7	37	63.8	326	2	Q9RJG3
8	37	63.8	530	10	O64526
9	37	63.8	547	10	Q9LYI1
10	37	63.8	573	10	Q9W0A8
11	37	63.8	583	5	Q9VHN8
12	37	63.8	731	2	Q59369
13	37	63.8	849	2	Q9KNT8
14	36	62.1	227	5	Q9VNI9
15	36	62.1	339	2	Q9XD85
16	36	62.1	463	5	O44923
17	36	62.1	627	10	O24474
18	35	60.3	86	2	Q9JU21
19	35	60.3	89	7	O19495

20	35	60.3	110	12	O92387
21	35	60.3	157	5	Q9VNB9
22	35	60.3	272	5	Q24950
23	35	60.3	272	5	Q24951
24	35	60.3	551	5	Q9UAG5
25	35	60.3	552	5	Q9XWG6
26	35	60.3	696	10	Q9LZA5
27	35	60.3	1008	5	Q9W345
28	35	60.3	1467	6	Q97830
29	35	60.3	1472	6	Q97831
30	35	60.3	1474	4	O94910
31	35	60.3	1515	11	O88917
32	35	60.3	2470	13	Q90681
33	34.5	59.5	308	2	Q9PMW8
34	34	58.6	137	12	Q9PY61
35	34	58.6	151	4	Q99702
36	34	58.6	181	5	Q9VDT4
37	34	58.6	236	10	Q40088
38	34	58.6	273	10	Q9LW98
39	34	58.6	371	5	Q94707
40	34	58.6	379	2	O25568
41	34	58.6	381	2	Q9ZKT9
42	34	58.6	385	9	O64373
43	34	58.6	429	5	Q9VG09
44	34	58.6	449	5	Q9XYC7
45	34	58.6	450	3	O93934

ALIGNMENTS

RESULT 1

Q9KRA6
ID Q9KRA6 PRELIMINARY; PRT; 233 AA.
AC Q9KRA6;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DE 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE ARGINYL-TRNA-PROTEIN TRANSFERASE-RELATED PROTEIN.
GN VC1736.
OS Vibrio cholerae.
OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; Vibrio.
OX NCBI_TaxID=666;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=EL TOR N16961 / SEROTYPE O1;
RX MEDLINE=20406833; PubMed=10952301;
RA Heidelberg J.F., Eisen J.A., Nelson W.C., Clayton R.A., Gwin M.L., Dodson R.J., Haft D.H., Hickey E.K., Peterson J.D., Umayam L.A., Gill S.R., Nelson K.E., Read T.D., Tettelin H., Richardson D., Ermolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P., McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O., Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C., Fraser C.M.;
RA "DNA sequence of both chromosomes of the cholera pathogen Vibrio cholerae";
RT Nature 406:477-483(2000).
RL EMBL; AE004251; AAF94886.1;
DR TIGR; VC1736;
KW Transferase.
SQ SEQUENCE 233 AA; 27350 MW; AEB6E95905EC2C3C CRC64;

Query Match 72.4%; Score 42; DB 2; Length 233;
Best Local Similarity 77.8%; Pred. No. 3.1;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGGSFY 9

DB 117 ARRHGGSFY 125

RESULT 2

Q9XV91 Q9XV91 PRELIMINARY; PRT; 555 AA.
 AC Q9XV91;
 DT 01-NOV-1999 (TrEMBLrel. 12, Created)
 DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE F16H6.1 PROTEIN.
 GN F16H6.1.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 RN [1]
 RN SEQUENCE FROM N.A.
 RP MEDLINE=94150718; PubMed=7906398;
 RX Matthews L.;
 RA "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 RT elegans.";
 RL Submitted (NOV-1996) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RN SEQUENCE FROM N.A.
 RP MEDLINE=94150718; PubMed=7906398;
 RX Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
 RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
 RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
 RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
 RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
 RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
 RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Showkeen R.,
 RA Smalton N., Smith A., Sonhammer E., Staden R., Sulston J.,
 RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
 RA Watson A., Weinstock L., Wilkinson-Sproat J., Wohlman P.;
 RA "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 RT elegans";
 RL Nature 368:32-38(1994).
 DR EMBL; Z81506; CAB04128.1; -.
 DR HSSP; P23807; 11XX.
 DR INTERPRO; IPR000859; -.
 DR INTERPRO; IPR001304; -.
 DR PFAM; PF000059; lectin_c; 2.
 DR PFAM; PF00431; CUB; 2.
 DR PROSITE; PS00615; C-TYPE_LECTIN_1; UNKNOWN_1.
 DR PROSITE; PS01180; CUB; 2.
 DR PROSITE; PS50041; C-TYPE_LECTIN_2; 2.
 SQ SEQUENCE 555 AA; 60401 MW; 00B58D22B2E14EDC CRC64;

Query Match 69.0%; Score 40; DB 5; Length 555;
 Best Local Similarity 87.5%; Pred. No. 17;
 Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFYS 10
 || |||||
 Db 314 HNSGSFYS 321

RESULT 3
 ID P74376 PRELIMINARY; PRT; 350 AA.
 AC P74376;
 DT 01-FEB-1997 (TrEMBLrel. 02, Created)
 DT 01-FEB-1997 (TrEMBLrel. 02, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
 DE HYPOTHETICAL 40.3 KDA PROTEIN.
 GN SLL0428.
 OS Synecocystis sp. (strain PCC 6803).
 OC Bacteria; Cyanobacteria; Chroococcales; Synecocystis.
 OX NCBI_TaxID=1148;
 RN [1]
 RN SEQUENCE FROM N.A.
 RP MEDLINE=97061201; PubMed=8905231;
 RX Kaneko T., Sato S., Kotani H., Tanaka A., Asamizu E., Nakamura Y.,
 RA Miyajima N., Hirose M., Sugita M., Sasamoto S., Kimura T.,

RA Hosouchi T., Matsuno A., Muraki A., Nakazaki N., Naruo K., Okumura S.,
 RA Shimpō S., Takeuchi C., Wada T., Watanabe A., Yamada M., Yasuda M.,
 RA Tabata S.;
 RT "Sequence analysis of the genome of the unicellular cyanobacterium
 RT Synechocystis sp. strain PCC6803. II. Sequence determination of the
 RT entire genome and assignment of potential protein-coding regions.";
 RL DNA Res. 3:109-136(1996).
 DR EMBL; D90914; BAA18471.1; -.
 KW Hypothetical protein.
 SQ SEQUENCE 350 AA; 40262 MW; 29E436C5B44839DC CRC64;

Query Match 67.2%; Score 39; DB 2; Length 350;
 Best Local Similarity 71.4%; Pred. No. 17;
 Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNHGSFY 9
 |||||:
 Db 247 HNHGNY 253

RESULT 4
 ID Q9M813 PRELIMINARY; PRT; 191 AA.
 AC Q9M813;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE TP1.6 PROTEIN.
 GN TP1.6.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Lin X., Kaul S., Town C.D., Benito M., Creasy T.H., Haas B., Wu D.,
 RA Ronning C.M., Koo H., Fujii C.Y., Utterback T.R., Barnstead M.E.,
 RA Bowman C.D., White O., Nierman W.C., Fraser C.M.;
 RT "Arabidopsis thaliana chromosome I BAC T7P1 genomic sequence.";
 RL Submitted (JAN-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AC018908; AAF27666.1; -.
 SQ SEQUENCE 191 AA; 21501 MW; BF92CEBA22421D1 CRC64;

Query Match 65.5%; Score 38; DB 10; Length 191;
 Best Local Similarity 75.0%; Pred. No. 14;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFYS 10
 || |||||
 Db 56 HSHASFYS 63

RESULT 5
 ID Q9VP63 PRELIMINARY; PRT; 278 AA.
 AC Q9VP63;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE CG9391 PROTEIN.
 GN CG9391.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN=BERKELEY;

```

RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galie R.F.,
RA George R.G., Lewis S.J., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borikova D., Botchan M.A., Bouck J., Brokstein P., Brotter P.,
RA Burkis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablo B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Fostler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K.A., Nusskern D.R., Pacle J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissensbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL: AE003594; AAF51693.1; -
DR HSSP: P29218; 2HHM.
DR FLYBASE: FBgn037063; CG9391.
DR INTERPRO: IPR000760; -
DR PFAM: PF00459; Inositol_P; 1.
DR PRINTS: PR00378; INOSPHPTASE.
DR PROSITE: PS00629; IMP_1; 1.
DR PROSITE: PS00630; IMP_2; 1.
SQ SEQUENCE 278 AA; 30626 MW; B5AEEC2445A72D99 CRC64;

Query Match 65.5%; Score 38; DB 5; Length 278;
Best Local Similarity 60.08; Pred. No. 20;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSPYS 10
II |||:|
Db .136 ARRGHGFYN 145

RESULT 6
Q9LIE5 PRELIMINARY; PRT; 839 AA.
ID Q9LIE5
AC Q9LIE5
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;

```

```

RN SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asanizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT TAC and BAC clones.";
RT Sequence features of the regions of 4,251,695 bp covered by ninety P1,
DR DNA Res. 7:217-221(2000).
SQ EMBL: AP001306; BAB03065.1; -
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 65.5%; Score 38; DB 10; Length 839;
Best Local Similarity 75.08; Pred. No. 60;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
:|||||
Db 274 SRNHGGSF 281

RESULT 7
Q9RJG3 PRELIMINARY; PRT; 326 AA.
ID Q9RJG3
AC Q9RJG3;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DE 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)
DE PUTATIVE ARAC FAMILY TRANSCRIPTIONAL REGULATOR.
GN SCF76.11.
OS Streptomyces coelicolor.
OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
OC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=1902;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=A3(2);
RA Murphy L., Harris D.;
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=A3(2);
RA Thomson N.R., Parkhill J., Barrell B.G., Rajandream M.A.;
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=A3(2);
RA Redenbach M., Kieser H.M., Denapaita D., Eichner A., Cullum J.,
RA Kinashi H., Hopwood D.A.;
RT "A set of ordered cosmids and a detailed genetic and physical map for
RT the 8 Mb Streptomyces coelicolor A3(2) chromosome.";
RL Mol. Microbiol. 21:77-96(1996).
DR EMBL: AL121600; CAB56731.1; -
DR INTERPRO: IPR000005; -
DR PFAM: PF00165; HTH_Arac; 1.
SQ SEQUENCE 326 AA; 34425 MW; 2FEF5346ACAC80D6 CRC64;

Query Match 63.8%; Score 37; DB 2; Length 326;
Best Local Similarity 85.7%; Pred. No. 36;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNHGSF 8
||| |||
Db 85 RHGHSF 91

RESULT 8

```

064526
 ID O64526 PRELIMINARY; PRT; 530 AA.
 AC O64526;
 DT 01-AUG-1998 (TREMBLrel. 07, Created)
 DT 01-AUG-1998 (TREMBLrel. 07, Last sequence update)
 DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
 DE YUP8H12R.13 PROTEIN.
 GN YUP8H12R.13.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Theologis A., Vysotskaia V.S., Osborne B.I., Schwartz J.R.,
 RA Federspiel N.A., Kwan A., Toriumi M., Yu G., Oji O., Araujo R.,
 RA Chung E., Dewar K., Dietrich F., Ecker J.R., Marziani A., Oefner P.,
 RA Davis R.W.;
 RL Submitted (OCT-1997) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. COLUMBIA;
 RA Theologis A.;
 RL Submitted (MAY-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AC002986; AAC17040.1;
 DR MENDEL; 29344; Arath; 3318; 29344.
 DR INTERPRO; IPR001064;
 DR PROSITE; PS00225; CRYSTALLIN_BETAGAMMA; UNKNOWN_1.
 SQ SEQUENCE 530 AA; 59679 MW; E326AA0A6958F910 CRC64;

Query Match 63.8%; Score 37; DB 10; Length 530;
 Best Local Similarity 62.5%; Pred. No. 58;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSEFY 10
 ||| :||
 DB 192 HNNHYS 199

RESULT 9
 Q9LYI1 PRELIMINARY; PRT; 547 AA.
 AC Q9LYI1;
 DT 01-OCT-2000 (TREMBLrel. 15, Created)
 DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
 DE FRUCTOSIDASE-LIKE PROTEIN.
 GN F14F18_90.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC Bevan M., Hilbert H., Braun M., Holzer E., Brandt A., Duesterhoeft A.,
 RA Bancroft I., Mewes H.W., Rudd S., Lemcke K., Mayer K.F.X.;
 RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AL163812; CAB87665.1;
 SQ SEQUENCE 547 AA; 61771 MW; 9616592D5D48AE74 CRC64;

Query Match 63.8%; Score 37; DB 10; Length 547;
 Best Local Similarity 55.6%; Pred. No. 60;
 Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNGSFYS 10
 |::|::|:
 DB 275 RYDHGTFA 283
 RESULT 10
 Q9MOA8 PRELIMINARY; PRT; 573 AA.
 AC Q9MOA8;
 DT 01-OCT-2000 (TREMBLrel. 15, Created)
 DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
 DE RECEPTOR-LIKE KINASE HOMOLOG.
 GN AT4G30520.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Lamar B., Stoneking T., Stumpf J., Mewes H.W., Lemcke K.,
 RA Mayer K.F.X.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AL161577; CAB79770.1;
 KW Kinase.
 SQ SEQUENCE 573 AA; 62834 MW; E6F1CC9D0B3C0B66 CRC64;

Query Match 63.8%; Score 37; DB 10; Length 573;
 Best Local Similarity 66.7%; Pred. No. 63;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHHGSEFY 9
 |::|::|
 DB 508 ASHNSHFY 516

RESULT 11
 Q9VHN8 PRELIMINARY; PRT; 583 AA.
 AC Q9VHN8;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TREMBLrel. 14, Last annotation update)
 DE CG8032 PROTEIN.
 GN CG8032.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BERKELEY;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blaise R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abriel J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,

RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferriera S., Fleischmann W.,
 RA Foster C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodok A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Helman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RA "The genome sequence of *Drosophila melanogaster*.";
 RL Science 287:2185-2195(2000).
 DR EMBL; AE003680; AAF54284.1; -
 DR FLYBASE; FBgn0037606; CG8032.
 DR INTERPRO; IPR00205; -
 DR INTERPRO; IPR002937; -
 DR PFAM; PF01593; Amino oxidase; 1.
 SQ SEQUENCE 583 AA; 64447 MW; BD75A2DA1973FF16 CRC64;

Query Match 63.8%; Score 37; DB 5; Length 583;

Best Local Similarity 75.08; Pred. No. 64;

Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 3 HNHGSFYS 10

I I I I I I

Db 532 HTHSFSYS 539

RESULT 12

Q59369

ID Q59369 PRELIMINARY; PRT; 731 AA.

AC Q59369;

DT 01-NOV-1996 (TrEMBLrel. 01, Created)

DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)

DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)

DE HISTIDINE RICH P TYPE ATPASE.

GN HRA-1

OS *Escherichia coli*.

OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;

OC *Escherichia*.

OX NCBI_TaxID=562;

RN [1]

RP SEQUENCE FROM N.A.

RA MEDLINE=95110304; PubMed=7811248;

RA Trenor C.C., Lin W., Andrews N.C.;

RT "Novel bacterial P-type ATPases with histidine-rich heavy-metal-

associated sequences.";

RL Biochem. Biophys. Res. Commun. 205:1644-1650(1994).

DR EMBL; U16558; AAA62113.1; -

DR INTERPRO; IPR001757; -

DR PFAM; PF00122; E1-E2_ATPase; 1.

DR PROSITE; PS00154; ATPASE_E1_E2; UNKNOWN.1.

KW Hydrolase; Transmembrane; Phosphorylation; ATP-binding.

FT MOD_RES 431 431 PHOSPHORYLATION (PROBABLE).

SQ SEQUENCE 731 AA; 78453 MW; 0623F155E151F0D CRC64;

Query Match 63.8%; Score 37; DB 2; Length 731;

Best Local Similarity 75.08; Pred. No. 80;

Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGSGF 8
I I I I I I

Db 88 AHHHGSGF 95

RESULT 13

Q9KN18

ID Q9KN18 PRELIMINARY; PRT; 849 AA.

AC Q9KN18;

DT 01-OCT-2000 (TrEMBLrel. 15, Created)

DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)

DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)

DE GGDEF FAMILY PROTEIN.

GN VC2750.

OS *Vibrio cholerae*.

OC Bacteria; Proteobacteria; gamma subdivision; Vibrionaceae; *Vibrio*.

OX NCBI_TaxID=666;

RN [1]

RP SEQUENCE FROM N.A.

RA STRAIN=EL TOR N16961 / SEROTYPE O1;

RA MEDLINE=20406833; PubMed=10952301;

RA Heidelberg J.F., Eisen J.A., Nelson W.C., Clayton R.A., Gwinn M.L.,

RA Dodson R.J., Haft D.H., Hickey E.K., Peterson J.D., Omayam L.A.,

RA Gill S.R., Nelson K.E., Read T.D., Tettelin H., Richardson D.,

RA Ermolaeva M.D., Vamathevan J., Bass S., Qin H., Dragoi I., Sellers P.,

RA McDonald L., Utterback T., Fleischmann R.D., Nierman W.C., White O.,

RA Salzberg S.L., Smith H.O., Colwell R.R., Mekalanos J.J., Venter J.C.,

RA Fraser C.M.;

RT "DNA sequence of both chromosomes of the cholera pathogen *Vibrio*

cholerae.";

RL Nature 406:477-483(2000).

DR EMBL; AE004340; AAF95889.1; -

DR TIGR; VC2750; -

SQ SEQUENCE 849 AA; 95053 MW; 2FF1438453FB998D CRC64;

Query Match 63.8%; Score 37; DB 2; Length 849;

Best Local Similarity 70.08; Pred. No. 93;

Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARNHGSGFYS 10

I I I I I I

Db 572 AEHTHSFYS 581

RESULT 14

Q9VNI9

ID Q9VNI9 PRELIMINARY; PRT; 227 AA.

AC Q9VNI9;

DT 01-MAY-2000 (TrEMBLrel. 13, Created)

DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)

DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)

DE CG2023 PROTEIN.

GN CG2023.

OS *Drosophila melanogaster* (Fruit fly).

OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;

OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;

OC Ephydroidea; Drosophilidae; *Drosophila*.

OX NCBI_TaxID=7227;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=BERKELEY;

RA MEDLINE=20196006; PubMed=107311132;

RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,

RA Amanatides P.G., Scher S.E., Li P.W., Hoskins R.A., Galle R.F.,

RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,

RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,

RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,

RA Wan K.H., Doyle C., Baxter E.G., Helt J.G., Nelson C.R., Miklos G.L.G.,

RA Abril J.F., Aqbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,

RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,

RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borikova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahike C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferrera S., Fleischmann W.,
 RA Foster C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissenbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of *Drosophila melanogaster*.";
 RL Science 287:2185-2195(2000).
 DR EMBL: AF003601; AAF51945.1; -.
 DR FLYBASE: FBgn0037383; CG2023.
 SQ SEQUENCE 227 AA; 25695 MW; 768718C22AE7C60E CRC64;

Query Match 62.1%; Score 36; DB 5; Length 227;
 Best Local Similarity 70.0%; Pred. No. 38;

Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSEFYS 10
 DB 126 ARHNGSLVS 135

RESULT 15
 Q9XD85 PRELIMINARY; PRT; 339 AA.
 AC Q9XD85;
 DT 01-NOV-1999 (TrEMBLrel. 12, Created)
 DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
 DT 01-NOV-1999 (TrEMBLrel. 12, Last annotation update)
 DE SECRETED PROTEIN PRECURSOR.
 OS Corynebacterium diphtheriae.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Corynebacterineae; Corynebacteriaceae;
 OC Corynebacterium.
 OX NCBI_TaxID=1717;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=C7(-);
 RA Drazek E.S., Schmitt M.P.;
 RT "Identification of Corynebacterium diphtheriae genes required for
 RT acquisition of iron from heme and hemoglobin that are homologous to
 RT ABC transporters.";
 RL Submitted (NOV-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL: AF109162; AAD37497.1;
 KW Signal.
 FT CHAIN 1 31 POTENTIAL.
 FT CHAIN 32 339 SECRETED PROTEIN.
 SQ SEQUENCE 339 AA; 37116 MW; 4E0FCE7418685059 CRC64;

Query Match 62.1%; Score 36; DB 2; Length 339;

Best Local Similarity 85.7%; Pred. No. 57;
 Matches 6; Conservative 1; Mismatches 0; Gaps 0;

QY 4 NHGSEFYS 10
 DB 120 HHGSEFYS 126

Search completed: March 28, 2001, 07:53:37
 Job time: 530 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:55 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-96

Perfect score: 58

Sequence: 1 ARNHGSPYS 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_36.*

1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	58	100.0	10	19	W76038
2	52	89.7	10	19	W76040
3	49	84.5	10	19	W76037
4	48	82.8	10	19	W76039
5	48	82.8	10	19	W76023
6	47	81.0	10	19	W76020
7	43	74.1	10	19	W76024
8	41	70.7	10	19	W76022
9	41	70.7	10	19	W76025
10	41	70.7	10	19	W76026
11	41	70.7	10	19	W76027
12	41	70.7	10	19	W76028

13	41	70.7	10	19	W76029	LM609 grafted anti
14	41	70.7	10	19	W76030	LM609 grafted anti
15	41	70.7	10	19	W76010	LM609 grafted anti
16	41	70.7	117	19	W76001	Vitaxin antibody h
17	41	70.7	117	19	W76003	LM609 antibody hea
18	41	70.7	117	20	Y06381	Murine monoclonal
19	41	70.7	117	20	Y06387	Humanised LM609 an
20	41	70.7	118	20	Y06384	Humanised LM609 an
21	41	70.7	118	20	Y06385	Humanised LM609 an
22	41	70.7	118	20	Y06386	Humanised LM609 an
23	41	70.7	118	20	Y06383	Humanised LM609 an
24	41	70.7	130	20	Y06379	Murine monoclonal
25	38	65.5	10	19	W76021	LM609 grafted anti
26	36	62.1	627	20	W85700	Myrcene synthase o
27	36	62.1	627	20	W85710	Grand Fir monoterp
28	35	60.3	286	20	Y43477	Amino acid sequenc
29	35	60.3	352	15	R53686	38KD HRI factor.
30	35	60.3	353	15	R53687	38KD HR2 factor.
31	35	60.3	659	18	W26662	Yeast checkpoint c
32	35	60.3	659	20	W73892	Yeast RAD24 protei
33	35	60.3	1466	20	Y41091	Rat latrophilin pr
34	35	60.3	1469	20	Y41097	Human lectomedin-2
35	35	60.3	1471	19	W74585	Calcium independen
36	35	60.3	1474	21	W77729	Human G protein-co
37	34	58.6	99	20	Y29137	Amino acid sequenc
38	34	58.6	204	19	W59609	DNA-binding/dimeri
39	34	58.6	229	21	W70509	Human BAG-4 protei
40	34	58.6	358	19	W98649	H. pylori GHPD 403
41	34	58.6	466	20	Y24317	Human Lir-pbmhh pr
42	34	58.6	483	19	W82550	Human Lir-pbmhh pr
43	34	58.6	514	19	W69235	Fcr-V protein sequ
44	33	56.9	18	21	Y98371	Alpha D peptide de
45	33	56.9	19	21	Y98381	Alpha D peptide de

ALIGNMENTS

RESULT 1

W76038
ID W76038 standard; Protein; 10 AA.

XX

AC W76038;

XX

DT 02-NOV-1998 (first entry)

XX

DE LM609 grafted antibody V-H region CDR3 protein fragment #14.

XX

Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
LM609; inhibitor; integrin-mediated signal transduction; treatment;
diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
macular degeneration; osteoporosis; primer; V-H region; CDR;
complementarity determining region.

XX

OS Mus sp.

XX

PN W09833919-A2.

XX

PD 06-AUG-1998.

XX

PF 30-JAN-1998; 98WO-US01826.

XX

PR 30-JAN-1997; 97US-0791391.

XX

PA (IXSY-) IXSYS INC.

XX

PI Glaser SM, Huse WD;

XX

DR WPI; 1998-437472/37.

XX

DR N-PSDB; V49875.

XX

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 43; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 58; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00015;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNHGSFYS 10
 |||||
 Db 1 arhnhsfys 10

RESULT 2
 W76040
 ID W76040 standard; Protein; 10 AA.

XX AC W76040;
 XX DT 02-NOV-1998 (first entry)
 XX DE LM609 grafted antibody V-H region CDR3 protein fragment #16.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.
 XX PN WO9833919-A2.
 XX PD 06-AUG-1998.
 XX PF 30-JAN-1998; 98WO-US01826.
 XX PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.
 XX PI Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.

DR N-PSDB; V49877.
 XX

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 43; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 89.7%; Score 52; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0017;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNHGSFYS 10
 |||||
 Db 1 arhnhsfys 10

RESULT 3
 W76037
 ID W76037 standard; Protein; 10 AA.

XX AC W76037;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #13.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.
 XX PN WO9833919-A2.
 XX PD 06-AUG-1998.
 XX PF 30-JAN-1998; 98WO-US01826.
 XX PR 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX WPI; 1998-437472/37.
 XX DR N-PSDB; V49874.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 XX integrin - and related grafted antibodies based on murine monoclonal
 XX LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX angiogenesis or restenosis

XX Claim 62; Page 43; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 84.5%; Score 49; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0059;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNHGSFYS 10
 Db 1 arnhngsfas 10
 |||||

RESULT 4

W76039
 ID W76039 standard; Protein; 10 AA.

XX AC W76039;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #15.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49876.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 43; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 82.8%; Score 48; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.0089;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNHGSFY 9
 Db 1 arhnygsfy 9
 |||||

RESULT 5

W76023
 ID W76023 standard; Protein; 10 AA.

XX AC W76023;

XX 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #5.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49860.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 82.8%; Score 48; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.0089;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNHGSFY 9
 |||||

Db 1 arhnygsfy 9

RESULT 6

W76020 standard; Protein: 10 AA.

W76020;

02-NOV-1998 (first entry)

LM609 grafted antibody V-H region CDR3 protein fragment #6.

Vitaxin; antibody; variable region; heavy chain; light chain; integrin; LM609; inhibitor; integrin-mediated signal transduction; treatment; diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy; neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine; macular degeneration; osteoporosis; primer; V-H region; CDR; complementarity determining region.

Mus sp.

W09833919-A2.

06-AUG-1998.

30-JAN-1998; 98WO-US01826.

30-JAN-1997; 97US-0791391.

(IXSY-) IXSYS INC.

Glaser SM, Huse WD;

WPI: 1998-437472/37.

N-PSDB; V49861.

Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3 integrin - and related grafted antibodies based on murine monoclonal LM609, also related nucleic acid, used to treat, prevent or diagnose angiogenesis or restenosis

Claim 62; Page 41; 129pp; English.

W6007-W76040 are protein fragments of the grafted monoclonal antibody LM609 heavy and light chain variable region. LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a ligand and thus block integrin-mediated signal transduction. This is useful in the treatment, prevention and diagnosis of alphavbeta3-mediated disease, specifically angiogenesis and restenosis (but also e.g. (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis etc.). The antibodies contain non-murine framework regions so are suitable for use in humans. Enhanced types of LM609 have affinity more than 90 times greater than that of parent the parent antibody.

Sequence 10 AA;

Query Match 74.1%; Score 43; DB 19; Length 10;

Best Local Similarity 80.0%; Pred. No. 0.068;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0

Qy 1 ARHNHGSFYS 10

|||||

Db 1 arhnygsfas 10

RESULT 8

W76022

W76022 standard; Protein: 10 AA.

W76022;

02-NOV-1998 (first entry)

LM609 grafted antibody V-H region CDR3 protein fragment #4.

Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

Db 1 arhnygsfy 9

RESULT 6

W76020 standard; Protein: 10 AA.

W76020;

02-NOV-1998 (first entry)

LM609 grafted antibody V-H region CDR3 protein fragment #6.

Vitaxin; antibody; variable region; heavy chain; light chain; integrin; LM609; inhibitor; integrin-mediated signal transduction; treatment; diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy; neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine; macular degeneration; osteoporosis; primer; V-H region; CDR; complementarity determining region.

Mus sp.

W09833919-A2.

06-AUG-1998.

30-JAN-1998; 98WO-US01826.

30-JAN-1997; 97US-0791391.

(IXSY-) IXSYS INC.

Glaser SM, Huse WD;

WPI: 1998-437472/37.

N-PSDB; V49861.

Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3 integrin - and related grafted antibodies based on murine monoclonal LM609, also related nucleic acid, used to treat, prevent or diagnose angiogenesis or restenosis

Claim 62; Page 41; 129pp; English.

W6007-W76040 are protein fragments of the grafted monoclonal antibody LM609 heavy and light chain variable region. LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3 to a ligand and thus block integrin-mediated signal transduction. This is useful in the treatment, prevention and diagnosis of alphavbeta3-mediated disease, specifically angiogenesis and restenosis (but also e.g. (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis etc.). The antibodies contain non-murine framework regions so are suitable for use in humans. Enhanced types of LM609 have affinity more than 90 times greater than that of parent the parent antibody.

Sequence 10 AA;

Query Match 74.1%; Score 43; DB 19; Length 10;

Best Local Similarity 80.0%; Pred. No. 0.068;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0

Qy 1 ARHNHGSFYS 10

|||||

Db 1 arhnygsfas 10

RESULT 8

W76022

W76022 standard; Protein: 10 AA.

W76022;

02-NOV-1998 (first entry)

LM609 grafted antibody V-H region CDR3 protein fragment #4.

Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 OS Mus sp.
 XX
 XX WO9833919-A2.
 PN
 XX
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI WPI; 1998-437472/37.
 XX N-PSDB; V49859.
 DR
 XX Humanised antibody, vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 70.7%; Score 41; DB 19; Length 10;
 Best Local Similarity 87.5%; Pred. NO. 0.15;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARHNHGSF 8
 Db ||||:||||
 1 arhnygsf 8
 RESULT 9
 ID W76025 standard; Protein; 10 AA.
 XX
 AC W76025;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #7.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.

XX WO9833919-A2.
 PN
 XX
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA
 XX Glaser SM, Huse WD;
 PI WPI; 1998-437472/37.
 XX N-PSDB; V49862.
 DR
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 41; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 70.7%; Score 41; DB 19; Length 10;
 Best Local Similarity 87.5%; Pred. NO. 0.15;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARHNHGSF 8
 Db ||||:||||
 1 arhnygsf 8
 RESULT 10
 ID W76026 standard; Protein; 10 AA.
 XX
 AC W76026;
 XX
 DT 02-NOV-1998 (first entry)
 XX
 DE LM609 grafted antibody V-H region CDR3 protein fragment #8.
 XX
 KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 PN WO9833919-A2.
 XX
 PD 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX

```

PR 30-JAN-1997; 97US-0791391.
XX (IXSY-) IXSYS INC.
PA Glaser SM, Huse WD;
XX WPI; 1998-437472/37.
DR N-PSDB; V49863.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphaVbeta3 and can be used to
CC inhibit binding of alphaVbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphaVbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ

```

Query Match 70.7%; Score 41; DB 19; Length 10;
 Best Local Similarity 87.5%; Pred. No. 0.15; Length 10;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

QY 1 ARNHGGSF 8
Db 1 arhnygsf 8

RESULT 11
ID W76027 standard; Protein; 10 AA.
XX
XX W76027;
AC
XX 02-NOV-1998 (first entry)
DT
XX LM609 grafted antibody V-H region CDR3 protein fragment #9..
DE
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
XX Mus sp.
OS
XX WO9833919-A2.
PN
XX 06-AUG-1998.
PD
XX 30-JAN-1998; 98WO-US01826.
PF
XX 30-JAN-1997; 97US-0791391.
PR
XX (IXSY-) IXSYS INC.
PA
XX Glaser SM, Huse WD;
PI
XX WPI; 1998-437472/37.
DR
XX N-PSDB; V49863.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphaVbeta3 and can be used to
CC inhibit binding of alphaVbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphaVbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ

```

Query Match 70.7%; Score 41; DB 19; Length 10;
 Best Local Similarity 87.5%; Pred. No. 0.15; Length 10;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

QY 1 ARNHGGSF 8
Db 1 arhnygsf 8

RESULT 12
ID W76028 standard; Protein; 10 AA.
XX
XX W76028;
AC
XX 02-NOV-1998 (first entry)
DT
XX LM609 grafted antibody V-H region CDR3 protein fragment #10.
DE
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
XX Mus sp.
OS
XX WO9833919-A2.
PN
XX 06-AUG-1998.
PD
XX 30-JAN-1998; 98WO-US01826.
PF
XX 30-JAN-1997; 97US-0791391.
PR
XX (IXSY-) IXSYS INC.
PA
XX Glaser SM, Huse WD;
PI
XX WPI; 1998-437472/37.
DR
XX N-PSDB; V49863.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphaVbeta3 and can be used to
CC inhibit binding of alphaVbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphaVbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ

```

Query Match 70.7%; Score 41; DB 19; Length 10;
 Best Local Similarity 87.5%; Pred. No. 0.15; Length 10;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

DR N-PSDB; V49864.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphaVbeta3 and can be used to
CC inhibit binding of alphaVbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphaVbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ

```

Query Match 70.7%; Score 41; DB 19; Length 10;
 Best Local Similarity 87.5%; Pred. No. 0.15; Length 10;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

QY 1 ARNHGGSF 8
Db 1 arhnygsf 8

RESULT 12
ID W76028 standard; Protein; 10 AA.
XX
XX W76028;
AC
XX 02-NOV-1998 (first entry)
DT
XX LM609 grafted antibody V-H region CDR3 protein fragment #10.
DE
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
XX Mus sp.
OS
XX WO9833919-A2.
PN
XX 06-AUG-1998.
PD
XX 30-JAN-1998; 98WO-US01826.
PF
XX 30-JAN-1997; 97US-0791391.
PR
XX (IXSY-) IXSYS INC.
PA
XX Glaser SM, Huse WD;
PI
XX WPI; 1998-437472/37.
DR
XX N-PSDB; V49863.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphaVbeta3 and can be used to
CC inhibit binding of alphaVbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphaVbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
XX Sequence 10 AA;
SQ

```

Query Match 70.7%; Score 41; DB 19; Length 10;
 Best Local Similarity 87.5%; Pred. No. 0.15; Length 10;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 70.7%; Score 41; DB 19; Length 10;
Best Local Similarity 87.5%; Pred. No. 0.15;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNHGSF 8
||||:||||
Db 1 arhnygsf 8

RESULT 13

W76029
ID W76029 standard; Protein; 10 AA.

XX AC W76029;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #11.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX WPI: 1998-437472/37.

XX DR N-PSDB; V49866.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 70.7%; Score 41; DB 19; Length 10;
Best Local Similarity 87.5%; Pred. No. 0.15;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNHGSF 8
||||:||||
Db 1 arhnygsf 8

RESULT 14

W76030

ID W76030 standard; Protein; 10 AA.

XX AC W76030;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #12.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX WPI: 1998-437472/37.

XX DR N-PSDB; V49867.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis

XX PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 70.7%; Score 41; DB 19; Length 10;
Best Local Similarity 87.5%; Pred. No. 0.15;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSF 8
| | | | : | | |
Db 1 arhnygsf 8

RESULT 15

W76010
ID W76010 standard; Protein; 10 AA.

XX AC W76010;

XX DT 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #1.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.

XX OS Mus sp.

XX WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-Y) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI: 1998-437472/37.

XX DR N-PSDB; V49847.

XX PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis

XX PS Disclosure; Page 40; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 70.7%; Score 41; DB 19; Length 10;
Best Local Similarity 87.5%; Pred. No. 0.15;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSF 8
| | | | : | | |
Db 1 arhnygsf 8

Search completed: March 28, 2001, 06:59:55
Job time: 1391 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:02:00 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-96

Perfect score: 58

Sequence: 1 ARNHGFSFY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_patents_AA:*

- 1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep:*
- 2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep:*
- 3: /cgnl_7/ptodata/1/iaa/6_COMB.pep:*
- 4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep:*
- 5: /cgnl_7/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	35	60.3	659	1	US-08-198-446B-13
2	35	60.3	659	2	US-08-870-693-13
3	34	58.6	204	1	US-08-591-989-4
4	33	56.9	94	3	US-09-147-550-14
5	33	56.9	94	3	US-09-147-550-45
6	33	56.9	94	3	US-09-147-550-48
7	33	56.9	94	3	US-09-147-550-77
8	33	56.9	94	3	US-09-147-550-84
9	33	56.9	94	3	US-09-147-550-90
10	33	56.9	94	3	US-09-147-550-101
11	33	56.9	318	3	US-08-816-977-6
12	33	56.9	326	3	US-08-816-977-25
13	33	56.9	329	3	US-08-816-977-39
14	33	56.9	503	2	US-08-481-337A-2
15	33	56.9	503	2	US-08-696-268B-2
16	33	56.9	503	4	PCT-US94-11328A-4
17	33	56.9	503	4	PCT-US95-05467-2
18	33	56.9	505	1	US-08-149-105-16
19	33	56.9	505	1	US-08-317-847-16
20	33	56.9	711	3	US-08-816-977-35
21	32	55.2	213	2	US-08-655-821-16
22	32	55.2	271	1	US-07-914-282D-4
23	32	55.2	271	1	US-08-276-887A-4
24	32	55.2	271	4	PCT-US93-02460-4
25	32	55.2	291	1	US-07-593-657-5
26	32	55.2	443	1	US-07-940-245-2
27	32	55.2	443	1	US-08-226-486-2
28	32	55.2	661	1	US-08-232-538-12

29 32 55.2 661 2 US-08-786-164-12 Sequence 12, Appli
30 32 55.2 687 1 US-08-232-538-6 Sequence 6, Appli
31 32 55.2 687 2 US-08-786-164-6 Sequence 6, Appli
32 32 55.2 758 2 US-08-874-678-1 Sequence 1, Appli
33 32 55.2 758 3 US-08-643-839-1 Sequence 1, Appli
34 32 55.2 780 1 US-08-232-538-14 Sequence 14, Appli
35 32 55.2 780 2 US-08-786-164-14 Sequence 14, Appli
36 32 55.2 907 3 US-08-938-830-26 Sequence 26, Appli
37 32 55.2 907 3 US-09-020-222-26 Sequence 26, Appli
38 32 55.2 1311 1 US-08-340-011-5 Sequence 5, Appli
39 32 55.2 1311 3 US-08-901-710-5 Sequence 5, Appli
40 32 55.2 1338 3 US-08-750-141A-3 Sequence 3, Appli
41 32 55.2 1362 2 US-08-874-678-33 Sequence 33, Appli
42 32 55.2 1362 3 US-08-643-839-33 Sequence 33, Appli
43 31 53.4 123 2 US-08-652-816A-8 Sequence 8, Appli
44 31 53.4 392 3 US-08-979-917A-2 Sequence 2, Appli
45 31 53.4 393 3 US-08-979-917A-3 Sequence 3, Appli

ALIGNMENTS

RESULT 1
US-08-198-446B-13
; Sequence 13, Application US/08198446B
; Patent No. 5674996
; GENERAL INFORMATION:
; APPLICANT: Hartwell, Leland H.
; APPLICANT: Weinert, Ted A.
; APPLICANT: Pion, Sharon E.
; TITLE OF INVENTION: Cell Cycle Checkpoint Genes
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Christensen O'Connor Johnson Kindness PLLC
; STREET: 1420 Fifth Ave., Suite 2800
; CITY: Seattle
; STATE: WA
; COUNTRY: USA
; ZIP: 98101-2347
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/198,446B
; FILING DATE: 18-FEB-1994
; CLASSIFICATION: 536
; ATTORNEY/AGENT INFORMATION:
; NAME: Sheiness, Diana K.
; REGISTRATION NUMBER: 35,356
; REFERENCE/DOCKET NUMBER: FHCRI7537
; TELEPHONE: 206-682-8100
; TELEFAX: 206-224-0779
; INFORMATION FOR SEQ ID NO: 13:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 659 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; DESCRIPTION: Yeast RAD24 protein
US-08-198-446B-13

Query Match 60.3%; Score 35; DB 1; Length 659;
Best Local Similarity 71.4%; Pred. No. 1.4e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGFSFY 9

|||||

DB 436 HNHGTVY 442

RESULT 2
US-08-870-693-13
; Sequence 13, Application US/08870693
; Patent No. 5866338
; GENERAL INFORMATION:
; APPLICANT: Hartwell, Leland H.
; APPLICANT: Weinert, Ted A.
; APPLICANT: Plon, Sharon E.
; APPLICANT: Groudine, Mark T.
; TITLE OF INVENTION: Cell Cycle Checkpoint Genes
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Christensen O'Connor Johnson Kindness PLLC
; STREET: 1420 Fifth Ave., Suite 2800
; CITY: Seattle
; STATE: WA
; COUNTRY: USA
; ZIP: 98101-2347
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/870,693
; FILING DATE:
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/198,446
; FILING DATE: February 18, 1994
; APPLICATION NUMBER: PCT/US93/04458
; FILING DATE: May 12, 1993
; APPLICATION NUMBER: US 07/884,426
; FILING DATE: May 14, 1992
; APPLICATION NUMBER: US 07/882,051
; FILING DATE: May 12, 1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Sheiness, Diana K.
; REGISTRATION NUMBER: 35,356
; REFERENCE/DOCKET NUMBER: FHCRL10798
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 206-682-8100
; TELEFAX: 206-224-0779
; INFORMATION FOR SEQ ID NO: 13:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 659 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; DESCRIPTION: yeast RAD24 protein
US-08-870-693-13

Query Match 60.3%; Score 35; DB 2; Length 659;
Best Local Similarity 71.4%; Pred. No. 1.4e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HHGSGFY 9
|||||
DB 436 HHGCTVY 442

RESULT 3
US-08-591-989-4
; Sequence 4, Application US/08591989
; Patent No. 5795721
; GENERAL INFORMATION:
; APPLICANT: Ross S. Rabin, Sumedha Jayasena
; APPLICANT: and Larry Gold
; TITLE OF INVENTION: HIGH AFFINITY NUCLEIC
; MOLECULE TYPE: ACID LIGANDS OF ICP4

; NUMBER OF SEQUENCES: 87
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Swanson & Bratschun, L.L.C.
; STREET: 8400 East Prentice Avenue, Suite #200
; CITY: Englewood
; STATE: Colorado
; COUNTRY: USA
; ZIP: 80111
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.40 MB
; MEDIUM TYPE: Storage
; COMPUTER: IBM COMPATIBLE
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 6.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/591,989
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Barry J. Swanson
; REGISTRATION NUMBER: 33,215
; REFERENCE/DOCKET NUMBER: NEX 49
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (303) 793-3333
; TELEFAX: (303) 793-3433
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 204
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-591-989-4

Query Match 58.6%; Score 34; DB 1; Length 204;
Best Local Similarity 75.0%; Pred. No. 65;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSGF 8
|||||
DB 137 APHGHSF 144

RESULT 4
US-09-147-550-14
; Sequence 14, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/Jp97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-14

Query Match 56.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNGSFYS 10
| | | : | | |
Db 80 RHNGVFES 88

RESULT 5

US-09-147-550-45
; Sequence 45, Application US/09147550.
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 56.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 2; Indels 2; Gaps 0;

Qy 2 RHNGSFYS 10
| | | : | | |
Db 80 RHNGVFES 88

RESULT 6

US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 56.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 2; Indels 2; Gaps 0;

Qy 2 RHNGSFYS 10
| | | : | | |
Db 80 RHNGVFES 88

RESULT 7

US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 56.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 2; Indels 2; Gaps 0;

Qy 2 RHNGSFYS 10
| | | : | | |
Db 80 RHNGVFES 88

RESULT 8

US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 56.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 2; Indels 2; Gaps 0;

Qy 2 RHNGSFYS 10
| | | : | | |
Db 80 RHNGVFES 88

RESULT 9

```

US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-90

Query Match          56.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY  2 RHNHGSFYS 10
    |||:| | |
Db   80 RHNHGVFES 88

RESULT 10
US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match          56.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY  2 RHNHGSFYS 10
    |||:| | |
Db   80 RHNHGVFES 88

RESULT 11
US-08-816-977-6
; Sequence 6, Application US/08816977
; Patent No. 6080400

```

```

; GENERAL INFORMATION:
; APPLICANT: Williams, James A.
; APPLICANT: Byrne, Lisa M.
; APPLICANT: Pugh, Charles S.G.
; TITLE OF INVENTION: Prevention And Treatment Of
; TITLE OF INVENTION: Verotoxin-Induced Disease
; NUMBER OF SEQUENCES: 49
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Medlen & Carroll, LLP
; STREET: 220 Montgomery Street, Suite 2200
; CITY: San Francisco
; STATE: California
; COUNTRY: United States of America
; ZIP: 94104
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/816,977
; FILING DATE: 13-MAR-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: MacKnight, Kamrin T.
; REGISTRATION NUMBER: 38,230
; REFERENCE/DOCKET NUMBER: OPHD-02450
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 705-8410
; TELEFAX: (415) 397-8338
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 318 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-816-977-6

Query Match          56.9%; Score 33; DB 3; Length 318;
Best Local Similarity 50.0%; Pred. No. 1.5e+02;
Matches 4; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY  3 HNHGSFYS 10
    | | | | : :
Db   65 HTHGSIFA 72

RESULT 12
US-08-816-977-25
; Sequence 25, Application US/08816977
; Patent No. 6080400
; GENERAL INFORMATION:
; APPLICANT: Williams, James A.
; APPLICANT: Byrne, Lisa M.
; APPLICANT: Pugh, Charles S.G.
; TITLE OF INVENTION: Prevention And Treatment Of
; TITLE OF INVENTION: Verotoxin-Induced Disease
; NUMBER OF SEQUENCES: 49
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Medlen & Carroll, LLP
; STREET: 220 Montgomery Street, Suite 2200
; CITY: San Francisco
; STATE: California
; COUNTRY: United States of America
; ZIP: 94104
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/816,977

```

; FILING DATE: 13-MAR-1997
 ; CLASSIFICATION: 424
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: MacKnight, Kamrin T.
 ; REGISTRATION NUMBER: 38,230
 ; REFERENCE/DOCKET NUMBER: OPND-02450
 ; TELEPHONE: (415) 705-8410
 ; TELEFAX: (415) 397-8338
 ; INFORMATION FOR SEQ ID NO: 25:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 326 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-08-816-977-25

Query Match 56.9%; Score 33; DB 3; Length 326;
 Best Local Similarity 50.0%; Pred. No. 1.5e+02;
 Matches 4; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFYS 10
 | |||:::
 DB 65 HTHGSYFA 72

RESULT 13
 US-08-816-977-39
 ; Sequence 39, Application US/08816977
 ; Patent No. 6080400
 ; GENERAL INFORMATION:
 ; APPLICANT: Williams, James A.
 ; APPLICANT: Byrne, Lisa M.
 ; APPLICANT: Pugh, Charles S.G.
 ; TITLE OF INVENTION: Prevention And Treatment Of
 ; TITLE OF INVENTION: Verotoxin-Induced Disease
 ; NUMBER OF SEQUENCES: 49
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Medlen & Carroll, LLP
 ; STREET: 220 Montgomery Street, Suite 2200
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: United States of America
 ; ZIP: 94104
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/816,977
 ; FILING DATE: 13-MAR-1997
 ; CLASSIFICATION: 424
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: MacKnight, Kamrin T.
 ; REGISTRATION NUMBER: 38,230
 ; REFERENCE/DOCKET NUMBER: OPND-02450
 ; TELEPHONE: (415) 705-8410
 ; TELEFAX: (415) 397-8338
 ; INFORMATION FOR SEQ ID NO: 39:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 329 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-08-816-977-39

Query Match 56.9%; Score 33; DB 3; Length 329;
 Best Local Similarity 50.0%; Pred. No. 1.5e+02;
 Matches 4; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFYS 10
 | |||:::
 DB 76 HTHGSYFA 83

RESULT 14
 US-08-481-337A-2
 ; Sequence 2, Application US/08481337A
 ; Patent No. 5863738
 ; GENERAL INFORMATION:
 ; APPLICANT: TEN DIJKE, Peter
 ; APPLICANT: HELDIN, Carl-Henrik
 ; APPLICANT: MIYAZONO, Kohei
 ; APPLICANT: SAMPATH, Kuber T.
 ; TITLE OF INVENTION: Morphogenic Protein-Specific Cell
 ; TITLE OF INVENTION: Surface Receptors and Uses Therefor
 ; NUMBER OF SEQUENCES: 18
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Testa, Hurwitz & Thibault
 ; STREET: 125 High St.
 ; CITY: Boston
 ; STATE: MA
 ; COUNTRY: USA
 ; ZIP: 02110
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/481,337A
 ; FILING DATE: 02-JUN-1995
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: MEYERS, Thomas C.
 ; REGISTRATION NUMBER: 36,989
 ; REFERENCE/DOCKET NUMBER: CRP-097CP2
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (617) 248-7000
 ; TELEFAX: (617) 248-7100
 ; INFORMATION FOR SEQ ID NO: 2:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 503 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-08-481-337A-2

Query Match 56.9%; Score 33; DB 2; Length 503;
 Best Local Similarity 71.4%; Pred. No. 2.3e+02;
 Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNHGSFYS 9
 | ||| |
 DB 280 HEHGSLY 286

RESULT 15
 US-08-696-268B-2
 ; Sequence 2, Application US/08696268B
 ; Patent No. 5968752
 ; GENERAL INFORMATION:
 ; APPLICANT: ICHIJIO, Hidenori
 ; APPLICANT: NISHITOH, Hideki
 ; APPLICANT: SAMPATH, Kuber T.
 ; TITLE OF INVENTION: NOVEL SIGNALING RECEPTOR FOR
 ; TITLE OF INVENTION: MORPHOGENIC PROTEINS
 ; NUMBER OF SEQUENCES: 8
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Testa, Hurwitz & Thibault
 ; STREET: 125 High St.

; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02110
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/696,268B
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: MEYERS, Thomas C.
; REGISTRATION NUMBER: 36,989
; REFERENCE/DOCKET NUMBER: CRP-117
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 248-7000
; TELEFAX: (617) 248-7100
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 503 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-696-268B-2

Query Match 56.9%; Score 33; DB 2; Length 503;
Best Local Similarity 71.4%; Pred. No. 2.3e+02;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNHGSFY 9
| | | | |
Db 280 HERGSLY 286

Search completed: March 28, 2001, 07:02:01
Job time: 1340 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:36 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-98
Perfect score: 58
Sequence: 1 ARHNYGSFY 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_66:.*
1: pir1:.*
2: pir2:.*
3: pir3:.*
4: pir4:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	67.2	113	2 S26468	Ig heavy chain V r
2	38	65.5	275	2 G75130	translation initia
3	38	65.5	275	2 D71087	probable translati
4	38	65.5	402	2 T25001	hypothetical prote
5	37	63.8	134	2 B72651	hypothetical prote
6	37	63.8	386	2 S51436	probable membrane
7	37	63.8	388	1 J05461	cellulase (EC 3.2.
8	37	63.8	388	1 S43920	cellulase (EC 3.2.
9	37	63.8	405	2 F81273	hypothetical prote
10	37	63.8	2288	2 T29999	hypothetical prote
11	36	62.1	82	2 I51106	Major Histocompati
12	36	62.1	89	2 S38688	MHC class II histo
13	36	62.1	89	2 S38683	MHC class II histo
14	36	62.1	89	2 S38684	MHC class II histo
15	36	62.1	225	2 I47095	MHC class II OVAR-
16	36	62.1	233	2 H82163	arginyl-tRNA-prote
17	36	62.1	446	2 T19625	hypothetical prote
18	36	62.1	470	2 H71667	glutamate--trNA li
19	36	62.1	723	2 B31373	outer membrane pro
20	36	62.1	786	2 S37031	probable succinogl
21	35	60.3	9	2 S36850	Ig heavy chain V r
22	35	60.3	167	2 T16454	hypothetical prote
23	35	60.3	210	1 B69265	conserved hypothet
24	35	60.3	230	2 S46332	homeotic protein G
25	35	60.3	235	2 B71273	probable methionin
26	35	60.3	296	2 H65118	hypothetical adeni
27	35	60.3	326	2 S47248	site-specific DNA-
28	35	60.3	378	2 T11713	probable alpha-1,2
29	35	60.3	555	2 T47604	oligopeptide trans

30	35	60.3	555	2 T21028	hypothetical prote
31	35	60.3	575	2 T12094	beta-fructofuranos
32	35	60.3	583	2 S56680	beta-fructofuranos
33	35	60.3	592	2 JQ0991	beta-fructofuranos
34	35	60.3	592	2 S56681	beta-fructofuranos
35	35	60.3	592	2 S61503	beta-fructofuranos
36	35	60.3	593	2 T01575	beta-fructofuranos
37	35	60.3	686	2 D71292	probable DNA recom
38	35	60.3	790	2 S67803	probable membrane
39	34	58.6	80	2 S25050	Ig heavy chain V r
40	34	58.6	86	2 A81873	hypothetical prote
41	34	58.6	102	2 S25025	Ig heavy chain - m
42	34	58.6	106	2 S25036	Ig heavy chain V r
43	34	58.6	107	2 PL0080	Ig kappa chain V r
44	34	58.6	108	2 C72852	AcOrf-19 protein -
45	34	58.6	108	2 D44221	orf4 protein - Aut

ALIGNMENTS

RESULT 1

S26468
Ig heavy chain V region - mouse
C:Species: Mus musculus (house mouse)
C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
C:Accession: S26468
R:Kavaler, J.
submitted to the EMBL Data Library, April 1991
A:Reference number: S26459
A:Accession: S26468
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-113 <KAV>
A:Cross-references: EMBL:X59107; NID:g51944; PIDN:CAA41833.1; PID:g51945
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:11-94/Domain: immunoglobulin homology <IMM>

Query Match 67.2%; Score 39; DB 2; Length 113;
Best Local Similarity 66.7%; Pred. No. 3.5;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Oy 1 ARHNYGSFY 9
||| ||:|
Db 93 ARHPYGNYY 101

RESULT 2

G75130
translation initiation factor aif-2, subunit alpha (aif2a) PAB0568 - Pyrococcus abyssi
C:Species: Pyrococcus abyssi
C:Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000
C:Accession: G75130
R:anonymous; Genoscope
submitted to the EMBL Data Library, July 1999
A:Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome s
A:Reference number: A75001
A:Accession: G75130
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-275 <KAW>
A:Cross-references: GB:AJ248285; GB:AL096836; NID:g5458067; PIDN:CAB49760.1; PID:g545
A:Experimental source: strain Orsay
C:Genetics:
A:Gene: aif2A; PAB0568
C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 65.5%; Score 38; DB 2; Length 275;
Best Local Similarity 75.0%; Pred. No. 13;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

```
QY 3 HNYGSFYE 10
|||||
Db 23 HNYGAFLE 30

RESULT 3
D71087
probable translation initiation factor eIF-2 alpha chain - Pyrococcus horikoshii
C:Species: Pyrococcus horikoshii
C>Date: 14-Aug-1998 #sequence_revision 14-Aug-1998 #text_change 20-Jun-2000
C:Accession: D71087
R:Kawarabayashi, Y.; Sawada, M.; Horikawa, H.; Haikawa, Y.; Hino, Y.; Yamamoto, S.; Sekinaka, M.; Ohfuku, Y.; Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.; Oguchi, N. DNA Res. 5, 55-76, 1998
A:Title: Complete sequence and gene organization of the genome of a hyper-thermophilic archaeon
A:Reference number: A71000; MUID:98344137
A:Accession: D71087
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-275 <KAW>
A:Cross-references: GB:AP000004; NID:g3236131; PIDN:BAA30058.1; PID:g3257375
A:Experimental source: strain OR3
A:Note: this accession replaces an interim accession for a sequence replaced by GenBank
C:Genetics:
A:Gene: PH0961
C:Superfamily: translation initiation factor eIF-2 alpha chain

Query Match 65.5%; Score 38; DB 2; Length 275;
Best Local Similarity 75.0%; Pred. No. 13;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
|||||
Db 23 HNYGAFLE 30

RESULT 4
T25001
hypothetical protein T19C9.8 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999
C:Accession: T25001
R:Matthews, L.
submitted to the EMBL Data Library, March 1997
A:Reference number: Z19967
A:Accession: T25001
A:Status: preliminary; translated from GB/EMBL/DDBJ
A:Molecule type: DNA
A:Residues: 1-402 <WIL>
A:Cross-references: EMBL:T292972; PIDN:CAB07486.1; GSPDB:GN00023; CESP:T19C9.8
A:Experimental source: clone T19C9
C:Genetics:
A:Gene: CESP:T19C9.8
A:Map position: 5
A:Introns: 54/1, 229/2; 337/2

Query Match 65.5%; Score 38; DB 2; Length 402;
Best Local Similarity 75.0%; Pred. No. 19;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
|||||
Db 261 HDYNSFYE 268

RESULT 5
B72651
hypothetical protein APE0639 - Aeropyrum pernix (strain K1)
C:Species: Aeropyrum pernix
C>Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Aug-1999

C:Accession: B72651
R:Kawarabayashi, Y.; Hino, Y.; Horikawa, H.; Yamazaki, S.; Haikawa, Y.; Jin-no, K.; Tawa, H.; Takamiya, M.; Masuda, S.; Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J. DNA Res. 6, 83-101, 1999
A:Title: Complete genome sequence of an aerobic hyper-thermophilic Crenarchaeon, Aero
A:Reference number: A72450; MUID:99310339
A:Accession: B72651
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-134 <KAW>
A:Cross-references: DDBJ:AP000060; NID:g5104188; PIDN:BAA79610.1; PID:dl043396; PID:g
A:Experimental source: strain K1
C:Genetics:
A:Gene: APE0639

Query Match 63.8%; Score 37; DB 2; Length 134;
Best Local Similarity 75.0%; Pred. No. 9.7;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
|||||
Db 26 HNYGNFYE 33

RESULT 6
S51436
probable membrane protein YLR191w - yeast (Saccharomyces cerevisiae)
N:Alternate names: hypothetical protein I9470.1
C:Species: Saccharomyces cerevisiae
C>Date: 23-Feb-1995 #sequence_revision 12-May-1995 #text_change 06-Feb-1998
C:Accession: S51436
R:Wohldmann, P.
submitted to the EMBL Data Library, November 1994
A:Description: The sequence of S. cerevisiae cosmid 9470.
A:Reference number: S51414
A:Accession: S51436
A:Molecule type: DNA
A:Residues: 1-386 <WOH>
A:Cross-references: EMBL:U17246; NID:g577192; PID:g577193; MIPS:YLR191w
C:Genetics:
A:Gene: SGD:PEX13
A:Cross-references: SGD:S0004181; MIPS:YLR191w
A:Map position: 12R
C:Superfamily: SH3 homology
C:Keywords: transmembrane protein
F:264-280/Domain: transmembrane #status predicted <TMM>
F:313-367/Domain: SH3 homology <SH3>

Query Match 63.8%; Score 37; DB 2; Length 386;
Best Local Similarity 85.7%; Pred. No. 28;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSFY 9
|||||
Db 117 NNYGSFY 123

RESULT 7
JC5461
cellulase (EC 3.2.1.4) precursor - imperfect fungus (Humicola grisea)
N:Alternate names: endo-1,4-beta-glucanase; endoglucanase
C:Species: Humicola grisea var. thermolidea
C>Date: 11-Sep-1998 #sequence_revision 11-Sep-1998 #text_change 16-Jun-2000
C:Accession: JC5461
R:Takahashi, S.; Nakamura, A.; Masaki, H.; Uozumi, T.
Biosci. Biotechnol. Biochem. 61, 245-250, 1997
A:Title: Cloning, sequencing, and expression of a thermostable cellulase gene of Humi
A:Reference number: JC5461
A:Accession: JC5461
A:Molecule type: DNA
A:Residues: 1-388 <TAK>
```

A:Cross-references: DDBJ:D84470; NID:G1304101; PIDN:BAAL2676.1; PID:G1304102
A:Experimental source: strain IF09854
C:Genetics:
A:Gene: egl2
A:Introns: 120/3; 369/1
C:Function:

A:Description: hydrolysis of 1,4-beta-D-glucosidic linkages in beta-D-glucans such as cel-
lulose degradation
A:Pathway: cellulose degradation
C:Superfamily: Trichoderma cellulase III; fungal cellulose-binding domain homology
C:Keywords: glycosidase; hydrolase; polysaccharide degradation
F:1-16/Domain: signal sequence #status predicted <SIG>
F:17-388/Product: cellulase #status predicted <MAT>
F:21-52/Domain: fungal cellulose-binding domain homology <FCB>

Query Match 63.8%; Score 37; DB 1; Length 388;
Best Local Similarity 62.5%; Pred. No. 28;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSFYE 10
||| :||
Db 175 HNFGRYYE 182

RESULT 8

S43920
cellulase (EC 3.2.1.4) precursor - imperfect fungus (Humicola insolens)
N:Alternate names: endo-1,4-beta-glucanase; endoglucanase
C:Species: Humicola insolens
C:Date: 11-Sep-1998 #sequence_revision 11-Sep-1998 #text_change 18-Jun-1999
C:Accession: S43920
R:Dalboge, H.; Heidt-Hansen, H. P.
Mol. Gen. Genet. 243, 253-260, 1994
A:Title: A novel method for efficient expression cloning of fungal enzyme genes.
A:Reference number: S43919; MUID:94247364
A:Accession: S43920

A:Molecule type: mRNA
A:Residues: 1-388 <DAL>

A:Cross-references: EMBL:X76046; NID:G505194; PIDN:CAA53631.1; PID:G505195
C:Genetics:

A:Gene: CMC3

C:Function:

A:Description: hydrolysis of 1,4-beta-D-glucosidic linkages in beta-D-glucans such as ce-
lulose degradation
A:Pathway: cellulose degradation
C:Superfamily: Trichoderma cellulase III; fungal cellulose-binding domain homology
C:Keywords: glycosidase; hydrolase; polysaccharide degradation
F:1-16/Domain: signal sequence #status predicted <SIG>
F:17-388/Product: cellulase #status predicted <MAT>
F:21-52/Domain: fungal cellulose-binding domain homology <FCB>

Query Match 63.8%; Score 37; DB 1; Length 388;
Best Local Similarity 62.5%; Pred. No. 28;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSFYE 10
||| :||
Db 175 HNFGRYYE 182

RESULT 9

F81273
hypothetical protein Cj1305c [imported] - Campylobacter jejuni (strain NCTC 11168)
C:Species: Campylobacter jejuni
C:Date: 31-Mar-2000 #sequence_revision 31-Mar-2000 #text_change 20-Jun-2000
C:Accession: F81273

R:Parkhill, J.; Wren, B.W.; Mungall, K.; Ketley, J.M.; Churcher, C.; Basham, D.; Chilling-
C.W.; Quail, M.; Rajandream, M.A.; Rutherford, K.M.; VanVleet, A.; Whitehead, S.; Barre-
Nature 403, 665-668, 2000
A:Title: The genome sequence of the food-borne pathogen Campylobacter jejuni reveals hyp-
A:Reference number: AB1250; MUID:20150912
A:Accession: F81273

A:Status: preliminary

A:Molecule type: DNA
A:Residues: 1-405 <PAR>
A:Cross-references: GB:AL139078; GB:AL111168; NID:G6968723; PIDN:CAB73732.1; PID:G696
A:Experimental source: serotype O2, strain NCTC 11168
C:Genetics:
A:Gene: Cj1305c
C:Superfamily: Campylobacter jejuni hypothetical protein Cj1306c

Query Match 63.8%; Score 37; DB 2; Length 405;
Best Local Similarity 62.5%; Pred. No. 29;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSFYE 10
||| :||
Db 238 HSYGDYFE 245

RESULT 10

T29999
hypothetical protein ZC8.4 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans

C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 18-Feb-2000

C:Accession: T29999

R:Latrelle, P.; Bradshaw, H.

submitted to the EMBL Data Library, July 1996

A:Description: The sequence of C. elegans cosmid ZC8.

A:Reference number: Z20719

A:Accession: T29999

A:Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-2288 <LAT>

A:Cross-references: EMBL:U64862; PIDN:AAB52624.1; GSPDB:GN00028; CESP:ZC8.4

A:Experimental source: strain Bristol N2; clone ZC8

C:Genetics:

A:Gene: CESP:ZC8.4

A:Map position: X

A:Introns: 43/2; 80/3; 110/3; 153/2; 274/3; 738/2; 1249/1; 1392/3; 1454/1; 1602/1; 16

Query Match 63.8%; Score 37; DB 2; Length 2288;
Best Local Similarity 66.7%; Pred. No. 1.6e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
:| ||| ||
Db 34 SRSNYGEFY 42

RESULT 11

I51106

Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)

C:Species: Phasianus colchicus (ring-necked pheasant)

C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999

C:Accession: I51106

R:Witzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.

Immunogenetics 39, 395-403, 1994

A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-ne

A:Reference number: I51103; MUID:94245280

A:Accession: I51106

A:Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-82 <WIT>

A:Cross-references: EMBL:X75406; NID:G496926; PIDN:CAA53160.1; PID:G496927

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 62.1%; Score 36; DB 2; Length 82;
Best Local Similarity 85.7%; Pred. No. 9;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
|||||

Db 75 RHNYGVF 81

RESULT 12

S38688

MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)

C>Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000

C:Accession: S38688

R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the HLA-DRB gene family

A:Reference number: S38676

A:Accession: S38688

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:227158

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 62.1%; Score 36; DB 2; Length 89;

Best Local Similarity 85.7%; Pred. No. 9.8;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 13

S38683

MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)

C>Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000

C:Accession: S38683

R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the HLA-DRB gene family

A:Reference number: S38676

A:Accession: S38683

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:227153

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 62.1%; Score 36; DB 2; Length 89;

Best Local Similarity 85.7%; Pred. No. 9.8;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 14

S38684

MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)

C>Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000

C:Accession: S38684

R:Figueroa, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced from the HLA-DRB gene family

A:Reference number: S38676

A:Accession: S38684

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:227154

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 62.1%; Score 36; DB 2; Length 89;

Best Local Similarity 85.7%; Pred. No. 9.8;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 75 RHNYGVF 81

RESULT 15

I47095

MHC class II OVAR-DR-beta-3 - sheep (fragment)

C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)

C>Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000

C:Accession: I47095

R:Tabb, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.

Anim. Genet. 24, 249-255, 1993

A:Title: Isolation, characterization and evolution of ovine major histocompatibility antigen (MHC) class II genes

A:Reference number: I47075; MUID:94057592

A:Accession: I47095

A:Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: mRNA

A:Residues: 1-225 <FAB>

A:Cross-references: GB:L04790; NID:g458880; PIDN:AAA16562.1; PID:g458881

C:Genetics:

A:Gene: OVAR-DRB3

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

F:98-163/Domain: immunoglobulin homology <IMM>

Query Match 62.1%; Score 36; DB 2; Length 225;

Best Local Similarity 85.7%; Pred. No. 25;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 68 RHNYGVF 74

Search completed: March 28, 2001, 07:04:37

Job time: 1075 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:18 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-98
Perfect score: 58
Sequence: 1 ARHNGSFYE 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	38	65.5	275	1 IF2A_PYRAB	Q9V0E4 pyrococcus
2	38	65.5	275	1 IF2A_PYRHO	O58655 pyrococcus
3	37	63.8	386	1 PEXD_YEAST	P80667 saccharomyc
4	36	62.1	470	1 SYE2_RICPR	Q9ZCT8 rickettsia
5	36	62.1	786	1 EXOP_RHIME	P33698 rhizobium m
6	35	60.3	255	1 AMPM_TREPA	O83814 treponema p
7	35	60.3	294	1 YHDJ_ECOLI	P28638 escherichia
8	35	60.3	367	1 LHX4_MOUSE	P53776 mus musculus
9	35	60.3	583	1 INV3_DAUCA	Q39693 daucus caro
10	35	60.3	592	1 INV1_DAUCA	P26792 daucus caro
11	35	60.3	592	1 INV2_DAUCA	Q39692 daucus caro
12	35	60.3	685	1 RECG_TREPA	P96130 treponema p
13	34	58.6	108	1 Y019_NPVAC	P41424 autographa
14	34	58.6	284	1 IPYR_PICPA	O13505 pichia past
15	34	58.6	286	1 IPYR_KLJOLA	P13998 kluyveromyc
16	34	58.6	286	1 IPYR_YEAST	P00817 saccharomyc
17	34	58.6	564	1 LDHD_HAETIN	P45295 haemophilus
18	34	58.6	718	1 LSP2_DROME	Q24388 drosophila
19	34	58.6	887	1 QVAL_DROME	Q23989 drosophila
20	33	56.9	89	1 CFA_CITFR	P45509 citrobacter
21	33	56.9	347	1 UL33_HSV6U	P52380 herpes simp
22	33	56.9	364	1 SUCC_METJA	Q57663 methanococc
23	33	56.9	448	1 NCAP_CVHOC	P33469 human coron
24	33	56.9	473	1 SYE_AQUAE	O67271 aquifex aeo
25	33	56.9	494	1 RNHI_CRIFA	Q07762 crithidia f
26	33	56.9	512	1 PNTA_HAETIN	P43842 haemophilus
27	33	56.9	514	1 LIM_HALRO	Q25132 halocynthia
28	33	56.9	572	1 NH25_CABEL	O19345 caenorhabdi
29	33	56.9	713	1 HS90_EIMTE	O44001 elmeria ten
30	33	56.9	715	1 ADSP_BOVIN	Q28046 bos taurus
31	33	56.9	725	1 ADVL_DIACA	Q96412 dianthus ca
32	33	56.9	826	1 VILI_CHICK	P02640 gallus gall
33	33	56.9	1386	1 RPOD_MARPO	P06274 marchantia

34	33	56.9	1394	1 ITA2_DROME	P12080 drosophila
35	33	56.9	2184	1 RRPL_CDVO	P24658 canine dist
36	32.5	56.0	2148	1 VITI_AEDAE	Q16927 aedes aegyp
37	32	55.2	65	1 CCSA_OENBE	P31565 oenothera b
38	32	55.2	65	1 CCSA_PEA	P31172 pisum sativ
39	32	55.2	119	1 V120_ASFL5	P26704 african swi
40	32	55.2	194	1 PTH_SALTI	O60001 salmonella
41	32	55.2	196	1 WBBJ_ECOLI	P37750 escherichia
42	32	55.2	198	1 HB2C_HUMAN	P01911 homo sapien
43	32	55.2	209	1 Y038_NPVOP	Q05125 orgyia pseu
44	32	55.2	266	1 HB2A_HUMAN	P01913 homo sapien
45	32	55.2	266	1 HB2B_HUMAN	P01912 homo sapien

ALIGNMENTS

RESULT 1

ID IF2A_PYRAB STANDARD; PRT; 275 AA.
AC Q9V0E4;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PAB0568.
OS Pyrococcus abyssi.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN
RP SEQUENCE FROM N.A.
RC STRAIN-ORSAY;
RA Heilig R.;
RT "Pyrococcus abyssi genome sequence: insights into archaeal chromosome structure and evolution";
RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA (BY SIMILARITY).
CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA CHAIN (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL Outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

DR EMBL; AJ248285; CAB49760.1; -
DR INTERPRO; IPR003029; -
DR PFAM; PF00575; SI; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 8 83 SI MOTIF.
SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;

Query Match 65.5%; Score 38; DB 1; Length 275;
Best Local Similarity 75.0%; Pred. No. 3.9;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

OY 3 HNYGSFYE 10
|||:|
Db 23 HNYGAFLE 30

RESULT 2

ID IF2A_PYRHO STANDARD; PRT; 275 AA.
AC O58655;
DT 15-DEC-1998 (Rel. 37, Created)

DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DE 01-OCT-2000 (Rel. 40, Last annotation update)
 DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
 GN EIF2A OR PH0961.
 OS PYROCoccus horikoshii.
 OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
 RN
 RP SEQUENCE FROM N.A.
 RC STRAIN=OT3;
 RX MEDLINE: 98344137.
 RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
 RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
 RA Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
 RA Funahashi T., Tanaka T., Kudoh Y., Yamazaki J., Kishida N., Oguchi A.,
 RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
 RA Masuchi Y., Shizuwa H., Kikuchi H.;
 RT *Complete sequence and gene organization of the genome of a hyper-
 RT thermophilic archaeobacterium, Pyrococcus horikoshii OT3.";
 RL DNA Res. 5:55-76(1998).
 CC -1- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
 CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
 CC (BY SIMILARITY).
 CC -1- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
 CC CHAIN (BY SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
 CC -1- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL: AP000004; BAA30058.1; -
 DR INTERPRO: IPR003029; -
 DR PFAM: PF00575; SI; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 83 SI MOTIF.
 SQ SEQUENCE 275 AA; 31980 MW; 6AAAD15F10FB436 CRC64;

Query Match 65.5%; Score 38; DB 1; Length 275;
 Best Local Similarity 75.0%; Pred. No. 3.9;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 Qy 3 HNYGSFYE 10
 Db 23 HNYGAFLE 30

RESULT 3
 PEXD_YEAST
 ID PEXD_YEAST STANDARD; PRT; 386 AA.
 AC P80667;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE PEROXISOMAL MEMBRANE PROTEIN PAS20 (PEROXIN-13).
 GN PEX13 OR PAS20 OR YLR191W OR L9470.1.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomycetes.
 RN
 RP SEQUENCE FROM N.A.
 RX MEDLINE: 97011156.
 RA Elgersma Y., Kwast L., Klein A., Voorn-Brouwer T., van den Berg M.,
 RA Tabak H.F., Distel B.;
 RT "The SH3 domain of the Saccharomyces cerevisiae peroxisomal membrane
 RT protein pex13p functions as a docking site for Pex5p, a mobile
 RT receptor for the import pTsl-containing proteins.";
 RL J. Cell Biol. 135:97-109(1996).

RN
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C / AB972;
 RA Johnston M., Andrews S., Brinkman R., Cooper J., Ding H., Du Z.,
 RA Favell A., Fulton L., Gattung S., Greco T., Kirsten J., Kucaba T.,
 RA Hallsworth K., Hawkins J., Hillier J., Jier M., Johnson D.,
 RA Johnston L., Langston Y., Latreille P., Le T., Mardis E., Meneses S.,
 RA Miller N., Nhan M., Pauley A., Peluso D., Rifkin L., Riles L.,
 RA Taich A., Trevaskis E., Vignati D., Wilcox L., Wohlman P., Vaudin M.,
 RA Wilson R., Waterston R.;
 RL Submitted (NOV-1994) to the EMBL/GenBank/DBJ databases.
 RN
 RP PARTIAL SEQUENCE, AND CHARACTERIZATION.
 RC STRAIN=S288C;
 RX MEDLINE: 97011157.
 RA Erdmann R., Blobel G.;
 RT "Identification of Pex13p a peroxisomal membrane receptor for the
 RT pTsl recognition factor.";
 RL J. Cell Biol. 135:111-121(1996).
 CC -1- FUNCTION: COMPONENT OF THE PEROXISOMAL TRANSLLOCATION MACHINERY
 CC WITH PEX14 AND PEX17. INTERACTS WITH THE PTL1 RECEPTOR
 CC (PAS10/PEX5).
 CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. PEROXISOMAL.
 CC -1- SIMILARITY: CONTAINS 1 SH3 DOMAIN.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL: S82571; AAB46885.1; -
 DR EMBL: U37420; AAB79308.1; -
 DR EMBL: U17246; AAB67453.1; -
 DR EMBL: U14913; AAB67448.1; -
 DR HSSP: Q06187; IAWW.
 DR SGD: S0004181; PEX13.
 DR INTERPRO: IPR001452; -
 DR PFAM: PF00018; SH3; 1.
 DR PRINTS: PR00452; SH3DOMAIN.
 DR PROSITE: PS00002; SH3; 1.
 KW Peroxisome; Transport; Protein transport; Transmembrane; SH3 domain.
 FT DOMAIN 1 263 LUMENAL (POTENTIAL).
 FT TRANSMEM 264 280 POTENTIAL.
 FT DOMAIN 281 386 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 306 372 SH3.
 SQ SEQUENCE 386 AA; 42706 MW; DBEA9A2372185860 CRC64;

Query Match 63.8%; Score 37; DB 1; Length 386;
 Best Local Similarity 85.7%; Pred. No. 8.6;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSFY 9
 Db 117 HNYGSFY 123

RESULT 4
 SYE2_RICPR
 ID SYE2_RICPR STANDARD; PRT; 470 AA.
 AC Q9ZCT8;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
 DE (GLURS 2).
 GN GLTX2 OR RP623.
 OS Rickettsia prowazekii.
 OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
 OC Rickettsiaceae; Rickettsiae; Rickettsia.

```

RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=MADRID E;
RX MEDLINE; 99039499.
RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
RA Sacheritz-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
RT "The genome sequence of Rickettsia prowazekii and the origin of
RT mitochondria.";
RL Nature 396:133-140(1998).
CC -1- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA(GLU) = AMP +
CC PYROPHOSPHATE + L-GLUTAMYL-TRNA(GLU).
CC -1- SUBUNIT: MONOMER (BY SIMILARITY).
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ235272; CAAL5066.1;
DR HSSP; P27000; IGLN.
DR INTERPRO; IPR000924;
DR INTERPRO; IPR001412;
DR PFAM; PF00749; TRNA-synt_lc; 1.
DR PRINTS; PR00987; TRNASYNTHGLU.
DR PROSITE; PS00178; AA-TRNA_LIGASE_I; FALSE_NEG.
KW Aminoacyl-tRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
FT SIMILAR 10 20 "HIGH" REGION.
FT SIMILAR 239 243 "KMSKS" REGION.
FT BINDING 242 242 ATP (BY SIMILARITY).
SQ SEQUENCE 470 AA; 53696 MW; DFICE50A20B8A9FD CRC64;

Query Match 62.1%; Score 36; DB 1; Length 470;
Best Local Similarity 66.7%; Pred. No. 17;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
   |||||
Db 31 ARHNNKGF 39

RESULT 5
EXOP_RHIME STANDARD; PRT; 786 AA.
AC P33698;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE SUCCINOGLYCAN BIOSYNTHESIS TRANSPORT PROTEIN EXOP.
GN EXOP.
OS Rhizobium meliloti (Sinorhizobium meliloti).
OG Plasmid pSym (megaplasmid 2).
OC Bacteria; Proteobacteria; alpha subdivision; Rhizobiaceae group;
OC Rhizobiaceae; Sinorhizobium.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=1021;
RX MEDLINE; 94042869.
RA Glucksmann M.A., Reuber T.L., Walker G.C.;
RT "Family of glycosyl transferases needed for the synthesis of
RT succinoglycan by Rhizobium meliloti.";
RL J. Bacteriol. 175:7033-7044(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=1021;
RX MEDLINE; 94042870.
RA Glucksmann M.A., Reuber T.L., Walker G.C.;

```

```

RT "Genes needed for the modification, polymerization, export, and
RT processing of succinoglycan by Rhizobium meliloti: a model for
RT succinoglycan biosynthesis.";
RL J. Bacteriol. 175:7045-7055(1993).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=RCR2011 / SU47;
RX MEDLINE; 94067019.
RA Becker A., Kleickmann A., Keller M., Arnold W., Puehler A.;
RT "Identification and analysis of the Rhizobium meliloti exoAMONP genes
RT involved in exopolysaccharide biosynthesis and mapping of promoters
RT located on the exoKLAOMNP fragment.";
RL Mol. Gen. Genet. 241:367-379(1993).
CC -1- PATHWAY: EXOPOLYSACCHARIDE BIOSYNTHESIS.
CC -1- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN (PROBABLE).
CC -1- SIMILARITY: SOME, TO B.SOLANACEARUM EPSB.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; L20758; AAA16042.1;
DR EMBL; Z22636; CAA80349.1;
DR PIR; B49349; B49349.
DR PIR; S37031; S37031.
DR PIR; S39960; S39960.
DR Exopolysaccharide synthesis; Transmembrane; ATP-binding;
KW Plasmid.
FT DOMAIN 1 42 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 43 66 POTENTIAL.
FT DOMAIN 67 889 PERIPLASMIC (POTENTIAL).
FT TRANSMEM 690 711 POTENTIAL.
FT DOMAIN 712 786 CYTOPLASMIC (POTENTIAL).
FT NP_BIND 583 590 ATP (POTENTIAL).
SQ SEQUENCE 786 AA; 86123 MW; E19E771E31F2030C CRC64;

Query Match 62.1%; Score 36; DB 1; Length 786;
Best Local Similarity 62.5%; Pred. No. 29;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFY 9
   |||||
Db 768 RHRYGKY 775

RESULT 6
AMPM_TREPA STANDARD; PRT; 255 AA.
AC O83814;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE METHIONINE AMINOPEPTIDASE (EC 3.4.11.18) (MAP) (PEPTIDASE M).
GN MAP OR TP0842.
OS Treponema pallidum.
OC Bacteria; Spirochaetales; Spirochaetaceae; Treponema.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NICHOLS;
RX MEDLINE; 98332770.
RA Fraser C.M., Norris S.J., Weinstock G.M., White O., Sutton G.G.,
RA Dodson R., Gwinn M., Hickey E.K., Clayton R., Ketchum K.A.,
RA Sodergren E., Hardham J.M., McLeod M.P., Salzberg S., Peterson J.,
RA Khalak H., Richardson D., Howell J.K., Chidambaram M., Utterback T.,
RA McDonald L., Artiach P., Bowman C., Cotton M.D., Fujii C., Garland S.,
RA Hatch B., Horst K., Roberts K., Sandusky M., Weidman J., Smith H.O.,
RA Venter J.C.;
RT "Complete genome sequence of Treponema pallidum, the syphilis

```

RT spirochete.;
 RL Science 281:375-388(1998).
 CC -!- FUNCTION: REMOVES THE AMINO-TERMINAL METHIONINE FROM NASCENT
 CC PROTEINS.
 CC -!- CATALYTIC ACTIVITY: L-METHIONYLPEPTIDE + H(2)O = L-METHIONINE +
 CC PEPTIDE.
 CC -!- COFACTOR: COBALT (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO PEPTIDASE FAMILY M24A; ALSO KNOWN AS THE
 CC MAP FAMILY 1.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; A6001255; AAC65810.1;
 DR TIGR; TP0842;
 DR INTERPRO: IPR000994;
 DR INTERPRO: IPR001714;
 DR INTERPRO: IPR002467;
 DR PFAM; PF00557; Peptidase_M24; 1.
 DR PRINTS; PR00599; MAPEPTIDASE.
 DR PROSITE; PS00680; MAP_1; 1.
 DR KW AminoPeptidase; Hydrolase; Cobalt.
 FT METAL 93 93 COBALT (BY SIMILARITY).
 FT METAL 104 104 COBALT (BY SIMILARITY).
 FT METAL 174 174 COBALT (BY SIMILARITY).
 FT METAL 201 201 COBALT (BY SIMILARITY).
 FT METAL 233 233 COBALT (BY SIMILARITY).
 SQ SEQUENCE 255 AA; 27316 MW; 4EDE582C67F3526A CRC64;

 Query Match 60.3%; Score 35; DB 1; Length 255;
 Best Local Similarity 60.0%; Pred. No. 13;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 ARHNYGSFYE 10
 III : I II
 DB 154 ARHFRGVVVE 163

 RESULT 7
 ID YHDL_ECOLI STANDARD; PRT; 294 AA.
 AC P28638;
 DT 01-DEC-1992 (Rel. 24, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE HYPOTHETICAL ADENINE-SPECIFIC METHYLASE IN FIS-ENVR INTERGENIC REGION
 DE (EC 2.1.1.72) (ORF2).
 GN YHDL.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.
 [1]
 RN SEQUENCE FROM N.A.
 RC STRAIN-K12 / MG1655;
 RX MEDLINE; 97426617.
 RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
 RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
 RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
 RA Mau B., Shao Y.;
 RT "The complete genome sequence of Escherichia coli K-12.";
 RL Science 277:1453-1474(1997).
 RN [2]
 RN SEQUENCE OF 1-98 FROM N.A.
 RX MEDLINE; 93094136.
 RA Ball C.A., Osuna R., Ferguson K.C., Johnson R.C.;
 RT "Dramatic changes in Fis levels upon nutrient upshift in Escherichia
 RT coli.";

RL J. Bacteriol. 174:8043-8056(1992).
 RN [3]
 RN SEQUENCE OF 1-11 FROM N.A.
 RC STRAIN-K12;
 RX MEDLINE; 88217925.
 RA Johnson R.C., Ball C.A., Pfeiffer D., Simon M.I.;
 RT "Isolation of the gene encoding the Hin recombinational enhancer
 RT binding protein.";
 RL Proc. Natl. Acad. Sci. U.S.A. 85:3484-3488(1988).
 CC -!- CATALYTIC ACTIVITY: S-ADENOSYL-L-METHIONINE + DNA ADENINE =
 CC S-ADENOSYL-L-HOMOCYSTEINE + DNA 6-METHYLAMINOPURINE.
 CC -!- SIMILARITY: BELONGS TO THE N-6 ADENINE-SPECIFIC DNA METHYLASE
 CC FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U18997; AAA58066.1; ALT_INIT.
 DR EMBL; AE000405; AAC76294.1; ALT_INIT.
 DR EMBL; M95784; AAA23784.1; ALT_INIT.
 DR EMBL; J03245; AAA83857.1;
 DR PIR; D47043; D47043.
 DR HSP; P11409; 1BOO.
 DR ECGENE; EG11498; YHDJ.
 DR INTERPRO: IPR001091;
 DR INTERPRO: IPR002052;
 DR INTERPRO: IPR002295;
 DR INTERPRO: IPR002941;
 DR PFAM; PF01555; N6_M4_Mtase; 1.
 DR PRINTS; PR00506; D21N6MTFRASE.
 DR PROSITE; PS00508; S21N4MTFRASE.
 DR PROSITE; PS00092; N6_MTFASE; 1.
 KW Hypothetical protein; Transferase; Methyltransferase.
 FT CONFLICT 28 28 K -> N (IN REF 2).
 SQ SEQUENCE 294 AA; 33397 MW; 6BCC49D9A571884B CRC64;

 Query Match 60.3%; Score 35; DB 1; Length 294;
 Best Local Similarity 60.0%; Pred. No. 15;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 QY 1 ARHNYGSFYE 10
 I : III II
 DB 119 AKHYGSWYE 128

 RESULT 8
 ID LHX4_MOUSE STANDARD; PRT; 367 AA.
 AC P53776; O08916; O9R280;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE LIM/HOMEOBOX PROTEIN LHX4.
 GN LHX4 OR GSH4 OR GSH-4.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RN SEQUENCE FROM N.A.
 RA Sakai T., Kawaguchi A., Nagashima M.;
 RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RN SEQUENCE OF 7-196 FROM N.A.
 RC STRAIN-FVB/N; TISSUE=EMBRYO;
 RX MEDLINE; 97432832.
 RA Yamashita T., Moriyama K., Sheng H.Z., Westphal H.;
 RT "Lhx4, a LIM homeobox gene.";

Genomics 44:144-146(1997).
 [3]
 RN SEQUENCE OF 136-367 FROM N.A.
 RP MEDLINE: 94298779.
 RA Li H., Witte D.P., Branford W.W., Aronow B.J., Weinstein M., Kaur S.,
 RA Wert S., Singh G., Schreiner C.M., Whitsett J.A., Scott W.J. Jr.,
 RA Potter S.S.
 RT "Gsh-4 encodes a LIM-type homeodomain, is expressed in the developing
 RT central nervous system and is required for early postnatal
 RT survival.";
 RL EMBO J. 13:2876-2885(1994).
 CC -!- FUNCTION: MAY PLAY A CRITICAL ROLE IN THE DEVELOPMENT OF
 CC RESPIRATORY CONTROL MECHANISMS AND IN THE NORMAL GROWTH AND
 CC MATURATION OF THE LUNG.
 CC -!- SUBCELLULAR LOCATION: NUCLEAR (POTENTIAL).
 CC -!- TISSUE SPECIFICITY: TRANSIENT EXPRESSION IN VENTROLATERAL REGIONS
 CC OF THE DEVELOPING NEURAL TUBE AND HINDRAIN.
 CC -!- SIMILARITY: TO OTHER HOMEODOMAIN DOMAINS. BELONGS TO THE LIM
 CC SUBFAMILY.
 CC -!- SIMILARITY: CONTAINS 2 LIM DOMAINS. THE LIM DOMAIN BINDS 2 ZINC
 CC IONS.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: AF135415; AAC30125.1; -.
 DR EMBL: U89343; AAC53336.1; -.
 DR EMBL: S71659; AAB31260.1; -.
 DR HSSP: P02836; 1HDD.
 DR MCD: MGI:101776; LHX4.
 DR INTERPRO: IPR001356; -.
 DR INTERPRO: IPR001781; -.
 DR PFAM: PF00412; LIM; 2.
 DR PFAM: PF00046; homeobox; 1.
 DR PROSITE: PS00478; LIM_DOMAIN_1; 2.
 DR PROSITE: PS50023; LIM_DOMAIN_2; 2.
 DR PROSITE: PS00027; HOMEBOX_1; 1.
 DR PROSITE: PS00027; HOMEBOX_2; 1.
 DR PROSITE: PS50071; HOMEBOX_2; 1.
 KW Homeobox; DNA-binding; Nuclear protein; Repeat; LIM motif;
 KW Metal-binding; Zinc; Transcription regulation.
 FT DOMAIN 7 57 LIM.
 FT DOMAIN 66 120 LIM.
 FT DNA_BIND 134 193 HOMEBOX.
 FT SEQUENCE 367 AA; 40811 MW; 86553C7014A0E27C CRC64;

 Query Match 60.3%; Score 35; DB 1; Length 367;
 Best Local Similarity 55.6%; Pred. No. 20;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 QY 2 RHNYSFYE 10
 Db 198 RHRWGQFYK 206
 ||:|:|:
 RESULT 9
 INV3 DAUCA
 ID INV3 DAUCA STANDARD; PRT; 583 AA.
 AC Q39693;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 3 PRECURSOR (EC 3.2.1.26)
 DE (SUCROSE-6-PHOSPHATASE, INSOLUBLE ISOENZYME 3) (INVERTASE 3) (CELL WALL BETA-
 DE FRUCTOSIDASE 3).
 GN INV3.
 OS Daucus carota (Carrot).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 DT Magnoliophyta; eudicotyledons; core eudicots; Asteridae;
 DE euasterids II; Apiales; Apiaceae; Daucus.
 [1]
 RN SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
 RP STRAIN=CV. QUEEN ANNE'S LACE;
 RX MEDLINE: 93005650.
 RX Sturm A., Chrispeels M.J.;
 RA "cDNA cloning of carrot extracellular beta-fructosidase and its

Magnoliophyta; eudicotyledons; core eudicots; Asteridae;
 euasterids II; Apiales; Apiaceae; Daucus.
 [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN=CV. QUEEN ANNE'S LACE;
 RX MEDLINE: 95306787.
 RA Lorenz K., Lienhard S., Sturm A.;
 RT "Structural organization and differential expression of carrot beta-
 RT fructofuranosidase genes: identification of a gene coding for a
 RT flower bud-specific isozyme.";
 RL Plant Mol. Biol. 28:189-194(1995).
 CC -!- FUNCTION: MAY PLAY AN IMPORTANT ROLE IN PHLOEM UNLOADING AND IN
 CC STRESS RESPONSE.
 CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF TERMINAL NON-REDUCING BETA-D-
 CC FRUCTOFURANOSIDE RESIDUES IN BETA-D-FRUCTOFURANOSIDES.
 CC -!- SUBCELLULAR LOCATION: IONICALLY BOUND TO THE CELL WALL.
 CC -!- SIMILARITY: BELONGS TO FAMILY 32 OF GLYCOSYL HYDROLASES.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: X78423; CAA55188.1; -.
 DR INTERPRO: IPR001362; -.
 DR PFAM: PF00251; Glyco_hydro_32; 1.
 DR PROSITE: PS00609; GLYCOSYL_HYDROL_F32; 1.
 KW Hydrolase; Glycosidase; Glycoprotein; Cell wall; Zymogen; Signal.
 FT SIGNAL 1 ? POTENTIAL.
 FT PROPEP ? ?
 FT CHAIN ? 583
 FT BETA-FRUCTOFURANOSIDASE, INSOLUBLE
 FT ISOENZYME 3.
 FT CARBOHYD 164 164 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 280 280 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 303 303 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 340 340 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 561 561 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT SEQUENCE 583 AA; 66381 MW; 1DBF591CD94749AF CRC64;

 Query Match 60.3%; Score 35; DB 1; Length 583;
 Best Local Similarity 62.5%; Pred. No. 32;
 Matches 5; Conservative 3; Mismatches 0; Indels 0; Gaps 0;
 QY 2 RHNYSFYE 9
 Db 313 RYDYGNYF 320
 ||:|:|:
 RESULT 10
 INV1 DAUCA
 ID INV1 DAUCA STANDARD; PRT; 592 AA.
 AC P26792;
 DT 01-AUG-1992 (Rel. 23, Created)
 DT 01-AUG-1992 (Rel. 23, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 1 PRECURSOR (EC 3.2.1.26)
 DE (SUCROSE-6-PHOSPHATASE, INSOLUBLE ISOENZYME 1) (INVERTASE 1) (CELL WALL BETA-
 DE FRUCTOSIDASE 1).
 GN INV1.
 OS Daucus carota (Carrot).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae;
 OC euasterids II; Apiales; Apiaceae; Daucus.
 [1]
 RN SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
 RP STRAIN=CV. QUEEN ANNE'S LACE;
 RX MEDLINE: 93005650.
 RX Sturm A., Chrispeels M.J.;
 RA "cDNA cloning of carrot extracellular beta-fructosidase and its

expression in response to wounding and bacterial infection.";
Plant Cell 2:1107-1119(1990).
[2]
SEQUENCE FROM N.A.
RC MEDLINE; 94035200.
RX Ramloch-Lorenz K., Knudsen S., Sturm A.;
RA "Molecular characterization of the gene for carrot cell wall beta-
RT fructofuranosidase.";
RT Plant J. 4:545-554(1993).
RL Plant J. 4:545-554(1993).
CC -!- FUNCTION: MAY PLAY AN IMPORTANT ROLE IN PHLOEM UNLOADING AND IN
CC STRESS RESPONSE.
CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF TERMINAL NON-REDUCING BETA-D-
CC FRUCTOFURANOSIDE RESIDUES IN BETA-D-FRUCTOFURANOSIDES.
CC -!- SUBCELLULAR LOCATION: IONICALLY BOUND TO THE CELL WALL.
CC -!- TISSUE SPECIFICITY: IN LEAVES AND ROOTS OF YOUNG PLANTS.
CC -!- INDUCTION: IN RESPONSE TO WOUNDING AND BACTERIAL INFECTION.
CC -!- SIMILARITY: BELONGS TO FAMILY 32 OF GLYCOSYL HYDROLASES.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M58362; AAA03516.1; -.
DR EMBL; X69321; CAA49162.1; -.
DR PIR; J00991; J00991.
DR INTERPRO; IPR001362; -.
DR PFAM; PF00251; Glyco_hydro_32; 1.
DR PROSITE; PS00609; GLYCOSYL_HYDROL_F32; 1.
KW Hydrolase; Glycosidase; Glycoprotein; Cell wall; Zymogen; Signal.
FT SIGNAL 1 31
FT PROPEP 32 48
FT CHAIN 49 592
FT ACT_SITE 74 74
FT CARBOHYD 170 170 N-LINKED (GLCNAC. . .) (COMPLEX).
FT CARBOHYD 195 195 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CARBOHYD 311 311 N-LINKED (GLCNAC. . .) (COMPLEX).
FT CARBOHYD 348 348 N-LINKED (GLCNAC. . .) (HIGH MANNOSE).
FT CARBOHYD 570 570 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CONFLICT 133 133 R -> W (IN REF. 2).
FT CONFLICT 487 487 A -> V (IN REF. 2).
SQ SEQUENCE 592 AA; 66813 MW; E3DF85355D277D0C CRC64;

Query Match 60.3%; Score 35; DB 1; Length 592;
Best Local Similarity 62.5%; Pred. No. 33;
Matches 5; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

OY 2 RHNYGSFY 9
|::|::|
DB 321 RYDYGIFY 328

RESULT 11
INV2_DAUCA
ID INV2_DAUCA STANDARD; PRT; 592 AA.
AC Q39692;
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 2 (INVERTASE 2) (CELL WALL BETA-
DE (SUCROSE-6-PHOSPHATE HYDROLASE 2) (INVERTASE 2) (CELL WALL BETA-
DE FRUCTOSIDASE 2).
GN INV2.
OS Daucus carota (Carrot).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae;
OC euasterids II; Apiales; Apiaceae; Daucus.
RN [1]

SEQUENCE FROM N.A.
RC STRAIN-CV. QUEEN ANNE'S LACE;
RX MEDLINE; 95306787.
RA Lorenz K., Lienhard S., Sturm A.;
RT "Structural organization and differential expression of carrot beta-
RT fructofuranosidase genes: identification of a gene coding for a
RT flower bud-specific isozyme.";
RL Plant Mol. Biol. 28:189-194(1995).
CC -!- FUNCTION: MAY PLAY AN IMPORTANT ROLE IN PHLOEM UNLOADING AND IN
CC STRESS RESPONSE.
CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF TERMINAL NON-REDUCING BETA-D-
CC FRUCTOFURANOSIDE RESIDUES IN BETA-D-FRUCTOFURANOSIDES.
CC -!- SUBCELLULAR LOCATION: IONICALLY BOUND TO THE CELL WALL.
CC -!- SIMILARITY: BELONGS TO FAMILY 32 OF GLYCOSYL HYDROLASES.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X78424; CAA55189.1; -.
DR INTERPRO; IPR001362; -.
DR PFAM; PF00251; Glyco_hydro_32; 1.
DR PROSITE; PS00609; GLYCOSYL_HYDROL_F32; 1.
KW Hydrolase; Glycosidase; Glycoprotein; Cell wall; Zymogen; Signal.
FT SIGNAL 1 ?
FT PROPEP ? ?
FT CHAIN ? 592
FT ACT_SITE 75 75
FT CARBOHYD 171 171 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CARBOHYD 195 195 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CARBOHYD 310 310 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CARBOHYD 347 347 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT CARBOHYD 568 568 N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ SEQUENCE 592 AA; 67397 MW; 2734603836709133 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 592;
Best Local Similarity 62.5%; Pred. No. 33;
Matches 5; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

OY 2 RHNYGSFY 9
|::|::|
DB 320 RYDYGIFY 327

RESULT 12
RECG_TREPA
ID RECG_TREPA STANDARD; PRT; 686 AA.
AC P96130;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE ATP-DEPENDENT DNA HELICASE RECG (EC 3.6.1.1).
GN RECG OR TP0687.
OS Treponema pallidum.
OC Bacteria; Spirochaetales; Spirochaetaceae; Treponema.
RN [1]
RC SEQUENCE FROM N.A.
RC STRAIN-NICHOLS;
RA Stamm L.V., Barnes N.Y.;
RL Submitted (SEP-1996) to the EMBL/GenBank/DBJ databases.
RN [2]
RN SEQUENCE FROM N.A.
RC STRAIN-NICHOLS;
RX MEDLINE; 98332770.
RA Fraser C.M., Norris S.J., Weinstock G.M., White O., Sutton G.G.,
RA Dodson R., Gwinn M., Hickey E.K., Clayton R., Ketchum K.A.,
RA Sodergren E., Hardham J.M., McLeod M.P., Salzberg S., Peterson J.,

RA Khalak H., Richardson D., Howell J.K., Chidambaram M., Utterback T.,
RA McDonald L., Artach P., Bowman C., Cotton M.D., Fujii C., Garland S.,
RA Hatch B., Horst K., Roberts K., Sandusky M., Weidman J., Smith H.O.,
RA Venter J.C.;
RT "Complete genome sequence of Treponema pallidum, the syphilis
RT spirochete.";
RL Science 281:375-388(1998).
CC -!- FUNCTION: CRITICAL ROLE IN RECOMBINATION AND DNA REPAIR. HELP
CC PROCESS HOLLIDAY JUNCTION INTERMEDIATES TO MATURE PRODUCTS BY
CC CATALYSING BRANCH MIGRATION. HAS A DNA UNWINDING ACTIVITY
CC CHARACTERISTIC OF A DNA HELICASE WITH A 3' TO 5' POLARITY. RECG
CC UNWIND BRANCHED DUPLEX DNA (Y-DNA) (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE RECG SUBFAMILY OF HELICASES.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U70661; AAB38707.1; -;
DR EMBL; AE001243; AAC65656.1; -;
DR TIGR; TP0687; -;
DR INTERPRO; IPR001410; -;
DR INTERPRO; IPR001650; -;
DR PFAM; PF00270; DEAD; 1.
DR PFAM; PF00271; helicase_C; 1.
KW Helicase; DNA repair; ATP-binding; DNA recombination; DNA-binding.
FT NP_BIND 298 305 ATP (POTENTIAL).
FT SITE 399 402 DEQ BOX.
SQ SEQUENCE 686 AA; 77196 MW; B05AFCDG6FA046B0 CRC64;

Query Match 60.3%; Score 35; DB 1; Length 686;
Best Local Similarity 100.0%; Pred. No. 39;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 5 YGSFYE 10
| | | | |
Db 116 YGSFYE 121

RESULT 13
Y019_NPVAC
ID Y019_NPVAC STANDARD; PRT; 108 AA.
AC P41424;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HYPOTHETICAL 12.2 KDA PROTEIN IN EGT-IP1 INTERGENIC REGION (ORF4).
OS Autographa californica nuclear polyhedrosis virus (AcMNPV).
OC Viruses; dsDNA viruses, no RNA stage; Baculoviridae;
OC Nucleopolyhedrovirus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=C6;
RX MEDLINE; 94303173.
RA Ayres M.D., Howard S.C., Kuzio J., Lopez-Ferber M., Possee R.D.;
RT "The complete DNA sequence of Autographa californica nuclear
RT polyhedrosis virus.";
RL Virology 202:586-605(1994).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=E2;
RX MEDLINE; 93079853.
RA Braunagel S.C., Daniel K.D., Reilly L.M., Guarino L.A., Hong T.,
RA Summers M.D.;
RT "Sequence, genomic organization of the EcoRI-A fragment of Autographa
RT californica nuclear polyhedrosis virus, and identification of a
RT viral-encoded protein resembling the outer capsid protein vp8 of
RT rotavirus.";

RL Virology 191:1003-1008(1992).
CC -!- SIMILARITY: TO CORRESPONDING ORF IN OPMPV.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; L22858; AAA66649.1; -;
DR EMBL; M96361; AAA66789.1; -;
DR PIR; D44221; D44221.
KW Hypothetical protein.
FT CONFLICT 6 A -> R (IN REF. 2).
SQ SEQUENCE 108 AA; 12162 MW; 8363B15DF72486A1 CRC64;

Query Match 58.6%; Score 34; DB 1; Length 108;
Best Local Similarity 60.0%; Pred. No. 8.1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYE 10
| | | | |
Db 25 ANRHSSEYE 34

RESULT 14
IPYR_PICPA
ID IPYR_PICPA STANDARD; PRT; 284 AA.
AC O13505;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
DE HYDROLASE) (PPASE).
GN IPP1.
OS Pichia pastoris (Yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Pichia.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NRRL Y-11430;
RX MEDLINE; 99034033.
RA Cosano I.C., Alvarez P., Molina M., Nombela C.;
RT "Cloning and sequence analysis of the Pichia pastoris TRP1, IPP1 and
RT HIS3 genes.";
RL Yeast 14:861-867(1998).
CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
CC -!- MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
CC -!- SUBUNIT: HOMODIMER (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ001000; CAA04453.1; -;
DR HSSP; P00817; IWGI.
DR INTERPRO; IPR001596; -;
DR PFAM; PF00719; Pyrophosphatase; 1.
DR PROSITE; PS00387; PPASE; 1.
KW Hydrolyase; Magnesium.
FT INIT_MET 0
FT ACT_SITE 56 56
FT BINDING 78 78
FT BY SIMILARITY.
FT PROBABLE.
FT INORGANIC PYROPHOSPHATE (BY SIMILARITY).

SQ SEQUENCE 284 AA; 31937 MW; 3DAD27970D775D6 CRC64;

Query Match 58.6%; Score 34; DB 1; Length 284;
Best Local Similarity 83.3%; Pred. No. 23;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 3 HNYGSF 8
| | | | |
Db 91 HNYGAF 96

Search completed: March 28, 2001, 07:35:19
Job time: 156 sec

RESULT 15

IPYR_KLULA STANDARD; PRT; 286 AA.
AC P1398;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 01-OCT-1994 (Rel. 30, Last annotation update)
DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
DE HYDROLASE) (PPASE).
GN IPP1 OR IPP.
OS Kluyveromyces lactis (Yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
OC Saccharomycetaceae; Kluyveromyces.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 89189093.
RA Stark M.J.R., Milner J.S.;
RT "Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a
RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
RT and histone H3.";
RL Yeast 5:35-50(1989).
RN [2]
RP SIMILARITY TO E. COLI AND YEAST PPASES.
RX MEDLINE: 90254161.
RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
RA Cooperman B.S.;
RT "Conservation of functional residues between yeast and E. coli
RT inorganic pyrophosphatases".
RL Biochim. Biophys. Acta 1038:338-345(1990).
CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
CC -!- SUBUNIT: HOMODIMER.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL: X14230; CAA32446.1; -
DR PIR: S07894; PWKLL.
DR HSSP: P00817; LWGI.
DR INTERPRO: IPR001596; -
DR PFAM: PF00719; Pyrophosphatase; 1.
DR PROSITE: PS00387; PPASE; 1.
KW Hydrolase; Magnesium.
FT INIT_MET 0 0 BY SIMILARITY.
FT ACT_SITE 56 56 PROBABLE.
FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
SQ SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;

Query Match 58.6%; Score 34; DB 1; Length 286;
Best Local Similarity 83.3%; Pred. No. 23;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 3 HNYGSF 8
| | | | |
Db 91 HNYGAF 96

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:37 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-98
Perfect score: 58
Sequence: 1 ARHNYGSFYE 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPREMBL_15:
1: sp_archaea:
2: sp_bacteria:
3: sp_fungi:
4: sp_human:
5: sp_invertebrate:
6: sp_mammal:
7: sp_mhc:
8: sp_organelle:
9: sp_phase:
10: sp_plant:
11: sp_rodent:
12: sp_virus:
13: sp_vertebrate:
14: sp_unclassified:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	74.1	839	10	Q9LIE5
2	38	65.5	89	7	O19495
3	38	65.5	402	5	O45792
4	37	63.8	134	1	O45792
5	37	63.8	149	2	Q9ZBB5
6	37	63.8	388	3	Q12620
7	37	63.8	388	3	Q12624
8	37	63.8	405	2	Q9PMZ4
9	37	63.8	483	10	O22861
10	37	63.8	2288	5	Q23081
11	36	62.1	39	7	P79474
12	36	62.1	39	7	P79477
13	36	62.1	39	7	P79478
14	36	62.1	39	7	P79479
15	36	62.1	74	6	Q9TMM4
16	36	62.1	76	7	Q9TFC2
17	36	62.1	78	6	O97835
18	36	62.1	78	6	O97839
19	36	62.1	78	6	O97844

20	36	62.1	78	6	O97968	O97968	ovis aries
21	36	62.1	78	7	O9MWT6	O9MWT6	leopardus p
22	36	62.1	78	7	O9MWT5	O9MWT5	leopardus p
23	36	62.1	78	7	O9MWT4	O9MWT4	leopardus p
24	36	62.1	79	7	O19191	O19191	prionailuru
25	36	62.1	79	7	O19192	O19192	prionailuru
26	36	62.1	79	7	O19380	O19380	felis silve
27	36	62.1	79	7	O19381	O19381	felis silve
28	36	62.1	79	7	O19382	O19382	felis silve
29	36	62.1	79	7	O19396	O19396	felis silve
30	36	62.1	79	7	O19397	O19397	felis silve
31	36	62.1	79	7	O19405	O19405	felis silve
32	36	62.1	79	7	O19406	O19406	felis silve
33	36	62.1	79	7	O19407	O19407	felis silve
34	36	62.1	79	7	O19408	O19408	felis silve
35	36	62.1	79	7	O19435	O19435	felis silve
36	36	62.1	79	7	O9MX19	O9MX19	leopardus p
37	36	62.1	79	7	O9MX13	O9MX13	leopardus p
38	36	62.1	79	7	O9MX03	O9MX03	leopardus p
39	36	62.1	79	7	O9MX00	O9MX00	leopardus p
40	36	62.1	79	7	O9MW29	O9MW29	leopardus p
41	36	62.1	79	7	O9MW28	O9MW28	leopardus p
42	36	62.1	79	7	O9MW27	O9MW27	leopardus p
43	36	62.1	79	7	O9MWY9	O9MWY9	leopardus p
44	36	62.1	79	7	O9MWY8	O9MWY8	leopardus p
45	36	62.1	79	7	O9MWY6	O9MWY6	leopardus p

ALIGNMENTS

RESULT 1

O9LIE5 PRELIMINARY; PRT; 839 AA.
AC O9LIE5:
DT 01-OCT-2000 (TRENBLrel. 15, Created)
DT 01-OCT-2000 (TRENBLrel. 15, Last sequence update)
DE FAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE
DE PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
[2]
RP SEQUENCE FROM N.A.
RC STRAIN=COLUMBIA;
RA Nakamura Y.;
RT "Structural analysis of Arabidopsis thaliana chromosome 3. II.
RT Sequence features of the regions of 4,251,695 bp covered by ninety pl,
RT TAC and BAC clones".
RL DNA Res. 7:217-221(2000).
DR EMBL; AP001306; BAB03065.1; -.
SQ SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 74.1%; Score 43; DB 10; Length 839;
Best Local Similarity 87.5%; Pred. No. 8.5;
Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSF 8

Db 274 SRHNYGSF 281

RESULT 2

O19495

```

ID O19495 PRELIMINARY; PRT; 89 AA.
AC O19495;
DT 01-JAN-1998 (TrEMBLrel. 05, Created)
DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
GN B-LBI.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=15.151-5; TISSUE=BURSA;
RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
RL Immunogenetics 47:350-354(1998).
DR EMBL; U91532; AAC15813.1; -.
DR INTERPRO; IPR000353; -.
DR PFAM; PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 89 89
SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEB1379 CRC64;

Query Match 65.5%; Score 38; DB 7; Length 89;
Best Local Similarity 85.7%; Pred. No. 6.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHYGSF 8
DB 75 RHYGDF 81
|||||

RESULT 3
O45792 PRELIMINARY; PRT; 402 AA.
AC O45792;
DT 01-JUN-1998 (TrEMBLrel. 06, Created)
DT 01-JUN-1998 (TrEMBLrel. 06, Last sequence update)
DT 01-JAN-1999 (TrEMBLrel. 09, Last annotation update)
DE T19C9.8 PROTEIN.
GN T19C9.8.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA Matthews L.;
RL Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Showkneen R.,
RA Smalton N., Smith A., Sonhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstein L., Wilkinson-Sproat J., Wohlman P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans";
RL Nature 368:32-38(1994).
DR EMBL; Z92972; CAB07486.1; -.
SQ SEQUENCE 402 AA; 45029 MW; 072C5F89A4DE0C89 CRC64;

Query Match 65.5%; Score 38; DB 5; Length 402;

```

```

Best Local Similarity 75.0%; Pred. No. 32;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
DB 261 HDYNSFYE 268
|||||

RESULT 4
O9YED6 PRELIMINARY; PRT; 134 AA.
ID O9YED6
AC O9YED6;
DT 01-NOV-1999 (TrEMBLrel. 12, Created)
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
DE HYPOTHETICAL 14.8 KDA PROTEIN APE0639.
GN APE0639.
OS Aeropyrum pernix.
OC Archaea; Crenarchaeota; Desulfurococcales; Desulfurococcaceae;
OC Aeropyrum.
OX NCBI_TaxID=56636;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=KI;
RX MEDLINE=99310339; PubMed=10382966;
RA Kwarabavasi Y., Hino Y., Horikawa H., Yamazaki S., Haikawa Y.,
RA Jin-no K., Takahashi M., Sekine M., Baba S., Ankaï A., Kosugi H.,
RA Hosoyama A., Fukui S., Nagai Y., Nishijima K., Nakazawa H.,
RA Takamiya M., Masuda S., Funahashi T., Tanaka T., Kudoh Y.,
RA Yamazaki J., Kushida N., Oguchi A., Aoki K., Kubota K., Nakamura Y.,
RA Nomura N., Sako Y., Kikuchi H.;
RT "Complete genome sequence of an aerobic hyper-thermophilic
RT crenarchaeon, Aeropyrum pernix K1.";
RL DNA Res. 6:83-101(1999).
DR EMBL; AP000060; BAA79610.1; -.
KW Hypothetical protein.
SQ SEQUENCE 134 AA; 14845 MW; 57942011F9A404C4 CRC64;

Query Match 63.8%; Score 37; DB 1; Length 134;
Best Local Similarity 75.0%; Pred. No. 15;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
DB 26 HVGNFYE 33
|||||

RESULT 5
O9ZBB5 PRELIMINARY; PRT; 149 AA.
ID O9ZBB5
AC O9ZBB5;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-MAY-1999 (TrEMBLrel. 10, Last annotation update)
DE HYPOTHETICAL 17.5 KDA PROTEIN.
OS Streptococcus pneumoniae.
OC Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
OC Streptococcus.
OX NCBI_TaxID=1313;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=SPI000; TRANSPOSON=TN5252;
RX MEDLINE=98154299; PubMed=9473447;
RA Sampath J., Vijayakumar M.N.;
RT "Identification of a DNA cytosine methyltransferase gene in
RT conjugative transposon Tn5252.";
RL Plasmid 39:63-76(1998).
DR EMBL; L29323; AAC98423.1; -.
KW Hypothetical protein.
SQ SEQUENCE 149 AA; 17465 MW; 5DEFCFBAB306B131 CRC64;

```

Query/Match 63.8%; Score 37; DB 2; Length 149;
 Best Local Similarity 66.7%; Pred. No. 17;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFYE 10
 :||| |||
 Db 52 KHNYPLFYE 60
 :||| |||

RESULT 6
 Q12620 Q12620 PRELIMINARY; PRT; 388 AA.
 AC Q12620;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE CELLULASE (EC 3.2.1.4) (ENDOGLUCANASE) (ENDO-1,4-BETA-GLUCANASE)
 DE (CARBOXYMETHYL CELLULOSE).
 OS Humicola grisea.
 OC Eukaryota; Fungi; Ascomycota; anamorphic Ascomycota; Humicola.
 OX NCBI_TaxID=5527;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-IFO9854;
 RA Takashima S., Nakamura A., Masaki H., Uozumi T.;
 RL Submitted (APR-1996) to the EMBL/GenBank/DBJ databases.
 CC -1- CATALYTIC ACTIVITY: ENDOHYDROLYSIS OF 1,4-BETA-D-GLUCOSIDIC
 CC LINKAGES IN CELLULOSE.
 CC EMBL; D84470; BAA12676.1; -;
 DR HSP; P00725; IAZ6.
 DR INTERPRO; IPR000254; -;
 DR INTERPRO; IPR001547; -;
 DR PFAM; PF00150; cellulase; 1.
 DR PFAM; PF00734; CBD.1; 1.
 DR PROSITE; PS00562; CBD_FUNGAL; 1.
 DR PRODOM; PD001821; -; 1.
 DR Hydrolyase; Glycosidase.
 KW HSP; P00725; IAZ6.
 SQ SEQUENCE 388 AA; 42606 MW; D103247F0E9FCF50 CRC64;

Query Match 63.8%; Score 37; DB 3; Length 388;
 Best Local Similarity 62.5%; Pred. No. 48;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
 ||| :||
 Db 175 HNFGRYE 182

RESULT 7
 Q12624 Q12624 PRELIMINARY; PRT; 388 AA.
 AC Q12624;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE CELLULASE PRECURSOR (EC 3.2.1.4) (ENDOGLUCANASE) (ENDO-1,4-BETA-
 DE GLUCANASE) (CARBOXYMETHYL CELLULOSE).
 GN CMC3.
 OS Humicola insolens.
 OC Eukaryota; Fungi; Ascomycota; anamorphic Ascomycota; Humicola.
 OX NCBI_TaxID=34413;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=94247364; PubMed=8190078;
 RA Dalboeue H., Hansen H.P.H.;
 RT "A novel method for efficient expression cloning of fungal enzyme
 RT genes.";
 RL Mol. Gen. Genet. 243:253-260(1994).
 CC -1- CATALYTIC ACTIVITY: ENDOHYDROLYSIS OF 1,4-BETA-D-GLUCOSIDIC
 CC LINKAGES IN CELLULOSE.
 DR EMBL; X76046; CAA53631.1; -;
 DR HSP; P00725; IAZ6.

DR INTERPRO; IPR000254; -;
 DR INTERPRO; IPR001547; -;
 DR PFAM; PF00150; cellulase; 1.
 DR PFAM; PF00734; CBD.1; 1.
 DR PROSITE; PS00562; CBD_FUNGAL; 1.
 DR PRODOM; PD001821; -; 1.
 DR Signal; Hydrolyase; Glycosidase.
 KW SIGNAL; 16 POTENTIAL.
 SQ SEQUENCE 388 AA; 42563 MW; C7CF349DACC10690 CRC64;

Query Match 63.8%; Score 37; DB 3; Length 388;
 Best Local Similarity 62.5%; Pred. No. 48;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
 ||| :||
 Db 175 HNFGRYE 182

RESULT 8
 Q9PM24 Q9PM24 PRELIMINARY; PRT; 405 AA.
 AC Q9PM24;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
 DE HYPOTHETICAL PROTEIN CJI305C.
 GN CJI305C.
 OS Campylobacter jejuni.
 OC Bacteria; Proteobacteria; epsilon subdivision; Campylobacter group;
 OC Campylobacter.
 OX NCBI_TaxID=197;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=NCTC 11168;
 RX MEDLINE=20150912; PubMed=10688204;
 RA Parkhill J., Wren B.W., Mungall K., Ketley J.M., Churcher C.,
 RA Basham D., Chillingworth T., Davies R.M., Feltwell T., Holtroyd S.,
 RA Jagsels K., Karleyshev A., Moule S., Pallen M.J., Penn C.W.,
 RA Quail M.A., Rajandream M.A., Rutherford K.M., Van Vliet A.H.M.,
 RA Whitehead S., Barrell B.G.;
 RT "The genome sequence of the food-borne pathogen Campylobacter jejuni
 RT reveals hypervariable sequences.";
 RL Nature 403:665-668(2000).
 DR EMBL; AL139078; CAB73732.1; -;
 KW Hypothetical protein.
 SQ SEQUENCE 405 AA; 47315 MW; D96641B34301DFOA CRC64;

Query Match 63.8%; Score 37; DB 2; Length 405;
 Best Local Similarity 62.5%; Pred. No. 50;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
 ||| :||
 Db 238 HSYGDYFE 245

RESULT 9
 Q22861 Q22861 PRELIMINARY; PRT; 483 AA.
 AC Q22861;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)
 DE HYPOTHETICAL PROTEIN.
 GN T01024.21.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
 OC Brassicales; Brassicaceae; Arabidopsids.
 OX NCBI_TaxID=3702;

```

[1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RA Rounsley S.D., Tschudy M.M., Lin X., Ketchum K.A., Crosby M.L.,
RA Brandon R.C., Spriggs T.A., Mason T.M., Kerlavage A.R., Adams M.D.,
RA Somerville C.R., Venter J.C.;
RL Submitted (JUL-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC002335; AAB64341.1;
DR INTERPRO; IPR001005;
DR PROSITE; PS00037; MYB_1; UNKNOWN_1.
SQ SEQUENCE 483 AA; 54491 MW; C665DCA7ELE4BAFB CRC64;

Query Match 63.8%; Score 37; DB 10; Length 483;
Best Local Similarity 75.0%; Pred. No. 60;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
DB 288 HQYASFYE 295

RESULT 10
Q23081 PRELIMINARY; PRT; 2288 AA.
AC Q23081;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-NOV-1998 (TREMBlrel. 08, Last annotation update)
DE CODED FOR BY C. ELEGANS CDNA YK33H8.3.
GN ZC8.4.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;

[1]
RP SEQUENCE FROM N.A.
RC STRAIN=BRISTOL N2;
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifken L., Roopra A., Saunders D., Showkneen R.,
RA Smadon N., Smith A., Sonnenhammer E., Staden K., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Weinstock L., Wilkison-Sproat J., Wohlman P.;
RT *2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans";
RL Nature 368:32-38(1994).

[2]
RP SEQUENCE FROM N.A.
RC STRAIN=BRISTOL N2;
RA Latreille P., Bradshaw H.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.

[3]
RP SEQUENCE FROM N.A.
RC STRAIN=BRISTOL N2;
RA Waterston R.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.

[4]
RP SEQUENCE FROM N.A.
RC STRAIN=BRISTOL N2;
RA Waterston R.;
RL Submitted (APR-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; U64862; AAB52624.1;
SQ SEQUENCE 2288 AA; 262172 MW; 06D1700A0F4ACD2F CRC64;

Query Match 63.8%; Score 37; DB 5; Length 2288;
Best Local Similarity 66.7%; Pred. No. 3.2e+02;

Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
DB 34 SRSNYGEFY 42

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

P79474 PRELIMINARY; PRT; 39 AA.
AC P79474;
DT 01-MAY-1997 (TREMBlrel. 03, Created)
DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidea;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;

[1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63077; AAB37777.1;
KW MHC.
FT NON_TER 1
FT NON_TER 39
SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733D1D CRC64;

Query Match 62.1%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 6.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 25 RHNYGVF 31

RESULT 12
P79477 PRELIMINARY; PRT; 39 AA.
AC P79477;
DT 01-MAY-1997 (TREMBlrel. 03, Created)
DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)
DE MHC CLASS II DRB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidea;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;

[1]
RP SEQUENCE FROM N.A.
RA Swarbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U63080; AAB37780.1;
KW MHC.
FT NON_TER 1
FT NON_TER 39
SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 62.1%; Score 36; DB 7; Length 39;
Best Local Similarity 85.7%; Pred. No. 6.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 25 RHNYGVF 31

```


RESULT 13

P79478 PRELIMINARY; PRT; 39 AA.
 AC P79478; 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervioidea;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swabrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63081; AAB37781.1; -;
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 62.1%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 6.2;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 I I I I I I
 Db 25 RHNYGVF 31

RESULT 14

P79479 PRELIMINARY; PRT; 39 AA.
 AC P79479; 01-MAY-1997 (TrEMBLrel. 03, Created)
 DT 01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervioidea;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swabrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63082; AAB37782.1; -;
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 62.1%; Score 36; DB 7; Length 39;
 Best Local Similarity 85.7%; Pred. No. 6.2;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 I I I I I I
 Db 25 RHNYGVF 31

RESULT 15

Q9TTM4 PRELIMINARY; PRT; 74 AA.
 AC Q9TTM4; 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2000 (TrEMBLrel. 14, Last annotation update)

DE MHC(BOLA) CLASS II DR-BETA CHAIN (FRAGMENT).
 GN BOLA-DRB3.
 OS Bos taurus (Bovine).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Bovinae; Bos.
 OX NCBI_TaxID=9913;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-JAPANESE BLACK;
 RA Takeshima S., Ikegami M., Morita M., Nakai Y., Aida Y.;
 RT "Identification of BOLA-DRB3 exon 2 of Japanese black cattle.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB033388; BAA85470.1; -;
 DR INTERPRO; IPR000353; -;
 DR PFAM; PF00969; MHC_II_beta; 1.
 FT NON_TER 1 1
 FT NON_TER 74 74
 SQ SEQUENCE 74 AA; 9132 MW; C5834842F0E38BA6 CRC64;

Query Match 62.1%; Score 36; DB 6; Length 74;
 Best Local Similarity 85.7%; Pred. No. 12;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 I I I I I I
 Db 68 RHNYGVF 74

Search completed: March 28, 2001, 07:53:38
 Job time: 531 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:55 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-98
Perfect score: 58
Sequence: 1 ARHNGSFYE 10
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_36.*
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	58	100.0	10	19 W76039	LM609 grafted anti
2	53	91.4	10	19 W76040	LM609 grafted anti
3	53	91.4	10	19 W76023	LM609 grafted anti
4	49	84.5	10	19 W76027	LM609 grafted anti
5	48	82.8	10	19 W76038	LM609 grafted anti
6	46	79.3	10	19 W76022	LM609 grafted anti
7	46	79.3	10	19 W76024	LM609 grafted anti
8	46	79.3	10	19 W76025	LM609 grafted anti
9	46	79.3	10	19 W76026	LM609 grafted anti
10	46	79.3	10	19 W76028	LM609 grafted anti
11	46	79.3	10	19 W76029	LM609 grafted anti
12	46	79.3	10	19 W76030	LM609 grafted anti

13	46	79.3	10	19 W76010	LM609 grafted anti
14	46	79.3	117	19 W76001	Vitaxin antibody h
15	46	79.3	117	19 W76003	LM609 antibody hea
16	46	79.3	117	20 Y06381	Murine monoclonal
17	46	79.3	117	20 Y06387	Humanised LM609 an
18	46	79.3	118	20 Y06384	Humanised LM609 an
19	46	79.3	118	20 Y06385	Humanised LM609 an
20	46	79.3	118	20 Y06386	Humanised LM609 an
21	46	79.3	118	20 Y06383	Humanised LM609 an
22	46	79.3	130	20 Y06379	Murine monoclonal
23	43	74.1	10	19 W76021	LM609 grafted anti
24	41	70.7	10	19 W76037	LM609 grafted anti
25	41	70.7	10	19 W76020	LM609 grafted anti
26	38	65.5	110	20 W84099	Vitronectin alpha-
27	38	65.5	117	20 W84093	Murine vitronectin
28	38	65.5	117	20 W84097	Humanised anti-alp
29	37	63.8	8	20 Y06371	Murine monoclonal
30	37	63.8	86	19 W60938	Streptococcus pneu
31	37	63.8	119	19 Y86109	S. pneumoniae derl
32	36	62.1	117	16 R79157	Human IgE receptor
33	36	62.1	117	16 R79155	Human IgE receptor
34	36	62.1	117	18 W27357	Heavy chain variab
35	36	62.1	117	18 W27526	Heavy chain variab
36	36	62.1	117	18 W27354	Heavy chain variab
37	36	62.1	239	20 W73874	Human antiFc epsil
38	36	62.1	242	20 W73876	Human antiFc epsil
39	34	58.6	30	21 Y81870	Yeast IPPI protein
40	34	58.6	36	21 Y76271	Fragment of human
41	34	58.6	256	13 R22568	SCFVB18 construct
42	34	58.6	256	13 R22583	SCFVB18 construct
43	34	58.6	256	13 R22584	SCFVB18 construct
44	34	58.6	256	13 R22585	SCFVB18 construct
45	34	58.6	256	13 R22586	SCFVB18 construct

ALIGNMENTS

RESULT 1
ID W76039 standard; Protein; 10 AA.
XX W76039;
XX
DT 02-NOV-1998 (first entry)
DE LM609 grafted antibody V-H region CDR3 protein fragment #15.
XX
KW Vitaxin; antibody; variable region; heavy chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarily determining region.
XX Mus sp.
XX
XX WO9833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
DR WPI; 1998-437472/37.
XX
XX N-PSDB; V49876.
PT Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 PS Claim 62; Page 43; 129pp; English.
 XX
 CC W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC angiogenesis and restenosis of alphavbeta3-mediated disease, specifically
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 58; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00035;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYE 10
 |||||
 Db 1 arhnygsfye 10

RESULT 2

ID W76040 standard; Protein; 10 AA.

XX W76040;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #16.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49877.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 43; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC angiogenesis and restenosis of alphavbeta3-mediated disease, specifically
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 91.4%; Score 53; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0025;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9

|||||

Db 1 arhnygsfy 9

RESULT 3

ID W76023 standard; Protein; 10 AA.

XX W76023;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #5.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49860.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

XX Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC angiogenesis and restenosis of alphavbeta3-mediated disease, specifically
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 91.4%; Score 53; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0025;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
 DB 1 arhnygsfy 9
 |||||

RESULT 4

W76027
 ID W76027 standard; Protein; 10 AA.

XX AC W76027;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 XX diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 XX neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 XX macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49864.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 84.5%; Score 49; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.012;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 10
 DB 1 arhnygsfye 10
 |||||

RESULT 5

W76038
 ID W76038 standard; Protein; 10 AA.

XX AC W76038;

XX DT 02-NOV-1998 (first entry)

XX DE LM609 grafted antibody V-H region CDR3 protein fragment #14.

XX KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 XX diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 XX neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 XX macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.

XX OS Mus sp.

XX PN WO9833919-A2.

XX PD 06-AUG-1998.

XX PF 30-JAN-1998; 98WO-US01826.

XX PR 30-JAN-1997; 97US-0791391.

XX PA (IXSY-) IXSYS INC.

XX PI Glaser SM, Huse WD;

XX DR WPI; 1998-437472/37.

XX DR N-PSDB; V49875.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 62; Page 43; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 82.8%; Score 48; DB 19; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.018;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
 |||||

```

Db      1 arnhnhsfy 9
RESULT 6
W76022
ID      W76022 standard; Protein; 10 AA.
AC      W76022;
XX      02-NOV-1998 (first entry)
XX      LM609 grafted antibody V-H region CDR3 protein fragment #4.
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX      Mus sp.
OS      W09833919-A2.
XX      06-AUG-1998.
XX      30-JAN-1998; 98WO-US01826.
XX      30-JAN-1997; 97US-0791391.
XX      (IXSY-) IXSYS INC.
XX      Glaser SM, Huse WD;
XX      WPI: 1998-437472/37.
XX      N-PSDB: V49859.
XX      Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
XX      integrin - and related grafted antibodies based on murine monoclonal
XX      LM609, also related nucleic acid, used to treat, prevent or diagnose
XX      angiogenesis or restenosis
XX      Claim 62; Page 41; 129pp; English.
XX      W76007-W76040 are protein fragments of the grafted monoclonal antibody
XX      LM609 heavy and light chain variable region. LM609 and the antibody
XX      vitaxin bind selectively to integrin alphaVbeta3 and can be used to
XX      inhibit binding of alphaVbeta3 to a ligand and thus block
XX      integrin-mediated signal transduction. This is useful in the treatment,
XX      prevention and diagnosis of alphaVbeta3-mediated disease, specifically
XX      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX      arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX      contain non-murine framework regions so are suitable for use in humans.
XX      Enhanced types of LM609 have affinity more than 90 times greater than
XX      that of parent the parent antibody.
XX      Sequence 10 AA;

Query Match      79.3%; Score 46; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.039;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy      1 ARHNYGSF 8
Db      1 arnhnysf 8
|||||||

RESULT 8
W76025
ID      W76025 standard; Protein; 10 AA.
XX      W76025;
XX      02-NOV-1998 (first entry)
XX      LM609 grafted antibody V-H region CDR3 protein fragment #7.
XX      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

```

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.
 XX Mus sp.
 XX OS
 XX WO9833919-A2.
 PN 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 PD 30-JAN-1997; 97US-0791391.
 XX (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 PI WPI: 1998-437472/37.
 XX N-PSDB; V49862.
 DR Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 XX integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 62; Page 41; 129pp; English.
 PS W76007-W76040 are protein fragments of the grafted monoclonal antibody
 XX LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX SQ Sequence 10 AA;
 Query Match 79.3%; Score 46; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.039;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARHNYGSF 8
 Db |||||
 1 arhnygsf 8
 RESULT 9
 ID W76026 standard; Protein; 10 AA.
 XX W76026;
 XX 02-NOV-1998 (first entry)
 XX LM609 grafted antibody V-H region CDR3 protein fragment #8.
 DE Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.
 XX Mus sp.

XX WO9833919-A2.
 XX 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.
 PR 30-JAN-1997; 97US-0791391.
 XX (IXSY-) IXSYS INC.
 XX Glaser SM, Huse WD;
 PI WPI: 1998-437472/37.
 XX N-PSDB; V49863.
 DR Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 XX integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX Claim 62; Page 41; 129pp; English.
 PS W76007-W76040 are protein fragments of the grafted monoclonal antibody
 XX LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX SQ Sequence 10 AA;
 Query Match 79.3%; Score 46; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.039;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 ARHNYGSF 8
 Db |||||
 1 arhnygsf 8
 RESULT 10
 ID W76028 standard; Protein; 10 AA.
 XX W76028;
 XX 02-NOV-1998 (first entry)
 XX LM609 grafted antibody V-H region CDR3 protein fragment #10.
 DE Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 XX complementarity determining region.
 XX Mus sp.
 XX WO9833919-A2.
 XX 06-AUG-1998.
 XX 30-JAN-1998; 98WO-US01826.

```

PR 30-JAN-1997; 97US-0791391.
XX (IXSY-) IXSYS INC.
XX Glaser SM, Huse WD;
XX WPI; 1998-437472/37.
DR N-PSDB; V49865.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX integrin - and related grafted antibodies based on murine monoclonal
XX LM609, also related nucleic acid, used to treat, prevent or diagnose
XX angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W6007-W76040 are protein fragments of the grafted monoclonal antibody
XX LM609 heavy and light chain variable region. LM609 and the antibody
XX vitaxin bind selectively to integrin alphavbeta3 and can be used to
XX inhibit binding of alphavbeta3 to a ligand and thus block
XX integrin-mediated signal transduction. This is useful in the treatment,
XX prevention and diagnosis of alphavbeta3-mediated disease, specifically
XX angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX contain non-murine framework regions so are suitable for use in humans.
XX Enhanced types of LM609 have affinity more than 90 times greater than
XX that of parent the parent antibody.
XX
XX Sequence 10 AA;
XX
XX Query Match 79.3%; Score 46; DB 19; Length 10;
XX Best Local Similarity 100.0%; Pred. No. 0.039;
XX Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
Db 1 arhnygsf 8

RESULT 11
W76029
ID W76029 standard; Protein; 10 AA.
XX
XX W76029;
XX
XX 02-NOV-1998 (first entry)
XX LM609 grafted antibody V-H region CDR3 protein fragment #11.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
XX diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
XX neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX macular degeneration; osteoporosis; primer; V-H region; CDR;
XX complementarity determining region.
XX
XX Mus sp.
XX
XX WO9833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX WPI; 1998-437472/37.
XX

PR 30-JAN-1997; 97US-0791391.
XX (IXSY-) IXSYS INC.
XX Glaser SM, Huse WD;
XX WPI; 1998-437472/37.
DR N-PSDB; V49865.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX integrin - and related grafted antibodies based on murine monoclonal
XX LM609, also related nucleic acid, used to treat, prevent or diagnose
XX angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W6007-W76040 are protein fragments of the grafted monoclonal antibody
XX LM609 heavy and light chain variable region. LM609 and the antibody
XX vitaxin bind selectively to integrin alphavbeta3 and can be used to
XX inhibit binding of alphavbeta3 to a ligand and thus block
XX integrin-mediated signal transduction. This is useful in the treatment,
XX prevention and diagnosis of alphavbeta3-mediated disease, specifically
XX angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
XX diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
XX arthritis, macular degeneration, osteoporosis etc.). The antibodies
XX contain non-murine framework regions so are suitable for use in humans.
XX Enhanced types of LM609 have affinity more than 90 times greater than
XX that of parent the parent antibody.
XX
XX Sequence 10 AA;
XX
XX Query Match 79.3%; Score 46; DB 19; Length 10;
XX Best Local Similarity 100.0%; Pred. No. 0.039;
XX Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
Db 1 arhnygsf 8

RESULT 12
W76030
ID W76030 standard; Protein; 10 AA.
XX
XX W76030;
XX
XX 02-NOV-1998 (first entry)
XX LM609 grafted antibody V-H region CDR3 protein fragment #12.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
XX diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
XX neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
XX macular degeneration; osteoporosis; primer; V-H region; CDR;
XX complementarity determining region.
XX
XX Mus sp.
XX
XX WO9833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX WPI; 1998-437472/37.
XX N-PSDB; V49867.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
XX integrin - and related grafted antibodies based on murine monoclonal
XX LM609, also related nucleic acid, used to treat, prevent or diagnose
XX angiogenesis or restenosis
XX

```

PS Cldm 62; Page 41; 129pp; English.

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

CC that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 79.3%; Score 46; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.039;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8

Db 1 arhnygsf 8

|||||||

RESULT 13

W76010

ID W76010 standard; Protein; 10 AA.

AC W76010;

XX

XX

DT 02-NOV-1998 (first entry)

XX

DE LM609 grafted antibody V-H region CDR3 protein fragment #1.

XX

Vitaxin; antibody; variable region; heavy chain; light chain; Integrin;

LM609; inhibitor; integrin-mediated signal transduction; treatment;

diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

macular degeneration; osteoporosis; primer; V-H region; CDR;

complementarity determining region.

XX

OS Mus sp.

XX

XX W09833919-A2.

PN

XX

PD 06-AUG-1998.

XX

XX 30-JAN-1998; 98WO-US01826.

XX

XX 30-JAN-1997; 97US-0791391.

XX

XX (IXSY-) IXSYS INC.

PA

XX

XX Glaser SM, Huse WD;

PI

XX

XX WPI: 1998-437472/37.

DR

XX

XX N-PSDB; V49847.

DR

XX

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

XX integrin - and related grafted antibodies based on murine monoclonal

XX LM609, also related nucleic acid, used to treat, prevent or diagnose

XX angiogenesis or restenosis

XX

PS Disclosure; Page 40; 129pp; English.

XX

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

XX LM609 heavy and light chain variable region. LM609 and the antibody

XX vitaxin bind selectively to integrin alphavbeta3 and can be used to

XX inhibit binding of alphavbeta3 to a ligand and thus block

XX integrin-mediated signal transduction. This is useful in the treatment,

XX

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

CC that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 79.3%; Score 46; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.039;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8

Db 1 arhnygsf 8

|||||||

RESULT 14

W76001

ID W76001 standard; Protein; 117 AA.

XX

XX AC W76001;

XX

DT 02-NOV-1998 (first entry)

XX

DE Vitaxin antibody heavy chain variable region protein fragment.

XX

Vitaxin; antibody; variable region; heavy chain; light chain; Integrin;

LM609; inhibitor; integrin-mediated signal transduction; treatment;

diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

macular degeneration; osteoporosis.

XX

OS Mus sp.

XX

XX W09833919-A2.

PN

XX

PD 06-AUG-1998.

XX

XX 30-JAN-1998; 98WO-US01826.

XX

XX 30-JAN-1997; 97US-0791391.

XX

XX (IXSY-) IXSYS INC.

PA

XX

XX Glaser SM, Huse WD;

PI

XX

XX WPI: 1998-437472/37.

DR

XX

XX N-PSDB; V49820.

DR

XX

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

XX integrin - and related grafted antibodies based on murine monoclonal

XX LM609, also related nucleic acid, used to treat, prevent or diagnose

XX angiogenesis or restenosis

XX

PS Claim 1; Fig 1a; 129pp; English.

XX

XX This sequence represents a fragment of the vitaxin antibody variable

XX heavy chain region. Vitaxin and the antibody LM609 bind selectively to

XX integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3

XX to a ligand and thus block integrin-mediated signal transduction. This is

XX useful in the treatment, prevention and diagnosis of alphavbeta3-mediated

XX disease, specifically angiogenesis and restenosis (but also e.g.

XX (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,

XX cancer, psoriasis, rheumatoid arthritis, macular degeneration,

XX osteoporosis etc.). The antibodies contain non-murine framework regions

XX so are suitable for use in humans. Enhanced types of LM609 have affinity

XX more than 90 times greater than that of parent the parent antibody.

XX

SQ Sequence 117 AA;

Query Match 79.3%; Score 46; DB 19; Length 117;
Best Local Similarity 100.0%; Pred. No. 0.53;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSF 8
| | | | | | | |
Db 97 arhnygsf 104

RESULT 15
W76003
ID W76003 standard; Protein; 117 AA.
XX
AC W76003;
XX
DT 02-NOV-1998 (first entry)
XX
DE LM609 antibody heavy chain variable region protein fragment.
XX
KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
LM609; inhibitor; integrin-mediated signal transduction; treatment;
diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
macular degeneration; osteoporosis.
XX
OS Mus sp.
XX
PN WO9833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
DR WPI; 1998-437472/37.
DR N-PSDB; V49822.
XX
PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
integrin - and related grafted antibodies based on murine monoclonal
LM609, also related nucleic acid, used to treat, prevent or diagnose
angiogenesis or restenosis
XX
PS Claim 43; Fig 2a; 129pp; English.
XX
CC This sequence represents the LM609 antibody variable heavy chain region.
LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
and can be used to inhibit binding of alphavbeta3 to a ligand and thus
block integrin-mediated signal transduction. This is useful in the
treatment, prevention and diagnosis of alphavbeta3-mediated disease,
specifically angiogenesis and restenosis (but also e.g. (non-)immune
inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
etc.). The antibodies contain non-murine framework regions so are
suitable for use in humans. Enhanced types of LM609 have affinity more
than 90 times greater than that of parent the parent antibody.
XX
SQ Sequence 117 AA;

Query Match 79.3%; Score 46; DB 19; Length 117;
Best Local Similarity 100.0%; Pred. No. 0.53;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARHNYGSF 8
| | | | | | | |
Db 97 arhnygsf 104

Search completed: March 28, 2001, 06:59:56
Job time: 1392 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:02:01 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-98
Perfect score: 58
Sequence: 1 ARHNGSFYE 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued Patents_AA:*

- 1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
- 2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
- 3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
- 4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*
- 5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	36	62.1	94	3	US-09-147-550-14
2	36	62.1	94	3	US-09-147-550-45
3	36	62.1	94	3	US-09-147-550-48
4	36	62.1	94	3	US-09-147-550-77
5	36	62.1	94	3	US-09-147-550-84
6	36	62.1	94	3	US-09-147-550-90
7	36	62.1	94	3	US-09-147-550-101
8	34	58.6	286	2	US-08-809-267-3
9	34	58.6	286	4	PCT-US95-13662A-3
10	34	58.6	287	2	US-08-741-437-5
11	34	58.6	287	2	US-09-134-593-5
12	33	56.9	270	2	US-08-484-938-47
13	33	56.9	270	2	US-08-484-1588-47
14	33	56.9	270	2	US-08-484-596A-47
15	33	56.9	270	2	US-08-480-150A-47
16	33	56.9	270	3	US-08-458-731-47
17	33	56.9	270	3	US-08-149-223A-47
18	33	56.9	566	2	US-08-484-938-41
19	33	56.9	566	2	US-08-484-1588-41
20	33	56.9	566	2	US-08-484-596A-41
21	33	56.9	566	2	US-08-480-150A-41
22	33	56.9	566	3	US-08-458-731-41
23	33	56.9	566	3	US-08-149-223A-41
24	33	56.9	715	3	US-08-669-286-5
25	32	55.2	15	1	US-08-618-464-7
26	32	55.2	15	3	US-09-107-615-7
27	32	55.2	25	2	US-08-480-190-44
28	32	55.2	25	2	US-08-488-379-44

29 32 55.2 25 4 PCT-US93-07545-44 Sequence 44, Appl
30 32 55.2 36 1 US-08-053-131-84 Sequence 84, Appl
31 32 55.2 36 1 US-08-645-641-84 Sequence 84, Appl
32 32 55.2 36 1 US-07-853-408B-84 Sequence 84, Appl
33 32 55.2 36 2 US-08-096-762-84 Sequence 84, Appl
34 32 55.2 36 2 US-08-308-865-84 Sequence 84, Appl
35 32 55.2 36 4 PCT-US92-10983-84 Sequence 84, Appl
36 32 55.2 80 1 US-08-264-250A-1 Sequence 1, Appl
37 32 55.2 89 1 US-08-025-038-30 Sequence 30, Appl
38 32 55.2 89 1 US-08-039-137-17 Sequence 17, Appl
39 32 55.2 90 2 US-08-485-133-23 Sequence 23, Appl
40 32 55.2 94 3 US-09-147-550-12 Sequence 12, Appl
41 32 55.2 94 3 US-09-147-550-13 Sequence 13, Appl
42 32 55.2 94 3 US-09-147-550-15 Sequence 15, Appl
43 32 55.2 94 3 US-09-147-550-16 Sequence 16, Appl
44 32 55.2 94 3 US-09-147-550-17 Sequence 17, Appl
45 32 55.2 94 3 US-09-147-550-18 Sequence 18, Appl

ALIGNMENTS

RESULT 1

US-09-147-550-14

; Sequence 14, Application US/09147550

; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aida, Yoko

; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF

; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550

; CURRENT APPLICATION NUMBER: US/09/147,550

; CURRENT FILING DATE: 1999-04-23

; EARLIER APPLICATION NUMBER: PCT/JP97/02485

; EARLIER FILING DATE: 1997-07-17

; EARLIER APPLICATION NUMBER: JP 8-190933

; EARLIER FILING DATE: 1996-07-19

; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28

; NUMBER OF SEQ ID NOS: 115

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 14

; LENGTH: 94

; TYPE: PRT

; ORGANISM: BOVINE

US-09-147-550-14

Query Match 62.1%; Score 36; DB 3; Length 94;

Best Local Similarity 85.7%; Pred. No. 12;

Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8

|||||

Db 80 RHNYGVF 86

RESULT 2

US-09-147-550-45

; Sequence 45, Application US/09147550

; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aida, Yoko

; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF

; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550

; CURRENT APPLICATION NUMBER: US/09/147,550

; CURRENT FILING DATE: 1999-04-23

; EARLIER APPLICATION NUMBER: PCT/JP97/02485

; EARLIER FILING DATE: 1997-07-17

; EARLIER APPLICATION NUMBER: JP 8-190933

; EARLIER FILING DATE: 1996-07-19

; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 62.1%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER FILING DATE: 1996-07-19
; EARLIER FILING DATE: 1997-03-28
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 62.1%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 62.1%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 62.1%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
DB 80 RHNYGVF 86

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

ORGANISM: BOVINE
US-09-147-550-90

Query Match 62.1%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 80 RHNYGVF 86

RESULT 7

US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 62.1%; Score 36; DB 3; Length 94;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
DB 80 RHNYGVF 86

RESULT 8

US-08-809-267-3
; Sequence 3, Application US/08809267
; Patent No. 5861296
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/809,267
FILING DATE: 12-MAR-1997
CLASSIFICATION: 433
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/13662
FILING DATE:
APPLICATION NUMBER: US 08/329,721
FILING DATE: 25-OCT-1994
ATTORNEY/AGENT INFORMATION:
NAME: WILLIAMS, GREGORY D.
REGISTRATION NUMBER: 30901
REFERENCE/DOCKET NUMBER: NEB-105-PCT
TELECOMMUNICATION INFORMATION:
TELEPHONE: (508) 927-5054
TELEFAX: (508) 927-1705
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 286 amino acids
TYPE: amino acid
STRANDEDNESS: unknown
TOPOLOGY: unknown
MOLECULE TYPE: protein
US-08-809-267-3

Query Match 58.6%; Score 34; DB 2; Length 286;
Best Local Similarity 83.3%; Pred. No. 80;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
DB 91 HNYGAF 96

RESULT 9

PCT-US95-13662A-3
; Sequence 3, Application PC/TUS9513662A
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/13662A
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA: US 08/329,721
FILING DATE: 25-OCT-1994
ATTORNEY/AGENT INFORMATION:
NAME: WILLIAMS, GREGORY D.
REGISTRATION NUMBER: 30901
REFERENCE/DOCKET NUMBER: NEB-105-PCT
TELECOMMUNICATION INFORMATION:
TELEPHONE: (508) 927-5054
TELEFAX: (508) 927-1705
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:

;
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
PCT-US95-13662A-3

Query Match 58.6%; Score 34; DB 4; Length 286;
Best Local Similarity 83.3%; Pred. No. 80;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 91 HNYGAF 96

RESULT 10
US-08-741-437-5
; Sequence 5, Application US/08741437
; Patent No. 5843665
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE: Filed Herewith.
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.

; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
US-08-741-437-5

Query Match 58.6%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 80;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 92 HNYGAF 97

RESULT 11
US-09-134-593-5
; Sequence 5, Application US/09134593
; Patent No. 5981232
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/134,593
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.

; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0148 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 855-0555
; TELEFAX: (415) 845-4166
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 287 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 4199
US-09-134-593-5

Query Match 58.6%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 80;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 92 HNYGAF 97

RESULT 12
US-08-484-993B-47
; Sequence 47, Application US/08484993B
; Patent No. 5837497
; GENERAL INFORMATION:
; APPLICANT: Harris Ph.D., Jeffrey D.
; APPLICANT: Hsu, Kuang T.
; APPLICANT: Podolski, Joseph S.
; TITLE OF INVENTION: Materials and Methods for Immunocontraception
; NUMBER OF SEQUENCES: 59
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
; STREET: 6300 Sears Tower, 233 South Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: United States of America
; ZIP: 60606-6402

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/484,993B
FILING DATE: 09-NOV-1993
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/012,990
FILING DATE: 29-JAN-1993
APPLICATION NUMBER: 07/973,341
FILING DATE: 09-NOV-1992
ATTORNEY/AGENT INFORMATION:
NAME: Clough, David W.
REGISTRATION NUMBER: 36,107
REFERENCE/DOCKET NUMBER: 31745
TELECOMMUNICATION INFORMATION:
TELEPHONE: 312/474-6653
TELEFAX: 312/474-0448
TELEX: 25-3856
INFORMATION FOR SEQ ID NO: 47:
SEQUENCE CHARACTERISTICS:
LENGTH: 270 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-484-993B-47

Query Match 56.9%; Score 33; DB 2; Length 270;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NYGSPY 9
||||:|
Db 58 NYGSYY 63

RESULT 13
US-08-484-158B-47
Sequence 47, Application US/08484158B
Patent No. 5976545
GENERAL INFORMATION:
APPLICANT: Harris Ph.D., Jeffrey D.
APPLICANT: Hsu, Kuang T.
TITLE OF INVENTION: Pharmaceutical Compositions for
TITLE OF INVENTION: Immunocontraception
NUMBER OF SEQUENCES: 61
CORRESPONDENCE ADDRESSES:
ADDRESSEE: Marshall, O'Toole, Gerstein, Murray &
ADDRESSEE: Borun
STREET: 6300 Sears Tower, 233 South Wacker Drive
CITY: Chicago
STATE: Illinois
COUNTRY: United States of America
ZIP: 60606-6402
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/484,158B
FILING DATE: 07-JUNE-95
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/149,223
FILING DATE: 09-NOV-93
PRIOR APPLICATION DATA:

APPLICATION NUMBER: 08/012,990
FILING DATE: 29-JAN-93
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 07/973,341
FILING DATE: 09-NOV-92
ATTORNEY/AGENT INFORMATION:
NAME: Clough, David W.
REGISTRATION NUMBER: 36,107
REFERENCE/DOCKET NUMBER: 32794
TELECOMMUNICATION INFORMATION:
TELEPHONE: 312/474-6653
TELEFAX: 312/474-0448
TELEX: 25-3856
INFORMATION FOR SEQ ID NO: 47:
SEQUENCE CHARACTERISTICS:
LENGTH: 270 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-484-158B-47

Query Match 56.9%; Score 33; DB 2; Length 270;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 4 NYGSPY 9
||||:|
Db 58 NYGSYY 63

RESULT 14
US-08-484-596A-47
Sequence 47, Application US/08484596A
Patent No. 5981228
GENERAL INFORMATION:
APPLICANT: Harris Ph.D., Jeffrey D.
APPLICANT: Hsu, Kuang T.
TITLE OF INVENTION: Materials and Methods for Immunocontraception
NUMBER OF SEQUENCES: 59
CORRESPONDENCE ADDRESSES:
ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
STREET: 6300 Sears Tower, 233 South Wacker Drive
CITY: Chicago
STATE: Illinois
COUNTRY: United States of America
ZIP: 60606-6402
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/484,596A
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/149,223
FILING DATE: 11-NOV-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 07/973,341
FILING DATE: 09-NOV-1992
ATTORNEY/AGENT INFORMATION:
NAME: Clough, David W.
REGISTRATION NUMBER: 36,107
REFERENCE/DOCKET NUMBER: 31745
TELECOMMUNICATION INFORMATION:
TELEPHONE: 312/474-6653
TELEFAX: 312/474-0448
TELEX: 25-3856
INFORMATION FOR SEQ ID NO: 47:
SEQUENCE CHARACTERISTICS:

; LENGTH: 270 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-484-596A-47

Query Match 56.9%; Score 33; DB 2; Length 270;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFY 9
Db 58 NYGSYY 63

RESULT 15
US-08-480-150A-47
; Sequence 47, Application US/08480150A
; Patent No. 5989550
; GENERAL INFORMATION:
; APPLICANT: Harris Ph.D., Jeffrey D.
; APPLICANT: Hsu, Kuang T.
; APPLICANT: Podolski, Joseph S.
; TITLE OF INVENTION: Materials and Methods for Immunocontraception
; NUMBER OF SEQUENCES: 59
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
; STREET: 6300 Sears Tower, 233 South Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: United States of America
; ZIP: 60606-6402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/480,150A
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/149,223
; FILING DATE: 09-NOV-1993
; APPLICATION NUMBER: 08/012,990
; FILING DATE: 29-JAN-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/973,341
; FILING DATE: 09-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Clough, David W.
; REGISTRATION NUMBER: 36,107
; REFERENCE/DOCKET NUMBER: 31745
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312/474-6653
; TELEFAX: 312/474-0448
; TELEX: 25-3856
; INFORMATION FOR SEQ ID NO: 47:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 270 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-480-150A-47

Query Match 56.9%; Score 33; DB 2; Length 270;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFY 9
Db 58 NYGSYY 63

Db 58 NYGSYY 63

Search completed: March 28, 2001, 07:02:01
Job time: 1340 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:04:37 ; Search time 130.08 Seconds
(without alignments)
5.220 Million cell updates/sec

Title: US-09-016-061-100

Perfect score: 57

Sequence: 1 ARHNYGSFYS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues

Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_66:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	70.2	113	2 S26468	Ig heavy chain V r
2	39	68.4	555	2 T21028	hypothetical prote
3	38	66.7	89	2 S38688	MHC class II histo
4	38	66.7	89	2 S38683	MHC class II histo
5	38	66.7	89	2 S38684	MHC class II histo
6	38	66.7	225	2 I47095	MHC class II OVAR-
7	37	64.9	386	2 S51436	probable membrane
8	37	64.9	479	1 F70039	probable iron-sulf
9	37	64.9	2288	2 T29999	hypothetical prote
10	36	63.2	82	2 I51106	Major Histocompati
11	36	63.2	233	2 H82163	arginyl-tRNA-prote
12	36	63.2	446	2 T19625	hypothetical prote
13	36	63.2	470	2 H71667	glutamate-tRNA li
14	36	63.2	575	2 T12094	beta-fructofuranos
15	36	63.2	583	2 S56680	beta-fructofuranos
16	36	63.2	592	2 J00991	beta-fructofuranos
17	36	63.2	592	2 S56681	beta-fructofuranos
18	36	63.2	592	2 S61503	beta-fructofuranos
19	36	63.2	593	2 T01575	beta-fructofuranos
20	36	63.2	786	2 S37031	probable succinogl
21	35	61.4	9	2 S36850	Ig heavy chain V r
22	35	61.4	83	2 S21593	Ig heavy chain V r
23	35	61.4	167	2 T16454	hypothetical prote
24	35	61.4	568	2 T28876	hypothetical prote
25	35	61.4	584	2 T06163	beta-fructofuranos
26	35	61.4	660	2 S71276	beta-fructofuranos
27	35	61.4	1024	2 T46016	hypothetical prote
28	35	61.4	2295	2 B71621	probable membrane
29	34	59.6	65	2 S17441	hypothetical prote

30	34	59.6	85	2 I59634	MHC class II DR-be
31	34	59.6	86	2 A81873	hypothetical prote
32	34	59.6	89	2 S38676	MHC class II histo
33	34	59.6	89	2 S38680	MHC class II histo
34	34	59.6	89	2 S57512	MHC class II histo
35	34	59.6	98	1 WMBP72	gene 7 protein - p
36	34	59.6	98	1 WMBP72	gene 7 protein - p
37	34	59.6	107	2 PL0080	Ig kappa chain V r
38	34	59.6	123	2 C25239	MHC class II histo
39	34	59.6	200	2 D32526	class II histocomp
40	34	59.6	210	1 B69265	conserved hypothet
41	34	59.6	221	2 I45939	MHC cell surface g
42	34	59.6	230	2 S46332	homeotic protein G
43	34	59.6	237	2 C27060	class II histocomp
44	34	59.6	248	2 T14547	beta-fructofuranos
45	34	59.6	266	2 I54287	gene HLA-DRB1 prot

ALIGNMENTS

RESULT 1

S26468

Ig heavy chain V region - mouse

C:Species: Mus musculus (house mouse)

C>Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999

C:Accession: S26468

R.Kavaler, J.

submitted to the EMBL Data Library, April 1991

A:Reference number: S26459

A:Accession: S26468

A>Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-113 <RAV>

A:Cross-references: EMBL:X59107; NID:951944; PIDN:CAAM1833.1; PID:951945

C:Superfamily: immunoglobulin V region; immunoglobulin homology

C:Keywords: heterotrimer; immunoglobulin

F:11-94/Domain: immunoglobulin homology <IM>

Query Match 70.2%; Score 40; DB 2; Length 113;
Best Local Similarity 60.0%; Pred. No. 2.1;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFYS 10

DB 93 ARHPYGNYYA 102

RESULT 2

T21028

hypothetical protein F16H6.1 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999

C:Accession: T21028

R.Matthews, L.

submitted to the EMBL Data Library, November 1996

A:Reference number: Z19362

A:Accession: T21028

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: DNA

A:Residues: 1-555 <MIL>

A:Cross-references: EMBL:Z81506; PIDN:CAB04128.1; GSPDB:GN00023; CESP:F16H6.1

A:Experimental source: clone F16H6

C:Genetics:

A:Gene: CESP:F16H6.1

A:Map position: 5

A:Introns: 123/1; 318/3

Query Match 68.4%; Score 39; DB 2; Length 555;
Best Local Similarity 87.5%; Pred. No. 16;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 RHYGSEFYS 10
 || |||||
 Db 314 HNSGSFYS 321

RESULT 3

S38688

MHC class II histocompatibility antigen HLA-DR-08 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)

C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000

C:Accession: S38688

R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced f

A:Reference number: S38676

A:Accession: S38688

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:227158

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 66.7%; Score 38; DB 2; Length 89;

Best Local Similarity 77.8%; Pred. No. 3.9;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHYGSEFYS 10

|||||

Db 75 RHYGVFES 83

RESULT 4

S38683

MHC class II histocompatibility antigen HLA-DR-03 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)

C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000

C:Accession: S38683

R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced f

A:Reference number: S38676

A:Accession: S38683

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:227153

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 66.7%; Score 38; DB 2; Length 89;

Best Local Similarity 77.8%; Pred. No. 3.9;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHYGSEFYS 10

|||||

Db 75 RHYGVFES 83

RESULT 5

S38684

MHC class II histocompatibility antigen HLA-DR-04 beta chain - northern lesser bushbaby
 C:Species: Galago senegalensis (northern lesser bushbaby)

C:Date: 25-Dec-1994 #sequence_revision 26-Jul-1996 #text_change 19-May-2000

C:Accession: S38684

R:Figuerola, F.; O'Huigin, C.; Tichy, H.; Klein, J.

submitted to the EMBL Data Library, November 1993

A:Description: The origin of the primate Mhc-DRB genes and allelic lineages as deduced f

A:Reference number: S38676

A:Accession: S38684

A:Molecule type: DNA

A:Residues: 1-89 <FIG>

A:Cross-references: EMBL:227154

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 66.7%; Score 38; DB 2; Length 89;

Best Local Similarity 77.8%; Pred. No. 3.9;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHYGSEFYS 10

|||||

Db 75 RHYGVFES 83

RESULT 6

I47095

MHC class II OVAR-DR-beta-3 - sheep (fragment)

C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)

C:Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 21-Jan-2000

C:Accession: I47095

R:Fabry, S.A.; Maddox, J.F.; Gogolin-Ewens, K.J.; Baker, L.; Wu, M.J.; Brandon, M.R.

Anim. Genet. 24, 249-255, 1993

A:Title: Isolation, characterization and evolution of ovine major histocompatibility

A:Reference number: I47075; MUID:94057592

A:Accession: I47095

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: mRNA

A:Residues: 1-225 <FAB>

A:Cross-references: GB:L04790; NID:9458880; PIDN:AA16562.1; PID:9458881

C:Genetics:

A:Gene: OVAR-DRB3

C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

F:98-163/Domain: immunoglobulin homology <IMM>

Query Match

Best Local Similarity 66.7%; Score 38; DB 2; Length 225;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHYGSEFYS 10

|||||

Db 68 RHYGVFES 76

RESULT 7

S51436

probable membrane protein YLR191w - yeast (Saccharomyces cerevisiae)

N:Alternate names: hypothetical protein L9470.1

C:Species: Saccharomyces cerevisiae

C:Date: 23-Feb-1995 #sequence_revision 12-May-1995 #text_change 06-Feb-1998

C:Accession: S51436

R:Wohldmann, P.

submitted to the EMBL Data Library, November 1994

A:Description: The sequence of S. cerevisiae cosmid 9470.

A:Reference number: S51414

A:Accession: S51436

A:Molecule type: DNA

A:Residues: 1-386 <WOH>

A:Cross-references: EMBL:U17246; NID:g577192; PID:g577193; MIPS:YLR191w

C:Genetics:

A:Gene: SGD:PEX13

A:Cross-references: SGD:S0004181; MIPS:YLR191w

A:Map position: 12R

C:Superfamily: SH3 homology

C:Keywords: transmembrane protein

F:264-280/Domain: transmembrane #status predicted <TMM>

F:313-367/Domain: SH3 homology <SH3>

Query Match

Best Local Similarity 64.9%; Score 37; DB 2; Length 386;

Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 RHYGSEFYS 9

:|||||

Db 117 RHYGSEFYS 123

RESULT 8
F70039
probable iron-sulfur protein yvfw [similarity] - Bacillus subtilis
C:Species: Bacillus subtilis
C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000
C:Accession: F70039
R:Kunst, F.; Ogasawara, N.; Moszer, I.; Albertini, A.M.; Alloni, G.; Azevedo, V.; Bertero
C.; Bron, S.; Brouillet, S.; Bruschini, C.V.; Caldwell, B.; Capuano, V.; Carter, N.M.; Chd
A.; Ehrlich, S.D.; Emerson, P.T.; Entian, K.D.; Errington, J.; Fabret, C.; Ferrari, E.
Nature 390, 249-256, 1997
A:Authors: Foulger, D.; Fritz, C.; Fujita, M.; Fujita, Y.; Fuma, S.; Galizzi, A.; Gallet
leach, J.; Harwood, C.R.; Henaut, A.; Hilbert, H.; Holsappel, S.; Hosono, S.; Hullo, M.F.
Koetter, P.; Koningstein, G.; Krogh, S.; Kumano, M.; Kurita, K.; Lapidus, A.; Lardinois,
A:Authors: Lauber, J.; Lazarevic, V.; Lee, S.M.; Levine, A.; Liu, H.; Masuda, S.; Maueel
Y. M.; Ogawa, K.; Ogiwara, A.; Oudega, B.; Park, S.H.; Parro, V.; Pohl, T.M.; Portetelle
Rieger, M.; Rivolta, C.; Rocha, E.; Roche, B.; Rose, M.; Sadaie, Y.; Sato, T.; Scanlon,
A:Authors: Schleich, S.; Schroeter, R.; Scoffone, F.; Sekiguchi, J.; Sekowska, A.; Seron
akeuchi, M.; Tamakoshi, A.; Tanaka, T.; Terpstra, P.; Togononi, A.; Tosato, V.; Uchiyama,
T.; Winters, P.; Wipat, A.; Yamamoto, H.; Yamane, K.; Yasumoto, K.; Yata, K.; Yoshida, K
A:Authors: Yoshikawa, H.P.; Zumbstein, E.; Yoshikawa, H.; Danchin, A.
A:Title: The complete genome sequence of the Gram-positive bacterium Bacillus subtilis.
A:Reference number: A69580; MUID:98044033
A:Accession: F70039
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-479 <KUN>
A:Cross-references: GB:299121; GB:AL009126; NID:g2635827; PIDN:CAB15409.1; PID:g2635917
A:Experimental source: strain 168
C:Genetics:
A:Gene: yvfw
C:Superfamily: conserved hypothetical iron-sulfur protein HP0138; ferredoxin 2[4Fe-4S] H
C:Keywords: 4Fe-4S; iron-sulfur protein; metalloprotein
F:303-381/Domain: ferredoxin 2[4Fe-4S] homology <FER>
F:313,316,319,373/Binding site: 4Fe-4S cluster (Cys) (covalent) #status predicted
F:323,363,366,369/Binding site: 4Fe-4S cluster (Cys, Ser, Cys, Cys) (covalent) #status P

Query Match 64.9%; Score 37; DB 1; Length 479;
Best Local Similarity 75.0%; Pred. No. 32;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYS 10
I:|||||
Db 332 HSYGSIYS 339

RESULT 9
T29999
hypothetical protein ZC8.4 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 18-Feb-2000
C:Accession: T29999
R:Latreille, P.; Bradshaw, H.
submitted to the EMBL Data Library, July 1996
A:Description: The sequence of C. elegans cosmid ZC8.
A:Reference number: Z20719
A:Accession: T29999
A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-2288 <LAT>
A:Cross-references: EMBL:U64862; PIDN:AAB52624.1; GSPDB:GN000028; CESP:ZC8.4
A:Experimental source: strain Bristol N2; clone ZC8
C:Genetics:
A:Gene: CESP:ZC8.4
A:Map position: X
A:Introns: 43/2; 80/3; 110/3; 153/2; 274/3; 738/2; 1249/1; 1392/3; 1454/1; 1602/1; 1686/

Query Match 64.9%; Score 37; DB 2; Length 2288;
Best Local Similarity 66.7%; Pred. No. 1.5e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
I:|||||
Db 34 SRSNYGEFY 42

RESULT 10
I51106

Major Histocompatibility Complex class IIB - ring-necked pheasant (fragment)
C:Species: Phasianus colchicus (ring-necked pheasant)
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 23-Jul-1999
C:Accession: I51106
R:Witzell, H.; von Schantz, T.; Zoorob, R.; Auffray, C.
Immunogenetics 39, 395-403, 1994
A:Title: Molecular characterization of three Mhc class II B haplotypes in the ring-ne
A:Reference number: I51103; MUID:94245280
A:Accession: I51106

A:Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: DNA
A:Residues: 1-82 <WIT>
A:Cross-references: EMBL:X75406; NID:g496926; PIDN:CAA53160.1; PID:g496927
C:Superfamily: class II histocompatibility antigen; immunoglobulin homology

Query Match 63.2%; Score 36; DB 2; Length 82;
Best Local Similarity 85.7%; Pred. No. 8.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
I:|||||
Db 75 RHNYGVF 81

RESULT 11
H82163

arginyl-tRNA-protein transferase-related protein VC1736 [imported] - Vibrio cholerae
C:Species: Vibrio cholerae
C:Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 15-Sep-2000
C:Accession: H82163
R:Heidelberg, J.F.; Eisen, J.A.; Nelson, W.C.; Clayton, R.A.; Gwinn, M.L.; Dodson, R.
chardson, D.; Ermolaeva, M.D.; Vamathevan, J.; Bass, S.; Qin, H.; Dragoi, I.; Sellers
l, R.R.; Mekalanos, J.J.; Venter, J.C.; Fraser, C.M.
Nature 406, 477-483, 2000

A:Title: DNA Sequence of both chromosomes of the cholera pathogen Vibrio cholerae.
A:Reference number: A82035; MUID:20406833

A:Accession: H82163
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-233 <HEI>
A:Cross-references: GB:AE004251; GB:AE003852; NID:g9656248; PIDN:AAF94886.1; GSPDB:GN
C:Genetics:
A:Gene: VC1736
A:Map position: 1

Query Match 63.2%; Score 36; DB 2; Length 233;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
I:|||||
Db 117 ARRHGSMY 125

RESULT 12
T19625

hypothetical protein C31H5.6 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 20-Jun-2000
C:Accession: T19625

R:Kershaw, J.
submitted to the EMBL Data Library, April 1997

A:Reference number: Z19153

A:Accession: T19625

A:Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: DNA

A:Residues: 1-446 <WIL>

A:Cross-references: EMBL:Z93778; PIDN:CAB07846.1; GSPDB:GN00019; CESP:C31H5.6

A:Experimental source: clone C31H5

C:Genetics:

A:Gene: CESP:C31H5.6

A:Map position: 1

A:Introns: 49/2; 120/2; 183/3; 218/3; 255/3; 285/2; 331/3; 360/3

C:Superfamily: Caenorhabditis elegans hypothetical protein W03D8.8

Query Match

Best Local Similarity 63.2%; Score 36; DB 2; Length 446;

Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7

Db 51 RHNYGS 56

RESULT 13

H71667

glutamate--tRNA ligase (EC 6.1.1.17) (gltx2) RP623 - Rickettsia prowazekii

C:Species: Rickettsia prowazekii

C:Date: 21-Nov-1998 #sequence_revision 21-Nov-1998 #text_change 20-Jun-2000

C:Accession: H71667

R:Andersson, S.G.E.; Zomorodipour, A.; Andersson, J.O.; Sicheritz-Ponten, T.; Alsmark, U.

Nature 396, 133-140, 1998

A:Title: The genome sequence of Rickettsia prowazekii and the origin of mitochondria.

A:Reference number: A71630; MUID:99039499

A:Accession: H71667

A:Status: preliminary; nucleic acid sequence not shown; translation not shown

A:Molecule type: DNA

A:Residues: 1-470 <AND>

A:Cross-references: GB:AJ235272; GB:AJ235269; NID:g3861033; PIDN:CAA15066.1; PID:g386116

A:Experimental source: strain Madrid E

C:Genetics:

A:Gene: gltx2; RP623

C:Superfamily: glutamate--tRNA ligase; glutamine--tRNA ligase homology

C:Keywords: aminoacyl-tRNA synthetase; ligase; protein biosynthesis

F:4-281/Domain: glutamine--tRNA ligase homology <EGL>

Query Match

Best Local Similarity 63.2%; Score 36; DB 2; Length 470;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9

Db 31 ARHNGKFF 39

RESULT 14

T12094

beta-fructofuranosidase (EC 3.2.1.26) - fava bean

C:Species: Vicia faba (fava bean)

C:Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 21-Jul-2000

C:Accession: T12094

R:Weber, H.; Borisjuk, L.; Helm, U.; Buchner, P.; Wobus, U.

Plant Cell 7, 1835-1846, 1995

A:Title: Seed coat-associated invertases of Fava bean control both unloading and storage

A:Reference number: Z17416; MUID:96093423

A:Accession: T12094

A:Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-575 <WEB>

A:Cross-references: EMBL:Z35162; NID:g861154; PIDN:CAA84526.1; PID:g861155

A:Experimental source: cv. Fribo, seed coat

C:Genetics:

A:Gene: CWINV1

C:Superfamily: beta-fructofuranosidase

C:Keywords: cell wall; glycoprotein; glycosidase; hydrolase

Query Match

Best Local Similarity 63.2%; Score 36; DB 2; Length 575;

Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10

Db 308 RYDYGNEYA 316

RESULT 15

S56680

beta-fructofuranosidase (EC 3.2.1.26) 3 precursor, cell wall - carrot

N:Alternate names: invertase

C:Species: Daucus carota (carrot)

C:Date: 10-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 22-Jun-1999

C:Accession: S56680

R:Lorenz, K.; Lienhard, S.; Sturm, A.

Plant Mol. Biol. 28, 189-194, 1995

A:Title: Structural organization and differential expression of carrot beta-fructofur

A:Reference number: S56680; MUID:95306787

A:Accession: S56680

A:Status: nucleic acid sequence not shown

A:Molecule type: DNA

A:Residues: 1-583 <LOR>

A:Cross-references: EMBL:X78423; NID:g468534; PIDN:CAA55188.1; PID:gl020102

C:Genetics:

A:Gene: inv3

A:Introns: 68/1; 71/1; 357/3; 410/3; 493/2; 523/3

C:Superfamily: beta-fructofuranosidase

C:Keywords: cell wall; glycoprotein; glycosidase; hydrolase

F:1-42/Domain: signal sequence and propeptide #status predicted <SIG>

F:43-583/Product: beta-fructofuranosidase 3, cell wall #status predicted <MAT>

Query Match

Best Local Similarity 63.2%; Score 36; DB 2; Length 583;

Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10

Db 313 RYDYGNEYA 321

Search completed: March 28, 2001, 07:04:38

Job time: 1076 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:35:19 ; Search time 72.95 Seconds
(without alignments)
4.379 Million cell updates/sec

Title: US-09-016-061-100

Perfect score: 57

Sequence: 1 ARHNYGSFYS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues.

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	37	64.9	386	1	PEXD_YEAST
2	36	63.2	470	1	Q9ZCT8 rickettsia
3	36	63.2	583	1	INV2_DAUCA
4	36	63.2	592	1	INV1_DAUCA
5	36	63.2	592	1	INV2_DAUCA
6	36	63.2	786	1	EXOP_RHIME
7	34	59.6	65	1	CCSA_PEA
8	34	59.6	98	1	VG7_BPPH2
9	34	59.6	98	1	VG7_BPPZA
10	34	59.6	275	1	IF2A_PYRAB
11	34	59.6	275	1	IF2A_PYRHO
12	34	59.6	284	1	IPYR_PICPA
13	34	59.6	286	1	IPYR_KLULA
14	34	59.6	286	1	IPYR_YEAST
15	34	59.6	328	1	CCSA_ARATH
16	34	59.6	367	1	LHX4_MOUSE
17	34	59.6	512	1	PNTA_HAEIN
18	34	59.6	683	1	SFPI_YEAST
19	34	59.6	1386	1	RPOD_MARPO
20	33	57.9	245	1	GSC_CHICK
21	33	57.9	313	1	CCSA_TOBAC
22	33	57.9	316	1	Y025_NPVAC
23	33	57.9	347	1	UL33_HSV6U
24	33	57.9	371	1	MNCP_OXYFA
25	33	57.9	371	1	MNCP_OXYTR
26	33	57.9	448	1	NCAP_CVHOC
27	33	57.9	473	1	SYE_AQUAE
28	33	57.9	494	1	RNHL_CRIFA
29	33	57.9	514	1	LIM_HALRO
30	33	57.9	590	1	INVA_MAIZE
31	33	57.9	642	1	INVA_VICFA
32	33	57.9	649	1	INVA_PHAUU
33	33	57.9	651	1	INVA_PHAVU
					Q24509 phaseolus v

34	33	57.9	715	1	ADSV_BOVIN
35	33	57.9	802	1	YGN9_YEAST
36	33	57.9	1196	1	XPG_XENLA
37	33	57.9	1790	1	VIT_ANTGR
38	33	57.9	2184	1	RRPL_CDOVO
39	32	56.1	65	1	CCSA_OENBE
40	32	56.1	194	1	PTH_SALTI
41	32	56.1	196	1	WBBJ_ECOLI
42	32	56.1	198	1	HB2G_HUMAN
43	32	56.1	266	1	HB2A_HUMAN
44	32	56.1	266	1	HB2B_HUMAN
45	32	56.1	266	1	HB2C_HUMAN

ALIGNMENTS

RESULT 1

ID	PEXD_YEAST	STANDARD;	PRT;	386 AA.
AC	P80667;			
DT	01-OCT-1996 (Rel. 34, Created)			
DT	01-OCT-1996 (Rel. 34, Last sequence update)			
DT	15-DEC-1998 (Rel. 37, Last annotation update)			
DE	PEROXISOMAL MEMBRANE PROTEIN PAS20 (PEROXIN-13).			
GN	PEX13 OR PAS20 OR YLR191W OR L9470.1.			
OS	Saccharomyces cerevisiae (Baker's yeast).			
OC	Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;			
OC	Saccharomycetaceae; Saccharomyces.			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RC	STRAIN-S288C / AB972;			
RA	Johnston M., Andrews S., Brinkman R., Cooper J., Ding H., Du Z.,			
RA	Favella A., Fulton L., Gattung S., Greco T., Kirsten J., Kucaba T.,			
RA	Hallsworth K., Hawkins J., Hillier L., Jier M., Johnson D.,			
RA	Johnston L., Langston Y., Latreille P., Le T., Mardis E., Menezes S.,			
RA	Miller N., Nhan M., Pauley A., Peluso D., Rifken L., Riles L.,			
RA	Talch A., Trevasakis E., Vignati D., Wilcox L., Wohldman P., Vaudin M.,			
RL	Wilson R., Waterston R.;			
RL	Submitted (NOV-1994) to the EMBL/GenBank/DBJ databases.			
RN	[2]			
RP	SEQUENCE FROM N.A.			
RC	STRAIN-S288C / AB972;			
RA	Johnston M., Andrews S., Brinkman R., Cooper J., Ding H., Du Z.,			
RA	Favella A., Fulton L., Gattung S., Greco T., Kirsten J., Kucaba T.,			
RA	Hallsworth K., Hawkins J., Hillier L., Jier M., Johnson D.,			
RA	Johnston L., Langston Y., Latreille P., Le T., Mardis E., Menezes S.,			
RA	Miller N., Nhan M., Pauley A., Peluso D., Rifken L., Riles L.,			
RA	Talch A., Trevasakis E., Vignati D., Wilcox L., Wohldman P., Vaudin M.,			
RL	Wilson R., Waterston R.;			
RL	Submitted (NOV-1994) to the EMBL/GenBank/DBJ databases.			
RN	[3]			
RP	PARTIAL SEQUENCE, AND CHARACTERIZATION.			
RC	STRAIN-S288C;			
RA	Erdmann R., Blobel G.;			
RA	"Identification of Pex13p, a peroxisomal membrane receptor for the			
RT	PTS1 recognition factor";			
RL	J. Cell Biol. 135:111-121(1996).			
CC	!- FUNCTION: COMPONENT OF THE PEROXISOMAL TRANSLLOCATION MACHINERY			
CC	WITH PEX14 AND PEX17. INTERACTS WITH THE PTS1 RECEPTOR			
CC	(PAS10/PEX5).			
CC	!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. PEROXISOMAL.			
CC	!- SIMILARITY: CONTAINS 1 SH3 DOMAIN.			
CC	-----			
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration			
CC	between the Swiss Institute of Bioinformatics and the EMBL outstation -			
CC	the European Bioinformatics Institute. There are no restrictions on its			
CC	use by non-profit institutions as long as its content is in no way			
CC	modified and this statement is not removed. Usage by and for commercial			
CC	entities requires a license agreement (See http://www.isb-sib.ch/announce/			
CC	or send an email to license@isb-sib.ch).			
CC	-----			
DR	EMBL; S82971; AAB46885.1; -			
DR	EMBL; U37420; AAB79308.1; -			

Q28046	bos taurus
P53121	saccharomyc
P14629	xenopus lae
Q05808	anthonomus
P24658	canine dist
P31565	oenothera b
O60001	salmonella
P37750	escherichia
P01911	homo sapien
P01913	homo sapien
P01912	homo sapien
P01914	homo sapien

DR EMBL: U17246; AAB67453.1; -;
 DR EMBL: U14913; AAB67448.1; -;
 DR HSPF: Q06187; IAWW.
 DR SGD: S0004181; PEX13.
 DR INTERPRO: IPR001452; -;
 DR PFAM: PF00018; SH3; 1.
 DR PRINTS: PR00452; SH3DOMAIN.
 DR PROSITE: PS50002; SH3; 1.
 KW Peroxisome; Transport; Protein transport; Transmembrane; SH3 domain.
 FT DOMAIN 1 263 LUMENAL (POTENTIAL).
 FT TRANSMEM 264 280 POTENTIAL.
 FT DOMAIN 281 386 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 306 372 SH3.
 SQ SEQUENCE 386 AA; 42706 MW; DBEA9A2372185860 CRC64;

Query Match 64.9%; Score 37; DB 1; Length 386;
 Best Local Similarity 85.7%; Pred. No. 8.3;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSFY 9
 :|||||
 DB 117 NNYGSFY 123

RESULT 2
 ID SYE2_RICPR STANDARD; PRT; 470 AA.
 AC Q9ZCT8;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE GLUTAMYL-TRNA SYNTHETASE 2 (EC 6.1.1.17) (GLUTAMATE--TRNA LIGASE 2)
 DE (GLURS 2).
 GN GLTX2 OR RP623.
 OS Rickettsia prowazekii.
 OC Bacteria; Proteobacteria; alpha subdivision; Rickettsiales;
 OC Rickettsiaceae; Rickettsiae; Rickettsia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MADRID E;
 RX MEDLINE; 95039499.
 RA Andersson S.G.E., Zomorodipour A., Andersson J.O.,
 RA Sichert-Ponten T., Alsmark U.C.M., Podowski R.M., Naeslund A.K.,
 RA Eriksson A.-S., Winkler H.H., Kurland C.G.;
 RT "The genome sequence of Rickettsia prowazekii and the origin of
 RT mitochondria".
 RL Nature 396:133-140(1998).
 CC -!- CATALYTIC ACTIVITY: ATP + L-GLUTAMATE + TRNA (GLU) = AMP +
 CC PYROPHOSPHATE + L-GLUTAMYL-TRNA (GLU).
 CC -!- SUBUNIT: MONOMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO CLASS-I AMINOACYL-TRNA SYNTHETASE FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL: AJ235272; CAA15066.1; -;
 DR HSPF: P27000; IGLN.
 DR INTERPRO: IPR000924; -;
 DR PRINTS: PR00987; TRNA-synt_lc; 1.
 DR PFAM: PF00749; TRNA-syntHGLU.
 KW Aminoacyl-TRNA synthetase; Protein biosynthesis; Ligase; ATP-binding.
 FT SIMILAR 10 20 "HIGH" REGION.
 FT SIMILAR 239 243 "KMSKS" REGION.
 FT BINDING 242 242 ATP (BY SIMILARITY).

-SQ SEQUENCE 470 AA; 53696 MW; DF1CE50A20B8A9FD CRC64;

Query Match 63.2%; Score 36; DB 1; Length 470;
 Best Local Similarity 66.7%; Pred. No. 16;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
 :|||||
 DB 31 ARHNGKFF 39

RESULT 3
 ID INV3_DAUCA STANDARD; PRT; 583 AA.
 AC Q39693;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 3 PRECURSOR (EC 3.2.1.26).
 DE (SUCROSE-6-PHOSPHATE HYDROLASE 3) (INVERTASE 3) (CELL WALL BETA-
 DE FRUCTOSIDASE 3).
 GN INV3.
 OS Daucus carota (Carrot).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae;
 OC euasterids II; Apiales; Apiaceae; Daucus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV. QUEEN ANNE'S LACE;
 RX MEDLINE; 95306787.
 RA Lorenz K., Lienhard S., Sturm A.;
 RT "Structural organization and differential expression of carrot beta-
 RT fructofuranosidase genes: identification of a gene coding for a
 RT flower bud-specific isozyme".
 RL Plant Mol. Biol. 28:189-194(1995).
 CC -!- FUNCTION: MAY PLAY AN IMPORTANT ROLE IN PHLOEM UNLOADING AND IN
 CC STRESS RESPONSE.
 CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF TERMINAL NON-REDUCING BETA-D-
 CC FRUCTOFURANOSIDE RESIDUES IN BETA-D-FRUCTOFURANOSIDES.
 CC -!- SUBCELLULAR LOCATION: IONICALLY BOUND TO THE CELL WALL.
 CC -!- SIMILARITY: BELONGS TO FAMILY 32 OF GLYCOSYL HYDROLASES.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL: X78423; CAA55188.1; -;
 DR INTERPRO: IPR001362; -;
 DR PFAM: PF00251; Glyco_hydro_32; 1.
 DR PROSITE: PS00609; GLYCOSYL_HYDROL_F32; 1.
 KW Hydrolase; Glycosidase; Glycoprotein; Cell wall; Zymogen; Signal.
 FT SIGNAL 1 ? POTENTIAL.
 FT PROPEP ? ? POTENTIAL.
 FT CHAIN ? ? 583 BETA-FRUCTOFURANOSIDASE, INSOLUBLE
 FT ISOENZYME 3.
 FT CARBOHYD 164 164 N-LINKED (GLCNAC. .) (POTENTIAL).
 FT CARBOHYD 280 280 N-LINKED (GLCNAC. .) (POTENTIAL).
 FT CARBOHYD 303 303 N-LINKED (GLCNAC. .) (POTENTIAL).
 FT CARBOHYD 340 340 N-LINKED (GLCNAC. .) (POTENTIAL).
 FT CARBOHYD 561 561 N-LINKED (GLCNAC. .) (POTENTIAL).
 SQ SEQUENCE 583 AA; 66381 MW; 1DBF591CD94749AF CRC64;

Query Match 63.2%; Score 36; DB 1; Length 583;
 Best Local Similarity 55.6%; Pred. No. 20;
 Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10

Db 313 RYDYGNEYA 321
 ::|||::

RESULT 4
 INV1_DAUC
 ID INV1_DAUC STANDARD; PRT; 592 AA.
 AC P26792;
 DT 01-AUG-1992 (Rel. 23, Created)
 DT 01-AUG-1992 (Rel. 23, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 1 (INVERTASE 1) (CELL WALL BETA-FRUCTOSIDASE 1).
 DE (SUCROSE-6-PHOSPHATE HYDROLASE 1) (INVERTASE 1) (CELL WALL BETA-FRUCTOSIDASE 1).
 GN INV1.
 OS Daucus carota (Carrot).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae;
 OC euasterids II; Apiales; Apiaceae; Daucus.
 RN [1]
 RP SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
 RC STRAIN=CV, QUEEN ANNE'S LACE;
 RX MEDLINE; 93005650.
 RA Sturm A., Christpeels M.J.;
 RT "cDNA cloning of carrot extracellular beta-fructosidase and its
 RT expression in response to wounding and bacterial infection.";
 RL Plant Cell 2:1107-1119(1990).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 94035200.
 RA Ramloch-Lorenz K., Knudsen S., Sturm A.;
 RT "Molecular characterization of the gene for carrot cell wall beta-fructosidase.";
 RT fructosidase.";
 RL Plant J. 4:545-554(1993).
 CC -!- FUNCTION: MAY PLAY AN IMPORTANT ROLE IN PHLOEM UNLOADING AND IN STRESS RESPONSE.
 CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF TERMINAL NON-REDUCING BETA-D-FRUCTOFURANOSIDE RESIDUES IN BETA-D-FRUCTOFURANOSIDES.
 CC -!- SUBCELLULAR LOCATION: IONICALLY BOUND TO THE CELL WALL.
 CC -!- TISSUE SPECIFICITY: IN LEAVES AND ROOTS OF YOUNG PLANTS.
 CC -!- INDUCTION: IN RESPONSE TO WOUNDING AND BACTERIAL INFECTION.
 CC -!- SIMILARITY: BELONGS TO FAMILY 32 OF GLYCOSYL HYDROLASES.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
 DR EMBL: M58362; AAA03516.1; -
 DR EMBL: X69321; CAA49162.1; -
 DR PIR: JQ0991; JQ0991.
 DR INTERPRO: IPR001362; -
 DR PFAM: PF00251; Glyco_hydro_32; 1.
 DR PROSITE; PS00609; Glycoprotein; Cell wall; Zymogen; Signal.
 KW Hydrolyase; Glycosidase; Glycoprotein; Cell wall; Zymogen; Signal.
 FT SIGNAL 1 31 OR 39 (POTENTIAL).
 FT PROPEP 32 48 OR 40 (POTENTIAL).
 FT CHAIN 49 592 BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 1.
 FT ACT_SITE 74 74 BY SIMILARITY.
 FT CARBOHYD 170 170 N-LINKED (GLCNAC. . .) (COMPLEX).
 FT CARBOHYD 195 195 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 311 311 N-LINKED (GLCNAC. . .) (COMPLEX).
 FT CARBOHYD 348 348 N-LINKED (GLCNAC. . .) (HIGH MANNOSE).
 FT CARBOHYD 570 570 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CONFLICT 133 133 R -> W (IN REF. 2).
 FT CONFLICT 487 487 A -> V (IN REF. 2).
 SQ SEQUENCE 592 AA; 66813 MW; E3DF85355D277D0C CRC64;

Query Match 63.2%; Score 36; DB 1; Length 592;
 Best Local Similarity 55.6%; Pred. No. 20;
 Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
 ::|||::
 DB 321 RYDYGNEYA 329

RESULT 5
 INV2_DAUC
 ID INV2_DAUC STANDARD; PRT; 592 AA.
 AC Q39692;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 2 (INVERTASE 2) (CELL WALL BETA-FRUCTOSIDASE 2).
 DE (SUCROSE-6-PHOSPHATE HYDROLASE 2) (INVERTASE 2) (CELL WALL BETA-FRUCTOSIDASE 2).
 GN INV2.
 OS Daucus carota (Carrot).
 OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
 OC Magnoliophyta; eudicotyledons; core eudicots; Asteridae;
 OC euasterids II; Apiales; Apiaceae; Daucus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CV, QUEEN ANNE'S LACE;
 RX MEDLINE; 95306787.
 RA Lorenz K., Lienhard S., Sturm A.;
 RT "Structural organization and differential expression of carrot beta-fructofuranosidase genes: identification of a gene coding for a flower bud-specific isozyme.";
 RT flower bud-specific isozyme.";
 RL Plant Mol. Biol. 28:189-194(1995).
 CC -!- FUNCTION: MAY PLAY AN IMPORTANT ROLE IN PHLOEM UNLOADING AND IN STRESS RESPONSE.
 CC -!- CATALYTIC ACTIVITY: HYDROLYSIS OF TERMINAL NON-REDUCING BETA-D-FRUCTOFURANOSIDE RESIDUES IN BETA-D-FRUCTOFURANOSIDES.
 CC -!- SUBCELLULAR LOCATION: IONICALLY BOUND TO THE CELL WALL.
 CC -!- SIMILARITY: BELONGS TO FAMILY 32 OF GLYCOSYL HYDROLASES.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
 DR EMBL: X78424; CAA55189.1; -
 DR INTERPRO: IPR001362; -
 DR PFAM: PF00251; Glyco_hydro_32; 1.
 DR PROSITE; PS00609; Glycoprotein; Cell wall; Zymogen; Signal.
 KW Hydrolyase; Glycosidase; Glycoprotein; Cell wall; Zymogen; Signal.
 FT SIGNAL 1 31 POTENTIAL.
 FT PROPEP 32 48 POTENTIAL.
 FT CHAIN 49 592 BETA-FRUCTOFURANOSIDASE, INSOLUBLE ISOENZYME 2.
 FT ACT_SITE 75 75 BY SIMILARITY.
 FT CARBOHYD 171 171 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 195 195 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 310 310 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 347 347 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 568 568 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 592 AA; 67397 MW; 2734603836709133 CRC64;

Query Match 63.2%; Score 36; DB 1; Length 592;
 Best Local Similarity 55.6%; Pred. No. 20;
 Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
 ::|||::
 DB 320 RYDYGNEYA 328

```

RESULT 6
EXP_RHIME STANDARD; PRT; 786 AA.
ID P33698;
AC 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE SUCCINOGLYCAN BIOSYNTHESIS TRANSPORT PROTEIN EXOP.
GN EXOP.
OS Rhizobium meliloti (Sinorhizobium meliloti).
OG Plasmid pSymB (megaplasmid 2).
OC Bacteria; Proteobacteria; alpha subdivision; Rhizobiaceae group;
OC Rhizobiaceae; Sinorhizobium.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=1021;
RX MEDLINE: 94042869.
RA Glucksmann M.A., Reuber T.L., Walker G.C.;
RT "Family of glycosyl transferases needed for the synthesis of
RT succinoglycan by Rhizobium meliloti.";
RL J. Bacteriol. 175:7033-7044(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=1021;
RX MEDLINE: 94042870.
RA Glucksmann M.A., Reuber T.L., Walker G.C.;
RT "Genes needed for the modification, polymerization, export, and
RT processing of succinoglycan by Rhizobium meliloti: a model for
RT succinoglycan biosynthesis.";
RL J. Bacteriol. 175:7045-7053(1993).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=RCR2011 / SU47;
RX MEDLINE: 94067019.
RA Becker A., Kleickmann A., Keller M., Arnold W., Puehler A.;
RT "Identification and analysis of the Rhizobium meliloti exoAMONP genes
RT involved in exopolysaccharide biosynthesis and mapping of promoters
RT located on the exoHKLAMONP fragment.";
RL Mol. Gen. Genet. 241:367-379(1993).
CC -!- PATHWAY: EXOPOLYSACCHARIDE BIOSYNTHESIS.
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN (PROBABLE).
CC -!- SIMILARITY: SOME, TO B.SOLANACEARUM EPSB.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: L20758; AAA16042.1; -
DR EMBL: Z22636; CAA80349.1; -
DR PIR: B49349; B49349.
DR PIR: S37031; S37031.
DR PIR: S39960; S39960.
KW Exopolysaccharide synthesis; Transport; Transmembrane; ATP-binding;
KW Plasmid.
FT DOMAIN 1 42 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 43 66 POTENTIAL.
FT DOMAIN 67 689 PERIPLASMIC (POTENTIAL).
FT TRANSMEM 690 711 POTENTIAL.
FT DOMAIN 712 786 CYTOPLASMIC (POTENTIAL).
FT NP_BIND 583 590 ATP (POTENTIAL).
FT SEQUENCE 786 AA; 86123 MW; E19E771E31F2030C CRC64;

Query Watch
Best Local Similarity 63.2%; Score 36; DB 1; Length 786;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

```

```

QY 2 HNYGSPFY 9
Db 768 RHRYGKYI 775

RESULT 7
CCSA_PEA STANDARD; PRT; 65 AA.
ID CCSA_PEA
AC P31172;
DT 01-JUL-1993 (Rel. 26, Created)
DT 01-JUL-1993 (Rel. 26, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE CYTOCHROME C BIOGENESIS PROTEIN CCSA (FRAGMENT).
GN CCSA.
OS Pisum sativum (Garden pea).
OG Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids I;
OC Fabales; Fabaceae; Papilionoideae; Pisum.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. ALASKA;
RX MEDLINE: 91355950.
RA Nagano Y., Ishikawa H., Matsuno R., Sasaki Y.;
RT "Nucleotide sequence and expression of the ribosomal protein L2 gene
RT in pea chloroplasts.";
RL Plant Mol. Biol. 17:541-545(1991).
CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
CC HEME ATTACHMENT (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CCMF/CYCK/CCLI/NRFE/CCSA FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X59015; CAA41754.1; -
DR PIR: S17441; S17441.
KW Cytochrome c-type biogenesis; Chloroplast.
FT NON_TER 1 1
FT SEQUENCE 65 AA; 7396 MW; 9E523E0C70B102AA CRC64;

Query Match 59.6%; Score 34; DB 1; Length 65;
Best Local Similarity 75.0%; Pred. No. 4.5;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSPFY 10
Db 57 HSYGSPFY 64

RESULT 8
VG7_BPPH2 STANDARD; PRT; 98 AA.
ID VG7_BPPH2
AC P13848;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 01-FEB-1991 (Rel. 17, Last annotation update)
DE HEAD MORPHOGENESIS PROTEIN (LATE PROTEIN GP7).
GN 7.
OS Bacteriophage phi-29.
OC Viruses; dsDNA viruses, no RNA stage; Tailed phages; Podoviridae.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE: 87106857.
RA Vilek C., Paces V.;
RT "Nucleotide sequence of the late region of Bacillus phage phi 29
RT completes the 19,285-bp sequence of phi 29 genome. Comparison with
RT the homologous sequence of phage PZA.";

```

```
RL Gene 46:215-225(1986).
RN SEQUENCE FROM N.A.
RX MEDLINE; 87016351.
RA Innis C.A., Garvey K.J., Ito J.;
RT "Nucleotide sequence of phage phi 29 gene 7: structure of intergenic
RL spacer between the major early and late genes.";
RL Nucleic Acids Res. 14:7129-7129(1986).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M14782; AAA32279.1; -.
DR EMBL; X04386; CAA27974.1; -.
DR PIR; A28923; WMBPF9.
KW Late protein.
SQ SEQUENCE 98 AA; 11266 MW; FF2E7985D2266E14 CRC64;

Query Match 59.6%; Score 34; DB 1; Length 98;
Best Local Similarity 77.8%; Pred. No. 7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSPYS 10
Db | | | | | |
33 RVNYGSPFVS 41

RESULT 9
VG7_BPPZA STANDARD; PRT; 98 AA.
AC P07533;
DT 01-APR-1988 (Rel. 07, Created)
DT 01-APR-1988 (Rel. 07, Last sequence update)
DT 01-FEB-1991 (Rel. 17, Last annotation update)
DE HEAD MORPHOGENESIS PROTEIN (LATE PROTEIN GP7).
GN 7.
OS Bacteriophage PZA.
OC Viruses; dsDNA viruses, no RNA stage; Tailed phages; Podoviridae.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 87031573.
RA Paces V., Vicek C., Urbanek P.;
RT "Nucleotide sequence of the late region of Bacillus subtilis phage
RL PZA, a close relative of phi 29.";
RL Gene 44:107-114(1986).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M11813; AAA88483.1; -.
DR PIR; A24831; WMBP72.
KW Late protein.
SQ SEQUENCE 98 AA; 11281 MW; 444408C39B606A25 CRC64;

Query Match 59.6%; Score 34; DB 1; Length 98;
Best Local Similarity 77.8%; Pred. No. 7;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSPYS 10
Db | | | | | |
33 RVNYGSPFVS 41
```

```
RESULT 10
IF2A_PYRAB STANDARD; PRT; 275 AA.
AC Q9W0E4;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PAB0568.
OS Pyrococcus abyssi.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-ORSAY;
RA Heilig R.;
RT "Pyrococcus abyssi genome sequence: insights into archaeal chromosome
RL structure and evolution.";
RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
CC (BY SIMILARITY).
CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
CC CHAIN (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
CC -!- SIMILARITY: CONTAINS 1 'SI MOTIF' DOMAIN.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ248285; CAB49760.1; -.
DR INTERPRO; IPR003029; -.
DR PFAM; PF00575; SI; 1.
KW Initiation factor; Protein biosynthesis; RNA-binding.
FT DOMAIN 83 SI MOTIF.
SQ SEQUENCE 275 AA; 31912 MW; B2659F3A49879B4F CRC64;

Query Match 59.6%; Score 34; DB 1; Length 275;
Best Local Similarity 83.3%; Pred. No. 21;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db | | | | |
23 HNYGAF 28

RESULT 11
IF2A_PYRHO STANDARD; PRT; 275 AA.
AC O58655;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE PROBABLE TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA).
GN EIF2A OR PH0961.
OS Pyrococcus horikoshii.
OC Archaea; Euryarchaeota; Thermococcales; Thermococcaceae; Pyrococcus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-ORS3;
RX MEDLINE; 98344137.
RA Kawarabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
RA Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
RA Funahashi T., Tanaka T., Kudo Y., Yamazaki J., Kushida N., Oguchi A.,
RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
```


RA Masuchi Y., Shizuwa H., Kikuchi H.;
 RT "Complete sequence and gene organization of the genome of a hyper-
 RT thermophilic archaeobacterium, Pyrococcus horikoshii OF3.";
 RL DNA Res. 5:55-76(1998).
 CC -!- SIMILARITY: EIF-2 FUNCTIONS IN THE EARLY STEPS OF PROTEIN SYNTHESIS
 CC BY FORMING A TERNARY COMPLEX WITH GTP AND INITIATOR TRNA
 CC (BY SIMILARITY).
 CC -!- SUBUNIT: HETEROTRIMER COMPOSED OF AN ALPHA, A BETA, AND A GAMMA
 CC CHAIN (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE EIF-2-ALPHA FAMILY.
 CC -!- SIMILARITY: CONTAINS 1 'S1 MOTIF' DOMAIN.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; AP000004; BAA30038.1; -
 DR INTERPRO; IPR003029; -
 DR PFAM; PF00575; S1; 1.
 KW Initiation factor; Protein biosynthesis; RNA-binding.
 FT DOMAIN 8 S1 MOTIF.
 SQ SEQUENCE 275 AA; 31980 MW; 6AADI5F10FPB436 CRC64;
 Query Match 59.6%; Score 34; DB 1; Length 275;
 Best Local Similarity 83.3%; Pred. No. 21;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 3 HNYGSF 8
 Db 23 HNYGAF 28
 RESULT 12
 IPYR_PICPA STANDARD; PRT; 284 AA.
 ID IPYR_PICPA
 AC O13505;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI.
 OS Pichia pastoris (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Pichia.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-NREL Y-11430;
 RX MEDLINE; 99034033.
 RA Cosano I.C., Alvarez P., Molina M., Nombela C.;
 RT "Cloning and sequence analysis of the Pichia pastoris TRP1 and
 RT HIS3 genes.";
 RL Yeast 14:861-867(1998).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC

DR EMBL; AJ001000; CAA04453.1; -
 DR HSSP; P00817; IWGI.
 DR INTERPRO; IPR001596; -
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 CC INIT_MET 0 BY SIMILARITY.
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 284 AA; 31937 MW; 3DAD27970D775D6 CRC64;
 Query Match 59.6%; Score 34; DB 1; Length 284;
 Best Local Similarity 83.3%; Pred. No. 22;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 3 HNYGSF 8
 Db 91 HNYGAF 96
 RESULT 13
 IPYR_KLULA STANDARD; PRT; 286 AA.
 ID IPYR_KLULA
 AC F13998;
 DT 01-JAN-1990 (Rel. 13, Created)
 DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DT 01-OCT-1994 (Rel. 30, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI OR IPP.
 OS Kluyveromyces lactis (Yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Kluyveromyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 89189093.
 RA Stark M.J.R., Milner J.S.;
 RT "Cloning and analysis of the Kluyveromyces lactis TRP1 gene: a
 RT chromosomal locus flanked by genes encoding inorganic pyrophosphatase
 RT and histone H3.";
 RL Yeast 5:35-50(1989).
 RN [2]
 RP SIMILARITY TO E.COLI AND YEAST PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and E. coli
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC MAGNESIUM CONFERS THE HIGHEST ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; X14230; CAA32446.1; -
 DR PIR; S07894; PWVKL.
 DR HSSP; P00817; IWGI.
 DR INTERPRO; IPR001596; -
 DR PFAM; PF00719; Pyrophosphatase; 1.
 DR PROSITE; PS00387; PPASE; 1.
 KW Hydrolase; Magnesium.
 FT INIT_MET 0 BY SIMILARITY.

FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 286 AA; 32034 MW; 11647F4ABD916A2F CRC64;

Query Match 59.68; Score 34; DB 1; Length 286;
 Best Local Similarity 83.3%; Pred. No. 22;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
 |||||
 Db 91 HNYGAF 96

RESULT 14
 IPYR_YEAST
 ID IPYR_YEAST STANDARD; PRT; 286 AA.
 AC P00817;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-
 DE HYDROLASE) (PPASE).
 GN IPPI OR PPAL OR PPA OR YBR011C OR YBR0202.
 OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycetes; Saccharomycetales;
 OC Saccharomycetaceae; Saccharomyces.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=X2180;
 RX MEDLINE; 89083474.
 RA Kolakowski L.F. Jr., Schloesser M., Cooperman B.S.;
 RT "Cloning, molecular characterization and chromosome localization of
 RT the inorganic pyrophosphatase (PPA) gene from *S. cerevisiae*.";
 RL Nucleic Acids Res. 16:10441-10452(1988).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=S288C;
 RX Entian K.-D., Koetter P., Rose M., Li Z., Thermann R., Brendel M.,
 RA Baur A., Botes E., Miosga T., Schaeff-Gerstenschlaeger I.,
 RA Zimmermann F.K.;
 RL Submitted (AUG-1994) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE.
 RX MEDLINE; 78087552.
 RA Cohen S.A., Sterner R., Keim P.S., Heinrichson R.L.;
 RT "Covalent structural analysis of yeast inorganic pyrophosphatase.";
 RL J. Biol. Chem. 253:889-897(1978).
 RN [4]
 RP SEQUENCE OF 25-35 AND 239-251.
 RC STRAIN=S288C;
 RX MEDLINE; 95203288.
 RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a *Saccharomyces cerevisiae* protein
 RT database";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 239-249.
 RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE; 97089742.
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 RT *Saccharomyces cerevisiae*.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACTIVE SITE.
 RX MEDLINE; 80109718.
 RA Bond M.W., Chiu N.Y., Cooperman B.S.;
 RT "Identification of an arginine important for enzymatic activity
 RT within the covalent structure of yeast inorganic pyrophosphatase.";
 RL Biochemistry 19:94-102(1980).
 RN [7]

RP X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).
 RA Arutunian E.G., Terzian S.S., Voronova A.A., Kuranova I.P.,
 RA Smirnova E.A., Vainstein B.K., Hohn W.E., Hansen G.;
 RT "X-ray diffraction study of inorganic pyrophosphatase from baker's
 RT yeast at the 3-A resolution.";
 RL Dokl. Akad. Nauk SSSR 258:1481-1492(1981).
 RN [8]
 RP X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS).
 RX MEDLINE; 97148342.
 RA Heikinheimo P., Lehtonen J., Baykov A., Lahti R., Cooperman B.S.,
 RA Goldman A.;
 RT "The structural basis for pyrophosphatase catalysis.";
 RL Structure 4:1491-1508(1996).
 RN [9]
 RP X-RAY CRYSTALLOGRAPHY (2.1 ANGSTROMS).
 RA Swaminathan K., Cooperman B.S., Lahti R., Voet D.;
 RL Submitted (DEC-1997) to the PDB data bank.
 RN [10]
 RP X-RAY CRYSTALLOGRAPHY (2.15 ANGSTROMS) OF MUTANTS LYS-78 AND LYS-117.
 RX MEDLINE; 99096888.
 RA Tuominen V., Heikinheimo P., Kajander T., Torkkel T., Hyytia T.,
 RA Kapyla J., Lahti R., Cooperman B.S., Goldman A.;
 RT "The R78K and D117E active-site variants of *Saccharomyces cerevisiae*
 RT soluble inorganic pyrophosphatase: structural studies and mechanistic
 RT implications.";
 RL J. Mol. Biol. 284:1565-1580(1998).
 RN [11]
 RP SIMILARITY TO E. COLI AND K. LACTIS PPASES.
 RX MEDLINE; 90254161.
 RA Lahti R., Kolakowski L.F. Jr., Heinonen J., Vihinen M., Pohjanoksa K.,
 RA Cooperman B.S.;
 RT "Conservation of functional residues between yeast and *E. coli*
 RT inorganic pyrophosphatases.";
 RL Biochim. Biophys. Acta 1038:338-345(1990).
 CC -!- CATALYTIC ACTIVITY: PYROPHOSPHATE + H(2)O = 2 ORTHOPHOSPHATE.
 CC -!- COFACTOR: REQUIRES THE PRESENCE OF DIVALENT METAL CATION.
 CC -!- MAGNESIUM CONFERS THE HIGHEST ACTIVITY. IT BINDS UP TO 4 DIVALENT
 CC CATIONS PER SUBUNIT, WITH THREE REQUIRED FOR ACTIVITY.
 CC -!- SUBUNIT: HOMODIMER.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- SIMILARITY: BELONGS TO THE PPASE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X13253; CAA31629.1; -
 CC EMBL; Z35880; CAA84949.1; -
 CC PIR; S45864; PWB.1
 CC PDB; 1PYP; 15-OCT-91.
 CC PDB; 1YPP; 07-DEC-96.
 CC PDB; 1WGI; 19-NOV-97.
 CC PDB; 1WJG; 19-NOV-97.
 CC PDB; 1HUK; 08-APR-98.
 CC PDB; 1HUK; 08-APR-98.
 CC PDB; 117E; 23-DEC-98.
 CC PDB; 8PRK; 23-DEC-98.
 CC SWISS-2DPAGE; P00817; YEAST.
 CC YEPD; 7305; -
 CC SGD; S0000215; IPP1.
 CC INTERPRO: IPR001596; -
 CC PFAM: PF00719; Pyrophosphatase; 1.
 CC PROSITE: PS00387; PPASE; 1.
 KW Hydrolase; Magnesium; 3D-structure.
 FT INIT_MET 0
 FT ACT_SITE 56 56 PROBABLE.
 FT BINDING 78 78 INORGANIC PYROPHOSPHATE.
 FT CONFLICT 40 40 N -> D (IN REF. 3).
 FT CONFLICT 71 71 D -> N (IN REF. 3).

FT CONFLICT 74 74 MISSING (IN REF. 3).
FT CONFLICT 123 123 E -> Q (IN REF. 3).
FT CONFLICT 136 136 Q -> E (IN REF. 3).
FT CONFLICT 186 186 N -> D (IN REF. 3).
FT CONFLICT 224 224 D -> N (IN REF. 3).
FT CONFLICT 266 266 L -> P (IN REF. 2).
FT STRAND 4 7
FT STRAND 16 20
FT STRAND 25 25
FT TURN 28 30
FT TURN 38 41
FT STRAND 45 45
FT STRAND 55 55
FT STRAND 79 79
FT TURN 97 98
FT TURN 111 112
FT STRAND 121 123
FT TURN 131 132
FT STRAND 135 135
FT STRAND 138 146
FT STRAND 151 158
FT TURN 160 161
FT TURN 165 167
FT HELIX 172 175
FT TURN 176 177
FT TURN 179 180
FT HELIX 182 197
FT STRAND 203 203
FT HELIX 205 207
FT STRAND 210 210
FT HELIX 212 230
FT TURN 231 231
FT TURN 245 246
FT TURN 248 249
FT TURN 251 252
FT TURN 255 260
FT TURN 274 275
SQ SEQUENCE 286 AA; 32184 MW; F29390260B60C8B2 CRC64;

Query Match 59.6%; Score 34; DB 1; Length 286;
Best Local Similarity 83.3%; Pred. No. 22;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
| | | | : |
Db 91 HNYGAF 96

RESULT 15
CCSA_ARATH
ID CCSA_ARATH STANDARD; PRT; 328 AA.
AC P56770;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE CYTOCHROME C BIOGENESIS PROTEIN CCSA.
GN CCSA.
OS Arabidopsis thaliana (Mouse-ear cress).
OG Chloroplast.
OC Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;
OC Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;
OC Brassicales; Brassicaceae; Arabidopsis.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RA Sato S., Nakamura Y., Kaneko T., Asamizu E., Tabata S.;
RT "Complete structure of the chloroplast genome of Arabidopsis
thaliana";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: REQUIRED DURING CYTOCHROME BIOGENESIS AT THE STEP OF
HERE ATTACHMENT (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CCNF/CYCK/CCL1/NRFE/CCSA FAMILY.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; AF000423; BAA84436.1; -
DR INTERPRO; IPR002541; -
DR PFAM; PF01578; CytC_asm; 1.
KW Cytochrome c-type biogenesis; Chloroplast.
SQ SEQUENCE 328 AA; 37732 MW; C88D1508H2924D6F CRC64;

Query Match 59.6%; Score 34; DB 1; Length 328;
Best Local Similarity 75.0%; Pred. No. 26;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYS 10
| : | | | | |
Db 320 HSYGSFTS 327

Search completed: March 28, 2001, 07:35:20
Job time: 157 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:59:56 ; Search time 154.19 Seconds
(without alignments)
2.218 Million cell updates/sec

Title: US-09-016-061-100

Perfect score: 57

Sequence: 1 ARHNYGSPYS 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_36:*

- 1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT:*
- 2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT:*
- 3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT:*
- 4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT:*
- 5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT:*
- 6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT:*
- 7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT:*
- 8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT:*
- 9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT:*
- 10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT:*
- 11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT:*
- 12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT:*
- 13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT:*
- 14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT:*
- 15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT:*
- 16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT:*
- 17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT:*
- 18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT:*
- 19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT:*
- 20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT:*
- 21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	57	100.0	10	19	W76040
2	53	93.0	10	19	W76039
3	53	93.0	10	19	W76023
4	52	91.2	10	19	W76038
5	48	84.2	10	19	W76024
6	46	80.7	10	19	W76022
7	46	80.7	10	19	W76025
8	46	80.7	10	19	W76026
9	46	80.7	10	19	W76027
10	46	80.7	10	19	W76028
11	46	80.7	10	19	W76029
12	46	80.7	10	19	W76030

13	46	80.7	10	19	W76010
14	46	80.7	117	19	W76001
15	46	80.7	117	19	W76003
16	46	80.7	117	20	Y06381
17	46	80.7	117	20	Y06387
18	46	80.7	118	20	Y06384
19	46	80.7	118	20	Y06385
20	46	80.7	118	20	Y06386
21	46	80.7	118	20	Y06383
22	46	80.7	130	20	Y06379
23	43	75.4	10	19	W76037
24	43	75.4	10	19	W76021
25	41	71.9	10	19	W76020
26	38	66.7	110	20	W84099
27	38	66.7	117	20	W84093
28	38	66.7	117	20	W84097
29	37	64.9	8	20	Y06371
30	37	64.9	119	19	Y86109
31	36	63.2	117	16	R79157
32	36	63.2	117	16	R79155
33	36	63.2	117	18	W27357
34	36	63.2	117	18	W27356
35	36	63.2	117	18	W27354
36	36	63.2	239	20	W73874
37	36	63.2	242	20	W73876
38	35	61.4	615	20	Y57299
39	35	61.4	640	20	Y57301
40	34	59.6	30	21	Y81870
41	34	59.6	89	17	Y14338
42	34	59.6	89	17	Y14306
43	34	59.6	89	17	Y14307
44	34	59.6	256	13	R22568
45	34	59.6	256	13	R22583

ALIGNMENTS

RESULT 1

W76040
ID W76040 standard; Protein; 10 AA.

AC W76040;

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #16.

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

OS Mus sp.

PN WO9833919-A2.

PD 06-AUG-1998.

PF 30-JAN-1998; 98WO-US01826.

PR 30-JAN-1997; 97US-0791391.

PA (IXSY-) IXSYS INC.

PI Glaser SM, Huse WD;

DR WPI; 1998-437472/37.

DR N-PSDB; V49877.

PT Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
PS Claim 62; Page 43; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 57; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00089;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFYS 10
Db | | | | | | | | | |
1 arhnygsfys 10

RESULT 2
W76039
ID W76039 standard; Protein; 10 AA.
AC
XX W76039;
XX
DT 02-NOV-1998 (first entry)
XX
XX LM609 grafted antibody V-H region CDR3 protein fragment #15.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
OS Mus sp.
XX
XX WO9833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI; 1998-437472/37.
XX
XX N-PSDB; V49876.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 43; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC contain non-murine framework regions so are suitable for use in humans.
CC Enhanced types of LM609 have affinity more than 90 times greater than
CC that of parent the parent antibody.
XX
SQ Sequence 10 AA;

Query Match 93.0%; Score 53; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0041;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
Db | | | | | | | | | |
1 arhnygsfy 9

RESULT 3
W76023
ID W76023 standard; Protein; 10 AA.
AC
XX W76023;
XX
DT 02-NOV-1998 (first entry)
XX
XX LM609 grafted antibody V-H region CDR3 protein fragment #5.
XX
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis; primer; V-H region; CDR;
KW complementarity determining region.
XX
OS Mus sp.
XX
XX WO9833919-A2.
XX
XX 06-AUG-1998.
XX
XX 30-JAN-1998; 98WO-US01826.
XX
XX 30-JAN-1997; 97US-0791391.
XX
XX (IXSY-) IXSYS INC.
XX
XX Glaser SM, Huse WD;
XX
XX WPI; 1998-437472/37.
XX
XX N-PSDB; V49860.
XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX
XX Claim 62; Page 41; 129pp; English.
XX
XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC LM609 heavy and light chain variable region. LM609 and the antibody
CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC inhibit binding of alphavbeta3 to a ligand and thus block
CC integrin-mediated signal transduction. This is useful in the treatment,
CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 93.0%; Score 53; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0041;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
 Db 1 arhnygsfy 9
 |||||

RESULT 4
 W76038 ID W76038 standard; Protein; 10 AA.
 AC W76038;
 XX
 XX 02-NOV-1998 (first entry)
 DT LM609 grafted antibody V-H region CDR3 protein fragment #14.
 XX
 DE Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 XX LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.
 XX WO98333919-A2.
 XX
 XX 06-AUG-1998.
 XX
 XX 30-JAN-1998; 98WO-US01826.
 XX
 XX 30-JAN-1997; 97US-0791391.
 XX
 XX (IXSY-) IXSYS INC.
 XX
 XX Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 XX N-PSDB; V49875.

Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 integrin - and related grafted antibodies based on murine monoclonal
 LM609, also related nucleic acid, used to treat, prevent or diagnose
 angiogenesis or restenosis

Claim 62; Page 43; 129pp; English.

W76007-W76040 are protein fragments of the grafted monoclonal antibody
 LM609 heavy and light chain variable region. LM609 and the antibody
 vitaxin bind selectively to integrin alphavbeta3 and can be used to
 inhibit binding of alphavbeta3 to a ligand and thus block
 integrin-mediated signal transduction. This is useful in the treatment,
 prevention and diagnosis of alphavbeta3-mediated disease, specifically
 angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 arthritis, macular degeneration, osteoporosis etc.). The antibodies
 contain non-murine framework regions so are suitable for use in humans.
 Enhanced types of LM609 have affinity more than 90 times greater than
 that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 91.2%; Score 52; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.006;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFYS 10
 Db 1 arnhgfsfys 10
 |||||

RESULT 5
 W76024 ID W76024 standard; Protein; 10 AA.
 XX
 AC W76024;
 XX

DT 02-NOV-1998 (first entry)

DE LM609 grafted antibody V-H region CDR3 protein fragment #6.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX OS Mus sp.

XX WO98333919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49861.

Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
 integrin - and related grafted antibodies based on murine monoclonal
 LM609, also related nucleic acid, used to treat, prevent or diagnose
 angiogenesis or restenosis

Claim 62; Page 41; 129pp; English.

W76007-W76040 are protein fragments of the grafted monoclonal antibody
 LM609 heavy and light chain variable region. LM609 and the antibody
 vitaxin bind selectively to integrin alphavbeta3 and can be used to
 inhibit binding of alphavbeta3 to a ligand and thus block
 integrin-mediated signal transduction. This is useful in the treatment,
 prevention and diagnosis of alphavbeta3-mediated disease, specifically
 angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 arthritis, macular degeneration, osteoporosis etc.). The antibodies
 contain non-murine framework regions so are suitable for use in humans.
 Enhanced types of LM609 have affinity more than 90 times greater than
 that of parent the parent antibody.

XX SQ Sequence 10 AA;

Query Match 84.2%; Score 48; DB 19; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.028;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFYS 10
 |||||

```

Db      1 arhnygsfas 10

RESULT 6
W76022
ID      W76022 standard; Protein; 10 AA.
XX
AC      W76022;
XX
DT      02-NOV-1998 (first entry)
XX
DE      LM609 grafted antibody V-H region CDR3 protein fragment #4.
XX
KW      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX
OS      Mus sp.
XX
PN      WO9833919-A2.
XX
PD      06-AUG-1998.
XX
PF      30-JAN-1998; 98WO-US01826.
XX
PR      30-JAN-1997; 97US-0791391.
XX
PA      (IXSY-) IXSYS INC.
XX
PI      Glaser SM, Huse WD;
XX
DR      N-PSDB; V49859.
XX
PT      Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT      integrin - and related grafted antibodies based on murine monoclonal
PT      LM609, also related nucleic acid, used to treat, prevent or diagnose
PT      angiogenesis or restenosis
XX
PS      Claim 62; Page 41; 129pp; English.
XX
CC      W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC      LM609 heavy and light chain variable region. LM609 and the antibody
CC      vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC      inhibit binding of alphavbeta3 to a ligand and thus block
CC      integrin-mediated signal transduction. This is useful in the treatment,
CC      prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC      arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC      contain non-murine framework regions so are suitable for use in humans.
CC      Enhanced types of LM609 have affinity more than 90 times greater than
CC      that of parent the parent antibody.
XX
SQ      Sequence 10 AA;

Query Match      80.7%; Score 46; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.059;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 ARHNYGSF 8
        |||||
DB      1 arhnygsf 8

RESULT 7
W76025
ID      W76025 standard; Protein; 10 AA.
XX
AC      W76025;
XX
DT      02-NOV-1998 (first entry)
XX
DE      LM609 grafted antibody V-H region CDR3 protein fragment #8.
XX
KW      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

```

```

AC      W76025;
XX
DT      02-NOV-1998 (first entry)
XX
DE      LM609 grafted antibody V-H region CDR3 protein fragment #7.
XX
KW      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW      LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW      diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW      neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW      macular degeneration; osteoporosis; primer; V-H region; CDR;
KW      complementarity determining region.
XX
OS      Mus sp.
XX
PN      WO9833919-A2.
XX
PD      06-AUG-1998.
XX
PF      30-JAN-1998; 98WO-US01826.
XX
PR      30-JAN-1997; 97US-0791391.
XX
PA      (IXSY-) IXSYS INC.
XX
PI      Glaser SM, Huse WD;
XX
DR      N-PSDB; V49862.
XX
PT      Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
PT      integrin - and related grafted antibodies based on murine monoclonal
PT      LM609, also related nucleic acid, used to treat, prevent or diagnose
PT      angiogenesis or restenosis
XX
PS      Claim 62; Page 41; 129pp; English.
XX
CC      W76007-W76040 are protein fragments of the grafted monoclonal antibody
CC      LM609 heavy and light chain variable region. LM609 and the antibody
CC      vitaxin bind selectively to integrin alphavbeta3 and can be used to
CC      inhibit binding of alphavbeta3 to a ligand and thus block
CC      integrin-mediated signal transduction. This is useful in the treatment,
CC      prevention and diagnosis of alphavbeta3-mediated disease, specifically
CC      angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
CC      diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
CC      arthritis, macular degeneration, osteoporosis etc.). The antibodies
CC      contain non-murine framework regions so are suitable for use in humans.
CC      Enhanced types of LM609 have affinity more than 90 times greater than
CC      that of parent the parent antibody.
XX
SQ      Sequence 10 AA;

Query Match      80.7%; Score 46; DB 19; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.059;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 ARHNYGSF 8
        |||||
DB      1 arhnygsf 8

RESULT 8
W76026
ID      W76026 standard; Protein; 10 AA.
XX
AC      W76026;
XX
DT      02-NOV-1998 (first entry)
XX
DE      LM609 grafted antibody V-H region CDR3 protein fragment #8.
XX
KW      Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

```

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49863.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 80.7%; Score 46; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.059;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8

Db | | | | | | | |

1 arhnygsf 8

RESULT 9

W76027

ID W76027 standard; Protein; 10 AA.

XX W76027;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #9.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

XX N-PSDB; V49864.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis

PS Claim 62; Page 41; 129pp; English.

XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.

XX Sequence 10 AA;

Query Match 80.7%; Score 46; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.059;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8

Db | | | | | | | |

1 arhnygsf 8

RESULT 10

W76028

ID W76028 standard; Protein; 10 AA.

XX W76028;

XX 02-NOV-1998 (first entry)

XX LM609 grafted antibody V-H region CDR3 protein fragment #10.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.

XX Mus sp.

XX WO9833919-A2.

XX 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

PR 30-JAN-1997; 97US-0791391.
 XX (IXSY-) IXSYS INC.
 PA Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49865.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.
 XX
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 80.7%; Score 46; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.059;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNYGSF 8
 Db | | | | | | | |
 1 arhnygsf 8
 RESULT 11
 W76029
 ID W76029 standard; Protein; 10 AA.
 AC W76029;
 XX
 XX 02-NOV-1998 (first entry)
 DT LM609 grafted antibody V-H region CDR3 protein fragment #11.
 DE
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX W09833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR

DR N-PSDB; V49866.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX
 XX Claim 62; Page 41; 129pp; English.
 XX
 XX W76007-W76040 are protein fragments of the grafted monoclonal antibody
 CC LM609 heavy and light chain variable region. LM609 and the antibody
 CC vitaxin bind selectively to integrin alphavbeta3 and can be used to
 CC inhibit binding of alphavbeta3 to a ligand and thus block
 CC integrin-mediated signal transduction. This is useful in the treatment,
 CC prevention and diagnosis of alphavbeta3-mediated disease, specifically
 CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,
 CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid
 CC arthritis, macular degeneration, osteoporosis etc.). The antibodies
 CC contain non-murine framework regions so are suitable for use in humans.
 CC Enhanced types of LM609 have affinity more than 90 times greater than
 CC that of parent the parent antibody.
 XX
 SQ Sequence 10 AA;
 Query Match 80.7%; Score 46; DB 19; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.059;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 ARHNYGSF 8
 Db | | | | | | | |
 1 arhnygsf 8
 RESULT 12
 W76030
 ID W76030 standard; Protein; 10 AA.
 AC W76030;
 XX
 XX 02-NOV-1998 (first entry)
 DT LM609 grafted antibody V-H region CDR3 protein fragment #12.
 DE
 DE
 XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
 KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
 KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
 KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
 KW macular degeneration; osteoporosis; primer; V-H region; CDR;
 KW complementarity determining region.
 XX
 OS Mus sp.
 XX
 XX W09833919-A2.
 PN
 XX 06-AUG-1998.
 PD
 XX 30-JAN-1998; 98WO-US01826.
 PF
 XX 30-JAN-1997; 97US-0791391.
 PR
 XX (IXSY-) IXSYS INC.
 PA Glaser SM, Huse WD;
 XX WPI; 1998-437472/37.
 DR N-PSDB; V49867.
 XX
 XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
 PT integrin - and related grafted antibodies based on murine monoclonal
 PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 PT angiogenesis or restenosis
 XX

PS Claim 62; Page 41; 129pp; English.

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

CC that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 80.7%; Score 46; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.059;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8

Db | | | | | | | |

1 arhnygsf 8

RESULT 13

W76010

ID W76010 standard; Protein; 10 AA.

XX

AC W76010;

XX

DT 02-NOV-1998 (first entry)

XX

DE LM609 grafted antibody V-H region CDR3 protein fragment #1.

XX

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis; primer; V-H region; CDR;

KW complementarity determining region.

XX

OS Mus sp.

XX

PN WO9833919-A2.

XX

PD 06-AUG-1998.

XX

PF 30-JAN-1998; 98WO-US01826.

XX

PR 30-JAN-1997; 97US-0791391.

XX

PA (IXSY-) IXSYS INC.

XX

PI Glaser SM, Huse WD;

XX

DR WPI; 1998-437472/37.

DR N-PSDB; V49847.

XX

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

XX

PS Disclosure; Page 40; 129pp; English.

XX

CC W76007-W76040 are protein fragments of the grafted monoclonal antibody

CC LM609 heavy and light chain variable region. LM609 and the antibody

CC vitaxin bind selectively to integrin alphavbeta3 and can be used to

CC inhibit binding of alphavbeta3 to a ligand and thus block

CC integrin-mediated signal transduction. This is useful in the treatment,

XX

CC prevention and diagnosis of alphavbeta3-mediated disease, specifically

CC angiogenesis and restenosis (but also e.g. (non-)immune inflammation,

CC diabetic retinopathy, neovascular glaucoma, cancer, psoriasis, rheumatoid

CC arthritis, macular degeneration, osteoporosis etc.). The antibodies

CC contain non-murine framework regions so are suitable for use in humans.

CC Enhanced types of LM609 have affinity more than 90 times greater than

CC that of parent the parent antibody.

XX

SQ Sequence 10 AA;

Query Match 80.7%; Score 46; DB 19; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.059;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8

Db | | | | | | | |

1 arhnygsf 8

RESULT 14

W76001

ID W76001 standard; Protein; 117 AA.

XX

AC W76001;

XX

DT 02-NOV-1998 (first entry)

XX

DE Vitaxin antibody heavy chain variable region protein fragment.

XX

KW Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis.

XX

OS Mus sp.

XX

PN WO9833919-A2.

XX

PD 06-AUG-1998.

XX

PF 30-JAN-1998; 98WO-US01826.

XX

PR 30-JAN-1997; 97US-0791391.

XX

PA (IXSY-) IXSYS INC.

XX

PI Glaser SM, Huse WD;

XX

DR WPI; 1998-437472/37.

DR N-PSDB; V49820.

XX

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

PT integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose

PT angiogenesis or restenosis

XX

PS Claim 1; Fig 1a; 129pp; English.

XX

CC This sequence represents a fragment of the vitaxin antibody variable

CC heavy chain region. Vitaxin and the antibody LM609 bind selectively to

CC integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3

CC to a ligand and thus block integrin-mediated signal transduction. This is

CC useful in the treatment, prevention and diagnosis of alphavbeta3-mediated

CC disease, specifically angiogenesis and restenosis (but also e.g.

CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,

CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,

CC osteoporosis etc.). The antibodies contain non-murine framework regions

CC so are suitable for use in humans. Enhanced types of LM609 have affinity

CC more than 90 times greater than that of parent the parent antibody.

XX

SQ Sequence 117 AA;

Search completed: March 28, 2001, 06:59:56
Job time: 1392 sec

Query Match 80.7%; Score 46; DB 19; Length 117;
Best Local Similarity 100.0%; Pred. No. 0.71;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
Db 97 arhnygsf 104

RESULT 15
W76003
ID W76003 standard; Protein; 117 AA.
XX AC W76003;
XX XX
XX XX
XX 02-NOV-1998 (first entry)
XX LM609 antibody heavy chain variable region protein fragment.
XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.
XX Mus sp.
XX OS
XX XX
XX PN W09833919-A2.
XX PD 06-AUG-1998.
XX XX
XX 30-JAN-1998; 98WO-US01826.
XX PR 30-JAN-1997; 97US-0791391.
XX XX
XX PA (IXSY-) IXSYS INC.
XX PI Glaser SM, Huse WD;
XX WPI: 1998-437472/37.
XX DR N-PSDB; V49822.
XX XX
XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3
PT integrin - and related grafted antibodies based on murine monoclonal
PT LM609, also related nucleic acid, used to treat, prevent or diagnose
PT angiogenesis or restenosis
XX Claim 43; Fig 2a; 129pp; English.
XX This sequence represents the LM609 antibody variable heavy chain region.
CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
CC block integrin-mediated signal transduction. This is useful in the
CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
CC etc.). The antibodies contain non-murine framework regions so are
CC suitable for use in humans. Enhanced types of LM609 have affinity more
CC than 90 times greater than that of parent the parent antibody.
XX Sequence 117 AA;
SQ

Query Match 80.7%; Score 46; DB 19; Length 117;
Best Local Similarity 100.0%; Pred. No. 0.71;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
Db 97 arhnygsf 104

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:02:01 ; Search time 113.49 Seconds
(without alignments)
1.582 Million cell updates/sec

Title: US-09-016-061-100

Perfect score: 57

Sequence: 1 ARHNYGSFYS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA.*

1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*

2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*

3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*

4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*

5: /cgnl_7/ptodata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	38	66.7	94	3	US-09-147-550-14
2	38	66.7	94	3	US-09-147-550-45
3	38	66.7	94	3	US-09-147-550-48
4	38	66.7	94	3	US-09-147-550-77
5	38	66.7	94	3	US-09-147-550-84
6	38	66.7	94	3	US-09-147-550-90
7	38	66.7	94	3	US-09-147-550-101
8	34	59.6	94	3	US-09-147-550-39
9	34	59.6	94	3	US-09-147-550-59
10	34	59.6	94	3	US-09-147-550-63
11	34	59.6	286	2	US-08-809-267-3
12	34	59.6	286	4	PCT-US95-13662A-3
13	34	59.6	287	2	US-08-741-437-5
14	34	59.6	287	2	US-09-134-593-5
15	33	57.9	94	3	US-09-147-550-55
16	33	57.9	94	3	US-09-147-550-62
17	33	57.9	94	3	US-09-147-550-87
18	33	57.9	94	3	US-09-147-550-108
19	33	57.9	270	2	US-08-484-993B-47
20	33	57.9	270	2	US-08-484-158B-47
21	33	57.9	270	2	US-08-484-596A-47
22	33	57.9	270	2	US-08-480-150A-47
23	33	57.9	270	3	US-08-458-731-47
24	33	57.9	270	3	US-08-149-223A-47
25	33	57.9	527	2	US-08-823-516-144
26	33	57.9	566	2	US-08-484-993B-41
27	33	57.9	566	2	US-08-484-158B-41
28	33	57.9	566	2	US-08-484-596A-41

29	33	57.9	566	2	US-08-480-150A-41	Sequence 41, Appl
30	33	57.9	566	3	US-08-458-731-41	Sequence 41, Appl
31	33	57.9	566	3	US-08-149-223A-41	Sequence 41, Appl
32	33	57.9	715	3	US-08-669-286-5	Sequence 5, Appl
33	32	56.1	13	3	US-08-881-037-93	Sequence 93, Appl
34	32	56.1	15	1	US-08-618-464-7	Sequence 7, Appl
35	32	56.1	15	3	US-09-107-615-7	Sequence 7, Appl
36	32	56.1	25	2	US-08-480-190-44	Sequence 44, Appl
37	32	56.1	25	2	US-08-488-379-44	Sequence 44, Appl
38	32	56.1	25	4	PCT-US93-07545-44	Sequence 44, Appl
39	32	56.1	36	1	US-08-053-131-84	Sequence 84, Appl
40	32	56.1	36	1	US-08-645-641-84	Sequence 84, Appl
41	32	56.1	36	1	US-07-853-408B-84	Sequence 84, Appl
42	32	56.1	36	2	US-08-096-762-84	Sequence 84, Appl
43	32	56.1	36	2	US-08-308-865-84	Sequence 84, Appl
44	32	56.1	36	4	PCT-US92-10983-84	Sequence 84, Appl
45	32	56.1	80	1	US-08-264-250A-1	Sequence 1, Appl

ALIGNMENTS

RESULT 1

US-09-147-550-14

; Sequence 14, Application US/09147550

; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aiga, Yoko

; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO

; CURRENT APPLICATION NUMBER: US/09/147,550

; CURRENT FILING DATE: 1999-04-23

; EARLIER APPLICATION NUMBER: PCT/JP97/02485

; EARLIER FILING DATE: 1997-07-17

; EARLIER APPLICATION NUMBER: JP 8-190933

; EARLIER FILING DATE: 1996-07-19

; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28

; NUMBER OF SEQ ID NOS: 115

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 14

; LENGTH: 94

; TYPE: PRT

; ORGANISM: BOVINE

; US-09-147-550-14

Query Match 66.7%; Score 38; DB 3; Length 94;

Best Local Similarity 77.8%; Pred. No. 7.9;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10

|||||

Db 80 RHNYGVFES 88

RESULT 2

US-09-147-550-45

; Sequence 45, Application US/09147550

; Patent No. 6090540

; GENERAL INFORMATION:

; APPLICANT: Aiga, Yoko

; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO

; CURRENT APPLICATION NUMBER: US/09/147,550

; CURRENT FILING DATE: 1999-04-23

; EARLIER APPLICATION NUMBER: PCT/JP97/02485

; EARLIER FILING DATE: 1997-07-17

; EARLIER APPLICATION NUMBER: JP 8-190933

; EARLIER FILING DATE: 1996-07-19

; EARLIER APPLICATION NUMBER: JP 9-77979

; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-45

Query Match 66.7%; Score 38; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 7.9;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
 |||||
DB 80 RHNYGVFES 88

RESULT 3
US-09-147-550-48
; Sequence 48, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-48

Query Match 66.7%; Score 38; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 7.9;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
 |||||
DB 80 RHNYGVFES 88

RESULT 4
US-09-147-550-77
; Sequence 77, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-77

Query Match 66.7%; Score 38; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 7.9;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
 |||||
DB 80 RHNYGVFES 88

RESULT 5
US-09-147-550-84
; Sequence 84, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-84

Query Match 66.7%; Score 38; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 7.9;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
 |||||
DB 80 RHNYGVFES 88

RESULT 6
US-09-147-550-90
; Sequence 90, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; CURRENT FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT

; ORGANISM: BOVINE
US-09-147-550-90

Query Match 66.7%; Score 38; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 7.9;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
 |||||
Db 80 RHNYGVFES 88

RESULT 7
US-09-147-550-101
; Sequence 101, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-101

Query Match 66.7%; Score 38; DB 3; Length 94;
Best Local Similarity 77.8%; Pred. No. 7.9;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
 |||||
Db 80 RHNYGVFES 88

RESULT 8
US-09-147-550-39
; Sequence 39, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 39
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-39

Query Match 59.6%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 36;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
 |||||
Db 80 RHNYGMES 88

RESULT 9
US-09-147-550-59
; Sequence 59, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 59
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-59

Query Match 59.6%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 36;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
 |||||
Db 80 RHNYGMES 88

RESULT 10
US-09-147-550-63
; Sequence 63, Application US/09147550
; Patent No. 6090540
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: SEQUENCE LISTING FOR 09/147,550
; CURRENT APPLICATION NUMBER: US/09/147,550
; EARLIER FILING DATE: 1999-04-23
; EARLIER APPLICATION NUMBER: PCT/JP97/02485
; EARLIER FILING DATE: 1997-07-17
; EARLIER APPLICATION NUMBER: JP 8-190933
; EARLIER FILING DATE: 1996-07-19
; EARLIER APPLICATION NUMBER: JP 9-77979
; EARLIER FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 63
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-147-550-63

Query Match 59.6%; Score 34; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 36;

Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
|||||

Db 80 RHNYGGMES 88

RESULT 11
US-08-809-267-3
; Sequence 3, Application US/08809267
; Patent No. 5861296
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.
; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; APPLICATION NUMBER: US/08/809,267
; FILING DATE: 12-MAR-1997
; CLASSIFICATION: 433
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/13662
; FILING DATE:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: protein
; MOLECULE TYPE: protein
US-08-809-267-3

Query Match 59.6%; Score 34; DB 2; Length 286;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
|||||

Db 91 HNYGAF 96

RESULT 12
PCT-US95-13662A-3
; Sequence 3, Application PC/TUS9513662A
; GENERAL INFORMATION:
; APPLICANT: LENNOX, Tricia L.
; APPLICANT: SLATKO, Barton E.
; APPLICANT: SEARS, Lauren E.

; TITLE OF INVENTION: PURIFIED THERMOSTABLE INORGANIC
; TITLE OF INVENTION: PYROPHOSPHATASE OBTAINABLE FROM THERMOCOCCUS
; TITLE OF INVENTION: LITORALIS
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NEW ENGLAND BIOLABS, INC.
; STREET: 32 TOZER ROAD
; CITY: BEVERLY
; STATE: MASSACHUSETTS
; COUNTRY: USA
; ZIP: 01915
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; APPLICATION NUMBER: PCT/US95/13662A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/329,721
; FILING DATE: 25-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WILLIAMS, GREGORY D.
; REGISTRATION NUMBER: 30901
; REFERENCE/DOCKET NUMBER: NEB-105-PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508) 927-5054
; TELEFAX: (508) 927-1705
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 286 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: protein
; MOLECULE TYPE: protein
PCT-US95-13662A-3

Query Match 59.6%; Score 34; DB 4; Length 286;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
|||||

Db 91 HNYGAF 96

RESULT 13
US-08-741-437-5
; Sequence 5, Application US/08741437
; Patent No. 5843665
; GENERAL INFORMATION:
; APPLICANT: Hawkins, Phillip R.
; APPLICANT: Hillman, Jennifer L.
; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/741,437
; FILING DATE: Filed Herewith

;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER:
;; FILING DATE:
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Billings, Lucy J.
;; REGISTRATION NUMBER: 36,749
;; REFERENCE/DOCKET NUMBER: PF-0148 US
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 855-0555
;; TELEFAX: (415) 845-4166
;; INFORMATION FOR SEQ ID NO: 5:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 287 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; IMMEDIATE SOURCE:
;; LIBRARY: GenBank
;; CLONE: 4199
US-08-741-437-5

Query Match 59.6%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
DB 92 HNYGAF 97

RESULT 14
US-09-134-593-5
;; Sequence 5, Application US/09134593
;; Patent No. 5981232
;; GENERAL INFORMATION:
;; APPLICANT: Hawkins, Phillip R.
;; APPLICANT: Hillman, Jennifer L.
;; TITLE OF INVENTION: A NOVEL HUMAN PYROPHOSPHATASE
;; NUMBER OF SEQUENCES: 5
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Incyte Pharmaceuticals, Inc.
;; STREET: 3174 Porter Drive
;; CITY: Palo Alto
;; STATE: California
;; COUNTRY: USA
;; ZIP: 94304
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Diskette
;; COMPUTER: IBM Compatible
;; OPERATING SYSTEM: DOS
;; SOFTWARE: FastSeq Version 1.5
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/134,593
;; FILING DATE:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US/08/741,437
;; FILING DATE:
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Billings, Lucy J.
;; REGISTRATION NUMBER: 36,749
;; REFERENCE/DOCKET NUMBER: PF-0148 US
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 855-0555
;; TELEFAX: (415) 845-4166
;; INFORMATION FOR SEQ ID NO: 5:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 287 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide

;; IMMEDIATE SOURCE:
;; LIBRARY: GenBank
;; CLONE: 4199
US-09-134-593-5

Query Match 59.6%; Score 34; DB 2; Length 287;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
DB 92 HNYGAF 97

RESULT 15
US-09-147-550-55
;; Sequence 55, Application US/09147550
;; Patent No. 6090540
;; GENERAL INFORMATION:
;; APPLICANT: Aida, Yoko
;; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
;; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
;; CURRENT APPLICATION NUMBER: US/09/147,550
;; CURRENT FILING DATE: 1999-04-23
;; EARLIER APPLICATION NUMBER: PCT/JP97/02485
;; EARLIER FILING DATE: 1997-07-17
;; EARLIER APPLICATION NUMBER: JP 8-190933
;; EARLIER FILING DATE: 1996-07-19
;; EARLIER APPLICATION NUMBER: JP 9-77979
;; EARLIER FILING DATE: 1997-03-28
;; NUMBER OF SEQ ID NOS: 115
;; SOFTWARE: Patentin Ver. 2.0
;; SEQ ID NO 55
;; LENGTH: 94
;; TYPE: PRT
;; ORGANISM: BOVINE
US-09-147-550-55

Query Match 57.9%; Score 33; DB 3; Length 94;
Best Local Similarity 66.7%; Pred. No. 53;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
DB 80 RHNYGVES 88

Search completed: March 28, 2001, 07:02:02
Job time: 1341 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:53:38 ; Search time 443.95 Seconds
(without alignments)
2.640 Million cell updates/sec

Title: US-09-016-061-100

Perfect score: 57

Sequence: 1 ARHNYGSFYS 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 374700 seqs, 117207915 residues

Total number of hits satisfying chosen parameters: 374700

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL15.*

1: sp_archaea.*

2: sp_bacteria.*

3: sp_fungi.*

4: sp_human.*

5: sp_invertebrate.*

6: sp_mammal.*

7: sp_mhc.*

8: sp_organelle.*

9: sp_phage.*

10: sp_plant.*

11: sp_rodent.*

12: sp_virus.*

13: sp_vertebrate.*

14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	43	75.4	839	09LIE5	Q9LIE5 arabidopsis
2	40	70.2	89	019495	019495 gallus gall
3	39	68.4	555	09XV91	Q9XV91 caenorhabdi
4	39	68.4	611	09X552	Q9X552 streptomyce
5	38	66.7	39	09XV91	P79474 cervus elap
6	38	66.7	39	09XV91	P79477 cervus elap
7	38	66.7	39	09XV91	P79478 cervus elap
8	38	66.7	39	09XV91	P79479 cervus elap
9	38	66.7	76	09TPC2	Q9TPC2 macaca mula
10	38	66.7	82	030606	Q30606 macaca mula
11	38	66.7	82	030608	Q30608 macaca mula
12	38	66.7	82	030637	Q30637 macaca mula
13	38	66.7	82	030638	Q30638 macaca mula
14	38	66.7	82	030658	Q30658 macaca mula
15	38	66.7	82	030659	Q30659 macaca mula
16	38	66.7	82	030666	Q30666 macaca mula
17	38	66.7	82	030667	Q30667 macaca mula
18	38	66.7	82	030668	Q30668 macaca mula
19	38	66.7	82	019287	019287 macaca mula

20	38	66.7	82	7	019288	019288 macaca mula
21	38	66.7	82	7	Q9TPC9	Q9TPC9 callicebus
22	38	66.7	82	7	Q9MXN1	Q9MXN1 macaca mula
23	38	66.7	83	6	Q9TSS5	Q9TSS5 bos indicus
24	38	66.7	83	7	Q98002	Q98002 ovis aries
25	38	66.7	85	7	Q30796	Q30796 ovis aries
26	38	66.7	85	7	Q30800	Q30800 ovis aries
27	38	66.7	85	7	Q30803	Q30803 ovis aries
28	38	66.7	85	7	Q30812	Q30812 ovis aries
29	38	66.7	85	7	P79966	P79966 capra aegag
30	38	66.7	85	7	P79967	P79967 capra aegag
31	38	66.7	85	7	P79968	P79968 capra aegag
32	38	66.7	86	7	Q30326	Q30326 bos taurus
33	38	66.7	89	7	019210	019210 capra hircu
34	38	66.7	89	7	019212	019212 capra hircu
35	38	66.7	89	7	Q30521	Q30521 galago sene
36	38	66.7	89	7	Q30522	Q30522 galago sene
37	38	66.7	89	7	Q30526	Q30526 galago sene
38	38	66.7	89	7	Q30217	Q30217 homo sapien
39	38	66.7	89	7	Q9MXW8	Q9MXW8 aotus nancy
40	38	66.7	89	7	Q9MXW4	Q9MXW4 aotus nancy
41	38	66.7	89	7	Q9MXW3	Q9MXW3 aotus nancy
42	38	66.7	89	7	Q9MXV8	Q9MXV8 aotus nancy
43	38	66.7	89	7	Q9MXV7	Q9MXV7 aotus nancy
44	38	66.7	89	7	Q9MXV5	Q9MXV5 aotus nancy
45	38	66.7	89	7	Q9MXU6	Q9MXU6 aotus nancy

ALIGNMENTS

RESULT 1

Q9LIE5

ID Q9LIE5

AC Q9LIE5

PRELIMINARY

PRT

839 AA

01-OCT-2000 (TREMREL..15, Created)

01-OCT-2000 (TREMREL..15, Last sequence update)

01-OCT-2000 (TREMREL..15, Last annotation update)

PAR-RED IMPAIRED RESPONSE PROTEIN, MUTATOR-LIKE TRANSPOSASE-LIKE

PROTEIN, PHYTOCHROME A SIGNALING PROTEIN-LIKE

Arabidopsis thaliana (Mouse-ear cress)

Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;

Magnoliophyta; eudicotyledons; core eudicots; Rosidae; eurosids II;

Brassicales; Brassicaceae; Arabidopsis.

NCBI_TaxID=3702;

[1]

SEQUENCE FROM N.A.

STRAIN=COLUMBIA;

Kaneko T., Kato T., Sato S., Nakamura Y., Asamizu E., Tabata S.;

Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.

[2]

SEQUENCE FROM N.A.

STRAIN=COLUMBIA;

Nakamura Y.;

"Structural analysis of Arabidopsis thaliana chromosome 3. II.

Sequence features of the regions of 4,251,695 bp covered by ninety P1,

TAC and BAC clones";

DNA Res. 7:217-221(2000).

EMBL; AP001306; BAB03065.1;

SEQUENCE 839 AA; 95996 MW; CBBF60DF8B6797F8 CRC64;

Query Match 75.4%; Score 43; DB 10; Length 839;

Best Local Similarity 87.5%; Pred. No. 7.8;

Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8

:|||||||

Db 274 SRHNYGSF 281

RESULT 2

019495

ID O19495 PRELIMINARY; PRT; 89 AA.
AC O19495;
DT 01-JAN-1998 (TREMBLrel. 05, Created)
DT 01-JAN-1998 (TREMBLrel. 05, Last sequence update)
DT 01-MAY-2000 (TREMBLrel. 13, Last annotation update)
DE MHC CLASS II BETA 1 DOMAIN (FRAGMENT).
GN B-LBI.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=15-151-5; TISSUE=BURSA;
RA Pharr G.T., Dodgson J.B., Hunt H.D., Bacon L.D.;
RL Immunogenetics 47:350-354(1998).
DR EMBL: U91532; AAC15813.1; -;
DR INTERPRO: IPR000353;
DR PFAM: PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1 1
FT NON_TER 89 89
SQ SEQUENCE 89 AA; 10724 MW; BC7D558B6AEB1379 CRC64;
Query Match 70.2%; Score 40; DB 7; Length 89;
Best Local Similarity 77.8%; Pred. No. 2.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNYGSFYS 10
DB 75 RHNYGDFES 83
RESULT 3
Q9XV91 PRELIMINARY; PRT; 555 AA.
AC Q9XV91;
DT 01-NOV-1999 (TREMBLrel. 12, Created)
DT 01-NOV-1999 (TREMBLrel. 12, Last sequence update)
DT 01-OCT-2000 (TREMBLrel. 15, Last annotation update)
DE F1646.1 PROTEIN.
GN F1646.1.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematozoa; Chromadorea; Rhabditida; Rhabditidae;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Matthews L.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans.";
RL Submitted (NOV-1996) to the EMBL/GenBank/DDBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94150718; PubMed=7906398;
RA Wilson R., Ainscough R., Anderson K., Baynes C., Berks M.,
RA Bonfield J., Burton J., Connell M., Copsey T., Cooper J., Coulson A.,
RA Craxton M., Dear S., Du Z., Durbin R., Favello A., Fulton L.,
RA Gardner A., Green P., Hawkins T., Hillier L., Jier M., Johnston L.,
RA Jones M., Kershaw J., Kirsten J., Laister N., Latreille P.,
RA Lightning J., Lloyd C., McMurray A., Mortimore B., O'Callaghan M.,
RA Parsons J., Percy C., Rifkin L., Roopra A., Saunders D., Shownkeen R.,
RA Smalton N., Smith A., Sonnhammer E., Staden R., Sulston J.,
RA Thierry-Mieg J., Thomas K., Vaudin M., Vaughan K., Waterston R.,
RA Watson A., Wellstock L., Wilkinson-Spoat J., Wohlman P.;
RT "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT elegans.";
RL Nature 368:32-38(1994).
DR EMBL: Z81506; CAB04128.1; -;
DR HSSP: P23807; 11XX.

DR INTERPRO: IPR000859;
DR INTERPRO: IPR001304;
DR PFAM: PF00059; Lectin_c; 2.
DR PFAM: PF00431; CUB; 2.
DR PROSITE: PS00615; C_TYPE_LECTIN_1; UNKNOWN_1.
DR PROSITE: PS01180; CUB; 2.
DR PROSITE: PS50041; C_TYPE_LECTIN_2; 2.
SQ SEQUENCE 555 AA; 60401 MW; 00B58D22B2E14EDC CRC64;
Query Match 68.4%; Score 39; DB 5; Length 555;
Best Local Similarity 87.5%; Pred. No. 28;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 3 HNYGSFYS 10
DB 314 HNSGSFYS 321
RESULT 4
Q9X5S2 PRELIMINARY; PRT; 611 AA.
AC Q9X5S2;
DT 01-NOV-1999 (TREMBLrel. 12, Created)
DT 01-NOV-1999 (TREMBLrel. 12, Last sequence update)
DT 01-NOV-1999 (TREMBLrel. 12, Last annotation update)
DE NMCD.
GN NMCD.
OS Streptomyces lavendulae.
OC Bacteria; Firmicutes; Actinobacteria; Actinomycetaceae; Streptomyces.
OC Actinomycetales; Streptomyceae; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=1914;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=NRRL 2564;
RX MEDLINE=99201491; PubMed=10099135;
RA Mao Y.Q., Varoglu M., Sherman D.H.;
RT "Molecular characterization and analysis of the biosynthetic gene
RT cluster for the antitumor antibiotic mitomycin C from Streptomyces
RT lavendulae NRRL 2564.";
RL Chem. Biol. 6:251-263(1999).
DR EMBL: AF127374; AAD32727.1; -;
SQ SEQUENCE 611 AA; 68499 MW; 350B189E5D19EC64 CRC64;
Query Match 68.4%; Score 39; DB 2; Length 611;
Best Local Similarity 77.8%; Pred. No. 30;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNYGSFYS 10
DB 524 RHNYGFFMS 532
RESULT 5
P79474 PRELIMINARY; PRT; 39 AA.
AC P79474;
DT 01-MAY-1997 (TREMBLrel. 03, Created)
DT 01-MAY-1997 (TREMBLrel. 03, Last sequence update)
DT 01-AUG-1998 (TREMBLrel. 07, Last annotation update)
DE MHC CLASS II DB (FRAGMENT).
OS Cervus elaphus (Red deer).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervidae;
OC Cervidae; Cervinae; Cervus.
OX NCBI_TaxID=9860;
RN [1]
RP SEQUENCE FROM N.A.
RA Swardbrick P.A., Crawford A.M.;
RL Submitted (JUL-1996) to the EMBL/GenBank/DDBJ databases.
DR EMBL: U63077; AAB37777.1; -;
KW MHC.

FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4767 MW; CAF3680999733D1D CRC64;

Query Match 66.7%; Score 38; DB 7; Length 39;
 Best Local Similarity 77.8%; Pred. No. 2.6;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
 DB 25 RHNYGVFES 33

RESULT 6

ID P79477 PRELIMINARY; PRT; 39 AA.
 AC P79477;
 DT 01-MAY-1997 (TREMBlrel. 03, Created)
 DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)
 DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swarbrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63080; AAB37780.1; -.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 66.7%; Score 38; DB 7; Length 39;
 Best Local Similarity 77.8%; Pred. No. 2.6;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
 DB 25 RHNYGVFES 33

RESULT 7

ID P79478 PRELIMINARY; PRT; 39 AA.
 AC P79478;
 DT 01-MAY-1997 (TREMBlrel. 03, Created)
 DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)
 DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swarbrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63081; AAB37781.1; -.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 66.7%; Score 38; DB 7; Length 39;
 Best Local Similarity 77.8%; Pred. No. 2.6;

Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 2 RHNYGSFYS 10
 DB 25 RHNYGVFES 33

RESULT 8

ID P79479 PRELIMINARY; PRT; 39 AA.
 AC P79479;
 DT 01-MAY-1997 (TREMBlrel. 03, Created)
 DT 01-MAY-1997 (TREMBlrel. 03, Last sequence update)
 DT 01-AUG-1998 (TREMBlrel. 07, Last annotation update)
 DE MHC CLASS II DRB (FRAGMENT).
 OS Cervus elaphus (Red deer).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervoidae;
 OC Cervidae; Cervinae; Cervus.
 OX NCBI_TaxID=9860;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Swarbrick P.A., Crawford A.M.;
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; U63082; AAB37782.1; -.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 39 39
 SQ SEQUENCE 39 AA; 4806 MW; C2188A16752A3C1D CRC64;

Query Match 66.7%; Score 38; DB 7; Length 39;
 Best Local Similarity 77.8%; Pred. No. 2.6;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
 DB 25 RHNYGVFES 33

RESULT 9

ID Q9TPC2 PRELIMINARY; PRT; 76 AA.
 AC Q9TPC2;
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
 DT 01-JUN-2000 (TREMBlrel. 14, Last annotation update)
 DE MHC CLASS II ANTIGEN (FRAGMENT).
 GN MAMU-DRB1
 OS Macaca mulatta (Rhesus macaque).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
 OC Cercopitheciinae; Macaca.
 OX NCBI_TaxID=9544;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Saueremann U., Khazand M., Nagy M., Peiberg C.;
 RL "Mhc-DO-DRB-haplotype analysis in the rhesus macaque: evidence for a
 RT number of different haplotypes displaying a low allelic
 RT polymorphism";
 RL Tissue Antigens 0:0-0(1999).
 DR EMBL; AF175315; AAF07040.1; -.
 DR INTERPRO; IPR000353; -.
 DR PFAM; PF00969; MHC_II_beta; 1.
 KW MHC.
 FT NON_TER 1 1
 FT NON_TER 76 76
 SQ SEQUENCE 76 AA; 9315 MW; 1DC073E1B87A94D0 CRC64;

Query Match 66.7%; Score 38; DB 7; Length 76;
 Best Local Similarity 77.8%; Pred. No. 5.2;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

```

QY 2 RHNYGSFYS 10
Db 67 RHNYGVFES 75

RESULT 10
Q30606
ID Q30606 PRELIMINARY; PRT; 82 AA.
AC Q30606;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX CLASS II (FRAGMENT).
GN MHC-DRB.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheidae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97152405; PubMed=8995183;
RA Knapp L.A., Cadavid L.F., Eberle M.E., Knechtle S.J., Bontrop R.E.,
RA Watkins D.I.;
RT "Identification of new mamu-DRB alleles using DGGE and direct
RT sequencing.";
RL Immunogenetics 45:171-179(1997).
DR EMBL: U57948; AAC50981.1; -
DR INTERPRO: IPR000353; -
DR PFAM: PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 82
SQ SEQUENCE 82 AA; 9921 MW; CC75FCF5EE35EEC2 CRC64;

Query Match 66.7%; Score 38; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 5.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
Db 73 RHNYGVFES 81

RESULT 11
Q30608
ID Q30608 PRELIMINARY; PRT; 82 AA.
AC Q30608;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX CLASS II (FRAGMENT).
GN MHC-DRB.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheidae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97152405; PubMed=8995183;
RA Knapp L.A., Cadavid L.F., Eberle M.E., Knechtle S.J., Bontrop R.E.,
RA Watkins D.I.;
RT "Identification of new mamu-DRB alleles using DGGE and direct
RT sequencing.";
RL Immunogenetics 45:171-179(1997).
DR EMBL: U57950; AAC50983.1; -
DR INTERPRO: IPR000353; -
DR PFAM: PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 82
SQ SEQUENCE 82 AA; 10024 MW; FAAB1152D09CD306 CRC64;

Query Match 66.7%; Score 38; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 5.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
Db 73 RHNYGVFES 81

RESULT 12
Q30637
ID Q30637 PRELIMINARY; PRT; 82 AA.
AC Q30637;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN MHC DR-BETA 1.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheidae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=IKM; TISSUE=BLOOD;
RX MEDLINE=93123123; PubMed=1478892;
RA Slierendregt B.L., van Noort J.T., Bakas R.M., Otting N., Jonker M.,
RA Bontrop R.E.;
RT "Evolutionary stability of transspecies major histocompatibility
RT complex class II DRB lineages in humans and rhesus monkeys.";
RL Hum. Immunol. 35:29-39(1992).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=IKM; TISSUE=BLOOD;
RX MEDLINE=93123123; PubMed=1478892;
RA Slierendregt B.L.;
RA Submitted (SEP-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL: Z26140; CAAB1141.1; -
DR INTERPRO: IPR000353; -
DR PFAM: PF00969; MHC_II_beta; 1.
KW MHC.
FT NON_TER 1
FT NON_TER 82
SQ SEQUENCE 82 AA; 10024 MW; FAAB1152D09CD306 CRC64;

Query Match 66.7%; Score 38; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 5.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFYS 10
Db 73 RHNYGVFES 81

RESULT 13
Q30638
ID Q30638 PRELIMINARY; PRT; 82 AA.
AC Q30638;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN MHC DR-BETA 1.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheidae; Macaca.
OX NCBI_TaxID=9544;

```

```

RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=1KL; TISSUE=BLOOD;
RX  MEDLINE=93123123; PubMed=1478892;
RA  Slierendregt B.L., van Noort J.T., Bakas R.M., Otting N., Jonker M.,
RA  Bontrop R.E.;
RT  "Evolutionary stability of transspecies major histocompatibility
RL  complex class II DRB lineages in humans and rhesus monkeys.";
RL  Hum. Immunol. 35:29-39(1992).
RN  [2]
RP  SEQUENCE FROM N.A.
RC  STRAIN=1KL; TISSUE=BLOOD;
RA  Slierendregt B.L.;
RL  Submitted (SEP-1993) to the EMBL/GenBank/DBJ databases.
DR  EMBL; Z26141; CAA81162.1; -
DR  INTERPRO; IPR000353; -
DR  PFAM; PF00969; MHC_II_beta; 1.
KW  MHC.
FT  NON_TER 1
FT  NON_TER 82
SQ  SEQUENCE 82 AA; 9953 MW; FB1B03E5209CD316 CRC64;

Query Match 66.7%; Score 38; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 5.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY  2 RHNYGSFYS 10
Db  73 RHNYGVFES 81

RESULT 14
Q30658
ID  Q30658 PRELIMINARY; PRT; 82 AA.
AC  Q30658;
DT  01-NOV-1996 (TREMBlrel. 01, Created)
DT  01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT  01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE  MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN  MHC DR-BETA 5.
OS  Macaca mulatta (Rhesus macaque).
OC  Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC  Cercopithecinae; Macaca.
OX  NCBI_TaxID=9544;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=1KL; TISSUE=BLOOD;
RA  Slierendregt B.L.;
RL  Submitted (SEP-1993) to the EMBL/GenBank/DBJ databases.
DR  EMBL; Z26161; CAA81162.1; -
DR  INTERPRO; IPR000353; -
DR  PFAM; PF00969; MHC_II_beta; 1.
KW  MHC.
FT  NON_TER 1
FT  NON_TER 82
SQ  SEQUENCE 82 AA; 9964 MW; 8AF2C663B1B4D4ED CRC64;

Query Match 66.7%; Score 38; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 5.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

```

```

QY  2 RHNYGSFYS 10
Db  73 RHNYGVFES 81

RESULT 15
Q30659
ID  Q30659 PRELIMINARY; PRT; 82 AA.
AC  Q30659;
DT  01-NOV-1996 (TREMBlrel. 01, Created)
DT  01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT  01-MAY-2000 (TREMBlrel. 13, Last annotation update)
DE  MAJOR HISTOCOMPATIBILITY COMPLEX (FRAGMENT).
GN  MHC DR-BETA 5.
OS  Macaca mulatta (Rhesus macaque).
OC  Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC  Cercopithecinae; Macaca.
OX  NCBI_TaxID=9544;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=1KL; TISSUE=BLOOD;
RX  MEDLINE=93123123; PubMed=1478892;
RA  Slierendregt B.L., van Noort J.T., Bakas R.M., Otting N., Jonker M.,
RA  Bontrop R.E.;
RT  "Evolutionary stability of transspecies major histocompatibility
RL  complex class II DRB lineages in humans and rhesus monkeys.";
RL  Hum. Immunol. 35:29-39(1992).
RN  [2]
RP  SEQUENCE FROM N.A.
RC  STRAIN=1KL; TISSUE=BLOOD;
RA  Slierendregt B.L.;
RL  Submitted (SEP-1993) to the EMBL/GenBank/DBJ databases.
DR  EMBL; Z26162; CAA81163.1; -
DR  INTERPRO; IPR000353; -
DR  PFAM; PF00969; MHC_II_beta; 1.
KW  MHC.
FT  NON_TER 1
FT  NON_TER 82
SQ  SEQUENCE 82 AA; 9940 MW; CC81E33E81B8D69A CRC64;

Query Match 66.7%; Score 38; DB 7; Length 82;
Best Local Similarity 77.8%; Pred. No. 5.6;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY  2 RHNYGSFYS 10
Db  73 RHNYGVFES 81

```

Search completed: March 28, 2001, 07:53:38
Job time: 531 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:25 ; Search time 828.17 Seconds
(without alignments)
1.583 Million cell updates/sec

Title: US-09-016-061-88
Perfect score: 54
Sequence: 1 QQSTSWPHT 9

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main.*
1: /cgnl_7/ptodata/1/paa/PTCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	54	100.0	9	14	US-09-016-061-88
2	54	100.0	9	17	US-09-339-922A-88
3	49	90.7	9	1	PCT-US98-25828-2
4	49	90.7	9	13	US-08-986-016-2
5	49	90.7	9	14	US-09-016-061-86
6	49	90.7	9	17	US-09-339-922A-86
7	49	90.7	107	8	US-08-484-537-62
8	49	90.7	107	8	US-08-484-537-63
9	49	90.7	107	8	US-08-484-537-87
10	49	90.7	107	17	US-09-325-000-21
11	49	90.7	107	17	US-09-325-000-22

12	49	90.7	109	1	PCT-US98-25828-45	Sequence 45, Appl
13	49	90.7	109	1	PCT-US98-25828-49	Sequence 49, Appl
14	49	90.7	109	1	PCT-US98-25828-55	Sequence 55, Appl
15	49	90.7	109	13	US-08-986-016-45	Sequence 45, Appl
16	49	90.7	109	13	US-08-986-016-49	Sequence 49, Appl
17	49	90.7	109	13	US-08-986-016-55	Sequence 55, Appl
18	49	90.7	127	8	US-08-484-537-83	Sequence 83, Appl
19	47	87.0	9	14	US-09-016-061-46	Sequence 46, Appl
20	47	87.0	9	17	US-09-339-922A-46	Sequence 46, Appl
21	47	87.0	107	11	US-08-790-540-4	Sequence 4, Appl
22	47	87.0	107	11	US-08-790-540-8	Sequence 8, Appl
23	47	87.0	107	11	US-08-790-540A-4	Sequence 4, Appl
24	47	87.0	107	11	US-08-790-540A-8	Sequence 8, Appl
25	47	87.0	107	11	US-08-791-391-4	Sequence 4, Appl
26	47	87.0	107	11	US-08-791-391-8	Sequence 8, Appl
27	47	87.0	107	11	US-08-791-391A-4	Sequence 4, Appl
28	47	87.0	107	11	US-08-791-391A-8	Sequence 8, Appl
29	47	87.0	107	11	US-08-791-391A-32	Sequence 32, Appl
30	47	87.0	107	14	US-09-016-061-4	Sequence 4, Appl
31	47	87.0	107	14	US-09-016-061-8	Sequence 8, Appl
32	47	87.0	107	14	US-09-016-061-32	Sequence 32, Appl
33	47	87.0	107	14	US-09-339-922A-4	Sequence 4, Appl
34	47	87.0	107	17	US-09-339-922A-8	Sequence 8, Appl
35	47	87.0	107	17	US-09-339-922A-32	Sequence 32, Appl
36	47	87.0	107	17	US-09-339-922A-8	Sequence 8, Appl
37	44	81.5	259	18	US-09-419-788-29	Sequence 29, Appl
38	44	81.5	1194	22	US-60-167-217-15793	Sequence 15793, A
39	44	81.5	1194	22	US-60-173-464-12947	Sequence 12947, A
40	44	81.5	1194	22	US-60-191-637-15791	Sequence 15791, A
41	44	81.5	1194	22	US-60-191-681-12515	Sequence 12515, A
42	43	79.6	33	7	US-08-307-868-12	Sequence 12, Appl
43	43	79.6	33	9	US-08-525-539-12	Sequence 12, Appl
44	43	79.6	33	9	US-08-525-539A-12	Sequence 12, Appl
45	43	79.6	107	3	US-07-804-464A-1	Sequence 1, Appl

ALIGNMENTS

RESULT 1
US-09-016-061-88
; Sequence 88, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
 INFORMATION FOR SEQ ID NO: 88:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 9 amino acids
 TYPE: amino acid
 TOPOLOGY: linear
 MOLECULE TYPE: protein
 US-09-016-061-88

Query Match 100.0%; Score 54; DB 14; Length 9;
 Best Local Similarity 100.0%; Pred. No. 7.8e+05;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
 Db 1 QOSTSWPHT 9

RESULT 2

US-09-339-922A-88
 ; Sequence 88, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
 ; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
 ; FILE REFERENCE: P-IX 3536
 ; CURRENT APPLICATION NUMBER: US/09/339,922A
 ; CURRENT FILING DATE: 1999-06-24
 ; NUMBER OF SEQ ID NOS: 112
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 88
 ; LENGTH: 9
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Mutated
 ; OTHER INFORMATION: complementarity determining region (CDR)
 US-09-339-922A-88

Query Match 100.0%; Score 54; DB 17; Length 9;
 Best Local Similarity 100.0%; Pred. No. 7.8e+05;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
 Db 1 QOSTSWPHT 9

RESULT 3

PCT-US98-25828-2
 ; Sequence 2, Application PC/TUS9825828A
 ; GENERAL INFORMATION:
 ; APPLICANT: The Scripps Research Institute
 ; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
 ; FILE REFERENCE: TSRI 598.0
 ; CURRENT APPLICATION NUMBER: PCT/US98/25828A
 ; CURRENT FILING DATE: 1998-12-04
 ; EARLIER APPLICATION NUMBER: 08/986,016
 ; EARLIER FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 2
 ; LENGTH: 9
 ; TYPE: PRT
 ; ORGANISM: Murine hybridoma LM609
 PCT-US98-25828-2

Query Match 90.7%; Score 49; DB 1; Length 9;
 Best Local Similarity 88.9%; Pred. No. 7.8e+05;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 QOSTSWPHT 9
 Db 1 QOSTSWPHT 9

RESULT 4

US-08-986-016-2
 ; Sequence 2, Application US/08986016A
 ; GENERAL INFORMATION:
 ; APPLICANT: Barbas III, Carlos F.
 ; APPLICANT: Rader, Christoph
 ; TITLE OF INVENTION: Humanization of Murine Antibody
 ; FILE REFERENCE: Tsri 598.0
 ; CURRENT APPLICATION NUMBER: US/08/986,016A
 ; CURRENT FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 2
 ; LENGTH: 9
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence:mammalian
 US-08-986-016-2

Query Match 90.7%; Score 49; DB 13; Length 9;
 Best Local Similarity 88.9%; Pred. No. 7.8e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOSTSWPHT 9
 Db 1 QOSTSWPHT 9

RESULT 5

US-09-016-061-86
 ; Sequence 86, Application US/09016061
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; APPLICANT: Glaser, Scott M.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California
 ; COUNTRY: United States
 ; ZIP: 92122
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/016,061
 ; FILING DATE: 30-JAN-1998
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/791,391
 ; FILING DATE: 30-JAN-1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Campbell, Cathryn A.
 ; REGISTRATION NUMBER: 31,815
 ; REFERENCE/DOCKET NUMBER: P-IX 2965
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (619) 535-9001
 ; TELEFAX: (619) 535-8949
 ; INFORMATION FOR SEQ ID NO: 86:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-86

Query Match 90.7%; Score 49; DB 14; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
||| |||||

DB 1 QOQNSWPHT 9

RESULT 6

US-09-339-922A-86
; Sequence 86, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 86
; LENGTH: 9
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-86

Query Match 90.7%; Score 49; DB 17; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
||| |||||

DB 1 QOQNSWPHT 9

RESULT 7

US-08-484-537-62
; Sequence 62, Application US/08484537
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELLING, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,537
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US/07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-484-537-62

Query Match 90.7%; Score 49; DB 8; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
||| |||||

DB 89 QOQNSWPHT 97

RESULT 8

US-08-484-537-63
; Sequence 63, Application US/08484537
; GENERAL INFORMATION:
; APPLICANT: QUEEN, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELLING, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,537
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US/07/590,274

; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 63:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-484-537-63

Query Match 90.7%; Score 49; DB 8; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOOSTSWPHT 9
Db 89 QQNSNSWPHT 97

RESULT 9
US-08-484-537-87
; Sequence 87, Application US/08484537
; GENERAL INFORMATION:
; APPLICANT: Queen, Cary L.
; APPLICANT: Co. Man Sung
; APPLICANT: SCHNEIDER, William P.
; APPLICANT: LANDOLFI, Nicholas F.
; APPLICANT: COELINGH, Kathleen L.
; APPLICANT: SELICK, Harold E.
; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
; NUMBER OF SEQUENCES: 113
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend Kourie and Crew
; STREET: 379 Lytton Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: US
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,537
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/634,278
; FILING DATE: 19-DEC-1990
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; ATTORNEY/AGENT INFORMATION:

; NAME: Smith, William M
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 11823-002600
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 326-2400
; TELEFAX: (415) 326-2422
; INFORMATION FOR SEQ ID NO: 87:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-484-537-87

Query Match 90.7%; Score 49; DB 8; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QOOSTSWPHT 9
Db 89 QQNSNSWPHT 97

RESULT 10
US-09-325-000-21
; Sequence 21, Application US/09325000
; GENERAL INFORMATION:
; APPLICANT: Queen, Cary L.
; APPLICANT: Co. Man Sung
; APPLICANT: Schneider, William P.
; APPLICANT: Landolfi, Nicholas F.
; APPLICANT: Coelingh, Kathleen L.
; APPLICANT: Selick, Harold E.
; TITLE OF INVENTION: Improved Humanized Immunoglobulins
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, Eighth Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/325,000
; FILING DATE: 01-JUN-1999
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/484,537
; FILING DATE: 07-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 011823-00265005
; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 21:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-325-000-21

Query Match 90.7%; Score 49; DB 17; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
 | | | | | | | |
Db 89 QQSNWSPHT 97

RESULT 11
US-09-325-000-22
; Sequence 22, Application US/09325000
; GENERAL INFORMATION:
; APPLICANT: Queen, Cary L.
; APPLICANT: CO, Man Sung
; APPLICANT: Schneider, William P.
; APPLICANT: Landolfi, Nicholas F.
; APPLICANT: Coelling, Kathleen L.
; APPLICANT: Selick, Harold E.
; TITLE OF INVENTION: Improved Humanized Immunoglobulins
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, Eighth Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/325,000
; FILING DATE: 01-JUN-1999
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/484,537
; FILING DATE: 07-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 011823-0026500S
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 576-0300
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:

; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-325-000-22

Query Match 90.7%; Score 49; DB 17; Length 107;
Best Local Similarity 88.9%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
 | | | | | | | |
Db 89 QQSNWSPHT 97

RESULT 12
PCT-US98-25828-45
; Sequence 45, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-45

Query Match 90.7%; Score 49; DB 1; Length 109;
Best Local Similarity 88.9%; Pred. No. 0.86;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
 | | | | | | | |
Db 89 QQSNWSPHT 97

RESULT 13
PCT-US98-25828-49
; Sequence 49, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 49
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-49

Query Match 90.7%; Score 49; DB 1; Length 109;
Best Local Similarity 88.9%; Pred. No. 0.86;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSTSWPHT 9
 | | | | | | | |
Db 89 QQSNWSPHT 97

RESULT 14
PCT-US98-25828-55
; Sequence 55, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 55
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-55

Query Match 90.7%; Score 49; DB 1; Length 109;
Best Local Similarity 88.9%; Pred. No. 0.86;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QQNSWPHT 97

RESULT 15
US-08-986-016-45
; Sequence 45, Application US/08986016A
; GENERAL INFORMATION:
; APPLICANT: Barbas III, Carlos F.
; APPLICANT: Rader, Christoph
; TITLE OF INVENTION: Humanization of Murine Antibody
; FILE REFERENCE: Tsri 598.0
; CURRENT APPLICATION NUMBER: US/08/986,016A
; CURRENT FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-45

Query Match 90.7%; Score 49; DB 13; Length 109;
Best Local Similarity 88.9%; Pred. No. 0.86;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWPHT 9
Db 89 QQNSWPHT 97

Search completed: March 28, 2001, 07:18:25
Job time: 1336 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:17 ; Search time 213.09 Seconds
(without alignments)
0.557 Million cell updates/sec

Title: US-09-016-061-88
Perfect score: 54
Sequence: 1 QOSTSWPT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New:*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pap:*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pap:*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pap:*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pap:*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pap:*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pap:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	37	68.5	794	5	US-09-489-039A-10909
2	36	66.7	10	5	US-09-445-602A-17
3	36	66.7	20	5	US-09-445-602A-25
4	36	66.7	109	5	US-09-445-602A-6
5	35	64.8	111	1	PCT-US01-03537-11
6	35	64.8	154	5	US-09-352-616A-383
7	35	64.8	154	5	US-09-759-143-383
8	35	64.8	154	5	US-09-679-426-383
9	35	64.8	154	5	US-09-685-166-383
10	35	64.8	154	5	US-09-679-272-383
11	35	64.8	154	5	US-09-780-669-383
12	35	64.8	161	5	US-09-759-143-846
13	35	64.8	161	5	US-09-679-426-846
14	35	64.8	161	5	US-09-685-166-846
15	35	64.8	161	5	US-09-780-669-846
16	35	64.8	216	5	US-09-489-039A-9538
17	34	63.0	41	5	US-09-009-843D-235
18	34	63.0	112	1	PCT-US01-03537-58
19	34	63.0	112	1	PCT-US01-03537-61
20	34	63.0	112	1	PCT-US01-03537-70
21	34	63.0	310	5	US-09-488-725A-2779
22	34	63.0	324	5	US-09-488-725A-6351
23	34	63.0	397	5	US-09-488-725A-2732
24	34	63.0	479	5	US-09-488-725A-6304
25	33	61.1	40	5	US-09-209-462B-173
26	33	61.1	109	1	PCT-US01-01432-78
27	33	61.1	109	1	PCT-US01-01432-106

RESULT 1
US-09-489-039A-10909
; Sequence 10909, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Bretton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 10909
; LENGTH: 794
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-10909

ALIGNMENTS

28	33	61.1	308	5	US-09-510-332-117	Sequence 117, App
29	32	59.3	72	1	PCT-US01-01340-744	Sequence 744, App
30	32	59.3	96	1	PCT-US01-02723-219	Sequence 219, App
31	32	59.3	116	5	US-09-489-039A-12769	Sequence 12769, A
32	32	59.3	185	1	PCT-US01-01565-79	Sequence 79, Appl
33	32	59.3	265	5	US-09-489-039A-12065	Sequence 12065, A
34	32	59.3	272	5	US-09-782-980-30	Sequence 30, Appl
35	32	59.3	306	5	US-09-489-039A-8745	Sequence 8745, Ap
36	32	59.3	435	5	US-09-489-039A-7287	Sequence 7287, Ap
37	32	59.3	575	5	US-09-510-949-2	Sequence 2, Appl
38	32	59.3	774	5	US-09-782-980-16	Sequence 16, Appl
39	32	59.3	774	5	US-09-702-572-7	Sequence 7, Appl
40	32	59.3	836	5	US-09-573-872-10	Sequence 10, Appl
41	32	59.3	871	5	US-09-573-872-2	Sequence 2, Appl
42	32	59.3	1215	5	US-09-488-725A-7133	Sequence 7133, Ap
43	32	59.3	1250	5	US-09-488-725A-3563	Sequence 3563, Ap
44	32	59.3	1811	6	US-60-261-976-288	Sequence 288, App
45	31	57.4	111	1	PCT-US01-03537-59	Sequence 59, Appl

Query Match 68.5%; Score 37; DB 5; Length 794;
Best Local Similarity 85.7%; Pred. No. 60;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWP 7
Db 185 QOSTSWP 191

RESULT 2
US-09-445-602A-17
; Sequence 17, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNIT
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445,602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 17

```
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-17

Query Match      66.7%; Score 36; DB 5; Length 10;
Best Local Similarity 85.7%; Pred. No. 1.1;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWP 7
   ||| |||
Db 1 QQSNWSP 7

RESULT 3
US-09-445-602A-25
; Sequence 25, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irvin
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445, 602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: Patentin version 3.0
; SEQ ID NO 25
; LENGTH: 20
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-25

Query Match      66.7%; Score 36; DB 5; Length 20;
Best Local Similarity 85.7%; Pred. No. 2.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWP 7
   ||| |||
Db 5 QQSNWSP 11

RESULT 4
US-09-445-602A-6
; Sequence 6, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irvin
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445, 602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: Patentin version 3.0
; SEQ ID NO 6
; LENGTH: 109
; TYPE: PRT
```

```
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-6

Query Match      66.7%; Score 36; DB 5; Length 109;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSTSWP 7
   ||| |||
Db 90 QQSNWSP 96

RESULT 5
PCT-US01-03537-11
; Sequence 11, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 11
; LENGTH: 111
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US01-03537-11

Query Match      64.8%; Score 35; DB 1; Length 111;
Best Local Similarity 75.0%; Pred. No. 18;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 QOSTSWPHT 9
   ||| |||
Db 95 QSTHWPF 102

RESULT 6
US-09-352-616A-383
; Sequence 383, Application US/09352616A
; GENERAL INFORMATION:
; APPLICANT: Dillon, Davin C.
; APPLICANT: Harlocker, Susan Louise
; APPLICANT: Jiang, Yugu
; APPLICANT: Xu, Jiangchun
; APPLICANT: Mitcham, Jennifer Lynn
; TITLE OF INVENTION: COMPOUNDS FOR IMMUNOTHERAPY AND DIAGNOSIS
; FILE REFERENCE: 210121.427C8
; CURRENT APPLICATION NUMBER: US/09/352,616A
; CURRENT FILING DATE: 1999-07-13
; NUMBER OF SEQ ID NOS: 472
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 383
; LENGTH: 154
; TYPE: PRT
```

ORGANISM: Homo sapiens
US-09-352-616A-383

Query Match 64.8%; Score 35; DB 5; Length 154;
Best Local Similarity 62.5%; Pred. No. 25;
Matches 5; Conservative 0; Mismatches 0; Indels 3; Gaps 0;

Qy 2 QSTSWPHT 9
| | | |
Db 9 QGARWPHT 16

RESULT 7
US-09-759-143-383
; Sequence 383, Application US/09759143
; GENERAL INFORMATION:
; APPLICANT: Xu, Jiangchun
; APPLICANT: Dillon, Davin C.
; APPLICANT: Mitcham, Jennifer L.
; APPLICANT: Harlocker, Susan L.
; APPLICANT: Jiang, Yuqui
; APPLICANT: Henderson, Robert A.
; APPLICANT: Kalos, Michael D.
; APPLICANT: Fanger, Gary R.
; APPLICANT: Retter, Marc W.
; APPLICANT: Stolk, John A.
; APPLICANT: Day, Craig H.
; APPLICANT: Vedvick, Thomas S.
; APPLICANT: Carter, Darrick
; APPLICANT: Li, Samuel
; APPLICANT: Wang, Aijun
; APPLICANT: Skeiky, Yasir A.W.
; APPLICANT: Hepler, William
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
; FILE REFERENCE: 210121.427C23
; CURRENT FILING DATE: 2001-01-12
; NUMBER OF SEQ ID NOS: 934
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 383
; LENGTH: 154
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-759-143-383

Query Match 64.8%; Score 35; DB 5; Length 154;
Best Local Similarity 62.5%; Pred. No. 25;
Matches 5; Conservative 0; Mismatches 0; Indels 3; Gaps 0;

Qy 2 QSTSWPHT 9
| | | |
Db 9 QGARWPHT 16

RESULT 8
US-09-679-426-383
; Sequence 383, Application US/09679426
; GENERAL INFORMATION:
; APPLICANT: Xu, Jiangchun
; APPLICANT: Dillon, Davin C.
; APPLICANT: Mitcham, Jennifer L.
; APPLICANT: Harlocker, Susan L.
; APPLICANT: Jiang, Yuqui
; APPLICANT: Henderson, Robert A.
; APPLICANT: Kalos, Michael D.
; APPLICANT: Fanger, Gary R.
; APPLICANT: Retter, Marc W.
; APPLICANT: Stolk, John A.
; APPLICANT: Day, Craig H.
; APPLICANT: Vedvick, Thomas S.

APPLICANT: Carter, Darrick
APPLICANT: Li, Samuel
APPLICANT: Wang, Aijun
APPLICANT: Skeiky, Yasir A.W.
APPLICANT: Hepler, William
TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
FILE REFERENCE: 210121.427C20
CURRENT APPLICATION NUMBER: US/09/679,426
CURRENT FILING DATE: 2000-10-02
NUMBER OF SEQ ID NOS: 895
SOFTWARE: FastSEQ for Windows Version 3.0
SEQ ID NO 383
LENGTH: 154
TYPE: PRT
ORGANISM: Homo sapiens
US-09-679-426-383

Query Match 64.8%; Score 35; DB 5; Length 154;
Best Local Similarity 62.5%; Pred. No. 25;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 QSTSWPHT 9
| | | |
Db 9 QGARWPHT 16

RESULT 9
US-09-685-166-383
; Sequence 383, Application US/09685166
; GENERAL INFORMATION:
; APPLICANT: Xu, Jiangchun
; APPLICANT: Dillon, Davin C.
; APPLICANT: Mitcham, Jennifer L.
; APPLICANT: Harlocker, Susan L.
; APPLICANT: Jiang, Yuqui
; APPLICANT: Henderson, Robert A.
; APPLICANT: Kalos, Michael D.
; APPLICANT: Fanger, Gary R.
; APPLICANT: Retter, Marc W.
; APPLICANT: Stolk, John A.
; APPLICANT: Day, Craig H.
; APPLICANT: Vedvick, Thomas S.
; APPLICANT: Carter, Darrick
; APPLICANT: Li, Samuel
; APPLICANT: Wang, Aijun
; APPLICANT: Skeiky, Yasir A.W.
; APPLICANT: Hepler, William
TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
FILE REFERENCE: 210121.427C21
CURRENT APPLICATION NUMBER: US/09/685,166
CURRENT FILING DATE: 2000-10-10
NUMBER OF SEQ ID NOS: 898
SOFTWARE: FastSEQ for Windows Version 3.0
SEQ ID NO 383
LENGTH: 154
TYPE: PRT
ORGANISM: Homo sapiens
US-09-685-166-383

Query Match 64.8%; Score 35; DB 5; Length 154;
Best Local Similarity 62.5%; Pred. No. 25;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 QSTSWPHT 9
| | | |
Db 9 QGARWPHT 16

RESULT 10

US-09-679-272-383
 ; Sequence 383, Application US/09679272
 ; GENERAL INFORMATION:
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Skeiky, Yasir
 ; APPLICANT: Reed, Steven G.
 ; APPLICANT: Cheever, Martin
 ; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
 ; FILE OF INVENTION: DIAGNOSIS OF PROSTATE CANCER
 ; FILE REFERENCE: 210121.534
 ; CURRENT APPLICATION NUMBER: US/09/679,272
 ; CURRENT FILING DATE: 2000-10-04
 ; NUMBER OF SEQ ID NOS: 476
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 383
 ; LENGTH: 154
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-679-272-383

Query Match 64.8%; Score 35; DB 5; Length 154;
 Best Local Similarity 62.5%; Pred. No. 25;
 Matches 5; Conservative 0; Mismatches 0; Indels 3; Gaps 0;

QY 2 QSTSWPHT 9
 | | | | |
 Db 9 QGARWPHT 16

RESULT 11
 US-09-780-669-383
 ; Sequence 383, Application US/09780669
 ; GENERAL INFORMATION:
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Dillon, Davin C.
 ; APPLICANT: Mitcham, Jennifer L.
 ; APPLICANT: Harlocker, Susan L.
 ; APPLICANT: Jiang, Yuqui
 ; APPLICANT: Henderson, Robert A.
 ; APPLICANT: Kalos, Michael D.
 ; APPLICANT: Fanger, Gary R.
 ; APPLICANT: Retter, Marc W.
 ; APPLICANT: Stolk, John A.
 ; APPLICANT: Day, Craig H.
 ; APPLICANT: Vedvick, Thomas S.
 ; APPLICANT: Carter, Darrick
 ; APPLICANT: Li, Samuel
 ; APPLICANT: Wang, Aijun
 ; APPLICANT: Skeiky, Yasir A.W.
 ; APPLICANT: Hepler, William
 ; APPLICANT: Hural, John
 ; APPLICANT: McNeill, Patricia D.
 ; APPLICANT: Houghton, Raymond L.
 ; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
 ; FILE OF INVENTION: DIAGNOSIS OF PROSTATE CANCER
 ; FILE REFERENCE: 210121.427C24
 ; CURRENT APPLICATION NUMBER: US/09/780,669
 ; CURRENT FILING DATE: 2001-02-09
 ; NUMBER OF SEQ ID NOS: 943
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 383
 ; LENGTH: 154
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-780-669-383

Query Match 64.8%; Score 35; DB 5; Length 154;
 Best Local Similarity 62.5%; Pred. No. 25;
 Matches 5; Conservative 0; Mismatches 0; Indels 3; Gaps 0;

QY 2 QSTSWPHT 9

Db 9 QGARWPHT 16
 | | | | |

RESULT 12
 US-09-759-143-846
 ; Sequence 846, Application US/09759143
 ; GENERAL INFORMATION:
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Dillon, Davin C.
 ; APPLICANT: Mitcham, Jennifer L.
 ; APPLICANT: Harlocker, Susan L.
 ; APPLICANT: Jiang, Yuqui
 ; APPLICANT: Henderson, Robert A.
 ; APPLICANT: Kalos, Michael D.
 ; APPLICANT: Fanger, Gary R.
 ; APPLICANT: Retter, Marc W.
 ; APPLICANT: Stolk, John A.
 ; APPLICANT: Day, Craig H.
 ; APPLICANT: Vedvick, Thomas S.
 ; APPLICANT: Carter, Darrick
 ; APPLICANT: Li, Samuel
 ; APPLICANT: Wang, Aijun
 ; APPLICANT: Skeiky, Yasir A.W.
 ; APPLICANT: Hepler, William
 ; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
 ; FILE OF INVENTION: DIAGNOSIS OF PROSTATE CANCER
 ; FILE REFERENCE: 210121.427C23
 ; CURRENT APPLICATION NUMBER: US/09/759,143
 ; CURRENT FILING DATE: 2001-01-12
 ; NUMBER OF SEQ ID NOS: 934
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 846
 ; LENGTH: 161
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-759-143-846

Query Match 64.8%; Score 35; DB 5; Length 161;
 Best Local Similarity 62.5%; Pred. No. 26;
 Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 QSTSWPHT 9
 | | | | |
 Db 16 QGARWPHT 23

RESULT 13
 US-09-679-426-846
 ; Sequence 846, Application US/09679426
 ; GENERAL INFORMATION:
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Dillon, Davin C.
 ; APPLICANT: Mitcham, Jennifer L.
 ; APPLICANT: Harlocker, Susan L.
 ; APPLICANT: Jiang, Yuqui
 ; APPLICANT: Henderson, Robert A.
 ; APPLICANT: Kalos, Michael D.
 ; APPLICANT: Fanger, Gary R.
 ; APPLICANT: Retter, Marc W.
 ; APPLICANT: Stolk, John A.
 ; APPLICANT: Day, Craig H.
 ; APPLICANT: Vedvick, Thomas S.
 ; APPLICANT: Carter, Darrick
 ; APPLICANT: Li, Samuel
 ; APPLICANT: Wang, Aijun
 ; APPLICANT: Skeiky, Yasir A.W.
 ; APPLICANT: Hepler, William
 ; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
 ; FILE OF INVENTION: DIAGNOSIS OF PROSTATE CANCER
 ; FILE REFERENCE: 210121.427C20
 ; CURRENT APPLICATION NUMBER: US/09/679,426

; CURRENT FILING DATE: 2000-10-02
; NUMBER OF SEQ ID NOS: 895
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 846
; LENGTH: 161
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-679-426-846

Query Match 64.8%; Score 35; DB 5; Length 161;
Best Local Similarity 62.5%; Pred. No. 26;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 QSTSWPHT 9
| | | | |
Db 16 QGARWPHT 23

RESULT 14

US-09-685-166-846
; Sequence 846, Application US/09685166
; GENERAL INFORMATION:
; APPLICANT: Xu, Jiangchun
; APPLICANT: Dillon, Davin C.
; APPLICANT: Mitcham, Jennifer L.
; APPLICANT: Harlocker, Susan L.
; APPLICANT: Jiang, Yuqi
; APPLICANT: Henderson, Robert A.
; APPLICANT: Kalos, Michael D.
; APPLICANT: Fanger, Gary R.
; APPLICANT: Retter, Marc W.
; APPLICANT: Stolk, John A.
; APPLICANT: Day, Craig H.
; APPLICANT: Vedvick, Thomas S.
; APPLICANT: Carter, Darrick
; APPLICANT: Li, Samuel
; APPLICANT: Wang, Aijun
; APPLICANT: Skeiky, Yasir A.W.
; APPLICANT: Hepler, William
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
; FILE REFERENCE: 210121.427C21
; CURRENT APPLICATION NUMBER: US/09/685.166
; CURRENT FILING DATE: 2000-10-10
; NUMBER OF SEQ ID NOS: 898
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 846
; LENGTH: 161
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-685-166-846

Query Match 64.8%; Score 35; DB 5; Length 161;
Best Local Similarity 62.5%; Pred. No. 26;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 QSTSWPHT 9
| | | | |
Db 16 QGARWPHT 23

RESULT 15

US-09-780-669-846
; Sequence 846, Application US/09780669
; GENERAL INFORMATION:
; APPLICANT: Xu, Jiangchun
; APPLICANT: Dillon, Davin C.
; APPLICANT: Mitcham, Jennifer L.
; APPLICANT: Harlocker, Susan L.
; APPLICANT: Jiang, Yuqi
; APPLICANT: Henderson, Robert A.

; APPLICANT: Kalos, Michael D.
; APPLICANT: Fanger, Gary R.
; APPLICANT: Retter, Marc W.
; APPLICANT: Stolk, John A.
; APPLICANT: Day, Craig H.
; APPLICANT: Vedvick, Thomas S.
; APPLICANT: Carter, Darrick
; APPLICANT: Li, Samuel
; APPLICANT: Wang, Aijun
; APPLICANT: Skeiky, Yasir A.W.
; APPLICANT: Hepler, William
; APPLICANT: Hural, John
; APPLICANT: McNeill, Patricia D.
; APPLICANT: Houghton, Raymond L.
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
; FILE REFERENCE: 210121.427C24
; CURRENT APPLICATION NUMBER: US/09/780.669
; CURRENT FILING DATE: 2001-02-09
; NUMBER OF SEQ ID NOS: 943
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 846
; LENGTH: 161
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-780-669-846

Query Match 64.8%; Score 35; DB 5; Length 161;
Best Local Similarity 62.5%; Pred. No. 26;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 QSTSWPHT 9
| | | | |
Db 16 QGARWPHT 23

Search completed: March 28, 2001, 07:22:17
Job time: 1509 sec

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	51	100.0	9	14	US-09-016-061-90	Sequence 90, Appl
2	51	100.0	9	17	US-09-339-922A-90	Sequence 90, Appl
3	45	88.2	9	6	US-08-232-081-6	Sequence 6, Appl
4	45	88.2	9	6	US-08-232-081A-6	Sequence 6, Appl
5	45	88.2	9	14	US-09-016-061-92	Sequence 92, Appl
6	45	88.2	9	17	US-09-339-922A-92	Sequence 92, Appl
7	45	88.2	107	6	US-08-232-081-9	Sequence 9, Appl
8	45	88.2	107	6	US-08-232-081A-9	Sequence 9, Appl
9	44	86.3	9	14	US-09-016-061-46	Sequence 46, Appl
10	44	86.3	9	17	US-09-339-922A-46	Sequence 46, Appl
11	44	86.3	107	11	US-08-790-540-4	Sequence 4, Appl

AI.IGNMENTS

RESULT 1
US-09-016-061-90
; Sequence 90, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 90:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-90

Query Match      100.0%; Score 51; DB 14; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
Db 1 QOQSGSWPLT 9

RESULT 2
US-09-339-922A-90
; Sequence 90, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 90
; LENGTH: 9
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-90

Query Match      100.0%; Score 51; DB 17; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
Db 1 QOQSGSWPLT 9

RESULT 3
US-08-232-081-6
; Sequence 6, Application US/08232081
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, Tomoyuki
; APPLICANT: GOMI, Hideyuki
; APPLICANT: WIDENES, John
; APPLICANT: NOGUCHI, Hiroshi
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH & BIRCH
; STREET: 8110 Gatehouse Road, Suite 500 East
; CITY: Falls Church
; STATE: VA
; COUNTRY: USA
; ZIP: 22042
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
```

```
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081
; FILING DATE: 10-MAY-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 323319/1991
; FILING DATE: 06-DEC-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/JP92/01583
; FILING DATE: 03-DEC-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, Leonard R.
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484P
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-205-8000
; TELEFAX: 703-205-8050
; TELEX: 248345
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-232-081-6

Query Match      88.2%; Score 45; DB 6; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
Db 1 QOQSGSWPLT 9

RESULT 4
US-08-232-081A-6
; Sequence 6, Application US/08232081A
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, Tomoyuki
; APPLICANT: GOMI, Hideyuki
; APPLICANT: WIDENES, John
; APPLICANT: NOGUCHI, Hiroshi
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 35
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH & BIRCH
; STREET: 8110 Gatehouse Road, Suite 500 East
; CITY: Falls Church
; STATE: VA
; COUNTRY: USA
; ZIP: 22042
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081A
; FILING DATE: 10-MAY-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 323319/1991
; FILING DATE: 06-DEC-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/JP92/01583
; FILING DATE: 03-DEC-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, Leonard R.
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484P
```

TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-205-8000
TELEFAX: 703-205-8050
TELEX: 248345
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 9 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-232-081A-6

Query Match 88.2%; Score 45; DB 6; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
||| |||||
DB 1 QOQSSWPLT 9

RESULT 5
US-09-016-061-92
; Sequence 92, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 92:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-92

Query Match 88.2%; Score 45; DB 14; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
||| |||||

DB 1 QOQSGSWPQT 9

RESULT 6
US-09-339-922A-92
; Sequence 92, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 92
; LENGTH: 9
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-92

Query Match 88.2%; Score 45; DB 17; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
||| |||||
DB 1 QOQSGSWPQT 9

RESULT 7
US-08-232-081-9
; Sequence 9, Application US/08232081
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, Tomoyuki
; APPLICANT: GOMI, Hideyuki
; APPLICANT: WIJDENES, John
; APPLICANT: NOGUCHI, Hiroshi
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH & BIRCH
; STREET: 8110 Gatehouse Road, Suite 500 East
; CITY: Falls Church
; STATE: VA
; COUNTRY: USA
; ZIP: 22042
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081
; FILING DATE: 10-MAY-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 323319/1991
; FILING DATE: 06-DEC-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/JP92/01583
; FILING DATE: 03-DEC-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, Leonard R.
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484P
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-205-8000

; TELEFAX: 703-205-8050
; TELEX: 248345
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-232-081-9

Query Match 88.2%; Score 45; DB 6; Length 107;
Best Local Similarity 88.9%; Pred. No. 4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
Db 89 QOQSSSWPLT 97

RESULT 8
US-08-232-081A-9
; Sequence 9, Application US/08232081A
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, Tomoyuki
; APPLICANT: GOMI, Hideyuki
; APPLICANT: WJDENES, John
; APPLICANT: NOGUCHI, Hiroshi
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 35
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH & BIRCH
; STREET: 8110 Gatehouse Road, Suite 500 East
; CITY: Falls Church
; STATE: VA
; COUNTRY: USA
; ZIP: 22042
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081A
; FILING DATE: 10-MAY-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 323319/1991
; FILING DATE: 06-DEC-1991
; PRIOR APPLICATION NUMBER: PCT/JP92/01583
; FILING DATE: 03-DEC-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, Leonard R.
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484P
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-205-8000
; TELEFAX: 703-205-8050
; TELEX: 248345
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-232-081A-9

Query Match 88.2%; Score 45; DB 6; Length 107;
Best Local Similarity 88.9%; Pred. No. 4;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 QOQSGSWPLT 9
Db 89 QOQSSSWPLT 97
RESULT 9
US-09-016-061-46
; Sequence 46, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 46:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-46

Query Match 86.3%; Score 44; DB 14; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
Db 1 QOQSGSWPHT 9

RESULT 10
US-09-339-922A-46
; Sequence 46, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1

SEQ ID NO 46
LENGTH: 9
TYPE: PRT
ORGANISM: Mus musculus
US-09-339-922A-46

Query Match 86.3%; Score 44; DB 17; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
| | | | | | | |
DB 1 QOQSGSWPHT 9

RESULT 11
US-08-790-540-4
Sequence 4, Application US/08790540
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540
FILING DATE:

CLASSIFICATION: 530
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540-4

Query Match 86.3%; Score 44; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 5.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
| | | | | | | |
DB 89 QOQSGSWPHT 97

RESULT 12
US-08-790-540-8
Sequence 8, Application US/08790540
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24

CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540
FILING DATE:

CLASSIFICATION: 530
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 8:

SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540-8

Query Match 86.3%; Score 44; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 5.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPLT 9
| | | | | | | |
DB 89 QOQSGSWPHT 97

RESULT 13
US-08-790-540A-4
Sequence 4, Application US/08790540A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 4:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-4

Query Match 86.3%; Score 44; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 5.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
| | | | | | | |
Db 89 QQSGSWPHT 97

RESULT 14
US-08-790-540A-8
; Sequence 8, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-8

Query Match 86.3%; Score 44; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 5.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
| | | | | | | |
Db 89 QQSGSWPHT 97

RESULT 15
US-08-791-391-4
; Sequence 4, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-791-391-4

Query Match 86.3%; Score 44; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 5.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPLT 9
| | | | | | | |
Db 89 QQSGSWPHT 97

Search completed: March 28, 2001, 07:18:26
Job time: 1337 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:17 ; Search time 213.09 Seconds
(without alignments)
0.557 Million cell updates/sec

Title: US-09-016-061-90
Perfect score: 51
Sequence: 1 QQSGSWPLT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New:**

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep:**
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep:**
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep:**
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep:**
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep:**
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep:**

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	37	72.5	10	US-09-445-602A-17	Sequence 17, Appl
2	37	72.5	20	US-09-445-602A-25	Sequence 25, Appl
3	37	72.5	109	US-09-445-602A-6	Sequence 6, Appli
4	35	68.6	943	US-09-201-228A-132	Sequence 132, App
5	34	66.7	794	US-09-489-039A-10909	Sequence 10909, A
6	33	64.7	124	US-09-489-039A-11700	Sequence 11700, A
7	33	64.7	183	US-09-489-039A-14327	Sequence 14327, A
8	33	64.7	441	US-09-794-422-4	Sequence 4, Appli
9	33	64.7	640	US-09-489-039A-14146	Sequence 14146, A
10	33	64.7	962	US-09-731-166-2	Sequence 2, Appli
11	32	62.7	119	US-09-489-039A-11460	Sequence 11460, A
12	32	62.7	121	US-09-489-039A-12703	Sequence 12703, A
13	32	62.7	127	PCT-US01-01324-1850	Sequence 1850, Ap
14	32	62.7	216	US-09-489-039A-9538	Sequence 9538, Ap
15	32	62.7	305	US-09-489-039A-10184	Sequence 10184, A
16	32	62.7	502	US-09-489-039A-13376	Sequence 13376, A
17	32	62.7	785	US-09-488-725A-2538	Sequence 2538, Ap
18	32	62.7	794	US-09-488-725A-6110	Sequence 6110, Ap
19	32	62.7	1312	US-09-407-427-8	Sequence 8, Appli
20	32	62.7	1313	US-09-407-427-9	Sequence 9, Appli
21	32	62.7	1402	US-09-445-353A-2	Sequence 2, Appli
22	31	60.8	56	PCT-US01-00911-134	Sequence 134, App
23	31	60.8	62	PCT-US01-02723-12	Sequence 12, Appl
24	31	60.8	72	PCT-US01-01340-744	Sequence 744, App
25	31	60.8	112	PCT-US01-03537-62	Sequence 62, Appl
26	31	60.8	176	US-09-522-433A-26	Sequence 26, Appl
27	31	60.8	176	US-09-522-433B-26	Sequence 26, Appl

28	31	60.8	265	1	PCT-US01-01434-113	Sequence 113, App
29	31	60.8	301	5	US-09-489-039A-9894	Sequence 9894, Ap
30	31	60.8	349	5	US-09-488-725A-2892	Sequence 2892, Ap
31	31	60.8	375	5	US-09-488-725A-1866	Sequence 1866, Ap
32	31	60.8	380	5	US-09-488-725A-6464	Sequence 6464, Ap
33	31	60.8	412	5	US-09-489-039A-13259	Sequence 13259, A
34	31	60.8	430	5	US-09-488-725A-5438	Sequence 5438, Ap
35	31	60.8	430	5	US-09-488-725A-5439	Sequence 5439, Ap
36	31	60.8	434	5	US-09-488-725A-12836	Sequence 12836, A
37	31	60.8	512	5	US-09-489-039A-12836	Sequence 12836, A
38	31	60.8	553	5	US-09-188-082-16	Sequence 16, Appl
39	31	60.8	612	5	US-09-488-725A-5724	Sequence 5724, Ap
40	31	60.8	716	5	US-09-489-039A-10841	Sequence 10841, A
41	31	60.8	835	6	US-09-259-128-4854	Sequence 4854, App
42	31	60.8	1072	5	US-09-201-228A-549	Sequence 549, App
43	30	58.8	69	5	US-09-489-039A-9111	Sequence 9111, Ap
44	30	58.8	106	5	US-09-488-725A-2580	Sequence 2580, Ap
45	30	58.8	180	5	US-09-489-039A-11734	Sequence 11734, A

ALIGNMENTS

RESULT 1
US-09-445-602A-17
; Sequence 17, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNIT
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445, 602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 17
; LENGTH: 10
; TYPE: PPT
; ORGANISM: Mus musculus
US-09-445-602A-17

Query Match 72.5%; Score 37; DB 5; Length 10;
Best Local Similarity 75.0%; Pred.No. 0.69;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQSGSWPL 8
| | | | |
Db 1 QQSNWPV 8

RESULT 2
US-09-445-602A-25
; Sequence 25, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNIT
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445, 602A
; CURRENT FILING DATE: 2001-01-24

; FILE REFERENCE: PCT/IL98/00266
; PRIOR APPLICATION NUMBER: 1999-12-09
; PRIOR FILING DATE: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 25
; LENGTH: 20
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-25

Query Match 72.5%; Score 37; DB 5; Length 20;
Best Local Similarity 75.0%; Pred. No. 1.4;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPL 8
Db 5 QQNSWPV 12

RESULT 3
US-09-445-602A-6
; Sequence 6, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Iron
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445, 602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 6
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-6

Query Match 72.5%; Score 37; DB 5; Length 109;
Best Local Similarity 75.0%; Pred. No. 7.6;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPL 8
Db 90 QQNSWPV 97

RESULT 4
US-09-201-228A-132
; Sequence 132, Application US/09201228A
; GENERAL INFORMATION:
; APPLICANT: Griffois, Remy
; APPLICANT: Hoiseth, Susan K.
; APPLICANT: Zagursky, Robert John
; APPLICANT: Metcalf, Benjamin J.
; APPLICANT: Peek, Joel A.
; APPLICANT: Sankaran, Banumathi
; APPLICANT: Fletcher, Leah Diane
; TITLE OF INVENTION: CHLAMYDIA TRACHOMATIS GENOMIC SEQUENCE
; TITLE OF INVENTION: AND POLYPEPTIDES, FRAGMENTS THEREOF AND USES THEREOF, IN
; TITLE OF INVENTION: PARTICULAR FOR THE DIAGNOSIS, PREVENTION AND TREATMENT OF
; TITLE OF INVENTION: INFECTION

; FILE REFERENCE: 9710-0004-999
; CURRENT APPLICATION NUMBER: US/09/201,228A
; CURRENT FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: US 60/107,077
; PRIOR FILING DATE: 1998-11-04
; PRIOR APPLICATION NUMBER: FR 97-16034
; PRIOR FILING DATE: 1997-12-17
; PRIOR APPLICATION NUMBER: FR 97-15041
; PRIOR FILING DATE: 1997-11-28
; NUMBER OF SEQ ID NOS: 5981
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 132
; LENGTH: 943
; TYPE: PRT
; ORGANISM: Chlamydia trachomatis
US-09-201-228A-132

Query Match 68.6%; Score 35; DB 5; Length 943;
Best Local Similarity 85.7%; Pred. No. 1.4e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 3 SGNWPLT 9
Db 461 SGLWPLT 467

RESULT 5
US-09-489-039A-10909
; Sequence 10909, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 10909
; LENGTH: 794
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-10909

Query Match 66.7%; Score 34; DB 5; Length 794;
Best Local Similarity 75.0%; Pred. No. 1.8e+02;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPL 8
Db 185 QQOTSWPL 192

RESULT 6
US-09-489-039A-11700
; Sequence 11700, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 11700
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae

US-09-489-039A-11700

Query Match 64.7%; Score 33; DB 5; Length 124;
Best Local Similarity 85.7%; Pred. No. 41;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 3 SCSWPLT 9
| | | | |
DB 9 KSWPLT 15

RESULT 7

US-09-489-039A-14327
; Sequence 14327, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 14327
; LENGTH: 183
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-14327

Query Match 64.7%; Score 33; DB 5; Length 183;
Best Local Similarity 50.0%; Pred. No. 61;
Matches 4; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSGSWPL 8
:::|:::
DB 76 KKAGSWPI 83

RESULT 8

US-09-794-422-4
; Sequence 4, Application US/09794422
; GENERAL INFORMATION:
; APPLICANT: Brown, Thomas A.
; APPLICANT: De Wet, Jeffrey R.
; APPLICANT: Gowen, Lori C.
; APPLICANT: Hames, Lynn M.
; TITLE OF INVENTION: Mammalian Osteoregulins
; FILE REFERENCE: PC10445
; CURRENT APPLICATION NUMBER: US/09/794,422
; CURRENT FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 60/185,617
; PRIOR FILING DATE: 2000-02-29
; PRIOR APPLICATION NUMBER: 60/234,500
; PRIOR FILING DATE: 2000-09-22
; NUMBER OF SEQ ID NOS: 46
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 441
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-794-422-4

Query Match 64.7%; Score 33; DB 5; Length 441;
Best Local Similarity 71.4%; Pred. No. 1.5e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSGSWP 7
|:|::|
DB 403 QRRGSWP 409

RESULT 9

US-09-489-039A-14146
; Sequence 14146, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 14146
; LENGTH: 640
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
; FEATURE:
; NAME/KEY: UNSURE
; LOCATION: (586)
; OTHER INFORMATION: Identity of amino acid at the above locations are unknown.
US-09-489-039A-14146

Query Match 64.7%; Score 33; DB 5; Length 640;
Best Local Similarity 66.7%; Pred. No. 2.1e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSGSWPLT 9
|:|::|
DB 391 QKSGSWIFT 399

RESULT 10

US-09-731-166-2
; Sequence 2, Application US/09731166
; GENERAL INFORMATION:
; APPLICANT: Sewalt, Vincent J. H.
; APPLICANT: Singletary, George W.
; TITLE OF INVENTION: Production of Modified Polysaccharides
; FILE REFERENCE: 35718/206348
; CURRENT APPLICATION NUMBER: US/09/731,166
; CURRENT FILING DATE: 2000-12-06
; PRIOR APPLICATION NUMBER: 60/169,993
; PRIOR FILING DATE: 1999-12-06
; NUMBER OF SEQ ID NOS: 16
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 2
; LENGTH: 962
; TYPE: PRT
; ORGANISM: Zea mays
US-09-731-166-2

Query Match 64.7%; Score 33; DB 5; Length 962;
Best Local Similarity 62.5%; Pred. No. 3.2e+02;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 QOSGSWPL 8
|:|::|
DB 804 KNEGSWPL 811

RESULT 11

US-09-489-039A-11460
; Sequence 11460, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001

; CURRENT APPLICATION NUMBER: US/09/489,039A
; PRIOR FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 11460
; LENGTH: 119
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-11460

Query Match 62.7%; Score 32; DB 5; Length 119;
Best Local Similarity 100.0%; Pred. No. 58;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 SGSWP 7
Db 2 SGSWP 6

RESULT 12
US-09-489-039A-12703
; Sequence 12703, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; PRIOR FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 12703
; LENGTH: 121
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-12703

Query Match 62.7%; Score 32; DB 5; Length 121;
Best Local Similarity 100.0%; Pred. No. 59;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 SGSWP 7
Db 72 SGSWP 76

RESULT 13
PCT-US01-01324-1850
; Sequence 1850, Application PC/TUS0101324
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc., et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
; FILE REFERENCE: PC002PCT
; CURRENT APPLICATION NUMBER: PCT/US01/01324
; PRIOR FILING DATE: 2001-01-14
; Prior application data removed - refer to PALM or file wrapper
; NUMBER OF SEQ ID NOS: 5116
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 1850
; LENGTH: 127
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: SITE
; LOCATION: (92)
; OTHER INFORMATION: Xaa equals any of the naturally occurring L-amino acids
; NAME/KEY: SITE
; LOCATION: (113)
; OTHER INFORMATION: Xaa equals any of the naturally occurring L-amino acids

PCT-US01-01324-1850

Query Match 62.7%; Score 32; DB 1; Length 127;
Best Local Similarity 100.0%; Pred. No. 62;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 GSWPL 8
Db 44 GSWPL 48

RESULT 14
US-09-489-039A-9538
; Sequence 9538, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 9538
; LENGTH: 216
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-9538

Query Match 62.7%; Score 32; DB 5; Length 216;
Best Local Similarity 85.7%; Pred. No. 11e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWP 7
Db 67 QQSLSWP 73

RESULT 15
US-09-489-039A-10184
; Sequence 10184, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 10184
; LENGTH: 305
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-10184

Query Match 62.7%; Score 32; DB 5; Length 305;
Best Local Similarity 83.3%; Pred. No. 1.5e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 4 GSWPLT 9
Db 253 GCWPLT 258

Search completed: March 28, 2001, 07:22:18
Job time: 1510 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:26 ; Search time 828.17 Seconds
(without alignments)
1.583 Million cell updates/sec

Title: US-09-016-061-92

Perfect score: 52

Sequence: 1 QSGSMPQT 9

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Pending_Patents_AA_Main:*

1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*

2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*

3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*

4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*

5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*

6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*

7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*

8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*

9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*

10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*

11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*

12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*

13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*

14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*

15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*

16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*

17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*

18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*

19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*

20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*

21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*

22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	52	100.0	9	14	US-09-016-061-92
2	52	100.0	9	17	US-09-339-922A-92
3	47	90.4	9	14	US-09-016-061-46
4	47	90.4	9	17	US-09-339-922A-46
5	47	90.4	107	11	US-08-790-540-4
6	47	90.4	107	11	US-08-790-540-8
7	47	90.4	107	11	US-08-790-540A-4
8	47	90.4	107	11	US-08-790-540A-8
9	47	90.4	107	11	US-08-791-391-4
10	47	90.4	107	11	US-08-791-391-8
11	47	90.4	107	11	US-08-791-391-32

12	47	90.4	107	11	US-08-791-391A-4	Sequence 4, Appli
13	47	90.4	107	11	US-08-791-391A-8	Sequence 8, Appli
14	47	90.4	107	11	US-08-791-391A-32	Sequence 32, Appl
15	47	90.4	107	14	US-09-016-061-4	Sequence 4, Appli
16	47	90.4	107	14	US-09-016-061-8	Sequence 8, Appli
17	47	90.4	107	14	US-09-016-061-32	Sequence 32, Appl
18	47	90.4	107	17	US-09-339-922A-4	Sequence 4, Appli
19	47	90.4	107	17	US-09-339-922A-8	Sequence 8, Appli
20	47	90.4	107	17	US-09-339-922A-32	Sequence 32, Appl
21	45	86.5	9	14	US-09-016-061-90	Sequence 90, Appl
22	45	86.5	9	17	US-09-339-922A-90	Sequence 90, Appl
23	41	78.8	9	1	PCT-US98-25828-2	Sequence 2, Appli
24	41	78.8	9	13	US-08-986-016-2	Sequence 2, Appli
25	41	78.8	9	14	US-09-016-061-86	Sequence 86, Appl
26	41	78.8	9	17	US-09-339-922A-86	Sequence 86, Appl
27	41	78.8	107	8	US-08-484-537-62	Sequence 62, Appl
28	41	78.8	107	8	US-08-484-537-63	Sequence 63, Appl
29	41	78.8	107	8	US-08-484-537-87	Sequence 87, Appl
30	41	78.8	107	17	US-09-325-000-21	Sequence 21, Appl
31	41	78.8	107	17	US-09-325-000-22	Sequence 22, Appl
32	41	78.8	109	1	PCT-US98-25828-45	Sequence 45, Appl
33	41	78.8	109	1	PCT-US98-25828-49	Sequence 49, Appl
34	41	78.8	109	1	PCT-US98-25828-55	Sequence 55, Appl
35	41	78.8	109	13	US-08-986-016-45	Sequence 45, Appl
36	41	78.8	109	13	US-08-986-016-49	Sequence 49, Appl
37	41	78.8	109	13	US-08-986-016-55	Sequence 55, Appl
38	41	78.8	127	8	US-08-484-537-83	Sequence 83, Appl
39	40	76.9	33	7	US-08-307-868-12	Sequence 12, Appl
40	40	76.9	33	9	US-08-525-539-12	Sequence 12, Appl
41	40	76.9	33	9	US-08-525-539A-12	Sequence 12, Appl
42	40	76.9	107	3	US-07-804-464A-1	Sequence 1, Appli
43	40	76.9	107	3	US-07-808-464-1	Sequence 1, Appli
44	40	76.9	107	3	US-07-881-109-7	Sequence 7, Appli
45	40	76.9	107	3	US-07-881-109A-7	Sequence 7, Appli

ALIGNMENTS

RESULT 1

US-09-016-061-92

; Sequence 92, Application US/09016061

; GENERAL INFORMATION:

; APPLICANT: Huse, William D.

; APPLICANT: Glaser, Scott M.

; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

; NUMBER OF SEQUENCES: 100

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Campbell & Flores LLP

; STREET: 4370 La Jolla Village Drive, Suite 700

; CITY: San Diego

; STATE: California

; COUNTRY: United States

; ZIP: 92122

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061

; FILING DATE: 30-JAN-1998

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/791,391

; FILING DATE: 30-JAN-1997

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-IX 2965

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 92:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-92

Query Match 100.0%; Score 52; DB 14; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 QOQSGSWPQT 9
Db 1 QOQSGSWPQT 9

RESULT 2
US-09-339-922A-92
; Sequence 92, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 92
; LENGTH: 9
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-92

Query Match 100.0%; Score 52; DB 17; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 QOQSGSWPQT 9
Db 1 QOQSGSWPQT 9

RESULT 3
US-09-016-061-46
; Sequence 46, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 46:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 9 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-46

Query Match 90.4%; Score 47; DB 14; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 QOQSGSWPQT 9
Db 1 QOQSGSWPHT 9

RESULT 4
US-09-339-922A-46
; Sequence 46, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 46
; LENGTH: 9
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-46

Query Match 90.4%; Score 47; DB 17; Length 9;
Best Local Similarity 88.9%; Pred. No. 7.8e+05;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 QOQSGSWPQT 9
Db 1 QOQSGSWPHT 9

RESULT 5
US-08-790-540-4
; Sequence 4, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California

US-08-790-540-8

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
DB 89 QOQSGSWPHT 97

RESULT 7

US-08-790-540A-4

Sequence 4, Application US/08790540A

GENERAL INFORMATION:

APPLICANT: Huse, William D.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 24

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/790,540

FILING DATE:

CLASSIFICATION: 530

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2405

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

INFORMATION FOR SEQ ID NO: 4:

SEQUENCE CHARACTERISTICS:

LENGTH: 107 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-08-790-540-4

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
DB 89 QOQSGSWPHT 97

RESULT 6

US-08-790-540-8

Sequence 8, Application US/08790540

GENERAL INFORMATION:

APPLICANT: Huse, William D.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 24

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/790,540

FILING DATE:

CLASSIFICATION: 530

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2405

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

INFORMATION FOR SEQ ID NO: 8:

SEQUENCE CHARACTERISTICS:

LENGTH: 107 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-08-790-540A-4

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
DB 89 QOQSGSWPHT 97

RESULT 8

US-08-790-540A-8

Sequence 8, Application US/08790540A

GENERAL INFORMATION:

APPLICANT: Huse, William D.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 24

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

US-08-790-540-8

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
DB 89 QOQSGSWPHT 97

RESULT 7

US-08-790-540A-4

Sequence 4, Application US/08790540A

GENERAL INFORMATION:

APPLICANT: Huse, William D.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 24

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/790,540A

FILING DATE: 30-JAN-1997

CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2405

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

INFORMATION FOR SEQ ID NO: 4:

SEQUENCE CHARACTERISTICS:

LENGTH: 107 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-08-790-540A-4

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPQT 9
DB 89 QOQSGSWPHT 97

RESULT 8

US-08-790-540A-8

Sequence 8, Application US/08790540A

GENERAL INFORMATION:

APPLICANT: Huse, William D.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 24

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

```
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-8

Query Match          90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPOT 9
Db 89 QOQSGSWPHT 97

RESULT 9
US-08-791-391-4
; Sequence 4, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
```

```
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-791-391-4

Query Match          90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPOT 9
Db 89 QOQSGSWPHT 97

RESULT 10
US-08-791-391-8
; Sequence 8, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-791-391-8

Query Match          90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWPOT 9
Db 89 QOQSGSWPHT 97

RESULT 11
US-08-791-391-32
; Sequence 32, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
```

;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Campbell & Flores LLP
;; STREET: 4370 La Jolla Village Drive, Suite 700
;; CITY: San Diego
;; STATE: California
;; COUNTRY: United States
;; ZIP: 92122
;;
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: Patent In Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/791,391
;; FILING DATE:
;; CLASSIFICATION: 424
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Campbell, Cathryn A.
;; REGISTRATION NUMBER: 31,815
;; REFERENCE/DOCKET NUMBER: P-IX 1482
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (619) 535-9001
;; TELEFAX: (619) 535-8949
;; INFORMATION FOR SEQ ID NO: 32:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-08-791-391-32

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
Db 89 QQSGSWPHT 97

RESULT 12
US-08-791-391A-4
;; Sequence 4, Application US/08/791391A
;; GENERAL INFORMATION:
;; APPLICANT: Huse, William D.
;; APPLICANT: Glaser, Scott M.
;; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
;; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
;; NUMBER OF SEQUENCES: 32
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Campbell & Flores LLP
;; STREET: 4370 La Jolla Village Drive, Suite 700
;; CITY: San Diego
;; STATE: California
;; COUNTRY: United States
;; ZIP: 92122
;;
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: Patent In Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/791,391A
;; FILING DATE: 30-JAN-1997
;; CLASSIFICATION: 424
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Campbell, Cathryn A.
;; REGISTRATION NUMBER: 31,815
;; REFERENCE/DOCKET NUMBER: P-IX 1482
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (619) 535-9001
;; TELEFAX: (619) 535-8949

;; INFORMATION FOR SEQ ID NO: 4:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-08-791-391A-4

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
Db 89 QQSGSWPHT 97

RESULT 13
US-08-791-391A-8
;; Sequence 8, Application US/08/791391A
;; GENERAL INFORMATION:
;; APPLICANT: Huse, William D.
;; APPLICANT: Glaser, Scott M.
;; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
;; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
;; NUMBER OF SEQUENCES: 32
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Campbell & Flores LLP
;; STREET: 4370 La Jolla Village Drive, Suite 700
;; CITY: San Diego
;; STATE: California
;; COUNTRY: United States
;; ZIP: 92122
;;
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: Patent In Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/791,391A
;; FILING DATE: 30-JAN-1997
;; CLASSIFICATION: 424
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Campbell, Cathryn A.
;; REGISTRATION NUMBER: 31,815
;; REFERENCE/DOCKET NUMBER: P-IX 1482
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (619) 535-9001
;; TELEFAX: (619) 535-8949
;; INFORMATION FOR SEQ ID NO: 8:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-08-791-391A-8

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
Db 89 QQSGSWPHT 97

RESULT 14
US-08-791-391A-32
;; Sequence 32, Application US/08/791391A
;; GENERAL INFORMATION:
;; APPLICANT: Huse, William D.

APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-32

Query Match 90.4%; Score 47; DB 11; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
|||||||
Db 89 QQSGSWPHT 97

RESULT 15
US-09-016-061-4
Sequence 4, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997

ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-4

Query Match 90.4%; Score 47; DB 14; Length 107;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
|||||||
Db 89 QQSGSWPHT 97

Search completed: March 28, 2001, 07:18:26
Job time: 1337 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:18 ; Search time 213.09 Seconds
(without alignments)
0.557 Million cell updates/sec

Title: US-09-016-061-92

Perfect score: 52

Sequence: 1 QQSGSWPQT 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New.*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	36	69.2	10	5	US-09-445-602A-17
2	36	69.2	20	5	US-09-445-602A-25
3	36	69.2	109	5	US-09-445-602A-6
4	35	67.3	256	5	US-09-489-039A-11264
5	35	67.3	409	6	US-60-258-272-111
6	35	67.3	534	5	US-09-576-455-2
7	34	65.4	1402	5	US-09-443-353A-2
8	34	65.4	1496	6	US-60-262-351-20
9	33	63.5	78	1	PCT-US01-01397-132
10	33	63.5	441	5	US-09-794-422-4
11	32	61.5	72	1	PCT-US01-01340-744
12	32	61.5	119	5	US-09-489-039A-11460
13	32	61.5	121	5	US-09-489-039A-12703
14	32	61.5	211	5	US-09-488-725A-6796
15	32	61.5	216	5	US-09-489-039A-9538
16	32	61.5	502	5	US-09-489-039A-13376
17	32	61.5	611	5	US-09-488-725A-5649
18	32	61.5	611	5	US-09-488-725A-5650
19	32	61.5	698	5	US-09-488-725A-2077
20	32	61.5	716	5	US-09-489-039A-10841
21	31	59.6	132	1	PCT-US01-05614-796
22	31	59.6	176	5	US-09-522-433A-26
23	31	59.6	176	5	US-09-522-433B-26
24	31	59.6	183	5	US-09-489-039A-14327
25	31	59.6	302	5	US-09-489-039A-10944
26	31	59.6	336	5	US-09-489-039A-11712
27	31	59.6	353	5	US-09-488-725A-3230

28	31	59.6	410	5	US-09-489-039A-12498	Sequence 12498, A
29	31	59.6	640	5	US-09-489-039A-14146	Sequence 14146, A
30	31	59.6	3623	5	US-09-341-461-2	Sequence 2, Appl
31	30	57.7	42	1	PCT-US01-05614-252	Sequence 252, App
32	30	57.7	103	5	US-09-489-039A-11339	Sequence 11339, A
33	30	57.7	180	5	US-09-489-039A-11734	Sequence 11734, A
34	30	57.7	182	5	US-09-489-039A-8631	Sequence 8631, Ap
35	30	57.7	186	5	US-09-673-763-12	Sequence 12, Appl
36	30	57.7	203	5	US-09-489-039A-13751	Sequence 13751, A
37	30	57.7	246	5	US-09-738-973-60	Sequence 60, Appl
38	30	57.7	284	5	US-09-636-499-19	Sequence 19, Appl
39	30	57.7	341	5	US-09-489-039A-9169	Sequence 9169, Ap
40	30	57.7	355	5	US-09-595-298A-1858	Sequence 1858, Ap
41	30	57.7	355	5	US-09-636-499-15	Sequence 15, Appl
42	30	57.7	370	5	US-09-595-298A-1857	Sequence 1857, Ap
43	30	57.7	372	5	US-09-489-039A-7338	Sequence 7338, Ap
44	30	57.7	418	5	US-09-738-973-62	Sequence 62, Appl
45	30	57.7	418	5	US-09-738-973-82	Sequence 82, Appl

ALIGNMENTS

RESULT 1
US-09-445-602A-17
; Sequence 17, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNIT
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445,602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 17
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-17

Query Match 69.2%; Score 36; DB 5; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.94; Indels 0; Gaps 0;
Matches 6; Conservative 0; Mismatches 1;

QY 1 QQSGSWP 7

Db 1 QQSNWP 7

RESULT 2

US-09-445-602A-25
; Sequence 25, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNIT
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445,602A
; CURRENT FILING DATE: 2001-01-24

; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 25
; LENGTH: 20
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-25

Query Match 69.2%; Score 36; DB 5; Length 20;
Best Local Similarity 85.7%; Pred. No. 1.9;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWP 7
Db 5 QQNSWP 11

RESULT 3
US-09-445-602A-6
; Sequence 6, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irvin
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445,602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 6
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-6

Query Match 69.2%; Score 36; DB 5; Length 109;
Best Local Similarity 85.7%; Pred. No. 1.1;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QQSGSWP 7
Db 90 QQNSWP 96

RESULT 4
US-09-489-039A-11264
; Sequence 11264, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 11264
; LENGTH: 256

; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-11264

Query Match 67.3%; Score 35; DB 5; Length 256;
Best Local Similarity 66.7%; Pred. No. 3.9;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 QQSGSWPQT 9
Db 97 QSSGQMDQT 105

RESULT 5
US-60-258-272-111
; Sequence 111, Application US/60258272
; GENERAL INFORMATION:
; APPLICANT: Beasley, Ellen
; TITLE OF INVENTION: ISOLATED HUMAN CYCLASE PROTEINS, NUCLEIC
; TITLE OF INVENTION: ACID MOLECULES ENCODING HUMAN CYCLASE PROTEINS, AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: CL0001041
; CURRENT APPLICATION NUMBER: US/60/258,272
; CURRENT FILING DATE: 2000-12-27
; NUMBER OF SEQ ID NOS: 252
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 111
; LENGTH: 409
; TYPE: PRT
; ORGANISM: HUMAN
US-60-258-272-111

Query Match 67.3%; Score 35; DB 6; Length 409;
Best Local Similarity 62.5%; Pred. No. 6.3;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPQ 8
Db 102 QSNGRWPQ 109

RESULT 6
US-09-576-455-2
; Sequence 2, Application US/09576455
; GENERAL INFORMATION:
; APPLICANT: Meyers, Rachel A.
; APPLICANT: Williamson, Mark
; TITLE OF INVENTION: 46745, A NOVEL HUMAN ACYLTRANSFERASE
; TITLE OF INVENTION: FAMILY MEMBER AND USES THEREOF
; FILE REFERENCE: 10448-054001
; CURRENT APPLICATION NUMBER: US/09/576,455
; CURRENT FILING DATE: 2000-05-23
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 2
; LENGTH: 534
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-576-455-2

Query Match 67.3%; Score 35; DB 5; Length 534;
Best Local Similarity 62.5%; Pred. No. 8.3;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QQSGSWPQ 8
Db 195 QSNGRWPQ 202

RESULT 7

```
US-09-445-353A-2
; Sequence 2, Application US/09445353A
; GENERAL INFORMATION:
; APPLICANT: Rosenfeld, et al., Michael
; TITLE OF INVENTION: A Transcription Factor Coactivator Protein, p/CIP
; FILE REFERENCE: 6627-PA1021
; CURRENT APPLICATION NUMBER: US/09/445.353A
; CURRENT FILING DATE: 1998-06-12
; NUMBER OF SEQ ID NOS: 3
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 2
; LENGTH: 1402
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-353A-2

Query Match 65.4%; Score 34; DB 5; Length 1402;
Best Local Similarity 71.4%; Pred. No. 3.3e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 QSGSWPQ 8
Db 1013 QPGSWPE 1019

RESULT 8
US-60-262-351-20
; Sequence 20, Application US/60262351
; GENERAL INFORMATION:
; APPLICANT: Stam, Lynn
; APPLICANT: Bachmann, Jane
; APPLICANT: Broadus, Julie
; APPLICANT: Kamdar, Kim
; TITLE OF INVENTION: NUCLEIC ACID SEQUENCES FROM DROSOPHILA MELANOGASTER THAT ENCODE
; FILE REFERENCE: PB/5-50058PI
; CURRENT APPLICATION NUMBER: US/60/262.351
; CURRENT FILING DATE: 2001-01-18
; NUMBER OF SEQ ID NOS: 87
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 20
; LENGTH: 1496
; TYPE: PRT
; ORGANISM: Drosophila melanogaster
US-60-262-351-20

Query Match 65.4%; Score 34; DB 6; Length 1496;
Best Local Similarity 87.5%; Pred. No. 3.5e+02;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 QSGSWPQT 9
Db 722 QSGSQPQT 729

RESULT 9
PCT-US01-01397-132
; Sequence 132, Application PC/TUS0101397
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc.
; TITLE OF INVENTION: 23 Human Secreted Proteins
; FILE REFERENCE: PS731PCT
; CURRENT APPLICATION NUMBER: PCT/US01/01397
; CURRENT FILING DATE: 2001-01-17
; PRIOR APPLICATION NUMBER: 60/226.281
; PRIOR FILING DATE: 2000-08-18
; NUMBER OF SEQ ID NOS: 138
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 132
; LENGTH: 78
; TYPE: PRT

US-09-445-353A-2
; Sequence 2, Application US/09445353A
; GENERAL INFORMATION:
; APPLICANT: Rosenfeld, et al., Michael
; TITLE OF INVENTION: A Transcription Factor Coactivator Protein, p/CIP
; FILE REFERENCE: 6627-PA1021
; CURRENT APPLICATION NUMBER: US/09/445.353A
; CURRENT FILING DATE: 1998-06-12
; NUMBER OF SEQ ID NOS: 3
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 2
; LENGTH: 1402
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-353A-2

Query Match 65.4%; Score 34; DB 5; Length 1402;
Best Local Similarity 71.4%; Pred. No. 3.3e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 QSGSWPQ 8
Db 1013 QPGSWPE 1019

RESULT 8
US-60-262-351-20
; Sequence 20, Application US/60262351
; GENERAL INFORMATION:
; APPLICANT: Stam, Lynn
; APPLICANT: Bachmann, Jane
; APPLICANT: Broadus, Julie
; APPLICANT: Kamdar, Kim
; TITLE OF INVENTION: NUCLEIC ACID SEQUENCES FROM DROSOPHILA MELANOGASTER THAT ENCODE
; FILE REFERENCE: PB/5-50058PI
; CURRENT APPLICATION NUMBER: US/60/262.351
; CURRENT FILING DATE: 2001-01-18
; NUMBER OF SEQ ID NOS: 87
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 20
; LENGTH: 1496
; TYPE: PRT
; ORGANISM: Drosophila melanogaster
US-60-262-351-20

Query Match 65.4%; Score 34; DB 6; Length 1496;
Best Local Similarity 87.5%; Pred. No. 3.5e+02;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 QSGSWPQT 9
Db 722 QSGSQPQT 729

RESULT 9
PCT-US01-01397-132
; Sequence 132, Application PC/TUS0101397
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc.
; TITLE OF INVENTION: 23 Human Secreted Proteins
; FILE REFERENCE: PS731PCT
; CURRENT APPLICATION NUMBER: PCT/US01/01397
; CURRENT FILING DATE: 2001-01-17
; PRIOR APPLICATION NUMBER: 60/226.281
; PRIOR FILING DATE: 2000-08-18
; NUMBER OF SEQ ID NOS: 138
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 132
; LENGTH: 78
; TYPE: PRT

US-09-794-422-4
; Sequence 4, Application US/09794422
; GENERAL INFORMATION:
; APPLICANT: Brown, Thomas A.
; APPLICANT: De Wet, Jeffrey R.
; APPLICANT: Gowen, Lori C.
; APPLICANT: Hames, Lynn M.
; TITLE OF INVENTION: Mammalian Osteoregulins
; FILE REFERENCE: PC10445
; CURRENT APPLICATION NUMBER: US/09/794.422
; CURRENT FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 60/185.617
; PRIOR FILING DATE: 2000-02-29
; PRIOR APPLICATION NUMBER: 60/234.500
; PRIOR FILING DATE: 2000-09-22
; NUMBER OF SEQ ID NOS: 46
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 441
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-794-422-4

Query Match 63.5%; Score 33; DB 5; Length 441;
Best Local Similarity 71.4%; Pred. No. 1.5e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QSGSWP 7
Db 403 QRRGWP 409

RESULT 11
PCT-US01-01340-744
; Sequence 744, Application PC/TUS0101340
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc., et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
; FILE REFERENCE: PC007PCT
; CURRENT APPLICATION NUMBER: PCT/US01/01340
; CURRENT FILING DATE: 2001-01-14
; Prior application data removed - refer to PALM or file wrapper
; NUMBER OF SEQ ID NOS: 2442
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 744
; LENGTH: 72
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: SITE
; LOCATION: (64)
; OTHER INFORMATION: xaa equals any of the naturally occurring L-amino acids
PCT-US01-01340-744

Query Match 61.5%; Score 32; DB 1; Length 72;
Best Local Similarity 62.5%; Pred. No. 34;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
```

QY 1 QOQSGSWPQ 8
 II: III:
 Db 30 QQAQSWPK 37

RESULT 12
 US-09-489-039A-11460
 ; Sequence 11460, Application US/09489039A
 ; GENERAL INFORMATION:
 ; APPLICANT: Gary Breton et. al
 ; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
 ; FILE REFERENCE: 2709.2004001
 ; CURRENT APPLICATION NUMBER: US/09/489,039A
 ; CURRENT FILING DATE: 2000-01-27
 ; PRIOR APPLICATION NUMBER: US 60/117,747
 ; PRIOR FILING DATE: 1999-01-29
 ; NUMBER OF SEQ ID NOS: 14342
 ; SEQ ID NO 11460
 ; LENGTH: 119
 ; TYPE: PRT
 ; ORGANISM: Klebsiella pneumoniae
 US-09-489-039A-11460

Query Match 61.5%; Score 32; DB 5; Length 119;
 Best Local Similarity 100.0%; Pred. No. 57;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWP 7
 II: III:
 Db 2 SGSWP 6

RESULT 13
 US-09-489-039A-12703
 ; Sequence 12703, Application US/09489039A
 ; GENERAL INFORMATION:
 ; APPLICANT: Gary Breton et. al
 ; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
 ; FILE REFERENCE: 2709.2004001
 ; CURRENT APPLICATION NUMBER: US/09/489,039A
 ; CURRENT FILING DATE: 2000-01-27
 ; PRIOR APPLICATION NUMBER: US 60/117,747
 ; PRIOR FILING DATE: 1999-01-29
 ; NUMBER OF SEQ ID NOS: 14342
 ; SEQ ID NO 12703
 ; LENGTH: 121
 ; TYPE: PRT
 ; ORGANISM: Klebsiella pneumoniae
 US-09-489-039A-12703

Query Match 61.5%; Score 32; DB 5; Length 121;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 SGSWP 7
 II: III:
 Db 72 SGSWP 76

RESULT 14
 US-09-488-725A-6796
 ; Sequence 6796, Application US/09488725A
 ; GENERAL INFORMATION:
 ; APPLICANT: Hyseq Inc
 ; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
 ; FILE REFERENCE: 784FLPCT
 ; CURRENT APPLICATION NUMBER: US/09/488,725A
 ; CURRENT FILING DATE: 2000-12-22

; PRIOR APPLICATION NUMBER: US/09/488,725
 ; PRIOR FILING DATE: 2000-01-21
 ; PRIOR APPLICATION NUMBER: US09/552,317
 ; PRIOR FILING DATE: 2000-04-25
 ; PRIOR APPLICATION NUMBER: US09/598,042
 ; PRIOR FILING DATE: 2000-06-20
 ; PRIOR APPLICATION NUMBER: US09/620,312
 ; PRIOR FILING DATE: 2000-07-19
 ; PRIOR APPLICATION NUMBER: US09/653,450
 ; PRIOR FILING DATE: 2000-08-31
 ; PRIOR APPLICATION NUMBER: US09/662,191
 ; PRIOR FILING DATE: 2000-09-14
 ; PRIOR APPLICATION NUMBER: US09/693,036
 ; PRIOR FILING DATE: 2000-10-19
 ; PRIOR APPLICATION NUMBER: US09/727,344
 ; PRIOR FILING DATE: 2000-11-29
 ; NUMBER OF SEQ ID NOS: 7144
 ; SOFTWARE: pf_fl_genes_b versions 1.0
 ; SEQ ID NO 6796
 ; LENGTH: 212
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 ; NAME/KEY: misc_feature
 ; LOCATION: (1)...(212)
 ; OTHER INFORMATION: xaa = any amino acid or nothing
 US-09-488-725A-6796

Query Match 61.5%; Score 32; DB 5; Length 211;
 Best Local Similarity 71.4%; Pred. No. 1e+02;
 Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 QSGSWPQ 8
 I: III:
 Db 111 QPGCWQP 117

RESULT 15
 US-09-489-039A-9538
 ; Sequence 9538, Application US/09489039A
 ; GENERAL INFORMATION:
 ; APPLICANT: Gary Breton et. al
 ; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
 ; FILE REFERENCE: 2709.2004001
 ; CURRENT APPLICATION NUMBER: US/09/489,039A
 ; CURRENT FILING DATE: 2000-01-27
 ; PRIOR APPLICATION NUMBER: US 60/117,747
 ; PRIOR FILING DATE: 1999-01-29
 ; NUMBER OF SEQ ID NOS: 14342
 ; SEQ ID NO 9538
 ; LENGTH: 216
 ; TYPE: PRT
 ; ORGANISM: Klebsiella pneumoniae
 US-09-489-039A-9538

Query Match 61.5%; Score 32; DB 5; Length 216;
 Best Local Similarity 85.7%; Pred. No. 1e+02;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOQSGSWP 7
 III: III:
 Db 67 QOQSLSWP 73

Search completed: March 28, 2001, 07:22:19
 Job time: 1511 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:26 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-94
Perfect score: 55
Sequence: 1 ARNHCSFAS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending Patents_AA_Main.*
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query Match	Score	Length	ID	Description
1	55	100.0	10	14	US-09-016-061-94
2	55	100.0	10	17	US-09-339-922A-96
3	51	92.7	10	14	US-09-016-061-60
4	51	92.7	10	17	US-09-339-922A-60
5	49	89.1	10	14	US-09-016-061-68
6	49	89.1	10	14	US-09-016-061-96
7	49	89.1	10	17	US-09-339-922A-68
8	49	89.1	10	17	US-09-339-922A-94
9	46	83.6	10	14	US-09-016-061-70
10	46	83.6	10	14	US-09-016-061-80
11	46	83.6	10	17	US-09-339-922A-70

12	46	83.6	10	17	US-09-339-922A-80	Sequence 80, Appl
13	45	81.8	10	14	US-09-016-061-40	Sequence 40, Appl
14	45	81.8	10	14	US-09-016-061-72	Sequence 72, Appl
15	45	81.8	10	14	US-09-016-061-74	Sequence 74, Appl
16	45	81.8	10	14	US-09-016-061-76	Sequence 76, Appl
17	45	81.8	10	14	US-09-016-061-78	Sequence 78, Appl
18	45	81.8	10	17	US-09-339-922A-40	Sequence 40, Appl
19	45	81.8	10	17	US-09-339-922A-72	Sequence 72, Appl
20	45	81.8	10	17	US-09-339-922A-74	Sequence 74, Appl
21	45	81.8	10	17	US-09-339-922A-76	Sequence 76, Appl
22	45	81.8	10	17	US-09-339-922A-78	Sequence 78, Appl
23	45	81.8	117	1	PCT-US98-25828-54	Sequence 54, Appl
24	45	81.8	117	1	PCT-US98-25828-56	Sequence 56, Appl
25	45	81.8	117	11	US-08-790-540-2	Sequence 2, Appl
26	45	81.8	117	11	US-08-790-540-6	Sequence 6, Appl
27	45	81.8	117	11	US-08-790-540A-2	Sequence 2, Appl
28	45	81.8	117	11	US-08-790-540A-6	Sequence 6, Appl
29	45	81.8	117	11	US-08-791-391-2	Sequence 2, Appl
30	45	81.8	117	11	US-08-791-391-6	Sequence 6, Appl
31	45	81.8	117	11	US-08-791-391A-2	Sequence 2, Appl
32	45	81.8	117	11	US-08-791-391A-6	Sequence 6, Appl
33	45	81.8	117	13	US-08-986-016-54	Sequence 54, Appl
34	45	81.8	117	13	US-08-986-016-56	Sequence 56, Appl
35	45	81.8	117	14	US-09-016-061-2	Sequence 2, Appl
36	45	81.8	117	14	US-09-016-061-6	Sequence 6, Appl
37	45	81.8	117	17	US-09-339-922A-2	Sequence 2, Appl
38	45	81.8	117	17	US-09-339-922A-6	Sequence 6, Appl
39	45	81.8	118	1	PCT-US98-25828-50	Sequence 50, Appl
40	45	81.8	118	1	PCT-US98-25828-51	Sequence 51, Appl
41	45	81.8	118	1	PCT-US98-25828-52	Sequence 52, Appl
42	45	81.8	118	1	PCT-US98-25828-53	Sequence 53, Appl
43	45	81.8	118	13	US-08-986-016-50	Sequence 50, Appl
44	45	81.8	118	13	US-08-986-016-51	Sequence 51, Appl
45	45	81.8	118	13	US-08-986-016-52	Sequence 52, Appl

ALIGNMENTS

RESULT 1

US-09-016-061-94
; Sequence 94, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 94:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 10 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-94

Query Match      100.0%; Score 55; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSFAS 10
   |||||
Db 1 ARNHGSFAS 10

RESULT 2
US-09-339-922A-96
; Sequence 96, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339, 922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 96
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: Complementarity determining region (CDR)
US-09-339-922A-96

Query Match      100.0%; Score 55; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSFAS 10
   |||||
Db 1 ARNHGSFAS 10

RESULT 3
US-09-016-061-60
; Sequence 60, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 60:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 10 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-60

Query Match      92.7%; Score 51; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0057;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSFA 9
   |||||
Db 1 ARNHGSFA 9

RESULT 4
US-09-339-922A-60
; Sequence 60, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339, 922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 60
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: Complementarity determining region (CDR)
US-09-339-922A-60

Query Match      92.7%; Score 51; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0057;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSFA 9
   |||||
Db 1 ARNHGSFA 9

RESULT 5
US-09-016-061-68
; Sequence 68, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
```

ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016.061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 68:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-68

Query Match 89.1%; Score 49; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.013;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARNHGSFAS 10
|||||
DB 1 ARNHGSFAS 10

RESULT 6
US-09-016-061-96
; Sequence 96, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016.061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 96:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-96

Query Match 89.1%; Score 49; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.013;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 ARNHGSFAS 10
|||||
DB 1 ARNHGSFAS 10

RESULT 7
US-09-339-922A-68
; Sequence 68, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 68
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: Complementarity determining region (CDR)
US-09-339-922A-68

Query Match 89.1%; Score 49; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.013;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 1 ARNHGSFAS 10
|||||
DB 1 ARNHGSFAS 10

RESULT 8
US-09-339-922A-94
; Sequence 94, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 94
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-94

Query Match 89.1%; Score 49; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.013;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGSEFAS 10
| | | | | | | | | |
Db 1 ARNHGSEFYS 10

RESULT 9

US-09-016-061-70
; Sequence 70, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 70:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-70

Query Match 83.6%; Score 46; DB 14; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.048;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFAS 10
| | | | | | | | | |
Db 1 ARNHGSEFAT 10

RESULT 10

US-09-016-061-80
; Sequence 80, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.

; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 80:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-80

Query Match 83.6%; Score 46; DB 14; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.048;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFAS 10
| | | | | | | | | |
Db 1 ARNHGSEFAA 10

RESULT 11

US-09-339-922A-70
; Sequence 70, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 70
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-70

Query Match 83.6%; Score 46; DB 17; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.048;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSFAS 10
||||:||||:
Db 1 ARHNYGSFAT 10

RESULT 12

US-09-339-922A-80

; Sequence 80, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatenLin Ver. 2.1
; SEQ ID NO 80
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-80

Query Match 83.6%; Score 46; DB 17; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.048;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSFAS 10
||||:||||:
Db 1 ARHNYGSFAT 10

RESULT 13

US-09-016-061-40

; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 40:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-40

Query Match 81.8%; Score 45; DB 14; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.073;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNGSFA 9
||||:||||:
Db 1 ARHNYGSFA 9

RESULT 14

US-09-016-061-72

; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match 81.8%; Score 45; DB 14; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.073;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNGSFA 9
||||:||||:
Db 1 ARHNYGSFA 9

RESULT 15

US-09-016-061-74

; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016.061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 74:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-74

Query Match 81.8%; Score 45; DB 14; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.073;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
Qy 1 ARNHGSA 9
Db 1 ARHNYGSA 9

Search completed: March 28, 2001, 07:18:26
Job time: 1337 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:19 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-94

Perfect score: 55

Sequence: 1 ARNHGSPAS 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 1317366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New.*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	38	69.1	196	5	US-09-741-669-368
2	35	63.6	174	1	PCT-US00-30086-11
3	35	63.6	291	1	PCT-US00-30086-2
4	35	63.6	681	1	PCT-US00-30086-4
5	34	61.8	94	5	US-09-557-917-14
6	34	61.8	94	5	US-09-557-917-45
7	34	61.8	94	5	US-09-557-917-48
8	34	61.8	94	5	US-09-557-917-77
9	34	61.8	94	5	US-09-557-917-84
10	34	61.8	94	5	US-09-557-917-90
11	34	61.8	94	5	US-09-557-917-101
12	34	61.8	237	5	US-09-488-725A-3528
13	34	61.8	482	6	US-60-269-308-4703
14	33	60.0	216	5	US-09-489-039A-7908
15	33	60.0	426	5	US-09-489-039A-13845
16	32	58.2	136	5	US-09-489-039A-9897
17	32	58.2	231	5	US-09-172-952-32
18	32	58.2	231	5	US-09-172-952-33
19	32	58.2	231	5	US-09-557-735-32
20	32	58.2	231	5	US-09-557-735-33
21	32	58.2	238	5	US-09-172-952-18
22	32	58.2	238	5	US-09-557-735-18
23	32	58.2	285	5	US-09-489-039A-12402
24	32	58.2	465	6	US-60-257-931-3140
25	32	58.2	465	6	US-60-253-625-2533
26	32	58.2	465	6	US-60-269-308-4162
27	31	56.4	173	5	US-09-489-039A-9058

28 31 56.4 183 6 US-60-258-272-114 Sequence 114, App
29 31 56.4 254 6 US-60-257-931-3589 Sequence 3589, App
30 31 56.4 254 6 US-60-233-625-2761 Sequence 2761, App
31 31 56.4 254 6 US-60-269-308-4611 Sequence 4611, App
32 31 56.4 265 5 US-09-732-091-44 Sequence 44, Appl
33 31 56.4 703 5 US-09-595-298A-796 Sequence 796, App
34 31 56.4 787 5 US-09-107-433-4612 Sequence 4612, App
35 30 54.5 13 5 US-09-635-434-4 Sequence 4, Appli
36 30 54.5 73 1 PCT-US01-01322-605 Sequence 605, App
37 30 54.5 94 5 US-09-557-917-39 Sequence 39, Appl
38 30 54.5 94 5 US-09-557-917-59 Sequence 59, Appl
39 30 54.5 94 5 US-09-557-917-63 Sequence 63, Appl
40 30 54.5 127 5 US-09-488-725A-5806 Sequence 5806, App
41 30 54.5 196 1 PCT-US01-01435-63 Sequence 63, Appl
42 30 54.5 198 5 US-09-595-298A-784 Sequence 784, App
43 30 54.5 200 5 US-09-595-298A-783 Sequence 783, App
44 30 54.5 224 5 US-09-595-298A-782 Sequence 782, App
45 30 54.5 225 1 PCT-US01-01435-117 Sequence 117, App

ALIGNMENTS

RESULT 1
US-09-741-669-368
; Sequence 368, Application US/09741669
; GENERAL INFORMATION:
; APPLICANT: Forsyth, R. Allyn
; APPLICANT: Ohlssen, Kari L.
; APPLICANT: Zyskind, Judith W.
; TITLE OF INVENTION: Genes identified as required for
; proliferation of E. coli
; FILE REFERENCE: ELITRA.009A
; CURRENT APPLICATION NUMBER: US/09741.669
; CURRENT FILING DATE: 2000-12-19
; PRIOR APPLICATION NUMBER: US 60/173005
; PRIOR FILING DATE: 1999-12-23
; NUMBER OF SEQ ID NOS: 481
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 368
; LENGTH: 196
; TYPE: PRT
; ORGANISM: Escherichia coli
US-09-741-669-368

Query Match 69.1%; Score 38; DB 5; Length 196;
Best Local Similarity 100.0%; Pred. No. 2.1;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 3 HNHGSF 8
| | | | |
Db 105 HNHGSF 110

RESULT 2
PCT-US00-30086-11
; Sequence 11, Application PC/TUS0030086
; GENERAL INFORMATION:
; APPLICANT: Mello, Charlene M.
; APPLICANT: Arcidiacono, Steven
; TITLE OF INVENTION: Novel Purification and Fiber Spinning Techniques for
; Protein Fibers
; FILE REFERENCE: ARMY-03665
; CURRENT APPLICATION NUMBER: PCT/US00/30086
; CURRENT FILING DATE: 2000-11-01
; NUMBER OF SEQ ID NOS: 11
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 11
; LENGTH: 74
; TYPE: PRT
; ORGANISM: Nephila clavipes
PCT-US00-30086-11

Query Match 63.6%; Score 35; DB 1; Length 74;
 Best Local Similarity 75.0%; Pred. No. 2.5;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HHGGSFAS 10
 1:111111
 Db 8 HHGGSFAS 15

RESULT 3
 PCT-US00-30086-2
 ; Sequence 2, Application PC/TUS0030086
 ; GENERAL INFORMATION:
 ; APPLICANT: Mello, Charlene M.
 ; APPLICANT: Arcidiacono, Steven
 ; TITLE OF INVENTION: Novel Purification and Fiber Spinning Techniques for
 ; FILE REFERENCE: Protein Fibers
 ; FILE REFERENCE: ARMY-03665
 ; CURRENT APPLICATION NUMBER: PCT/US00/30086
 ; CURRENT FILING DATE: 2000-11-01
 ; NUMBER OF SEQ ID NOS: 11
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 2
 ; LENGTH: 291
 ; TYPE: PRT
 ; ORGANISM: Nephila clavipes
 PCT-US00-30086-2

Query Match 63.6%; Score 35; DB 1; Length 291;
 Best Local Similarity 75.0%; Pred. No. 12;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HHGGSFAS 10
 1:111111
 Db 8 HHGGSFAS 15

RESULT 4
 PCT-US00-30086-4
 ; Sequence 4, Application PC/TUS0030086
 ; GENERAL INFORMATION:
 ; APPLICANT: Mello, Charlene M.
 ; APPLICANT: Arcidiacono, Steven
 ; TITLE OF INVENTION: Novel Purification and Fiber Spinning Techniques for
 ; FILE REFERENCE: Protein Fibers
 ; FILE REFERENCE: ARMY-03665
 ; CURRENT APPLICATION NUMBER: PCT/US00/30086
 ; CURRENT FILING DATE: 2000-11-01
 ; NUMBER OF SEQ ID NOS: 11
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 4
 ; LENGTH: 681
 ; TYPE: PRT
 ; ORGANISM: Nephila clavipes
 PCT-US00-30086-4

Query Match 63.6%; Score 35; DB 1; Length 681;
 Best Local Similarity 75.0%; Pred. No. 32;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HHGGSFAS 10
 1:111111
 Db 8 HHGGSFAS 15

RESULT 5
 US-09-557-917-14
 ; Sequence 14, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko

; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 14
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-14

Query Match 61.8%; Score 34; DB 5; Length 94;
 Best Local Similarity 66.7%; Pred. No. 5.1;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNGSFAS 10
 11111111
 Db 80 RHNGVFES 88

RESULT 6
 US-09-557-917-45
 ; Sequence 45, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 45
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-45

Query Match 61.8%; Score 34; DB 5; Length 94;
 Best Local Similarity 66.7%; Pred. No. 5.1;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNGSFAS 10
 11111111
 Db 80 RHNGVFES 88

RESULT 7
 US-09-557-917-48
 ; Sequence 48, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko

;
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917.
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 61.8%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 5.1;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
 | | | | |
DB 80 RHNYGVFES 88

RESULT 8
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 61.8%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 5.1;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
 | | | | |
DB 80 RHNYGVFES 88

RESULT 9
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF

;
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 61.8%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 5.1;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
 | | | | |
DB 80 RHNYGVFES 88

RESULT 10
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 61.8%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 5.1;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNGSFAS 10
 | | | | |
DB 80 RHNYGVFES 88

RESULT 11
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO

FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77579
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-357-917-101

Query Match 61.8%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 5.1;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY '2 RHNHGSPAS 10
 |||||
Db 80 RHNYGVFES 88

RESULT 12
US-09-488-725A-3528
; Sequence 3528, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Huseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt FL_genes_b Versions 1.0
; SEQ ID NO 3528
; LENGTH: 238
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-3528

Query Match 61.8%; Score 34; DB 5; Length 237;
Best Local Similarity 57.1%; Pred. No. 15;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNHGSF 8
 :||||:
Db 177:KHNGHAY 183

RESULT 13

US-60-269-308-4703
; Sequence 4703, Application US/60269308
; GENERAL INFORMATION:
; APPLICANT: Haselbeck, RW
; APPLICANT: Ohlsen, KL
; APPLICANT: Zyskind, JW
; APPLICANT: Trawick, JD
; APPLICANT: Wall, D
; TITLE OF INVENTION: Identification of Essential Genes in Staphylococcus aureus, ps
; TITLE OF INVENTION: aeruginosa, Klebsiella pneumoniae, Salmonella typhimurium, an
; TITLE OF INVENTION: faecalis
; FILE REFERENCE: ELITRA-017PRS
; CURRENT APPLICATION NUMBER: US/60/269,308
; CURRENT FILING DATE: 2001-02-16
; NUMBER OF SEQ ID NOS: 4774
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4703
; LENGTH: 482
; TYPE: PRT
; ORGANISM: Enterococcus faecalis
US-60-269-308-4703

Query Match 61.8%; Score 34; DB 6; Length 482;
Best Local Similarity 75.0%; Pred. No. 33;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARHNHGSF 8
 |||||
Db 29 ARHNDGEF 36

RESULT 14
US-09-489-039A-7908
; Sequence 7908, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 7908
; LENGTH: 216
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-7908

Query Match 60.0%; Score 33; DB 5; Length 216;
Best Local Similarity 85.7%; Pred. No. 20;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NHGSFAS 10
 :|||||
Db 60 DHGSFAS 66

RESULT 15
US-09-489-039A-13845
; Sequence 13845, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29

;
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13845
; LENGTH: 426
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13845

Query Match 60.0%; Score 33; DB 5; Length 426;
Best Local Similarity 100.0%; Pred. No. 44;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy 2 RHNG 6
Db 18 RHNG 22

Search completed: March 28, 2001, 07:22:19
Job time: 1511 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:26 ; Search time 828.17 Seconds
(Without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-96
Perfect score: 58
Sequence: 1 ARNHGSPYS 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main.*
1: /cgnl_7/ptodata/1/paa/PCRVUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	58	100.0	10	14	US-09-016-061-96
2	58	100.0	10	17	US-09-339-922A-94
3	52	89.7	10	14	US-09-016-061-100
4	52	89.7	10	17	US-09-339-922A-100
5	49	84.5	10	14	US-09-016-061-94
6	49	84.5	10	17	US-09-339-922A-96
7	48	82.8	10	14	US-09-016-061-66
8	48	82.8	10	14	US-09-016-061-98
9	48	82.8	10	17	US-09-339-922A-66
10	48	82.8	10	17	US-09-339-922A-98
11	47	81.0	10	14	US-09-016-061-60

12	47	81.0	10	17	US-09-339-922A-60	Sequence 60, Appl
13	45	77.6	129	18	US-09-428-944-2741	Sequence 2741, Ap
14	43	74.1	10	14	US-09-016-061-68	Sequence 68, Appl
15	43	74.1	10	17	US-09-339-922A-68	Sequence 68, Appl
16	41	70.7	10	14	US-09-016-061-40	Sequence 40, Appl
17	41	70.7	10	14	US-09-016-061-64	Sequence 64, Appl
18	41	70.7	10	14	US-09-016-061-70	Sequence 70, Appl
19	41	70.7	10	14	US-09-016-061-72	Sequence 72, Appl
20	41	70.7	10	14	US-09-016-061-74	Sequence 74, Appl
21	41	70.7	10	14	US-09-016-061-76	Sequence 76, Appl
22	41	70.7	10	14	US-09-016-061-78	Sequence 78, Appl
23	41	70.7	10	14	US-09-016-061-80	Sequence 80, Appl
24	41	70.7	10	17	US-09-339-922A-40	Sequence 40, Appl
25	41	70.7	10	17	US-09-339-922A-64	Sequence 64, Appl
26	41	70.7	10	17	US-09-339-922A-70	Sequence 70, Appl
27	41	70.7	10	17	US-09-339-922A-72	Sequence 72, Appl
28	41	70.7	10	17	US-09-339-922A-74	Sequence 74, Appl
29	41	70.7	10	17	US-09-339-922A-76	Sequence 76, Appl
30	41	70.7	10	17	US-09-339-922A-78	Sequence 78, Appl
31	41	70.7	10	17	US-09-339-922A-80	Sequence 80, Appl
32	41	70.7	117	1	PCT-US98-25828-54	Sequence 54, Appl
33	41	70.7	117	11	US-08-790-540-2	Sequence 2, Appli
34	41	70.7	117	11	US-08-790-540-6	Sequence 6, Appli
35	41	70.7	117	11	US-08-790-540A-2	Sequence 2, Appli
36	41	70.7	117	11	US-08-791-391-2	Sequence 2, Appli
37	41	70.7	117	11	US-08-791-391A-2	Sequence 2, Appli
38	41	70.7	117	11	US-08-791-391A-6	Sequence 6, Appli
39	41	70.7	117	11	US-08-791-391A-2	Sequence 2, Appli
40	41	70.7	117	11	US-08-791-391A-6	Sequence 6, Appli
41	41	70.7	117	11	US-08-791-391A-2	Sequence 2, Appli
42	41	70.7	117	13	US-08-986-016-54	Sequence 54, Appl
43	41	70.7	117	13	US-08-986-016-56	Sequence 56, Appl
44	41	70.7	117	14	US-09-016-061-2	Sequence 2, Appli
45	41	70.7	117	14	US-09-016-061-6	Sequence 6, Appli

ALIGNMENTS

RESULT 1
US-09-016-061-96
; Sequence 96, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-96

Query Match      100.0%; Score 58; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00045;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFYS 10
Db 1 ARNHGSEFYS 10

RESULT 2
US-09-339-922A-94
; Sequence 94, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 94
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-94

Query Match      100.0%; Score 58; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00045;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFYS 10
Db 1 ARNHGSEFYS 10

RESULT 3
US-09-016-061-100
; Sequence 100, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 100:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-100

Query Match      89.7%; Score 52; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFYS 10
Db 1 ARNHGSEFYS 10

RESULT 4
US-09-339-922A-100
; Sequence 100, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 100
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-100

Query Match      89.7%; Score 52; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSEFYS 10
Db 1 ARNHGSEFYS 10

RESULT 5
US-09-016-061-94
; Sequence 94, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
```

ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 94:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-94

Query Match: 84.5%; Score 49; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.019;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGFSYS 10
|||||||
DB 1 ARNHGFSAS 10

RESULT 6
US-09-339-922A-96
; Sequence 96, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 96
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-96

Query Match: 84.5%; Score 49; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.019;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARNHGFSYS 10
|||||||
DB 1 ARNHGFSAS 10

RESULT 7
US-09-016-061-66
; Sequence 66, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 66:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-66

Query Match: 82.8%; Score 48; DB 14; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.029;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGFSY 9
|||||
DB 1 ARNHGFSY 9

RESULT 8
US-09-016-061-98
; Sequence 98, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 98:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-98

Query Match 82.8%; Score 48; DB 14; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.029;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSPY 9
||||:||||
Db 1 ARHNYGSFY 9

RESULT 9

US-09-339-922A-66
; Sequence 66, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 66
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-66

Query Match 82.8%; Score 48; DB 17; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.029;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSPY 9
||||:||||
Db 1 ARHNYGSFY 9

RESULT 10

US-09-339-922A-98
; Sequence 98, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren

; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 98
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-98

Query Match 82.8%; Score 48; DB 17; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.029;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSPY 9
||||:||||
Db 1 ARHNYGSFY 9

RESULT 11

US-09-016-061-60
; Sequence 60, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 60:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-60

Query Match 81.0%; Score 47; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.044;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSF 8
 Db 1 ARNHGSF 8

RESULT 12
 US-09-339-922A-60
 ; Sequence 60, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
 ; FILE REFERENCE: P-IX 3536
 ; CURRENT APPLICATION NUMBER: US/09/339,922A
 ; CURRENT FILING DATE: 1999-06-24
 ; NUMBER OF SEQ ID NOS: 112
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 60
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Mutated
 ; OTHER INFORMATION: complementarity determining region (CDR)
 US-09-339-922A-60

Query Match 81.0%; Score 47; DB 17; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.044;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARNHGSF 8
 Db 1 ARNHGSF 8

RESULT 13
 US-09-428-944-2741
 ; Sequence 2741, Application US/09428944
 ; GENERAL INFORMATION:
 ; APPLICANT: ALEXANDROV, Nickolai
 ; APPLICANT: CHEN, Xianfeng
 ; APPLICANT: SUBRAMANIAN, Gopalakrishnan
 ; APPLICANT: ZHENG, Liansheng
 ; TITLE OF INVENTION: SEQUENCE-DETERMINED DNA FRAGMENTS 26-41
 ; FILE REFERENCE: 2750-600P
 ; CURRENT APPLICATION NUMBER: US/09/428,944
 ; CURRENT FILING DATE: 1999-10-28
 ; NUMBER OF SEQ ID NOS: 3951
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 2741
 ; LENGTH: 129
 ; TYPE: PRT
 ; ORGANISM: Arabidopsis thaliana
 ; FEATURE:
 ; OTHER INFORMATION: any n or Xaa = unknown
 US-09-428-944-2741

Query Match 77.6%; Score 45; DB 18; Length 129;
 Best Local Similarity 87.5%; Pred. No. 1.4;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNHGSFY 9
 Db 106 RHDHGSFY 113

RESULT 14
 US-09-016-061-68
 ; Sequence 68, Application US/09016061

; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; APPLICANT: Glaser, Scott M.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California
 ; COUNTRY: United States
 ; ZIP: 92122
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/016,061
 ; FILING DATE: 30-JAN-1998
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/791,391
 ; FILING DATE: 30-JAN-1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Campbell, Cathryn A.
 ; REGISTRATION NUMBER: 31,815
 ; REFERENCE/DOCKET NUMBER: P-IX 2965
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (619) 535-9001
 ; TELEFAX: (619) 535-8949
 ; INFORMATION FOR SEQ ID NO: 68:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 10 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 US-09-016-061-68

Query Match 74.1%; Score 43; DB 14; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.23;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARNHGSFYS 10
 Db 1 ARHNYGSFAS 10

RESULT 15

US-09-339-922A-68
 ; Sequence 68, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; APPLICANT: Wu, Herren
 ; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
 ; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
 ; FILE REFERENCE: P-IX 3536
 ; CURRENT APPLICATION NUMBER: US/09/339,922A
 ; CURRENT FILING DATE: 1999-06-24
 ; NUMBER OF SEQ ID NOS: 112
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 68
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Mutated
 ; OTHER INFORMATION: complementarity determining region (CDR)
 US-09-339-922A-68

Query Match 74.1%; Score 43; DB 17; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.23;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 ARHNHGSFYS 10
Db 1 ARHNHGSFAS 10

Search completed: March 28, 2001, 07:18:27
Job time: 1338 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:19 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: us-09-016-061-96
Perfect score: 58
Sequence: 1 ARHNGSPYS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New.*
1: /cgnl_1/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_1/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_1/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_1/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_1/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_1/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	38	65.5	196	5	US-09-741-669-368
2	37	63.8	334	5	US-09-488-725A-1864
3	37	63.8	382	5	US-09-488-725A-5436
4	36	62.1	552	5	US-09-489-039A-13735
5	36	62.1	557	5	US-09-489-039A-13795
6	34	58.6	145	1	PCT-US01-02570-29
7	34	58.6	145	5	US-09-751-518-29
8	34	58.6	237	5	US-09-488-725A-3528
9	34	58.6	482	6	US-60-269-308-4703
10	33	56.9	94	5	US-09-557-917-14
11	33	56.9	94	5	US-09-557-917-45
12	33	56.9	94	5	US-09-557-917-48
13	33	56.9	94	5	US-09-557-917-77
14	33	56.9	94	5	US-09-557-917-84
15	33	56.9	94	5	US-09-557-917-90
16	33	56.9	94	5	US-09-557-917-101
17	33	56.9	376	5	US-09-488-725A-2041
18	33	56.9	388	5	US-09-488-725A-5613
19	33	56.9	426	5	US-09-489-039A-13845
20	33	56.9	502	5	US-09-679-187-12
21	33	56.9	503	5	US-09-679-187-2
22	32	55.2	81	5	US-09-759-143-556
23	32	55.2	81	5	US-09-679-426-556
24	32	55.2	81	5	US-09-685-166-556
25	32	55.2	81	5	US-09-780-669-556
26	32	55.2	218	5	US-09-489-039A-10326
27	32	55.2	252	5	US-09-465-587-187

28 32 55.2 407 5 US-09-489-039A-7924 Sequence 7924, Ap
29 32 55.2 474 5 US-09-684-458-4 Sequence 4, Appli
30 32 55.2 483 5 US-09-489-039A-9906 Sequence 9906, Ap
31 32 55.2 739 5 US-09-489-039A-11874 Sequence 11874, A
32 32 55.2 758 5 US-09-499-468-39 Sequence 39, Appl
33 31 53.4 260 5 US-09-794-764-179 Sequence 179, App
34 31 53.4 685 5 US-09-489-039A-11090 Sequence 11090, A
35 31 53.4 787 5 US-09-107-433-4612 Sequence 4612, Ap
36 30 51.7 13 5 US-09-635-434-4 Sequence 4, Appli
37 30 51.7 73 1 PCT-US01-01322-605 Sequence 605, App
38 30 51.7 83 1 PCT-US01-01324-2372 Sequence 2372, Ap
39 30 51.7 116 5 US-09-214-095D-15 Sequence 15, Appl
40 30 51.7 116 5 US-09-214-095D-90 Sequence 90, Appl
41 30 51.7 116 5 US-09-214-095D-90 Sequence 90, Appl
42 30 51.7 198 5 US-09-595-298A-784 Sequence 784, App
43 30 51.7 200 5 US-09-595-298A-783 Sequence 783, App
44 30 51.7 224 5 US-09-595-298A-782 Sequence 782, App
45 30 51.7 226 5 US-09-171-741C-8 Sequence 8, Appli

ALIGNMENTS

RESULT 1
US-09-741-669-368
; Sequence 368, Application US/09741669
; GENERAL INFORMATION:
; APPLICANT: Forsyth, R. Allyn
; APPLICANT: Ohlsen, Kari L.
; APPLICANT: Zyskind, Judith W.
; TITLE OF INVENTION: Genes identified as required for
; FILE REFERENCE: ELITRA.009A
; CURRENT APPLICATION NUMBER: US/09/741,669
; CURRENT FILING DATE: 2000-12-19
; PRIOR APPLICATION NUMBER: US 60/173005
; PRIOR FILING DATE: 1999-12-23
; NUMBER OF SEQ ID NOS: 481
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 368
; LENGTH: 196
; TYPE: PRT
; ORGANISM: Escherichia coli
US-09-741-669-368

Query Match 65.5%; Score 38; DB 5; Length 196;
Best Local Similarity 100.0%; Pred. No. 2.7;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 3 HNHGSF 8
Db 105 HNHGSF 110

RESULT 2
US-09-488-725A-1864
; Sequence 1864, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450

; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 1864
; LENGTH: 355
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-1864

Query Match 63.8%; Score 37; DB 5; Length 354;
Best Local Similarity 60.0%; Pred. No. 8.2;
Matches 6; Conservative 2; Mismatches 2; Indels 2; Gaps 0;

QY 1 ARNHGSEFYS 10
I: I: I: I: I:
Db 196 AKHGSFAFYS 205

RESULT 3
US-09-488-725A-5436
; Sequence 5436, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 5436
; LENGTH: 383
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-5436

Query Match 63.8%; Score 37; DB 5; Length 382;
Best Local Similarity 60.0%; Pred. No. 9;
Matches 6; Conservative 2; Mismatches 2; Indels 2; Gaps 0;

QY 1 ARNHGSEFYS 10
I: I: I: I: I:
Db 224 AKHGSFAFYS 233

RESULT 4
US-09-489-039A-13735
; Sequence 13735, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13735
; LENGTH: 552
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13735

Query Match 62.1%; Score 36; DB 5; Length 552;
Best Local Similarity 66.7%; Pred. No. 21;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSEFY 9
I: I: I: I: I:
Db 475 ACKHGGFY 483

RESULT 5
US-09-489-039A-13795
; Sequence 13795, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13795
; LENGTH: 557
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13795

Query Match 62.1%; Score 36; DB 5; Length 557;
Best Local Similarity 66.7%; Pred. No. 21;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSEFY 9
I: I: I: I: I:
Db 482 ACKHGGFY 490

RESULT 6
PCT-US01-02570-29
; Sequence 29, Application PC/TUS0102570
; GENERAL INFORMATION:
; APPLICANT: Hyseq, Inc.
; APPLICANT: Boyle, Bryan J
; APPLICANT: Kuo, Chiauyn
; APPLICANT: Mize, Nancy K
; APPLICANT: Haley, Dana A
; APPLICANT: Arterburn, Matthew C
; APPLICANT: Tang, Y. Tom
; APPLICANT: Zhou, Ping
; APPLICANT: Liu, Chenchua
; APPLICANT: Asundi, Vinod
; APPLICANT: Drmanac, Radoje T
; APPLICANT: Yeung, George
; APPLICANT: Palencia, Servando
; TITLE OF INVENTION: Methods and Materials Relating to Leukocyte
; TITLE OF INVENTION: Immunoglobulin Receptor-Like (LIR-Like) Polypeptides
; TITLE OF INVENTION: and Polynucleotides

FILE REFERENCE: 21272-023(HYS-19CIP)
CURRENT APPLICATION NUMBER: PCT/US01/02570
CURRENT FILING DATE: 2001-01-25
PRIOR APPLICATION NUMBER: Not Yet Assigned
PRIOR FILING DATE: 2000-12-29
PRIOR APPLICATION NUMBER: 09/642,610
PRIOR FILING DATE: 2000-08-17
PRIOR APPLICATION NUMBER: 09/560,875
PRIOR FILING DATE: 2000-04-27
PRIOR APPLICATION NUMBER: 09/496,914
PRIOR FILING DATE: 2000-02-03
PRIOR APPLICATION NUMBER: 09/491,404
PRIOR FILING DATE: 2000-01-25
PRIOR APPLICATION NUMBER: 09/524,454
PRIOR FILING DATE: 2000-05-19
PRIOR APPLICATION NUMBER: 09/519,705
PRIOR FILING DATE: 2000-03-07
NUMBER OF SEQ ID NOS: 78
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 29
LENGTH: 145
TYPE: PRT
ORGANISM: Homo sapiens
PCT-US01-02570-29

Query Match 58.6%; Score 34; DB 1; Length 145;
Best Local Similarity 75.0%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 3 HNHGSFYS 10
||| |||
Db 102 HNHSEYS 109

RESULT 7
US-09-751-518-29
Sequence 29, Application US/09751518
GENERAL INFORMATION:
APPLICANT: Boyle, Bryan J
APPLICANT: Kuo, Chiau-yun
APPLICANT: Mize, Nancy K
APPLICANT: Haley, Dana A
APPLICANT: Arterburn, Matthew C
APPLICANT: Tang, Y. Tom
APPLICANT: Zhou, Ping
APPLICANT: Liu, Chenghua
APPLICANT: Asundi, Vinod
APPLICANT: Drmanac, Radoje T
APPLICANT: Yeung, George
APPLICANT: Palencia, Servando
TITLE OF INVENTION: Methods and Materials Relating to Leukocyte
TITLE OF INVENTION: Immunoglobulin Receptor-Like (LIR-Like) Polypeptides
TITLE OF INVENTION: and Polynucleotides
FILE REFERENCE: HYS-19CIP
CURRENT APPLICATION NUMBER: US/09/751,518
CURRENT FILING DATE: 2000-12-29
PRIOR APPLICATION NUMBER: 09/642,610
PRIOR FILING DATE: 2000-08-17
PRIOR APPLICATION NUMBER: 09/560,875
PRIOR FILING DATE: 2000-04-27
PRIOR APPLICATION NUMBER: 09/496,914
PRIOR FILING DATE: 2000-02-03
PRIOR APPLICATION NUMBER: 09/491,404
PRIOR FILING DATE: 2000-01-25
PRIOR APPLICATION NUMBER: 09/524,454
PRIOR FILING DATE: 2000-05-19
PRIOR APPLICATION NUMBER: 09/519,705
PRIOR FILING DATE: 2000-03-07
NUMBER OF SEQ ID NOS: 78
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 29
LENGTH: 145

TYPE: PRT
ORGANISM: Homo sapiens
US-09-751-518-29

Query Match 58.6%; Score 34; DB 5; Length 145;
Best Local Similarity 75.0%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 3 HNHGSFYS 10
||| |||
Db 102 HNHSEYS 109

RESULT 8
US-09-488-725A-3528
Sequence 3528, Application US/09488725A
GENERAL INFORMATION:
APPLICANT: Hyseq Inc
TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
FILE REFERENCE: 784FLPCT
CURRENT APPLICATION NUMBER: US/09/488,725A
CURRENT FILING DATE: 2000-12-22
PRIOR APPLICATION NUMBER: US/09/488,725
PRIOR FILING DATE: 2000-01-21
PRIOR APPLICATION NUMBER: US09/552,317
PRIOR FILING DATE: 2000-04-25
PRIOR APPLICATION NUMBER: US09/598,042
PRIOR FILING DATE: 2000-06-20
PRIOR APPLICATION NUMBER: US09/620,312
PRIOR FILING DATE: 2000-07-19
PRIOR APPLICATION NUMBER: US09/653,450
PRIOR FILING DATE: 2000-08-31
PRIOR APPLICATION NUMBER: US09/662,191
PRIOR FILING DATE: 2000-09-14
PRIOR APPLICATION NUMBER: US09/693,036
PRIOR FILING DATE: 2000-10-19
PRIOR APPLICATION NUMBER: US09/727,344
PRIOR FILING DATE: 2000-11-29
NUMBER OF SEQ ID NOS: 7144
SOFTWARE: pt_FL_genes_b Versions 1.0
SEQ ID NO 3528
LENGTH: 238
TYPE: PRT
ORGANISM: Homo sapiens
US-09-488-725A-3528

Query Match 58.6%; Score 34; DB 5; Length 237;
Best Local Similarity 57.1%; Pred. No. 19;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNHGSF 8
:||||:
Db 177 KHNHGAY 183

RESULT 9
US-60-269-308-4703
Sequence 4703, Application US/60269308
GENERAL INFORMATION:
APPLICANT: Haselbeck, RW
APPLICANT: Ohlsen, KL
APPLICANT: Zyskind, JW
APPLICANT: Trawick, JD
APPLICANT: Wall, D
TITLE OF INVENTION: Identification of Essential Genes in Staphylococcus aureus, Ps
TITLE OF INVENTION: aeruginosa, Klebsiella pneumoniae, Salmonella typhimurium, an
TITLE OF INVENTION: faecalis
FILE REFERENCE: ELITRA.017PR5
CURRENT APPLICATION NUMBER: US/60/269,308
CURRENT FILING DATE: 2001-02-16
NUMBER OF SEQ ID NOS: 4774

; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4703
; LENGTH: 482
; TYPE: PRT
; ORGANISM: Enterococcus faecalis
US-60-269-308-4703

Query Match 58.6%; Score 34; DB 6; Length 482;
Best Local Similarity 75.0%; Pred. No. 43;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGSF 8
||| | |
DB 29 ARNDGEF 36

RESULT 10
US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 10;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNHGSFYS 10
||| | |
DB 80 RHNHGVFES 88

RESULT 11
US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 10;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNHGSFYS 10
||| | |
DB 80 RHNHGVFES 88

RESULT 12
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 10;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNHGSFYS 10
||| | |
DB 80 RHNHGVFES 88

RESULT 13
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77

; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 10;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNGSFYS 10
Db 80 RHNGVFES 88

RESULT 14
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 10;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNGSFYS 10
Db 80 RHNGVFES 88

RESULT 15
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94

; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 10;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 2 RHNGSFYS 10
Db 80 RHNGVFES 88

Search completed: March 28, 2001, 07:22:19
Job time: 1511 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:27 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-98
Perfect score: 58
Sequence: 1 ARHNGSFYE 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match: 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_Main.*

```
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	58	100.0	10	14	US-09-016-061-98
2	58	100.0	10	17	US-09-339-922A-98
3	53	91.4	10	14	US-09-016-061-66
4	53	91.4	10	14	US-09-016-061-100
5	53	91.4	10	17	US-09-339-922A-66
6	53	91.4	10	17	US-09-339-922A-100
7	49	84.5	10	14	US-09-016-061-74
8	49	84.5	10	17	US-09-339-922A-74
9	48	82.8	10	14	US-09-016-061-96
10	48	82.8	10	17	US-09-339-922A-94
11	46	79.3	10	14	US-09-016-061-40
					Sequence 98, Appl
					Sequence 98, Appl
					Sequence 66, Appl
					Sequence 100, Appl
					Sequence 100, Appl
					Sequence 74, Appl
					Sequence 74, Appl
					Sequence 96, Appl
					Sequence 94, Appl
					Sequence 40, Appl

12	46	79.3	10	14	US-09-016-061-64	Sequence 64, Appl
13	46	79.3	10	14	US-09-016-061-68	Sequence 68, Appl
14	46	79.3	10	14	US-09-016-061-70	Sequence 70, Appl
15	46	79.3	10	14	US-09-016-061-72	Sequence 72, Appl
16	46	79.3	10	14	US-09-016-061-76	Sequence 76, Appl
17	46	79.3	10	14	US-09-016-061-78	Sequence 78, Appl
18	46	79.3	10	14	US-09-016-061-80	Sequence 80, Appl
19	46	79.3	10	17	US-09-339-922A-40	Sequence 40, Appl
20	46	79.3	10	17	US-09-339-922A-64	Sequence 64, Appl
21	46	79.3	10	17	US-09-339-922A-68	Sequence 68, Appl
22	46	79.3	10	17	US-09-339-922A-70	Sequence 70, Appl
23	46	79.3	10	17	US-09-339-922A-72	Sequence 72, Appl
24	46	79.3	10	17	US-09-339-922A-76	Sequence 76, Appl
25	46	79.3	10	17	US-09-339-922A-78	Sequence 78, Appl
26	46	79.3	10	17	US-09-339-922A-80	Sequence 80, Appl
27	46	79.3	117	1	PCT-US98-25828-54	Sequence 54, Appl
28	46	79.3	117	1	PCT-US98-25828-56	Sequence 56, Appl
29	46	79.3	117	11	US-08-790-540-2	Sequence 2, Appl
30	46	79.3	117	11	US-08-790-540-6	Sequence 6, Appl
31	46	79.3	117	11	US-08-790-540A-2	Sequence 2, Appl
32	46	79.3	117	11	US-08-790-540A-6	Sequence 6, Appl
33	46	79.3	117	11	US-08-791-391-2	Sequence 2, Appl
34	46	79.3	117	11	US-08-791-391-6	Sequence 6, Appl
35	46	79.3	117	11	US-08-791-391A-2	Sequence 2, Appl
36	46	79.3	117	11	US-08-791-391A-6	Sequence 6, Appl
37	46	79.3	117	13	US-08-986-016-54	Sequence 54, Appl
38	46	79.3	117	13	US-08-986-016-56	Sequence 56, Appl
39	46	79.3	117	14	US-09-016-061-2	Sequence 2, Appl
40	46	79.3	117	14	US-09-016-061-6	Sequence 6, Appl
41	46	79.3	117	17	US-09-339-922A-2	Sequence 2, Appl
42	46	79.3	117	17	US-09-339-922A-6	Sequence 6, Appl
43	46	79.3	118	1	PCT-US98-25828-50	Sequence 50, Appl
44	46	79.3	118	1	PCT-US98-25828-51	Sequence 51, Appl
45	46	79.3	118	1	PCT-US98-25828-52	Sequence 52, Appl

ALIGNMENTS

RESULT 1
US-09-016-061-98
; Sequence 98, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 98:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-98

Query Match 100.0%; Score 58; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00022;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFYE 10
|||||
Db 1 ARHNYGSFYE 10

RESULT 2

US-09-339-922A-98
; Sequence 98, Application US/093399922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 98
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-98

Query Match 100.0%; Score 58; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00022;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFYE 10
|||||
Db 1 ARHNYGSFYE 10

RESULT 3

US-09-016-061-66
; Sequence 66, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 66:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-66

Query Match 91.4%; Score 53; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0019;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
|||||
Db 1 ARHNYGSFY 9

RESULT 4

US-09-016-061-100
; Sequence 100, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 100:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-100

Query Match 91.4%; Score 53; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0019;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
| | | | | | | |
Db 1 ARHNYGSFY 9

RESULT 5

US-09-339-922A-66
; Sequence 66, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 66
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-66

Query Match 91.4%; Score 53; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0019;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
| | | | | | | |
Db 1 ARHNYGSFY 9

RESULT 6

US-09-339-922A-100
; Sequence 100, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 100
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-100

Query Match 91.4%; Score 53; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0019;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
| | | | | | | |
Db 1 ARHNYGSFY 9

RESULT 7

US-09-016-061-74
; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-016-061-74

US-09-016-061-74
; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-016-061-74

Query Match 84.5%; Score 49; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.01;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 10
| | | | | | | |
Db 1 ARHNYGSFAE 10

RESULT 8

US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match 84.5%; Score 49; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.01;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFYE 10
| | | | | | | | | |
DB 1 ARHNYGSFAE 10

RESULT 9

US-09-016-061-96
; Sequence 96, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-96

Query Match 82.8%; Score 48; DB 14; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.016;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
| | | | | | | | | |
DB 1 ARHNHGSFY 9

RESULT 10

US-09-339-922A-94
; Sequence 94, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren

; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn ver. 2.1
; SEQ ID NO 94
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-94

Query Match 82.8%; Score 48; DB 17; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.016;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFY 9
| | | | | | | | | |
DB 1 ARHNHGSFY 9

RESULT 11

US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-40

Query Match 79.3%; Score 46; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.038;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
 Db 1 ARHNYGSF 8

RESULT 12

US-09-016-061-64
 ; Sequence 64, Application US/09016061
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California
 ; COUNTRY: United States
 ; ZIP: 92122
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/016,061
 ; FILING DATE: 30-JAN-1998
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/791,391
 ; FILING DATE: 30-JAN-1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Campbell, Cathryn A.
 ; REGISTRATION NUMBER: 31,815
 ; REFERENCE/DOCKET NUMBER: P-IX 2965
 ; TELEPHONE: (619) 535-9001
 ; TELEFAX: (619) 535-8949
 ; INFORMATION FOR SEQ ID NO: 64:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 10 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-09-016-061-64

Query Match 79.3%; Score 46; DB 14; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.038;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
 Db 1 ARHNYGSF 8

RESULT 13

US-09-016-061-68
 ; Sequence 68, Application US/09016061
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California

; COUNTRY: United States
 ; ZIP: 92122
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/016,061
 ; FILING DATE: 30-JAN-1998
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/791,391
 ; FILING DATE: 30-JAN-1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Campbell, Cathryn A.
 ; REGISTRATION NUMBER: 31,815
 ; REFERENCE/DOCKET NUMBER: P-IX 2965
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (619) 535-9001
 ; TELEFAX: (619) 535-8949
 ; INFORMATION FOR SEQ ID NO: 68:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 10 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-09-016-061-68

Query Match 79.3%; Score 46; DB 14; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.038;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
 Db 1 ARHNYGSF 8

RESULT 14

US-09-016-061-70
 ; Sequence 70, Application US/09016061
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California
 ; COUNTRY: United States
 ; ZIP: 92122
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/016,061
 ; FILING DATE: 30-JAN-1998
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/791,391
 ; FILING DATE: 30-JAN-1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Campbell, Cathryn A.
 ; REGISTRATION NUMBER: 31,815
 ; REFERENCE/DOCKET NUMBER: P-IX 2965
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (619) 535-9001

Search completed: March 28, 2001, 07:18:27
Job time: 1338 sec

TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 70:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-70

Query Match 79.3%; Score 46; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.038;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
|||||
Db 1 ARHNYGSF 8

RESULT 15
US-09-016-061-72
; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965

TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 72:

SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-72

Query Match 79.3%; Score 46; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.038;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
|||||
Db 1 ARHNYGSF 8

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:19 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-98
Perfect score: 58
Sequence: 1 ARHNYGSFYE 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New:*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pcp:*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pcp:*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pcp:*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pcp:*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pcp:*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pcp:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	36	62.1	94	5	US-09-557-917-14
2	36	62.1	94	5	US-09-557-917-45
3	36	62.1	94	5	US-09-557-917-48
4	36	62.1	94	5	US-09-557-917-77
5	36	62.1	94	5	US-09-557-917-84
6	36	62.1	94	5	US-09-557-917-90
7	36	62.1	94	5	US-09-557-917-101
8	35	60.3	690	5	US-09-489-039A-13988
9	34	58.6	150	5	US-09-316-633-351
10	34	58.6	197	5	US-09-595-329A-1075
11	34	58.6	288	6	US-60-259-128-4587
12	34	58.6	317	5	US-09-107-433-4862
13	34	58.6	610	5	US-09-489-039A-8216
14	33	56.9	246	5	US-09-595-329A-635
15	33	56.9	248	5	US-09-595-329A-634
16	33	56.9	275	5	US-09-595-329A-633
17	33	56.9	331	5	US-09-489-039A-9639
18	33	56.9	350	6	US-60-259-128-4660
19	33	56.9	512	5	US-09-107-433-5122
20	32	55.2	15	5	US-09-756-983-11
21	32	55.2	80	5	US-09-673-809-51
22	32	55.2	89	5	US-09-673-809-2
23	32	55.2	94	5	US-09-766-378-37
24	32	55.2	94	5	US-09-692-933-180
25	32	55.2	94	5	US-09-557-917-12
26	32	55.2	94	5	US-09-557-917-13
27	32	55.2	94	5	US-09-557-917-15

28	32	55.2	94	5	US-09-557-917-16	Sequence 16, Appl
29	32	55.2	94	5	US-09-557-917-17	Sequence 17, Appl
30	32	55.2	94	5	US-09-557-917-18	Sequence 18, Appl
31	32	55.2	94	5	US-09-557-917-19	Sequence 19, Appl
32	32	55.2	94	5	US-09-557-917-20	Sequence 20, Appl
33	32	55.2	94	5	US-09-557-917-21	Sequence 21, Appl
34	32	55.2	94	5	US-09-557-917-22	Sequence 22, Appl
35	32	55.2	94	5	US-09-557-917-24	Sequence 24, Appl
36	32	55.2	94	5	US-09-557-917-25	Sequence 25, Appl
37	32	55.2	94	5	US-09-557-917-26	Sequence 26, Appl
38	32	55.2	94	5	US-09-557-917-27	Sequence 27, Appl
39	32	55.2	94	5	US-09-557-917-28	Sequence 28, Appl
40	32	55.2	94	5	US-09-557-917-29	Sequence 28, Appl
41	32	55.2	94	5	US-09-557-917-30	Sequence 30, Appl
42	32	55.2	94	5	US-09-557-917-31	Sequence 31, Appl
43	32	55.2	94	5	US-09-557-917-32	Sequence 32, Appl
44	32	55.2	94	5	US-09-557-917-33	Sequence 33, Appl
45	32	55.2	94	5	US-09-557-917-111	Sequence 111, App

ALIGNMENTS

RESULT 1
US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; PRIOR FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 62.1%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 2
US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 62.1%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 3
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 62.1%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 4
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 62.1%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 5
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 62.1%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 6
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 62.1%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 7
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aiga, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 62.1%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 8
US-09-489-039A-13988
; Sequence 13988, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13988
; LENGTH: 690
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae

US-09-489-039A-13988

Query Match 60.3%; Score 35; DB 5; Length 690;
Best Local Similarity 85.7%; Pred. No. 29;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 4 NYGSFYE 10
| | | | |
Db 447 NYGIFYE 453

RESULT 9
US-09-316-633-351
; Sequence 351, Application US/09316633
; GENERAL INFORMATION:
; APPLICANT: Gearing, David P.
; APPLICANT: Holtzman, Douglas A.
; APPLICANT: Robison, Keith E.
; TITLE OF INVENTION: Nucleic Acid Molecules Derived from a
; TITLE OF INVENTION: Human Mesangial Cell Library
; FILE REFERENCE: MLN98-16pA
; CURRENT APPLICATION NUMBER: US/09/316,633
; CURRENT FILING DATE: 1999-05-21
; PRIOR APPLICATION NUMBER: 60/087,052
; PRIOR FILING DATE: 1998-05-27
; NUMBER OF SEQ ID NOS: 422
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 351
; LENGTH: 150
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: SIGNAL
; LOCATION: (1)...(22)
; NAME/KEY: VARIANT
; LOCATION: (1)...(150)
; OTHER INFORMATION: Xaa = Any Amino Acid
US-09-316-633-351

Query Match 58.6%; Score 34; DB 5; Length 150;
Best Local Similarity 75.0%; Pred. No. 8.3;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFYE 10
| | | | |
Db 117 HNWLSFYE 124

RESULT 10
US-09-595-329A-1075
; Sequence 1075, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 1075
; LENGTH: 197
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)...(197)
; OTHER INFORMATION: Ceres Seq. ID no. 1013791
; NAME/KEY: misc.feature
; LOCATION: ()..()

; OTHER INFORMATION: xaa is any aa, unknown or other
US-09-595-329A-1075

Query Match 58.6%; Score 34; DB 5; Length 197;
Best Local Similarity 85.7%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 4 NYGSFYE 10

Db 89 NYGSHYE 95

RESULT 11

US-60-259-128-4587

; Sequence 4587, Application US/60259128

; GENERAL INFORMATION:

; APPLICANT: Roemer, Terry

; APPLICANT: Jiang, Bo

; APPLICANT: Boone, Charles

; APPLICANT: Bussey, Howard

; TITLE OF INVENTION: Gene Disruption Methodologies for Drug

; TITLE OF INVENTION: Target Discovery

; FILE REFERENCE: GRACE1

; CURRENT APPLICATION NUMBER: US/60/259,128

; CURRENT FILING DATE: 2000-12-29

; NUMBER OF SEQ. ID NOS: 5129

; SOFTWARE: FastSeq for Windows Version 4.0

; SEQ ID NO 4587

; LENGTH: 288

; TYPE: PRT

; ORGANISM: Candida albicans

US-60-259-128-4587

Query Match 58.6%; Score 34; DB 6; Length 288;
Best Local Similarity 83.3%; Pred. No. 17;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8

Db 93 HNYGAF 98

RESULT 12

US-09-107-433-4862

; Sequence 4862, Application US/09107433

; GENERAL INFORMATION:

; APPLICANT: Lynn A Doucette-Stamm and David Bush

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID

; SEQUENCES RELATING TO STREPTOCOCCUS PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS

; NUMBER OF SEQUENCES: 5206

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: GENOME THERAPEUTICS CORPORATION

; STREET: 100 Beaver Street

; CITY: Waltham

; STATE: Massachusetts

; COUNTRY: USA

; ZIP: 02354

; COMPUTER READABLE FORM:

; MEDIUM TYPE: CD-ROM ISO9660

; COMPUTER: <Unknown>

; OPERATING SYSTEM: <Unknown>

; SOFTWARE: <Unknown>

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/107,433

; FILING DATE: 30-Jun-1998

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 60/ 085131

; FILING DATE: May 12, 1998

; APPLICATION NUMBER: 60/051553

; FILING DATE: July 2, 1997

; ATTORNEY/AGENT INFORMATION:
; NAME: Ariniello, Pamela Deneke
; REGISTRATION NUMBER: 40,489
; REFERENCE/DOCKET NUMBER: GTC-011
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (781)893-5007
; TELEFAX: (781)893-8277
; INFORMATION FOR SEQ ID NO: 4862:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 317 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: YES
; ORIGINAL SOURCE:
; ORGANISM: Streptococcus pneumoniae
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (B) LOCATION 1...317
; SEQUENCE DESCRIPTION: SEQ ID NO: 4862:
US-09-107-433-4862

Query Match 58.6%; Score 34; DB 5; Length 317;
Best Local Similarity 71.4%; Pred. No. 19;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFY 9

Db 307 HNYGDFY 313

RESULT 13

US-09-489-039A-8216

; Sequence 8216, Application US/09489039A

; GENERAL INFORMATION:

; APPLICANT: Gary Breton et. al

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS

; FILE REFERENCE: 2709.2004001

; CURRENT APPLICATION NUMBER: US/09/489,039A

; CURRENT FILING DATE: 2000-01-27

; PRIOR APPLICATION NUMBER: US 60/117,747

; PRIOR FILING DATE: 1999-01-29

; NUMBER OF SEQ ID NOS: 14342

; SEQ ID NO 8216

; LENGTH: 610

; TYPE: PRT

; ORGANISM: Klebsiella pneumoniae

US-09-489-039A-8216

Query Match 58.6%; Score 34; DB 5; Length 610;
Best Local Similarity 60.0%; Pred. No. 39;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 1 ARHNYGSFYE 10 ,

Db 556 AEHNVGHLYE 565

RESULT 14

US-09-595-329A-635

; Sequence 635, Application US/09595329A

; GENERAL INFORMATION:

; APPLICANT: ALEXANDROV, Nikolai

; APPLICANT: VYACHESLAV, Brover

; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept

; TITLE OF INVENTION: Thereby

; FILE REFERENCE: 2750-0948P

; CURRENT APPLICATION NUMBER: US/09/595,329A

; CURRENT FILING DATE: 2000-06-16

; NUMBER OF SEQ ID NOS: 3309

; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 56.9%; Score 33; DB 5; Length 246;
Best Local Similarity 83.3%; Pred. No. 22;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYGS 7
:|||||
Db 131 KHNYGS 136

RESULT 15
US-09-595-329A-634
; Sequence 634, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VVACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 634
; LENGTH: 248
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(248)
; OTHER INFORMATION: Ceres Seq. ID no. 1013210
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-634

Query Match 56.9%; Score 33; DB 5; Length 248;
Best Local Similarity 83.3%; Pred. No. 23;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYGS 7
:|||||
Db 133 KHNYGS 138

Search completed: March 28, 2001, 07:22:19
Job time: 1511 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:27 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-100

Perfect score: 57

Sequence: 1 ARHNGSPYS 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Pending_Patents_AA_Main:*

1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	57	100.0	10	14	US-09-016-061-100
2	57	100.0	10	17	US-09-339-922A-100
3	53	93.0	10	14	US-09-016-061-66
4	53	93.0	10	14	US-09-016-061-98
5	53	93.0	10	17	US-09-339-922A-66
6	53	93.0	10	17	US-09-339-922A-98
7	52	91.2	10	14	US-09-016-061-96
8	52	91.2	10	17	US-09-339-922A-94
9	48	84.2	10	14	US-09-016-061-68
10	48	84.2	10	17	US-09-339-922A-68
11	46	80.7	10	14	US-09-016-061-40

12	46	80.7	10	14	US-09-016-061-64	Sequence 54, Appl
13	46	80.7	10	14	US-09-016-061-70	Sequence 70, Appl
14	46	80.7	10	14	US-09-016-061-72	Sequence 72, Appl
15	46	80.7	10	14	US-09-016-061-74	Sequence 74, Appl
16	46	80.7	10	14	US-09-016-061-76	Sequence 76, Appl
17	46	80.7	10	14	US-09-016-061-78	Sequence 78, Appl
18	46	80.7	10	14	US-09-016-061-80	Sequence 80, Appl
19	46	80.7	10	14	US-09-016-061-80	Sequence 80, Appl
20	46	80.7	10	17	US-09-339-922A-40	Sequence 40, Appl
21	46	80.7	10	17	US-09-339-922A-64	Sequence 64, Appl
22	46	80.7	10	17	US-09-339-922A-72	Sequence 72, Appl
23	46	80.7	10	17	US-09-339-922A-74	Sequence 74, Appl
24	46	80.7	10	17	US-09-339-922A-76	Sequence 76, Appl
25	46	80.7	10	17	US-09-339-922A-78	Sequence 78, Appl
26	46	80.7	10	17	US-09-339-922A-80	Sequence 80, Appl
27	46	80.7	117	1	PCT-US98-25828-54	Sequence 54, Appl
28	46	80.7	117	1	PCT-US98-25828-56	Sequence 56, Appl
29	46	80.7	117	11	US-08-790-540-2	Sequence 2, Appl
30	46	80.7	117	11	US-08-790-540-6	Sequence 6, Appl
31	46	80.7	117	11	US-08-790-540A-2	Sequence 2, Appl
32	46	80.7	117	11	US-08-790-540A-6	Sequence 6, Appl
33	46	80.7	117	11	US-08-791-391-2	Sequence 2, Appl
34	46	80.7	117	11	US-08-791-391-6	Sequence 6, Appl
35	46	80.7	117	11	US-08-791-391A-2	Sequence 2, Appl
36	46	80.7	117	11	US-08-791-391A-6	Sequence 6, Appl
37	46	80.7	117	13	US-08-986-016-54	Sequence 54, Appl
38	46	80.7	117	13	US-08-986-016-56	Sequence 56, Appl
39	46	80.7	117	14	US-09-016-061-2	Sequence 2, Appl
40	46	80.7	117	14	US-09-016-061-6	Sequence 6, Appl
41	46	80.7	117	17	US-09-339-922A-2	Sequence 2, Appl
42	46	80.7	117	17	US-09-339-922A-6	Sequence 6, Appl
43	46	80.7	118	1	PCT-US98-25828-50	Sequence 50, Appl
44	46	80.7	118	1	PCT-US98-25828-51	Sequence 51, Appl
45	46	80.7	118	1	PCT-US98-25828-52	Sequence 52, Appl

ALIGNMENTS

RESULT 1
US-09-016-061-100
; Sequence 100, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 100:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-100

Query Match          100.0%; Score 57; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00039;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10
Db 1 ARHNYGSFYS 10

RESULT 2
US-09-339-922A-100
; Sequence 100, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: Patent In Ver. 2.1
; SEQ ID NO 100
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-100

Query Match          100.0%; Score 57; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00039;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10
Db 1 ARHNYGSFYS 10

RESULT 3
US-09-016-061-66
; Sequence 66, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-66

Query Match          93.0%; Score 53; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0022;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
Db 1 ARHNYGSFY 9

RESULT 4
US-09-016-061-98
; Sequence 98, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 98:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-98
```

t's

Query Match 93.0%; Score 53; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0022;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
| | | | | | | | | |
Db 1 ARHNYGSFY 9

RESULT 5
US-09-339-922A-66
; Sequence 66, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 66
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: Complementarity determining region (CDR)
US-09-339-922A-66

Query Match 93.0%; Score 53; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0022;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
| | | | | | | | | |
Db 1 ARHNYGSFY 9

RESULT 6
US-09-339-922A-98
; Sequence 98, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 98
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: Complementarity determining region (CDR)
US-09-339-922A-98

Query Match 93.0%; Score 53; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0022;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFY 9
| | | | | | | | | |
Db 1 ARHNYGSFY 9

RESULT 7
US-09-016-061-96
; Sequence 96, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-96

Query Match 91.2%; Score 52; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0033;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10
| | | | | | | | | |
Db 1 ARHNYGSFYS 10

RESULT 8
US-09-339-922A-94
; Sequence 94, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 94
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-94

Query Match 91.2%; Score 52; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0033;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10

|||||

Db 1 ARHNGSFYS 10

RESULT 9

US-09-016-061-68

; Sequence 68, Application US/09016061

; GENERAL INFORMATION:

; APPLICANT: Huse, William D.

; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

; NUMBER OF SEQUENCES: 100

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Campbell & Flores LLP

; STREET: 4370 La Jolla Village Drive, Suite 700

; CITY: San Diego

; STATE: California

; COUNTRY: United States

; ZIP: 92122

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061

; FILING DATE: 30-JAN-1998

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/791,391

; FILING DATE: 30-JAN-1997

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-IX 2965

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 68:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 10 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-09-016-061-68

Query Match 84.2%; Score 48; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.018;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10

|||||

Db 1 ARHNGSFAS 10

RESULT 10

US-09-339-922A-68

; Sequence 68, Application US/09339922A

; GENERAL INFORMATION:

; APPLICANT: Huse, William D.

; APPLICANT: Wu, Herren

; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use

; FILE REFERENCE: P-IX 3536

; CURRENT APPLICATION NUMBER: US/09/339,922A

; CURRENT FILING DATE: 1999-06-24

; NUMBER OF SEQ ID NOS: 112

; SOFTWARE: PatentIn Ver. 2.1

; SEQ ID NO 68

; LENGTH: 10

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: Mutated

; OTHER INFORMATION: complementarity determining region (CDR)

US-09-339-922A-68

Query Match 84.2%; Score 48; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.018;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10

|||||

Db 1 ARHNGSFAS 10

RESULT 11

US-09-016-061-40

; Sequence 40, Application US/09016061

; GENERAL INFORMATION:

; APPLICANT: Huse, William D.

; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

; NUMBER OF SEQUENCES: 100

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Campbell & Flores LLP

; STREET: 4370 La Jolla Village Drive, Suite 700

; CITY: San Diego

; STATE: California

; COUNTRY: United States

; ZIP: 92122

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061

; FILING DATE: 30-JAN-1998

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/791,391

; FILING DATE: 30-JAN-1997

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-IX 2965

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 40:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 10 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-09-016-061-40

Query Match 80.7%; Score 46; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.044;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
 |||||
 Db 1 ARHNYGSF 8

RESULT 12

US-09-016-061-64
 ; Sequence 64, Application US/09016061
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California
 ; COUNTRY: United States
 ; ZIP: 92122
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/016,061
 ; FILING DATE: 30-JAN-1998
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/791,391
 ; FILING DATE: 30-JAN-1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Campbell, Cathryn A.
 ; REGISTRATION NUMBER: 31,815
 ; REFERENCE/DOCKET NUMBER: P-IX 2965
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (619) 535-9001
 ; TELEFAX: (619) 535-8949
 ; INFORMATION FOR SEQ ID NO: 64:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 10 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-09-016-061-64

Query Match 80.7%; Score 46; DB 14; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.044;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
 |||||
 Db 1 ARHNYGSF 8

RESULT 13

US-09-016-061-70
 ; Sequence 70, Application US/09016061
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California

COUNTRY: United States
 ZIP: 92122
 COMPUTER READABLE FORM:
 MEDIUM TYPE: Floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: PatentIn Release #1.0, Version #1.25
 CURRENT APPLICATION DATA:
 APPLICATION NUMBER: US/09/016,061
 FILING DATE: 30-JAN-1998
 CLASSIFICATION: 435
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US 08/791,391
 FILING DATE: 30-JAN-1997
 ATTORNEY/AGENT INFORMATION:
 NAME: Campbell, Cathryn A.
 REGISTRATION NUMBER: 31,815
 REFERENCE/DOCKET NUMBER: P-IX 2965
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: (619) 535-9001
 TELEFAX: (619) 535-8949
 INFORMATION FOR SEQ ID NO: 70:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 10 amino acids
 TYPE: amino acid
 TOPOLOGY: linear
 MOLECULE TYPE: protein
 US-09-016-061-70

Query Match 80.7%; Score 46; DB 14; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.044;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSF 8
 |||||
 Db 1 ARHNYGSF 8

RESULT 14

US-09-016-061-72
 ; Sequence 72, Application US/09016061
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; APPLICANT: Glaser, Scott M.
 ; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
 ; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
 ; NUMBER OF SEQUENCES: 100
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Campbell & Flores LLP
 ; STREET: 4370 La Jolla Village Drive, Suite 700
 ; CITY: San Diego
 ; STATE: California
 ; COUNTRY: United States
 ; ZIP: 92122
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/016,061
 ; FILING DATE: 30-JAN-1998
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/791,391
 ; FILING DATE: 30-JAN-1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Campbell, Cathryn A.
 ; REGISTRATION NUMBER: 31,815
 ; REFERENCE/DOCKET NUMBER: P-IX 2965
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 72:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-72

Query Match 80.7%; Score 46; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.044;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
|||||
DB 1 ARHNYGSF 8

RESULT 15

US-09-016-061-74
Sequence 74, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016.061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 74:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-74

Query Match 80.7%; Score 46; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.044;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSF 8
|||||
DB 1 ARHNYGSF 8

Search completed: March 28, 2001, 07:18:27
Job time: 1338 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:19 ; Search time 213.09 seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-100

Perfect score: 57

Sequence: 1 ARHNYGSFYS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Pending_Patents_AA_New.*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	38	66.7	94	5	US-09-557-917-14
2	38	66.7	94	5	US-09-557-917-45
3	38	66.7	94	5	US-09-557-917-48
4	38	66.7	94	5	US-09-557-917-77
5	38	66.7	94	5	US-09-557-917-84
6	38	66.7	94	5	US-09-557-917-90
7	38	66.7	94	5	US-09-557-917-101
8	36	63.2	354	5	US-09-488-725A-1864
9	36	63.2	382	5	US-09-488-725A-5436
10	35	61.4	317	5	US-09-107-433-4862
11	34	59.6	94	5	US-09-557-917-39
12	34	59.6	94	5	US-09-557-917-59
13	34	59.6	94	5	US-09-557-917-63
14	34	59.6	288	6	US-60-259-128-4587
15	33	57.9	94	5	US-09-557-917-55
16	33	57.9	94	5	US-09-557-917-62
17	33	57.9	94	5	US-09-557-917-87
18	33	57.9	94	5	US-09-557-917-108
19	33	57.9	246	5	US-09-595-329A-635
20	33	57.9	248	5	US-09-595-329A-634
21	33	57.9	275	5	US-09-595-329A-633
22	33	57.9	512	5	US-09-107-433-5122
23	32	56.1	15	5	US-09-756-983-11
24	32	56.1	80	5	US-09-673-809-51
25	32	56.1	89	5	US-09-673-809-2
26	32	56.1	94	5	US-09-766-378-37
27	32	56.1	94	5	US-09-692-933-180

```

28 56.1 94 5 US-09-557-917-12 Sequence 12, Appl
29 56.1 94 5 US-09-557-917-13 Sequence 13, Appl
30 56.1 94 5 US-09-557-917-15 Sequence 15, Appl
31 56.1 94 5 US-09-557-917-16 Sequence 16, Appl
32 56.1 94 5 US-09-557-917-17 Sequence 17, Appl
33 56.1 94 5 US-09-557-917-18 Sequence 18, Appl
34 56.1 94 5 US-09-557-917-20 Sequence 19, Appl
35 56.1 94 5 US-09-557-917-21 Sequence 20, Appl
36 56.1 94 5 US-09-557-917-22 Sequence 21, Appl
37 56.1 94 5 US-09-557-917-24 Sequence 22, Appl
38 56.1 94 5 US-09-557-917-25 Sequence 24, Appl
39 56.1 94 5 US-09-557-917-26 Sequence 25, Appl
40 56.1 94 5 US-09-557-917-27 Sequence 26, Appl
41 56.1 94 5 US-09-557-917-28 Sequence 27, Appl
42 56.1 94 5 US-09-557-917-29 Sequence 28, Appl
43 56.1 94 5 US-09-557-917-30 Sequence 29, Appl
44 56.1 94 5 US-09-557-917-30 Sequence 30, Appl
45 56.1 94 5 US-09-557-917-111 Sequence 111, App

```

ALIGNMENTS

RESULT 1

```

US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

```

```

Query Match          66.7%; Score 38; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

```

```

Qy 2 RHNYGSFYS 10
Db 80 RHNYGVFES 88

```

RESULT 2

```

US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

```

; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 66.7%; Score 38; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
| | | | | | |
Db 80 RHNYGVFES 88

RESULT 3
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 66.7%; Score 38; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
| | | | | | |
Db 80 RHNYGVFES 88

RESULT 4
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 66.7%; Score 38; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
| | | | | | |
Db 80 RHNYGVFES 88

RESULT 5
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 66.7%; Score 38; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

QY 2 RHNYGSFYS 10
| | | | | | |
Db 80 RHNYGVFES 88

RESULT 6
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 66.7%; Score 38; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
| | | | | | | |
Db 80 RHNYGVFES 88

RESULT 7
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 66.7%; Score 38; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.86;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
| | | | | | | |
Db 80 RHNYGVFES 88

RESULT 8
US-09-488-725A-1864
; Sequence 1864, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19

; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 1864
; LENGTH: 355
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-1864

Query Match 63.2%; Score 36; DB 5; Length 354;
Best Local Similarity 60.0%; Pred. No. 9;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10
| | | | | | | |
Db 196 AKHGSFAYS 205

RESULT 9
US-09-488-725A-5436
; Sequence 5436, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 5436
; LENGTH: 383
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-5436

Query Match 63.2%; Score 36; DB 5; Length 382;
Best Local Similarity 60.0%; Pred. No. 9.8;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 ARHNYGSFYS 10
| | | | | | | |
Db 224 AKHGSFAYS 233

RESULT 10
US-09-107-433-4862
; Sequence 4862, Application US/09107433
; GENERAL INFORMATION:

APPLICANT: Lynn A Doucette-Stamm and David Bush
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID
SEQUENCES RELATING TO STREPTOCOCCUS PNEUMONIAE FOR DIAGNOSTIC
THERAPEUTICS
NUMBER OF SEQUENCES: 5206
CORRESPONDENCE ADDRESS:
ADDRESSEE: GENOME THERAPEUTICS CORPORATION
STREET: 100 Beaver Street
CITY: Waltham
STATE: Massachusetts
COUNTRY: USA
ZIP: 02354
COMPUTER READABLE FORM:
MEDIUM TYPE: CD-ROM ISO9660
COMPUTER: <Unknown>
OPERATING SYSTEM: <Unknown>
SOFTWARE: <Unknown>
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/107,433
FILING DATE: 30-Jun-1998
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 60/ 085131
FILING DATE: May 12, 1998
APPLICATION NUMBER: 60/051553
FILING DATE: July 2, 1997
ATTORNEY/AGENT INFORMATION:
NAME: Arinietello, Pamela Deneke
REGISTRATION NUMBER: 40,489
REFERENCE/DOCKET NUMBER: GTC-011
TELECOMMUNICATION INFORMATION:
TELEPHONE: (781)893-5007
TELEFAX: (781)893-8277
INFORMATION FOR SEQ ID NO: 4862:
SEQUENCE CHARACTERISTICS:
LENGTH: 317 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
HYPOTHETICAL: YES
ORIGINAL SOURCE:
ORGANISM: Streptococcus pneumoniae
FEATURE:
NAME/KEY: misc.feature
LOCATION: (B) LOCATION 1...317
SEQUENCE DESCRIPTION: SEQ ID NO: 4862:
US-09-107-433-4862

Query Match 61.4%; Score 35; DB 5; Length 317;
Best Local Similarity 62.5%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSFYS 10
DB 307 HNYGDFYA 314

RESULT 11
US-09-557-917-39
Sequence 39, Application US/09557917
GENERAL INFORMATION:
APPLICANT: Aida, Yoko
TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
BOVINE LEUKEMIA AND THE RESISTANCE THERETO
FILE REFERENCE:
CURRENT APPLICATION NUMBER: US/09/557,917
CURRENT FILING DATE: 2000-04-21
PRIOR APPLICATION NUMBER: 09/147,550
PRIOR FILING DATE: 1999-04-23
PRIOR APPLICATION NUMBER: PCT/JP97/02485
PRIOR FILING DATE: 1997-07-17
PRIOR APPLICATION NUMBER: JP 8-190933
PRIOR FILING DATE: 1996-07-19

PRIOR APPLICATION NUMBER: JP 9-77979
PRIOR FILING DATE: 1997-03-28
NUMBER OF SEQ ID NOS: 115
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 39
LENGTH: 94
TYPE: PRT
ORGANISM: BOVINE
US-09-557-917-39

Query Match 59.6%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 5;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYSFYS 10
DB 80 RHNYSFYS 88

RESULT 12
US-09-557-917-59
Sequence 59, Application US/09557917
GENERAL INFORMATION:
APPLICANT: Aida, Yoko
TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
BOVINE LEUKEMIA AND THE RESISTANCE THERETO
FILE REFERENCE:
CURRENT APPLICATION NUMBER: US/09/557,917
CURRENT FILING DATE: 2000-04-21
PRIOR APPLICATION NUMBER: 09/147,550
PRIOR FILING DATE: 1999-04-23
PRIOR APPLICATION NUMBER: PCT/JP97/02485
PRIOR FILING DATE: 1997-07-17
PRIOR APPLICATION NUMBER: JP 8-190933
PRIOR FILING DATE: 1996-07-19
PRIOR APPLICATION NUMBER: JP 9-77979
PRIOR FILING DATE: 1997-03-28
NUMBER OF SEQ ID NOS: 115
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 59
LENGTH: 94
TYPE: PRT
ORGANISM: BOVINE
US-09-557-917-59

Query Match 59.6%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 5;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYSFYS 10
DB 80 RHNYSFYS 88

RESULT 13
US-09-557-917-63
Sequence 63, Application US/09557917
GENERAL INFORMATION:
APPLICANT: Aida, Yoko
TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
BOVINE LEUKEMIA AND THE RESISTANCE THERETO
FILE REFERENCE:
CURRENT APPLICATION NUMBER: US/09/557,917
CURRENT FILING DATE: 2000-04-21
PRIOR APPLICATION NUMBER: 09/147,550
PRIOR FILING DATE: 1999-04-23
PRIOR APPLICATION NUMBER: PCT/JP97/02485
PRIOR FILING DATE: 1997-07-17
PRIOR APPLICATION NUMBER: JP 8-190933
PRIOR FILING DATE: 1996-07-19
PRIOR APPLICATION NUMBER: JP 9-77979

; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 63
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-63

Query Match 59.6%; Score 34; DB 5; Length 94;
Best Local Similarity 86.7%; Pred. No. 5;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
| | | | |
Db 80 RHNYGGVES 88

RESULT 14

US-60-259-128-4587
; Sequence 4587, Application US/60259128
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; TITLE OF INVENTION: Target Discovery
; FILE REFERENCE: GRACE1
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4587
; LENGTH: 288
; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4587

Query Match 59.6%; Score 34; DB 6; Length 288;
Best Local Similarity 83.3%; Pred. No. 17;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
| | | | |
Db 93 HNYGAF 98

RESULT 15

US-09-557-917-55
; Sequence 55, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 55
; LENGTH: 94
; TYPE: PRT

; ORGANISM: BOVINE
US-09-557-917-55

Query Match 57.9%; Score 33; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 7.8;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFYS 10
| | | | |
Db 80 RHNYGGVES 88

Search completed: March 28, 2001, 07:22:19
Job time: 1511 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:13 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-72

Perfect score: 56

Sequence: 1 ARHNYGSFAD 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New.*

1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*

2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*

3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*

4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*

5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*

6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	69.6	479	5	US-09-489-039A-13978
2	36	64.3	94	5	US-09-557-917-14
3	36	64.3	94	5	US-09-557-917-45
4	36	64.3	94	5	US-09-557-917-48
5	36	64.3	94	5	US-09-557-917-77
6	36	64.3	94	5	US-09-557-917-84
7	36	64.3	94	5	US-09-557-917-90
8	36	64.3	94	5	US-09-557-917-101
9	34	60.7	239	5	US-09-107-433-3471
10	34	60.7	288	6	US-60-259-128-4587
11	33	58.9	246	5	US-09-595-329A-635
12	33	58.9	248	5	US-09-595-329A-634
13	33	58.9	275	5	US-09-595-329A-633
14	32	57.1	15	5	US-09-756-983-11
15	32	57.1	80	5	US-09-673-809-51
16	32	57.1	89	5	US-09-673-809-2
17	32	57.1	94	5	US-09-766-378-37
18	32	57.1	94	5	US-09-692-933-180
19	32	57.1	94	5	US-09-557-917-12
20	32	57.1	94	5	US-09-557-917-13
21	32	57.1	94	5	US-09-557-917-15
22	32	57.1	94	5	US-09-557-917-16
23	32	57.1	94	5	US-09-557-917-17
24	32	57.1	94	5	US-09-557-917-18
25	32	57.1	94	5	US-09-557-917-19
26	32	57.1	94	5	US-09-557-917-20
27	32	57.1	94	5	US-09-557-917-21

28	32	57.1	94	5	US-09-557-917-22	Sequence 22, Appl
29	32	57.1	94	5	US-09-557-917-24	Sequence 24, Appl
30	32	57.1	94	5	US-09-557-917-25	Sequence 25, Appl
31	32	57.1	94	5	US-09-557-917-26	Sequence 26, Appl
32	32	57.1	94	5	US-09-557-917-27	Sequence 27, Appl
33	32	57.1	94	5	US-09-557-917-28	Sequence 28, Appl
34	32	57.1	94	5	US-09-557-917-29	Sequence 29, Appl
35	32	57.1	94	5	US-09-557-917-30	Sequence 30, Appl
36	32	57.1	94	5	US-09-557-917-31	Sequence 31, Appl
37	32	57.1	94	5	US-09-557-917-32	Sequence 32, Appl
38	32	57.1	94	5	US-09-557-917-33	Sequence 33, Appl
39	32	57.1	94	5	US-09-557-917-34	Sequence 34, Appl
40	32	57.1	94	5	US-09-557-917-35	Sequence 35, Appl
41	32	57.1	94	5	US-09-557-917-36	Sequence 36, Appl
42	32	57.1	94	5	US-09-557-917-37	Sequence 37, Appl
43	32	57.1	94	5	US-09-557-917-38	Sequence 38, Appl
44	32	57.1	94	5	US-09-557-917-39	Sequence 39, Appl
45	32	57.1	94	5	US-09-557-917-111	Sequence 111, App

ALIGNMENTS

RESULT 1
US-09-489-039A-13978
; Sequence 13978, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; PRIOR FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13978
; LENGTH: 479
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13978

Query Match 69.6%; Score 39; DB 5; Length 479;
Best Local Similarity 77.8%; Pred. No. 2;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAD 10
||:| ||||
Db 85 RHGYRSFAD 93

RESULT 2
US-09-557-917-14
; Sequence 14, Application US/095557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 14

; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 3

US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 4

US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT

; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 5

US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 6

US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT

;
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. NO. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 7
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. NO. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 8
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE

US-09-557-917-101

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. NO. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 9
US-09-107-433-3471
; Sequence 3471, Application US/09107433
; GENERAL INFORMATION:
; APPLICANT: Lynn A Doucette-Stamm and David Bush
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID
; TITLE OF INVENTION: SEQUENCES RELATING TO STREPTOCOCCUS PNEUMONIAE
; TITLE OF INVENTION: THERAPEUTICS
; NUMBER OF SEQUENCES: 5206
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: GENOME THERAPEUTICS CORPORATION
; STREET: 100 Beaver Street
; CITY: Waltham
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02354
; COMPUTER READABLE FORM:
; MEDIUM TYPE: CD-ROM ISO9660
; COMPUTER: <Unknown>
; OPERATING SYSTEM: <Unknown>
; SOFTWARE: <Unknown>
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,433
; FILING DATE: 30-Jun-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/ 085131
; FILING DATE: May 12, 1998
; APPLICATION NUMBER: 60/051553
; FILING DATE: July 2, 1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Ariniello, Pamela Deneke
; REGISTRATION NUMBER: 40,489
; REFERENCE/DOCKET NUMBER: GTC-011
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (781)893-5007
; TELEFAX: (781)893-8277
; INFORMATION FOR SEQ ID NO: 3471:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 239 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: YES
; ORIGINAL SOURCE:
; ORGANISM: Streptococcus pneumoniae
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (B) LOCATION 1...239
; SEQUENCE DESCRIPTION: SEQ ID NO: 3471:

US-09-107-433-3471

Query Match 60.7%; Score 34; DB 5; Length 239;
Best Local Similarity 66.7%; Pred. NO. 9;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFAD 10
| | | | |
Db 75 RHNYGKAD 83

RESULT 10

US-60-259-128-4587
; Sequence 4587, Application US/60259128
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; FILE REFERENCE: GRACE1
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4587
; LENGTH: 288
; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4587

Query Match 60.7%; Score 34; DB 6; Length 288;
Best Local Similarity 83.3%; Pred. No. 11;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HNYGSF 8
Db 93 HNYGAF 98

RESULT 11

US-09-595-329A-635
; Sequence 635, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 58.9%; Score 33; DB 5; Length 246;
Best Local Similarity 83.3%; Pred. No. 15;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYGS 7
Db 131 KHNYS 136

RESULT 12

US-09-595-329A-634
; Sequence 634, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover

; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 634
; LENGTH: 248
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; NAME/KEY: peptide
; LOCATION: (1)..(248)
; OTHER INFORMATION: Ceres Seq. ID no. 1013210
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-634

Query Match 58.9%; Score 33; DB 5; Length 248;
Best Local Similarity 83.3%; Pred. No. 15;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYGS 7
Db 133 KHNYS 138

RESULT 13

US-09-595-329A-633
; Sequence 633, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 633
; LENGTH: 275
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; NAME/KEY: peptide
; LOCATION: (1)..(275)
; OTHER INFORMATION: Ceres Seq. ID no. 1013209
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-633

Query Match 58.9%; Score 33; DB 5; Length 275;
Best Local Similarity 83.3%; Pred. No. 17;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHNYGS 7
Db 160 KHNYS 165

RESULT 14

US-09-756-983-11
; Sequence 11, Application US/09756983
; GENERAL INFORMATION:
; APPLICANT: Albani, Salvatore
; TITLE OF INVENTION: METHODS FOR ISOLATION, QUANTIFICATION,
; TITLE OF INVENTION: CHARACTERIZATION AND MODULATION OF

; TITLE OF INVENTION: ANTIGEN-SPECIFIC T CELLS
; FILE REFERENCE: 246/285-CIP
; CURRENT APPLICATION NUMBER: US/09/756,983
; CURRENT FILING DATE: 2001-01-09
; PRIOR APPLICATION NUMBER: 60/105,018
; PRIOR FILING DATE: 1998-10-20
; PRIOR APPLICATION NUMBER: 03/421,506
; PRIOR FILING DATE: 1999-10-19
; PRIOR APPLICATION NUMBER: PCT/US99/2466
; PRIOR FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 24
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 11
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-756-983-11

Query Match 57.1%; Score 32; DB 5; Length 15;
Best Local Similarity 100.0%; Pred. No. 0.95;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHYNG 6
|
|
|
|
|
Db 11 RHYNG 15

RESULT 15
US-09-673-809-51
; Sequence 51, Application US/09673809
; GENERAL INFORMATION:
; APPLICANT: INNOGENETICS N.V.
; TITLE OF INVENTION: Method for typing of HLA alleles.
; FILE REFERENCE: PCT99.86.HLA
; CURRENT APPLICATION NUMBER: US/09/673,809
; CURRENT FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 98870088.6
; PRIOR FILING DATE: 1998-04-20
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 51
; LENGTH: 80
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-673-809-51

Query Match 57.1%; Score 32; DB 5; Length 80;
Best Local Similarity 100.0%; Pred. No. 6.5;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 RHYNG 6
|
|
|
|
|
Db 74 RHYNG 78

Search completed: March 28, 2001, 07:22:13
Job time: 1505 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:20 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-74
Perfect score: 55
Sequence: 1 ARHNGSPAE 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Maximum Match 0%
Listing first 45 summaries

Database : Pending_Patents_AA_Main.*
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	55	100.0	10	14	US-09-016-061-74
2	55	100.0	10	17	US-09-339-922A-74
3	52	94.5	10	14	US-09-016-061-72
4	52	94.5	10	17	US-09-339-922A-72
5	50	90.9	10	14	US-09-016-061-40
6	50	90.9	10	14	US-09-016-061-68
7	50	90.9	10	14	US-09-016-061-70
8	50	90.9	10	14	US-09-016-061-76
9	50	90.9	10	14	US-09-016-061-78
10	50	90.9	10	14	US-09-016-061-80
11	50	90.9	10	17	US-09-339-922A-40

12	50	90.9	10	17	US-09-339-922A-68
13	50	90.9	10	17	US-09-339-922A-70
14	50	90.9	10	17	US-09-339-922A-76
15	50	90.9	10	17	US-09-339-922A-78
16	50	90.9	10	17	US-09-339-922A-80
17	50	90.9	117	1	PCT-US98-25828-54
18	50	90.9	117	1	PCT-US98-25828-56
19	50	90.9	117	11	US-08-790-540-2
20	50	90.9	117	11	US-08-790-540-6
21	50	90.9	117	11	US-08-790-540A-2
22	50	90.9	117	11	US-08-790-540A-6
23	50	90.9	117	11	US-08-791-391-2
24	50	90.9	117	11	US-08-791-391-6
25	50	90.9	117	11	US-08-791-391A-2
26	50	90.9	117	11	US-08-986-016-54
27	50	90.9	117	13	US-08-986-016-56
28	50	90.9	117	13	US-08-986-016-56
29	50	90.9	117	14	US-09-016-061-2
30	50	90.9	117	14	US-09-016-061-6
31	50	90.9	117	17	US-09-339-922A-2
32	50	90.9	117	17	US-09-339-922A-6
33	50	90.9	118	1	PCT-US98-25828-50
34	50	90.9	118	1	PCT-US98-25828-51
35	50	90.9	118	1	PCT-US98-25828-52
36	50	90.9	118	1	PCT-US98-25828-53
37	50	90.9	118	13	US-08-986-016-50
38	50	90.9	118	13	US-08-986-016-51
39	50	90.9	118	13	US-08-986-016-52
40	50	90.9	119	13	US-08-986-016-53
41	50	90.9	130	1	PCT-US98-25828-44
42	50	90.9	130	13	US-08-986-016-44
43	49	89.1	10	14	US-09-016-061-98
44	49	89.1	10	17	US-09-339-922A-98
45	47	85.5	10	14	US-09-016-061-62

ALIGNMENTS

RESULT 1
US-09-016-061-74
; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Camobelli, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 74:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-74

Query Match          100.0%; Score 55; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00034;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAE 10
   |||||
Db 1 ARHNYGSFAE 10

RESULT 2
US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match          100.0%; Score 55; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00034;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAE 10
   |||||
Db 1 ARHNYGSFAE 10

RESULT 3
US-09-016-061-72
; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

```

```

; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match          94.5%; Score 52; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0013;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAE 10
   |||||
Db 1 ARHNYGSFAD 10

RESULT 4
US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match          94.5%; Score 52; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0013;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAE 10
   |||||
Db 1 ARHNYGSFAD 10

RESULT 5
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:

```


ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE: (619) 535-8949
TELEFAX: (619) 535-9001
INFORMATION FOR SEQ ID NO: 40:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-40

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0032;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 6
US-09-016-061-68
Sequence 68, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 68:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-68

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0032;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 7
US-09-016-061-70
Sequence 70, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 70:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-70

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0032;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 8

US-09-016-061-76

Sequence 76, Application US/09016061

GENERAL INFORMATION:

APPLICANT: Huse, William D.

APPLICANT: Glaser, Scott M.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 100

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061

FILING DATE: 30-JAN-1998

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/791,391

FILING DATE: 30-JAN-1997

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2965

TELECOMMUNICATION INFORMATION:

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-09-016-061-76

Query Match 90.9%; Score 50; DB 14; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0032;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9

RESULT 9

US-09-016-061-78

Sequence 78, Application US/09016061

GENERAL INFORMATION:

APPLICANT: Huse, William D.

APPLICANT: Glaser, Scott M.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 100

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061

FILING DATE: 30-JAN-1998

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/791,391

FILING DATE: 30-JAN-1997

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2965

TELECOMMUNICATION INFORMATION:

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-09-016-061-76

Query Match 90.9%; Score 50; DB 14; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0032;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9

RESULT 9

US-09-016-061-78

Sequence 78, Application US/09016061

GENERAL INFORMATION:

APPLICANT: Huse, William D.

APPLICANT: Glaser, Scott M.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 100

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061

FILING DATE: 30-JAN-1998

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/791,391

FILING DATE: 30-JAN-1997

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2965

TELECOMMUNICATION INFORMATION:

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-09-016-061-76

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061

FILING DATE: 30-JAN-1998

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/791,391

FILING DATE: 30-JAN-1997

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2965

TELECOMMUNICATION INFORMATION:

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-09-016-061-78

Query Match 90.9%; Score 50; DB 14; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0032;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9

RESULT 10

US-09-016-061-80

Sequence 80, Application US/09016061

GENERAL INFORMATION:

APPLICANT: Huse, William D.

APPLICANT: Glaser, Scott M.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 100

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061

FILING DATE: 30-JAN-1998

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/791,391

FILING DATE: 30-JAN-1997

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2965

TELECOMMUNICATION INFORMATION:

TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949

SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-09-016-061-78

; LENGTH: 10 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 US-09-016-061-80

Query Match 90.9%; Score 50; DB 14; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0032;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 1 ARHNYGSFA 9

RESULT 11
 US-09-339-922A-40
 ; Sequence 40, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
 ; FILE REFERENCE: P-IX 3536
 ; CURRENT APPLICATION NUMBER: US/09/339,922A
 ; CURRENT FILING DATE: 1999-06-24
 ; NUMBER OF SEQ ID NOS: 112
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 40
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Mus musculus
 US-09-339-922A-40

Query Match 90.9%; Score 50; DB 17; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0032;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 1 ARHNYGSFA 9

RESULT 12
 US-09-339-922A-68
 ; Sequence 68, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
 ; FILE REFERENCE: P-IX 3536
 ; CURRENT APPLICATION NUMBER: US/09/339,922A
 ; CURRENT FILING DATE: 1999-06-24
 ; NUMBER OF SEQ ID NOS: 112
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 68
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Mutated
 ; OTHER INFORMATION: complementarity determining region (CDR)
 US-09-339-922A-68

Query Match 90.9%; Score 50; DB 17; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0032;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9
 |||||

RESULT 13
 US-09-339-922A-70
 ; Sequence 70, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
 ; FILE REFERENCE: P-IX 3536
 ; CURRENT APPLICATION NUMBER: US/09/339,922A
 ; CURRENT FILING DATE: 1999-06-24
 ; NUMBER OF SEQ ID NOS: 112
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 70
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Mutated
 ; OTHER INFORMATION: complementarity determining region (CDR)
 US-09-339-922A-70

Query Match 90.9%; Score 50; DB 17; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0032;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 1 ARHNYGSFA 9

RESULT 14
 US-09-339-922A-76
 ; Sequence 76, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.
 ; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
 ; FILE REFERENCE: P-IX 3536
 ; CURRENT APPLICATION NUMBER: US/09/339,922A
 ; CURRENT FILING DATE: 1999-06-24
 ; NUMBER OF SEQ ID NOS: 112
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 76
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Mutated
 ; OTHER INFORMATION: complementarity determining region (CDR)
 US-09-339-922A-76

Query Match 90.9%; Score 50; DB 17; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0032;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
 |||||
 Db 1 ARHNYGSFA 9

RESULT 15
 US-09-339-922A-78
 ; Sequence 78, Application US/09339922A
 ; GENERAL INFORMATION:
 ; APPLICANT: Huse, William D.

; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn ver. 2.1
; SEQ ID NO 78
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-78

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0032;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSEA 9
Db 1 ARHNYGSEA 9

Search completed: March 28, 2001, 07:18:21
Job time: 1332 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:13 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-74
Perfect score: 55
Sequence: 1 ARHNYGSPAE 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New.*

1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	65.5	94	5	US-09-557-917-14
2	36	65.5	94	5	US-09-557-917-45
3	36	65.5	94	5	US-09-557-917-48
4	36	65.5	94	5	US-09-557-917-77
5	36	65.5	94	5	US-09-557-917-84
6	36	65.5	94	5	US-09-557-917-90
7	36	65.5	94	5	US-09-557-917-101
8	35	63.6	288	6	US-60-259-128-4587
9	35	63.6	479	5	US-09-489-039A-13978
10	33	60.0	246	5	US-09-595-329A-635
11	33	60.0	248	5	US-09-595-329A-634
12	33	60.0	275	5	US-09-595-329A-633
13	33	60.0	468	5	US-09-107-433-3743
14	32	58.2	15	5	US-09-756-983-11
15	32	58.2	80	5	US-09-673-809-51
16	32	58.2	89	5	US-09-673-809-2
17	32	58.2	94	5	US-09-766-378-37
18	32	58.2	94	5	US-09-692-933-180
19	32	58.2	94	5	US-09-557-917-12
20	32	58.2	94	5	US-09-557-917-13
21	32	58.2	94	5	US-09-557-917-15
22	32	58.2	94	5	US-09-557-917-16
23	32	58.2	94	5	US-09-557-917-17
24	32	58.2	94	5	US-09-557-917-18
25	32	58.2	94	5	US-09-557-917-19
26	32	58.2	94	5	US-09-557-917-20
27	32	58.2	94	5	US-09-557-917-21

28	32	58.2	94	5	US-09-557-917-22	Sequence 22, Appl
29	32	58.2	94	5	US-09-557-917-24	Sequence 24, Appl
30	32	58.2	94	5	US-09-557-917-25	Sequence 25, Appl
31	32	58.2	94	5	US-09-557-917-26	Sequence 26, Appl
32	32	58.2	94	5	US-09-557-917-27	Sequence 27, Appl
33	32	58.2	94	5	US-09-557-917-28	Sequence 28, Appl
34	32	58.2	94	5	US-09-557-917-29	Sequence 29, Appl
35	32	58.2	94	5	US-09-557-917-30	Sequence 30, Appl
36	32	58.2	94	5	US-09-557-917-31	Sequence 31, Appl
37	32	58.2	94	5	US-09-557-917-32	Sequence 32, Appl
38	32	58.2	94	5	US-09-557-917-33	Sequence 33, Appl
39	32	58.2	94	5	US-09-557-917-34	Sequence 34, Appl
40	32	58.2	94	5	US-09-557-917-35	Sequence 35, Appl
41	32	58.2	94	5	US-09-557-917-36	Sequence 36, Appl
42	32	58.2	94	5	US-09-557-917-37	Sequence 37, Appl
43	32	58.2	94	5	US-09-557-917-38	Sequence 38, Appl
44	32	58.2	94	5	US-09-557-917-39	Sequence 39, Appl
45	32	58.2	94	5	US-09-557-917-111	Sequence 111, App

ALIGNMENTS

RESULT 1

US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE

US-09-557-917-14

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8

Db 80 RHNYGVF 86

RESULT 2

US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 3
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 4
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 5
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 6
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 7
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 8
US-60-259-128-4587
; Sequence 4587, Application US/60259128
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; FILE REFERENCE: Target Discovery
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4587
; LENGTH: 288

; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4587

Query Match 63.6%; Score 35; DB 6; Length 288;
Best Local Similarity 62.5%; Pred. No. 7.6;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNYGSFAE 10
Db 93 HNYGAFFQ 100

RESULT 9
US-09-489-039A-13978
; Sequence 13978, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13978
; LENGTH: 479
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13978

Query Match 63.6%; Score 35; DB 5; Length 479;
Best Local Similarity 66.7%; Pred. No. 14;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSFAE 10
Db 85 RHDYRSFAD 93

RESULT 10
US-09-595-329A-635
; Sequence 635, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; FILE REFERENCE: Thereby
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc.feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 60.0%; Score 33; DB 5; Length 246;
Best Local Similarity 83.3%; Pred. No. 16;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 131 KHNYS 136

RESULT 11

US-09-595-329A-634
; Sequence 634, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 634
; LENGTH: 248
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(248)
; OTHER INFORMATION: Ceres Seq. ID no. 1013210
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-634

Query Match 60.0%; Score 33; DB 5; Length 248;
Best Local Similarity 83.3%; Pred. No. 16;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 133 KHNYS 138

RESULT 12

US-09-595-329A-633
; Sequence 633, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 633
; LENGTH: 275
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(275)
; OTHER INFORMATION: Ceres Seq. ID no. 1013209
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-633

Query Match 60.0%; Score 33; DB 5; Length 275;
Best Local Similarity 83.3%; Pred. No. 18;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 160 KHNYS 165

RESULT 13

US-09-107-433-3743
; Sequence 3743, Application US/09107433
; GENERAL INFORMATION:
; APPLICANT: Lynn A Doucette-Stamm and David Bush
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID
; SEQUENCES RELATING TO STREPTOCOCCUS PNEUMONIAE FOR DIA
; THERAPEUTICS
; NUMBER OF SEQUENCES: 5206
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: GENOME THERAPEUTICS CORPORATION
; STREET: 100 Beaver Street
; CITY: Waltham
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02354
; COMPUTER READABLE FORM:
; MEDIUM TYPE: CD-ROM ISO9660
; COMPUTER: <Unknown>
; OPERATING SYSTEM: <Unknown>
; SOFTWARE: <Unknown>
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,433
; FILING DATE: 30-Jun-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/ 085131
; FILING DATE: May 12, 1998
; APPLICATION NUMBER: 60/051553
; FILING DATE: July 2, 1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Ariniello, Pamela Deneke
; REGISTRATION NUMBER: 40,489
; REFERENCE/DOCKET NUMBER: GTC-011
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (781)893-5007
; TELEFAX: (781)893-8277
; INFORMATION FOR SEQ ID NO: 3743:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 468 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: YES
; ORIGINAL SOURCE:
; ORGANISM: Streptococcus pneumoniae
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (B) LOCATION 1...468
; SEQUENCE DESCRIPTION: SEQ ID NO: 3743:
US-09-107-433-3743

Query Match 60.0%; Score 33; DB 5; Length 468;
Best Local Similarity 60.0%; Pred. No. 33;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 1 ARHNYGSFAE 10
||| |||
Db 423 ARHPYKIGE 432

RESULT 14

US-09-756-983-11
; Sequence 11, Application US/09756983
; GENERAL INFORMATION:
; APPLICANT: Albani, Salvatore
; TITLE OF INVENTION: METHODS FOR ISOLATION, QUANTIFICATION,
; CHARACTERIZATION AND MODULATION OF


```

; TITLE OF INVENTION: ANTIGEN-SPECIFIC T CELLS
; FILE REFERENCE: 246/285-CIP
; CURRENT APPLICATION NUMBER: US/09/756,983
; CURRENT FILING DATE: 2001-01-09
; PRIOR APPLICATION NUMBER: 60/105,018
; PRIOR FILING DATE: 1998-10-20
; PRIOR APPLICATION NUMBER: 03/421,506
; PRIOR FILING DATE: 1999-10-19
; PRIOR APPLICATION NUMBER: PCT/US99/2466
; PRIOR FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 24
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 11
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-756-983-11

```

```

Query Match      58.2%; Score 32; DB 5; Length 15;
Best Local Similarity 100.0%; Pred. No. 1;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY      2 RHNYG 6
        |||||
Db      11 RHNYG 15

```

```

RESULT 15
US-09-673-809-51
; Sequence 51, Application US/09673809
; GENERAL INFORMATION:
; APPLICANT: INNOGENETICS N.V.
; TITLE OF INVENTION: Method for typing of HLA alleles.
; FILE REFERENCE: PCT99.86.HLA
; CURRENT APPLICATION NUMBER: US/09/673,809
; CURRENT FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 98870088.6
; PRIOR FILING DATE: 1998-04-20
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 51
; LENGTH: 80
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-673-809-51

```

```

Query Match      58.2%; Score 32; DB 5; Length 80;
Best Local Similarity 100.0%; Pred. No. 7;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY      2 RHNYG 6
        |||||
Db      74 RHNYG 78

```

```

Search completed: March 28, 2001, 07:22:13
Job time: 1505 sec

```

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:21 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-76
Perfect score: 55
Sequence: 1 ARHNYGSFAM 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	55	100.0	10	14	US-09-016-061-76
2	55	100.0	10	17	US-09-339-922A-76
3	50	90.9	10	14	US-09-016-061-40
4	50	90.9	10	14	US-09-016-061-68
5	50	90.9	10	14	US-09-016-061-70
6	50	90.9	10	14	US-09-016-061-72
7	50	90.9	10	14	US-09-016-061-74
8	50	90.9	10	14	US-09-016-061-78
9	50	90.9	10	14	US-09-016-061-80
10	50	90.9	10	17	US-09-339-922A-40
11	50	90.9	10	17	US-09-339-922A-68

12	50	90.9	10	17	US-09-339-922A-70	Sequence 70, Appl
13	50	90.9	10	17	US-09-339-922A-72	Sequence 72, Appl
14	50	90.9	10	17	US-09-339-922A-74	Sequence 74, Appl
15	50	90.9	10	17	US-09-339-922A-78	Sequence 78, Appl
16	50	90.9	10	17	US-09-339-922A-80	Sequence 80, Appl
17	50	90.9	117	1	PCT-US98-25828-54	Sequence 54, Appl
18	50	90.9	117	1	PCT-US98-25828-56	Sequence 56, Appl
19	50	90.9	117	11	US-08-790-540-2	Sequence 2, Appl
20	50	90.9	117	11	US-08-790-540-6	Sequence 6, Appl
21	50	90.9	117	11	US-08-790-540A-2	Sequence 2, Appl
22	50	90.9	117	11	US-08-790-540A-6	Sequence 6, Appl
23	50	90.9	117	11	US-08-791-391-2	Sequence 2, Appl
24	50	90.9	117	11	US-08-791-391-6	Sequence 6, Appl
25	50	90.9	117	11	US-08-791-391A-2	Sequence 2, Appl
26	50	90.9	117	11	US-08-791-391A-6	Sequence 6, Appl
27	50	90.9	117	13	US-08-986-016-54	Sequence 54, Appl
28	50	90.9	117	13	US-08-986-016-56	Sequence 56, Appl
29	50	90.9	117	14	US-09-016-061-2	Sequence 2, Appl
30	50	90.9	117	14	US-09-016-061-6	Sequence 6, Appl
31	50	90.9	117	17	US-09-339-922A-2	Sequence 2, Appl
32	50	90.9	117	17	US-09-339-922A-6	Sequence 6, Appl
33	50	90.9	118	1	PCT-US98-25828-50	Sequence 50, Appl
34	50	90.9	118	1	PCT-US98-25828-51	Sequence 51, Appl
35	50	90.9	118	1	PCT-US98-25828-52	Sequence 52, Appl
36	50	90.9	118	1	PCT-US98-25828-53	Sequence 53, Appl
37	50	90.9	118	13	US-08-986-016-50	Sequence 50, Appl
38	50	90.9	118	13	US-08-986-016-51	Sequence 51, Appl
39	50	90.9	118	13	US-08-986-016-52	Sequence 52, Appl
40	50	90.9	119	13	US-08-986-016-53	Sequence 53, Appl
41	50	90.9	130	1	PCT-US98-25828-44	Sequence 44, Appl
42	50	90.9	130	13	US-08-986-016-44	Sequence 44, Appl
43	47	85.5	10	14	US-09-016-061-62	Sequence 62, Appl
44	47	85.5	10	17	US-09-339-922A-62	Sequence 62, Appl
45	46	83.6	10	17	US-09-339-922A-100	Sequence 100, App

ALIGNMENTS

RESULT 1
US-09-016-061-76
Sequence 76, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESSES:
ADDRESSER: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 76:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-76

Query Match          100.0%; Score 55; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0003;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAM 10
   | | | | | | | |
Db 1 ARHNYGSFAM 10

RESULT 2
US-09-339-922A-76
; Sequence 76, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 76
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-76

Query Match          100.0%; Score 55; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0003;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAM 10
   | | | | | | | |
Db 1 ARHNYGSFAM 10

RESULT 3
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 68:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-40
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-40

Query Match          90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
   | | | | | | | |
Db 1 ARHNYGSFA 9

RESULT 4
US-09-016-061-68
; Sequence 68, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 68:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-68
```

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSFA 9
| | | | | | | |
Db 1 ARHNYGSFA 9

RESULT 5

US-09-016-061-70
; Sequence 70, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 70:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-70

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSFA 9
| | | | | | | |
Db 1 ARHNYGSFA 9

RESULT 6

US-09-016-061-72
; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 70:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-70

; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 ARHNYGSFA 9
| | | | | | | |
Db 1 ARHNYGSFA 9

RESULT 7

US-09-016-061-74
; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 74:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-74

; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 74:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-74

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 8
US-09-016-061-78
; Sequence 78, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 78:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-78

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9

RESULT 9
US-09-016-061-80
; Sequence 80, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 80:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-80

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 10
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

ORGANISM: Mus musculus
US-09-339-922A-40

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 11
US-09-339-922A-68
; Sequence 68, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 68
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-68

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 12
US-09-339-922A-70
; Sequence 70, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 70
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-70

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9
|||||

RESULT 13
US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 14
US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 15
US-09-339-922A-78
; Sequence 78, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.

; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 78
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-78

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
| | | | | | | |
Db 1 ARHNYGSFA 9

Search completed: March 28, 2001, 07:18:21
Job time: 1332 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:13 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-76
Perfect score: 55
Sequence: 1 ARHNYGSPAM 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New.*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	65.5	94	5	US-09-557-917-14
2	36	65.5	94	5	US-09-557-917-45
3	36	65.5	94	5	US-09-557-917-48
4	36	65.5	94	5	US-09-557-917-77
5	36	65.5	94	5	US-09-557-917-84
6	36	65.5	94	5	US-09-557-917-90
7	36	65.5	94	5	US-09-557-917-101
8	34	61.8	288	6	US-60-259-128-4587
9	33	60.0	246	5	US-09-595-329A-635
10	33	60.0	248	5	US-09-595-329A-634
11	33	60.0	275	5	US-09-595-329A-633
12	33	60.0	479	5	US-09-489-039A-13978
13	32	58.2	15	5	US-09-756-983-11
14	32	58.2	80	5	US-09-673-809-51
15	32	58.2	89	5	US-09-673-809-2
16	32	58.2	94	5	US-09-766-378-37
17	32	58.2	94	5	US-09-692-933-180
18	32	58.2	94	5	US-09-557-917-12
19	32	58.2	94	5	US-09-557-917-13
20	32	58.2	94	5	US-09-557-917-15
21	32	58.2	94	5	US-09-557-917-16
22	32	58.2	94	5	US-09-557-917-17
23	32	58.2	94	5	US-09-557-917-18
24	32	58.2	94	5	US-09-557-917-19
25	32	58.2	94	5	US-09-557-917-20
26	32	58.2	94	5	US-09-557-917-21
27	32	58.2	94	5	US-09-557-917-22

28	32	58.2	94	5	US-09-557-917-24	Sequence 24, Appl
29	32	58.2	94	5	US-09-557-917-25	Sequence 25, Appl
30	32	58.2	94	5	US-09-557-917-26	Sequence 26, Appl
31	32	58.2	94	5	US-09-557-917-27	Sequence 27, Appl
32	32	58.2	94	5	US-09-557-917-28	Sequence 28, Appl
33	32	58.2	94	5	US-09-557-917-29	Sequence 29, Appl
34	32	58.2	94	5	US-09-557-917-30	Sequence 30, Appl
35	32	58.2	94	5	US-09-557-917-31	Sequence 31, Appl
36	32	58.2	94	5	US-09-557-917-32	Sequence 32, Appl
37	32	58.2	94	5	US-09-557-917-33	Sequence 33, Appl
38	32	58.2	94	5	US-09-557-917-34	Sequence 34, Appl
39	32	58.2	94	5	US-09-557-917-35	Sequence 35, Appl
40	32	58.2	94	5	US-09-557-917-36	Sequence 36, Appl
41	32	58.2	94	5	US-09-557-917-37	Sequence 37, Appl
42	32	58.2	94	5	US-09-557-917-38	Sequence 38, Appl
43	32	58.2	94	5	US-09-557-917-39	Sequence 39, Appl
44	32	58.2	94	5	US-09-557-917-40	Sequence 40, Appl
45	32	58.2	94	5	US-09-557-917-111	Sequence 111, App

ALIGNMENTS

RESULT 1
US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 65.5% Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 0.97; Indels 0; Gaps 0;
Matches 6; Conservative 0; Mismatches 1;

Qy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 2

US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: Patentin Ver. 2.0
 ; SEQ ID NO 45
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-45

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 0.97;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 80 RHNYGVF 86

RESULT 3
 US-09-557-917-48
 ; Sequence 48, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: Patentin Ver. 2.0
 ; SEQ ID NO 48
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-48

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 0.97;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 80 RHNYGVF 86

RESULT 4
 US-09-557-917-77
 ; Sequence 77, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: Patentin Ver. 2.0
 ; SEQ ID NO 77
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-77

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 0.97;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 80 RHNYGVF 86

RESULT 5
 US-09-557-917-84
 ; Sequence 84, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: Patentin Ver. 2.0
 ; SEQ ID NO 84
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-84

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 0.97;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
 Db 80 RHNYGVF 86

RESULT 6
 US-09-557-917-90
 ; Sequence 90, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 0.97;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 7
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/Jp97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 0.97;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 8
US-60-259-128-4587
; Sequence 4587, Application US/60259128
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; TITLE OF INVENTION: Target Discovery
; FILE REFERENCE: GRACE1
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4587
; LENGTH: 288

; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4587

Query Match 61.8%; Score 34; DB 6; Length 288;
Best Local Similarity 83.3%; Pred. No. 8.7;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
| | | | |
Db 93 HNYGAF 98

RESULT 9
US-09-595-329A-635
; Sequence 635, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc.feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 60.0%; Score 33; DB 5; Length 246;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
| | | | |
Db 131 RHNYGS 136

RESULT 10
US-09-595-329A-634
; Sequence 634, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 634
; LENGTH: 248
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(248)
; OTHER INFORMATION: Ceres Seq. ID no. 1013210
; NAME/KEY: misc.feature
; LOCATION: ()..()

; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-634

Query Match 60.0%; Score 33; DB 5; Length 248;
Best Local Similarity 83.3%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
Db 133 KHYGS 138
:|||||

RESULT 11
US-09-595-329A-633
; Sequence 633, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 633
; LENGTH: 275
; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(275)
; OTHER INFORMATION: Ceres Seq. ID no. 1013209
; NAME/KEY: misc_feature
; LOCATION: (1)..(1)
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-633

Query Match 60.0%; Score 33; DB 5; Length 275;
Best Local Similarity 83.3%; Pred. No. 13;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
Db 160 KHYGS 165
:|||||

RESULT 12
US-09-489-039A-13978
; Sequence 13978, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR FILING DATE: US 60/117,747
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13978
; LENGTH: 479
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13978

Query Match 60.0%; Score 33; DB 5; Length 479;
Best Local Similarity 75.0%; Pred. No. 25;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9
Db 85 RHDYRSFA 92
:|||||

RESULT 13
US-09-756-983-11
; Sequence 11, Application US/09756983
; GENERAL INFORMATION:
; APPLICANT: Albani, Salvatore
; TITLE OF INVENTION: METHODS FOR ISOLATION, QUANTIFICATION,
; TITLE OF INVENTION: CHARACTERIZATION AND MODULATION OF
; FILE REFERENCE: 246/285-CIP
; CURRENT APPLICATION NUMBER: US/09/756,983
; CURRENT FILING DATE: 2001-01-09
; PRIOR APPLICATION NUMBER: 60/105,018
; PRIOR FILING DATE: 1998-10-20
; PRIOR APPLICATION NUMBER: 09/421,506
; PRIOR FILING DATE: 1999-10-19
; PRIOR APPLICATION NUMBER: PCT/US99/2466
; PRIOR FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 24
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 11
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-756-983-11

Query Match 58.2%; Score 32; DB 5; Length 15;
Best Local Similarity 100.0%; Pred. No. 0.8;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYG 6
Db 11 RHNYG 15
:|||||

RESULT 14
US-09-673-809-51
; Sequence 51, Application US/09673809
; GENERAL INFORMATION:
; APPLICANT: INNOGENETICS N.V.
; TITLE OF INVENTION: Method for typing of HLA alleles.
; FILE REFERENCE: PCT99.86.HLA
; CURRENT APPLICATION NUMBER: US/09/673,809
; CURRENT FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 98870088.6
; PRIOR FILING DATE: 1998-04-20
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 51
; LENGTH: 80
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-673-809-51

Query Match 58.2%; Score 32; DB 5; Length 80;
Best Local Similarity 100.0%; Pred. No. 5.3;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYG 6
Db 74 RHNYG 78
:|||||

RESULT 15
US-09-673-809-2
; Sequence 2, Application US/09673809
; GENERAL INFORMATION:

; APPLICANT: INNOGENETICS N.V.
; TITLE OF INVENTION: Method for typing of HLA alleles.
; FILE REFERENCE: PCT99.86.HLA
; CURRENT APPLICATION NUMBER: US/09/673,809
; CURRENT FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 98870088.6
; PRIOR FILING DATE: 1998-04-20
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-673-809-2

Query Match 58.2%; Score 32; DB 5; Length 89;
Best Local Similarity 100.0%; Pred. No. 5.9;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy 2 RHNYG 6
Db 75 RHNYG 79

Search completed: March 28, 2001, 07:22:14
Job time: 1506 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:21 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-78
Perfect score: 56
Sequence: 1 ARHNGSPAG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Maximum Match 0%
Listing first 45 summaries

Database : Pending Patents_AA_Main.*

1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	56	100.0	10	14	US-09-016-061-78
2	56	100.0	10	17	US-09-339-922A-78
3	50	89.3	10	14	US-09-016-061-40
4	50	89.3	10	14	US-09-016-061-68
5	50	89.3	10	14	US-09-016-061-70
6	50	89.3	10	14	US-09-016-061-72
7	50	89.3	10	14	US-09-016-061-74
8	50	89.3	10	14	US-09-016-061-76
9	50	89.3	10	14	US-09-016-061-80
10	50	89.3	10	17	US-09-339-922A-40
11	50	89.3	10	17	US-09-339-922A-68

12	50	89.3	10	17	US-09-339-922A-70	Sequence 70, Appl
13	50	89.3	10	17	US-09-339-922A-72	Sequence 72, Appl
14	50	89.3	10	17	US-09-339-922A-74	Sequence 74, Appl
15	50	89.3	10	17	US-09-339-922A-76	Sequence 76, Appl
16	50	89.3	10	17	US-09-339-922A-80	Sequence 80, Appl
17	50	89.3	117	1	PCT-US98-25828-54	Sequence 54, Appl
18	50	89.3	117	1	PCT-US98-25828-56	Sequence 56, Appl
19	50	89.3	117	11	US-08-790-540-2	Sequence 2, Appl
20	50	89.3	117	11	US-08-790-540-6	Sequence 6, Appl
21	50	89.3	117	11	US-08-790-540A-2	Sequence 2, Appl
22	50	89.3	117	11	US-08-790-540A-6	Sequence 6, Appl
23	50	89.3	117	11	US-08-791-391-2	Sequence 2, Appl
24	50	89.3	117	11	US-08-791-391-6	Sequence 6, Appl
25	50	89.3	117	11	US-08-791-391A-2	Sequence 2, Appl
26	50	89.3	117	11	US-08-791-391A-6	Sequence 6, Appl
27	50	89.3	117	13	US-08-986-016-54	Sequence 54, Appl
28	50	89.3	117	13	US-08-986-016-56	Sequence 56, Appl
29	50	89.3	117	14	US-09-016-061-2	Sequence 2, Appl
30	50	89.3	117	14	US-09-016-061-6	Sequence 6, Appl
31	50	89.3	117	17	US-09-339-922A-2	Sequence 2, Appl
32	50	89.3	117	17	US-09-339-922A-6	Sequence 6, Appl
33	50	89.3	118	1	PCT-US98-25828-50	Sequence 50, Appl
34	50	89.3	118	1	PCT-US98-25828-51	Sequence 51, Appl
35	50	89.3	118	1	PCT-US98-25828-52	Sequence 52, Appl
36	50	89.3	118	1	PCT-US98-25828-53	Sequence 53, Appl
37	50	89.3	118	13	US-08-986-016-50	Sequence 50, Appl
38	50	89.3	118	13	US-08-986-016-51	Sequence 51, Appl
39	50	89.3	118	13	US-08-986-016-52	Sequence 52, Appl
40	50	89.3	119	13	US-08-986-016-53	Sequence 53, Appl
41	50	89.3	130	1	PCT-US98-25828-44	Sequence 44, Appl
42	50	89.3	130	13	US-08-986-016-44	Sequence 44, Appl
43	47	83.9	10	14	US-09-016-061-62	Sequence 62, Appl
44	47	83.9	10	17	US-09-339-922A-62	Sequence 62, Appl
45	46	82.1	10	17	US-09-339-922A-100	Sequence 100, App

ALIGNMENTS

RESULT 1
US-09-016-061-78
; Sequence 78, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 78:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-78

Query Match 100.0%; Score 56; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00036;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAG 10
Db 1 ARHNYGSFAG 10

RESULT 2

US-09-339-922A-78
; Sequence 78, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 78
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: Complementarity determining region (CDR)
US-09-339-922A-78

Query Match 100.0%; Score 56; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00036;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAG 10
Db 1 ARHNYGSFAG 10

RESULT 3

US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016.061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-40

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 4

US-09-016-061-68
; Sequence 68, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016.061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 68:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-68

```

Query Match      89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 5
US-09-016-061-70
; Sequence 70, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION NUMBER: 30-JAN-1997
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 70:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-70

Query Match      89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 6
US-09-016-061-72
; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100

```

```

; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION NUMBER: 30-JAN-1997
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match      89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 7
US-09-016-061-74
; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION NUMBER: 30-JAN-1997
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:

```

NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 74:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-74

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 8
US-09-016-061-76
Sequence 76, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE: (619) 535-8949
TELEFAX: (619) 535-9001
INFORMATION FOR SEQ ID NO: 76:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-76

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9
|||||

RESULT 9
US-09-016-061-80
Sequence 80, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 80:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-80

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 10
US-09-339-922A-40
Sequence 40, Application US/09339922A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
Acids Encoding Same and Methods of Use
FILE REFERENCE: P-IX 3536
CURRENT APPLICATION NUMBER: US/09/339,922A
CURRENT FILING DATE: 1999-06-24
NUMBER OF SEQ ID NOS: 112
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 40
LENGTH: 10
TYPE: PRT

; ORGANISM: Mus musculus
US-09-339-922A-40

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 11
US-09-339-922A-68
; Sequence 68, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339, 922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 68
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-68

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 12
US-09-339-922A-70
; Sequence 70, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339, 922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 70
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-70

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9

RESULT 13
US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339, 922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 14
US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339, 922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 15
US-09-339-922A-76
; Sequence 76, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.

APPLICANT: Wu, Herren
TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
FILE REFERENCE: P-IX 3536
CURRENT APPLICATION NUMBER: US/09/339,922A
CURRENT FILING DATE: 1999-06-24
NUMBER OF SEQ ID NOS: 112
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 76
LENGTH: 10
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Mutated
OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-76

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.005;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
| | | | | | | |
Db 1 ARHNYGSFA 9

Search completed: March 28, 2001, 07:18:21
Job time: 1332 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:14 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-78
Perfect score: 56
Sequence: 1 ARHNYGSPAG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New.*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution...

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	36	64.3	94	5	US-09-557-917-14
2	36	64.3	94	5	US-09-557-917-45
3	36	64.3	94	5	US-09-557-917-48
4	36	64.3	94	5	US-09-557-917-77
5	36	64.3	94	5	US-09-557-917-84
6	36	64.3	94	5	US-09-557-917-90
7	36	64.3	94	5	US-09-557-917-101
8	34	60.7	288	6	US-60-259-128-4587
9	34	60.7	385	5	US-09-489-039A-11917
10	34	60.7	386	6	US-60-269-308-4695
11	34	60.7	866	5	US-09-488-725A-3407
12	34	60.7	923	5	US-09-488-725A-6979
13	33	58.9	246	5	US-09-595-329A-635
14	33	58.9	248	5	US-09-595-329A-634
15	33	58.9	275	5	US-09-595-329A-633
16	33	58.9	385	5	US-09-489-039A-13700
17	33	58.9	407	4	US-08-861-774D-28
18	33	58.9	479	5	US-09-489-039A-13978
19	32	57.1	15	5	US-09-756-983-11
20	32	57.1	80	5	US-09-673-809-51
21	32	57.1	89	5	US-09-673-809-2
22	32	57.1	94	5	US-09-766-378-37
23	32	57.1	94	5	US-09-692-933-180
24	32	57.1	94	5	US-09-557-917-12
25	32	57.1	94	5	US-09-557-917-13
26	32	57.1	94	5	US-09-557-917-15
27	32	57.1	94	5	US-09-557-917-16

28	32	57.1	94	5	US-09-557-917-17	Sequence 17, Appl
29	32	57.1	94	5	US-09-557-917-18	Sequence 18, Appl
30	32	57.1	94	5	US-09-557-917-19	Sequence 19, Appl
31	32	57.1	94	5	US-09-557-917-20	Sequence 20, Appl
32	32	57.1	94	5	US-09-557-917-21	Sequence 21, Appl
33	32	57.1	94	5	US-09-557-917-22	Sequence 22, Appl
34	32	57.1	94	5	US-09-557-917-24	Sequence 24, Appl
35	32	57.1	94	5	US-09-557-917-25	Sequence 25, Appl
36	32	57.1	94	5	US-09-557-917-26	Sequence 26, Appl
37	32	57.1	94	5	US-09-557-917-27	Sequence 27, Appl
38	32	57.1	94	5	US-09-557-917-28	Sequence 28, Appl
39	32	57.1	94	5	US-09-557-917-29	Sequence 29, Appl
40	32	57.1	94	5	US-09-557-917-30	Sequence 30, Appl
41	32	57.1	94	5	US-09-557-917-31	Sequence 31, Appl
42	32	57.1	94	5	US-09-557-917-32	Sequence 32, Appl
43	32	57.1	94	5	US-09-557-917-33	Sequence 33, Appl
44	32	57.1	94	5	US-09-557-917-34	Sequence 34, Appl
45	32	57.1	94	5	US-09-557-917-111	Sequence 111, App

ALIGNMENTS

RESULT 1
US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 64.3% Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 2 RHNYGSF 8
DB 80 RHNYGVF 86

RESULT 2
US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.5;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 3
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.5;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 4
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 5
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 6
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 7
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; CURRENT APPLICATION NUMBER: US/09/557,917
; PRIOR FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 64.3%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 8
US-60-259-128-4587
; Sequence 4587, Application US/60259128
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; FILE REFERENCE: GRACE1
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4587
; LENGTH: 288

; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4587

Query Match 60.7%; Score 34; DB 6; Length 288;
Best Local Similarity 83.3%; Pred. No. 13;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Oy 3 HNYGSF 8
Db 93 HNYGAF 98

RESULT 9
US-09-489-039A-11917
; Sequence 11917, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 11917
; LENGTH: 385
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-11917

Query Match 60.7%; Score 34; DB 5; Length 385;
Best Local Similarity 60.0%; Pred. No. 18;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Oy 1 ARHNYGSFAG 10
Db 257 ARHGGGAFSG 266

RESULT 10
US-60-269-308-4695
; Sequence 4695, Application US/60269308
; GENERAL INFORMATION:
; APPLICANT: Haselbeck, RW
; APPLICANT: Ohlsen, KL
; APPLICANT: Zyskind, JW
; APPLICANT: Trawick, JD
; APPLICANT: Wall, D
; TITLE OF INVENTION: Identification of Essential Genes in Staphylococcus aureus, Ps
; TITLE OF INVENTION: aeruginosa, Klebsiella pneumoniae, Salmonella typhimurium, an
; FILE REFERENCE: faecal
; FILE REFERENCE: ELITRA.017PR5
; CURRENT APPLICATION NUMBER: US/60/269,308
; CURRENT FILING DATE: 2001-02-16
; NUMBER OF SEQ ID NOS: 4774
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4695
; LENGTH: 386
; TYPE: PRT
; ORGANISM: Enterococcus faecalis
US-60-269-308-4695

Query Match 60.7%; Score 34; DB 6; Length 386;
Best Local Similarity 60.0%; Pred. No. 19;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Oy 1 ARHNYGSFAG 10
Db 257 ARHGGGAFSG 266

```
Db 262 ARHGGAFSG 271
; SEQ ID NO 6979
; LENGTH: 923
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-6979

Query Match 60.7%; Score 34; DB 5; Length 923;
Best Local Similarity 62.5%; Pred. No. 50;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAG 10
:||||:|
Db 851 YNYGSYGG 858

RESULT 13
US-09-595-329A-635
; Sequence 635, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 58.9%; Score 33; DB 5; Length 246;
Best Local Similarity 83.3%; Pred. No. 17;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 131 KHNYGS 136

RESULT 14
US-09-595-329A-634
; Sequence 634, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 634
; LENGTH: 248
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(248)
; OTHER INFORMATION: Ceres Seq. ID no. 1013210

Db 262 ARHGGAFSG 271
; SEQ ID NO 6979
; LENGTH: 923
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-6979

Query Match 60.7%; Score 34; DB 5; Length 866;
Best Local Similarity 62.5%; Pred. No. 47;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAG 10
:||||:|
Db 794 YNYGSYGG 801

RESULT 12
US-09-488-725A-6979
; Sequence 6979, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR FILING DATE: 2000-01-21
; PRIOR FILING DATE: 2000-04-25
; PRIOR FILING DATE: 2000-06-20
; PRIOR FILING DATE: 2000-07-19
; PRIOR FILING DATE: 2000-08-31
; PRIOR FILING DATE: 2000-09-14
; PRIOR FILING DATE: 2000-10-19
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 3407
; LENGTH: 867
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-3407

Query Match 60.7%; Score 34; DB 5; Length 866;
Best Local Similarity 62.5%; Pred. No. 47;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNYGSFAG 10
:||||:|
Db 794 YNYGSYGG 801

RESULT 12
US-09-488-725A-6979
; Sequence 6979, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR FILING DATE: 2000-01-21
; PRIOR FILING DATE: 2000-04-25
; PRIOR FILING DATE: 2000-06-20
; PRIOR FILING DATE: 2000-07-19
; PRIOR FILING DATE: 2000-08-31
; PRIOR FILING DATE: 2000-09-14
; PRIOR FILING DATE: 2000-10-19
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
```

; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-634

Query Match 58.9%; Score 33; DB 5; Length 248;
Best Local Similarity 83.3%; Pred. No. 18;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 133 KHYGS 138

RESULT 15
US-09-595-329A-633
; Sequence 633, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 633
; LENGTH: 275
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(275)
; OTHER INFORMATION: Ceres Seq. ID no. 1013209
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-633

Query Match 58.9%; Score 33; DB 5; Length 275;
Best Local Similarity 83.3%; Pred. No. 20;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 160 KHYGS 165

Search completed: March 28, 2001, 07:22:14
Job time: 1506 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:21 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-80
Perfect score: 54
Sequence: 1 ARHNGSFPA 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_Main.*

1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US09_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No: is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	54	100.0	10	14	US-09-016-061-80
2	54	100.0	10	17	US-09-339-922A-80
3	51	94.4	10	14	US-09-016-061-68
4	51	94.4	10	17	US-09-339-922A-68
5	50	92.6	10	14	US-09-016-061-40
6	50	92.6	10	14	US-09-016-061-70
7	50	92.6	10	14	US-09-016-061-72
8	50	92.6	10	14	US-09-016-061-74
9	50	92.6	10	14	US-09-016-061-76
10	50	92.6	10	14	US-09-016-061-78
11	50	92.6	10	17	US-09-339-922A-40

12	50	92.6	10	17	US-09-339-922A-70	Sequence 70, Appl
13	50	92.6	10	17	US-09-339-922A-72	Sequence 72, Appl
14	50	92.6	10	17	US-09-339-922A-74	Sequence 74, Appl
15	50	92.6	10	17	US-09-339-922A-76	Sequence 76, Appl
16	50	92.6	10	17	US-09-339-922A-78	Sequence 78, Appl
17	50	92.6	117	1	PCT-US98-25828-54	Sequence 54, Appl
18	50	92.6	117	1	PCT-US98-25828-56	Sequence 56, Appl
19	50	92.6	117	11	US-08-790-540-2	Sequence 2, Appl
20	50	92.6	117	11	US-08-790-540-6	Sequence 6, Appl
21	50	92.6	117	11	US-08-790-540A-2	Sequence 2, Appl
22	50	92.6	117	11	US-08-790-540A-6	Sequence 6, Appl
23	50	92.6	117	11	US-08-791-391-2	Sequence 2, Appl
24	50	92.6	117	11	US-08-791-391-6	Sequence 6, Appl
25	50	92.6	117	11	US-08-791-391A-2	Sequence 2, Appl
26	50	92.6	117	11	US-08-791-391A-6	Sequence 6, Appl
27	50	92.6	117	13	US-08-986-016-54	Sequence 54, Appl
28	50	92.6	117	13	US-08-986-016-56	Sequence 56, Appl
29	50	92.6	117	14	US-09-016-061-2	Sequence 2, Appl
30	50	92.6	117	14	US-09-016-061-6	Sequence 6, Appl
31	50	92.6	117	17	US-09-339-922A-2	Sequence 2, Appl
32	50	92.6	117	17	US-09-339-922A-6	Sequence 6, Appl
33	50	92.6	118	1	PCT-US98-25828-50	Sequence 50, Appl
34	50	92.6	118	1	PCT-US98-25828-51	Sequence 51, Appl
35	50	92.6	118	1	PCT-US98-25828-52	Sequence 52, Appl
36	50	92.6	118	1	PCT-US98-25828-53	Sequence 53, Appl
37	50	92.6	118	13	US-08-986-016-50	Sequence 50, Appl
38	50	92.6	118	13	US-08-986-016-51	Sequence 51, Appl
39	50	92.6	118	13	US-08-986-016-52	Sequence 52, Appl
40	50	92.6	119	13	US-08-986-016-53	Sequence 53, Appl
41	50	92.6	130	1	PCT-US98-25828-44	Sequence 44, Appl
42	50	92.6	130	13	US-08-986-016-44	Sequence 44, Appl
43	47	87.0	10	14	US-09-016-061-62	Sequence 62, Appl
44	47	87.0	10	17	US-09-339-922A-62	Sequence 62, Appl
45	46	85.2	10	17	US-09-339-922A-100	Sequence 100, App

ALIGNMENTS

RESULT 1
US-09-016-061-80
; Sequence 80, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001


```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 80:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 10 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-09-016-061-80

Query Match          100.0%; Score 54; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0005;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAA 10
Db 1 ARHNYGSFAA 10

RESULT 2
US-09-339-922A-80
; Sequence 80, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 80
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-80

Query Match          100.0%; Score 54; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0005;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAA 10
Db 1 ARHNYGSFAA 10

RESULT 3
US-09-016-061-68
; Sequence 68, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 80:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 10 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-09-016-061-80

Query Match          100.0%; Score 54; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0005;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAA 10
Db 1 ARHNYGSFAA 10

RESULT 2
US-09-339-922A-80
; Sequence 80, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 80
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-80

Query Match          100.0%; Score 54; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0005;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAA 10
Db 1 ARHNYGSFAA 10

RESULT 3
US-09-016-061-68
; Sequence 68, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 68:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 10 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-09-016-061-68

Query Match          94.4%; Score 51; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0019;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAA 10
Db 1 ARHNYGSFAS 10

RESULT 4
US-09-339-922A-68
; Sequence 68, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 68
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-68

Query Match          94.4%; Score 51; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0019;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAA 10
Db 1 ARHNYGSFAS 10

RESULT 5
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 100
; CORRESPONDENCE ADDRESS:
```

ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 40:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-40

Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||

DB 1 ARHNYGSFA 9
|||||

RESULT 6
US-09-016-061-70
; Sequence 70, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 70:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-70

Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||

DB 1 ARHNYGSFA 9
|||||

RESULT 7
US-09-016-061-72
; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||

Db 1 ARHNGSFA 9

RESULT 8

US-09-016-061-74

; Sequence 74, Application US/09016061

; GENERAL INFORMATION:

; APPLICANT: Huse, William D.

; APPLICANT: Glaser, Scott M.

; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

; NUMBER OF SEQUENCES: 100

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Campbell & Flores LLP

; STREET: 4370 La Jolla Village Drive, Suite 700

; CITY: San Diego

; STATE: California

; COUNTRY: United States

; ZIP: 92122

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION NUMBER: US/09/016,061

; FILING DATE: 30-JAN-1998

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/791,391

; FILING DATE: 30-JAN-1997

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-IX 2965

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 74:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 10 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-09-016-061-74

Query Match 92.6%; Score 50; DB 14; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.003;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNGSFA 9

Db 1 ARHNGSFA 9

RESULT 10

US-09-016-061-78

; Sequence 78, Application US/09016061

; GENERAL INFORMATION:

; APPLICANT: Huse, William D.

; APPLICANT: Glaser, Scott M.

; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

; NUMBER OF SEQUENCES: 100

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Campbell & Flores LLP

; STREET: 4370 La Jolla Village Drive, Suite 700

; CITY: San Diego

; STATE: California

; COUNTRY: United States

; ZIP: 92122

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION NUMBER: US/09/016,061

; FILING DATE: 30-JAN-1998

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/791,391

; FILING DATE: 30-JAN-1997

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-IX 2965

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 78:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 10 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-09-016-061-74

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061

; FILING DATE: 30-JAN-1998

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/791,391

; FILING DATE: 30-JAN-1997

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-IX 2965

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 76:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 10 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-09-016-061-76

Query Match 92.6%; Score 50; DB 14; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.003;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNGSFA 9

Db 1 ARHNGSFA 9

RESULT 10

US-09-016-061-78

; Sequence 78, Application US/09016061

; GENERAL INFORMATION:

; APPLICANT: Huse, William D.

; APPLICANT: Glaser, Scott M.

; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

; NUMBER OF SEQUENCES: 100

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Campbell & Flores LLP

; STREET: 4370 La Jolla Village Drive, Suite 700

; CITY: San Diego

; STATE: California

; COUNTRY: United States

; ZIP: 92122

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION NUMBER: US/09/016,061

; FILING DATE: 30-JAN-1998

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/791,391

; FILING DATE: 30-JAN-1997

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-IX 2965

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 78:

; SEQUENCE CHARACTERISTICS:

;
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-78

Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 11
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-40

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 12
US-09-339-922A-70
; Sequence 70, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 70
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-70

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9
|||||

RESULT 13
US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 14
US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||
Db 1 ARHNYGSFA 9

RESULT 15
US-09-339-922A-76
; Sequence 76, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.

; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 76
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-76

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

Search completed: March 28, 2001, 07:18:21
Job time: 1332 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:14 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-80
Perfect score: 54
Sequence: 1 ARHNYGSPAA 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New.*
1: /cgnl_1/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_1/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_1/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_1/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_1/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_1/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	36	66.7	94	5	US-09-557-917-14
2	36	66.7	94	5	US-09-557-917-45
3	36	66.7	94	5	US-09-557-917-48
4	36	66.7	94	5	US-09-557-917-77
5	36	66.7	94	5	US-09-557-917-84
6	36	66.7	94	5	US-09-557-917-90
7	36	66.7	94	5	US-09-557-917-101
8	34	63.0	288	6	US-60-259-128-4587
9	33	61.1	246	5	US-09-595-329A-635
10	33	61.1	248	5	US-09-595-329A-634
11	33	61.1	275	5	US-09-595-329A-633
12	33	61.1	479	5	US-09-489-039A-13978
13	32	59.3	15	5	US-09-756-983-11
14	32	59.3	80	5	US-09-673-809-51
15	32	59.3	89	5	US-09-673-809-2
16	32	59.3	94	5	US-09-766-378-37
17	32	59.3	94	5	US-09-692-933-180
18	32	59.3	94	5	US-09-557-917-12
19	32	59.3	94	5	US-09-557-917-13
20	32	59.3	94	5	US-09-557-917-15
21	32	59.3	94	5	US-09-557-917-16
22	32	59.3	94	5	US-09-557-917-17
23	32	59.3	94	5	US-09-557-917-18
24	32	59.3	94	5	US-09-557-917-19
25	32	59.3	94	5	US-09-557-917-20
26	32	59.3	94	5	US-09-557-917-21
27	32	59.3	94	5	US-09-557-917-22

28	32	59.3	94	5	US-09-557-917-24	Sequence 24, Appl
29	32	59.3	94	5	US-09-557-917-25	Sequence 25, Appl
30	32	59.3	94	5	US-09-557-917-26	Sequence 26, Appl
31	32	59.3	94	5	US-09-557-917-27	Sequence 27, Appl
32	32	59.3	94	5	US-09-557-917-28	Sequence 28, Appl
33	32	59.3	94	5	US-09-557-917-29	Sequence 29, Appl
34	32	59.3	94	5	US-09-557-917-30	Sequence 30, Appl
35	32	59.3	94	5	US-09-557-917-31	Sequence 31, Appl
36	32	59.3	94	5	US-09-557-917-32	Sequence 32, Appl
37	32	59.3	94	5	US-09-557-917-33	Sequence 33, Appl
38	32	59.3	94	5	US-09-557-917-34	Sequence 34, Appl
39	32	59.3	94	5	US-09-557-917-35	Sequence 35, Appl
40	32	59.3	94	5	US-09-557-917-36	Sequence 36, Appl
41	32	59.3	94	5	US-09-557-917-37	Sequence 37, Appl
42	32	59.3	94	5	US-09-557-917-38	Sequence 38, Appl
43	32	59.3	94	5	US-09-557-917-39	Sequence 39, Appl
44	32	59.3	94	5	US-09-557-917-40	Sequence 40, Appl
45	32	59.3	94	5	US-09-557-917-111	Sequence 111, App

ALIGNMENTS

RESULT 1
US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 66.7%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 2
US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 66.7%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 3
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 66.7%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 4
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 66.7%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 5
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 66.7%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
| | | | |
Db 80 RHNYGVF 86

RESULT 6
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 66.7%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 7
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 66.7%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 8
US-09-557-128-4587
; Sequence 4587, Application US/60259128
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; TITLE OF INVENTION: Target Discovery
; FILE REFERENCE: GRACE1
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4587
; LENGTH: 288

; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4587

Query Match 63.0%; Score 34; DB 6; Length 288;
Best Local Similarity 83.3%; Pred. No. 14;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 93 HNYGAF 98

RESULT 9
US-09-595-329A-635
; Sequence 635, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc_feature
; LOCATION: ()..
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 61.1%; Score 33; DB 5; Length 246;
Best Local Similarity 83.3%; Pred. No. 19;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
Db 131 RHNYGS 136

RESULT 10
US-09-595-329A-634
; Sequence 634, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypept
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 634
; LENGTH: 248
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(248)
; OTHER INFORMATION: Ceres Seq. ID no. 1013210
; NAME/KEY: misc_feature
; LOCATION: ()..
;

; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-634

Query Match 61.1%; Score 33; DB 5; Length 248;
Best Local Similarity 83.3%; Pred. No. 19;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
Db 133 KHNYGS 138

RESULT 11

US-09-595-329A-633
; Sequence 633, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nickolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 633
; LENGTH: 275
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(275)
; OTHER INFORMATION: Ceres Seq. ID no. 1013209
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-633

Query Match 61.1%; Score 33; DB 5; Length 275;
Best Local Similarity 83.3%; Pred. No. 21;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
Db 160 KHNYGS 165

RESULT 12

US-09-489-039A-13978
; Sequence 13978, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13978
; LENGTH: 479
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13978

Query Match 61.1%; Score 33; DB 5; Length 479;
Best Local Similarity 75.0%; Pred. No. 39;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFA 9
Db 85 RHDYRSFA 92

RESULT 13

US-09-756-983-11
; Sequence 11, Application US/09756983
; GENERAL INFORMATION:
; APPLICANT: Albani, Salvatore
; TITLE OF INVENTION: METHODS FOR ISOLATION, QUANTIFICATION,
; TITLE OF INVENTION: CHARACTERIZATION AND MODULATION OF
; TITLE OF INVENTION: ANTIGEN-SPECIFIC T CELLS
; FILE REFERENCE: 246/285-CIP
; CURRENT APPLICATION NUMBER: US/09/756,983
; CURRENT FILING DATE: 2001-01-09
; PRIOR APPLICATION NUMBER: 60/105,018
; PRIOR FILING DATE: 1998-10-20
; PRIOR APPLICATION NUMBER: 09/421,506
; PRIOR FILING DATE: 1999-10-19
; PRIOR APPLICATION NUMBER: PCT/US99/2466
; PRIOR FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 24
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 11
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-756-983-11

Query Match 59.3%; Score 32; DB 5; Length 15;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYG 6
Db 11 RHNYG 15

RESULT 14

US-09-673-809-51
; Sequence 51, Application US/09673809
; GENERAL INFORMATION:
; APPLICANT: INNOGENETICS N.V.
; TITLE OF INVENTION: Method for typing of HLA alleles.
; FILE REFERENCE: PCT99.86.HLA
; CURRENT APPLICATION NUMBER: US/09/673,809
; CURRENT FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 98870088.6
; PRIOR FILING DATE: 1998-04-20
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 51
; LENGTH: 80
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-673-809-51

Query Match 59.3%; Score 32; DB 5; Length 80;
Best Local Similarity 100.0%; Pred. No. 8.5;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYG 6
Db 74 RHNYG 78

RESULT 15

US-09-673-809-2
; Sequence 2, Application US/09673809
; GENERAL INFORMATION:

; APPLICANT: INNOGENETICS N.V.
; TITLE OF INVENTION: Method for typing of HLA alleles.
; FILE REFERENCE: PCT99.86.HLA
; CURRENT APPLICATION NUMBER: US/09/673,809
; CURRENT FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 98870088.6
; PRIOR FILING DATE: 1998-04-20
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-673-809-2

Query Match 59.3%; Score 32; DB 5; Length 89;
Best Local Similarity 100.0%; Pred. No. 9.6;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy 2 RHNYG 6
Db 75 RHNYG 79

Search completed: March 28, 2001, 07:22:14
Job time: 1506 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:21 ; Search time 828.17 Seconds
(without alignments)
2.286 Million cell updates/sec

Title: US-09-016-061-82
Perfect score: 72
Sequence: 1 QASQSTSNFLHWY 13

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main.*
1: /cgnl_7/ptodata/1/paa/US06_COMB.pap.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pap.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pap.*
4: /cgnl_7/ptodata/1/paa/US08_COMB.pap.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pap.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pap.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pap.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pap.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pap.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pap.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pap.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pap.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pap.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pap.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pap.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pap.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pap.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pap.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pap.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pap.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pap.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pap.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	72	100.0	13	14	US-09-016-061-82
2	72	100.0	13	17	US-09-339-922A-82
3	68	94.4	259	18	US-09-419-788-29
4	65	90.3	13	14	US-09-016-061-42
5	65	90.3	13	17	US-09-339-922A-42
6	65	90.3	107	11	US-08-790-540-4
7	65	90.3	107	11	US-08-790-540-8
8	65	90.3	107	11	US-08-790-540A-4
9	65	90.3	107	11	US-08-790-540A-8
10	65	90.3	107	11	US-08-791-391-4
11	65	90.3	107	11	US-08-791-391-8

12	65	90.3	107	11	US-08-791-391-32	Sequence 32, Appl
13	65	90.3	107	11	US-08-791-391A-4	Sequence 4, Appli
14	65	90.3	107	11	US-08-791-391A-8	Sequence 8, Appli
15	65	90.3	107	11	US-08-791-391A-32	Sequence 32, Appl
16	65	90.3	107	14	US-09-016-061-4	Sequence 4, Appli
17	65	90.3	107	14	US-09-016-061-8	Sequence 8, Appli
18	65	90.3	107	14	US-09-016-061-32	Sequence 32, Appl
19	65	90.3	107	17	US-09-339-922A-4	Sequence 4, Appli
20	65	90.3	107	17	US-09-339-922A-8	Sequence 8, Appli
21	65	90.3	107	17	US-09-339-922A-32	Sequence 32, Appl
22	61	84.7	105	1	PCT-US98-04987-17	Sequence 17, Appl
23	61	84.7	105	1	PCT-US98-04987-21	Sequence 21, Appl
24	61	84.7	105	22	US-60-039-609-17	Sequence 17, Appl
25	61	84.7	105	22	US-60-039-609-21	Sequence 21, Appl
26	61	84.7	107	1	PCT-US98-04987-10	Sequence 10, Appl
27	61	84.7	107	22	US-60-039-609-10	Sequence 10, Appl
28	61	84.7	108	1	PCT-US98-04987-7	Sequence 7, Appli
29	61	84.7	108	22	US-60-039-609-7	Sequence 7, Appli
30	61	84.7	109	1	PCT-US98-25828-45	Sequence 45, Appl
31	61	84.7	109	13	US-08-986-016-45	Sequence 45, Appl
32	61	84.7	112	1	PCT-US98-04987-14	Sequence 14, Appl
33	61	84.7	112	22	US-60-039-609-14	Sequence 14, Appl
34	60	83.3	88	1	PCT-US99-09131-31	Sequence 31, Appl
35	60	83.3	88	17	US-09-300-970A-31	Sequence 31, Appl
36	60	83.3	107	1	PCT-US99-02949-8	Sequence 8, Appli
37	60	83.3	107	1	PCT-US99-02949-12	Sequence 12, Appl
38	60	83.3	107	14	US-09-026-291-8	Sequence 8, Appli
39	60	83.3	107	14	US-09-026-291-12	Sequence 12, Appl
40	60	83.3	107	16	US-09-247-352-8	Sequence 8, Appli
41	60	83.3	107	16	US-09-247-352-12	Sequence 12, Appl
42	60	83.3	107	18	US-09-438-954-3	Sequence 3, Appli
43	60	83.3	108	1	PCT-US99-02949-1	Sequence 1, Appli
44	60	83.3	108	10	US-08-617-835-5	Sequence 5, Appli
45	60	83.3	108	14	US-09-026-291-1	Sequence 1, Appli

ALIGNMENTS

RESULT 1
US-09-016-061-82
; Sequence 82, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 82:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 13 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-82

Query Match 100.0%; Score 72; DB 14; Length 13;
Best Local Similarity 100.0%; Pred. No. 8.5e-06;
Matches 13; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
Db 1 QASQISNFWLHWY 13

RESULT 2

US-09-339-922A-82
; Sequence 82, Application US/09339922A
; GENERAL INFORMATION:

; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 82
; LENGTH: 13
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)

US-09-339-922A-82

Query Match 100.0%; Score 72; DB 17; Length 13;
Best Local Similarity 100.0%; Pred. No. 8.5e-06;
Matches 13; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
Db 1 QASQISNFWLHWY 13

RESULT 3

US-09-419-788-29

; Sequence 29, Application US/09419788
; GENERAL INFORMATION:
; APPLICANT: FISCHER, Rainer
; APPLICANT: SCHILLBERG, Stefan
; APPLICANT: NAHRING, Jorg
; APPLICANT: SACK, Markus
; APPLICANT: MONECKE, Michael
; APPLICANT: LIAO, Yu-Cai
; APPLICANT: SPIEGEL, Holger
; APPLICANT: ZIMMERMAN, Sabine
; APPLICANT: EMANS, Neil
; TITLE OF INVENTION: Molecular Pathogenicity Mediated Plant Disease
; FILE REFERENCE: 0147-0189P
; CURRENT APPLICATION NUMBER: US/09/419,788
; CURRENT FILING DATE: 1999-10-18
; EARLIER APPLICATION NUMBER: 98 11 9630.6 EP
; EARLIER FILING DATE: 1998-10-16
; EARLIER APPLICATION NUMBER: 66/BOM/1998 INDIA
; EARLIER FILING DATE: 1998-10-16

; NUMBER OF SEQ ID NOS: 163
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 29
; LENGTH: 259
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic, no
; OTHER INFORMATION: natural origin
US-09-419-788-29

Query Match 94.4%; Score 68; DB 18; Length 259;
Best Local Similarity 92.3%; Pred. No. 0.00077;
Matches 12; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
Db 155 RASQISNFWLHWY 167

RESULT 4

US-09-016-061-42
; Sequence 42, Application US/09016061
; GENERAL INFORMATION:

; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 42:
SEQUENCE CHARACTERISTICS:
LENGTH: 13 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-42

Query Match 90.3%; Score 65; DB 14; Length 13;
Best Local Similarity 92.3%; Pred. No. 0.00014;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
Db 1 QASQISNFWLHWY 13

```
RESULT 5
US-09-922A-42
; Sequence 42, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 42
; LENGTH: 13
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-42

Query Match 90.3%; Score 65; DB 17; Length 13;
Best Local Similarity 92.3%; Pred. No. 0.00014;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNHLHWY 13
| | | | | | | | | | | | |
Db 1 QASQISNHLHWY 13

RESULT 6
US-08-790-540-4
; Sequence 4, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-4

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNHLHWY 13
| | | | | | | | | | | | |
Db 24 QASQISNHLHWY 36

RESULT 7
US-08-790-540-8
; Sequence 8, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-8

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNHLHWY 13
| | | | | | | | | | | | |
Db 24 QASQISNHLHWY 36

RESULT 8
US-08-790-540A-4
; Sequence 4, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-4

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```

```
Qy 1 QASQISNHLHWY 13
| | | | | | | | | | | | |
Db 24 QASQISNHLHWY 36

RESULT 7
US-08-790-540-8
; Sequence 8, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-8

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNHLHWY 13
| | | | | | | | | | | | |
Db 24 QASQISNHLHWY 36

RESULT 8
US-08-790-540A-4
; Sequence 4, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-4

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```

OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540A-4

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
|||||
Db 24 QASQISNFWLHWY 36

RESULT 9
US-08-790-540A-8
Sequence 8, Application US/08790540A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540A-8

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;

Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 QASQISNFWLHWY 13
|||||
Db 24 QASQISNFWLHWY 36
RESULT 10
US-08-791-391-4
Sequence 4, Application US/08791391
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391
FILING DATE:
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391-4

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 QASQISNFWLHWY 13
|||||
Db 24 QASQISNFWLHWY 36

RESULT 11
US-08-791-391-8
Sequence 8, Application US/08791391
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791.391
FILING DATE:
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391-8

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNHLHWY 13
Db 24 QASQISNHLHWY 36

RESULT 12
US-08-791-391-32
Sequence 32, Application US/08791391
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791.391
FILING DATE:
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391-32

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNHLHWY 13
Db 24 QASQISNHLHWY 36

RESULT 13
US-08-791-391A-4
Sequence 4, Application US/08791391A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791.391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-4

Query Match 90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNHLHWY 13
Db 24 QASQISNHLHWY 36

RESULT 14
US-08-791-391A-8
Sequence 8, Application US/08791391A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700

```
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-791-391A-8

Query Match          90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNFLHWY 13
Db 24 QASQSISNFLHWY 36

Search completed: March 28, 2001, 07:18:22
Job time: 1333 sec

; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 32:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
```

```
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-791-391A-32

Query Match          90.3%; Score 65; DB 11; Length 107;
Best Local Similarity 92.3%; Pred. No. 0.0011;
Matches 12; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSISNFLHWY 13
Db 24 QASQSISNFLHWY 36

Search completed: March 28, 2001, 07:18:22
Job time: 1333 sec
```


GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:14 ; Search time 213.09 Seconds
(without alignments)
0.804 Million cell updates/sec

Title: US-09-016-061-82
Perfect score: 72
Sequence: 1 QASQISNLFHWY 13

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New:*

1: /cgnl_7/ptodata/2/paa/pct_NEW_COMB.pap:*

2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pap:*

3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pap:*

4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pap:*

5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pap:*

6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pap:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	59	81.9	109	5	US-09-445-602A-6
2	57	79.2	124	5	US-09-297-344-10
3	53	73.6	88	5	US-09-297-344-9
4	53	73.6	105	5	US-09-147-443C-52
5	53	73.6	107	5	US-09-403-107-148
6	53	73.6	107	5	US-09-403-107-152
7	51	70.8	107	5	US-09-610-551A-66
8	51	70.8	107	5	US-09-607-756-2
9	51	70.8	237	5	US-09-530-237-2
10	50	69.4	108	5	US-09-403-107-142
11	49	68.1	107	5	US-09-403-107-149
12	49	68.1	107	5	US-09-403-107-149
13	46	63.9	105	5	US-09-147-443C-12
14	46	63.9	105	5	US-09-147-443C-40
15	46	63.9	105	5	US-09-147-443C-44
16	46	63.9	105	5	US-09-147-443C-48
17	46	63.9	105	5	US-09-147-443C-60
18	46	63.9	105	5	US-09-147-443C-64
19	46	63.9	107	5	US-09-610-551A-67
20	46	63.9	107	5	US-09-610-551A-67
21	46	63.9	107	5	US-09-610-551A-67
22	45	62.5	108	4	US-08-454-899C-100
23	45	62.5	107	5	US-09-711-485-149
24	44	61.1	106	5	US-09-385-673-14
25	44	61.1	106	5	US-09-147-443C-4
26	44	61.1	107	5	US-09-147-443C-20
27	43.5	60.4	214	5	US-09-711-485-162
					US-09-653-755A-5

28	43	59.7	105	5	US-09-147-443C-16	Sequence 16, Appl
29	43	59.7	106	5	US-09-147-443C-8	Sequence 8, Appl
30	43	59.7	106	5	US-09-147-443C-32	Sequence 32, Appl
31	43	59.7	109	5	US-09-610-551A-69	Sequence 69, Appl
32	43	59.7	109	5	US-09-610-551A-69	Sequence 69, Appl
33	43	59.7	110	5	US-09-610-551A-70	Sequence 70, Appl
34	43	59.7	110	5	US-09-610-551A-70	Sequence 70, Appl
35	42.5	59.0	106	5	US-09-097-055A-89	Sequence 89, Appl
36	42.5	59.0	106	5	US-09-097-055A-89	Sequence 89, Appl
37	42	58.3	106	4	US-08-454-899C-10	Sequence 10, Appl
38	42	58.3	109	5	US-09-726-258-47	Sequence 71, Appl
39	42	58.3	124	4	US-08-454-899C-71	Sequence 71, Appl
40	42	58.3	128	4	US-08-454-899C-31	Sequence 31, Appl
41	42	58.3	128	4	US-08-454-899C-63	Sequence 63, Appl
42	42	58.3	128	4	US-08-454-899C-67	Sequence 67, Appl
43	41	56.9	110	5	US-09-672-609-13	Sequence 13, Appl
44	41	56.9	110	5	US-09-672-609-15	Sequence 15, Appl
45	41	56.9	110	5	US-09-672-609-16	Sequence 16, Appl

ALIGNMENTS

RESULT 1

US-09-445-602A-6

; Sequence 6, Application US/09445602A

; GENERAL INFORMATION:

; APPLICANT: Cohen, Irun

; APPLICANT: ROTTER, Varda

; APPLICANT: Wolkowicz, Roland

; APPLICANT: RUIZ, Pedro

; APPLICANT: EREZ-ALON, Neta

; APPLICANT: HERKEL, Johannes

; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY

; FILE REFERENCE: COHEN42

; CURRENT APPLICATION NUMBER: US/09/445,602A

; CURRENT FILING DATE: 2001-01-24

; PRIOR APPLICATION NUMBER: PCT/IL98/00266

; PRIOR FILING DATE: 1999-12-09

; PRIOR APPLICATION NUMBER: IL 121041

; PRIOR FILING DATE: 1997-06-09

; NUMBER OF SEQ ID NOS: 25

; SOFTWARE: PatentIn version 3.0

; SEQ ID NO 6

; LENGTH: 109

; TYPE: PRT

; ORGANISM: Mus musculus

US-09-445-602A-6

Query Match 81.9%; Score 59; DB 5; Length 109;

Best Local Similarity 84.6%; Pred. No. 0.0034; 1; Indels 0; Gaps 0;

Matches 11; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQISNLFHWY 13

:|||||

Db 25 RASQISNLFHWY 37

RESULT 2

US-09-297-344-10

; Sequence 10, Application US/09297344

; GENERAL INFORMATION:

; APPLICANT: Deen, Keith C.

; APPLICANT: Dillon, Susan B.

; APPLICANT: Porter, Terence C.

; APPLICANT: Sweet, Raymond A.

; TITLE OF INVENTION: Human Monoclonal Antibodies

; NUMBER OF SEQUENCES: 30

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: SmithKline Beecham Corporation

; STREET: 709 Swedeland Road

; CITY: King of Prussia

```
;
; STATE: PA
; COUNTRY: U.S.A.
; ZIP: 19046
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,344
; FILING DATE: 09-Jun-1999
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/030,149
; FILING DATE: 01-Nov-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Geiger, Kathleen
; REGISTRATION NUMBER: 35,880
; REFERENCE/DOCKET NUMBER: P50504
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-5968
; TELEFAX: 610-270-5090
; TELEX: <Unknown>
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 124 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 10:
US-09-297-344-10

Query Match 79.2%; Score 57; DB 5; Length 124;
Best Local Similarity 69.2%; Pred. No. 0.008;
Matches 9; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QASQISNFWY 13
Db 41 RATQSVSNFWY 53

RESULT 3
US-09-297-344-9
; Sequence 9, Application US/09297344
; GENERAL INFORMATION:
; APPLICANT: Deen, Keith C.
; Dillion, Susan B.
; Porter, Terence C.
; Sweet, Raymond A.
; TITLE OF INVENTION: Human Monoclonal Antibodies
; NUMBER OF SEQUENCES: 30
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: U.S.A.
; ZIP: 19046
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,344
; FILING DATE: 09-Jun-1999
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/030,149
; FILING DATE: 01-Nov-1997
; ATTORNEY/AGENT INFORMATION:
```

```
;
; NAME: Geiger, Kathleen
; REGISTRATION NUMBER: 35,880
; REFERENCE/DOCKET NUMBER: P50504
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-5968
; TELEFAX: 610-270-5090
; TELEX: <Unknown>
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 88 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 9:
US-09-297-344-9

Query Match 73.6%; Score 53; DB 5; Length 88;
Best Local Similarity 69.2%; Pred. No. 0.026;
Matches 9; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QASQISNFWY 13
Db 24 RASQISSYLNWY 36

RESULT 4
US-09-147-443C-52
; Sequence 52, Application US/09147443C
; GENERAL INFORMATION:
; APPLICANT: Morell, Andreas
; APPLICANT: Imboden, Martin
; APPLICANT: Stadler, Bodo
; APPLICANT: Miescher, Sylvia
; APPLICANT: Vogel, Monique
; APPLICANT: Amstutz, Hanspeter
; TITLE OF INVENTION: POLYPEPTIDES CAPABLE OF FORMING ANTIGEN BINDING
; TITLE OF INVENTION: STRUCTURES WITH SPECIFICITY FOR THE RHESUS D ANTIGENS,
; TITLE OF INVENTION: THE DNA ENCODING THEM AND THE PROCESS FOR THEIR
; TITLE OF INVENTION: PREPARATION AND USE
; FILE REFERENCE: 6816/P63221USO
; CURRENT APPLICATION NUMBER: US/09/147,443C
; CURRENT FILING DATE: 1999-01-21
; PRIOR APPLICATION NUMBER: PCT/EP97/03253
; PRIOR FILING DATE: 1997-06-20
; PRIOR APPLICATION NUMBER: EP 96810421.6
; PRIOR FILING DATE: 1996-06-24
; NUMBER OF SEQ ID NOS: 77
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 52
; LENGTH: 105
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-147-443C-52

Query Match 73.6%; Score 53; DB 5; Length 105;
Best Local Similarity 69.2%; Pred. No. 0.031;
Matches 9; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QASQISNFWY 13
Db 22 RASQISSYLNWY 34

RESULT 5
US-09-403-107-148
; Sequence 148, Application US/09403107
; GENERAL INFORMATION:
; APPLICANT: KUFER, PETER
; APPLICANT: RAUM, TOBIAS
; TITLE OF INVENTION: NOVEL METHOD FOR THE PRODUCTION OF ANTI-HUMAN ANTIGEN
```

; TITLE OF INVENTION: RECEPTORS AND USES THEREOF
 ; FILE REFERENCE: 38164000
 ; CURRENT APPLICATION NUMBER: US/09/403.107
 ; CURRENT FILING DATE: 1999-10-14
 ; NUMBER OF SEQ ID NOS: 152
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 148
 ; LENGTH: 107
 ; TYPE: PRT
 ; ORGANISM: HUMAN
 ; US-09-403-107-148

Query Match 73.6%; Score 53; DB 5; Length 107;
 Best Local Similarity 69.2%; Pred. No. 0.032;
 Matches 9; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQISNFWLHWY 13
 Db 24 RASQSISSYLWNY 36

RESULT 6

US-09-403-107-152
 ; Sequence 152, Application US/09403107
 ; GENERAL INFORMATION:
 ; APPLICANT: KUFER, PETER
 ; APPLICANT: RAUM, TOBIAS
 ; TITLE OF INVENTION: NOVEL METHOD FOR THE PRODUCTION OF ANTI-HUMAN ANTIGEN
 ; TITLE OF INVENTION: RECEPTORS AND USES THEREOF
 ; FILE REFERENCE: 38164000
 ; CURRENT APPLICATION NUMBER: US/09/403.107
 ; CURRENT FILING DATE: 1999-10-14
 ; NUMBER OF SEQ ID NOS: 152
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 152
 ; LENGTH: 107
 ; TYPE: PRT
 ; ORGANISM: HUMAN
 ; US-09-403-107-152

Query Match 73.6%; Score 53; DB 5; Length 107;
 Best Local Similarity 69.2%; Pred. No. 0.032;
 Matches 9; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQISNFWLHWY 13
 Db 24 RASQSISSYLWNY 36

RESULT 7

US-09-610-551-66
 ; Sequence 66, Application US/09610551
 ; GENERAL INFORMATION:
 ; APPLICANT: Barbas, Carlos F, III
 ; APPLICANT: Burton, Dennis R
 ; APPLICANT: Lerner, Richard A
 ; TITLE OF INVENTION: METHODS FOR PRODUCING ANTIBODY LIBRARIES
 ; TITLE OF INVENTION: USING UNIVERSAL OR RANDOMIZED IMMUNOGLOBULIN LIGHT CHAINS
 ; NUMBER OF SEQUENCES: 70
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: The Scripps Research Institute
 ; STREET: 10666 North Torrey Pines Road, TPC8
 ; CITY: La Jolla
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 92037
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/610,551
 ; FILING DATE:
 ; CLASSIFICATION:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: 08/300,386
 ; FILING DATE:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/826,623
 ; FILING DATE: 27-JAN-1992
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/954,148
 ; FILING DATE: 30-SEP-1992
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/012,566
 ; FILING DATE: 02-FEB-1993
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Fitting, Thomas
 ; REGISTRATION NUMBER: 34,163
 ; REFERENCE/DOCKET NUMBER: TSRI 409.1
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 619-554-2937
 ; TELEFAX: 619-554-6312
 ; INFORMATION FOR SEQ ID NO: 66:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 107 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-09-610-551-66

Query Match 70.8%; Score 51; DB 5; Length 107;
 Best Local Similarity 61.5%; Pred. No. 0.067;
 Matches 8; Conservative 5; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQISNFWLHWY 13
 Db 22 RASQSISSYLWNY 34

RESULT 8

US-09-610-551A-66
 ; Sequence 66, Application US/09610551A
 ; GENERAL INFORMATION:
 ; APPLICANT: Barbas, Carlos F, III
 ; APPLICANT: Burton, Dennis R
 ; APPLICANT: Lerner, Richard A
 ; TITLE OF INVENTION: METHODS FOR PRODUCING ANTIBODY LIBRARIES
 ; TITLE OF INVENTION: USING UNIVERSAL OR RANDOMIZED IMMUNOGLOBULIN LIGHT CHAINS
 ; NUMBER OF SEQUENCES: 70
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: The Scripps Research Institute
 ; STREET: 10666 North Torrey Pines Road, TPC8
 ; CITY: La Jolla
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 92037
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/610,551A
 ; FILING DATE:
 ; CLASSIFICATION:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: 08/300,386
 ; FILING DATE:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/826,623
 ; FILING DATE: 27-JAN-1992

```
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/954,148
; FILING DATE: 30-SEP-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/012,566
; FILING DATE: 02-FEB-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Fitting, Thomas
; REGISTRATION NUMBER: 34,163
; REFERENCE/DOCKET NUMBER: TSRI 409.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-554-2937
; TELEFAX: 619-554-6312
; INFORMATION FOR SEQ ID NO: 66:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-610-551A-66

Query Match      70.8%; Score 51; DB 5; Length 107;
Best Local Similarity 61.5%; Pred. No. 0.067;
Matches 8; Conservative 5; Mismatches 0; Indels 0; Gaps 0;

QY 1 QASQSSISNFWLHWY 13
Db 22 RASQSSSYINWY 34

RESULT 9
US-09-607-756-2
; Sequence 2, Application US/09607756
; GENERAL INFORMATION:
; APPLICANT: Leung, Woon-Lam Susan
; APPLICANT: Swartz, James R.
; TITLE OF INVENTION: PROCESS FOR BACTERIAL PRODUCTION OF POLYPEPTIDES
; FILE REFERENCE: P1711R1
; CURRENT APPLICATION NUMBER: US/09/607,756
; CURRENT FILING DATE: 2000-06-29
; PRIOR APPLICATION NUMBER: US 09/422,712
; PRIOR FILING DATE: 1999-10-21
; NUMBER OF SEQ ID NOS: 4
; SEQ ID NO 2
; LENGTH: 237
; TYPE: PRT
; ORGANISM: Human
US-09-607-756-2

Query Match      70.8%; Score 51; DB 5; Length 237;
Best Local Similarity 61.5%; Pred. No. 0.14;
Matches 8; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSSISNFWLHWY 13
Db 47 RASQDINNLYNWY 59

RESULT 10
US-09-530-237-2
; Sequence 2, Application US/09530237
; GENERAL INFORMATION:
; APPLICANT: SUMITOMO ELECTRIC INDUSTRIES, LTD
; TITLE OF INVENTION: Inducer for production of antigen-specific antibody, expression
; TITLE OF INVENTION: containing gene therefor, and method for inducing production of
; TITLE OF INVENTION: antibody
; FILE REFERENCE: SEI 98-30 PCT
; CURRENT APPLICATION NUMBER: US/09/530,237
; CURRENT FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: JP 9/294393
; PRIOR FILING DATE: 1997-10-27
```

```
; NUMBER OF SEQ ID NOS: 13
; SEQ ID NO 2
; LENGTH: 108
; TYPE: PRT
; ORGANISM: Rattus
US-09-530-237-2

Query Match      69.4%; Score 50; DB 5; Length 108;
Best Local Similarity 53.8%; Pred. No. 0.099;
Matches 7; Conservative 4; Mismatches 2; Indels 0; Gaps 0;

QY 1 QASQSSISNFWLHWY 13
Db 24 RASESVSTLMHWY 36

RESULT 11
US-09-403-107-142
; Sequence 142, Application US/09403107
; GENERAL INFORMATION:
; APPLICANT: KUPER, PETER
; APPLICANT: RAUM, TOBIAS
; TITLE OF INVENTION: NOVEL METHOD FOR THE PRODUCTION OF ANTI-HUMAN ANTIGEN
; FILE REFERENCE: 38164000
; CURRENT APPLICATION NUMBER: US/09/403,107
; CURRENT FILING DATE: 1999-10-14
; NUMBER OF SEQ ID NOS: 152
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 142
; LENGTH: 107
; TYPE: PRT
; ORGANISM: HUMAN
US-09-403-107-142

Query Match      68.1%; Score 49; DB 5; Length 107;
Best Local Similarity 61.5%; Pred. No. 0.14;
Matches 8; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSSISNFWLHWY 13
Db 24 RTSQSSISYLNWY 36

RESULT 12
US-09-403-107-149
; Sequence 149, Application US/09403107
; GENERAL INFORMATION:
; APPLICANT: KUPER, PETER
; APPLICANT: RAUM, TOBIAS
; TITLE OF INVENTION: NOVEL METHOD FOR THE PRODUCTION OF ANTI-HUMAN ANTIGEN
; FILE REFERENCE: 38164000
; CURRENT APPLICATION NUMBER: US/09/403,107
; CURRENT FILING DATE: 1999-10-14
; NUMBER OF SEQ ID NOS: 152
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 149
; LENGTH: 107
; TYPE: PRT
; ORGANISM: HUMAN
US-09-403-107-149

Query Match      68.1%; Score 49; DB 5; Length 107;
Best Local Similarity 61.5%; Pred. No. 0.14;
Matches 8; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSSISNFWLHWY 13
Db 24 RTSQSSISYLNWY 36
```

Matches 7; Conservative 5; Mismatches 1; Indels 0; Gaps 0;

QY 1 QASQSIISNLFHWY 13
Db 22 RASQSIIRYLNWY 34

RESULT 13
US-09-147-443C-12
; Sequence 12, Application US/09147443C
; GENERAL INFORMATION:
; APPLICANT: Morell, Andreas
; APPLICANT: Imboden, Martin
; APPLICANT: Stadler, Boda
; APPLICANT: Miescher, Sylvia
; APPLICANT: Vogel, Monique
; APPLICANT: Amstutz, Hanspeter
; TITLE OF INVENTION: POLYPEPTIDES CAPABLE OF FORMING ANTIGEN BINDING
; TITLE OF INVENTION: STRUCTURES WITH SPECIFICITY FOR THE RHESUS D ANTIGENS,
; TITLE OF INVENTION: THE DNA ENCODING THEM AND THE PROCESS FOR THEIR
; TITLE OF INVENTION: PREPARATION AND USE
; FILE REFERENCE: 6816/P63221US0
; CURRENT APPLICATION NUMBER: US/09/147,443C
; PRIOR FILING DATE: 1999-01-21
; PRIOR APPLICATION NUMBER: PCT/EP97/03253
; PRIOR FILING DATE: 1997-06-20
; PRIOR APPLICATION NUMBER: EP 96810421.6
; PRIOR FILING DATE: 1996-06-24
; NUMBER OF SEQ ID NOS: 77
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 12
; LENGTH: 105
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-147-443C-12

Query Match 63.9%; Score 46; DB 5; Length 105;
Best Local Similarity 61.5%; Pred. No. 0.44;
Matches 8; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

QY 1 QASQSIISNLFHWY 13
Db 22 RASQSIIRYLNWY 34

RESULT 14
US-09-147-443C-40
; Sequence 40, Application US/09147443C
; GENERAL INFORMATION:
; APPLICANT: Morell, Andreas
; APPLICANT: Imboden, Martin
; APPLICANT: Stadler, Boda
; APPLICANT: Miescher, Sylvia
; APPLICANT: Vogel, Monique
; APPLICANT: Amstutz, Hanspeter
; TITLE OF INVENTION: POLYPEPTIDES CAPABLE OF FORMING ANTIGEN BINDING
; TITLE OF INVENTION: STRUCTURES WITH SPECIFICITY FOR THE RHESUS D ANTIGENS,
; TITLE OF INVENTION: THE DNA ENCODING THEM AND THE PROCESS FOR THEIR
; TITLE OF INVENTION: PREPARATION AND USE
; FILE REFERENCE: 6816/P63221US0
; CURRENT APPLICATION NUMBER: US/09/147,443C
; PRIOR FILING DATE: 1999-01-21
; PRIOR APPLICATION NUMBER: PCT/EP97/03253
; PRIOR FILING DATE: 1997-06-20
; PRIOR APPLICATION NUMBER: EP 96810421.6
; PRIOR FILING DATE: 1996-06-24
; NUMBER OF SEQ ID NOS: 77
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 105
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-147-443C-40

Query Match 63.9%; Score 46; DB 5; Length 105;
Best Local Similarity 53.8%; Pred. No. 0.44;

QY 1 QASQSIISNLFHWY 13
Db 22 RASQSIISNLFHWY 34

RESULT 15
US-09-147-443C-44
; Sequence 44, Application US/09147443C
; GENERAL INFORMATION:
; APPLICANT: Morell, Andreas
; APPLICANT: Imboden, Martin
; APPLICANT: Stadler, Boda
; APPLICANT: Miescher, Sylvia
; APPLICANT: Vogel, Monique
; APPLICANT: Amstutz, Hanspeter
; TITLE OF INVENTION: POLYPEPTIDES CAPABLE OF FORMING ANTIGEN BINDING
; TITLE OF INVENTION: STRUCTURES WITH SPECIFICITY FOR THE RHESUS D ANTIGENS,
; TITLE OF INVENTION: THE DNA ENCODING THEM AND THE PROCESS FOR THEIR
; FILE REFERENCE: 6816/P63221US0
; CURRENT APPLICATION NUMBER: US/09/147,443C
; CURRENT FILING DATE: 1999-01-21
; PRIOR APPLICATION NUMBER: PCT/EP97/03253
; PRIOR FILING DATE: 1997-06-20
; PRIOR APPLICATION NUMBER: EP 96810421.6
; PRIOR FILING DATE: 1996-06-24
; NUMBER OF SEQ ID NOS: 77
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 44
; LENGTH: 105
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-147-443C-44

Query Match 63.9%; Score 46; DB 5; Length 105;
Best Local Similarity 69.2%; Pred. No. 0.44;
Matches 9; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 QASQSIISNLFHWY 13
Db 22 RASQSIISNLFHWY 34

Search completed: March 28, 2001, 07:22:15
Job time: 1507 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:22 ; Search time 828.17 Seconds

(without alignments)
1.934 Million cell updates/sec

Title: US-09-016-061-84
Perfect score: 49
Sequence: 1 LLIRYSQSIS 11

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*

1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US60_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	49	100.0	11	14	US-09-016-061-84
2	49	100.0	11	17	US-09-339-922A-84
3	44	89.8	11	14	US-09-016-061-44
4	44	89.8	11	17	US-09-339-922A-44
5	43	87.8	43	22	US-60-164-760-758
6	43	87.8	46	22	US-60-164-760-963
7	43	87.8	46	22	US-60-164-762-1122
8	43	87.8	66	22	US-60-160-203-4288
9	43	87.8	69	22	US-60-169-840-6293
10	43	87.8	74	22	US-60-164-762-875
11	43	87.8	88	1	PCT-US99-09131-30

12	43	87.8	88	17	US-09-300-970A-30	Sequence 30, Appl
13	43	87.8	89	22	US-60-192-739-2860	Sequence 2860, Ap
14	43	87.8	89	22	US-60-194-243-2054	Sequence 2054, Ap
15	43	87.8	91	22	US-60-170-373-2286	Sequence 2286, Ap
16	43	87.8	91	22	US-60-170-374-1993	Sequence 1993, Ap
17	43	87.8	91	22	US-60-192-739-2861	Sequence 2861, Ap
18	43	87.8	98	22	US-60-194-243-2056	Sequence 2056, Ap
19	43	87.8	103	22	US-60-192-739-2862	Sequence 2862, Ap
20	43	87.8	103	22	US-60-194-243-2055	Sequence 2055, Ap
21	43	87.8	105	1	PCT-US98-04987-17	Sequence 17, Appl
22	43	87.8	105	1	PCT-US98-04987-21	Sequence 21, Appl
23	43	87.8	105	22	US-60-039-609-17	Sequence 17, Appl
24	43	87.8	105	22	US-60-039-609-21	Sequence 21, Appl
25	43	87.8	107	1	PCT-US98-04987-10	Sequence 10, Appl
26	43	87.8	107	3	US-07-804-464A-1	Sequence 1, Appl
27	43	87.8	107	3	US-07-808-464-1	Sequence 1, Appl
28	43	87.8	107	3	US-07-881-109-7	Sequence 7, Appl
29	43	87.8	107	3	US-07-881-109A-7	Sequence 7, Appl
30	43	87.8	107	4	US-08-082-842-1	Sequence 1, Appl
31	43	87.8	107	5	US-08-107-669B-1	Sequence 1, Appl
32	43	87.8	107	5	US-08-107-669C-1	Sequence 1, Appl
33	43	87.8	107	7	US-08-313-198-7	Sequence 7, Appl
34	43	87.8	107	8	US-08-472-788-1	Sequence 1, Appl
35	43	87.8	107	8	US-08-477-531-1	Sequence 1, Appl
36	43	87.8	107	8	US-08-477-531A-1	Sequence 1, Appl
37	43	87.8	107	8	US-08-484-537-62	Sequence 62, Appl
38	43	87.8	107	8	US-08-484-537-63	Sequence 63, Appl
39	43	87.8	107	8	US-08-484-537-87	Sequence 87, Appl
40	43	87.8	107	11	US-08-720-323-7	Sequence 7, Appl
41	43	87.8	107	14	US-09-037-980A-1	Sequence 1, Appl
42	43	87.8	107	14	US-09-037-980B-1	Sequence 1, Appl
43	43	87.8	107	15	US-09-160-911-9	Sequence 9, Appl
44	43	87.8	107	16	US-09-245-202A-1	Sequence 1, Appl
45	43	87.8	107	17	US-09-325-000-21	Sequence 21, Appl

ALIGNMENTS

RESULT 1
US-09-016-061-84
; Sequence 84, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESS: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 11 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-09-016-061-84

Query Match      100.0%; Score 49; DB 14; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0034;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
Db 1 LLIRYSQSIS 11

RESULT 2
US-09-339-922A-84
; Sequence 84, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 84
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-84

Query Match      100.0%; Score 49; DB 17; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0034;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
Db 1 LLIRYSQSIS 11

RESULT 3
US-09-016-061-44
; Sequence 44, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 84:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 11 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-09-016-061-84

Query Match      100.0%; Score 49; DB 14; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0034;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
Db 1 LLIRYSQSIS 11

RESULT 2
US-09-339-922A-84
; Sequence 84, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 84
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-84

Query Match      100.0%; Score 49; DB 17; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0034;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
Db 1 LLIRYSQSIS 11

RESULT 3
US-09-016-061-44
; Sequence 44, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 44:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 11 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-09-016-061-44

Query Match      89.8%; Score 44; DB 14; Length 11;
Best Local Similarity 90.9%; Pred. No. 0.034;
Matches 10; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
Db 1 LLIRYSQSIS 11

RESULT 4
US-09-339-922A-44
; Sequence 44, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 44
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-44

Query Match      89.8%; Score 44; DB 17; Length 11;
Best Local Similarity 90.9%; Pred. No. 0.034;
Matches 10; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
Db 1 LLIRYSQSIS 11

RESULT 5
US-60-164-760-758
; Sequence 758, Application US/60164760
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN KINASE PROTEINS, NUCLEIC
; TITLE OF INVENTION: ACID MOLECULES ENCODING HUMAN KINASE PROTEINS, AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: GI000139
; CURRENT APPLICATION NUMBER: US/60/164,760
; CURRENT FILING DATE: 1999-11-12
; NUMBER OF SEQ ID NOS: 1060
; SOFTWARE: FastSEQ for Windows Version 4.0
```

; SEQ ID NO 758
; LENGTH: 43
; TYPE: PRT
; ORGANISM: Human
US-60-164-760-758

Query Match 87.8%; Score 43; DB 22; Length 43;
Best Local Similarity 81.8%; Pred. No. 0.23;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 LLIRYSSQIS 11
Db 31 LLIKYASQIS 41
|||:|:||||

RESULT 6
US-60-164-760-963
; Sequence 963, Application US/60164760
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN KINASE PROTEINS, NUCLEIC
; TITLE OF INVENTION: ACID MOLECULES ENCODING HUMAN KINASE PROTEINS, AND USES
; FILE REFERENCE: CL000139
; CURRENT APPLICATION NUMBER: US/60/164,760
; CURRENT FILING DATE: 1999-11-12
; NUMBER OF SEQ ID NOS: 1060
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 963
; LENGTH: 46
; TYPE: PRT
; ORGANISM: Human
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(46)
; OTHER INFORMATION: Xaa = Any Amino Acid
US-60-164-760-963

Query Match 87.8%; Score 43; DB 22; Length 46;
Best Local Similarity 81.8%; Pred. No. 0.25;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 LLIRYSSQIS 11
Db 31 LLIKYASQIS 41
|||:|:||||

RESULT 7
US-60-164-762-1122
; Sequence 1122, Application US/60164762
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS AND
; FILE REFERENCE: CL000142
; CURRENT APPLICATION NUMBER: US/60/164,762
; CURRENT FILING DATE: 1999-11-12
; NUMBER OF SEQ ID NOS: 1244
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 1122
; LENGTH: 46
; TYPE: PRT
; ORGANISM: Human
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(46)
; OTHER INFORMATION: Xaa = Any Amino Acid
US-60-164-762-1122

Query Match 87.8%; Score 43; DB 22; Length 46;
Best Local Similarity 81.8%; Pred. No. 0.25;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 LLIRYSSQIS 11
Db 31 LLIKYASQIS 41
|||:|:||||

RESULT 8
US-60-160-203-4288
; Sequence 4288, Application US/60160203
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS;
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS AND
; FILE REFERENCE: CL000116
; CURRENT APPLICATION NUMBER: US/60/160,203
; CURRENT FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 6374
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4288
; LENGTH: 66
; TYPE: PRT
; ORGANISM: HUMAN
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(66)
; OTHER INFORMATION: Xaa = Any Amino Acid
US-60-160-203-4288

Query Match 87.8%; Score 43; DB 22; Length 66;
Best Local Similarity 81.8%; Pred. No. 0.36;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 LLIRYSSQIS 11
Db 24 LLIKYASQIS 34
|||:|:||||

RESULT 9
US-60-169-840-6293
; Sequence 6293, Application US/60169840
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS AND
; FILE REFERENCE: CL000164
; CURRENT APPLICATION NUMBER: US/60/169,840
; CURRENT FILING DATE: 1999-12-09
; NUMBER OF SEQ ID NOS: 9628
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 6293
; LENGTH: 69
; TYPE: PRT
; ORGANISM: Human
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(69)
; OTHER INFORMATION: Xaa = Any Amino Acid
US-60-169-840-6293

Query Match 87.8%; Score 43; DB 22; Length 69;
Best Local Similarity 81.8%; Pred. No. 0.38;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 LLIRYSSQIS 11
Db 25 LLIKYASQIS 35
|||:|:||||


```

; APPLICANT: Taylor, Alexander H
; TITLE OF INVENTION: Monoclonal Antibodies with Reduced
; FILE REFERENCE: P50770
; CURRENT APPLICATION NUMBER: US/09/300,970A
; CURRENT FILING DATE: 1999-04-28
; PRIOR APPLICATION NUMBER: 60/083,367
; PRIOR FILING DATE: 1998-04-28
; NUMBER OF SEQ ID NOS: 97
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 30
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Pan troglodytes
; FEATURE:
; NAME/KEY: DOMAIN
; LOCATION: (24)...(34)
; OTHER INFORMATION: CDRI
; NAME/KEY: DOMAIN
; LOCATION: (50)...(66)
; OTHER INFORMATION: CDRII
; US-09-300-970A-30

Query Match      87.8%; Score 43; DB 22; Length 74;
Best Local Similarity 81.8%; Pred. No. 0.41;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 48 LLIKYASQSIS 56

RESULT 10
PCT-US99-09131-30
; Sequence 30, Application PCT/US9909131
; GENERAL INFORMATION:
; APPLICANT: Taylor, Alexander H
; TITLE OF INVENTION: Monoclonal Antibodies with Reduced
; FILE REFERENCE: P50770
; CURRENT APPLICATION NUMBER: PCT/US99/09131
; CURRENT FILING DATE: 1999-04-28
; EARLIER APPLICATION NUMBER: 60/083,367
; EARLIER FILING DATE: 1998-04-28
; NUMBER OF SEQ ID NOS: 97
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 30
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Pan troglodytes
; FEATURE:
; NAME/KEY: DOMAIN
; LOCATION: (24)...(34)
; OTHER INFORMATION: CDRI
; NAME/KEY: DOMAIN
; LOCATION: (50)...(66)
; OTHER INFORMATION: CDRII
; PCT-US99-09131-30

Query Match      87.8%; Score 43; DB 1; Length 88;
Best Local Similarity 81.8%; Pred. No. 0.49;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 46 LLIKYASQSIS 56

RESULT 12
US-09-300-970A-30
; Sequence 30, Application
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS, AND
; TITLE OF INVENTION: USES THEREOF
; FILE REFERENCE: CL000417
; CURRENT APPLICATION NUMBER: US/60/194,243
; CURRENT FILING DATE: 2000-04-03
; US-09-300-970A-30

Query Match      87.8%; Score 43; DB 17; Length 88;
Best Local Similarity 81.8%; Pred. No. 0.49;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 46 LLIKYASQSIS 56

RESULT 13
US-60-192-739-2860
; Sequence 2860, Application US/60192739
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS, AND
; TITLE OF INVENTION: USES THEREOF
; FILE REFERENCE: CL000406
; CURRENT APPLICATION NUMBER: US/60/192,739
; CURRENT FILING DATE: 2000-03-28
; NUMBER OF SEQ ID NOS: 4532
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 2860
; LENGTH: 89
; TYPE: PRT
; ORGANISM: HUMAN
; US-60-192-739-2860

Query Match      87.8%; Score 43; DB 22; Length 89;
Best Local Similarity 81.8%; Pred. No. 0.49;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 42 LLIKYASQSIS 52

RESULT 14
US-60-194-243-2054
; Sequence 2054, Application US/60194243
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS, AND
; TITLE OF INVENTION: USES THEREOF
; FILE REFERENCE: CL000417
; CURRENT APPLICATION NUMBER: US/60/194,243
; CURRENT FILING DATE: 2000-04-03
; US-60-194-243-2054
```

```

; APPLICANT: Taylor, Alexander H
; TITLE OF INVENTION: Monoclonal Antibodies with Reduced
; FILE REFERENCE: P50770
; CURRENT APPLICATION NUMBER: US/09/300,970A
; CURRENT FILING DATE: 1999-04-28
; PRIOR APPLICATION NUMBER: 60/083,367
; PRIOR FILING DATE: 1998-04-28
; NUMBER OF SEQ ID NOS: 97
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 30
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Pan troglodytes
; FEATURE:
; NAME/KEY: DOMAIN
; LOCATION: (24)...(34)
; OTHER INFORMATION: CDRI
; NAME/KEY: DOMAIN
; LOCATION: (50)...(66)
; OTHER INFORMATION: CDRII
; US-09-300-970A-30

Query Match      87.8%; Score 43; DB 17; Length 88;
Best Local Similarity 81.8%; Pred. No. 0.49;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 46 LLIKYASQSIS 56

RESULT 13
US-60-192-739-2860
; Sequence 2860, Application US/60192739
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS, AND
; TITLE OF INVENTION: USES THEREOF
; FILE REFERENCE: CL000406
; CURRENT APPLICATION NUMBER: US/60/192,739
; CURRENT FILING DATE: 2000-03-28
; NUMBER OF SEQ ID NOS: 4532
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 2860
; LENGTH: 89
; TYPE: PRT
; ORGANISM: HUMAN
; US-60-192-739-2860

Query Match      87.8%; Score 43; DB 22; Length 89;
Best Local Similarity 81.8%; Pred. No. 0.49;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSIS 11
Db 42 LLIKYASQSIS 52

RESULT 14
US-60-194-243-2054
; Sequence 2054, Application US/60194243
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN SECRETED PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN SECRETED PROTEINS, AND
; TITLE OF INVENTION: USES THEREOF
; FILE REFERENCE: CL000417
; CURRENT APPLICATION NUMBER: US/60/194,243
; CURRENT FILING DATE: 2000-04-03
; US-60-194-243-2054
```

4
; NUMBER OF SEQ ID NOS: 3242
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2054
; LENGTH: 89
; TYPE: PRT
; ORGANISM: HUMAN
US-60-194-243-2054

Query Match 87.8%; Score 43; DB 22; Length 89;
Best Local Similarity 81.8%; Pred. No. 0.49;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSSIS 11
| | | | |
Db 42 LLIRYASQSSIS 52

RESULT 15
US-60-170-373-2286
; Sequence 2286, Application US/60170373
; GENERAL INFORMATION:
; APPLICANT: Bonazzi, Vivien
; TITLE OF INVENTION: ISOLATED HUMAN KINASE PROTEINS, NUCLEIC
; TITLE OF INVENTION: ACID MOLECULES ENCODING HUMAN KINASE PROTEINS AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: CL000149
; CURRENT APPLICATION NUMBER: US/60/170,373
; CURRENT FILING DATE: 1999-12-13
; NUMBER OF SEQ ID NOS: 4282
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2286
; LENGTH: 91
; TYPE: PRT
; ORGANISM: Human
US-60-170-373-2286

Query Match 87.8%; Score 43; DB 22; Length 91;
Best Local Similarity 81.8%; Pred. No. 0.5;
Matches 9; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQSSIS 11
| | | | |
Db 65 LLIRYASQSSIS 75

Search completed: March 28, 2001, 07:18:24
Job time: 1335 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:15 ; Search time 213.09 Seconds
(without alignments)
0.680 Million cell updates/sec

Title: US-09-016-061-84

Perfect score: 49

Sequence: 1 LLIRYSQSIS 11

Scoring table:

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New.*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	79.6	109	5	US-09-445-602A-6
2	35	71.4	403	5	US-09-489-039A-13550
3	31	63.3	54	1	PCT-US01-02723-119
4	31	63.3	561	6	US-60-259-128-4577
5	31	63.3	812	5	US-09-488-725A-2446
6	31	63.3	832	5	US-09-488-725A-6018
7	30	61.2	297	6	US-60-257-931-3538
8	30	61.2	297	6	US-60-253-625-2710
9	30	61.2	297	6	US-60-269-308-4560
10	30	61.2	438	5	US-09-489-039A-13834
11	30	61.2	459	5	US-09-488-725A-2856
12	29	59.2	110	5	US-09-316-633-302
13	29	59.2	238	6	US-60-257-931-3007
14	29	59.2	238	6	US-60-269-308-4028
15	29	59.2	247	5	US-09-107-433-2806
16	29	59.2	624	6	US-60-257-931-2925
17	29	59.2	624	6	US-60-253-625-2130
18	29	59.2	624	6	US-60-269-308-3946
19	28	57.1	54	1	PCT-US00-32227-138
20	28	57.1	206	5	US-09-107-433-2696
21	28	57.1	234	5	US-09-107-433-3990
22	28	57.1	257	5	US-09-488-725A-7116
23	28	57.1	322	5	US-09-767-041-35
24	28	57.1	329	5	US-09-489-039A-9812
25	28	57.1	333	5	US-09-791-932-91
26	28	57.1	333	5	US-09-791-932-114
27	28	57.1	368	1	PCT-US00-32227-45

28	28	57.1	371	5	US-09-165-922A-10	Sequence 10, Appl
29	28	57.1	395	5	US-09-489-039A-7739	Sequence 7739, Ap
30	28	57.1	539	6	US-60-257-931-3555	Sequence 3555, Ap
31	28	57.1	539	6	US-60-253-625-2727	Sequence 2727, Ap
32	28	57.1	539	6	US-60-269-308-4577	Sequence 4577, Ap
33	28	57.1	582	5	US-09-489-039A-12055	Sequence 12055, A
34	28	57.1	687	5	US-09-529-063-73	Sequence 73, Appl
35	28	57.1	817	5	US-09-489-039A-8184	Sequence 8184, Ap
36	28	57.1	1150	5	US-09-488-725A-3544	Sequence 3544, Ap
37	28	57.1	4342	6	US-60-257-931-3424	Sequence 3424, Ap
38	28	57.1	4342	6	US-60-253-625-2596	Sequence 2596, Ap
39	28	57.1	4342	6	US-60-269-308-4446	Sequence 4446, Ap
40	27	55.1	65	5	US-09-465-587-316	Sequence 316, App
41	27	55.1	143	4	US-08-765-588A-8	Sequence 8, Appl
42	27	55.1	143	5	US-09-349-954A-8	Sequence 8, Appl
43	27	55.1	188	1	PCT-US00-01895A-5	Sequence 5, Appl
44	27	55.1	188	4	US-08-851-896-11	Sequence 11, Appl
45	27	55.1	188	4	US-08-765-588A-6	Sequence 6, Appl

ALIGNMENTS

RESULT 1
US-09-445-602A-6
; Sequence 6, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Iron
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNIT
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445, 602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 6
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-6

Query Match 79.6% Score 39; DB 5; Length 109;
Best Local Similarity 72.7%; Pred. No. 0.23;
Matches 8; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSQSIS 11
Db 47 LLIKFASQSIS 57
||||:|||||

RESULT 2
US-09-489-039A-13550
; Sequence 13550, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709-2004001
; CURRENT APPLICATION NUMBER: US/09/489, 039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13550

; LENGTH: 403
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13550

Query Match 71.4%; Score 35; DB 5; Length 403;
Best Local Similarity 54.5%; Pred. No. 6.2;
Matches 6; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSSQSI 11
||:|||||:
Db 332 LLLKSSDSVT 342

RESULT 3
PCT-US01-02723-119
; Sequence 119, Application PC/TUS0102723
; GENERAL INFORMATION:
; APPLICANT: Hyseq, Inc.
; APPLICANT: Yeung, George
; APPLICANT: Ford, John E.
; APPLICANT: Boyle, Bryan J.
; APPLICANT: Arterburn, Matthew C.
; APPLICANT: Drmanac, Radoje T.
; APPLICANT: Tang, Y. Tom
; APPLICANT: Liu, Chenghua
; APPLICANT: Asundi, Vinod
; APPLICANT: Zhou, Ping
; APPLICANT: Wehrman, Thomas
; TITLE OF INVENTION: NOVEL FETAL NUCLEIC ACIDS AND POLYPEPTIDES
; FILE REFERENCE: 21272-020
; CURRENT APPLICATION NUMBER: PCT/US01/02723
; CURRENT FILING DATE: 2001-01-25
; PRIOR APPLICATION NUMBER: 09/707,351
; PRIOR FILING DATE: 2000-11-06
; PRIOR APPLICATION NUMBER: 09/491,404
; PRIOR FILING DATE: 2000-01-25
; PRIOR APPLICATION NUMBER: 09/663,870
; PRIOR FILING DATE: 2000-09-15
; NUMBER OF SEQ ID NOS: 1262
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 119
; LENGTH: 54
; TYPE: PRT
; ORGANISM: homo sapiens
PCT-US01-02723-119

Query Match 63.3%; Score 31; DB 1; Length 54;
Best Local Similarity 75.0%; Pred. No. 5.2;
Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 LLIRYSSQ 8
||:||||:
Db 40 LLLRFSSQ 47

RESULT 4
US-60-259-128-4577
; Sequence 4577, Application US/60259128
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; FILE REFERENCE: GRACE1
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0

; SEQ ID NO 4577
; LENGTH: 561
; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4577

Query Match 63.3%; Score 31; DB 6; Length 561;
Best Local Similarity 70.0%; Pred. No. 59;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 LLIRYSSQSI 10
||:|||||:
Db 43 LLIRYLSPSI 52

RESULT 5
US-09-488-725A-2446
; Sequence 2446, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 2446
; LENGTH: 813
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-2446

Query Match 63.3%; Score 31; DB 5; Length 812;
Best Local Similarity 63.6%; Pred. No. 86;
Matches 7; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 LLIRYSSQSI 11
||:|||||:
Db 560 LLQRESSQFVS 570

RESULT 6
US-09-488-725A-6018
; Sequence 6018, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042

```

; FILE REFERENCE: ELITRA.017PR3
; CURRENT APPLICATION NUMBER: US09/620.312
; CURRENT FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653.450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662.191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693.036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727.344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 6018
; LENGTH: 833
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-6018

```

```

Query Match          63.3%; Score 31; DB 5; Length 832;
Best Local Similarity 63.6%; Pred. No. 89;
Matches 7; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

```

```

Qy 1 LLIRYSSQSI 11
    |||:||||:|
Db 580 LLQRESSQFVS 590

```

```

RESULT 7
US-60-257-931-3538
; Sequence 3538, Application US/60257931
; GENERAL INFORMATION:
; APPLICANT: Haselbeck, R
; APPLICANT: Ohlsen, KL
; APPLICANT: Zyskind, JW
; APPLICANT: Trawick, JD
; APPLICANT: Wall, D
; TITLE OF INVENTION: Genes identified as essential in Staphylococcus aureus, Salmonella typhimurium, Klebsiella pneumoniae and Pseudomonas aeruginosa
; FILE REFERENCE: ELITRA.017PR4
; CURRENT APPLICATION NUMBER: US/60/257.931
; CURRENT FILING DATE: 2000-12-22
; NUMBER OF SEQ ID NOS: 3592
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 3538
; LENGTH: 297
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
US-60-257-931-3538

```

```

Query Match          61.2%; Score 30; DB 6; Length 297;
Best Local Similarity 66.7%; Pred. No. 49;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 2 LIRYSSQSI 10
    | |||:||||
Db 91 LARYSAESI 99

```

```

RESULT 8
US-60-253-625-2710
; Sequence 2710, Application US/60253625
; GENERAL INFORMATION:
; APPLICANT: Haselbeck, RH
; APPLICANT: Ohlsen, KL
; APPLICANT: Zyskind, JW
; APPLICANT: Trawick, JD
; APPLICANT: Wall, D
; TITLE OF INVENTION: Identification of essential genes in
; TITLE OF INVENTION: Staphylococcus aureus, Pseudomonas aeruginosa, Klebsiella
; TITLE OF INVENTION: pneumoniae and Salmonella typhimurium

```

```

; FILE REFERENCE: ELITRA.017PR3
; CURRENT APPLICATION NUMBER: US/60/253.625
; CURRENT FILING DATE: 2000-11-27
; NUMBER OF SEQ ID NOS: 2768
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2710
; LENGTH: 297
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
US-60-253-625-2710

```

```

Query Match          61.2%; Score 30; DB 6; Length 297;
Best Local Similarity 66.7%; Pred. No. 49;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 2 LIRYSSQSI 10
    | |||:||||
Db 91 LARYSAESI 99

```

```

RESULT 9
US-60-269-308-4560
; Sequence 4560, Application US/60269308
; GENERAL INFORMATION:
; APPLICANT: Haselbeck, RW
; APPLICANT: Ohlsen, KL
; APPLICANT: Zyskind, JW
; APPLICANT: Trawick, JD
; APPLICANT: Wall, D
; TITLE OF INVENTION: Identification of Essential Genes in Staphylococcus aureus, Pa
; TITLE OF INVENTION: aeruginosa, Klebsiella pneumoniae, Salmonella typhimurium, an
; FILE REFERENCE: ELITRA.017PR5
; CURRENT APPLICATION NUMBER: US/60/269.308
; CURRENT FILING DATE: 2001-02-16
; NUMBER OF SEQ ID NOS: 4774
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 4560
; LENGTH: 297
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
US-60-269-308-4560

```

```

Query Match          61.2%; Score 30; DB 6; Length 297;
Best Local Similarity 66.7%; Pred. No. 49;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 2 LIRYSSQSI 10
    | |||:||||
Db 91 LARYSAESI 99

```

```

RESULT 10
US-09-489-039A-13834
; Sequence 13834, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489.039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117.747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13834
; LENGTH: 438
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13834

```

```
Query Match      61.2%; Score 30; DB 5; Length 438;
Best Local Similarity 55.6%; Pred. No. 74;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 3 IRYSSQSI 11
Db 337 LRYSSQSRVA 345

RESULT 11
US-09-488-725A-2856
; Sequence 2856, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 2856
; LENGTH: 460
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-2856

Query Match      61.2%; Score 30; DB 5; Length 459;
Best Local Similarity 62.5%; Pred. No. 77;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 LLIRYSQ 8
Db 38 IFVIRYSQ 45

RESULT 12
US-09-316-633-302
; Sequence 302, Application US/09316633
; GENERAL INFORMATION:
; APPLICANT: Gearing, David P.
; APPLICANT: Holtzman, Douglas A.
; APPLICANT: Robison, Keith E.
; TITLE OF INVENTION: Nucleic Acid Molecules Derived from a
; TITLE OF INVENTION: Human Mesangial Cell Library
; FILE REFERENCE: MLN98-10pA
; CURRENT APPLICATION NUMBER: US/09/316,633
; CURRENT FILING DATE: 1999-05-21
; PRIOR APPLICATION NUMBER: 60/087,052
; PRIOR FILING DATE: 1998-05-27
; NUMBER OF SEQ ID NOS: 422
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 302
; LENGTH: 110
; TYPE: PRT
; ORGANISM: Homo sapiens
```

```
; FEATURE:
; NAME/KEY: SIGNAL
; LOCATION: (1)...(79)
; NAME/KEY: VARIANT
; LOCATION: (1)...(110)
; OTHER INFORMATION: Xaa = Any Amino Acid
US-09-316-633-302

Query Match      59.2%; Score 29; DB 5; Length 110;
Best Local Similarity 70.0%; Pred. No. 28;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 LLIRYSQSI 10
Db 100 LLSGYSSSESI 109

RESULT 13
US-60-257-931-3007
; Sequence 3007, Application US/60257931
; GENERAL INFORMATION:
; APPLICANT: Haselbeck, R
; APPLICANT: Ohlsen, KL
; APPLICANT: Zyskind, JW
; APPLICANT: Trawick, JD
; APPLICANT: Wall, D
; TITLE OF INVENTION: Genes identified as essential in Staphylococcus aureus, Salmo
; TITLE OF INVENTION: typhimurium, Klebsiella pneumoniae and Pseudomonas aeruginos
; FILE REFERENCE: ELITRA.017PR4
; CURRENT APPLICATION NUMBER: US/60/257,931
; CURRENT FILING DATE: 2000-12-22
; NUMBER OF SEQ ID NOS: 3592
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 3007
; LENGTH: 238
; TYPE: PRT
; ORGANISM: Staphylococcus aureus
US-60-257-931-3007

Query Match      59.2%; Score 29; DB 6; Length 238;
Best Local Similarity 63.6%; Pred. No. 63;
Matches 7; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 LLIRYSQSI 11
Db 173 LNIYSYSSKSIT 183

RESULT 14
US-60-269-308-4028
; Sequence 4028, Application US/60269308
; GENERAL INFORMATION:
; APPLICANT: Haselbeck, RW
; APPLICANT: Ohlsen, KL
; APPLICANT: Zyskind, JW
; APPLICANT: Trawick, JD
; APPLICANT: Wall, D
; TITLE OF INVENTION: Identification of Essential Genes in Staphylococcus aureus, Ps
; TITLE OF INVENTION: faecalis
; FILE REFERENCE: ELITRA.017PRS
; CURRENT APPLICATION NUMBER: US/60/269,308
; CURRENT FILING DATE: 2001-02-16
; NUMBER OF SEQ ID NOS: 4774
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4028
; LENGTH: 238
; TYPE: PRT
; ORGANISM: Staphylococcus aureus
US-60-269-308-4028
```

Job time: 1508 sec

Query Match 59.2%; Score 29; DB 6; Length 238;
Best Local Similarity 63.6%; Pred. No. 63;
Matches 7; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

```
Qy      1 LLRYSSQSSIS 11
         | | | | | : | | :
Db     173 LNISYSSKSIT 183
```

RESULT 15
 US-09-107-433-2806
 ; Sequence 2806, Application US/09107433
 ; GENERAL INFORMATION:
 ; APPLICANT: Lynn A Doucette-Stamm and David Bush
 ; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID
 ; SEQUENCES RELATING TO STREPTOCOCCUS PNEUMONIAE
 ; THERAPEUTICS
 ;
 ; NUMBER OF SEQUENCES: 5206
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: GENOME THERAPEUTICS CORPORATION
 ; STREET: 100 Beaver Street
 ; CITY: Waltham
 ; STATE: Massachusetts
 ; COUNTRY: USA
 ; ZIP: 02354
 ;
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: CD/ROM ISO9660
 ; COMPUTER: <Unknown>
 ; OPERATING SYSTEM: <Unknown>
 ; SOFTWARE: <Unknown>
 ;
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/107,433
 ; FILING DATE: 30-Jun-1998
 ;
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: 60/ 085131
 ; FILING DATE: May 12, 1998
 ; APPLICATION NUMBER: 60/051553
 ; FILING DATE: July 2, 1997
 ;
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Ariniello, Pamela Deneke
 ; REGISTRATION NUMBER: 40,489
 ; REFERENCE/DOCKET NUMBER: GTC-011
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (781)893-5007
 ; TELEFAX: (781)893-8277
 ;
 ; INFORMATION FOR SEQ ID NO: 2806:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 247 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; HYPOTHETICAL: YES
 ; ORIGINAL SOURCE:
 ; ORGANISM: Streptococcus pneumoniae
 ; FEATURE:
 ; NAME/KEY: misc_feature
 ; LOCATION: (B) LOCATION 1...247
 ; SEQUENCE DESCRIPTION: SEQ ID NO: 2806:
 US-09-107-433-2806

Query Match 59.2%; Score 29; DB 5; Length 247;
Best Local Similarity 40.0%; Pred. No. 66;
Matches 4; Conservative 4; Mismatches 2; Indels 0; Gaps 0;

Qy 2 LIRYSSQIS 11
 | : | | | : ::
Db 144 LVRYKSEVA 153

Search completed: March 28, 2001, 07:22:16

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:24 ; Search time 828.17 Seconds
(without alignments)
1.583 Million cell updates/sec

Title: US-09-016-061-86
Perfect score: 55
Sequence: 1 QOSNSWPHT 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending Patents_AA_Main.*

1: /cgnl_7/ptodata/1/paa/PCRTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	55	100.0	9	1 PCT-US98-25828-2	Sequence 2, Appli
2	55	100.0	9	13 US-08-986-016-2	Sequence 2, Appli
3	55	100.0	9	14 US-09-016-061-86	Sequence 86, Appli
4	55	100.0	9	17 US-09-339-922A-86	Sequence 86, Appli
5	55	100.0	107	8 US-08-484-537-62	Sequence 62, Appli
6	55	100.0	107	8 US-08-484-537-63	Sequence 63, Appli
7	55	100.0	107	8 US-08-484-537-87	Sequence 87, Appli
8	55	100.0	107	17 US-09-325-000-21	Sequence 21, Appli
9	55	100.0	107	17 US-09-325-000-22	Sequence 22, Appli
10	55	100.0	109	1 PCT-US98-25828-45	Sequence 45, Appli
11	55	100.0	109	1 PCT-US98-25828-49	Sequence 49, Appli

12	55	100.0	109	1 PCT-US98-25828-55	Sequence 55, Appli
13	55	100.0	109	13 US-08-986-016-45	Sequence 45, Appli
14	55	100.0	109	13 US-08-986-016-49	Sequence 49, Appli
15	55	100.0	109	13 US-08-986-016-55	Sequence 55, Appli
16	55	100.0	127	8 US-08-484-537-83	Sequence 83, Appli
17	50	90.9	259	18 US-09-419-788-29	Sequence 29, Appli
18	49	89.1	9	14 US-09-016-061-46	Sequence 46, Appli
19	49	89.1	9	14 US-09-016-061-88	Sequence 88, Appli
20	49	89.1	9	17 US-09-339-922A-46	Sequence 46, Appli
21	49	89.1	9	17 US-09-339-922A-88	Sequence 88, Appli
22	49	89.1	33	7 US-08-307-868-12	Sequence 12, Appli
23	49	89.1	33	9 US-08-525-539-12	Sequence 12, Appli
24	49	89.1	33	9 US-08-525-539A-12	Sequence 12, Appli
25	49	89.1	107	3 US-07-804-464A-1	Sequence 1, Appli
26	49	89.1	107	3 US-07-808-464-1	Sequence 1, Appli
27	49	89.1	107	3 US-07-881-109-7	Sequence 7, Appli
28	49	89.1	107	3 US-07-881-109A-7	Sequence 7, Appli
29	49	89.1	107	4 US-08-082-842-1	Sequence 1, Appli
30	49	89.1	107	5 US-08-107-669B-1	Sequence 1, Appli
31	49	89.1	107	5 US-08-107-669C-1	Sequence 1, Appli
32	49	89.1	107	7 US-08-313-198-7	Sequence 7, Appli
33	49	89.1	107	8 US-08-472-788-1	Sequence 1, Appli
34	49	89.1	107	8 US-08-477-531-1	Sequence 1, Appli
35	49	89.1	107	8 US-08-477-531A-1	Sequence 1, Appli
36	49	89.1	107	11 US-08-720-323-7	Sequence 7, Appli
37	49	89.1	107	11 US-08-790-540-4	Sequence 4, Appli
38	49	89.1	107	11 US-08-790-540-8	Sequence 8, Appli
39	49	89.1	107	11 US-08-790-540A-4	Sequence 4, Appli
40	49	89.1	107	11 US-08-790-540A-8	Sequence 8, Appli
41	49	89.1	107	11 US-08-791-391-4	Sequence 4, Appli
42	49	89.1	107	11 US-08-791-391-8	Sequence 8, Appli
43	49	89.1	107	11 US-08-791-391-32	Sequence 32, Appli
44	49	89.1	107	11 US-08-791-391A-4	Sequence 4, Appli
45	49	89.1	107	11 US-08-791-391A-8	Sequence 8, Appli

ALIGNMENTS

RESULT 1
PCT-US98-25828-2
; Sequence 2, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 9
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-2

Query Match 100.0%; Score 55; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
Db 1 QOSNSWPHT 9
|||||

RESULT 2
US-08-986-016-2
; Sequence 2, Application US/08986016A
; GENERAL INFORMATION:
; APPLICANT: Barbas III, Carlos F.

APPLICANT: Rader, Christoph
TITLE OF INVENTION: Humanization of Murine Antibody
FILE REFERENCE: Tsri 598.0
CURRENT APPLICATION NUMBER: US/08/986.016A
CURRENT FILING DATE: 1997-12-05
NUMBER OF SEQ ID NOS: 56
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 2
LENGTH: 9
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-2

Query Match 100.0%; Score 55; DB 13; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 QQSNSWPHT 9
Db 1 QQSNSWPHT 9

RESULT 3
US-09-016-061-86

Sequence 86, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 86:
SEQUENCE CHARACTERISTICS:
LENGTH: 9 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-86

Query Match 100.0%; Score 55; DB 14; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 QQSNSWPHT 9
Db 1 QQSNSWPHT 9

RESULT 4

US-09-339-922A-86
Sequence 86, Application US/09339922A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Wu, Herren
TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
Acids Encoding Same and Methods of Use
FILE REFERENCE: P-IX 3536
CURRENT APPLICATION NUMBER: US/09/339,922A
CURRENT FILING DATE: 1999-06-24
NUMBER OF SEQ ID NOS: 112
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 86
LENGTH: 9
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Mutated
US-09-339-922A-86

Query Match 100.0%; Score 55; DB 17; Length 9;
Best Local Similarity 100.0%; Pred. No. 7.8e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 QQSNSWPHT 9
Db 1 QQSNSWPHT 9

RESULT 5

US-08-484-537-62
Sequence 62, Application US/08484537
GENERAL INFORMATION:
APPLICANT: QUEEN, Cary L.
APPLICANT: CO, Man Sung
APPLICANT: SCHNEIDER, William P.
APPLICANT: LANDOLFI, Nicholas F.
APPLICANT: COELINGH, Kathleen L.
APPLICANT: SELICK, Harold E.
TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
NUMBER OF SEQUENCES: 113
CORRESPONDENCE ADDRESS:
ADDRESSEE: Townsend and Townsend Kourie and Crew
STREET: 379 Lytton Avenue
CITY: Palo Alto
STATE: California
COUNTRY: US
ZIP: 94301
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/484,537
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/634,278
FILING DATE: 19-DEC-1990
APPLICATION NUMBER: US 07/590,274
FILING DATE: 28-SEP-1990
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/310,252
FILING DATE: 13-FEB-1989

;; PRIOR APPLICATION DATA: US 07/290,975
;; FILING DATE: 28-DEC-1988
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Smith, William M
;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 11823-002600
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 326-2400
;; TELEFAX: (415) 326-2422
;; INFORMATION FOR SEQ ID NO: 62:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
US-08-484-537-62

Query Match 100.0%; Score 55; DB 8; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.085;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSNSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 6
US-08-484-537-63
;; Sequence 63, Application US/08484537
;; GENERAL INFORMATION:
;; APPLICANT: QUEEN, Cary L.
;; APPLICANT: CO, Man Sung
;; APPLICANT: SCHNEIDER, William P.
;; APPLICANT: LANDOLFI, Nicholas F.
;; APPLICANT: COELINGH, Kathleen L.
;; APPLICANT: SELICK, Harold E.
;; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
;; NUMBER OF SEQUENCES: 113
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Townsend and Townsend Kourie and Crew
;; STREET: 379 Lytton Avenue
;; CITY: Palo Alto
;; STATE: California
;; COUNTRY: US
;; ZIP: 94301
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/484,537
;; FILING DATE:
;; CLASSIFICATION:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US/07/634,278
;; FILING DATE: 19-DEC-1990
;; APPLICATION NUMBER: US 07/590,274
;; FILING DATE: 28-SEP-1990
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/310,252
;; FILING DATE: 13-FEB-1989
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/290,975
;; FILING DATE: 28-DEC-1988
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Smith, William M
;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 11823-002600
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 326-2400
;; TELEFAX: (415) 326-2422
;; INFORMATION FOR SEQ ID NO: 87:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear

;; TELEPHONE: (415) 326-2400
;; TELEFAX: (415) 326-2422
;; INFORMATION FOR SEQ ID NO: 63:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
US-08-484-537-63

Query Match 100.0%; Score 55; DB 8; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.085;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSNSWPHT 9
Db 89 QOSNSWPHT 97

RESULT 7
US-08-484-537-87
;; Sequence 87, Application US/08484537
;; GENERAL INFORMATION:
;; APPLICANT: QUEEN, Cary L.
;; APPLICANT: CO, Man Sung
;; APPLICANT: SCHNEIDER, William P.
;; APPLICANT: LANDOLFI, Nicholas F.
;; APPLICANT: COELINGH, Kathleen L.
;; APPLICANT: SELICK, Harold E.
;; TITLE OF INVENTION: IMPROVED HUMANIZED IMMUNOGLOBULINS
;; NUMBER OF SEQUENCES: 113
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Townsend and Townsend Kourie and Crew
;; STREET: 379 Lytton Avenue
;; CITY: Palo Alto
;; STATE: California
;; COUNTRY: US
;; ZIP: 94301
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/484,537
;; FILING DATE:
;; CLASSIFICATION:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US/07/634,278
;; FILING DATE: 19-DEC-1990
;; APPLICATION NUMBER: US 07/590,274
;; FILING DATE: 28-SEP-1990
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/310,252
;; FILING DATE: 13-FEB-1989
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/290,975
;; FILING DATE: 28-DEC-1988
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Smith, William M
;; REGISTRATION NUMBER: 30,223
;; REFERENCE/DOCKET NUMBER: 11823-002600
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (415) 326-2400
;; TELEFAX: (415) 326-2422
;; INFORMATION FOR SEQ ID NO: 87:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 107 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear

MOLECULE TYPE: peptide
US-08-484-537-87

Query Match 100.0%; Score 55; DB 8; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.085;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 8

US-09-325-000-21
; Sequence 21, Application US/09325000
; GENERAL INFORMATION:
; APPLICANT: Queen, Cary L.
; APPLICANT: Co, Man Sung
; APPLICANT: Schneider, William P.
; APPLICANT: Landolfi, Nicholas F.
; APPLICANT: Coelingh, Kathleen L.
; APPLICANT: Selick, Harold E.
; TITLE OF INVENTION: Improved Humanized Immunoglobulins
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, Eighth Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/325,000
; FILING DATE: 01-JUN-1999
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/484,537
; FILING DATE: 07-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 011823-002650US
; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 21:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-325-000-21

Query Match 100.0%; Score 55; DB 17; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.085;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
Db 89 QQSNSWPHT 97

RESULT 9

US-09-325-000-22
; Sequence 22, Application US/09325000
; GENERAL INFORMATION:
; APPLICANT: Queen, Cary L.
; APPLICANT: Co, Man Sung
; APPLICANT: Schneider, William P.
; APPLICANT: Landolfi, Nicholas F.
; APPLICANT: Coelingh, Kathleen L.
; APPLICANT: Selick, Harold E.
; TITLE OF INVENTION: Improved Humanized Immunoglobulins
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, Eighth Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/325,000
; FILING DATE: 01-JUN-1999
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/290,975
; FILING DATE: 28-DEC-1988
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/310,252
; FILING DATE: 13-FEB-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/590,274
; FILING DATE: 28-SEP-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/484,537
; FILING DATE: 07-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 011823-002650US
; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-325-000-22

Query Match 100.0%; Score 55; DB 17; Length 107;
Best Local Similarity 100.0%; Pred. No. 0.085;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
 |||||

Db 89 QOSNSWPHT 97

RESULT 10

PCT-US98-25828-45
 ; Sequence 45, Application PC/TUS9825828A
 ; GENERAL INFORMATION:
 ; APPLICANT: The Scripps Research Institute
 ; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
 ; FILE REFERENCE: TSRI 598.0
 ; CURRENT APPLICATION NUMBER: PCT/US98/25828A
 ; CURRENT FILING DATE: 1998-12-04
 ; EARLIER APPLICATION NUMBER: 08/986,016
 ; EARLIER FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 45
 ; LENGTH: 109
 ; TYPE: PRT
 ; ORGANISM: Murine hybridoma LM609
 PCT-US98-25828-45

Query Match 100.0%; Score 55; DB 1; Length 109;
 Best Local Similarity 100.0%; Pred. No. 0.086;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
 |||||

Db 89 QOSNSWPHT 97

RESULT 11

PCT-US98-25828-49
 ; Sequence 49, Application PC/TUS9825828A
 ; GENERAL INFORMATION:
 ; APPLICANT: The Scripps Research Institute
 ; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
 ; FILE REFERENCE: TSRI 598.0
 ; CURRENT APPLICATION NUMBER: PCT/US98/25828A
 ; CURRENT FILING DATE: 1998-12-04
 ; EARLIER APPLICATION NUMBER: 08/986,016
 ; EARLIER FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 49
 ; LENGTH: 109
 ; TYPE: PRT
 ; ORGANISM: Murine hybridoma LM609
 PCT-US98-25828-49

Query Match 100.0%; Score 55; DB 1; Length 109;
 Best Local Similarity 100.0%; Pred. No. 0.086;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
 |||||

Db 89 QOSNSWPHT 97

RESULT 12

PCT-US98-25828-55
 ; Sequence 55, Application PC/TUS9825828A
 ; GENERAL INFORMATION:
 ; APPLICANT: The Scripps Research Institute
 ; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
 ; FILE REFERENCE: TSRI 598.0
 ; CURRENT APPLICATION NUMBER: PCT/US98/25828A
 ; CURRENT FILING DATE: 1998-12-04
 ; EARLIER APPLICATION NUMBER: 08/986,016

; EARLIER FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 55
 ; LENGTH: 109
 ; TYPE: PRT
 ; ORGANISM: Murine hybridoma LM609
 PCT-US98-25828-55

Query Match 100.0%; Score 55; DB 1; Length 109;
 Best Local Similarity 100.0%; Pred. No. 0.086;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
 |||||

Db 89 QOSNSWPHT 97

RESULT 13

US-08-986-016-45
 ; Sequence 45, Application US/08986016A
 ; GENERAL INFORMATION:
 ; APPLICANT: Barbas III, Carlos F.
 ; APPLICANT: Rader, Christoph
 ; TITLE OF INVENTION: Humanization of Murine Antibody
 ; FILE REFERENCE: Tsri 598.0
 ; CURRENT APPLICATION NUMBER: US/08/986,016A
 ; CURRENT FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 45
 ; LENGTH: 109
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence:mammalian
 US-08-986-016-45

Query Match 100.0%; Score 55; DB 13; Length 109;
 Best Local Similarity 100.0%; Pred. No. 0.086;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QOSNSWPHT 9
 |||||

Db 89 QOSNSWPHT 97

RESULT 14

US-08-986-016-49
 ; Sequence 49, Application US/08986016A
 ; GENERAL INFORMATION:
 ; APPLICANT: Barbas III, Carlos F.
 ; APPLICANT: Rader, Christoph
 ; TITLE OF INVENTION: Humanization of Murine Antibody
 ; FILE REFERENCE: Tsri 598.0
 ; CURRENT APPLICATION NUMBER: US/08/986,016A
 ; CURRENT FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 49
 ; LENGTH: 109
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence:mammalian
 US-08-986-016-49

Query Match 100.0%; Score 55; DB 13; Length 109;
 Best Local Similarity 100.0%; Pred. No. 0.086;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
| | | | | | | |
Db 89 QQSNSWPHT 97

RESULT 15

US-08-986-016-55
; Sequence 55, Application US/08986016A
; GENERAL INFORMATION:
; APPLICANT: Barbas III, Carlos F.
; APPLICANT: Rader, Christoph
; TITLE OF INVENTION: Humanization of Murine Antibody
; FILE REFERENCE: Tsr1 598.0
; CURRENT APPLICATION NUMBER: US/08/986, 016A
; CURRENT FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 55
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-55

Query Match 100.0%; Score 55; DB 13; Length 109;
Best Local Similarity 100.0%; Pred. No. 0.086;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQSNSWPHT 9
| | | | | | | |
Db 89 QQSNSWPHT 97

Search completed: March 28, 2001, 07:18:25
Job time: 1336 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:16 ; Search time 213.09 Seconds
(without alignments)
0.557 Million cell updates/sec

Title: US-09-016-061-86
Perfect score: 55
Sequence: 1 QQNSWPH 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New.*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	76.4	10	5	US-09-445-602A-17
2	42	76.4	20	5	US-09-445-602A-25
3	42	76.4	109	5	US-09-445-602A-6
4	38	69.1	265	5	US-09-489-039A-12065
5	35	63.6	41	5	US-09-009-843D-235
6	35	63.6	310	5	US-09-488-725A-2779
7	35	63.6	324	5	US-09-488-725A-6351
8	34	61.8	774	5	US-09-782-980-16
9	34	61.8	774	5	US-09-702-572-7
10	33	60.0	40	5	US-09-209-462B-173
11	33	60.0	72	1	PCT-US01-01340-744
12	33	60.0	154	5	US-09-352-616A-383
13	33	60.0	154	5	US-09-759-143-383
14	33	60.0	154	5	US-09-679-426-383
15	33	60.0	154	5	US-09-685-166-383
16	33	60.0	154	5	US-09-679-272-383
17	33	60.0	154	5	US-09-780-669-383
18	33	60.0	161	5	US-09-759-143-846
19	33	60.0	161	5	US-09-679-426-846
20	33	60.0	161	5	US-09-685-166-846
21	33	60.0	161	5	US-09-780-669-846
22	33	60.0	189	6	US-60-266-855-12
23	33	60.0	216	5	US-09-489-039A-9538
24	33	60.0	254	5	US-09-489-039A-13102
25	32	58.2	37	1	PCT-US01-01324-2525
26	32	58.2	66	1	PCT-US01-01340-719
27	32	58.2	145	5	US-09-489-039A-13527

28	32	58.2	306	5	US-09-489-039A-8745	Sequence 8745, Ap
29	32	58.2	319	5	US-09-489-039A-13662	Sequence 13662, A
30	32	58.2	322	5	US-09-536-483A-5	Sequence 5, Appli
31	32	58.2	353	5	US-09-488-725A-3230	Sequence 3230, Ap
32	32	58.2	428	5	US-09-489-039A-7294	Sequence 7294, Ap
33	32	58.2	435	5	US-09-489-039A-7287	Sequence 7287, Ap
34	32	58.2	437	5	US-09-536-483A-4	Sequence 4, Appli
35	32	58.2	509	5	US-09-536-483A-2	Sequence 2, Appli
36	32	58.2	514	5	US-09-489-039A-10909	Sequence 10909, A
37	32	58.2	794	5	US-09-463-402-2	Sequence 2, Appli
38	32	58.2	1228	5	US-09-770-219-3	Sequence 3, Appli
39	31	56.4	41	5	US-09-381-150A-4	Sequence 3, Appli
40	31	56.4	72	5	US-09-381-150A-3	Sequence 3, Appli
41	31	56.4	87	5	US-09-455-486-13	Sequence 13, Appli
42	31	56.4	133	5	US-09-489-039A-12644	Sequence 12644, A
43	31	56.4	294	5	US-09-488-725A-2732	Sequence 2732, Ap
44	31	56.4	357	5	US-09-595-298A-1354	Sequence 1354, Ap
45	31	56.4	407	5		

ALIGNMENTS

RESULT 1
US-09-445-602A-17
; Sequence 17, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY
; FILE REFERENCE: COHEN42
; CURRENT FILING DATE: 2001-01-24
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 17
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-17

Query Match 76.4%; Score 42; DB 5; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.12;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 QQNSWP 7

Db 1 QQNSWP 7

RESULT 2

US-09-445-602A-25
; Sequence 25, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY
; FILE REFERENCE: COHEN42
; CURRENT FILING DATE: 2001-01-24

; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 25
; LENGTH: 20
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-25

Query Match 76.4%; Score 42; DB 5; Length 20;
Best Local Similarity 100.0%; Pred. No. 0.23;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSNSWP 7
Db 5 QOSNSWP 11

RESULT 3
US-09-445-602A-6
; Sequence 6, Application US/09445602A
; GENERAL INFORMATION:
; APPLICANT: Cohen, Irun
; APPLICANT: ROTTER, Varda
; APPLICANT: Wolkowicz, Roland
; APPLICANT: RUIZ, Pedro
; APPLICANT: EREZ-ALON, Neta
; APPLICANT: HERKEL, Johannes
; TITLE OF INVENTION: IMMUNOGENIC COMPOSITIONS FOR INDUCTION OF ANTI-TUMOR IMMUNITY
; FILE REFERENCE: COHEN42
; CURRENT APPLICATION NUMBER: US/09/445.602A
; CURRENT FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: PCT/IL98/00266
; PRIOR FILING DATE: 1999-12-09
; PRIOR APPLICATION NUMBER: IL 121041
; PRIOR FILING DATE: 1997-06-09
; NUMBER OF SEQ ID NOS: 25
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 6
; LENGTH: 109
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-445-602A-6

Query Match 76.4%; Score 42; DB 5; Length 109;
Best Local Similarity 100.0%; Pred. No. 1.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 QOSNSWP 7
Db 90 QOSNSWP 96

RESULT 4
US-09-489-039A-12065
; Sequence 12065, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 12065
; LENGTH: 265

; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-12065

Query Match 69.1%; Score 38; DB 5; Length 265;
Best Local Similarity 75.0%; Pred. No. 13;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 QOSNSWPH 8
Db 112 QOYNLWPH 119

RESULT 5
US-09-009-843D-235
; Sequence 235, Application US/09009843D
; GENERAL INFORMATION:
; APPLICANT: Arai, Naoko
; Masuda, Esteban S.
; Tokumitsu, Hiroshi
; TITLE OF INVENTION: PURIFIED COMPONENTS OF MAMMALIAN
TRANSCRIPTION REGULATION COMPLEXES, AND ANALOGS
; NUMBER OF SEQUENCES: 266
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DNAX Research Institute
; STREET: 901 California Avenue
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304-1104
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30; #2.0; and
word processor
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/009,843D
; FILING DATE: 20-Jan-1998
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/222,626
; FILING DATE: 04-APR-1994
; APPLICATION NUMBER: US 08/148,061
; FILING DATE: 05-NOV-1993
; APPLICATION NUMBER: US 08/113,971
; FILING DATE: 30-AUG-1993
; APPLICATION NUMBER: US 08/099,998
; FILING DATE: 30-JUL-1993
; APPLICATION NUMBER: US 08/088,483
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Ching, Edwin P.
; REGISTRATION NUMBER: 34,090
; REFERENCE/DOCKET NUMBER: DX0392K3B
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-852-9196
; TELEFAX: 650-496-1200
; INFORMATION FOR SEQ ID NO: 235:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 41 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; SEQUENCE DESCRIPTION: SEQ ID NO: 235:
US-09-009-843D-235

Query Match 63.6%; Score 35; DB 5; Length 41;
Best Local Similarity 50.0%; Pred. No. 6.9;
Matches 4; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 QOSNSWPH 8
Db 12 EOTKAWPH 19

RESULT 6

US-09-488-725A-2779
; Sequence 2779, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 2779
; LENGTH: 311
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-2779

Query Match 63.6%; Score 35; DB 5; Length 310;
Best Local Similarity 71.4%; Pred. No. 49;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 QOSNSWPH 8
Db 205 QSKDWPH 211

RESULT 7

US-09-488-725A-6351
; Sequence 6351, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344

; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 6351
; LENGTH: 324
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-6351

Query Match 63.6%; Score 35; DB 5; Length 324;
Best Local Similarity 71.4%; Pred. No. 51;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 QOSNSWPH 8
Db 219 QSKDWPH 225

RESULT 8

US-09-782-980-16
; Sequence 16, Application US/09782980
; GENERAL INFORMATION:
; APPLICANT: Khodadoust, Mehran M.
; APPLICANT: Macbeth, Kyle J.
; APPLICANT: Busfield, Samantha J.
; APPLICANT: McCarthy, Sean A.
; APPLICANT: Holtzman, Douglas A.
; APPLICANT: Gu, Wei
; APPLICANT: White, David
; APPLICANT: Pan, Yang
; TITLE OF INVENTION: NOVEL ITALY, LOR-2, STRIFE, TRASH, BDSF, LRSG, AND
; TITLE OF INVENTION: STMTS PROTEIN AND NUCLEIC ACID MOLECULES AND USES
; THEREFOR
; FILE REFERENCE: WNI-121CP
; CURRENT APPLICATION NUMBER: US/09/782,980
; CURRENT FILING DATE: 2001-02-13
; PRIOR APPLICATION NUMBER: PCT/US00/02125
; PRIOR FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: 09/448,076
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: 09/276,400
; PRIOR FILING DATE: 1999-03-25
; PRIOR APPLICATION NUMBER: 60/117,580
; PRIOR FILING DATE: 1999-01-27
; PRIOR APPLICATION NUMBER: 09/014,195
; PRIOR FILING DATE: 1998-01-27
; PRIOR APPLICATION NUMBER: 09/014,348
; PRIOR FILING DATE: 1998-01-27
; PRIOR APPLICATION NUMBER: 09/086,892
; PRIOR FILING DATE: 1998-05-29
; PRIOR APPLICATION NUMBER: 09/296,208
; PRIOR FILING DATE: 1999-04-21
; PRIOR APPLICATION NUMBER: 09/063,950
; PRIOR FILING DATE: 1998-04-21
; PRIOR APPLICATION NUMBER: 09/561,381
; PRIOR FILING DATE: 2000-04-28
; PRIOR APPLICATION NUMBER: 09/561,810
; PRIOR FILING DATE: 2000-04-28
; PRIOR APPLICATION NUMBER: 09/087,121
; PRIOR FILING DATE: 1998-05-29
; PRIOR APPLICATION NUMBER: 09/672,721
; PRIOR FILING DATE: 2000-09-28
; PRIOR APPLICATION NUMBER: 09/049,799
; PRIOR FILING DATE: 1998-03-27
; NUMBER OF SEQ ID NOS: 176
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 16
; LENGTH: 774
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-782-980-16

Query Match 61.8%; Score 34; DB 5; Length 774;
Best Local Similarity 71.4%; Pred. No. 1.7e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 QSNWPH 8
| :||||
Db 26 QYDSWPH 32

RESULT 9
US-09-702-572-7
; Sequence 7, Application US/09702572
; GENERAL INFORMATION:
; APPLICANT: Khodadoust, Mehran
; TITLE OF INVENTION: NOVEL MSP-18 PROTEIN AND NUCLEIC ACID MOLECULES AND
; FILE REFERENCE: MNI-073
; CURRENT APPLICATION NUMBER: US/09/702,572
; CURRENT FILING DATE: 2000-10-31
; PRIOR APPLICATION NUMBER: 09/276,400
; PRIOR FILING DATE: 1999-03-25
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 774
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-702-572-7

Query Match 61.8%; Score 34; DB 5; Length 774;
Best Local Similarity 71.4%; Pred. No. 1.7e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 QSNWPH 8
| :||||
Db 26 QYDSWPH 32

RESULT 10
US-09-209-462B-173
; Sequence 173, Application US/09209462B
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: 86 Human Secreted Proteins
; FILE REFERENCE: PZ008PI
; CURRENT APPLICATION NUMBER: US/09/209,462B
; CURRENT FILING DATE: 1998-12-11
; PRIOR APPLICATION NUMBER: PCT/US98/12125
; PRIOR FILING DATE: 1998-06-11
; PRIOR APPLICATION NUMBER: 60/049,547
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,548
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,549
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,550
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,566
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,606
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,607
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,608
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,609
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,610
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/049,611
; PRIOR FILING DATE: 1997-06-13

; PRIOR APPLICATION NUMBER: 60/050,901
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/052,989
; PRIOR FILING DATE: 1997-06-13
; PRIOR APPLICATION NUMBER: 60/051,919
; PRIOR FILING DATE: 1997-07-08
; PRIOR APPLICATION NUMBER: 60/055,984
; PRIOR FILING DATE: 1997-08-18
; PRIOR APPLICATION NUMBER: 60/058,665
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,668
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,669
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,750
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,971
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,972
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/058,975
; PRIOR FILING DATE: 1997-09-12
; PRIOR APPLICATION NUMBER: 60/060,834
; PRIOR FILING DATE: 1997-10-02
; PRIOR APPLICATION NUMBER: 60/060,841
; PRIOR FILING DATE: 1997-10-02
; PRIOR APPLICATION NUMBER: 60/060,844
; PRIOR FILING DATE: 1997-10-02
; PRIOR APPLICATION NUMBER: 60/060,865
; PRIOR FILING DATE: 1997-10-02
; PRIOR APPLICATION NUMBER: 60/061,059
; PRIOR FILING DATE: 1997-10-02
; PRIOR APPLICATION NUMBER: 60/061,060
; PRIOR FILING DATE: 1997-10-02
; NUMBER OF SEQ ID NOS: 737
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 173
; LENGTH: 40
; TYPE: PRT
; ORGANISM: Homo sapiens
; NAME/KEY: SITE
; LOCATION: (40)
; OTHER INFORMATION: Xaa equals stop translation
US-09-209-462B-173

Query Match 60.0%; Score 33; DB 5; Length 40;
Best Local Similarity 44.4%; Pred. No. 14;
Matches 4; Conservative 2; Mismatches 3; Indels 0; Gaps 0;

Qy 1 QOSNSWPH 9
| :||||
Db 20 EHGSPWPH 28

RESULT 11
PCT-US01-01340-744
; Sequence 744, Application PC/TUS0101340
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc., et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
; FILE REFERENCE: PC007PCT
; CURRENT APPLICATION NUMBER: PCT/US01/01340
; CURRENT FILING DATE: 2001-01-14
; Prior application data removed - refer to PALM or file wrapper
; NUMBER OF SEQ ID NOS: 2442
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 744
; LENGTH: 72
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:

; NAME/KEY: SITE
 ; LOCATION: (64)
 ; OTHER INFORMATION: Xaa equals any of the naturally occurring L-amino acids
 PCT-US01-01340-744

Query Match 60.0%; Score 33; DB 1; Length 72;
 Best Local Similarity 71.4%; Pred. No. 26;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 QQNSWP 7
 ||: |||
 Db 30 QQQSWP 36

RESULT 12
 US-09-352-616A-383
 ; Sequence 383, Application US/09352616A
 ; GENERAL INFORMATION:
 ; APPLICANT: Dillon, Davin C.
 ; APPLICANT: Harlocker, Susan Louise
 ; APPLICANT: Jiang, Yuqi
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Mitcham, Jennifer Lynn
 ; TITLE OF INVENTION: COMPOUNDS FOR IMMUNOTHERAPY AND DIAGNOSIS
 ; FILE OF INVENTION: OF PROSTATE CANCER AND METHODS FOR THEIR USE
 ; FILE REFERENCE: 210121.427C8
 ; CURRENT APPLICATION NUMBER: US/09/352.616A
 ; CURRENT FILING DATE: 1999-07-13
 ; NUMBER OF SEQ ID NOS: 472
 ; SOFTWARE: FastSEQ for Windows Version 3.0
 ; SEQ ID NO 383
 ; LENGTH: 154
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-352-616A-383

Query Match 60.0%; Score 33; DB 5; Length 154;
 Best Local Similarity 62.5%; Pred. No. 53;
 Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 QNSWPH 9
 | ||||
 Db 9 QGARWPH 16

RESULT 13
 US-09-759-143-383
 ; Sequence 383, Application US/09759143
 ; GENERAL INFORMATION:
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Dillon, Davin C.
 ; APPLICANT: Mitcham, Jennifer L.
 ; APPLICANT: Harlocker, Susan L.
 ; APPLICANT: Jiang, Yuqi
 ; APPLICANT: Henderson, Robert A.
 ; APPLICANT: Kalos, Michael D.
 ; APPLICANT: Fanger, Gary R.
 ; APPLICANT: Retter, Marc W.
 ; APPLICANT: Stolk, John A.
 ; APPLICANT: Day, Craig H.
 ; APPLICANT: Vedvick, Thomas S.
 ; APPLICANT: Carter, Darrick
 ; APPLICANT: Li, Samuel
 ; APPLICANT: Wang, Aijun
 ; APPLICANT: Skeiky, Yasir A.W.
 ; APPLICANT: Hepler, William
 ; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
 ; FILE OF INVENTION: DIAGNOSIS OF PROSTATE CANCER
 ; FILE REFERENCE: 210121.427C23
 ; CURRENT APPLICATION NUMBER: US/09/759.143
 ; CURRENT FILING DATE: 2001-01-12

; NUMBER OF SEQ ID NOS: 934
 ; SOFTWARE: FastSEQ for Windows Version 3.0
 ; SEQ ID NO 383
 ; LENGTH: 154
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-759-143-383

Query Match 60.0%; Score 33; DB 5; Length 154;
 Best Local Similarity 62.5%; Pred. No. 53;
 Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 QNSWPH 9
 | ||||
 Db 9 QGARWPH 16

RESULT 14
 US-09-679-426-383
 ; Sequence 383, Application US/09679426
 ; GENERAL INFORMATION:
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Dillon, Davin C.
 ; APPLICANT: Mitcham, Jennifer L.
 ; APPLICANT: Harlocker, Susan L.
 ; APPLICANT: Jiang, Yuqi
 ; APPLICANT: Henderson, Robert A.
 ; APPLICANT: Kalos, Michael D.
 ; APPLICANT: Fanger, Gary R.
 ; APPLICANT: Retter, Marc W.
 ; APPLICANT: Stolk, John A.
 ; APPLICANT: Day, Craig H.
 ; APPLICANT: Vedvick, Thomas S.
 ; APPLICANT: Carter, Darrick
 ; APPLICANT: Li, Samuel
 ; APPLICANT: Wang, Aijun
 ; APPLICANT: Skeiky, Yasir A.W.
 ; APPLICANT: Hepler, William
 ; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
 ; FILE OF INVENTION: DIAGNOSIS OF PROSTATE CANCER
 ; FILE REFERENCE: 210121.427C20
 ; CURRENT APPLICATION NUMBER: US/09/679.426
 ; CURRENT FILING DATE: 2000-10-02
 ; NUMBER OF SEQ ID NOS: 895
 ; SOFTWARE: FastSEQ for Windows Version 3.0
 ; SEQ ID NO 383
 ; LENGTH: 154
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-679-426-383

Query Match 60.0%; Score 33; DB 5; Length 154;
 Best Local Similarity 62.5%; Pred. No. 53;
 Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 QNSWPH 9
 | ||||
 Db 9 QGARWPH 16

RESULT 15
 US-09-685-166-383
 ; Sequence 383, Application US/09685166
 ; GENERAL INFORMATION:
 ; APPLICANT: Xu, Jiangchun
 ; APPLICANT: Dillon, Davin C.
 ; APPLICANT: Mitcham, Jennifer L.
 ; APPLICANT: Harlocker, Susan L.
 ; APPLICANT: Jiang, Yuqi
 ; APPLICANT: Henderson, Robert A.
 ; APPLICANT: Kalos, Michael D.

; APPLICANT: Fanger, Gary R.
; APPLICANT: Retter, Marc W.
; APPLICANT: Stolk, John A.
; APPLICANT: Day, Craig H.
; APPLICANT: Vedvick, Thomas S.
; APPLICANT: Carter, Darrick
; APPLICANT: Li, Samuel
; APPLICANT: Wang, AiJun
; APPLICANT: Skeiky, Yasir A.W.
; APPLICANT: Hepler, William
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY AND
; FILE REFERENCE: 210121.427C21
; CURRENT APPLICATION NUMBER: US/09/685,166
; CURRENT FILING DATE: 2000-10-10
; NUMBER OF SEQ ID NOS: 898
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 383
; LENGTH: 154
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-685-166-383

Query Match 60.0%; Score 33; DB 5; Length 154;
Best Local Similarity 62.5%; Pred. No. 53;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 QSNWPHT 9
| | | | |
Db 9 QGARWPHT 16

Search completed: March 28, 2001, 07:22:17
Job time: 1509 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:27:17 ; Search time 141.45 Seconds
(without alignments)
56.164 Million cell updates/sec

Title: US-09-016-061-6
Perfect score: 612
Sequence: 1 EVLVESGGLVKPGRSLRL.....RHNYGFAYWGQGLTVTUSA 117
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 195891 seqs, 67900655 residues
Total number of hits satisfying chosen parameters: 195891

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_66:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	494.5	80.8	254	2 B31790	Ig heavy chain V r
2	486.5	79.5	121	2 H27888	Ig heavy chain V r
3	486	79.4	138	2 S09258	Ig heavy chain V r
4	483.5	79.0	112	2 A27889	Ig heavy chain V r
5	480.5	78.5	548	2 S38864	Ig epsilon chain C
6	479.5	78.3	113	2 S26468	Ig heavy chain V r
7	477.5	78.0	121	2 D27888	Ig heavy chain V r
8	476.5	77.9	123	2 G27888	Ig heavy chain V r
9	476	77.8	122	2 E27888	Ig heavy chain V r
10	472.5	77.2	119	2 F27888	Ig heavy chain V r
11	471	77.0	120	2 S5536	Ig heavy chain V r
12	467	76.3	111	2 PH1007	Ig heavy chain V r
13	466	76.1	117	1 HVMS34	Ig heavy chain V r
14	466	76.1	118	2 S20641	Ig heavy chain pre
15	466	76.1	119	2 S31108	Ig heavy chain V r
16	464.5	75.9	119	2 D27889	Ig heavy chain - h
17	463.5	75.7	123	2 S63597	Ig heavy chain V r
18	462	75.5	117	2 S78486	Ig heavy chain V r
19	462	75.5	119	2 C36005	Ig heavy chain V r
20	462	75.5	119	2 S31107	Ig heavy chain - h
21	462	75.5	120	2 S5537	Ig heavy chain V r
22	462	75.5	140	2 S31588	Ig heavy chain V r
23	461.5	75.4	128	2 PH0095	Ig kappa chain V r
24	461	75.3	117	2 PL0249	Ig heavy chain V r
25	461	75.3	120	2 S5539	Ig heavy chain V r
26	461	75.3	140	2 S31686	Ig heavy chain V r
27	461	75.3	152	2 B26471	Ig heavy chain pre
28	460	75.2	124	2 C27888	Ig heavy chain V r
29	459.5	75.1	118	2 PH0096	Ig heavy chain V r

30	459.5	75.1	118	2 PH0097	Ig heavy chain V r
31	459.5	75.1	121	2 I27887	Ig heavy chain V r
32	458	74.8	124	2 I27888	Ig heavy chain V r
33	457.5	74.8	128	2 PH0094	Ig heavy chain V r
34	456	74.5	142	2 C34903	Ig heavy chain pre
35	454.5	74.3	139	2 S38808	Ig heavy chain - m
36	454	74.2	117	2 PL0252	Ig heavy chain V r
37	453	74.0	119	2 D36005	Ig heavy chain V r
38	453	74.0	120	2 S5538	Ig heavy chain V r
39	453	74.0	123	2 S31114	Ig heavy chain - h
40	453	74.0	127	2 S38489	Ig heavy chain - h
41	453	74.0	138	2 S31666	Ig heavy chain V r
42	452.5	73.9	120	2 S48798	Ig heavy chain V r
43	451.5	73.8	121	2 S55540	Ig heavy chain V r
44	451	73.7	111	2 S40090	Ig heavy chain - m
45	450	73.5	121	2 S19666	Ig heavy chain V r

ALIGNMENTS

RESULT 1

B31790
Ig heavy chain V region (17/9) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 31-Mar-1990 #sequence_revision 31-Mar-1990 #text_change 23-May-1997
C:Accession: B31790
R:Schulze-Gahmen, U.; Rini, J.M.; Arevalo, J.; Stura, E.A.; Kenten, J.H.; Willson, I.A
J. Biol. Chem. 263, 17100-17105, 1988
A:Title: Preliminary crystallographic data, primary sequence, and binding data for an
A:Reference number: A92686; MUID:89034213
A:Accession: B31790
A:Molecule type: mRNA
A:Residues: 1-254 <SCH>
C:Superfamily: immunoglobulin C region; immunoglobulin homology
C:Keywords: heterotrimer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 80.8%; Score 494.5; DB 2; Length 254;
Best Local Similarity 80.0%; Pred. No. 5.5e-39;
Matches 96; Conservative 10; Mismatches 11; Indels 3; Gaps 1;

Qy	1	EVLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKKLEWAKVSSGGSTYY	60
Db	1	EVLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKKLEWAKVSSGGSTYY	60
Qy	61	LDTVQGRFTISRDNKNTLYLQWSSLNSEDYAMYCA---RHNYGFAYWGQGLTVTUSA	117
Db	61	PDSVKGRTISRDNKNTLYLQWSSLNSEDYAMYCA---RHNYGFAYWGQGLTVTUSA	120

RESULT 2

H27888
Ig heavy chain V region (H37-40) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
C:Accession: H27888
R:Catton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
EMBO J. 5, 1577-1587, 1986
A:Title: Structural and functional implications of a restricted antibody response to
A:Reference number: A91043; MUID:86300658
A:Accession: H27888
A:Molecule type: DNA
A:Residues: 1-121 <CAT>
A:Experimental source: strain Balb/c
A>Note: This sequence was determined from the germline gene
C:Comment: This chain was isolated from a hybridoma protein that binds influenza viru
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotrimer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

```
Query Match          79.5%; Score 486.5; DB 2; Length 121;
Best Local Similarity 81.0%; Pred. No. 1.4e-38;
Matches 98; Conservative 4; Mismatches 14; Indels 5; Gaps 2;

QY 1 EVOLVESGGLVKPGRSLRLSCAASGAFSSYDMSVVRQIPEKRLWAKVSSGGSTYY 60
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 1 EVOLVESGGLVKPGRSLRLSCAASGFTFSYAMSVWRQSPERKLEWAEISSGGSTYY 60
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

QY 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDAMYCARIN--YGS---FAYWQGGTLVTV 115
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDAMYCARIN--YGS---FAYWQGGTLVTV 115
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

QY 116 S 116
Db 121 S 121

RESULT 3
S09258
Ig heavy chain V region precursor - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 29-Jan-1993 #sequence_revision 29-Jan-1993 #text_change 23-Jul-1999
C:Accession: S09258
R:Hamada, H.; Maezawa, K.; Tsuruo, T.
Nucleic Acids Res. 18, 1900, 1990
A:Title: Nucleotide sequences of the variable regions of a mouse monoclonal antibody MRK
A:Reference number: S09258; MUID:90245594
A:Accession: S09258
A:Molecule type: DNA
A:Residues: 1-138 <HAM>
A:Cross-references: EMBL:X51719; NID:g53207; PIDN:CAA36012.1; PID:g297545
C:Genetics:
A: Introns: 16/1
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:34-117/Domain: immunoglobulin homology <IMM>

Query Match          79.4%; Score 486; DB 2; Length 138;
Best Local Similarity 81.5%; Pred. No. 1.8e-38;
Matches 97; Conservative 8; Mismatches 12; Indels 2; Gaps 2;

QY 1 EVOLVESGGLVKPGRSLRLSCAASGAFSSYDMSVVRQIPEKRLWAKVSSGGSTYY 60
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 20 EVILVESGGLVKPGRSLRLSCAASGFTFSYAMSVWRQTPERKLEWATISSGGNTYY 79
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

QY 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDAMYCAR--HNTGS--FAYWQGGTLVTVSA 117
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 80 PDSVKGRFTISRDNKNTLYLQMSLSNSEDALYYCARYRYEAWFASWQGGTLVTVSA 138
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

RESULT 4
A27889
Ig heavy chain V region (HIC5-401) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
C:Accession: A27889
R:Catton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
EMBO J. 5, 1577-1587, 1986
A:Title: Structural and functional implications of a restricted antibody response to a
A:Reference number: A91043; MUID:86300658
A:Accession: A27889
A:Molecule type: DNA
A:Residues: 1-112 <CAT>
A:Experimental source: strain Balb/c
A:Note: This sequence was determined from the germline gene
C:Comment: This chain was isolated from a hybridoma protein that binds influenza virus
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:12-95/Domain: immunoglobulin homology <IMM>

Query Match          79.0%; Score 483.5; DB 2; Length 112;
Best Local Similarity 84.4%; Pred. No. 5.8e-38;
Matches 92; Conservative 5; Mismatches 9; Indels 3; Gaps 1;
```

```
Best Local Similarity 83.2%; Pred. No. 2.4e-38;
Matches 94; Conservative 5; Mismatches 13; Indels 1; Gaps 1;

QY 4 LVESGGGLVKPGRSLRLSCAASGAFSSYDMSVVRQIPEKRLWAKVSSGGSTYYLDT 63
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 1 LVESGGGLVKPGRSLRLSCAASGFTFSIYAMSVWRQSPERKLEWAEISSGGSTYYPDT 60
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

QY 64 VOGRTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWQGGTLVTVS 116
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 61 VTGRTISRDNKNTLYLQMSLSNSEDAMYCARH--WEEFAYWQGGTLVTVS 112
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

RESULT 5
S38864
Ig epsilon chain C region - mouse (fragment)
C:Species: Mus musculus (house mouse)
C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 05-Nov-1999
C:Accession: S38864
R:Kipp, B.; Becker, W.; Schlaak, M.
submitted to the EMBL Data Library, November 1993
A:Description: Combination of a defined specificity and desired isotype by cloning of
A:Reference number: S38864
A:Accession: S38864
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-548 <KIP>
A:Cross-references: EMBL:Z27397; NID:g416537; PIDN:CAA81788.1; PID:g940782
C:Superfamily: immunoglobulin homology
F:353-421/Domain: immunoglobulin homology <IMM>

Query Match          78.5%; Score 480.5; DB 2; Length 548;
Best Local Similarity 78.3%; Pred. No. 2.5e-37;
Matches 94; Conservative 9; Mismatches 14; Indels 3; Gaps 1;

QY 1 EVOLVESGGLVKPGRSLRLSCAASGAFSSYDMSVVRQIPEKRLWAKVSSGGSTYY 60
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 1 QVKLLESGDLVKPGRSLRLSCAASGLTSSYSGMSVVRQIPDKRLWVATISSGGTYY 60
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

QY 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDAMYCARHNYGS---FAYWQGGTLVTVSA 117
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 61 PDSVKGRFTISRDNKNTLYLQMSLSNSEDAMYCARQGVSTMRFAYWQGGTLVTVSA 120
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

RESULT 6
S26468
Ig heavy chain V region - mouse
C:Species: Mus musculus (house mouse)
C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
C:Accession: S26468
R:Kavaler, J.
submitted to the EMBL Data Library, April 1991
A:Reference number: S26459
A:Accession: S26468
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-113 <KAV>
A:Cross-references: EMBL:X59107; NID:g51944; PIDN:CAA41833.1; PID:g51945
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:11-94/Domain: immunoglobulin homology <IMM>

Query Match          78.3%; Score 479.5; DB 2; Length 113;
Best Local Similarity 84.4%; Pred. No. 5.8e-38;
Matches 92; Conservative 5; Mismatches 9; Indels 3; Gaps 1;

QY 9 GGLVKPGRSLRLSCAASGAFSSYDMSVVRQIPEKRLWAKVSSGGSTYYLDTVOGRF 68
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Db 5 GSLVKPGRSLRLSCAASGAFSSYDMSVVRQTPERKLEWAEISSGGSTYYPDTVKGRF 64
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

QY 69 TISRDNKNTLYLQMSLSNSEDAMYCARHNYGSF---AYWQGGTLVT 114
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
```

Db 65 TISRDNAKNTLYLQMSLSKSEDTAMYYCARHPYGNYYANDYWGQTSVT 113

RESULT 7

D27888
Ig heavy chain V region (H37-60) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
C:Accession: D27888
EMBO J. 5, 1577-1587, 1986
R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
A:Title: Structural and functional implications of a restricted antibody response to a
A:Reference number: A91043; MUID:86300658
A:Accession: D27888
A:Molecule type: DNA
A:Residues: 1-121 <CAT>
A:Experimental source: strain Balb/c
A:Note: this sequence was determined from the germline gene
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 78.0%; Score 477.5; DB 2; Length 121;
Best Local Similarity 77.7%; Pred. No. 9.5e-38;
Matches 94; Conservative 8; Mismatches 14; Indels 5; Gaps 1;

QY 1 EVQLVESGGGLVQPKGRSLRLSCAASGFAFSSYDMSVWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 EVNLVESGGDLVQPGSLKLSCAASGFAFSSYDMSVWVRQIPEKRLWVATISSGGSTYY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSKSEDTAMYYCARHNYGS-----FAYWGQGLTV 115
Db 61 PDSVKGRTISRDNKNTLYLQMSLSKSEDTALYICARQDINYYDDDDFTYWGQGLTV 120

QY 116 S 116
Db 121 S 121

RESULT 8

G27888
Ig heavy chain V region (H28-A2) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
C:Accession: G27888
EMBO J. 5, 1577-1587, 1986
R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
A:Title: Structural and functional implications of a restricted antibody response to a
A:Reference number: A91043; MUID:86300658
A:Accession: G27888
A:Molecule type: DNA
A:Residues: 1-123 <CAT>
A:Experimental source: strain Balb/c
A:Note: this sequence was determined from the germline gene
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 77.9%; Score 476.5; DB 2; Length 123;
Best Local Similarity 78.9%; Pred. No. 1.2e-37;
Matches 97; Conservative 4; Mismatches 15; Indels 7; Gaps 2;

QY 1 EVQLVESGGGLVQPKGRSLRLSCAASGFAFSSYDMSVWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 EVQLVESGGGLVQPGSLKLSCAASGFTFSYAMSVWVRQIPEKRLWVATISSGGSTYY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSKSEDTAMYYCAR-----HNYGS----FAYWGQGLTV 113
Db 61 PDSVKGRTISRDNKNTLYLQMSLSKSEDTALYICARQDINYYDDDDFTYWGQGLTV 120

QY 114 TVS 116
Db 121 TVS 123

RESULT 9

E27888
Ig heavy chain V region (H35-C6) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
C:Accession: E27888
EMBO J. 5, 1577-1587, 1986
R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
A:Title: Structural and functional implications of a restricted antibody response to
A:Reference number: A91043; MUID:86300658
A:Accession: E27888
A:Molecule type: DNA
A:Residues: 1-122 <CAT>
A:Experimental source: strain Balb/c
A:Note: this sequence was determined from the germline gene
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 77.8%; Score 476; DB 2; Length 122;
Best Local Similarity 77.0%; Pred. No. 1.3e-37;
Matches 94; Conservative 8; Mismatches 14; Indels 6; Gaps 2;

QY 1 EVQLVESGGGLVQPKGRSLRLSCAASGFAFSSYDMSVWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 DVKLVESGGGLVQPGSLKLSCAASGFTFSYTMVWVRQIPEKRLWVATISSGGSTYY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSKSEDTAMYYCAR----HNYGSFA--YWGQGLTV 114
Db 61 PDSVKGRTISRDNKNTLYLQMSLSKSEDTAMYYCTROGEGYRDDYANDYWGQGLTV 120

QY 115 VS 116
Db 121 VS 122

RESULT 10

F27888
Ig heavy chain V region (H158-89H4) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 16-Aug-1996
C:Accession: F27888
EMBO J. 5, 1577-1587, 1986
R:Caton, A.J.; Brownlee, G.G.; Staudt, L.M.; Gerhard, W.
A:Title: Structural and functional implications of a restricted antibody response to
A:Reference number: A91043; MUID:86300658
A:Accession: F27888
A:Molecule type: DNA
A:Residues: 1-119 <CAT>
A:Experimental source: strain Balb/c
A:Note: this sequence was determined from the germline gene
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 77.2%; Score 472.5; DB 2; Length 119;
Best Local Similarity 79.0%; Pred. No. 2.7e-37;
Matches 94; Conservative 7; Mismatches 15; Indels 3; Gaps 2;

QY 1 EVQLVESGGGLVQPKGRSLRLSCAASGFAFSSYDMSVWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 DVKLVESGGGLVQPGSLKLSCAASGFTFSYTMVWVRQIPEKRLWVATISSGGSTYY 60

HVMS34

Ig heavy chain precursor V region (345) - mouse
C:Species: Mus musculus (house mouse)
C:Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 31-Mar-1997
C:Accession: J70502
R:Levy, N.S.; Mallapiero, U.V.; Lebecque, S.G.; Gearhart, P.J.
J. Exp. Med. 169, 2007-2019, 1989
A:Title: Early onset of somatic mutation in immunoglobulin VH genes during the primary
A:Reference number: J70501; MUID:89279149
A:Accession: J70502
A:Status: translation not shown
A:Molecule type: mRNA
A:Residues: 1-117 <LEV>
A:Experimental source: strain BALB/cJ
A:Note: this sequence belongs to the VH7183 subfamily
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:1-19/Domain: signal sequence #status predicted <SIG>
F:20-117/Product: Ig heavy chain V region (345) #status predicted <MAT>
F:34-117/Domain: immunoglobulin homology <IMM>
F:41-115/Disulfide bonds: #status predicted

Query Match 76.1%; Score 466; DB 1; Length 117;
Best Local Similarity 91.8%; Pred. No. 1.1e-36;
Matches 90; Conservative 3; Mismatches 5; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVKPGGSLRLCSAASGFAFSSYDMSVWVRQIPKRLRWAKVSSGGSTYY 60
|||||
DB 20 EVQLVESGGGLVKPGGSLRLCSAASGFAFSSYDMSVWVRQIPKRLRWAKVSSGGSTYY 79
|||||
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYCYAR 98
|||||
DB 80 PDTVKGRTISRDNKNTLYLQMSLSKSEDATMYCYAR 117
|||||

RESULT 14
S20641
Ig heavy chain V region - mouse
C:Species: Mus musculus (house mouse)
C:Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 23-Jul-1999
C:Accession: S20641
R:Losman, M.; Fasy, T.M.; Novick, K.E.; Monestier, M.
submitted to the EMBL Data Library, February 1992
A:Description: Relationships among antinuclear antibodies from autoimmune MRL mice re
A:Reference number: S20639
A:Accession: S20641
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-118 <LOS>
A:Cross-references: EMBL:X65003; NID:g52602; PIDN:CAA46136.1; PID:g52603
C:Superfamily: immunoglobulin V region; immunoglobulin homology
C:Keywords: heterotetramer; immunoglobulin
F:15-98/Domain: immunoglobulin homology <IMM>

Query Match 76.1%; Score 466; DB 2; Length 118;
Best Local Similarity 76.3%; Pred. No. 1.1e-36;
Matches 90; Conservative 10; Mismatches 16; Indels 2; Gaps 1;

QY 1 EVQLVESGGGLVKPGGSLRLCSAASGFAFSSYDMSVWVRQIPKRLRWAKVSSGGSTYY 60
|||||
DB 1 EVKLVESGGGLVKPGGSLRLCSAASGFTSNYTFVWVRQTPAKRLRWANISSGGNTYY 60
|||||
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYCYARHNYGSFA--YWGQGTLVTVS 116
|||||
DB 61 PDSVKGRTISRDNVWNILYLMSSLRSEDATMYCYARRAYSNYALDFWGGTSTVTS 118
|||||

RESULT 15
S31108
Ig heavy chain - human
C:Species: Homo sapiens (man)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:02:13 ; Search time 124.69 Seconds
(without alignments)
29.978 Million cell updates/sec

Title: US-09-016-061-6
Perfect score: 612
Sequence: 1 EVQLVESGGLVKPGKSLRL.....RHNYGSFAYWGQGLTVTSA 117

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 87993 seqs, 31947931 residues

Total number of hits satisfying chosen parameters: 87993

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	466	76.1	117	1 HV55_MOUSE	P18526 mus musculus
2	439	71.7	117	1 HV54_MOUSE	P18525 mus musculus
3	438.5	71.7	136	1 HV16_MOUSE	P01783 mus musculus
4	433.5	70.8	122	1 HV36_HUMAN	P01768 homo sapien
5	422.5	69.0	97	1 HV56_MOUSE	P18527 mus musculus
6	419	68.5	98	1 HV57_MOUSE	P18528 mus musculus
7	417.5	68.2	116	1 HV3T_HUMAN	P01781 homo sapien
8	412	67.3	117	1 HV53_MOUSE	P18524 mus musculus
9	408.5	66.7	119	1 HV37_MOUSE	P01807 mus musculus
10	408.5	66.7	119	1 HV40_MOUSE	P01810 mus musculus
11	408	66.7	117	1 HV58_MOUSE	P18529 mus musculus
12	407	66.5	121	1 HV3J_HUMAN	P01771 homo sapien
13	406.5	66.4	114	1 HV3B_HUMAN	P01763 homo sapien
14	403	65.8	117	1 HV3C_HUMAN	P01764 homo sapien
15	403	65.8	119	1 HV3L_HUMAN	P01770 homo sapien
16	401.5	65.6	126	1 HV3K_HUMAN	P01772 homo sapien
17	397.5	65.0	122	1 HV3H_HUMAN	P01769 homo sapien
18	393	64.2	117	1 HV59_MOUSE	P18530 mus musculus
19	389.5	63.6	122	1 HV3A_HUMAN	P01762 homo sapien
20	387	63.2	115	1 HV32_MOUSE	P01801 mus musculus
21	387	63.2	117	1 HV02_CANFA	P01785 canis famil
22	385	62.9	119	1 HV3L_HUMAN	P01773 homo sapien
23	384	62.7	120	1 HV3E_HUMAN	P01766 homo sapien
24	383.5	62.7	120	1 HV3D_HUMAN	P01782 homo sapien
25	382	62.4	113	1 HV3Q_MOUSE	P01799 mus musculus
26	381	62.3	115	1 HV3F_HUMAN	P01767 homo sapien
27	380.5	62.2	119	1 HV3M_HUMAN	P01774 homo sapien
28	379.5	62.0	119	1 HV38_MOUSE	P01808 mus musculus
29	379	61.9	115	1 HV33_MOUSE	P01802 mus musculus
30	378.5	61.8	114	1 HV01_CANFA	P01784 canis famil
31	378.5	61.8	116	1 HV05_CARAU	P19181 carassius a
32	377	61.6	113	1 HV27_MOUSE	P01796 mus musculus
33	375	61.3	118	1 HV39_MOUSE	P01809 mus musculus

ALIGNMENTS

RESULT 1

HV55_MOUSE
ID HV55_MOUSE STANDARD; PRT; 117 AA.
AC P18526;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DE 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 345 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-BALB/CJ;
RX MEDLINE: 89279149.
RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during the primary immune response."
RL J. Exp. Med. 169:2007-2019(1989).
CC -!- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH183 SUBFAMILY.
DR PIR: J0502; HVMS34.
DR INTERPRO: IPR003006;
DR PFAM: PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 345.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12902 MW; 49380B4627ACA99A CRC64;

Query Match 76.1%; Score 466; DB 1; Length 117;
Best Local Similarity 91.8%; Pred. No. 1.3e-41;
Matches 90; Conservative 3; Mismatches 5; Indels 0; Gaps 0;

Qy 1 EVQLVESGGLVKPGKSLRLSCAASGFAFSFDSMVRQIPKRLLEWAKVSSGGSTYY 60
|||||
Db 20 EVQLVESGGLVKPGKSLRLSCAASGFAFSFDSMVRQIPKRLLEWAKVSSGGSTYY 79
|||||

Qy 61 LDTVOGRRTISRDNAKNTLYLQMSLSNSEDSTAMYYCAR 98
|||||
Db 80 PDTVKGRTISRDNAKNTLYLQMSLSNSEDSTAMYYCAR 117
|||||

RESULT 2

HV54_MOUSE
ID HV54_MOUSE STANDARD; PRT; 117 AA.
AC P18525;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DE 15-JUL-1999 (Rel. 38, Last annotation update)

DE IG HEAVY CHAIN V REGION 5-84. PRECURSOR.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malipiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response.";
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR: J0505; HVMS84.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Signal.
 FT SIGNAL 1 19
 FT CHAIN 20 117 IG HEAVY CHAIN V REGION 5-84.
 FT DOMAIN 20 49 FRAMEWORK 1.
 FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
 FT DOMAIN 55 68 FRAMEWORK 2.
 FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
 FT DOMAIN 86 117 FRAMEWORK 3.
 FT DISULFID 41 115 BY SIMILARITY.
 FT NON_TER 117 117
 SQ SEQUENCE 117 AA; 12872 MW; 234055CB6A469861 CRC64;

Query Match 71.7%; Score 439; DB 1; Length 117;
 Best Local Similarity 85.7%; Pred. No. 7.9e-39;
 Matches 84; Conservative 6; Mismatches 8; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVKPGKSLRLSCAASGFAFSSYDMGWVRQIPEKRLWVAKVSSGGSTYY 60
 DB 20 EVQLVESGGGLVQPGGSLKLSCAASGFTFSYTMISWVRQIPEKRLWVAYISGGSTYY 79
 QY 61 LDTVQGRFTISRDNKNTLYQMSSLSNSEDYAMYCAR 98
 DB 80 PDTVKGRTISRDNKNTLYQMSSLSKSEDYAMYCAR 117

RESULT 3
 HV16_MOUSE
 ID HV16_MOUSE STANDARD; PRT; 136 AA.
 AC P01783;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION MOPC 21 PRECURSOR (FRAGMENT).
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE; 81234548.
 RA Bothwell A.L.M., Paskind M., Reth M., Imanishi-Kari T., Rajewsky K.,
 RA Baltimore D.;
 RA "Heavy chain variable region contribution to the Npb family of
 antibodies: somatic mutation evident in a gamma 2a variable region.";
 RT Cell 24:625-637(1981).
 RL Cell 24:625-637(1981).
 RN [2]
 RP SEQUENCE OF 17-136.
 RX MEDLINE; 77100368.
 RA Adetugbo K., Milstein C., Secher D.S.;
 RA "Molecular analysis of spontaneous somatic mutants.";
 RT Nature 265:299-304(1977).
 RL Nature 265:299-304(1977).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; J00522; AAD15290.1; -
 DR PIR: A02066; GIMS21.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region; Signal.
 FT NON_TER 1 16
 FT SIGNAL <1 16
 FT CHAIN 17 136 IG HEAVY CHAIN V REGION MOPC 21.
 FT DOMAIN 115 119 D SEGMENT.
 FT DOMAIN 120 136 JH4 SEGMENT.
 FT DISULFID 38 112
 FT CONFLICT 75 78 HVAD -> DYAH (IN REF. 2).
 FT CONFLICT 89 90 DN -> ND (IN REF. 2).
 FT CONFLICT 115 115 W -> H (IN REF. 2).
 FT CONFLICT 120 120 Y -> W (IN REF. 2).
 FT NON_TER 136 136
 SQ SEQUENCE 136 AA; 15071 MW; 2276A98DBDBF7016 CRC64;

Query Match 71.7%; Score 438.5; DB 1; Length 136;
 Best Local Similarity 72.5%; Pred. No. 1.1e-38;
 Matches 87; Conservative 12; Mismatches 18; Indels 3; Gaps 2;

QY 1 EVQLVESGGGLVKPGKSLRLSCAASGFAFSSYDMGWVRQIPEKRLWVAKVSSGGSTYY 60
 DB 17 DVQLVESGGGLVQPGGSRKLSCAASGFTFSFGMHVVRQAPKGLWVAYISSGSLHY 76
 QY 61 LDTVQGRFTISRDNKNTLYQMSSLSNSEDYAMYCAR-HNYGSFA--YWGQGLTVTVSA 117
 DB 77 ADTVKGRFTISRDNKNTLYQMSSLSNSEDYAMYCARWGNYPYAMDYWGQGLTVTVSS 136

RESULT 4
 HV3G_HUMAN
 ID HV3G_HUMAN STANDARD; PRT; 122 AA.
 AC P01768;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V-III REGION CAM.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE.
 RX MEDLINE; 81013859.
 RA Lehman D.W., Putnam F.W.;
 RT "Amino acid sequence of the variable region of a human mu chain:
 location of a possible JH segment.";
 RL Proc. Natl. Acad. Sci. U.S.A. 77:3239-3243(1980).
 CC -1- MISCELLANEOUS: THIS MU CHAIN WAS ISOLATED FROM THE PLASMA OF A
 CC PATIENT WITH MACROGLOBULINEMIA.
 CC PIR: A02051; M3HUM.
 DR HSSP: P01772; 2IG2.
 DR INTERPRO: IPR003006;
 DR PFAM: PF00047; ig; 1.
 KW Immunoglobulin V region.
 FT MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
 FT NON_TER 122 122
 SQ SEQUENCE 122 AA; 13668 MW; A42D0F17D252F1C2 CRC64;

Query Match 70.8%; Score 433.5; DB 1; Length 122;
 Best Local Similarity 66.4%; Pred. No. 3.1e-38;
 Matches 81; Conservative 19; Mismatches 17; Indels 5; Gaps 1;

QY 1 EVQLVESGGGLVKPGKSLRLSCAASGFAFSSYDMGWVRQIPEKRLWVAKVSSGGSTYY 60
 DB 1 QVELVESGGGVZPGKSLRLSCAASGFTFSNYAMHWVRQPPKGLWVAVISYGBBKYY 60

QY 61 LDTVQGRFTISRDNKNTLYLQSSLSNSEDYAMYYCARH-----NYGSFAYWGQGLTVTV 115
 DB 61 ABSVKGRTISRDBSKETLYLQMSLSRAETAVYYCARDRPLYGBYRAFNWGGQGLTVTV 120
 QY 116 SA 117
 DB 121 SS 122

RESULT 5
 HV56_MOUSE STANDARD; PRT; 97 AA;
 AC P18527;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 914.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response."
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR; JT0504; HVMS91.
 DR INTERPRO; IPR003006; -.
 DR PFAM; PF00047; Ig; 1.
 KW Immunoglobulin V region.
 FT NON_TER 97
 SQ SEQUENCE 97 AA; 10661 MW; C23CB333FF55DA893 CRC64;

Query Match 69.0%; Score 422.5; DB 1; Length 97;
 Best Local Similarity 84.7%; Pred. No. 3.3e-37;
 Matches 83; Conservative 6; Mismatches 8; Indels 1; Gaps 1;

QY 1 EVQLVESGGGLVPGKSLRLSCAASGFAFSSYDMSVWVRQIPEKRLRWAKVSSGGSTYY 60
 DB 1 EVQLVESGGGLVPGKSLRLSCAASGFTFSSYAMSWVRQTPKRLRWAVATISS-GGSTYY 59
 QY 61 LDTVQGRFTISRDNKNTLYLQSSLSNSEDYAMYYCAR 98
 DB 60 PDSVKGRTISRDNARNILYQSSLSRSEDYAMYYCAR 97

RESULT 6
 HV57_MOUSE STANDARD; PRT; 98 AA;
 AC P18528;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION 6.96.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/CJ;
 RX MEDLINE; 89279149.
 RA Levy N.S., Malpiero U.V., Lebecque S.G., Gearhart P.J.;
 RT "Early onset of somatic mutation in immunoglobulin VH genes during
 the primary immune response."
 RL J. Exp. Med. 169:2007-2019(1989).
 CC -I- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
 DR PIR; JT0501; HVMS96.
 DR INTERPRO; IPR003006; -.
 DR PFAM; PF00047; Ig; 1.

KW Immunoglobulin V region.
 FT NON_TER 98
 SQ SEQUENCE 98 AA; 11007 MW; B8644F7F92FBF95B CRC64;

Query Match 68.5%; Score 419; DB 1; Length 98;
 Best Local Similarity 82.7%; Pred. No. 7.6e-37;
 Matches 81; Conservative 4; Mismatches 13; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVPGKSLRLSCAASGFAFSSYDMSVWVRQIPEKRLRWAKVSSGGSTYY 60
 DB 1 EVQLVESGGGLVPGKSLRLSCAASGFTFSSYMYWVRQTPKRLRWAVATISSDGGSTYY 60
 QY 61 LDTVQGRFTISRDNKNTLYLQSSLSNSEDYAMYYCAR 98
 DB 61 PDSVKGRTISRDNKNTLYLQSSLSNSEDYAMYYCAR 98

RESULT 7
 HV3T_HUMAN STANDARD; PRT; 116 AA;
 AC P01781;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V-III REGION GAL.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.
 RN [1]
 RP SEQUENCE.
 RX MEDLINE; 75059123.
 RA Watanabe S., Barnikol H.U., Horn J., Bertram J., Hilschmann N.;
 RT "The primary structure of a monoclonal IgM-immunoglobulin
 (macroglobulin Gal.), II: the amino acid sequence of the H-chain (mu-
 type), subgroup H III. Architecture of the complete IgM-molecule."
 RL Hoppe-Seyler's Z. Physiol. Chem. 354:1505-1509(1973).
 RN [2]
 RP REVISION TO THE COMPOSITION OF 28-33.
 RA Hilschmann N.;
 RL Submitted (JUN-1975) to the PIR data bank.
 CC -I- MISCELLANEOUS: THIS MU CHAIN WAS ISOLATED FROM A WALDENSTROM'S
 MACROGLOBULIN.
 CC PIR; A02064; M3HUGL.
 DR HSP; P01772; 2IG2.
 DR INTERPRO; IPR003006; -.
 DR PFAM; PF00047; Ig; 1.
 KW Immunoglobulin V region.
 FT NON_TER 116
 SQ SEQUENCE 116 AA; 12730 MW; 2C67CA9AAAAA1282 CRC64;

Query Match 68.2%; Score 417.5; DB 1; Length 116;
 Best Local Similarity 70.7%; Pred. No. 1.3e-36;
 Matches 82; Conservative 10; Mismatches 23; Indels 1; Gaps 1;

QY 1 EVQLVESGGGLVPGKSLRLSCAASGFAFSSYDMSVWVRQIPEKRLRWAKVSSGGSTYY 60
 DB 1 EVQLVESGGDLVQPGKSLRLSCAASGFBFBGLGTMVRQAPGKLEWVANIKZBGSZBY 60
 QY 61 LDTVQGRFTISRDNKNTLYLQSSLSNSEDYAMYYCARHNYGSFAYWGQGLTVTVS 116
 DB 61 VDSVKGRTISRDNKNTLYLQSSLSRVEDTALYYCAR-GWGGGDYWGQGLTVTVS 115

RESULT 8
 HV53_MOUSE STANDARD; PRT; 117 AA;
 AC P18524;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 01-NOV-1990 (Rel. 16, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE IG HEAVY CHAIN V REGION RF PRECURSOR.


```
QY 1 EVLVESGGGLVKPGSRSLRSLSCAASGFAPSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
DB 1 EVKLESGGGLVQPGSLKSLCAASGFDFSKYMSWVRQAPGKGLEWIGEIHDPDSTINY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCAR-HNYGSFAYWCGQLTVTVA 117
DB 61 TPSLKDFIISRDNAKNSLYLQMSKVRSEDALYTCARLUHYGYWAYWCGQLTVTVA 118

RESULT 11
HV3J_MOUSE STANDARD; PRT; 117 AA.
AC PI8528;
DT 01-NOV-1990 (Rel. 16, Created)
DT 01-NOV-1990 (Rel. 16, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V REGION 5-76 PRECURSOR.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RC SEQUENCE FROM N.A.
RX STRAIN-BALBYCJ;
RX MEDLINE; 89279149.
RA Levy N.S., Malpiero U.V., Lebecqec S.G., Gearhart P.J.;
RT "Early onset of somatic mutation in immunoglobulin VH genes during
RT the primary immune response.";
RL J. Exp. Med. 169:2007-2019(1989).
CC -1- MISCELLANEOUS: THIS SEQUENCE BELONGS TO THE VH7183 SUBFAMILY.
DR PIR; J0506; HVMS57.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region; Signal.
FT SIGNAL 1 19
FT CHAIN 20 117 IG HEAVY CHAIN V REGION 5-76.
FT DOMAIN 20 49 FRAMEWORK 1.
FT DOMAIN 50 54 COMPLEMENTARITY-DETERMINING 1.
FT DOMAIN 55 68 FRAMEWORK 2.
FT DOMAIN 69 85 COMPLEMENTARITY-DETERMINING 2.
FT DOMAIN 86 117 FRAMEWORK 3.
FT DISULFID 41 115 BY SIMILARITY.
FT NON_TER 117 117
SQ SEQUENCE 117 AA; 12991 MW; 93A04782B78B8FA0 CRC64;

Query Match 66.7%; Score 408; DB 1; Length 117;
Best Local Similarity 80.6%; Pred. No. 1.3e-35;
Matches 79; Conservative 5; Mismatches 14; Indels 0; Gaps 0;

QY 1 EVLVESGGGLVKPGSRSLRSLSCAASGFAPSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
DB 20 EVHVESGGGLVQPGSLKSLSCVSGSTFNKYMSWVRQTPKRLWVATISSGGLTYT 79
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCAR 98
DB 80 PDSVKGRTISRDNAGNTLYLQMSLSRSEDAMYCAR 117

RESULT 12
HV3J_HUMAN STANDARD; PRT; 121 AA.
AC P01771;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION HIL.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RC SEQUENCE.
RX MEDLINE; 79124695.
RA Chiu Y.-Y.H., Lopez de Castro J.A., Poljak R.J.;

"Amino acid sequence of the VH region of human myeloma
cryoimmunoglobulin IgG HIL.";
Biochemistry 18:553-560(1979).
-1- MISCELLANEOUS: THIS CHAIN WAS ISOLATED FROM AN IGG1 MYELOMA
PROTEIN.
PIR; A02054; GIHJHL.
DR HSSP; P01772; 2IG2.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
FT NON_TER 121 121
SQ SEQUENCE 121 AA; 13566 MW; 480FC53610EF5DAB CRC64;

Query Match 66.5%; Score 407; DB 1; Length 121;
Best Local Similarity 64.5%; Pred. No. 1.7e-35;
Matches 78; Conservative 17; Mismatches 22; Indels 4; Gaps 1;

QY 1 EVLVESGGGLVKPGSRSLRSLSCAASGFAPSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
DB 1 QVKLVQAGGVQPGSRSLRSLSCIASGFTFSNYGMHWVRQAPGKLEWAVVIWNGSRYY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCARH---NYGSFAYWCGQLTVTS 116
DB 61 GDSVKGRFTISRDNKNTLYLQMSLSNSEDAMYCARDPDILTFASFQWQGVLTVS 120
QY 117 A 117
DB 121 S 121

RESULT 13
HV3B_HUMAN STANDARD; PRT; 114 AA.
AC P01763;
DT 21-JUL-1986 (Rel. 01, Created)
DT 21-JUL-1986 (Rel. 01, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE IG HEAVY CHAIN V-III REGION WEA.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RC SEQUENCE.
RX MEDLINE; 83273707.
RA Goni F., Frangione B.;
RT "Amino acid sequence of the Fv region of a human monoclonal IgM
RT (protein WEA) with antibody activity against 3,4-pyruvylated
RT galactose in Klebsiella polysaccharides K30 and K33.";
RL Proc. Natl. Acad. Sci. U.S.A. 80:4837-4841(1983).
CC -1- MISCELLANEOUS: THIS CHAIN WAS OBTAINED FROM A MONOCLONAL ANTIBODY
CC AGAINST 3,4-PYRUVYLATED GALACTOSE AND ISOLATED FROM A PATIENT WITH
CC WALDENSTROM'S MACROGLOBULINEMIA.
DR PIR; A02046; M3HUWE.
DR HSSP; P01772; 2IG2.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
KW Immunoglobulin V region.
FT MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
FT NON_TER 114 114
SQ SEQUENCE 114 AA; 12256 MW; D88294FB418A07B7 CRC64;

Query Match 66.4%; Score 406.5; DB 1; Length 114;
Best Local Similarity 65.8%; Pred. No. 1.8e-35;
Matches 77; Conservative 19; Mismatches 18; Indels 3; Gaps 1;

QY 1 EVLVESGGGLVKPGSRSLRSLSCAASGFAPSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
DB 1 QVOLVDSGGGLVQPGSLRSLSCSASGFTFSANDNMWVRQAPGKLEWLSFVIGSGSTYY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWCGQLTVTVA 117
```


Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	440	71.9	116	4	Q9U193	Q9U193 homo sapien
2	429.5	70.2	137	11	Q9R1A4	Q9R1A4 mus musculus
3	429	70.1	121	4	Q9U171	Q9U171 homo sapien
4	428	69.9	113	4	Q9U190	Q9U190 homo sapien
5	424.5	69.4	118	4	Q9U191	Q9U191 homo sapien
6	423.5	69.2	114	4	Q9U172	Q9U172 homo sapien
7	418.5	68.4	147	4	Q9Y509	Q9Y509 homo sapien
8	413.5	67.6	122	4	Q9U184	Q9U184 homo sapien
9	393	64.2	131	4	Q9U188	Q9U188 homo sapien
10	381.5	62.3	298	11	Q9QVF0	Q9QVF0 mus musculus
11	374	61.1	95	4	Q9ULB6	Q9ULB6 homo sapien
12	357.5	58.4	124	4	Q9U192	Q9U192 homo sapien
13	339	55.4	104	4	Q9UL87	Q9UL87 homo sapien
14	332.5	54.3	124	6	Q9N0W4	Q9N0W4 oryctolagus
15	329.5	53.8	124	6	Q9N0W6	Q9N0W6 oryctolagus
16	324	52.9	125	4	Q9U195	Q9U195 homo sapien
17	321	52.5	112	4	Q9UGP3	Q9UGP3 homo sapien
18	319	52.1	117	11	Q9QX69	Q9QX69 mus musculus
19	310	50.7	117	11	Q9QXF0	Q9QXF0 mus musculus

RESULT 2

RESULT 2

```
Q9R1A4
ID Q9R1A4 PRELIMINARY; PRT; 437 AA.
AC Q9R1A4;
DT 01-MAY-2000 (TReMBLrel. 13, Created)
DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE GAMMAL HEAVY CHAIN OF MAB7 (FRAGMENT).
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Wilde K.G., Yu X., Ekramoddoullah A.K.M., Misra S.;
RT "Cloning of cDNAs encoding for anti-white pine blister rust monoclonal
RT antibody (Mab 7, its light and heavy chains) and construction of a
RT single chain antibody (scFv).";
RL Submitted (MAY-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF152372; AAD40243.1; -.
DR HSSP; P01842; 7FAB.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_1.
FT NON_TER 1
FT NON_TER 437
SQ SEQUENCE 437 AA; 48142 MW; 5C3A7BB3BE7D697C CRC64;

Query Match 70.2%; Score 429.5; DB 11; Length 437;
Best Local Similarity 75.9%; Pred. No. 3.7e-37;
Matches 88; Conservative 6; Mismatches 19; Indels 3; Gaps 2;

QY 2 VOLVESGGGLVKPGRSLRSLCAASGFAFSSYDMSWVRQIPEKRLEWAKVSGGGSTYYL 61
DB 1 VOLQESGGGLVPGGSLRSLCAASGFTFSSYAMSWVRQIPEKRLEWAKVSGGGSTYYL 59

QY 62 DTQVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNGSFAYWGQGLTVTSA 117
DB 60 DSVKGRFTIYKDKRNLISLQMSLSNSEDATMYICARGDYS--AYWGPGLTVTSA 113

RESULT 3
Q9UL71
ID Q9UL71 PRELIMINARY; PRT; 121 AA.
AC Q9UL71;
DT 01-MAY-2000 (TReMBLrel. 13, Created)
DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TReMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035043; AAD56279.1; -.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig; 1.
FT NON_TER 1
FT NON_TER 121
SQ SEQUENCE 121 AA; 13154 MW; 2F045CCFA5D50736 CRC64;

Query Match 70.1%; Score 429; DB 4; Length 121;
Best Local Similarity 67.8%; Pred. No. 8.7e-38;
Matches 82; Conservative 14; Mismatches 21; Indels 4; Gaps 1;
```

```
QY 1 EVOLVESGGGLVKPGRSLRSLCAASGFAFSSYDMSWVRQIPEKRLEWAKVSGGGSTYY 60
DB 1 EVOLVESGGGVQPGGSLRFLCAASGFTFDGYAMHWVRQAPGKLEWVSLISGSGSTYY 60

QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNGSFAYWGQGLTVTSS 116
DB 61 ADSVKGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNGSFAYWGQGLTVTSS 120

QY 117 A 117
DB 121 S 121

RESULT 4
Q9UL90
ID Q9UL90 PRELIMINARY; PRT; 113 AA.
AC Q9UL90;
DT 01-MAY-2000 (TReMBLrel. 13, Created)
DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035024; AAD56260.1; -.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; ig; 1.
FT NON_TER 1
FT NON_TER 113
SQ SEQUENCE 113 AA; 12437 MW; ED57FDD19086D07F CRC64;

Query Match 69.9%; Score 428; DB 4; Length 113;
Best Local Similarity 70.9%; Pred. No. 1e-37;
Matches 83; Conservative 12; Mismatches 18; Indels 4; Gaps 1;

QY 1 EVOLVESGGGLVKPGRSLRSLCAASGFAFSSYDMSWVRQIPEKRLEWAKVSGGGSTYY 60
DB 1 EVOLVESGGGVQPGGSLRSLCAASGFTFSSYGMHWVRQAPGKLEWAFIRYDGSNKYY 60

QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNGSFAYWGQGLTVTSA 117
DB 61 ADSVKGRFTISRDNKNTLYLQMSLSNSEDATMYICARHNGSFAYWGQGLTVTSS 113

RESULT 5
Q9UL91
ID Q9UL91 PRELIMINARY; PRT; 118 AA.
AC Q9UL91;
DT 01-MAY-2000 (TReMBLrel. 13, Created)
DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
DT 01-JUN-2000 (TReMBLrel. 14, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal
```



```
RT fetus.
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035023; AAD56259.1; -.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 118
SQ SEQUENCE 118 AA; 12843 MW; D0633949F2AC149D CRC64;

Query Match 69.4%; Score 424.5; DB 4; Length 118;
Best Local Similarity 71.8%; Pred. No. 2.5e-37;
Matches 84; Conservative 14; Mismatches 18; Indels 1; Gaps 1;

QY 1 EVLVESGGGLVPGKSLRLSCAASGFAFSSYDMWVRQIPEKRLWAKVSSGGSTYY 60
Db 1 EVLVESGGGLVPGKSLRLSCAASGFAFSSYDMWVRQIPEKRLWAKVSSGGSTYY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYG-SFAYWGQGLTVTSS 116
Db 61 ADSVKGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYG-SFAYWGQGLTVTSS 117

RESULT 6
QYUL72 PRELIMINARY; PRT; 118 AA.
AC QYUL72;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AAD56278.1; -.
DR HSSP; P01772; 2FB4.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 118
SQ SEQUENCE 118 AA; 12872 MW; B4DIA5944B2D5CCA CRC64;

Query Match 69.2%; Score 423.5; DB 4; Length 118;
Best Local Similarity 72.3%; Pred. No. 3.2e-37;
Matches 86; Conservative 12; Mismatches 18; Indels 3; Gaps 2;

QY 1 EVLVESGGGLVPGKSLRLSCAASGFAFSSYDMWVRQIPEKRLWAKVSSGGSTYY 60
Db 1 EVLVESGGGLVPGKSLRLSCAASGFAFSSYDMWVRQIPEKRLWAKVSSGGSTYY 59
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYG-SFA--YWGQGLTVTSSA 117
Db 60 ADSVKGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYG-SFA--YWGQGLTVTSS 118

RESULT 7
QY509 PRELIMINARY; PRT; 147 AA.
AC QY509;
DT 01-NOV-1999 (TrEMBLrel. 12, Created)
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE VH3 PROTEIN (FRAGMENT).
```

```
GN VH3.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=96071149; PubMed=7475288;
RA Cao J., Vescio R.A., Rettig M.B., Hong C.H., Kim A., Lee J.C.,
RA Lichtenstein A.K., Berenson J.R.;
RT "A CD10-positive subset of malignant cells is identified in multiple myeloma using PCR with patient-specific immunoglobulin gene primers.";
RL Leukemia 9:1948-1953(1995).
DR EMBL; S80860; AAD14339.1; -.
DR HSSP; P01772; 2FB4.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 147
SQ SEQUENCE 147 AA; 15768 MW; 8489FCAAA7BC925C CRC64;

Query Match 68.4%; Score 418.5; DB 4; Length 147;
Best Local Similarity 63.5%; Pred. No. 1.4e-36;
Matches 80; Conservative 16; Mismatches 21; Indels 9; Gaps 1;

QY 1 EVLVESGGGLVPGKSLRLSCAASGFAFSSYDMWVRQIPEKRLWAKVSSGGSTYY 60
Db 1 QVHLVESGGGVQPKSLRLSCAASGFTFTYGMWVRQAPGKGLDWALISYDGGSTQYY 60
QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDYAMYYCAR-----HNYGSFAYWGQGT 111
Db 61 AGSVKGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYG-SFAYWGQGT 120
QY 112 LVTSSA 117
Db 121 LVTSS 126

RESULT 8
QYUL84 PRELIMINARY; PRT; 122 AA.
AC QYUL84;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98277139; PubMed=9614934;
RA Wu X., Liu B., Van der Merwe P.L., Kallis N.N., Berney S.M.,
RA Young D.C.;
RT "Myosin-reactive autoantibodies in rheumatic carditis and normal fetus.";
RL Clin. Immunol. Immunopathol. 87:184-192(1998).
DR EMBL; AF035030; AAD56266.1; -.
DR HSSP; P01772; 2FB4.
DR INTERPRO; IPR003006; -.
DR PFAM; PF00047; Ig; 1.
FT NON_TER 1
FT NON_TER 122
SQ SEQUENCE 122 AA; 13579 MW; 36054D41366545B8 CRC64;

Query Match 67.6%; Score 413.5; DB 4; Length 122;
Best Local Similarity 65.6%; Pred. No. 3.7e-36;
Matches 80; Conservative 16; Mismatches 21; Indels 5; Gaps 1;

QY 1 EVLVESGGGLVPGKSLRLSCAASGFAFSSYDMWVRQIPEKRLWAKVSSGGSTYY 60
Db 1 EVLVESGGGLVPGKSLRLSCAASGFAFSSYDMWVRQIPEKRLWAKVSSGGSTYY 60
```


DT	01-MAY-2000	(TEMBLrel. 13, Created)
DT	01-MAY-2000	(TEMBLrel. 13, Last sequence update)
DT	01-JUN-2000	(TEMBLrel. 14, Last annotation update)
DE	MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).	
OS	Homo sapiens (Human).	
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;	
OC	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.	
OX	NCBI_TaxID=9606;	
	[1]	
RN	SEQUENCE FROM N.A.	
RP	MEDLINE=98277139; PubMed=9614934;	
RX	Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,	
RA	Young D.C.;	
RT	"Myosin-reactive autoantibodies in rheumatic carditis and normal	
RT	fetus.";	
RL	Clin. Immunol. Immunopathol. 87:184-192(1998).	
RL	EMBL; AF035022; AAD56258.1; -	
DR	INTERPRO; IPR003006; -	
DR	DR PFAM; PF00047; 19; 1.	
DR	FT NON_TER 1 1	
FT	NON_TER 124 124	
FT	SEQUENCE 124 AA; 13580 MW; 1BAAACBD96ACD2A2 CRC64;	
SQL		
	Query Match 58.4%; Score 357.5; DB 4; Length 124;	
	Best Local Similarity 55.6%; Pred. No. 3e-30;	
	Matches 69; Conservative 19; Mismatches 29; Indels 7; Gaps 1;	
QY	1 EVLVESGGGLVPGKPSRLRLSCAASGFAFSYDSMSVQRQIEKRLWAKVSSGGGSTY 60	
Db	: : : : :	
QY	1 EVLVESAEVKKPGASVKYSCRASGYTFSSYMHVVRQAPQGQGLEWGIINSGGSTY 60	
Db	: : : : :	
QY	61 LDTVQGRFTISRNAKNTLYLQWSSLDAMTYICARHNY-----GSPAYWGQGTFLV 113	
Db	: : :	
QY	61 AQRFGQGVTRTSTSTVYMELSLRSDETAVYICARGLYVVVYPAAFSRFDYWGQGTFLV 120	
Db	: : :	
QY	114 TVSA 117	
Db	121 TVSS 124	
	RESULT 13	
	Q9UL87 PRELIMINARY; PRT; 104 AA.	
ID	Q9UL87	
AC	Q9UL87	
DT	01-MAY-2000 (TEMBLrel. 13, Created)	
DT	01-MAY-2000 (TEMBLrel. 13, Last sequence update)	
DT	01-JUN-2000 (TEMBLrel. 14, Last annotation update)	
DE	MYOSIN-REACTIVE IMMUNOGLOBULIN HEAVY CHAIN VARIABLE REGION (FRAGMENT).	
OS	Homo sapiens (Human).	
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;	
OC	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.	
OX	NCBI_TaxID=9606;	
	[1]	
RN	SEQUENCE FROM N.A.	
RP	MEDLINE=98277139; PubMed=9614934;	
RX	Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,	
RA	Young D.C.;	
RT	"Myosin-reactive autoantibodies in rheumatic carditis and normal	
RT	fetus.";	
RL	Clin. Immunol. Immunopathol. 87:184-192(1998).	
RL	EMBL; AF035027; AAD56263.1; -	
DR	INTERPRO; IPR003006; -	
DR	DR PFAM; PF00047; 19; 1.	
DR	FT NON_TER 1 1	
FT	NON_TER 104 104	
FT	SEQUENCE 104 AA; 11598 MW; 611D1A3F40E96E7B CRC64;	
SQL		
	Query Match 55.4%; Score 339; DB 4; Length 104;	
	Best Local Similarity 64.4%; Pred. No. 2.1e-28;	
	Matches 67; Conservative 11; Mismatches 18; Indels 8; Gaps 2;	

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:26:00 ; Search time 183.85 Seconds
(without alignments)
21.761 Million cell updates/sec

Title: US-09-016-061-6
Perfect score: 632
Sequence: 1 EVQLVESGGGLVKPGRSLRL.....RHNGSFAYWGQGLTVTVA 117

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 268485 seqs, 34193795 residues

Total number of hits satisfying chosen parameters: 268485

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_36:.*
1: /cgnl_8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /cgnl_8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /cgnl_8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /cgnl_8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /cgnl_8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /cgnl_8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /cgnl_8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /cgnl_8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /cgnl_8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /cgnl_8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /cgnl_8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /cgnl_8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /cgnl_8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /cgnl_8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /cgnl_8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /cgnl_8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /cgnl_8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /cgnl_8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /cgnl_8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /cgnl_8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /cgnl_8/gcgdata/geneseq/geneseq/AA2000.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	612	100.0	117	19 W76003	LM609 antibody hea
2	596	97.4	117	20 Y06381	Murine monoclonal
3	582	95.1	130	20 Y06379	Murine monoclonal
4	552	90.2	117	19 W76001	Vitaxin antibody h
5	531	86.8	123	19 W66099	anti-CD22 monoclon
6	510	83.3	136	11 R06251	Variable region of
7	508.5	83.1	139	15 R52773	Murine KC-4 immuno
8	508.5	83.1	139	15 R52791	Murine KC-4 immuno
9	501	81.9	117	19 W48865	Murine monoclonal
10	501	81.9	117	20 W86139	Protein sequence o
11	501	81.9	136	15 R56962	MAB A33 heavy chai
12	498	81.4	643	19 W73048	A33 chimeric recep

13	497	81.2	237	20 W95440	A33/212 single-cha
14	497	81.2	237	21 Y54836	Linked fusion prot
15	497	81.2	241	20 W95441	A33/218 single-cha
16	497	81.2	241	21 Y54837	Linked fusion prot
17	497	81.2	245	20 W97891	A33/218 single-cha
18	495	80.9	117	16 R79155	human IgE receptor
19	495	80.9	117	18 W27357	Heavy chain variab
20	495	80.9	117	18 W27354	Heavy chain variab
21	494	80.7	117	16 R79157	Human IgE receptor
22	493	80.6	117	18 W27526	Heavy chain variab
23	493	80.6	239	20 W73874	Human antiFc epsil
24	493	80.6	242	20 W73876	Human antiFc epsil
25	487.5	79.7	139	18 W21656	Chimeric MAB 15 PC
26	486	79.4	138	13 R20064	MRK16-H chain. Ch
27	486	79.4	247	16 W11917	Murine MAB SR48-E2
28	485.5	79.3	118	19 W57576	Chimeric H chain S
29	485.5	79.3	139	15 W57576	Mouse humanised an
30	485.5	79.3	118	21 W77502	Peptide seq ID No:
31	485.5	79.3	137	19 W57592	Chimeric antibody
32	485.5	79.3	137	20 W89625	Mouse humanised an
33	485.5	79.3	137	21 Y77513	Mouse antibody H c
34	485.5	79.3	139	15 R52823	Humanised murine K
35	485.5	79.3	139	16 R70471	Humanised anti-KC-
36	484.5	79.2	140	18 W21654	Mouse MAB 15 heavy
37	483.5	79.0	139	18 W21652	Humanised reshaped
38	481	78.6	121	18 W22951	Monoclonal antibody
39	481	78.6	121	20 W86118	Murine 340 Vh amin
40	480.5	78.5	118	18 W06208	Xenograft antibody
41	480	78.4	121	20 W86125	Protein sequence o
42	477	77.9	119	14 R32244	Humanised MAB heav
43	477	77.9	119	14 W27144	Mature heavy chain
44	477	77.9	119	21 Y87570	Humanised ABL 364
45	476.5	77.9	240	20 Y02472	A single chain ant

ALIGNMENTS

RESULT 1
W76003
ID W76003 standard; Protein; 117 AA.
XX
AC W76003;
XX
DT 02-NOV-1998 (first entry)
XX
LM609 antibody heavy chain variable region protein fragment.
DE
DE Vitaxin; antibody; variable region; heavy chain; integrin;
KW LM609; inhibitor; integrin-mediated signal transduction; treatment;
KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;
KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;
KW macular degeneration; osteoporosis.
XX
OS Mus sp.
XX
PN W09833919-A2.
XX
PD 06-AUG-1998.
XX
PF 30-JAN-1998; 98WO-US01826.
XX
PR 30-JAN-1997; 97US-0791391.
XX
PA (IXSY-) IXSYS INC.
XX
PI Glaser SM, Huse WD;
XX
PT WPI; 1998-437472/37.
N-PSDB; V49822.
Humanised antibody, Vitaxin, that binds selectively to alphaVbeta3
integrin - and related grafted antibodies based on murine monoclonal

PT LM609, also related nucleic acid, used to treat, prevent or diagnose
 XX angiogenesis or restenosis

PS Claim 43; Fig 2a; 129pp; English.

XX This sequence represents the LM609 antibody variable heavy chain region.
 CC LM609 and the antibody vitaxin bind selectively to integrin alphavbeta3
 CC and can be used to inhibit binding of alphavbeta3 to a ligand and thus
 CC block integrin-mediated signal transduction. This is useful in the
 CC treatment, prevention and diagnosis of alphavbeta3-mediated disease,
 CC specifically angiogenesis and restenosis (but also e.g. (non-)immune
 CC inflammation, diabetic retinopathy, neovascular glaucoma, cancer,
 CC psoriasis, rheumatoid arthritis, macular degeneration, osteoporosis
 CC etc.). The antibodies contain non-murine framework regions so are
 CC suitable for use in humans. Enhanced types of LM609 have affinity more
 CC than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 100.0%; Score 612; DB 19; Length 117;
 Best Local Similarity 100.0%; Pred. No. 2.3e-51;
 Matches 117; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVQLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
 Db 1 evqlvesggglvkpgsrslrlscaasgfafssydmwvrqipekrlwkvssgggstyy 60
 Qy 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWGQGLTVTVA 117
 Db 61 ldtvggrftisrdnakntlylqmsslinsedtamyycarhnygsfaywgqgltlvtva 117

RESULT 2

Y06381
 ID Y06381 standard; Protein; 117 AA.

XX Y06381;

XX 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 VH region.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus musculus.

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 52-53; 55pp; English.

XX This sequence represents the heavy chain variable region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular
 CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides

CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 117 AA;

Query Match 97.4%; Score 596; DB 20; Length 117;
 Best Local Similarity 97.4%; Pred. No. 7.5e-50;
 Matches 114; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 EVQLVESGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
 Db 1 evqlvesggglvkpgsrslrlscaasgfafssydmwvrqipekrlwkvssgggstyy 60

Qy 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWGQGLTVTVA 117
 Db 61 ldtvggrftisrdnakntlylqmsslinsedtamyycarhnygsfaywgqgltlvtva 117

RESULT 3

Y06379
 ID Y06379 standard; Protein; 130 AA.

XX Y06379;

XX 06-SEP-1999 (first entry)

XX Murine monoclonal antibody LM609 V kappa.

XX Humanised antibody; antibody humanisation; antibody engineering;
 KW LM609; monoclonal antibody; complementarity determining region;
 KW CDR grafting; mouse; human; integrin; apoptosis; angiogenesis;
 KW cancer; therapy; diagnosis.

XX Mus musculus.

XX Location/Qualifiers

FT Peptide 1..2
 /note= "vector-encoded residues"

FT Region 28..32
 /note= "CDR1"

FT Region 47..63
 /note= "CDR2"

FT Region 96..103
 /note= "CDR3"

XX W09929888-A1.

XX 17-JUN-1999.

XX 04-DEC-1998; 98WO-US25828.

XX 05-DEC-1997; 97US-0986016.

XX (SCRI) SCRIPPS RES INST.

XX Barbas CF, Rader C;

XX WPI; 1999-394979/33.

XX Production of humanized mouse monoclonal antibodies

XX Disclosure; Page 49-50; 55pp; English.

XX This sequence represents the light chain v kappa region of murine
 CC monoclonal antibody LM609. LM609 is directed to integrin
 CC alpha-v beta-3. It selectively promotes apoptosis of vascular

CC cells that have been stimulated to undergo angiogenesis, making it
 CC a tool for cancer diagnosis and therapy. The invention provides
 CC humanised antibodies, especially humanised LM609. In such humanized
 CC antibodies, a light chain CDR from a mouse antibody such as LM609 is
 CC grafted onto a human light chain, and a heavy chain CDR from a mouse
 CC antibody is grafted onto a human antibody heavy chain to produce
 CC libraries from which a humanised murine antibody having the desired
 CC specificity is selected. By preserving the original CDR sequences
 CC such as the HCDR3 and LCDR3 sequences of LM609 (see Y06371-72), the
 CC humanisation strategy ensures epitope conservation.

XX Sequence 130 AA;

Query Match 95.1%; Score 582; DB 20; Length 130;

Best Local Similarity 97.4%; Pred. No. 1.8e-48;

Matches 111; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 4 LVESGGLVKPGRSLRSLCAASGFATSSYDMSWROIPEKRLEWAKVSSGGSTYYLDT 63

Db 1 LVESGGLVKPGRSLRSLCAASGFATSSYDMSWROIPEKRLEWAKVSSGGSTYYLDT 60

QY 64 VQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSFAYWGQTLVTVSA 117

Db 61 VQGRFTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSFAYWGQTLVTVSA 114

RESULT 4

W76001

ID W76001 standard; Protein; 117 AA.

XX AC

XX W76001;

XX 02-NOV-1998 (first entry)

XX Vitaxin antibody heavy chain variable region protein fragment.

XX Vitaxin; antibody; variable region; heavy chain; light chain; integrin;

KW LM609; inhibitor; integrin-mediated signal transduction; treatment;

KW diagnosis; angiogenesis; restenosis; inflammation; diabetic retinopathy;

KW neovascular glaucoma; cancer; psoriasis; rheumatoid arthritis; murine;

KW macular degeneration; osteoporosis.

XX Mus sp.

OS WO9833919-A2.

PN 06-AUG-1998.

XX 30-JAN-1998; 98WO-US01826.

XX 30-JAN-1997; 97US-0791391.

XX (IXSY-) IXSYS INC.

XX Glaser SM, Huse WD;

XX WPI; 1998-437472/37.

DR N-PSDB; V49820.

XX Humanised antibody, Vitaxin, that binds selectively to alphavbeta3

XX integrin - and related grafted antibodies based on murine monoclonal

XX LM609, also related nucleic acid, used to treat, prevent or diagnose

XX angiogenesis or restenosis

XX Claim 1; Fig 1a; 129pp; English.

XX This sequence represents a fragment of the vitaxin antibody variable

XX heavy chain region. Vitaxin and the antibody LM609 bind selectively to

XX integrin alphavbeta3 and can be used to inhibit binding of alphavbeta3

XX to a ligand and thus block integrin-mediated signal transduction. This is

XX useful in the treatment, prevention and diagnosis of alphavbeta3-mediated

XX disease, specifically angiogenesis and restenosis (but also e.g.

CC (non-)immune inflammation, diabetic retinopathy, neovascular glaucoma,
 CC cancer, psoriasis, rheumatoid arthritis, macular degeneration,
 CC osteoporosis etc.). The antibodies contain non-murine framework regions
 CC so are suitable for use in humans. Enhanced types of LM609 have affinity
 CC more than 90 times greater than that of parent the parent antibody.

XX Sequence 117 AA;

Query Match 90.2%; Score 552; DB 19; Length 117;

Best Local Similarity 88.0%; Pred. No. 1.1e-45;

Matches 103; Conservative 8; Mismatches 6; Indels 0; Gaps 0;

QY 1 EVQVSEGGGLVKPGRSLRSLCAASGFATSSYDMSWROIPEKRLEWAKVSSGGSTYY 60

Db 1 qvqlvesgggqvqgrslrslcaasgftfssydmwvrrqapqkglewakvssgggstyy 60

QY 61 LDTVOGRTISRDNKNTLYLQMSLSNSEDAMYICARHNYGSFAYWGQTLVTVSA 117

Db 61 ldtvqgrftisrdnskntlylqmslraedtavvyicarhnygsfaywgggtttvtvss 117

RESULT 5

W66099

ID W66099 standard; Protein; 123 AA.

XX AC

XX W66099;

XX 10-DEC-1998 (first entry)

XX anti-CD22 monoclonal antibody heavy chain variable region.

XX anti-CD22 monoclonal antibody heavy chain variable region; VL;

KW Pseudomonas exotoxin; variable heavy chain; VH; variable light chain;

KW malignant B-cell; immunodiagnosis; RFB4 IgG.

XX Mammalia.

XX Key Location/Qualifiers

FT Misc-difference 121

FT /note= "Encoded by gtc"

XX WO9841641-A1.

XX 24-SEP-1998.

XX 19-MAR-1998; 98WO-US05453.

XX 20-MAR-1997; 97US-0041437.

XX (USSH) US DEPT HEALTH & HUMAN SERVICES.

XX Fitzgerald D, Kreitman R, Mansfield E, Pastan I;

XX WPI; 1998-521227/44.

DR N-PSDB; V07642.

XX Recombinant anti-CD22 antibodies and immuno-conjugates - of

XX antibodies linked to a therapeutic agent, e.g. Pseudomonas exotoxin

XX or a label; for inhibiting malignant B-cells

XX Claim 6; Fig 1; 71pp; English.

XX The invention claims for a recombinant immunoconjugate comprising

XX of a therapeutic agent (e.g. Pseudomonas exotoxin) or a detectable

XX label peptide bonded to a recombinant anti-CD22 antibody (RFB4 IgG)

XX having the present variable heavy (VH) chain with a cysteine residue

XX at amino acid 44 and a variable light (VL; W66098) chain with a

XX cysteine residue at amino acid 100. The immunoconjugate is claimed

XX to inhibit the growth of malignant B-cells in vivo, such as rodent,

XX canine or primate B-cells. The anti-CD22 antibody is claimed useful

XX for detecting CD22 protein in a sample or in vivo in a mammal, and

XX can be used in diagnostic kits.

```

XX SQ Sequence 123 AA;
Query Match 86.8%; Score 531; DB 19; Length 123;
Best Local Similarity 85.4%; Pred. No. 1.2e-43;
Matches 105; Conservative 5; Mismatches 7; Indels 6; Gaps 2;

QY 1 EVQLVESGGGLVQPKRSRLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGSTYY 60
DB 1 evqlvesggglvqpggslklscaasgfafssydmwvrqtpekrlewayissgggttly 60

QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCARHN-YGS-----FAYWGGTTLVT 114
DB 61 pdtvkgftrisdnaakntlylqmsslkseavyycaar-rygipfaywgggttlvtvsa 136

QY 115 VSA 117
DB 121 tsa 123

RESULT 6
R06251 R06251 standard; protein; 136 AA.
AC R06251;
DT 10-DEC-1990 (first entry)
DE Variable region of murine AHT 54 heavy chain.
KW Interleukin-2 receptor; IL-2; tumour necrosis factor; TNF; ss;
OS Mus sp.
PN EP380068-A.
PD 01-AUG-1990.
PF 24-JAN-1990; 90EP-0101351.
PR 04-DEC-1989; 89US-0441702.
PR 24-JAN-1989; 89US-0301216.
XX (MOLE-) MOLECULAR THERAPEUT.
XX Zerler B;
XX WPI; 1990-232892/31.
XX N-PSDB; Q05555.
XX Expression vectors for producing chimeric monoclonal antibodies -
XX which express human constant region and non-human variable region
XX Disclosure; ; p; English.
XX MAb comprising mouse CH and CL constant regions which human
XX variable regions may be used to create mouse/human hybrid MAbs,
XX which have a longer serum half-life. Method can be used to produce
XX Abs against interleukin-2 receptor and tumour necrosis factor.
XX Sequence 136 AA;

Query Match 83.3%; Score 510; DB 11; Length 136;
Best Local Similarity 86.4%; Pred. No. 1.3e-41;
Matches 102; Conservative 5; Mismatches 9; Indels 2; Gaps 2;

QY 1 EVQLVESGGGLVQPKRSRLSCAASGFAFSSYDMSWVRQIPEKRLIEWAKVSSGGSTYY 60
DB 20 evqlvesggglvqpggslklscaasgfafssydmwvrqtpekrlewayissggdntly 79

QY 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCARHN-YG-SFAYWGGTTLVTSA 117

```

```

Db 80 pdtvkgftrisdnaakntlylqmsslkseavyycaar-rygipfaywgggttlvtvsa 136

RESULT 7
R52773 R52773 standard; Protein; 139 AA.
AC R52773;
DT 24-JAN-1995 (first entry)
DE Murine KC-4 immunoglobulin heavy chain variable region (deduced).
KW Immunoglobulin variable domain; primer; polymerase chain reaction;
KW chimeric antibody; human milk fat globule; human breast carcinoma;
KW murine anti-human carcinoma monoclonal antibody KC-4.
XX Mus musculus.
XX OS
XX FH
XX Key Location/Qualifiers
FT Protein 20..139
FT /label= KC-4_mature_VL-chain
FT Region 20..49
FT /label= FR1
FT Region 50..54
FT /label= CDR1
FT Region 55..68
FT /label= FR2
FT Region 69..85
FT /label= CDR2
FT Region 86..117
FT /label= FR3
FT Region 118..128
FT /label= CDR3
FT Region 129..139
FT /label= FR4
XX WO9411508-A.
XX 26-MAY-1994.
XX 15-NOV-1993; 93WO-US11316.
XX 13-NOV-1992; 92US-0977706.
XX 13-NOV-1992; 92US-0977707.
XX 28-SEP-1993; 93US-0128015.
XX (CANC-) CANCER RES FUND CONTRA COSTA.
XX WPI; 1994-183509/22.
XX N-PSDB; Q62764.
XX Chimeric human-murine polypeptide(s) specific for human mammary
XX fat globule antigen - for imaging, diagnosing and treating
XX neoplasia, with less undesirable immunogenic response
XX Example 27; Page 41; 54pp; English.
XX An initial isolation of cDNAs coding for murine anti-human breast
XX carcinoma MAb KC-4 was performed using PCR with commercially
XX available primers (see Q62751-Q62758, available from NOVAGEN).
XX Subsequent cloning using PCR primers J020, J021, J022 and J024
XX (see Q62759-Q62762) resulted in the isolation of the mouse Ig
XX variable domains. The amplified cDNAs were sequenced (Q62763 and
XX Q62764) and amino acid sequences were deduced from them. Chimeric
XX mouse-human antibodies were constructed using human constant
XX regions so as to produce less immunogenic polypeptides which
XX retained the anti-human carcinoma binding specificity of KC-4.
XX Sequence 139 AA;

```


CC humanized antibody A33 (ha33; see W48864 and W48866). The invention
 CC claims to provide a method for causing regression of a colorectal
 CC carcinoma or a gastric carcinoma by administering the radio-labelled
 CC chimeric ha33 or a radio-labelled binding fragment of ha33 to the
 CC patient.

XX Sequence 117 AA;

Query Match 81.9%; Score 501; DB 19; Length 117;
 Best Local Similarity 82.1%; Pred. No. 8.1e-41;
 Matches 96; Conservative 9; Mismatches 12; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
 ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
 Db 1 evklvesggglvkpggsklscaasgfaftsdmswvrtqpkrlwvatisggsgsty 60
 ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||

QY 61 LDTVOGRTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWGQGLTLTVSA 117
 ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
 Db 61 ldsvkgrftisrdsarntlylqmslsrsdaltalycaptvtvpfaywgqgltlvtvsa 117

RESULT 10

W86139
 ID W86139 standard; Protein; 117 AA.

XX AC W86139;

DT 03-MAR-1999 (first entry)

XX Protein sequence of murine A33 Vh.

DE Non-immunogenic; epitope; T-cell; immunogenicity; immune system; SK;
 KW immunoglobulin; therapeutic; streptokinase; A33.

XX Mus sp.

XX WO9852976-A1.

XX 26-NOV-1998.

XX 21-MAY-1998; 98WO-GB01473.

XX 14-APR-1998; 98GB-0007751.

PR 21-MAY-1997; 97GB-0010480.

PR 31-JUL-1997; 97GB-0016197.

PR 28-NOV-1997; 97GB-0025270.

PR 02-DEC-1997; 97US-0067235.

XX (BIOV-) BIOVATION LTD.

XX Carr FJ;

XX WPI; 1999-045301/04.

XX Reducing immunogenicity of proteins - by modifying the amino acid
 PT sequence of the protein to eliminate potential epitopes for T-cells
 PT of a given species

XX Example 6; Fig 26; 77pp; English.

XX The invention relates to a method for the production of non-immunogenic
 CC proteins. The method comprises determining at least part of the amino
 CC acid sequence of the protein; (b) identifying in the amino acid sequence
 CC one or more potential epitopes for T-cells (T-cell epitopes) of the given
 CC species; and (c) modifying the amino acid sequence to eliminate at least
 CC one of the T-cell epitopes identified in step (b) thereby to eliminate or
 CC reduce the immunogenicity of the protein when exposed to the immune
 CC system of the given species. A method of analysing a pre-existing protein
 CC to predict the basis for immunogenic responses is also provided. The
 CC methods can be used particularly for reducing the immunogenicity of
 CC immunoglobulins or therapeutic proteins, e.g. Streptokinase (SK). The
 CC products can be used for diagnosis and therapy. The present sequence

CC represents the protein sequence of murine A33 Vh.

XX Sequence 117 AA;

Query Match 81.9%; Score 501; DB 20; Length 117;
 Best Local Similarity 82.1%; Pred. No. 8.1e-41;
 Matches 96; Conservative 9; Mismatches 12; Indels 0; Gaps 0;

QY 1 EVQLVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPEKRLWVAKVSSGGSTYY 60
 ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
 Db 1 evklvesggglvkpggsklscaasgfaftsdmswvrtqpkrlwvatisggsgsty 60
 ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||

QY 61 LDTVOGRTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWGQGLTLTVSA 117
 ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
 Db 61 ldsvkgrftisrdsarntlylqmslsrsdaltalycaptvtvpfaywgqgltlvtvsa 117

RESULT 11

R56962

ID R56962 standard; Protein; 136 AA.

XX AC R56962;

XX DT 13-FEB-1995 (first entry)

XX MAb A33 heavy chain.

XX Polymerase chain reaction; primer; amplify; PCR; variable region; light;
 KW heavy; chains; VL; VH; humanised; antibody; vectors; expression; human;
 KW secretion; A33; Fab' (gamma4deltaCys); pCG16; ompA signal; C-kappa;
 KW pSKompA; pMRR055; CH1 domains; hinge; deltaCys; pMRR022; pRO109;
 KW antigen; diagnosis; treatment; colorectal cancer; metastases.

XX Chimeric - Mus musculus.

OS Chimeric - Homo sapiens.

XX Key Location/Qualifiers

FT Peptide 1..19

FT /note= "Signal peptide"

FT Misc-difference 5

FT /label= Leu, Phe

FT Misc-difference 8

FT /label= Val, Ile

FT Protein 20..136

FT /note= "MAb A33 heavy chain"

FT Region 50..54

FT /label= CDR1

FT Region 69..85

FT /label= CDR2

FT Region 118..125

FT /label= CDR3

XX WO9413805-A.

XX 23-JUN-1994.

XX 10-DEC-1993; 93WO-GB02529.

XX 10-DEC-1992; 92GB-0025853.

PR 22-JUL-1993; 93GB-0015249.

XX (CLLT) CELLTech LTD.

XX Adair JR, King DJ, Owens RJ;

DR WPI; 1994-217881/26.

XX N-PSDB; Q68650.

XX Humanised antibodies raised against A33 antigen - are used for
 PT diagnosis or treatment of colorectal tumours and metastases

XX Example 1; Fig 3(1i); 90pp; English.

TCR-associated zeta chain"

Casentini-Borocz D, Finer MH, Greenburg GB, Otten GR;

WPI; 1996-021211/44.
N-PSDB: V58929.

restricted signal activation - the cytokine production in presence of

This is the amino acid sequence of a murine A33 chimeric receptor that comprises a signal peptide from the V kappa chain of human example 3; Page 41; 90pp; English.

ANTI-COLON CANCER ANTIGEN A33 MURF1

and an intracellular portion of human TCR-associated zeta chain. A humanised version of the A33 chimeric receptor has been constructed

(see W73049). An expression construct

encoding them, are claimed, in which extracellular domain capable of binding

restricted manner, a transmembrane domain, and a cytoplasmic domain capable of activating a signalling pathway. Binding of A33 to the

extracellular domain results in the activation of a signalling pathway

may be induced to carry out various functions relating to the signalling pathway. The chimeric DNA may be used to modify

Lymphocytes as well as haematopoietic to a number of important cell types

transplanted (especially as a bone marrow transplant) into a mammal to provide a source of cytotoxic effector cells that can kill cells

expressing the tumour-associated A cells. The modified cells are act

Expression constructs and retrovirus vectors are provided.

Sequence 643 AA;

97 48. Score

Best Local Similarity 81.2%; Pred. Misclassification 95.0%; Conservative 10.0%;

1 FIVE VEGGIES VMDCT BY CARR COLE

[illegible]

61 I D E M V O C B E E T C B D N A V N T I V I O M C C I N C E I T A M V V C A D U N V C C I T A V I N C O C T I V M V V S A 117

[illegible]

13

W95440 standard; Protein; 237 AA.

W95440;

```

every Match      81.4%; Score 498; DB 19; Length 643;
1st Local Similarity 81.2%; Pred. No. 1e-39;
Matches 95: Conservative 10; Mismatches 12; Indels 0; Gaps

```

1 EVQLVESGGGLVAPGSR LRLSCAASGFAFSSYDMSVWRQIPEKRLIEWAKVSSGGSTYY 6
 ||:||||| ||:||||| ||:||||| ||:||||| ||:||||| ||:||||| ||:||||| ||:|||||
 148 evkLVESGGLVAPGQSLKLSCAASQAFSSYDMSVWRQIPEKRLIEWATISSGQSYTY 2

```
61 LDVTQGRFTISRDNAKNTLYLQMSSLSNSEDAMYCARHNYGSFAYWCGQLTVTVA 117  
   ||:||:||:||:||:||:||:||:||:||:||||| ||:||:||:||:||||  
208 ldsvkgrftisrdsarntlylqmsslrsgdalyvcaptvvpfaywqqqltvvss 264
```

LT 13
10 W95440 standard; Protein; 237 AA.

W95440;

XX 23-MAR-1999 (first entry)
XX A33/212 single-chain Fv fragment.
XX Linker; fusion polypeptide; proteolysis; subtilisin; trypsin; scFv;
XX multichain protein; immunoglobulin; single chain antibody Fv; cancer;
XX aggregation.
XX Synthetic.
XX Key Location/Qualifiers
XX Peptide 1..107 /note= "A33 V1 region"
XX Peptide 108..121 /note= "peptide linker 212"
XX Peptide 122..237 /note= "A33 Vh region"
XX US5856456-A.
XX 05-JAN-1999.
XX 07-APR-1994; 94US-0224591.
XX 07-APR-1994; 94US-0224591.
XX 20-NOV-1992; 92US-0980529.
XX 15-JAN-1993; 93US-0002845.
XX (ENZO-) ENZON INC.
XX Filpula DR, Whitlow MD;
XX WPI: 1999-105193/09.
XX N-PSDB; V99765.
XX DNA encoding fusion polypeptide including protease resistant linker
XX - for making single-chain Fv antibody fragments, e.g for diagnosis
XX and treatment of cancer
XX Disclosure; Fig 12; 39pp; English.
XX The invention is directed to a novel peptide linker useful for connecting
XX polypeptide constituents into a novel linked fusion polypeptide. The
XX peptide linker includes at least one XP motif (where X is a charged
XX amino acid) and includes any of these sequences (GSTSGXPGSGSGSTKG;
XX GSTSGXPSGSGSTKG; or GSTSGSEKKG) to inhibit its proteolysis by
XX subtilisin or trypsin. DNA molecules encoding fusion polypeptides
XX containing two polypeptides, derived from the same multichain protein of
XX the immunoglobulin (Ig) superfamily and a peptide linker as above, are
XX particularly useful to prepare single chain antibody Fv fragments (scFv),
XX potentially useful for diagnosis and treatment of cancer. The fusion
XX polypeptide containing the specified linkers is proteolytically stable
XX (associated with positioning of the P residue) and resistant to
XX aggregation, while residue X improves solubility. The present sequence
XX represents the amino acid sequence of a A33/212 scFv fragment.
XX Sequence 237 AA;
Query Match 81.2%; Score 497; DB 20; Length 237;
Best Local Similarity 81.9%; Pred. No. 4.3e-40;
Matches 95; Conservative 9; Mismatches 12; Indels 0; Gaps 0;
QY 1 EVLVESGGGLVKGRSLRSLCAASGFATSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
Db 122 evklvesggglvkpggsklscasgafatstydmswvrdtpekrlewatissggsyty 181
QY 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDATMYCYCARHNYGSPFAYWGOGTLTVTS 116
Db 182 ldsvkgrftisrdsarntlylqmslsrsedatlyycaptvtvpfaywggtltvts 237
XX Linker; fusion polypeptide; proteolysis; subtilisin; trypsin; scFv;

RESULT 14
Y54836
ID Y54836 standard; Protein; 237 AA.
XX AC Y54836;
XX 08-FEB-2000 (first entry)
XX Linked fusion protein A33/212 sFv sequence.
XX Fusion protein; linker; linked fusion polypeptide; multichain protein;
XX Protein complex; antibody.
XX Synthetic.
XX US5990275-A.
XX 23-NOV-1999.
XX 10-SEP-1997; 97US-0926789.
XX 07-APR-1994; 94US-0224591.
XX 20-NOV-1992; 92US-0980529.
XX 15-JAN-1993; 93US-0002845.
XX (ENZO-) ENZON INC.
XX Filpula DR, Whitlow MD;
XX WPI: 2000-022812/02.
XX N-PSDB; 237397.
XX Peptide linkers, linked fusion polypeptides containing the linkers and
XX their preparation
XX Example; Fig 12; 42pp; English.
XX This sequence represents a linked fusion protein containing the
XX amino acid linker of the invention. The linkers are used for connecting
XX constituent polypeptides to form novel linked fusion polypeptides.
XX Polypeptides derived from any protein can be connected, in particular
XX multichain protein or protein complexes e.g. enzymes, members of the
XX immunoglobulin superfamily, hormones, DNA-binding proteins. The linker
XX provides fusion proteins which have greater stability and are less
XX susceptible to aggregation.
XX Sequence 237 AA;
Query Match 81.2%; Score 497; DB 21; Length 237;
Best Local Similarity 81.9%; Pred. No. 4.3e-40;
Matches 95; Conservative 9; Mismatches 12; Indels 0; Gaps 0;
QY 1 EVLVESGGGLVKGRSLRSLCAASGFATSSYDMSWVRQIPEKRLWAKVSSGGSTYY 60
Db 122 evklvesggglvkpggsklscasgafatstydmswvrdtpekrlewatissggsyty 181
QY 61 LDTVOGRFTISRDNKNTLYLQMSLSNSEDATMYCYCARHNYGSPFAYWGOGTLTVTS 116
Db 182 ldsvkgrftisrdsarntlylqmslsrsedatlyycaptvtvpfaywggtltvts 237
RESULT 15
W95441
ID W95441 standard; Protein; 241 AA.
XX AC W95441;
XX 23-MAR-1999 (first entry)
XX A33/218 single-chain Fv fragment.
XX Linker; fusion polypeptide; proteolysis; subtilisin; trypsin; scFv;

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:26:26 ; Search time 269.55 Seconds
(without alignments)
7.794 Million cell updates/sec

Title: US-09-016-061-6

Perfect score: 612

Sequence: 1 EVLVESGGLVKPGRSLR.....RHNYGFAYWGQGLTVTSA 117

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 174772 seqs, 17957048 residues

Total number of hits satisfying chosen parameters: 174772

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

- Issued_Patents_AA:*
- 1: /cgnl_7/ptodata/1/iaa/5A_COMB.pep.*
 - 2: /cgnl_7/ptodata/1/iaa/5B_COMB.pep.*
 - 3: /cgnl_7/ptodata/1/iaa/6_COMB.pep.*
 - 4: /cgnl_7/ptodata/1/iaa/PCTUS_COMB.pep.*
 - 5: /cgnl_7/ptodata/1/iaa/backfiles.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	497	81.2	237	2	US-08-224-591-16
2	497	81.2	237	2	US-08-926-789-16
3	497	81.2	241	2	US-08-224-591-18
4	497	81.2	241	2	US-08-926-789-18
5	496	81.0	136	1	US-08-253-877C-57
6	496	81.0	136	1	US-08-452-164A-57
7	486	79.4	247	4	PCT-US94-07659-2
8	485.5	79.3	139	1	US-08-129-930B-96
9	477	77.9	119	1	US-08-053-171-14
10	477	77.9	119	1	US-08-053-171-17
11	477	77.9	119	3	US-08-815-190A-13
12	476	77.8	119	2	US-08-475-000-16
13	476	77.8	119	2	US-08-483-199-16
14	476	77.8	119	2	US-08-484-508-16
15	476	77.8	125	1	US-08-331-398A-65
16	476	77.8	125	2	US-08-331-397B-65
17	476	77.8	125	2	US-08-759-804A-64
18	476	77.8	138	1	US-08-053-171-7
19	476	77.8	138	1	US-08-053-171-11
20	474	77.5	119	1	US-08-053-171-13
21	468.5	76.6	443	4	PCT-US96-13152-4
22	465	76.0	119	3	US-08-053-171-12
23	464	75.8	113	3	US-08-974-899-6
24	464	75.8	118	2	US-08-379-057-30
25	463	75.7	158	2	US-08-653-402B-6
26	463	75.7	158	2	US-08-653-402B-10
27	462	75.5	138	2	US-08-379-057-14
28	461.5	75.4	122	2	US-07-934-373C-21

29	461.5	75.4	122	3	US-08-437-642B-21	Sequence 21, Appl
30	461.5	75.4	122	4	PCT-US93-07832-21	Sequence 21, Appl
31	461	75.3	125	1	US-08-478-039-99	Sequence 99, Appl
32	461	75.3	125	1	US-08-476-349A-99	Sequence 99, Appl
33	460.5	75.2	135	4	PCT-US95-07302-8	Sequence 8, Appl
34	456.5	74.6	122	4	PCT-US93-08435-12	Sequence 12, Appl
35	456.5	74.6	122	4	PCT-US93-08435-43	Sequence 43, Appl
36	456.5	74.6	123	1	US-08-356-272-3	Sequence 3, Appl
37	456.5	74.6	223	2	US-08-190-199A-63	Sequence 63, Appl
38	456.5	74.6	236	2	US-08-190-199A-65	Sequence 65, Appl
39	455	74.3	119	1	US-07-988-925-11	Sequence 11, Appl
40	455	74.3	119	2	US-08-362-780-11	Sequence 11, Appl
41	454.5	74.3	118	4	PCT-US93-08435-10	Sequence 10, Appl
42	454	74.2	239	2	US-08-553-497A-18	Sequence 18, Appl
43	453.5	74.1	118	1	US-08-326-362-2	Sequence 2, Appl
44	453.5	74.1	122	4	PCT-US93-08435-14	Sequence 14, Appl
45	453.5	74.1	130	1	US-08-398-613A-22	Sequence 22, Appl

ALIGNMENTS

RESULT 1
US-08-224-591-16
; Sequence 16, Application US/08224591
; Patent No. 5856456
; GENERAL INFORMATION:
; APPLICANT: Whitlow, Marc
; APPLICANT: Filpula, David
; TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
; STREET: 1100 New York Avenue, Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005

COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/224,591
; FILING DATE: Herewith
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/002,845
; FILING DATE: 15-JAN-1993
; APPLICATION NUMBER: US 07/980,529
; FILING DATE: 20-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION NUMBER: 29,021
; REFERENCE/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 237 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-224-591-16

Query Match 81.2%; Score 497; DB 2; Length 237;
Best Local Similarity 81.9%; Pred. No. 6.5e-43;
Matches 95; Conservative 12; Indels 0; Gaps 0;

QY 1 EVLVESGGLVKPGRSLRSLRSCAAGFATSSYDMSWVRQIPKRLKLEWAKVSSGGGTTY 60

```
Db 122 EVLVESGGLVKPGSLKLSCAASGFAFSSYDMSWVROTPKRLWVATISSGGSTYY 181
;
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWGQGLTVTS 116
;
Db 182 LDSVKGRFTISRDSARNTLYLQMSLSRSEDALYICAPTIVVPFAYWGQGLTVTS 237
;
RESULT 2
US-08-926-789-16
; Sequence 16, Application US/08926789
; Patent No. 5990275
; GENERAL INFORMATION:
; APPLICANT: Whitlow, Marc
; APPLICANT: Filpula, David
; TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
; STREET: 1100 New York Avenue, Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/926,789
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/224,591
; FILING DATE:
; APPLICATION NUMBER: US 08/002,845
; FILING DATE: 15-JAN-1993
; APPLICATION NUMBER: US 07/980,529
; FILING DATE: 20-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION NUMBER: 29,021
; REFERENCE/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 237 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-926-789-16

Query Match 81.2%; Score 497; DB 2; Length 237;
Best Local Similarity 81.9%; Pred. No. 6.5e-43;
Matches 95; Conservative 9; Mismatches 12; Indels 0; Gaps 0;

Qy 1 EVLVESGGLVKPGSLKLSCAASGFAFSSYDMSWVROTPKRLWVATISSGGSTYY 60
;
Db 122 EVLVESGGLVKPGSLKLSCAASGFAFSSYDMSWVROTPKRLWVATISSGGSTYY 181
;
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWGQGLTVTS 116
;
Db 182 LDSVKGRFTISRDSARNTLYLQMSLSRSEDALYICAPTIVVPFAYWGQGLTVTS 237
;
RESULT 3
US-08-224-591-18
; Sequence 18, Application US/08224591
```

```
; Patent No. 5856456
; GENERAL INFORMATION:
; APPLICANT: Whitlow, Marc
; APPLICANT: Filpula, David
; TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
; STREET: 1100 New York Avenue, Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/224,591
; FILING DATE: Herewith
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/002,845
; FILING DATE: 15-JAN-1993
; APPLICATION NUMBER: US 07/980,529
; FILING DATE: 20-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION NUMBER: 29,021
; REFERENCE/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 241 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-224-591-18

Query Match 81.2%; Score 497; DB 2; Length 241;
Best Local Similarity 81.9%; Pred. No. 6.7e-43;
Matches 95; Conservative 9; Mismatches 12; Indels 0; Gaps 0;

Qy 1 EVLVESGGLVKPGSLKLSCAASGFAFSSYDMSWVROTPKRLWVATISSGGSTYY 60
;
Db 126 EVLVESGGLVKPGSLKLSCAASGFAFSSYDMSWVROTPKRLWVATISSGGSTYY 185
;
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDAMYCARHNYGSFAYWGQGLTVTS 116
;
Db 186 LDSVKGRFTISRDSARNTLYLQMSLSRSEDALYICAPTIVVPFAYWGQGLTVTS 241
;
RESULT 4
US-08-926-789-18
; Sequence 18, Application US/08926789
; Patent No. 5990275
; GENERAL INFORMATION:
; APPLICANT: Whitlow, Marc
; APPLICANT: Filpula, David
; TITLE OF INVENTION: Linker For Linked Fusion Polypeptides
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox
; STREET: 1100 New York Avenue, Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
```

```

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/926,789
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/224,591
; FILING DATE:
; FILING DATE: 15-JAN-1993
; PRIOR APPLICATION NUMBER: US 08/002,845
; APPLICATION DATA:
; FILING DATE: 20-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION NUMBER: 29,021
; REFERENCE/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 241 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-926-789-18

Query Match 81.2%; Score 497; DB 2; Length 241;
Best Local Similarity 81.9%; Pred. No. 6.7e-43;
Matches 95; Conservative 9; Mismatches 12; Indels 0; Gaps 0;

Qy 1 EVLVESGGGLVPGKSLRSLCAASGFAPSTYDMSWVRQIPEKRLKLEWAKVSSGGSTYY 60
   ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 126 EVLVESGGGLVPGKSLRSLCAASGFAPSTYDMSWVRQIPEKRLKLEWATISSGGSYTY 185

Qy 61 LDTVGQRETISRDNKNTLYLQMSLSNSEDATMYICARHNYGSFAYWGQGLTVTVS 116
   ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 186 LDSVKGREFTISRDSARNTLYLQMSLSRSEDATLYICAPTIVVPFAYWGQGLTVTVS 241

RESULT 5
US-08-253-877C-57
; Sequence 57, Application US/08253877C
; Patent No. 5773001
; GENERAL INFORMATION:
; APPLICANT: Hamann, Phillip R.
; APPLICANT: Hinman, Lois
; APPLICANT: Hollander, Irwin
; APPLICANT: Holcomb, Ryan
; APPLICANT: Hallett, William
; APPLICANT: Tsou, Hwei-Ru
; APPLICANT: Weiss, Martin J.
; TITLE OF INVENTION: Conjugates of Methyltrithio Antitumor
; TITLE OF INVENTION: Agents and Intermediates for Their Synthesis
; NUMBER OF SEQUENCES: 73
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: American Cyanamid Company
; STREET: One Cyanamid Plaza
; CITY: Wayne
; STATE: New Jersey
; COUNTRY: U.S.A.
; ZIP: 07470-8426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/926,789
; FILING DATE: 15-JAN-1993
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldstein, Jorge A.
; REGISTRATION NUMBER: 29,021
; REFERENCE/DOCKET NUMBER: 0977.1920002/JAG
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 241 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-926-789-18
```

```

; APPLICATION NUMBER: US/08/253,877C
; FILING DATE: 03-JUN-1994
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Barnhard, Elizabeth M.
; REGISTRATION NUMBER: 31,088
; REFERENCE/DOCKET NUMBER: 32,368
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201-831-3246
; TELEFAX: 201-831-3305
; INFORMATION FOR SEQ ID NO: 57:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 136 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-253-877C-57

Query Match 81.0%; Score 496; DB 1; Length 136;
Best Local Similarity 81.2%; Pred. No. 4.4e-43;
Matches 95; Conservative 9; Mismatches 13; Indels 0; Gaps 0;

Qy 1 EVLVESGGGLVPGKSLRSLCAASGFAPSTYDMSWVRQIPEKRLKLEWAKVSSGGSTYY 60
   ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 20 EVLVESGGGLVPGKSLRSLCAASGFAPSTYDMSWVRQIPEKRLKLEWATISSGGSYTY 79

Qy 61 LDTVGQRETISRDNKNTLYLQMSLSNSEDATMYICARHNYGSFAYWGQGLTVTVS 117
   ||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
Db 80 LDSVKGREFTISRDSRNTLYLQMSLSRSEDATLYICAPTIVVPFAYWGQGLTVTVS 136

RESULT 6
US-08-452-164A-57
; Sequence 57, Application US/08452164A
; Patent No. 5877296
; GENERAL INFORMATION:
; APPLICANT: Hamann, Phillip R.
; APPLICANT: Hinman, Lois
; APPLICANT: Hollander, Irwin
; APPLICANT: Holcomb, Ryan
; APPLICANT: Hallett, William
; APPLICANT: Tsou, Hwei-Ru
; APPLICANT: Weiss, Martin J.
; TITLE OF INVENTION: Conjugates of Methyltrithio Antitumor
; TITLE OF INVENTION: Agents and Intermediates for Their Synthesis
; NUMBER OF SEQUENCES: 73
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: American Home Products Corporation
; STREET: One Campus Drive
; CITY: Parsippany
; STATE: New Jersey
; COUNTRY: U.S.A.
; ZIP: 07054
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/452,164A
; FILING DATE: 26-MAY-1995
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Barnhard, Elizabeth M.
; REGISTRATION NUMBER: 31,088
; REFERENCE/DOCKET NUMBER: 32,368-04
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201-683-4117
; TELEFAX: 201-683-4117
; INFORMATION FOR SEQ ID NO: 57:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 136 amino acids
```


;
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-452-164A-57

Query Match 81.0%; Score 496; DB 2; Length 136;
Best Local Similarity 81.2%; Pred. No. 4.4e-43;
Matches 95; Conservative 9; Mismatches 13; Indels 0; Gaps 0;

Qy 1 EVLVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPKRLKLEWAKVSSGGSTYY 60
Db 20 EVLVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPKRLKLEWAKVSSGGSTYY 79
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYGSPAYWGQGLTLVTVA 117
Db 80 LDSVKGRTISRDNKNTLYLQMSLSNSEDYALYCAPTVVPFAYWGQGLTLVTVA 136

RESULT 7

PCT-US94-07659-2

; Sequence 2, Application PC/TUS9407659

; GENERAL INFORMATION:

; APPLICANT: Young, Peter

; APPLICANT: Gross, Mitchell

; APPLICANT: Jonak, Zdenka L.

; APPLICANT: Theisen, Timothy

; APPLICANT: Hurlle, Mark

; APPLICANT: Jackson, Jeffrey R.

; TITLE OF INVENTION: Recombinant and Humanized IL-1 beta

; TITLE OF INVENTION: Antibodies for Treatment of IL-1 Mediated Inflammatory

; NUMBER OF SEQUENCES: 21

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: SmithKline Beecham Corporation - Corp.

; ADDRESSEE: Intellectual Property

; STREET: 709 Swedeland Road

; CITY: King of Prussia

; STATE: PA

; COUNTRY: USA

; ZIP: 19406-2799

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patent In Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: PCT/US94/07659

; FILING DATE:

; CLASSIFICATION:

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/090,534

; FILING DATE: 09-JUL-1993

; ATTORNEY/AGENT INFORMATION:

; NAME: Sutton, Jeffrey A.

; REGISTRATION NUMBER: 34,028

; REFERENCE/DOCKET NUMBER: P50171-1

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (610) 270-5024

; TELEFAX: (610) 270-5090

; INFORMATION FOR SEQ ID NO: 2:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 247 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

PCT-US94-07659-2

Query Match 79.4%; Score 486; DB 4; Length 247;
Best Local Similarity 80.7%; Pred. No. 8.8e-42;
Matches 96; Conservative 6; Mismatches 15; Indels 2; Gaps 1;

Qy 1 EVLVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPKRLKLEWAKVSSGGSTYY 60
Db 20 EVLVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPKRLKLEWAKVSSGGSTYY 79
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYGSPAYWGQGLTLVTVA 117
Db 80 LDTVQGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYGSPAYWGQGLTLVTVA 138

RESULT 8

US-08-129-930B-96

; Sequence 96, Application US/08129930B

; Patent No. 5804187

; GENERAL INFORMATION:

; APPLICANT: do Couto Dr., Fernando J.R.

; APPLICANT: Ceriani Dr., Roberto L.

; APPLICANT: Peterson Dr., Jerry A.

; APPLICANT: Padlan Dr., Eduardo A.

; TITLE OF INVENTION: Analogue Peptides With Broad

; TITLE OF INVENTION: Carcinoma Specificity, and Kit and

; TITLE OF INVENTION: Diagnostic Vaccination and

; TITLE OF INVENTION: Therapeutic Methods

; NUMBER OF SEQUENCES: 96

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: V. AMZEL & ASSOC.

; STREET: 2055 No. 5804187th Broadway, Suite 201

; CITY: Walnut Creek

; STATE: California

; COUNTRY: USA

; ZIP: 94596

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS 5.0

; SOFTWARE: Patent In Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/129,930B

; FILING DATE: September 30, 1993

; CLASSIFICATION: 424

; ATTORNEY/AGENT INFORMATION:

; NAME: Amzel Ph.D., Viviana

; REGISTRATION NUMBER: 30,930

; REFERENCE/DOCKET NUMBER: CRFCC-008A

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (510) 521-1333

; TELEFAX: (510) 521-3541

; TELEX: n.a.

; INFORMATION FOR SEQ ID NO: 96:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 139 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

US-08-129-930B-96

Query Match 79.3%; Score 485.5; DB 1; Length 139;
Best Local Similarity 78.3%; Pred. No. 5.1e-42;
Matches 94; Conservative 10; Mismatches 13; Indels 3; Gaps 1;

Qy 1 EVLVESGGGLVKPGRSLRLSCAASGFAFSSYDMSWVRQIPKRLKLEWAKVSSGGSTYY 60
Db 20 EVQVWESGGGLVQPGGSLRLSCAASGFAFSSYDMSWVRQIPKRLKLEWAKVSSGGSTYY 79
Qy 61 LDTVQGRFTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYGSPAYWGQGLTLVTVA 117
Db 80 QDTVTGRTISRDNKNTLYLQMSLSNSEDYAMYYCARHNYGSPAYWGQGLTLVTVA 139

RESULT 9

US-08-053-171-14

; Sequence 14, Application US/08053171

; Patent No. 5562903

OTHER INFORMATION: mouse amino acids in humanized antibody."

FEATURE:

NAME/KEY: Modified-site

LOCATION: 82

OTHER INFORMATION: /note= "Residue replaced with mouse

OTHER INFORMATION: amino acids in humanized antibody."

FEATURE:

NAME/KEY: Modified-site

LOCATION: 87

OTHER INFORMATION: /note= "Residue replaced with mouse

OTHER INFORMATION: amino acid in humanized antibody."

FEATURE:

NAME/KEY: Modified-site

LOCATION: 109

OTHER INFORMATION: /note= "Residue replaced with mouse

OTHER INFORMATION: amino acid in humanized antibody."

US-08-053-171-17

Query Match 77.9%; Score 477; DB 1; Length 119;

Best Local Similarity 77.3%; Pred. No. 3.1e-41;

Matches 92; Conservative 16; Mismatches 9; Indels 2; Gaps 2;

QY 1 EVOLVESGGLVPGKSLRLSCAAGFAFSSYDMSWVRQIPEKRLKLEWAKVSSGGSTYY 60

DB 1 EVOLLESGLVPGGSLRLSCAAGSTFSDYYMYVWRQAPKRLKLEWAVISNGGSSHY 60

QY 61 LDTVGRTISRDNKNTLYLQMSLSNSEDYAMYCAR-HNYGS-FAYWGQGLTVTVA 117

DB 61 VDSVKGRTISRDNKNTLYLQMSLSRAEDTALYHCARGMDYGAMFAYWGQGLTVTSS 119

RESULT 11

US-08-815-190A-13

Sequence 13, Application US/08815190A

Patent No. 6046310

GENERAL INFORMATION:

APPLICANT: Queen, Cary L.

APPLICANT: Schneider, William P.

APPLICANT: Vasquez, Maximiliano

TITLE OF INVENTION: Fas Ligand Fusion Proteins and Their

USes

NUMBER OF SEQUENCES: 17

CORRESPONDENCE ADDRESS:

ADDRESSEE: Townsend and Townsend and Crew LLP

STREET: Two Embarcadero Center, Eighth Floor

CITY: San Francisco

STATE: California

COUNTRY: USA

ZIP: 94111-3834

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.30

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/815,190A

FILING DATE: 11-MAR-1997

CLASSIFICATION: 536

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/614,584

FILING DATE: 13-MAR-1996

ATTORNEY/AGENT INFORMATION:

NAME: Apple, Randolph T.

REGISTRATION NUMBER: 36,429

REFERENCE/DOCKET NUMBER: 011823-0067100S

TELECOMMUNICATION INFORMATION:

TELEPHONE: (415) 576-0200

TELEFAX: (415) 576-0300

INFORMATION FOR SEQ ID NO: 13:

SEQUENCE CHARACTERISTICS:

LENGTH: 119 amino acids

TYPE: amino acid

STRANDEDNESS:

TOPOLOGY: linear

MOLECULE TYPE: peptide

FEATURE:

NAME/KEY: Peptide

LOCATION: 1..119

OTHER INFORMATION: /note= "mature heavy chain variable

OTHER INFORMATION: region of humanized ABL 364 antibody"

US-08-815-190A-13

Query Match

77.9%; Score 477; DB 3; Length 119;

Best Local Similarity 77.3%; Pred. No. 3.1e-41;

Matches 92; Conservative 16; Mismatches 9; Indels 2; Gaps 2;

QY 1 EVOLVESGGLVPGKSLRLSCAAGFAFSSYDMSWVRQIPEKRLKLEWAKVSSGGSTYY 60

DB 1 EVOLLESGLVPGGSLRLSCAAGSTFSDYYMYVWRQAPKRLKLEWAVISNGGSSHY 60

QY 61 LDTVGRTISRDNKNTLYLQMSLSNSEDYAMYCAR-HNYGS-FAYWGQGLTVTVA 117

DB 61 VDSVKGRTISRDNKNTLYLQMSLSRAEDTALYHCARGMDYGAMFAYWGQGLTVTSS 119

RESULT 12

US-08-475-000-16

Sequence 16, Application US/08475000

Patent No. 5811267

GENERAL INFORMATION:

APPLICANT: RING, DAVID B.

TITLE OF INVENTION: ANTIGEN-BINDING SITES OF ANTIBODY

TITLE OF INVENTION: MOLECULES SPECIFIC FOR CANCER ANTIGENS

NUMBER OF SEQUENCES: 18

CORRESPONDENCE ADDRESS:

ADDRESSEE: CHIRON CORPORATION

STREET: INTELLECTUAL PROPERTY R440 - P.O. BOX 8097

CITY: Emeryville

STATE: CA

COUNTRY: USA

ZIP: 94662-8097

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/475,000

FILING DATE: 07-JUN-1995

CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:

NAME: SAVERIDE, PAUL

REGISTRATION NUMBER: 36,914

REFERENCE/DOCKET NUMBER: 0850.007

TELECOMMUNICATION INFORMATION:

TELEPHONE: (510) 601-2585

TELEFAX: (510) 655-3542

INFORMATION FOR SEQ ID NO: 16:

SEQUENCE CHARACTERISTICS:

LENGTH: 119 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

US-08-475-000-16

Query Match

77.8%; Score 476; DB 2; Length 119;

Best Local Similarity 76.5%; Pred. No. 3.9e-41;

Matches 91; Conservative 13; Mismatches 13; Indels 2; Gaps 1;

QY 1 EVOLVESGGLVPGKSLRLSCAAGFAFSSYDMSWVRQIPEKRLKLEWAKVSSGGSTYY 60

DB 1 EVKVVESGGLVPRGGSLKLSAAGSTFSDYYMYVWRQAPKRLKLEWAVISGGGNTYY 60

APPLICATION NUMBER: US 07/596,289
FILING DATE: 12-OCT-1990
ATTORNEY/AGENT INFORMATION:
NAME: Hunter, Tom
REGISTRATION NUMBER: 38,498
REFERENCE/DOCKET NUMBER: 015280-126110US
TELECOMMUNICATION INFORMATION:
TELEPHONE: (415) 543-9600
TELEFAX: (415) 543-5043
INFORMATION FOR SEQ ID NO: 65:
SEQUENCE CHARACTERISTICS:
LENGTH: 125 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Region
LOCATION: 1..125
OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
OTHER INFORMATION: Heavy chain region"
US-08-331-398A-65

Query Match 77.8%; Score 476; DB 1; Length 125;
Best Local Similarity 79.8%; Pred. No. 4.le-41;
Matches 95; Conservative 8; Mismatches 14; Indels 2; Gaps 2;
Qy 1 EVLVESGGGLVKPGRSLRLSCAASGFAFSSYDMHWVRQIPEKRLWVAKVSSGGSTYY 60
Db 1 EVKLVESGGGLVQPGGSLKSCATSGFTSDYIMYWVRQTPKEKRLWVAYISNGGSTYY 60
Qy 61 LDTVGRTTISRDNKNTLYLQMSLSNSEDYMYICARH-NYGS-FAYWGQGLVTVSA 117
Db 61 PDTVGRTTIDRDNKNTLYLQMSRLKSEDYMYICARGLSDGSWFAYWGQGLVTVSS 119

Search completed: March 28, 2001, 06:39:01
Job time: 755 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:25 ; Search time 801.32 Seconds
(without alignments)
19.447 Million cell updates/sec

Title: US-09-016-061-8
Perfect score: 561
Sequence: 1 DIVLTQSPATLSVTPEDSVS.....COQSGSWPHTFGGTKLEIK 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main.*
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query Match	Score	Length	ID	Description
1	561	100.0	107	11	US-08-790-540-8
2	561	100.0	107	11	US-08-790-540A-8
3	561	100.0	107	11	US-08-791-391-8
4	561	100.0	107	11	US-08-791-391A-8
5	561	100.0	107	14	US-09-016-061-8
6	561	100.0	107	17	US-09-339-922A-8
7	530	94.5	109	1	PCT-US98-25828-45
8	530	94.5	109	13	US-08-986-016-45
9	529	94.3	107	8	US-08-484-537-62
10	529	94.3	107	17	US-09-325-000-21
11	529	94.3	127	8	US-08-484-537-83
					Sequence 8, Appli
					Sequence 8, Appli
					Sequence 8, Appli
					Sequence 8, Appli
					Sequence 8, Appli
					Sequence 45, Appli
					Sequence 45, Appli
					Sequence 62, Appli
					Sequence 21, Appli
					Sequence 83, Appli

12	521	92.9	127	17	US-09-325-000-70	Sequence 70, Appli
13	519	92.5	107	3	US-07-881-109-7	Sequence 7, Appli
14	519	92.5	107	3	US-07-881-109A-7	Sequence 7, Appli
15	519	92.5	107	7	US-08-313-198-7	Sequence 7, Appli
16	519	92.5	107	11	US-08-720-323-7	Sequence 7, Appli
17	519	92.5	107	15	US-09-160-911-9	Sequence 9, Appli
18	519	92.5	108	11	US-08-720-323-73	Sequence 73, Appli
19	519	92.5	108	16	US-09-232-290-27	Sequence 27, Appli
20	516	92.0	107	3	US-07-804-464A-1	Sequence 1, Appli
21	516	92.0	107	3	US-07-808-464-1	Sequence 1, Appli
22	516	92.0	107	4	US-08-082-842-1	Sequence 1, Appli
23	516	92.0	107	5	US-08-107-669B-1	Sequence 1, Appli
24	516	92.0	107	5	US-08-107-669C-1	Sequence 1, Appli
25	516	92.0	107	8	US-08-472-788-1	Sequence 1, Appli
26	516	92.0	107	8	US-08-477-531-1	Sequence 1, Appli
27	516	92.0	107	14	US-09-097-980A-1	Sequence 1, Appli
28	516	92.0	107	14	US-09-097-980B-1	Sequence 1, Appli
29	516	92.0	107	16	US-09-245-202A-1	Sequence 1, Appli
30	516	92.0	107	16	US-09-245-202A-1	Sequence 1, Appli
31	501	89.3	108	1	PCT-US98-04987-7	Sequence 7, Appli
32	501	89.3	108	22	US-60-039-609-7	Sequence 7, Appli
33	498	88.8	108	10	US-08-617-835-5	Sequence 5, Appli
34	491	87.5	259	18	US-09-419-788-29	Sequence 29, Appli
35	470	83.8	107	11	US-08-791-391-4	Sequence 4, Appli
36	470	83.8	107	11	US-08-791-391A-4	Sequence 4, Appli
37	470	83.8	107	14	US-09-016-061-4	Sequence 4, Appli
38	470	83.8	107	17	US-09-339-922A-4	Sequence 4, Appli
39	465	82.9	108	1	PCT-US99-02949-1	Sequence 1, Appli
40	465	82.9	108	14	US-09-026-291-1	Sequence 1, Appli
41	465	82.9	108	14	US-09-026-291-1	Sequence 1, Appli
42	465	82.9	108	16	US-09-247-352-1	Sequence 1, Appli
43	465	82.9	108	18	US-09-466-635-1	Sequence 1, Appli
44	465	82.9	214	1	PCT-US99-02949-4	Sequence 4, Appli
45	465	82.9	214	14	US-09-026-291-4	Sequence 4, Appli

ALIGNMENTS

RESULT 1
US-08-790-540-8
; Sequence 8, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids

```
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-8

Query Match      100.0%; Score 561; DB 11; Length 107;
Best Local Similarity 100.0%; Pred. No. 2.1e-49;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60
DB 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60

QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
DB 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107

RESULT 2
US-08-790-540A-8
; Sequence 8, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: P-IX 2405
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-8

Query Match      100.0%; Score 561; DB 11; Length 107;
Best Local Similarity 100.0%; Pred. No. 2.1e-49;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60
DB 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60

QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
DB 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107

RESULT 3
US-08-790-540A-8
; Sequence 8, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: P-IX 2405
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-8

Query Match      100.0%; Score 561; DB 11; Length 107;
Best Local Similarity 100.0%; Pred. No. 2.1e-49;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60
DB 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60

QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
DB 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107

RESULT 4
US-08-791-391A-8
; Sequence 8, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
US-08-791-391-8

Query Match      100.0%; Score 561; DB 11; Length 107;
Best Local Similarity 100.0%; Pred. No. 2.1e-49;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60
DB 1 DIVLTQSPATLSVTPGDVSVLSLCOASQSIHNLHWYQKSHSPRLLIKYRSQISGIPS 60

QY 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
DB 61 RFGSGSGTDFALSINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
```

SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-8

Query Match 100.0%; Score 561; DB 11; Length 107;
Best Local Similarity 100.0%; Pred. No. 2.1e-49;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSIHNLHWYQKSHSPRLIKYRSQISGIPS 60
|||||
Db 1 DIVLTQSPATLSVTPGDSVSLSCQASQSIHNLHWYQKSHSPRLIKYRSQISGIPS 60
QY 61 RFGSGSGTDFALSIHNSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107
|||||
Db 61 RFGSGSGTDFALSIHNSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107

RESULT 5
US-09-016-061-8
Sequence 8, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESS: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid

TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-8
Query Match 100.0%; Score 561; DB 14; Length 107;
Best Local Similarity 100.0%; Pred. No. 2.1e-49;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSIHNLHWYQKSHSPRLIKYRSQISGIPS 60
|||||
Db 1 DIVLTQSPATLSVTPGDSVSLSCQASQSIHNLHWYQKSHSPRLIKYRSQISGIPS 60
QY 61 RFGSGSGTDFALSIHNSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107
|||||
Db 61 RFGSGSGTDFALSIHNSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107
RESULT 6
US-09-339-922A-8
Sequence 8, Application US/09339922A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Wu, Herren
TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
Acids Encoding Same and Methods of Use
FILE REFERENCE: P-IX 3536
CURRENT APPLICATION NUMBER: US/09/339,922A
CURRENT FILING DATE: 1999-06-24
NUMBER OF SEQ ID NOS: 112
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 8
LENGTH: 107
TYPE: PRT
ORGANISM: Mus musculus
US-09-339-922A-8
Query Match 100.0%; Score 561; DB 17; Length 107;
Best Local Similarity 100.0%; Pred. No. 2.1e-49;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQSIHNLHWYQKSHSPRLIKYRSQISGIPS 60
|||||
Db 1 DIVLTQSPATLSVTPGDSVSLSCQASQSIHNLHWYQKSHSPRLIKYRSQISGIPS 60
QY 61 RFGSGSGTDFALSIHNSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107
|||||
Db 61 RFGSGSGTDFALSIHNSVETEDFGMYFCQSGSWPHTFGGTTKLEIK 107
RESULT 7
PCT-US98-25828-45
Sequence 45, Application PC/TUS9825828A
GENERAL INFORMATION:
APPLICANT: The Scripps Research Institute
TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
FILE REFERENCE: TSRI 598.0
CURRENT APPLICATION NUMBER: PCT/US98/25828A
CURRENT FILING DATE: 1998-12-04
EARLIER APPLICATION NUMBER: 08/986,016
EARLIER FILING DATE: 1997-12-05
NUMBER OF SEQ ID NOS: 56
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 45
LENGTH: 109
TYPE: PRT
ORGANISM: Murine hybridoma LM609
PCT-US98-25828-45
Query Match 94.5%; Score 530; DB 1; Length 109;
Best Local Similarity 92.5%; Pred. No. 3.1e-46;


```
;
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/634,278
; FILING DATE: 19-DEC-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/484,537
; FILING DATE: 07-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Smith, William M.
; REGISTRATION NUMBER: 30,223
; REFERENCE/DOCKET NUMBER: 011823-002650US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 70:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 127 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-325-000-70

Query Match 92.9%; Score 521; DB 17; Length 127;
Best Local Similarity 91.6%; Pred. No. 3e-45;
Matches 98; Conservative 4; Mismatches 5; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
Db 21 DIVLTQSPATLSVTPGDSVSLSCRASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 80
QY 61 RFGSGSGTDFALINSVETEDFGMYFCQSGSNWPHFTGGGKLEIK 107
Db 81 RFGSGSGTDFTLVNGVETEDFGMYFCQHTNSWPHFTGGGKLEIK 127

RESULT 13
US-07-881-109-7
; Sequence 7, Application US/07881109
; GENERAL INFORMATION:
; APPLICANT: Huston, James S.
; APPLICANT: Keck, Peter C.
; TITLE OF INVENTION: CHIMERIC MULTIVALENT PROTEIN ANALOGUES
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Hamilton, Brook, Smith & Reynolds, P.C.
; STREET: Two Militia Drive
; CITY: Lexington
; STATE: MA
; COUNTRY: USA
; ZIP: 02173
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/881,109
; FILING DATE: 19920508
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Brook, David E.
; REGISTRATION NUMBER: 22,592
; REFERENCE/DOCKET NUMBER: CBM92-01
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 861-6240
; TELEFAX: (617) 861-9540
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
```

```
US-07-881-109-7

Query Match 92.5%; Score 519; DB 3; Length 107;
Best Local Similarity 92.5%; Pred. No. 3.9e-45;
Matches 99; Conservative 4; Mismatches 4; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
Db 1 DIVLTQSPATLSVTPGDSVSLSCRASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
QY 61 RFGSGSGTDFALINSVETEDFGMYFCQSGSNWPHFTGGGKLEIK 107
Db 61 RFGSGSGTDFTLINSVETEDFGMYFCQSGSNWPHFTGGGKLEIK 107

RESULT 14
US-07-881-109A-7
; Sequence 7, Application US/07881109A
; GENERAL INFORMATION:
; APPLICANT: Huston, James S.
; APPLICANT: Keck, Peter C.
; TITLE OF INVENTION: CHIMERIC MULTIVALENT PROTEIN ANALOGUES
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Hamilton, Brook, Smith & Reynolds, P.C.
; STREET: Two Militia Drive
; CITY: Lexington
; STATE: MA
; COUNTRY: USA
; ZIP: 02173
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/881,109A
; FILING DATE: 08-MAY-1992
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Brook, David E.
; REGISTRATION NUMBER: 22,592
; REFERENCE/DOCKET NUMBER: CBM92-01
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 861-6240
; TELEFAX: (617) 861-9540
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 107 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-881-109A-7

Query Match 92.5%; Score 519; DB 3; Length 107;
Best Local Similarity 92.5%; Pred. No. 3.9e-45;
Matches 99; Conservative 4; Mismatches 4; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDSVSLSCQASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
Db 1 DIVLTQSPATLSVTPGDSVSLSCRASQISNHLHWYQOKSHSPRLLIKYSQISGIPS 60
QY 61 RFGSGSGTDFALINSVETEDFGMYFCQSGSNWPHFTGGGKLEIK 107
Db 61 RFGSGSGTDFTLINSVETEDFGMYFCQSGSNWPHFTGGGKLEIK 107

RESULT 15
US-08-313-198-7
; Sequence 7, Application US/08313198
```

Search completed: March 28, 2001, 06:55:27
Job time: 1471 sec

APPLICATION NUMBER: US 08/286,754
FILING DATE: 05-AUG-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/102,852
FILING DATE: 05-AUG-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/009,266
FILING DATE: 22-JAN-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/894,061
FILING DATE: 05-JUN-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/889,724
FILING DATE: 26-MAY-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/827,689
FILING DATE: 27-JAN-1992
ATTORNEY/AGENT INFORMATION:
NAME: Williams, Joseph A., Jr.
REGISTRATION NUMBER: 38,659
REFERENCE/DOCKET NUMBER: 33282
TELECOMMUNICATION INFORMATION:
TELEPHONE: (312) 474-6300
TELEFAX: (312) 474-0448
TELEX: 25-3856
INFORMATION FOR SEQ ID NO: 66:
SEQUENCE CHARACTERISTICS:
LENGTH: 116 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-753-436-66

Query Match 59.6%; Score 334.5; DB 5; Length 116;
Best Local Similarity 58.0%; Pred. No. 3e-27;
Matches 65; Conservative 16; Mismatches 26; Indels 5; Gaps 1;

QY 1 DIVLTQSPATLSVTPGDSVLSQASQSI-----SNHLHWYQKSHESPLLIIKYRSQSI 55
DB 5 DIVMTQSPSLPTPGEPASISCRSSQSLVHSGNDYHLHWYQKQSPQLIIKYVSNRF 64
QY 56 SGIPSRFGSGSGTDFALNSINVTEDFGMYFCQSGSWPHTFGGKLEIK 107
DB 65 SGVPDRFGSGSGTDFTLKISRVEADVGYYCYCSQSTHVPYTFGQTKVEIK 116

RESULT 9
US-08-454-899C-71
Sequence 71, Application US/08454899C
GENERAL INFORMATION:
APPLICANT: Lobb, Roy R.
APPLICANT: Carr, Frank J.
APPLICANT: Tempest, Philip R.
TITLE OF INVENTION: RECOMBINANT ANTI-VLA4 ANTIBODY MOLECULES
FILE REFERENCE: 10274-007001
CURRENT APPLICATION NUMBER: US/08/454,899C
CURRENT FILING DATE: 1995-05-31
PRIOR APPLICATION NUMBER: US 08/004,798
PRIOR FILING DATE: 1993-01-12
PRIOR APPLICATION NUMBER: PCT/US94/00266
PRIOR FILING DATE: 1994-01-07
NUMBER OF SEQ ID NOS: 109
SOFTWARE: Fastseq for Windows Version 4.0
SEQ ID NO 71
LENGTH: 124
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: light chain variable region
US-08-454-899C-71

Query Match 59.5%; Score 334; DB 4; Length 124;
Best Local Similarity 58.1%; Pred. No. 3.6e-27;
Matches 61; Conservative 22; Mismatches 22; Indels 0; Gaps 0;
QY 2 IVLTQSPATLSVTPGDSVLSQASQSI-----SNHLHWYQKSHESPLLIIKYRSQISGIPSR 61
DB 20 IVMTQSPDLSAVLSGERVTINCKASQSVTNDVAVYQKQSPKLLIYYASNRYTGVDPDR 79
QY 62 FSGSGSGTDFALNSINVTEDFGMYFCQSGSWPHTFGGKLEI 106
DB 80 FSGSGYGTDFTFITSSVQAEDVAVIYCOQDYSSPYTFGGGKLEI 124

RESULT 10
US-09-711-485-125
Sequence 125, Application US/09711485
GENERAL INFORMATION:
APPLICANT: Better, Marc D.
APPLICANT: Carroll, Stephen F.
APPLICANT: Studnika, Gary M.
TITLE OF INVENTION: Immunotoxins Comprising Ribosome-Inactivating
NUMBER OF SEQUENCES: 169
CORRESPONDENCE ADDRESS:
ADDRESSEE: McAndrews, Held & Malloy, Ltd.
STREET: 500 West Madison Street, 34th floor
CITY: Chicago
STATE: Illinois
COUNTRY: USA
ZIP: 60661
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/711,485
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/839,765
FILING DATE:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/064,691
FILING DATE: 12-MAY-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/988,430
FILING DATE: 09-DEC-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/901,707
FILING DATE: 19-JUN-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/787,567
FILING DATE: 04-NOV-1991
ATTORNEY/AGENT INFORMATION:
NAME: McNicholas, Janet M.
REGISTRATION NUMBER: 32,918
REFERENCE/DOCKET NUMBER: 11022US09/200-70.P3.C3
TELECOMMUNICATION INFORMATION:
TELEPHONE: 312/707-8889
TELEFAX: 312/707-9155
TELEX: 650 388-1248
INFORMATION FOR SEQ ID NO: 125:
SEQUENCE CHARACTERISTICS:
LENGTH: 107 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-711-485-125

Query Match 59.4%; Score 333; DB 5; Length 107;


```
; SEQ ID NO 25
; LENGTH: 107
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Recombinant
US-09-373-403-25

Query Match          59.2%; Score 332; DB 5; Length 107;
Best Local Similarity 58.9%; Pred. No. 4.8e-27;
Matches 63; Conservative 20; Mismatches 24; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSLSCQASQISNHLHWYQOKSHESPRLLIKYRSQISGIPS 60
   ||:|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|
Db 1 DIQMTQSPSTLSASIGDRVITCRASGIYHVLAWYQOKPGKAPKLLIYKASSLASGAPS 60
   ||:|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|

QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|
Db 61 RFGSGSGTDFTLTISSLPDDFATYYCQYSNYPLTFGGGKLEIK 107
|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|

RESULT 14
US-09-445-576-32
; GENERAL INFORMATION:
; APPLICATION US/09445576
; APPLICANT: Thøgersen, Hans Christian
; APPLICANT: Elzerodt, Michael
; APPLICANT: Holtet, Thor Las
; APPLICANT: Grøversen, Niels Jonas Hellskov
; APPLICANT: Kastrup, Jette Sandholm
; APPLICANT: Nielsen, Bettina Bryde
; APPLICANT: Larsen, Ingrid Kjoller
; TITLE OF INVENTION: Trimerising module
; FILE REFERENCE: THØGERSEN =1
; CURRENT APPLICATION NUMBER: US/09/445,576
; PRIOR FILING DATE: 2000-07-17
; PRIOR APPLICATION NUMBER: PCT/DK98/00245
; PRIOR FILING DATE: 1998-06-11
; PRIOR APPLICATION NUMBER: DK 0685/97
; NUMBER OF SEQ ID NOS: 60
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 32
; LENGTH: 330
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:H6FXscFv(CEA6)-TRIPB
US-09-445-576-32

Query Match          59.2%; Score 332; DB 5; Length 330;
Best Local Similarity 58.9%; Pred. No. 1.9e-26;
Matches 63; Conservative 20; Mismatches 24; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSLSCQASQISNHLHWYQOKSHESPRLLIKYRSQISGIPS 60
   ||:|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|
Db 155 DIQMTQSPSTLSASIGDRVITCRASGIYHVLAWYQOKPGKAPKLLIYKASSLASGAPS 214
   ||:|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|

QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|
Db 215 RFGSGSGTDFTLTISSLPDDFATYYCQYSNYPLTFGGGKLEIK 261
|||||:|:~|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:~|:|:|:|:|

RESULT 15
US-09-445-576-33
; GENERAL INFORMATION:
; APPLICATION US/09445576
; APPLICANT: Thøgersen, Hans Christian
; APPLICANT: Elzerodt, Michael
; APPLICANT: Holtet, Thor Las
; APPLICANT: Grøversen, Niels Jonas Hellskov
; TITLE OF INVENTION: Trimerising module
; FILE REFERENCE: THØGERSEN =1
; CURRENT APPLICATION NUMBER: US/09/445,576
; PRIOR FILING DATE: 2000-07-17
; PRIOR APPLICATION NUMBER: PCT/DK98/00245
; PRIOR FILING DATE: 1998-06-11
; PRIOR APPLICATION NUMBER: DK 0685/97
; NUMBER OF SEQ ID NOS: 60
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 32
; LENGTH: 330
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:H6FXscFv(CEA6)-TRIPB
US-09-445-576-33

; APPLICANT: Kastrup, Jette Sandholm
; APPLICANT: Nielsen, Bettina Bryde
; APPLICANT: Larsen, Ingrid Kjoller
; TITLE OF INVENTION: Trimerising module
; FILE REFERENCE: THØGERSEN =1
; CURRENT APPLICATION NUMBER: US/09/445,576
; PRIOR FILING DATE: 2000-07-17
; PRIOR APPLICATION NUMBER: PCT/DK98/00245
; PRIOR FILING DATE: 1998-06-11
; PRIOR APPLICATION NUMBER: DK 0685/97
; NUMBER OF SEQ ID NOS: 60
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 33
; LENGTH: 331
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:H6FXTRIPB-scFv(CEA6)
US-09-445-576-33

Query Match          59.2%; Score 332; DB 5; Length 331;
Best Local Similarity 58.9%; Pred. No. 1.9e-26;
Matches 63; Conservative 20; Mismatches 24; Indels 0; Gaps 0;

QY 1 DIVLTQSPATLSVTPGDVSLSCQASQISNHLHWYQOKSHESPRLLIKYRSQISGIPS 60
   ||:|||||:|:|:~|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:~|:|:|:|:|
Db 208 DIQMTQSPSTLSASIGDRVITCRASGIYHVLAWYQOKPGKAPKLLIYKASSLASGAPS 267
   ||:|||||:|:~|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:~|:|:|:|:|

QY 61 RFGSGSGTDFALSIINSVETEDFGMYFCQSGSWPHTFGGKLEIK 107
|||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|
Db 268 RFGSGSGTDFTLTISSLPDDFATYYCQYSNYPLTFGGGKLEIK 314
|||||:|:~|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|:~|:|:|:|:|

Search completed: March 28, 2001, 06:56:58
Job time: 1547 sec
```

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:35 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-48
Perfect score: 52
Sequence: 1 GTTSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*

- 1: /cgnl_7/ptodata/1/paa/PTUS_COMB.pep.*
- 2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
- 3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
- 4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
- 5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
- 6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
- 7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
- 8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
- 9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
- 10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
- 11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
- 12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
- 13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
- 14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
- 15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
- 16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
- 17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
- 18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
- 19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
- 20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
- 21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
- 22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	52	100.0	10	14	US-09-016-061-48
2	52	100.0	10	17	US-09-339-922A-48
3	45	86.5	10	14	US-09-016-061-34
4	45	86.5	10	17	US-09-339-922A-34
5	45	86.5	117	11	US-08-790-540-2
6	45	86.5	117	11	US-08-790-540A-2
7	45	86.5	117	11	US-08-791-391-2
8	45	86.5	117	11	US-08-791-391A-2
9	45	86.5	117	14	US-09-016-061-2
10	45	86.5	117	17	US-09-339-922A-2
11	42	80.8	115	10	US-08-621-899-8

12	42	80.8	117	18	US-09-438-136-246
13	42	80.8	123	9	US-08-571-755-15
14	42	80.8	123	14	US-09-054-847-12
15	42	80.8	83	22	US-60-160-209-3496
16	41	78.8	97	1	PCT-US00-07946-638
17	41	78.8	97	19	US-09-534-717-638
18	41	78.8	103	22	US-60-160-203-5859
19	41	78.8	103	22	US-60-160-209-4300
20	41	78.8	112	22	US-60-195-053-2430
21	41	78.8	116	22	US-60-160-203-4816
22	41	78.8	116	22	US-60-195-053-2431
23	41	78.8	120	11	US-08-743-788-48
24	41	78.8	120	11	US-08-743-788-49
25	41	78.8	120	11	US-08-743-788-55
26	41	78.8	120	22	US-60-195-053-2432
27	41	78.8	131	13	US-08-973-065A-25
28	41	78.8	131	13	US-08-973-065B-25
29	40	76.9	10	14	US-09-016-061-50
30	40	76.9	10	17	PCT-US98-25828-56
31	40	76.9	117	11	US-08-790-540-6
32	40	76.9	117	11	US-08-790-540A-6
33	40	76.9	117	11	US-08-791-391-6
34	40	76.9	117	11	US-08-791-391A-6
35	40	76.9	117	13	US-08-986-016-56
36	40	76.9	117	14	US-09-016-061-6
37	40	76.9	117	17	US-09-339-922A-6
38	40	76.9	130	1	PCT-US98-25828-44
39	40	76.9	130	13	US-08-986-016-44
40	40	76.9	247	4	US-08-090-534-2
41	40	76.9	10	14	US-09-016-061-52
42	39	75.0	10	17	US-09-339-922A-52
43	39	75.0	100	22	US-60-192-739-3178
44	39	75.0	100	22	US-60-194-243-2280
45	39	75.0	100	22	US-60-194-243-2280

ALIGNMENTS

RESULT 1
US-09-016-061-48
; Sequence 48, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
;
;   TELEFAX: (619) 535-8949
;   INFORMATION FOR SEQ ID NO: 48:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH: 10 amino acids
;       TYPE: amino acid
;       TOPOLOGY: linear
;     MOLECULE TYPE: protein
;   US-09-016-061-48

Query Match      100.0%; Score 52; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0039;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
   | | | | | | | |
Db 1 GTTFSSYDMS 10

RESULT 2
US-09-339-922A-48
; Sequence 48, Application US/09339922A
; GENERAL INFORMATION:
;   APPLICANT: Huse, William D.
;   TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
;   FILE REFERENCE: P-IX 3536
;   CURRENT APPLICATION NUMBER: US/09/339,922A
;   CURRENT FILING DATE: 1999-06-24
;   NUMBER OF SEQ ID NOS: 112
;   SOFTWARE: PatentIn Ver. 2.1
;   SEQ ID NO 48
;   LENGTH: 10
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: Description of Artificial Sequence: Mutated
;   OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-48

Query Match      100.0%; Score 52; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0039;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
   | | | | | | | |
Db 1 GTTFSSYDMS 10

RESULT 3
US-09-016-061-34
; Sequence 34, Application US/09016061
; GENERAL INFORMATION:
;   APPLICANT: Huse, William D.
;   APPLICANT: Glaser, Scott M.
;   TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
;   NUMBER OF SEQUENCES: 100
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Campbell & Flores LLP
;     STREET: 4370 La Jolla Village Drive, Suite 700
;     CITY: San Diego
;     STATE: California
;     COUNTRY: United States
;     ZIP: 92122
;   COMPUTER READABLE FORM:
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/09/016,061
;     FILING DATE: 30-JAN-1998
;     CLASSIFICATION: 435
;     PRIOR APPLICATION DATA:
;       APPLICATION NUMBER: US 08/791,391
;       FILING DATE: 30-JAN-1997
;       ATTORNEY/AGENT INFORMATION:
;         NAME: Campbell, Cathryn A.
;         REGISTRATION NUMBER: 31,815
;         REFERENCE/DOCKET NUMBER: P-IX 2965
;       TELECOMMUNICATION INFORMATION:
;         TELEPHONE: (619) 535-9001
;         TELEFAX: (619) 535-8949
;       INFORMATION FOR SEQ ID NO: 34:
;         SEQUENCE CHARACTERISTICS:
;           LENGTH: 10 amino acids
;           TYPE: amino acid
;           TOPOLOGY: linear
;         MOLECULE TYPE: protein
;       US-09-016-061-34

Query Match      86.5%; Score 45; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.076;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
   | | | | | | | |
Db 1 GTTFSSYDMS 10

RESULT 4
US-09-339-922A-34
; Sequence 34, Application US/09339922A
; GENERAL INFORMATION:
;   APPLICANT: Huse, William D.
;   TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
;   FILE REFERENCE: P-IX 3536
;   CURRENT APPLICATION NUMBER: US/09/339,922A
;   CURRENT FILING DATE: 1999-06-24
;   NUMBER OF SEQ ID NOS: 112
;   SOFTWARE: PatentIn Ver. 2.1
;   SEQ ID NO 34
;   LENGTH: 10
;   TYPE: PRT
;   ORGANISM: Mus musculus
;   US-09-339-922A-34

Query Match      86.5%; Score 45; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.076;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
   | | | | | | | |
Db 1 GTTFSSYDMS 10

RESULT 5
US-08-790-540-2
; Sequence 2, Application US/08790540
; GENERAL INFORMATION:
;   APPLICANT: Huse, William D.
;   TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
;   TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
;   NUMBER OF SEQUENCES: 24
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Campbell & Flores LLP
;     STREET: 4370 La Jolla Village Drive, Suite 700
;     CITY: San Diego
;     STATE: California
```

```

; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-790-540-2

Query Match      86.5%; Score 45; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.79;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
Db 26 GTTFSSYDMS 35

RESULT 6
US-08-790-540A-2
; Sequence 2, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein

```

```

US-08-790-540A-2

Query Match      86.5%; Score 45; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.79;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
Db 26 GTTFSSYDMS 35

RESULT 7
US-08-791-391A-2
; Sequence 2, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-2

Query Match      86.5%; Score 45; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.79;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
Db 26 GTTFSSYDMS 35

RESULT 8
US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP

```

STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-2

Query Match 86.5%; Score 45; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.79;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | | |
Db 26 GTTFSSYDMS 35

RESULT 9

US-09-016-061-2
; Sequence 2, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-2

Query Match 86.5%; Score 45; DB 14; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.79;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | | |
Db 26 GTTFSSYDMS 35

RESULT 10

US-09-339-922A-2
; Sequence 2, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: grafted
; OTHER INFORMATION: antibody variable region
US-09-339-922A-2

Query Match 86.5%; Score 45; DB 17; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.79;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | | |
Db 26 GTTFSSYDMS 35

RESULT 11

US-08-621-899-8
; Sequence 8, Application US/08621899
; GENERAL INFORMATION:
; APPLICANT: IWASA, SUSUMU
; APPLICANT: TADA, HIROKO
; APPLICANT: WATANABE, TAKESHI
; TITLE OF INVENTION: CHIMERIC ANTIBODIES AND THEIR USE
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 WATER STREET
; CITY: BOSTON
; STATE: MASSACHUSETTS
; COUNTRY: US
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25

;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/621,899
;; FILING DATE:
;; CLASSIFICATION: 530
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/810704
;; FILING DATE: 18-DEC-1991
;; ATTORNEY/AGENT INFORMATION:
;; NAME: RESNICK, DAVID S.
;; REGISTRATION NUMBER: 34235
;; REFERENCE/DOCKET NUMBER: 41485
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (617) 523-3400
;; TELEFAX: (617) 523-6440
;; TELEX: 200291 STRE UR
;; INFORMATION FOR SEQ ID NO: 8:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 115 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; ORIGINAL SOURCE:
;; ORGANISM: BALB/c mouse
;; TISSUE TYPE: spleen
;; CELL TYPE: B cell hybridoma
;; CELL LINE: FIBI-11
US-08-621-899-8

Query Match 80.8%; Score 42; DB 10; Length 115;
Best Local Similarity 80.0%; Pred. No. 2.8;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| |||:||||
Db 26 GTFSYDMS 35

RESULT 12

US-09-438-136-246

Sequence 246, Application US/09/438136

GENERAL INFORMATION:

APPLICANT: CARR, Francis Joseph
ADAIR, Fiona Suzanne
HAMILTON, Anita Anne
CARTER, Graham

TITLE OF INVENTION: METHOD FOR THE PRODUCTION OF

NON-IMMUNOGENIC PROTEINS

NUMBER OF SEQUENCES: 254

CORRESPONDENCE ADDRESS:

ADDRESSEE: Hale and Dorr L.L.P.

STREET: 60 State Street

CITY: Boston

STATE: Massachusetts

COUNTRY: United States

ZIP: 02109

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.30

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/438,136

FILING DATE: 10-Nov-1999

CLASSIFICATION: <Unknown>

PRIOR APPLICATION DATA:

APPLICATION NUMBER: WO PCT/GB98/01473

FILING DATE: 21-MAY-1998

APPLICATION NUMBER: GB 9710480.6

FILING DATE: 21-MAY-1997

APPLICATION NUMBER: GB 9716197.0

FILING DATE: 31-JUL-1997

APPLICATION NUMBER: GB 9725270.4

;; FILING DATE: 28-NOV-1997
;; APPLICATION NUMBER: GB 9807751.4
;; FILING DATE: 14-APR-1998
;; APPLICATION NUMBER: US 60/067,235
;; FILING DATE: 02-DEC-1997
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Baker, Hollie L.
;; REGISTRATION NUMBER: 31,321
;; REFERENCE/DOCKET NUMBER: 102286.395CON
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (617) 526-6000
;; INFORMATION FOR SEQ ID NO: 246:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 117 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; SEQUENCE DESCRIPTION: SEQ ID NO: 246:
US-09-438-136-246

Query Match 80.8%; Score 42; DB 18; Length 117;
Best Local Similarity 80.0%; Pred. No. 2.8;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| |||:||||
Db 26 GTFSYDMS 35

RESULT 13

US-08-571-755-15

Sequence 15, Application US/08571755

GENERAL INFORMATION:

APPLICANT: Thompson, Julia E

APPLICANT: Vaughan, Tristan J

APPLICANT: Williams, Andrew J

APPLICANT: Green, Jonathan A

APPLICANT: Jackson, Ronald H

APPLICANT: Bacon, Louise

APPLICANT: Johnson, Kevin S

APPLICANT: Field, Raymond P

APPLICANT: Wilton, Alison J

APPLICANT: Tempest, Philip R

TITLE OF INVENTION: Specific binding members for human transforming

NUMBER OF SEQUENCES: 92

CORRESPONDENCE ADDRESS:

ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun

STREET: 6300 Sears Tower, 233 South Wacker Drive

CITY: Chicago

STATE: Illinois

COUNTRY: USA

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/571,755

FILING DATE: 13-DEC-1995

PRIOR APPLICATION DATA:

APPLICATION NUMBER: GB 9520486.3

FILING DATE: 06-OCT-1995

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/244,597

FILING DATE: 01-JUN-1994

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/350,260

FILING DATE: 05-DEC-1994

ATTORNEY/AGENT INFORMATION:

NAME: David W. Clough

REGISTRATION NUMBER: 36,107

REFERENCE/DOCKET NUMBER: 28111/32975

```
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312-474-6300
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-571-755-15

Query Match      80.8%; Score 42; DB 9; Length 123;
Best Local Similarity 88.9%; Pred. No. 2.9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
Db 26 GLTFSSYDM 34

RESULT 14
US-09-054-847-12
; Sequence 12, Application US/09054847
; GENERAL INFORMATION:
; APPLICANT: Thomson, Julia E
; APPLICANT: Vaughan, Tristan J
; APPLICANT: Williams, Andrew J
; APPLICANT: Green, Jonathan A
; APPLICANT: Jackson, Ronald H
; APPLICANT: Bacon, Louise
; APPLICANT: Johnson, Kevin S
; APPLICANT: Wilton, Alison J
; APPLICANT: Tempest, Philip R
; APPLICANT: Pope, Anthony R
; TITLE OF INVENTION: Specific binding members for human
; TITLE OF INVENTION: Transforming growth factor beta; materials and methods
; NUMBER OF SEQUENCES: 110
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
; STREET: 6300 Sears Tower, 233 South Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: USA
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/054,847
; FILING DATE: 03-APR-1998
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/GB96/02450
; FILING DATE: 07-OCT-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: GB 9520486.3
; FILING DATE: 06-OCT-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: GB 9601081.4
; FILING DATE: 19-JAN-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: David W. Clough
; REGISTRATION NUMBER: 36,107
; REFERENCE/DOCKET NUMBER: 28111/34620
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (312) 474-6300
; TELEFAX: (312) 474-0448
; INFORMATION FOR SEQ ID NO: 12:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 123 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
```

```
; MOLECULE TYPE: protein
US-09-054-847-12

Query Match      80.8%; Score 42; DB 14; Length 123;
Best Local Similarity 88.9%; Pred. No. 2.9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
Db 26 GLTFSSYDM 34

RESULT 15
US-60-160-209-3496
; Sequence 3496, Application US/60160209
; GENERAL INFORMATION:
; APPLICANT: BONAZZI, VIVIEN
; TITLE OF INVENTION: ISOLATED HUMAN KINASE PROTEINS, NUCLEIC
; TITLE OF INVENTION: ACID MOLECULES ENCODING HUMAN KINASE PROTEINS AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: CLO00113
; CURRENT APPLICATION NUMBER: US/60/160,209
; CURRENT FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 4646
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 3496
; LENGTH: 83
; TYPE: PRT
; ORGANISM: HUMAN
US-60-160-209-3496

Query Match      78.8%; Score 41; DB 22; Length 83;
Best Local Similarity 88.9%; Pred. No. 3.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTTFSSYDM 9
Db 12 GFTFSSYDM 20
```

Search completed: March 28, 2001, 06:55:35
Job time: 1479 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:02 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-48
Perfect score: 52
Sequence: 1 GTTFSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New: *
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	38	73.1	87	1	PCT-US01-03537-53
2	38	73.1	89	1	PCT-US01-03537-48
3	38	73.1	98	1	PCT-US01-03537-38
4	38	73.1	98	1	PCT-US01-03537-39
5	38	73.1	98	1	PCT-US01-03537-44
6	38	73.1	98	1	PCT-US01-03537-45
7	38	73.1	98	5	US-09-297-344-4
8	38	73.1	124	5	US-09-518-737-2
9	37	71.2	11	5	US-09-623-611-67
10	37	71.2	18	5	US-09-623-611-74
11	37	71.2	88	1	PCT-US01-03537-51
12	37	71.2	89	1	PCT-US01-03537-49
13	37	71.2	98	1	PCT-US01-03537-40
14	37	71.2	98	5	US-09-430-048-35
15	37	71.2	98	5	US-09-430-048-36
16	37	71.2	108	5	US-09-780-035-28
17	37	71.2	112	5	US-09-430-048-14
18	37	71.2	112	5	US-09-430-048-15
19	37	71.2	113	5	US-09-194-356A-8
20	37	71.2	116	1	PCT-US01-03537-80
21	37	71.2	117	5	US-09-385-673-15
22	37	71.2	118	5	US-09-780-035-67
23	37	71.2	120	1	PCT-US01-03537-85
24	37	71.2	121	1	PCT-US01-03537-92
25	37	71.2	121	5	US-09-194-356A-9
26	37	71.2	123	1	PCT-US01-03537-82
27	37	71.2	124	1	PCT-US01-03537-81

28 37 71.2 124 1 PCT-US01-03537-89 Sequence 89, Appl
29 37 71.2 125 1 PCT-US01-03537-76 Sequence 76, Appl
30 37 71.2 127 1 PCT-US01-03537-87 Sequence 87, Appl
31 37 71.2 128 1 PCT-US01-03537-77 Sequence 77, Appl
32 37 71.2 128 1 PCT-US01-03537-79 Sequence 79, Appl
33 37 71.2 130 5 US-09-341-711-53 Sequence 53, Appl
34 37 71.2 130 5 US-09-341-711-54 Sequence 54, Appl
35 37 71.2 235 5 US-09-780-035-30 Sequence 30, Appl
36 37 71.2 238 5 US-09-430-048-24 Sequence 24, Appl
37 36 69.2 120 4 US-08-907-146-25 Sequence 25, Appl
38 36 69.2 146 4 US-08-907-146-15 Sequence 15, Appl
39 35 67.3 677 4 US-08-686-968C-58 Sequence 58, Appl
40 35 67.3 677 4 US-08-686-968C-193 Sequence 193, Appl
41 34 65.4 117 1 PCT-US01-03537-83 Sequence 83, Appl
42 34 65.4 125 1 PCT-US01-03537-84 Sequence 84, Appl
43 34 65.4 128 5 US-09-147-443C-54 Sequence 54, Appl
44 34 65.4 138 5 US-09-403-107-144 Sequence 144, Appl
45 34 65.4 138 5 US-09-403-107-150 Sequence 150, Appl

ALIGNMENTS

RESULT 1
PCT-US01-03537-53
; Sequence 53, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; PRIOR FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 53
; LENGTH: 87
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-53

Query Match 73.1%; Score 38; DB 1; Length 87;
Best Local Similarity 80.0%; Pred. No. 0.65;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
DB 15 GTTFSSYDMS 24

RESULT 2
PCT-US01-03537-48
; Sequence 48, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.

; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 48
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-48

Query Match 73.1%; Score 38; DB 1; Length 89;
Best Local Similarity 80.0%; Pred. No. 0.66;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | | | | |
Db 17 GTTFSSYDMS 26

RESULT 3
PCT-US01-03537-38
; Sequence 38, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 38
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-38

Query Match 73.1%; Score 38; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.73;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | | | | |
Db 26 GTTFSSYDMS 35

RESULT 4
PCT-US01-03537-39
; Sequence 39, Application PC/TUS0103537

; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 39
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-39

Query Match 73.1%; Score 38; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.73;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | | | | |
Db 26 GTTFSSYDMS 35

RESULT 5
PCT-US01-03537-44
; Sequence 44, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 44
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-44

Query Match 73.1%; Score 38; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.73;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10

Db 26 GTTFSSYMS 35

RESULT 6

PCT-US01-03537-45
; Sequence 45, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 45
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-45

Query Match 73.1%; Score 38; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.73;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYMS 10
| | | | | | | |
Db 26 GTTFSSYMS 35

RESULT 7

US-09-297-344-4
; Sequence 4, Application US/09297344
; GENERAL INFORMATION:
; APPLICANT: Deen, Keith C.
; APPLICANT: Dillon, Susan B.
; APPLICANT: Porter, Terence C.
; APPLICANT: Sweet, Raymond A.
; TITLE OF INVENTION: Human Monoclonal Antibodies
; NUMBER OF SEQUENCES: 30
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: U.S.A.
; ZIP: 19046
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,344
; FILING DATE: 09-Jun-1999
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/030,149
; FILING DATE: 01-NOV-1997

; ATTORNEY/AGENT INFORMATION:
; NAME: Geiger, Kathleen
; REGISTRATION NUMBER: 35,880
; REFERENCE/DOCKET NUMBER: P50504
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-5968
; TELEFAX: 610-270-5090
; TELEX: <Unknown>
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 98 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-09-297-344-4

Query Match 73.1%; Score 38; DB 5; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.73;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GTTFSSYMS 10
| | | | | | | |
Db 26 GTTFSSYMS 35

RESULT 8

US-09-518-737-2
; Sequence 2, Application US/09518737
; GENERAL INFORMATION:
; APPLICANT: FUKUI, YASUHIKA
; APPLICANT: NAGATA, SATOSHI
; APPLICANT: SHIRAI, RYUICHI
; APPLICANT: SAITO, NAOAKI
; TITLE OF INVENTION: MONOCLONAL ANTIBODY RECOGNIZING
; TITLE OF INVENTION: PHOSPHATIDYLINOSITOL-3,4-DIPHOSPHATE
; FILE REFERENCE: 1965/49618
; CURRENT APPLICATION NUMBER: US/09/518,737
; CURRENT FILING DATE: 2000-03-03
; PRIOR APPLICATION NUMBER: JP 1999-250209
; PRIOR FILING DATE: 1999-09-03
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-518-737-2

Query Match 73.1%; Score 38; DB 5; Length 124;
Best Local Similarity 80.0%; Pred. No. 0.94;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYMS 10
| | | | | | | |
Db 26 GTTFSSYMS 35

RESULT 9

US-09-623-611-67
; Sequence 67, Application US/09623611
; GENERAL INFORMATION:
; APPLICANT: Coia, et al.
; TITLE OF INVENTION: V-like Domain Binding Molecules
; FILE REFERENCE: 674537-2002
; CURRENT APPLICATION NUMBER: US/09/623,611
; CURRENT FILING DATE: 2000-10-06
; PRIOR APPLICATION NUMBER: PCT/AU99/00136
; PRIOR FILING DATE: 1999-03-05
; PRIOR APPLICATION NUMBER: AU PP 2210

; PRIOR FILING DATE: 1998-03-06
; NUMBER OF SEQ ID NOS: 141
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 67
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-623-611-67

Query Match 71.2%; Score 37; DB 5; Length 11;
Best Local Similarity 80.0%; Pred. No. 0.11;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | |
Db 2 GTFSSYAMS 11

RESULT 10
US-09-623-611-74
; Sequence 74, Application US/09623611
; GENERAL INFORMATION:
; APPLICANT: Coia, et al.
; TITLE OF INVENTION: V-like Domain Binding Molecules
; FILE REFERENCE: 674537-2002
; CURRENT APPLICATION NUMBER: US/09/623,611
; CURRENT FILING DATE: 2000-10-06
; PRIOR APPLICATION NUMBER: PCT/AU99/00136
; PRIOR FILING DATE: 1999-03-05
; PRIOR APPLICATION NUMBER: AU PP 2210
; PRIOR FILING DATE: 1998-03-06
; NUMBER OF SEQ ID NOS: 141
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 74
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-623-611-74

Query Match 71.2%; Score 37; DB 5; Length 18;
Best Local Similarity 80.0%; Pred. No. 0.19;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | |
Db 9 GTFSSYAMS 18

RESULT 11
PCT-US01-03537-51
; Sequence 51, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107

; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 51
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-51

Query Match 71.2%; Score 37; DB 1; Length 88;
Best Local Similarity 80.0%; Pred. No. 1;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | |
Db 17 GTFSSYAMS 26

RESULT 12
PCT-US01-03537-49
; Sequence 49, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 49
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-49

Query Match 71.2%; Score 37; DB 1; Length 89;
Best Local Similarity 80.0%; Pred. No. 1;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 GTTFSSYDMS 10
| | | | | | |
Db 17 GTFSSYAMS 26

RESULT 13
PCT-US01-03537-40
; Sequence 40, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02

; PRIOR APPLICATION NUMBER: 09/437,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FASTSEQ for Windows Version 3.0
; SEQ ID NO 40
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(98)
; OTHER INFORMATION: Xaa = Any Amino Acid
PCT-US01-03537-40

Query Match 71.2%; Score 37; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 1.1;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | |
Db 26 GTTFSSYAMS 35

RESULT 14
US-09-430-048-35
; Sequence 35, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-35

Query Match 71.2%; Score 37; DB 5; Length 98;
Best Local Similarity 80.0%; Pred. No. 1.1;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | |
Db 26 GTTFSSYAMS 35

RESULT 15
US-09-430-048-36
; Sequence 36, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 36

; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-36

Query Match 71.2%; Score 37; DB 5; Length 98;
Best Local Similarity 80.0%; Pred. No. 1.1;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GTTFSSYDMS 10
| | | | | | |
Db 26 GTTFSSYAMS 35

Search completed: March 28, 2001, 06:57:02
Job time: 1551 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:35 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-50
Perfect score: 58
Sequence: 1 GFTWSSYDMS 10
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues
Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	58	100.0	10	14	US-09-016-061-50
2	58	100.0	10	17	US-09-339-922A-50
3	48	82.8	10	14	US-09-016-061-34
4	48	82.8	10	17	US-09-339-922A-34
5	48	82.8	117	11	US-08-790-540-2
6	48	82.8	117	11	US-08-790-540A-2
7	48	82.8	117	11	US-08-791-391-2
8	48	82.8	117	11	US-08-791-391A-2
9	48	82.8	117	14	US-09-016-061-2
10	48	82.8	117	17	US-09-339-922A-2
11	45	77.6	115	10	US-08-621-899-8

12	45	77.6	117	18	US-09-438-136-246
13	44	75.9	83	22	US-60-160-209-3496
14	44	75.9	97	1	PCT-US00-07946-638
15	44	75.9	97	19	US-09-534-717-638
16	44	75.9	103	22	US-60-160-203-5859
17	44	75.9	103	22	US-60-160-209-4300
18	44	75.9	112	22	US-60-195-053-4816
19	44	75.9	116	22	US-60-160-203-2430
20	44	75.9	116	22	US-60-195-053-2431
21	44	75.9	120	11	US-08-743-788-48
22	44	75.9	120	11	US-08-743-788-49
23	44	75.9	120	11	US-08-743-788-55
24	44	75.9	120	22	US-60-195-053-2432
25	44	75.9	131	13	US-08-973-065A-25
26	44	75.9	131	13	US-08-973-065B-25
27	43	74.1	117	1	PCT-US98-25828-56
28	43	74.1	117	11	US-08-790-540-6
29	43	74.1	117	11	US-08-790-540A-6
30	43	74.1	117	11	US-08-791-391-6
31	43	74.1	117	11	US-08-791-391A-6
32	43	74.1	117	13	US-08-986-016-56
33	43	74.1	117	14	US-09-016-061-6
34	43	74.1	117	17	US-09-339-922A-6
35	43	74.1	130	1	PCT-US98-25828-44
36	43	74.1	130	13	US-08-986-016-44
37	43	74.1	247	4	US-08-090-534-2
38	43	74.1	505	18	US-09-417-507-37648
39	42	72.4	10	14	US-09-016-061-52
40	42	72.4	10	17	US-09-339-922A-52
41	42	72.4	115	1	PCT-US00-20131A-2
42	42	72.4	117	18	US-09-438-136-250
43	42	72.4	119	4	US-08-090-534-6
44	42	72.4	239	1	PCT-US00-20131A-6
45	41	70.7	77	22	US-60-182-467-1616

ALIGNMENTS

RESULT 1
US-09-016-061-50
; Sequence 50, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 50:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-50

Query Match      100.0%; Score 58; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0061;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 1 GFTWSSYDMS 10

RESULT 2
US-09-339-922A-50
; Sequence 50, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 50
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-50

Query Match      100.0%; Score 58; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0061;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 1 GFTWSSYDMS 10

RESULT 3
US-09-016-061-34
; Sequence 34, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 34:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-34

Query Match      82.8%; Score 48; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.25;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 1 GFTFSSYDMS 10

RESULT 4
US-09-339-922A-34
; Sequence 34, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 34
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-34

Query Match      82.8%; Score 48; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.25;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 1 GFTFSSYDMS 10

RESULT 5
US-08-790-540-2
; Sequence 2, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
```

US-08-790-540A-2

COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein

Query Match 82.8%; Score 48; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.9;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSSYDMS 35

RESULT 6

US-08-790-540A-2

Sequence 2, Application US/08790540A

GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein

US-08-790-540A-2

Query Match 82.8%; Score 48; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.9;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSSYDMS 35

RESULT 7

US-08-791-391A-2

Sequence 2, Application US/08791391

GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391

FILING DATE:
CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein

Query Match 82.8%; Score 48; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.9;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSSYDMS 35

RESULT 8

US-08-791-391A-2

Sequence 2, Application US/08791391A

GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791.391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-2

Query Match 82.8%; Score 48; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.9;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSSYDMS 35

RESULT 9
US-09-016-061-2
Sequence 2, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016.061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791.391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-2

Query Match 82.8%; Score 48; DB 14; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.9;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSSYDMS 35

RESULT 10
US-09-339-922A-2
Sequence 2, Application US/09339922A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Wu, Herren
TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic Acids Encoding Same and Methods of Use
FILE REFERENCE: P-IX 3536
CURRENT APPLICATION NUMBER: US/09/339,922A
CURRENT FILING DATE: 1999-06-24
NUMBER OF SEQ ID NOS: 112
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 2
LENGTH: 117
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: grafted
OTHER INFORMATION: antibody variable region
US-09-339-922A-2

Query Match 82.8%; Score 48; DB 17; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.9;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSSYDMS 35

RESULT 11
US-08-621-899-8
Sequence 8, Application: US/08621899
GENERAL INFORMATION:
APPLICANT: IWASA, SUSUMU
APPLICANT: TADA, HIROKO
APPLICANT: WATANABE, TAKESHI
TITLE OF INVENTION: CHIMERIC ANTIBODIES AND THEIR USE
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN, ROBERTS &
ADDRESSEE: CUSHMAN
STREET: 130 WATER STREET
CITY: BOSTON
STATE: MASSACHUSETTS
COUNTRY: US
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25

;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/621,899
;; FILING DATE: 18-DEC-1991
;; CLASSIFICATION: 530
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/810704
;; FILING DATE: 18-DEC-1991
;; ATTORNEY/AGENT INFORMATION:
;; NAME: RESNICK, DAVID S.
;; REGISTRATION NUMBER: 34235
;; REFERENCE/DOCKET NUMBER: 41485
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (617) 523-3400
;; TELEFAX: (617) 523-6440
;; INFORMATION FOR SEQ ID NO: 8:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 115 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; ORIGINAL SOURCE:
;; ORGANISM: BALB/c mouse
;; TISSUE TYPE: spleen
;; CELL TYPE: B cell hybridoma
;; CELL LINE: FIB1-11
US-08-621-899-8

Query Match 77.6%; Score 45; DB 10; Length 115;
Best Local Similarity 80.0%; Pred. No. 5.8;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSYDMS 35

RESULT 12

US-09-438-136-246

;; Sequence 246, Application US/09438136

;; GENERAL INFORMATION:

;; APPLICANT: CARR, Francis Joseph
;; ADAIR, Fiona Suzanne
;; HAMILTON, Anita Anne
;; CARTER, Graham

;; TITLE OF INVENTION: METHOD FOR THE PRODUCTION OF
;; NON-IMMUNOGENIC PROTEINS

;; NUMBER OF SEQUENCES: 254

;; CORRESPONDENCE ADDRESS:

;; ADDRESSEE: Hale and Dorr L.L.P.

;; STREET: 60 State Street

;; CITY: Boston

;; STATE: Massachusetts

;; COUNTRY: United States

;; ZIP: 02109

;; COMPUTER READABLE FORM:

;; MEDIUM TYPE: Floppy disk

;; COMPUTER: IBM PC compatible

;; OPERATING SYSTEM: PC-DOS/MS-DOS

;; SOFTWARE: PatentIn Release #1.0, Version #1.30

;; CURRENT APPLICATION DATA:

;; APPLICATION NUMBER: US/09/438,136

;; FILING DATE: 10-Nov-1999

;; CLASSIFICATION: <Unknown>

;; PRIOR APPLICATION DATA:

;; APPLICATION NUMBER: WO PCT/GB98/01473

;; FILING DATE: 21-MAY-1998

;; APPLICATION NUMBER: GB 9710480.6

;; FILING DATE: 21-MAY-1997

;; APPLICATION NUMBER: GB 9716197.0

;; FILING DATE: 31-JUL-1997

;; APPLICATION NUMBER: GB 9725270.4

;; FILING DATE: 28-NOV-1997
;; APPLICATION NUMBER: GB 9807751.4
;; FILING DATE: 14-APR-1998
;; APPLICATION NUMBER: US 60/067,235
;; FILING DATE: 02-DEC-1997
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Baker, Hollie L.
;; REGISTRATION NUMBER: 31,321
;; REFERENCE/DOCKET NUMBER: 102286.395CON
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (617) 526-6000
;; INFORMATION FOR SEQ ID NO: 246:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 117 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; SEQUENCE DESCRIPTION: SEQ ID NO: 246:
US-09-438-136-246

Query Match 77.6%; Score 45; DB 18; Length 117;
Best Local Similarity 80.0%; Pred. No. 5.9;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
Db 26 GFTFSYDMS 35

RESULT 13

US-60-160-209-3496

;; Sequence 3496, Application US/60160209

;; GENERAL INFORMATION:

;; APPLICANT: BONAZZI, VIVIEN

;; TITLE OF INVENTION: ISOLATED HUMAN KINASE PROTEINS, NUCLEIC

;; ACID MOLECULES ENCODING HUMAN KINASE PROTEINS AND USES

;; FILE REFERENCE: C1000113

;; CURRENT APPLICATION NUMBER: US/60/160,209

;; CURRENT FILING DATE: 1999-10-19

;; NUMBER OF SEQ ID NOS: 4646

;; SOFTWARE: FastSeq for Windows Version 4.0

;; SEQ ID NO 3496

;; LENGTH: 83

;; TYPE: PRT

;; ORGANISM: HUMAN

;; US-60-160-209-3496

Query Match 75.9%; Score 44; DB 22; Length 83;
Best Local Similarity 88.9%; Pred. No. 6.4;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDM 9
Db 12 GFTFSYDM 20

RESULT 14

PCT-us00-07946-638

;; Sequence 638, Application PC/TUS00007946

;; GENERAL INFORMATION:

;; APPLICANT: Jochen, Salfeld et al.

;; TITLE OF INVENTION: Human Antibodies That Bind Human IL-12 And Methods For Producti

;; FILE REFERENCE: BBI-093CPCP

;; CURRENT APPLICATION NUMBER: PCT/US00/07946

;; CURRENT FILING DATE: 2000-03-24

;; EARLIER FILING DATE: 60/126,603

;; EARLIER FILING DATE: March 25, 1999

;; NUMBER OF SEQ ID NOS: 675

;; SOFTWARE: PatentIn Ver. 2.0

;; SEQ ID NO 638

;; LENGTH: 97

; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US00-07946-638

Query Match 75.9%; Score 44; DB 1; Length 97;
Best Local Similarity 88.9%; Pred. No. 7.3;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDM 9
 | | | | |
Db 26 GFTFSSYDM 34

RESULT 15
US-09-534-717-638
; Sequence 638, Application US/09534717
; GENERAL INFORMATION:
; APPLICANT: Jochen, Salfeld et al.
; TITLE OF INVENTION: Human Antibodies That Bind Human IL-12 And Methods For Producing
; FILE REFERENCE: BBI-093CP
; CURRENT APPLICATION NUMBER: US/09/534,717
; CURRENT FILING DATE: 2000-03-24
; EARLIER APPLICATION NUMBER: 60/126,603
; EARLIER FILING DATE: March 25, 1999
; NUMBER OF SEQ ID NOS: 675
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 638
; LENGTH: 97
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-534-717-638

Query Match 75.9%; Score 44; DB 19; Length 97;
Best Local Similarity 88.9%; Pred. No. 7.3;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GFTWSSYDM 9
 | | | | |
Db 26 GFTFSSYDM 34

Search completed: March 28, 2001, 06:55:35
Job time: 1479 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:02 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-50
Perfect score: 58
Sequence: 1 GFTWSSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New:*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep:*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep:*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep:*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep:*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep:*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	41	70.7	87	1	PCT-US01-03537-53
2	41	70.7	89	1	PCT-US01-03537-48
3	41	70.7	98	1	PCT-US01-03537-38
4	41	70.7	98	1	PCT-US01-03537-39
5	41	70.7	98	1	PCT-US01-03537-44
6	41	70.7	98	1	PCT-US01-03537-45
7	41	70.7	98	5	US-09-297-344-4
8	41	70.7	124	5	US-09-518-737-2
9	40	69.0	11	5	US-09-623-611-67
10	40	69.0	18	5	US-09-623-611-74
11	40	69.0	88	1	PCT-US01-03537-51
12	40	69.0	89	1	PCT-US01-03537-49
13	40	69.0	98	1	PCT-US01-03537-40
14	40	69.0	98	5	US-09-430-048-35
15	40	69.0	98	5	US-09-430-048-36
16	40	69.0	108	5	US-09-780-035-28
17	40	69.0	112	5	US-09-430-048-14
18	40	69.0	112	5	US-09-430-048-15
19	40	69.0	113	5	US-09-194-356A-8
20	40	69.0	116	1	PCT-US01-03537-80
21	40	69.0	117	5	US-09-385-673-15
22	40	69.0	118	5	US-09-780-035-67
23	40	69.0	120	1	PCT-US01-03537-85
24	40	69.0	121	1	PCT-US01-03537-92
25	40	69.0	121	5	US-09-194-356A-9
26	40	69.0	123	1	PCT-US01-03537-82
27	40	69.0	124	1	PCT-US01-03537-81

Sequence 89, Appl
Sequence 76, Appl
Sequence 87, Appl
Sequence 77, Appl
Sequence 79, Appl
Sequence 53, Appl
Sequence 54, Appl
Sequence 24, Appl
Sequence 25, Appl
Sequence 15, Appl
Sequence 10, Appl
Sequence 852, Ap
Sequence 83, Appl
Sequence 84, Appl
Sequence 54, Appl
Sequence 144, App
Sequence 150, App

ALIGNMENTS

RESULT 1
PCT-US01-03537-53
; Sequence 53, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; PRIOR FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 53
; LENGTH: 87
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-53

Query Match 70.7%; Score 41; DB 1; Length 87;
Best Local Similarity 80.0%; Pred. No. 2.4;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Caps 0;

QY 1 GFTWSSYDMS 10
|||:|||||
Db 15 GFTFSSYVMS 24

RESULT 2
PCT-US01-03537-48
; Sequence 48, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.

; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 48
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-48

Query Match 70.7%; Score 41; DB 1; Length 89;
Best Local Similarity 80.0%; Pred. No. 2.4;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||

Db 17 GFTFSSYGMS 26

RESULT 3
PCT-US01-03537-38
; Sequence 38, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 38
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-38

Query Match 70.7%; Score 41; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 2.7;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||

Db 26 GFTFSSYTMS 35

RESULT 4
PCT-US01-03537-39
; Sequence 39, Application PC/TUS0103537

; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 39
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-39

Query Match 70.7%; Score 41; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 2.7;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||

Db 26 GFTFSSYTMS 35

RESULT 5
PCT-US01-03537-44
; Sequence 44, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 44
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-44

Query Match 70.7%; Score 41; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 2.7;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10

Db 26 GFTFSSYMS 35
|||||

RESULT 6

PCT-US01-03537-45
; Sequence 45, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran H.
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 45
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-45

Query Match 70.7%; Score 41; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 2.7;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||||

Db 26 GFTFSSYMS 35

RESULT 7

US-09-297-344-4
; Sequence 4, Application US/09297344
; GENERAL INFORMATION:
; APPLICANT: Deen, Keith C.
; APPLICANT: Dillon, Susan B.
; APPLICANT: Porter, Terence C.
; APPLICANT: Sweet, Raymond A.
; TITLE OF INVENTION: Human Monoclonal Antibodies
; NUMBER OF SEQUENCES: 30
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: U.S.A.
; ZIP: 19046
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,344
; FILING DATE: 09-Jun-1999
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/030,149
; FILING DATE: 01-NOV-1997

ATTORNEY/AGENT INFORMATION:
NAME: Geiger, Kathleen
REGISTRATION NUMBER: 35,880
REFERENCE/DOCKET NUMBER: P50504
TELECOMMUNICATION INFORMATION:
TELEPHONE: 610-270-5968
TELEFAX: 610-270-5090
TELEX: <Unknown>
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 98 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-09-297-344-4

Query Match 70.7%; Score 41; DB 5; Length 98;
Best Local Similarity 70.0%; Pred. No. 2.7;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||||

Db 26 GFTFSSYMS 35

RESULT 8

US-09-518-737-2
; Sequence 2, Application US/09518737
; GENERAL INFORMATION:
; APPLICANT: FUKUI, YASUHISA
; APPLICANT: NAGATA, SATOSHI
; APPLICANT: SHIRAI, RYUICHI
; APPLICANT: SAITO, NAOAKI
; TITLE OF INVENTION: MONOCLONAL ANTIBODY RECOGNIZING
; TITLE OF INVENTION: PHOSPHATIDYLINOSITOL-3,4-DIPHOSPHATE
; FILE REFERENCE: 1965/49618
; CURRENT APPLICATION NUMBER: US/09/518,737
; CURRENT FILING DATE: 2000-03-03
; PRIOR APPLICATION NUMBER: JP 1999-250209
; PRIOR FILING DATE: 1999-09-03
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-518-737-2

Query Match 70.7%; Score 41; DB 5; Length 124;
Best Local Similarity 80.0%; Pred. No. 3.3;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||||

Db 26 GFTFSSYMS 35

RESULT 9

US-09-623-611-67
; Sequence 67, Application US/09623611
; GENERAL INFORMATION:
; APPLICANT: Coia, et al.
; TITLE OF INVENTION: V-like Domain Binding Molecules
; FILE REFERENCE: 674537-2002
; CURRENT APPLICATION NUMBER: US/09/623,611
; CURRENT FILING DATE: 2000-10-06
; PRIOR APPLICATION NUMBER: PCT/AU99/00136
; PRIOR FILING DATE: 1999-03-05
; PRIOR APPLICATION NUMBER: AU PP 2210

; PRIOR FILING DATE: 1998-03-06
; NUMBER OF SEQ ID NOS: 141
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 67
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-623-611-67

Query Match 69.0%; Score 40; DB 5; Length 11;
Best Local Similarity 80.0%; Pred. No. 0.51;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||
Db 2 GFTFSSYAMS 11

RESULT 10
US-09-623-611-74
; Sequence 74, Application US/09623611
; GENERAL INFORMATION:
; APPLICANT: Cola, et al.
; TITLE OF INVENTION: V-like Domain Binding Molecules
; FILE REFERENCE: 674537-2002
; CURRENT APPLICATION NUMBER: US/09/623,611
; CURRENT FILING DATE: 2000-10-06
; PRIOR APPLICATION NUMBER: PCT/AU99/00136
; PRIOR FILING DATE: 1999-03-05
; PRIOR APPLICATION NUMBER: AU PP 2210
; PRIOR FILING DATE: 1998-03-06
; NUMBER OF SEQ ID NOS: 141
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 74
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-623-611-74

Query Match 69.0%; Score 40; DB 5; Length 18;
Best Local Similarity 80.0%; Pred. No. 0.81;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||
Db 9 GFTFSSYAMS 18

RESULT 11
PCT-US01-03537-51
; Sequence 51, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107

; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 51
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-51

Query Match 69.0%; Score 40; DB 1; Length 88;
Best Local Similarity 80.0%; Pred. No. 3.5;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||
Db 17 GFTFSSYAMS 26

RESULT 12
PCT-US01-03537-49
; Sequence 49, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 49
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-49

Query Match 69.0%; Score 40; DB 1; Length 89;
Best Local Similarity 80.0%; Pred. No. 3.5;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTWSSYDMS 10
|||:|||||
Db 17 GFTFSSYAMS 26

RESULT 13
PCT-US01-03537-40
; Sequence 40, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02

; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 40
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(98)
; OTHER INFORMATION: Xaa = Any Amino Acid
PCT-US01-03537-40

Query Match 69.0%; Score 40; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 3.8;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
|||:||||||
Db 26 GFTFSYAMS 35

RESULT 14
US-09-430-048-35
; Sequence 35, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430.048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-35

Query Match 69.0%; Score 40; DB 5; Length 98;
Best Local Similarity 80.0%; Pred. No. 3.8;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
|||:||||||
Db 26 GFTFSYAMS 35

RESULT 15
US-09-430-048-36
; Sequence 36, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430.048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 36

; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-36

Query Match 69.0%; Score 40; DB 5; Length 98;
Best Local Similarity 80.0%; Pred. No. 3.8;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTWSSYDMS 10
|||:||||||
Db 26 GFTFSYAMS 35

Search completed: March 28, 2001, 06:57:02
Job time: 1551 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:35 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-52
Perfect score: 53
Sequence: 1 GFTFLSYDMS 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues
Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*

1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	53	100.0	10	14	US-09-016-061-52
2	53	100.0	10	17	US-09-339-922A-52
3	47	88.7	10	14	US-09-016-061-34
4	47	88.7	10	17	US-09-339-922A-34
5	47	88.7	117	11	US-08-790-540-2
6	47	88.7	117	11	US-08-790-540A-2
7	47	88.7	117	11	US-08-791-391-2
8	47	88.7	117	11	US-08-791-391A-2
9	47	88.7	117	14	US-09-016-061-2
10	47	88.7	117	17	US-09-339-922A-2
11	45	84.9	117	18	US-09-438-136-250

12	44	83.0	115	10	US-08-621-899-8
13	44	83.0	117	18	US-09-438-136-246
14	43	81.1	83	22	US-60-160-209-3496
15	43	81.1	97	1	PCT-US00-07946-638
16	43	81.1	97	19	US-09-534-717-638
17	43	81.1	103	22	US-60-160-203-5859
18	43	81.1	103	22	US-60-160-209-4300
19	43	81.1	112	22	US-60-195-053-4300
20	43	81.1	116	22	US-60-160-203-4816
21	43	81.1	116	22	US-60-195-053-2431
22	43	81.1	120	11	US-08-743-788-48
23	43	81.1	120	11	US-08-743-788-49
24	43	81.1	120	11	US-08-743-788-55
25	43	81.1	120	22	US-60-195-053-2432
26	43	81.1	131	13	US-08-973-065A-25
27	43	81.1	131	13	US-08-973-065B-25
28	42	79.2	10	14	US-09-016-061-50
29	42	79.2	10	17	US-09-339-922A-50
30	42	79.2	117	11	PCT-US98-25828-56
31	42	79.2	117	11	US-08-790-540-6
32	42	79.2	117	11	US-08-790-540A-6
33	42	79.2	117	11	US-08-791-391-6
34	42	79.2	117	11	US-08-791-391A-6
35	42	79.2	117	13	US-08-986-016-56
36	42	79.2	117	14	US-09-016-061-6
37	42	79.2	117	17	US-09-339-922A-6
38	42	79.2	121	18	US-09-438-136-113
39	42	79.2	130	1	PCT-US98-25828-44
40	42	79.2	130	13	US-08-986-016-44
41	42	79.2	247	4	US-08-090-534-2
42	41	77.4	115	1	PCT-US00-20131A-2
43	41	77.4	119	4	US-08-090-534-6
44	41	77.4	239	1	PCT-US00-20131A-6
45	40	75.5	77	22	US-60-182-467-1616

ALIGNMENTS

RESULT 1
US-09-016-061-52
; Sequence 52, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 52:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-52

Query Match 100.0%; Score 53; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.016;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 GTFTLSYDMS 10
|||||
DB 1 GTFTLSYDMS 10

RESULT 2

US-09-339-922A-52
; Sequence 52, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 52
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-52

Query Match 100.0%; Score 53; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.016;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 GTFTLSYDMS 10
|||||
DB 1 GTFTLSYDMS 10

RESULT 3

US-09-016-061-34
; Sequence 34, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 34:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-34

Query Match 88.7%; Score 47; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.16;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTFTLSYDMS 10
|||||
DB 1 GTFTSSYDMS 10

RESULT 4

US-09-339-922A-34
; Sequence 34, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 34
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-34

Query Match 88.7%; Score 47; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.16;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTFTLSYDMS 10
|||||
DB 1 GTFTSSYDMS 10

RESULT 5

US-08-790-540-2
; Sequence 2, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California

;; COUNTRY: United States
;; ZIP: 92122
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; FILING DATE: US/08/790,540
;; CLASSIFICATION: 530
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Campbell, Cathryn A.
;; REGISTRATION NUMBER: 31,815
;; REFERENCE/DOCKET NUMBER: P-IX 2405
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (619) 535-9001
;; TELEFAX: (619) 535-8949
;; INFORMATION FOR SEQ ID NO: 2:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 117 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-08-790-540-2

Query Match 88.7%; Score 47; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||
Db 26 GFTFSSYDMS 35

RESULT 6
US-08-790-540A-2
; Sequence 2, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein

US-08-790-540A-2

Query Match 88.7%; Score 47; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||
Db 26 GFTFSSYDMS 35

RESULT 7
US-08-791-391-2
; Sequence 2, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; FILING DATE: US/08/791,391
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-2

Query Match 88.7%; Score 47; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||
Db 26 GFTFSSYDMS 35

RESULT 8
US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-2

Query Match 88.7%; Score 47; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTFFLSYDMS 10
DB 26 GTFFSSYDMS 35

RESULT 9

US-09-016-061-2
Sequence 2, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-2

Query Match 88.7%; Score 47; DB 14; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTFFLSYDMS 10
DB 26 GTFFSSYDMS 35

RESULT 10

US-09-339-922A-2
Sequence 2, Application US/09339922A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Wu, Herren
TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
TITLE OF INVENTION: Acids Encoding Same and Methods of Use
FILE REFERENCE: P-IX 3536
CURRENT APPLICATION NUMBER: US/09/339,922A
CURRENT FILING DATE: 1999-06-24
NUMBER OF SEQ ID NOS: 112
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 2
LENGTH: 117
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: grafted
OTHER INFORMATION: antibody variable region
US-09-339-922A-2

Query Match 88.7%; Score 47; DB 17; Length 117;
Best Local Similarity 90.0%; Pred. No. 1.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 GTFFLSYDMS 10
DB 26 GTFFSSYDMS 35

RESULT 11

US-09-438-136-250
Sequence 250, Application US/09438136
GENERAL INFORMATION:
APPLICANT: Carr, Francis Joseph
ADAIR, Fiona Suzanne
HAMILTON, Anita Anne
CARTER, Graham
TITLE OF INVENTION: METHOD FOR THE PRODUCTION OF
NON-IMMUNOGENIC PROTEINS
NUMBER OF SEQUENCES: 254
CORRESPONDENCE ADDRESS:
ADDRESSEE: Hale and Dorr L.L.P.
STREET: 60 State Street
CITY: Boston
STATE: Massachusetts
COUNTRY: United States
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS

```
;
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/438.136
; FILING DATE: 10-NOV-1999
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO PCT/GB98/01473
; FILING DATE: 21-MAY-1998
; APPLICATION NUMBER: GB 9710480.6
; FILING DATE: 21-MAY-1997
; APPLICATION NUMBER: GB 9716197.0
; FILING DATE: 31-JUL-1997
; APPLICATION NUMBER: GB 9725270.4
; FILING DATE: 28-NOV-1997
; APPLICATION NUMBER: GB 9807751.4
; FILING DATE: 14-APR-1998
; APPLICATION NUMBER: US 60/067,235
; FILING DATE: 02-DEC-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Baker, Hollie L.
; REGISTRATION NUMBER: 31,321
; REFERENCE/DOCKET NUMBER: 102286.395CON
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 526-6000
; INFORMATION FOR SEQ ID NO: 250:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; SEQUENCE DESCRIPTION: SEQ ID NO: 250:
;
; US-09-438-136-250
;
; Query Match 84.9%; Score 45; DB 18; Length 117;
; Best Local Similarity 80.0%; Pred. No. 2.5;
; Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
;
; QY 1 GFTFLSYDMS 10
;      |||| :||||
; DB 26 GFTFTYDMS 35
;
; RESULT 12
; US-08-621-899-8
; Sequence 8, Application US/08621899
; GENERAL INFORMATION:
; APPLICANT: IWASA, SUSUMU
; APPLICANT: TADA, HIROKO
; APPLICANT: WATANABE, TAKESHI
; TITLE OF INVENTION: CHIMERIC ANTIBODIES AND THEIR USE
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN, ROBERTS &
; CUSHMAN
; STREET: 130 WATER STREET
; CITY: BOSTON
; STATE: MASSACHUSETTS
; COUNTRY: US
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/621,899
; FILING DATE:
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/810704
; FILING DATE: 18-DEC-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: RESNICK, DAVID S.
```

```
;
; REGISTRATION NUMBER: 34235
; REFERENCE/DOCKET NUMBER: 41485
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 115 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; ORGANISM: BALB/c mouse
; TISSUE TYPE: spleen
; CELL TYPE: B cell hybridoma
; CELL LINE: FIB1-11
; US-08-621-899-8
;
; Query Match 83.0%; Score 44; DB 10; Length 115;
; Best Local Similarity 80.0%; Pred. No. 3.6;
; Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
;
; QY 1 GFTFLSYDMS 10
;      |||| :||||
; DB 26 GFTFSNYDMS 35
;
; RESULT 13
; US-09-438-136-246
; Sequence 246, Application US/09438136
; GENERAL INFORMATION:
; APPLICANT: CARR, Francis Joseph
; ADAIR, Fiona Suzanne
; HAMILTON, Anita Anne
; CARTER, Graham
; TITLE OF INVENTION: METHOD FOR THE PRODUCTION OF
; NON-IMMUNOGENIC PROTEINS
; NUMBER OF SEQUENCES: 254
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Hale and Dorr L.L.P.
; STREET: 60 State Street
; CITY: Boston
; STATE: Massachusetts
; COUNTRY: United States
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/438,136
; FILING DATE: 10-NOV-1999
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO PCT/GB98/01473
; FILING DATE: 21-MAY-1998
; APPLICATION NUMBER: GB 9710480.6
; FILING DATE: 21-MAY-1997
; APPLICATION NUMBER: GB 9716197.0
; FILING DATE: 31-JUL-1997
; APPLICATION NUMBER: GB 9725270.4
; FILING DATE: 28-NOV-1997
; APPLICATION NUMBER: GB 9807751.4
; FILING DATE: 14-APR-1998
; APPLICATION NUMBER: US 60/067,235
; FILING DATE: 02-DEC-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Baker, Hollie L.
; REGISTRATION NUMBER: 31,321
; REFERENCE/DOCKET NUMBER: 102286.395CON
```

TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 526-6000
INFORMATION FOR SEQ ID NO: 246:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
SEQUENCE DESCRIPTION: SEQ ID NO: 246:
US-09-438-136-246

Query Match 83.0%; Score 44; DB 18; Length 117;
Best Local Similarity 80.0%; Pred. No. 3.6;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDMS 10
|||||
Db 26 GFTFSSYDMS 35

RESULT 14
US-60-160-209-3496
; Sequence 3496, Application US/60160209
; GENERAL INFORMATION:
; APPLICANT: BONAZZI, VIVIAN
; TITLE OF INVENTION: ISOLATED HUMAN KINASE PROTEINS, NUCLEIC
; TITLE OF INVENTION: ACID MOLECULES ENCODING HUMAN KINASE PROTEINS AND USES
; FILE REFERENCE: CLO00113
; CURRENT APPLICATION NUMBER: US/60/160,209
; CURRENT FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 4646
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 3496
; LENGTH: 83
; TYPE: PRT
; ORGANISM: HUMAN
US-60-160-209-3496

Query Match 81.1%; Score 43; DB 22; Length 83;
Best Local Similarity 88.9%; Pred. No. 4.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDM 9
|||||
Db 12 GFTFSSYDM 20

RESULT 15
PCT-US00-07946-638
; Sequence 638, Application PC/TUS0007946
; GENERAL INFORMATION:
; APPLICANT: Jochen, Salfeld et al.
; TITLE OF INVENTION: Human Antibodies That Bind Human IL-12 And Methods For Producing
; FILE REFERENCE: BBI-093CPC
; CURRENT APPLICATION NUMBER: PCT/US00/07946
; CURRENT FILING DATE: 2000-03-24
; EARLIER APPLICATION NUMBER: 60/126,603
; EARLIER FILING DATE: March 25, 1999
; NUMBER OF SEQ ID NOS: 675
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 638
; LENGTH: 97
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US00-07946-638

Query Match 81.1%; Score 43; DB 1; Length 97;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 GFTFLSYDM 9
|||||
Db 26 GFTFSSYDM 34

Search completed: March 28, 2001, 06:55:35
Job time: 1479 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:02 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-52

Perfect score: 53

Sequence: 1 GFTFLSYDMS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New:*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	75.5	87	1	PCT-US01-03537-53
2	40	75.5	89	1	PCT-US01-03537-48
3	40	75.5	98	1	PCT-US01-03537-38
4	40	75.5	98	1	PCT-US01-03537-39
5	40	75.5	98	1	PCT-US01-03537-44
6	40	75.5	98	1	PCT-US01-03537-45
7	40	75.5	98	5	US-09-297-344-4
8	40	75.5	124	5	US-09-518-737-2
9	39	73.6	11	5	US-09-623-611-67
10	39	73.6	18	5	US-09-623-611-74
11	39	73.6	88	1	PCT-US01-03537-51
12	39	73.6	89	1	PCT-US01-03537-49
13	39	73.6	98	1	PCT-US01-03537-40
14	39	73.6	98	5	US-09-430-048-35
15	39	73.6	98	5	US-09-430-048-36
16	39	73.6	108	5	US-09-780-035-28
17	39	73.6	112	5	US-09-430-048-14
18	39	73.6	112	5	US-09-430-048-15
19	39	73.6	113	5	US-09-194-356A-8
20	39	73.6	116	1	PCT-US01-03537-80
21	39	73.6	117	5	US-09-385-673-15
22	39	73.6	118	5	US-09-780-035-67
23	39	73.6	120	1	PCT-US01-03537-85
24	39	73.6	121	1	PCT-US01-03537-92
25	39	73.6	121	5	US-09-194-356A-9
26	39	73.6	123	1	PCT-US01-03537-82
27	39	73.6	124	1	PCT-US01-03537-81

Sequence 89, Appl
Sequence 76, Appl
Sequence 87, Appl
Sequence 77, Appl
Sequence 79, Appl
Sequence 53, Appl
Sequence 54, Appl
Sequence 30, Appl
Sequence 24, Appl
Sequence 25, Appl
Sequence 15, Appl
Sequence 2, Appl
Sequence 83, Appl
Sequence 84, Appl
Sequence 30, Appl
Sequence 46, Appl
Sequence 54, Appl
Sequence 144, Appl

Sequence 89, Appl
Sequence 76, Appl
Sequence 87, Appl
Sequence 77, Appl
Sequence 79, Appl
Sequence 53, Appl
Sequence 54, Appl
Sequence 30, Appl
Sequence 24, Appl
Sequence 25, Appl
Sequence 15, Appl
Sequence 2, Appl
Sequence 83, Appl
Sequence 84, Appl
Sequence 30, Appl
Sequence 46, Appl
Sequence 54, Appl
Sequence 144, Appl

ALIGNMENTS

RESULT 1
PCT-US01-03537-53
; Sequence 53, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 53
; LENGTH: 87
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-53

Query Match 75.5%; Score 40; DB 1; Length 87;
Best Local Similarity 80.0%; Pred No. 0.76;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Caps 0;

OY 1 GFTFLSYDMS 10
Db 15 GFTFLSYDMS 24

RESULT 2
PCT-US01-03537-48
; Sequence 48, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.

APPLICANT: O'Keefe, Theresa
TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
METHODS OF USE THEREFOR
FILE REFERENCE: 1855.1052005
CURRENT APPLICATION NUMBER: PCT/US01/03537
CURRENT FILING DATE: 2001-02-02
PRIOR APPLICATION NUMBER: 09/497,625
PRIOR FILING DATE: 2000-02-03
PRIOR APPLICATION NUMBER: 09/359,193
PRIOR FILING DATE: 1999-07-22
PRIOR APPLICATION NUMBER: 09/121,781
PRIOR FILING DATE: 1998-07-23
NUMBER OF SEQ ID NOS: 107
SOFTWARE: FastSeq for Windows Version 3.0
SEQ ID NO 48
LENGTH: 89
TYPE: PRT
ORGANISM: Mus musculus
PCT-US01-03537-48

Query Match 75.5%; Score 40; DB 1; Length 89;
Best Local Similarity 80.0%; Pred. No. 0.77;
Matches 8; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

Qy 1 GTTFLSYDMS 10
||||| ||| |||
Db 17 GTTFSSYGMS 26

RESULT 3
PCT-US01-03537-38
Sequence 38, Application PC/TUS0103537
GENERAL INFORMATION:
APPLICANT: Millennium Pharmaceuticals, Inc.
APPLICANT: Larosa, Gregory J.
APPLICANT: Horvath, Christopher
APPLICANT: Newman, Walter
APPLICANT: Jones, S. Tarran
APPLICANT: O'Brien, Siobhan H.
APPLICANT: O'Keefe, Theresa
TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
METHODS OF USE THEREFOR
FILE REFERENCE: 1855.1052005
CURRENT APPLICATION NUMBER: PCT/US01/03537
CURRENT FILING DATE: 2001-02-02
PRIOR APPLICATION NUMBER: 09/497,625
PRIOR FILING DATE: 2000-02-03
PRIOR APPLICATION NUMBER: 09/359,193
PRIOR FILING DATE: 1999-07-22
PRIOR APPLICATION NUMBER: 09/121,781
PRIOR FILING DATE: 1998-07-23
NUMBER OF SEQ ID NOS: 107
SOFTWARE: FastSeq for Windows Version 3.0
SEQ ID NO 38
LENGTH: 98
TYPE: PRT
ORGANISM: Mus musculus
PCT-US01-03537-38

Query Match 75.5%; Score 40; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

Qy 1 GTTFLSYDMS 10
||||| ||| |||
Db 26 GTTFSSYTMS 35

RESULT 4
PCT-US01-03537-39
Sequence 39, Application PC/TUS0103537

GENERAL INFORMATION:
APPLICANT: Millennium Pharmaceuticals, Inc.
APPLICANT: Larosa, Gregory J.
APPLICANT: Horvath, Christopher
APPLICANT: Newman, Walter
APPLICANT: Jones, S. Tarran
APPLICANT: O'Brien, Siobhan H.
APPLICANT: O'Keefe, Theresa
TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
METHODS OF USE THEREFOR
FILE REFERENCE: 1855.1052005
CURRENT APPLICATION NUMBER: PCT/US01/03537
CURRENT FILING DATE: 2001-02-02
PRIOR APPLICATION NUMBER: 09/497,625
PRIOR FILING DATE: 2000-02-03
PRIOR APPLICATION NUMBER: 09/359,193
PRIOR FILING DATE: 1999-07-22
PRIOR APPLICATION NUMBER: 09/121,781
PRIOR FILING DATE: 1998-07-23
NUMBER OF SEQ ID NOS: 107
SOFTWARE: FastSeq for Windows Version 3.0
SEQ ID NO 39
LENGTH: 98
TYPE: PRT
ORGANISM: Mus musculus
PCT-US01-03537-39

Query Match 75.5%; Score 40; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

Qy 1 GTTFLSYDMS 10
||||| ||| |||
Db 26 GTTFSSYTMS 35

RESULT 5
PCT-US01-03537-44
Sequence 44, Application PC/TUS0103537
GENERAL INFORMATION:
APPLICANT: Millennium Pharmaceuticals, Inc.
APPLICANT: Larosa, Gregory J.
APPLICANT: Horvath, Christopher
APPLICANT: Newman, Walter
APPLICANT: Jones, S. Tarran
APPLICANT: O'Brien, Siobhan H.
APPLICANT: O'Keefe, Theresa
TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
METHODS OF USE THEREFOR
FILE REFERENCE: 1855.1052005
CURRENT APPLICATION NUMBER: PCT/US01/03537
CURRENT FILING DATE: 2001-02-02
PRIOR APPLICATION NUMBER: 09/497,625
PRIOR FILING DATE: 2000-02-03
PRIOR APPLICATION NUMBER: 09/359,193
PRIOR FILING DATE: 1999-07-22
PRIOR APPLICATION NUMBER: 09/121,781
PRIOR FILING DATE: 1998-07-23
NUMBER OF SEQ ID NOS: 107
SOFTWARE: FastSeq for Windows Version 3.0
SEQ ID NO 44
LENGTH: 98
TYPE: PRT
ORGANISM: Mus musculus
PCT-US01-03537-44

Query Match 75.5%; Score 40; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 2; Indels 2; Gaps 0;

Qy 1 GTTFLSYDMS 10


```
Db 26 GFTFSSYTMS 35
||||| |||
ATTORNEY/AGENT INFORMATION:
NAME: Geiger, Kathleen
REGISTRATION NUMBER: 35,880
REFERENCE/DOCKET NUMBER: P50504
TELECOMMUNICATION INFORMATION:
TELEPHONE: 610-270-5968
TELEFAX: 610-270-5090
TELEX: <unknown>
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 98 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-09-297-344-4

Query Match 75.5%; Score 40; DB 5; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.84;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
||||| |||
Db 26 GFTFSSYEMN 35

RESULT 8
US-09-518-737-2
; Sequence 2, Application US/09518737
; GENERAL INFORMATION:
; APPLICANT: FUKUI, YASUHIISA
; APPLICANT: NAGATA, SATOSHI
; APPLICANT: SHIRAI, RYUICHI
; APPLICANT: SAITO, NAOAKI
; TITLE OF INVENTION: MONOCLONAL ANTIBODY RECOGNIZING
; FILE REFERENCE: 1965/49618
; CURRENT APPLICATION NUMBER: US/09/518,737
; PRIOR FILING DATE: 2000-03-03
; PRIOR APPLICATION NUMBER: JP 1999-250209
; PRIOR FILING DATE: 1999-09-03
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-518-737-2

Query Match 75.5%; Score 40; DB 5; Length 124;
Best Local Similarity 80.0%; Pred. No. 1;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
||||| |||
Db 26 GFTFSSYGMS 35

RESULT 9
US-09-623-611-67
; Sequence 67, Application US/09623611
; GENERAL INFORMATION:
; APPLICANT: Coia, et al.
; TITLE OF INVENTION: V-like Domain Binding Molecules
; FILE REFERENCE: 674537-2002
; CURRENT APPLICATION NUMBER: US/09/623,611
; CURRENT FILING DATE: 2000-10-06
; PRIOR APPLICATION NUMBER: PCT/AU99/00136
; PRIOR FILING DATE: 1999-03-05
; PRIOR APPLICATION NUMBER: AU PP 2210

Db 26 GFTFSSYTMS 35
||||| |||
ATTORNEY/AGENT INFORMATION:
NAME: Geiger, Kathleen
REGISTRATION NUMBER: 35,880
REFERENCE/DOCKET NUMBER: P50504
TELECOMMUNICATION INFORMATION:
TELEPHONE: 610-270-5968
TELEFAX: 610-270-5090
TELEX: <unknown>
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 98 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-09-297-344-4

Query Match 75.5%; Score 40; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
||||| |||
Db 26 GFTFSSYGMS 35

RESULT 7
US-09-297-344-4
; Sequence 4, Application US/09297344
; GENERAL INFORMATION:
; APPLICANT: Deen, Keith C.
; APPLICANT: Dillon, Susan B.
; APPLICANT: Porter, Terence C.
; APPLICANT: Sweet, Raymond A.
; TITLE OF INVENTION: Human Monoclonal Antibodies
; NUMBER OF SEQUENCES: 30
; CORRESPONDENCE ADDRESS:
; ADDRESSER: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: U.S.A.
; ZIP: 19046
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,344
; FILING DATE: 09-Jun-1999
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/030,149
; FILING DATE: 01-NOV-1997
```

; PRIOR FILING DATE: 1998-03-06
; NUMBER OF SEQ ID NOS: 141
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 67
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-623-611-67

Query Match 73.6%; Score 39; DB 5; Length 11;
Best Local Similarity 80.0%; Pred. No. 0.18;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||||
DB 2 GFTFFSYAMS 11

RESULT 10
PCT-US01-03537-49
; Sequence 74, Application US/09623611
; GENERAL INFORMATION:
; APPLICANT: Coia, et al.
; TITLE OF INVENTION: V-like Domain Binding Molecules
; FILE REFERENCE: 674537-2002
; CURRENT APPLICATION NUMBER: US/09/623,611
; CURRENT FILING DATE: 2000-10-06
; PRIOR APPLICATION NUMBER: PCT/AU99/00136
; PRIOR FILING DATE: 1999-03-05
; PRIOR APPLICATION NUMBER: AU PP 2210
; PRIOR FILING DATE: 1998-03-06
; NUMBER OF SEQ ID NOS: 141
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 74
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-623-611-74

Query Match 73.6%; Score 39; DB 5; Length 18;
Best Local Similarity 80.0%; Pred. No. 0.28;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||||
DB 9 GFTFFSYAMS 18

RESULT 11
PCT-US01-03537-51
; Sequence 51, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107

; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 51
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-51

Query Match 73.6%; Score 39; DB 1; Length 88;
Best Local Similarity 80.0%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||||
DB 17 GFTFFSYAMS 26

RESULT 12
PCT-US01-03537-49
; Sequence 49, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 49
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-49

Query Match 73.6%; Score 39; DB 1; Length 89;
Best Local Similarity 80.0%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
 |||||||
DB 17 GFTFFSYAMS 26

RESULT 13
PCT-US01-03537-40
; Sequence 40, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02

; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 40
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
; FEATURE:
; NAME/KEY: VARIANT
; LOCATION: (1)...(98)
; OTHER INFORMATION: Xaa = Any Amino Acid
PCT-US01-03537-40

Query Match 73.6%; Score 39; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
|||||
Db 26 GFTFSYAMS 35

RESULT 14
US-09-430-048-35
; Sequence 35, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-35

Query Match 73.6%; Score 39; DB 5; Length 98;
Best Local Similarity 80.0%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
|||||
Db 26 GFTFSYAMS 35

RESULT 15
US-09-430-048-36
; Sequence 36, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 36

; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-36

Query Match 73.6%; Score 39; DB 5; Length 98;
Best Local Similarity 80.0%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 GFTFLSYDMS 10
|||||
Db 26 GFTFSYAMS 35

Search completed: March 28, 2001, 06:57:02
Job time: 1551 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:35 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-54
Perfect score: 55
Sequence: 1 WYAKVSGGG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

Pending_Patents_AA_Main:*
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	55	100.0	10	14	US-09-016-061-54
2	55	100.0	10	17	US-09-339-922A-54
3	50	90.9	10	14	US-09-016-061-36
4	50	90.9	10	17	US-09-339-922A-36
5	50	90.9	117	1	PCT-US98-25828-56
6	50	90.9	117	11	US-08-790-540-2
7	50	90.9	117	11	US-08-790-540-6
8	50	90.9	117	11	US-08-790-540A-2
9	50	90.9	117	11	US-08-790-540A-6
10	50	90.9	117	11	US-08-791-391-2
11	50	90.9	117	11	US-08-791-391-6

12	50	90.9	117	11	US-08-791-391A-2	Sequence 2, Appl
13	50	90.9	117	11	US-08-791-391A-6	Sequence 6, Appl
14	50	90.9	117	13	US-08-986-016-56	Sequence 56, Appl
15	50	90.9	117	14	US-09-016-061-2	Sequence 2, Appl
16	50	90.9	117	14	US-09-016-061-6	Sequence 6, Appl
17	50	90.9	117	17	US-09-339-922A-2	Sequence 2, Appl
18	50	90.9	117	17	US-09-339-922A-6	Sequence 6, Appl
19	50	90.9	130	1	PCT-US98-25828-44	Sequence 44, Appl
20	50	90.9	130	13	US-08-986-016-44	Sequence 44, Appl
21	43	78.2	98	18	US-09-497-625-44	Sequence 44, Appl
22	43	78.2	138	8	US-08-485-044-2	Sequence 2, Appl
23	43	78.2	140	16	US-09-286-240-4	Sequence 4, Appl
24	42	76.4	119	4	US-08-090-534-6	Sequence 6, Appl
25	42	76.4	123	17	US-09-381-497-2	Sequence 2, Appl
26	42	76.4	247	4	US-08-090-534-2	Sequence 2, Appl
27	41	74.5	110	1	PCT-US96-06804-10	Sequence 10, Appl
28	41	74.5	110	1	PCT-US96-06804A-10	Sequence 10, Appl
29	41	74.5	110	8	US-08-440-621A-10	Sequence 10, Appl
30	41	74.5	110	8	US-08-440-621B-10	Sequence 10, Appl
31	41	74.5	110	8	US-08-440-621C-10	Sequence 10, Appl
32	41	74.5	110	8	US-08-440-621D-10	Sequence 10, Appl
33	41	74.5	110	8	US-08-440-621E-10	Sequence 10, Appl
34	41	74.5	110	8	US-08-462-045-10	Sequence 10, Appl
35	41	74.5	110	8	US-08-462-045B-10	Sequence 10, Appl
36	41	74.5	110	8	US-08-465-270-10	Sequence 10, Appl
37	41	74.5	110	8	US-08-465-270C-10	Sequence 10, Appl
38	41	74.5	110	8	US-08-465-270D-10	Sequence 10, Appl
39	41	74.5	110	8	US-08-465-270E-10	Sequence 10, Appl
40	41	74.5	110	18	US-09-426-819-10	Sequence 10, Appl
41	41	74.5	116	1	PCT-US96-06804-25	Sequence 25, Appl
42	41	74.5	116	1	PCT-US96-06804A-25	Sequence 25, Appl
43	41	74.5	116	8	US-08-440-621A-25	Sequence 25, Appl
44	41	74.5	116	8	US-08-440-621B-25	Sequence 25, Appl
45	41	74.5	116	8	US-08-440-621C-25	Sequence 25, Appl

ALIGNMENTS

RESULT 1
US-09-016-061-54
; Sequence 54, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 54:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-54

Query Match          100.0%; Score 55; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0043;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 1 WVAKVSGGG 10

RESULT 2
US-09-339-922A-54
; Sequence 54, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 54
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-54

Query Match          100.0%; Score 55; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0043;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 1 WVAKVSGGG 10

RESULT 3
US-09-016-061-36
; Sequence 36, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; FILE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 36:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-36

Query Match          90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.031;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 1 WVAKVSGGG 10

RESULT 4
US-09-339-922A-36
; Sequence 36, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 36
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-36

Query Match          90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.031;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
Db 1 WVAKVSGGG 10

RESULT 5
PCT-US98-25828-56
; Sequence 56, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
```

```

; SEQ ID NO 56
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-56

Query Match          90.9%; Score 50; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
    ||||| |||||
Db 47 WVAKVSGGG 56

RESULT 6
US-08-790-540-2
; Sequence 2, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-2

Query Match          90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
    ||||| |||||
Db 47 WVAKVSGGG 56

RESULT 7
US-08-790-540-6
; Sequence 6, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24

```

```

; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-6

Query Match          90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGGG 10
    ||||| |||||
Db 47 WVAKVSGGG 56

RESULT 8
US-08-790-540A-2
; Sequence 2, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:

```

SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540A-2

Query Match 90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 WVAKVSGGG 10
Db 47 WVAKVSGGG 56

RESULT 9

US-08-790-540A-6
Sequence 6, Application US/08790540A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790.540A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 6
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540A-6

Query Match 90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 WVAKVSGGG 10
Db 47 WVAKVSGGG 56

RESULT 10

US-08-791-391-2
Sequence 2, Application US/08791391
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391
FILING DATE:
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391-2

Query Match 90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 WVAKVSGGG 10
Db 47 WVAKVSGGG 56

RESULT 11

US-08-791-391-6
Sequence 6, Application US/08791391
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791,391
FILING DATE:
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:

TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-6

Query Match 90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGG 10
IIIIII
DB 47 WVAKVSGG 56

RESULT 12

US-08-791-391A-2
Sequence 2, Application US/08791391A

GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791.391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-2

Query Match 90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGG 10
IIIIII
DB 47 WVAKVSGG 56

RESULT 13

US-08-791-391A-6
Sequence 6, Application US/08791391A

GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/791.391A
FILING DATE: 30-JAN-1997
CLASSIFICATION: 424

ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 1482
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-791-391A-6

Query Match 90.9%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGG 10
IIIIII
DB 47 WVAKVSGG 56

RESULT 14

US-08-986-016-56
Sequence 56, Application US/08986016A
GENERAL INFORMATION:
APPLICANT: Barbas III, Carlos F.
APPLICANT: Rader, Christoph
TITLE OF INVENTION: Humanization of Murine Antibody
FILE REFERENCE: Tsri 598.0
CURRENT APPLICATION NUMBER: US/08/986,016A
CURRENT FILING DATE: 1997-12-05
NUMBER OF SEQ ID NOS: 56
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 56
LENGTH: 117
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-56

Query Match 90.9%; Score 50; DB 13; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 WVAKVSGG 10

Db 47 WYAKVSSGGG 56

RESULT 15
US-09-016-061-2
; Sequence 2, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-2

Query Match 90.9%; Score 50; DB 14; Length 117;
Best/Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 WYAKVSSGGG 10
Db 47 WYAKVSSGGG 56

Search completed: March 28, 2001, 06:55:35
Job time: 1479 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:02 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-54
Perfect score: 55
Sequence: 1 WVAKYSGGG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New:*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pcp.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pcp.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pcp.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pcp.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pcp.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pcp.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	43	78.2	98	1	PCT-US01-03537-44
2	39	70.9	87	1	PCT-US01-03537-53
3	39	70.9	98	1	PCT-US01-03537-41
4	38	69.1	88	1	PCT-US01-03537-51
5	38	69.1	120	1	PCT-US00-26619-17
6	38	69.1	124	5	US-09-518-737-2
7	37	67.3	89	1	PCT-US01-03537-49
8	37	67.3	98	1	PCT-US01-03537-38
9	37	67.3	98	1	PCT-US01-03537-39
10	37	67.3	409	5	US-09-720-841-6
11	35	63.6	1102	6	US-60-259-128-4912
12	34	61.8	191	5	US-09-107-433-3931
13	34	61.8	250	1	PCT-US00-26619-8
14	34	61.8	259	6	US-60-258-016-34
15	34	61.8	347	5	US-09-489-039A-11579
16	33	60.0	98	1	PCT-US01-03537-45
17	33	60.0	124	1	PCT-US01-03537-89
18	33	60.0	218	5	US-09-489-039A-10326
19	33	60.0	300	5	US-09-188-082-4
20	33	60.0	301	5	US-09-188-082-14
21	33	60.0	553	5	US-09-188-082-16
22	32	58.2	111	5	US-09-489-039A-10282
23	32	58.2	120	5	US-09-482-352A-8
24	32	58.2	162	5	US-09-489-039A-9372
25	31	56.4	114	5	US-09-716-028-11
26	31	56.4	118	5	US-09-465-587-284
27	31	56.4	119	4	US-08-478-684G-11

28	31	56.4	170	5	US-09-522-433A-27	Sequence 27, Appl
29	31	56.4	170	5	US-09-522-433B-27	Sequence 27, Appl
30	31	56.4	229	5	US-09-716-028-21	Sequence 21, Appl
31	31	56.4	233	5	US-09-716-028-26	Sequence 26, Appl
32	31	56.4	248	5	US-09-716-028-23	Sequence 23, Appl
33	31	56.4	309	5	US-09-489-039A-7532	Sequence 7532, Ap
34	31	56.4	342	5	US-09-489-039A-7914	Sequence 7914, Ap
35	31	56.4	357	5	US-09-404-296A-10	Sequence 10, Appl
36	31	56.4	424	5	US-09-107-433-5202	Sequence 5202, Ap
37	31	56.4	451	5	US-09-716-028-18	Sequence 18, Appl
38	31	56.4	537	5	US-09-489-039A-14149	Sequence 14149, A
39	31	56.4	602	5	US-09-489-039A-11694	Sequence 11694, A
40	31	56.4	729	6	US-60-266-847-22	Sequence 22, Appl
41	31	56.4	735	5	US-09-636-791A-13	Sequence 13, Appl
42	31	56.4	1744	5	US-09-488-725A-2185	Sequence 2185, Ap
43	30	54.5	62	5	US-09-595-298A-1602	Sequence 1602, Ap
44	30	54.5	67	5	US-09-595-298A-1600	Sequence 1600, Ap
45	30	54.5	77	5	US-09-316-633-332	Sequence 332, App

ALIGNMENTS

RESULT 1
PCT-US01-03537-44
; Sequence 44, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; PRIOR FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 44
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-44

Query Match 78.2%; Score 43; DB 1; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.49;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKYSGGG 10
Db 47 WVAITSSGGG 56
||| : ||||

RESULT 2
PCT-US01-03537-53
; Sequence 53, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.

```

; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 53
; LENGTH: 87
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-53

```

```

Query Match          70.9%; Score 39; DB 1; Length 87;
Best Local Similarity 60.0%; Pred. No. 2.1;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

```

```

QY 1 WVAKVSGGG 10
   ||| : |||
DB 36 WWAYISGGG 45

```

```

RESULT 3
PCT-US01-03537-41
; Sequence 41, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Theresa
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 41
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-41

```

```

Query Match          70.9%; Score 39; DB 1; Length 98;
Best Local Similarity 60.0%; Pred. No. 2.4;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

```

```

QY 1 WVAKVSGGG 10
   ||| : |||
DB 47 WWAYISGGG 56

```

```

RESULT 4
PCT-US01-03537-51
; Sequence 51, Application PC/TUS0103537

```

```

; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows, Version 3.0
; SEQ ID NO 51
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-51

```

```

Query Match          69.1%; Score 38; DB 1; Length 88;
Best Local Similarity 66.7%; Pred. No. 3.2;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

```

```

QY 1 WVAKVSGG 9
   ||| : |||
DB 38 WVASISGG 46

```

```

RESULT 5
PCT-US00-26619-17
; Sequence 17, Application PC/TUS0026619
; GENERAL INFORMATION:
; APPLICANT: Meares, Claude
; APPLICANT: Chmura, Albert
; APPLICANT: The Regents of the University of California
; TITLE OF INVENTION: Engineering Antibodies That Bind Irreversibly
; FILE REFERENCE: 023070-099120PC
; CURRENT APPLICATION NUMBER: PCT/US00/26619
; CURRENT FILING DATE: 2000-09-27
; PRIOR APPLICATION NUMBER: US 60/156,194
; PRIOR FILING DATE: 1999-09-27
; PRIOR APPLICATION NUMBER: US 60/208,684
; PRIOR FILING DATE: 2000-05-31
; NUMBER OF SEQ ID NOS: 23
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 17
; LENGTH: 120
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:V-H sequence of
; OTHER INFORMATION: CHA255
PCT-US00-26619-17

```

```

Query Match          69.1%; Score 38; DB 1; Length 120;
Best Local Similarity 70.0%; Pred. No. 4.4;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

```

```

QY 1 WVAKVSGGG 10
   ||| : |||
DB 47 WVTTLSGG 56

```

RESULT 6
 US-09-518-737-2
 ; Sequence 2, Application US/09518737
 ; GENERAL INFORMATION:
 ; APPLICANT: FUKUI, YASUHIKA
 ; APPLICANT: NAGATA, SATOSHI
 ; APPLICANT: SHIRAI, RYUICHI
 ; APPLICANT: SAITO, NAOAKI
 ; TITLE OF INVENTION: MONOCLONAL ANTIBODY RECOGNIZING
 ; FILE REFERENCE: 1965/49618
 ; CURRENT APPLICATION NUMBER: US/09/518,737
 ; CURRENT FILING DATE: 2000-03-03
 ; PRIOR APPLICATION NUMBER: JP 1999-250209
 ; PRIOR FILING DATE: 1999-09-03
 ; NUMBER OF SEQ ID NOS: 10
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 2
 ; LENGTH: 124
 ; TYPE: PRT
 ; ORGANISM: Mus musculus
 ; ORGANISM: Mus musculus
 US-09-518-737-2

Query Match 69.1%; Score 38; DB 5; Length 124;
 Best Local Similarity 66.7%; Pred. No. 4.5;
 Matches 6; Conservative 1; Mismatches 2; Indels 2; Gaps 0;

Qy 1 WVAKVSGG 9
 Db 47 WVASISGG 55

RESULT 7
 PCT-US01-03537-49
 ; Sequence 49, Application PC/TUS0103537
 ; GENERAL INFORMATION:
 ; APPLICANT: Millennium Pharmaceuticals, Inc.
 ; APPLICANT: Larosa, Gregory J.
 ; APPLICANT: Horvath, Christopher
 ; APPLICANT: Newman, Walter
 ; APPLICANT: Jones, S. Tarran
 ; APPLICANT: O'Keefe, Theresa
 ; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
 ; FILE REFERENCE: 1855.1052005
 ; CURRENT APPLICATION NUMBER: PCT/US01/03537
 ; CURRENT FILING DATE: 2001-02-02
 ; PRIOR APPLICATION NUMBER: 09/497,625
 ; PRIOR FILING DATE: 2000-02-03
 ; PRIOR APPLICATION NUMBER: 09/359,193
 ; PRIOR FILING DATE: 1999-07-22
 ; PRIOR APPLICATION NUMBER: 09/121,781
 ; PRIOR FILING DATE: 1998-07-23
 ; NUMBER OF SEQ ID NOS: 107
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 49
 ; LENGTH: 89
 ; TYPE: PRT
 ; ORGANISM: Mus musculus
 ; ORGANISM: Mus musculus
 PCT-US01-03537-49

Query Match 67.3%; Score 37; DB 1; Length 89;
 Best Local Similarity 66.7%; Pred. No. 4.8;
 Matches 6; Conservative 1; Mismatches 2; Indels 2; Gaps 0;

Qy 1 WVAKVSGG 9
 Db 38 WVASISGG 46

RESULT 8
 PCT-US01-03537-38
 ; Sequence 38, Application PC/TUS0103537
 ; GENERAL INFORMATION:
 ; APPLICANT: Millennium Pharmaceuticals, Inc.
 ; APPLICANT: Larosa, Gregory J.
 ; APPLICANT: Horvath, Christopher
 ; APPLICANT: Newman, Walter
 ; APPLICANT: Jones, S. Tarran
 ; APPLICANT: O'Keefe, Theresa
 ; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
 ; FILE REFERENCE: 1855.1052005
 ; CURRENT APPLICATION NUMBER: PCT/US01/03537
 ; CURRENT FILING DATE: 2001-02-02
 ; PRIOR APPLICATION NUMBER: 09/497,625
 ; PRIOR FILING DATE: 2000-02-03
 ; PRIOR APPLICATION NUMBER: 09/359,193
 ; PRIOR FILING DATE: 1999-07-22
 ; PRIOR APPLICATION NUMBER: 09/121,781
 ; PRIOR FILING DATE: 1998-07-23
 ; NUMBER OF SEQ ID NOS: 107
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 38
 ; LENGTH: 98
 ; TYPE: PRT
 ; ORGANISM: Mus musculus
 ; ORGANISM: Mus musculus
 PCT-US01-03537-38

Query Match 67.3%; Score 37; DB 1; Length 98;
 Best Local Similarity 66.7%; Pred. No. 5.3;
 Matches 6; Conservative 1; Mismatches 2; Indels 2; Gaps 0;

Qy 1 WVAKVSGG 9
 Db 47 WVASISGG 55

RESULT 9
 PCT-US01-03537-39
 ; Sequence 39, Application PC/TUS0103537
 ; GENERAL INFORMATION:
 ; APPLICANT: Millennium Pharmaceuticals, Inc.
 ; APPLICANT: Larosa, Gregory J.
 ; APPLICANT: Horvath, Christopher
 ; APPLICANT: Newman, Walter
 ; APPLICANT: Jones, S. Tarran
 ; APPLICANT: O'Keefe, Theresa
 ; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
 ; FILE REFERENCE: 1855.1052005
 ; CURRENT APPLICATION NUMBER: PCT/US01/03537
 ; CURRENT FILING DATE: 2001-02-02
 ; PRIOR APPLICATION NUMBER: 09/497,625
 ; PRIOR FILING DATE: 2000-02-03
 ; PRIOR APPLICATION NUMBER: 09/359,193
 ; PRIOR FILING DATE: 1999-07-22
 ; PRIOR APPLICATION NUMBER: 09/121,781
 ; PRIOR FILING DATE: 1998-07-23
 ; NUMBER OF SEQ ID NOS: 107
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 39
 ; LENGTH: 98
 ; TYPE: PRT
 ; ORGANISM: Mus musculus
 ; ORGANISM: Mus musculus
 PCT-US01-03537-39

Query Match 67.3%; Score 37; DB 1; Length 98;
 Best Local Similarity 66.7%; Pred. No. 5.3;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 9
 Db 47 WVAQSSGG 55

RESULT 10

US-09-720-841-6
 ; Sequence 6, Application US/09720841
 ; GENERAL INFORMATION:
 ; APPLICANT: Biotica Technology Limited
 ; APPLICANT: Leadlay, Peter F
 ; APPLICANT: Pfizer, Inc.
 ; APPLICANT: Staunton, James
 ; APPLICANT: Cortes, Jesus
 ; APPLICANT: McArthur, Hamish AI
 ; TITLE OF INVENTION: Polyketides and their synthesis
 ; FILE REFERENCE: IS/CP578/585
 ; CURRENT APPLICATION NUMBER: US/09/720,841
 ; CURRENT FILING DATE: 2000-12-29
 ; PRIOR APPLICATION NUMBER: GB 9814006.4
 ; PRIOR FILING DATE: 1998-06-29
 ; NUMBER OF SEQ ID NOS: 53
 ; SOFTWARE: Patent in Ver. 2.1
 ; SEQ ID NO 6
 ; LENGTH: 409
 ; TYPE: PRT
 ; ORGANISM: Streptomyces nogalater
 US-09-720-841-6

Query Match 67.3%; Score 37; DB 5; Length 409;
 Best Local Similarity 66.7%; Pred. No. 23;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 9
 Db 198 WVAQLSSGG 206

RESULT 11

US-60-259-128-4912
 ; Sequence 4912, Application US/60259128
 ; GENERAL INFORMATION:
 ; APPLICANT: Roemer, Terry
 ; APPLICANT: Jiang, Bo
 ; APPLICANT: Boone, Charles
 ; APPLICANT: Bussey, Howard
 ; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
 ; FILE REFERENCE: GRACE1
 ; CURRENT APPLICATION NUMBER: US/60/259,128
 ; CURRENT FILING DATE: 2000-12-29
 ; NUMBER OF SEQ ID NOS: 5129
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 4912
 ; LENGTH: 1102
 ; TYPE: PRT
 ; ORGANISM: Candida albicans
 US-60-259-128-4912

Query Match 63.6%; Score 35; DB 6; Length 1102;
 Best Local Similarity 60.0%; Pred. No. 1.4e+02;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 10
 Db 657 WVAIKSISG 666

RESULT 12

;

US-09-107-433-3931
 ; Sequence 3931, Application US/09107433
 ; GENERAL INFORMATION:
 ; APPLICANT: Lynn A Doucette-Stamm and David Bush
 ; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID
 ; SEQUENCES RELATING TO STREPTOCOCCUS PNEUMONIAE
 ; THERAPEUTICS
 ; NUMBER OF SEQUENCES: 5206
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: GENOME THERAPEUTICS CORPORATION
 ; STREET: 100 Beaver Street
 ; CITY: Waltham
 ; STATE: Massachusetts
 ; COUNTRY: USA
 ; ZIP: 02354
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: CD-ROM ISO9660
 ; COMPUTER: <Unknown>
 ; OPERATING SYSTEM: <Unknown>
 ; SOFTWARE: <Unknown>
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/107,433
 ; FILING DATE: 30-Jun-1998
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: 60/ 085131
 ; FILING DATE: May 12, 1998
 ; APPLICATION NUMBER: 60/051553
 ; FILING DATE: July 2, 1997
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Ariniello, Pamela Deneke
 ; REGISTRATION NUMBER: 40,489
 ; REFERENCE/DOCKET NUMBER: GTC-011
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (781)893-5007
 ; TELEFAX: (781)893-8277
 ; INFORMATION FOR SEQ ID NO: 3931:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 191 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; HYPOTHETICAL: YES
 ; ORIGINAL SOURCE:
 ; ORGANISM: Streptococcus pneumoniae
 ; FEATURE:
 ; NAME/KEY: misc_feature
 ; LOCATION: (8) LOCATION 1...191
 ; SEQUENCE DESCRIPTION: SEQ ID NO: 3931:
 US-09-107-433-3931

Query Match 61.8%; Score 34; DB 5; Length 191;
 Best Local Similarity 55.6%; Pred. No. 35;
 Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 9
 Db 137 WVAQSGG 145

RESULT 13

PCT-US00-26619-8
 ; Sequence 8, Application PC/TUS0026619
 ; GENERAL INFORMATION:
 ; APPLICANT: Meares, Claude
 ; APPLICANT: Chmura, Albert
 ; APPLICANT: The Regents of the University of California
 ; TITLE OF INVENTION: Engineering Antibodies That Bind Irreversibly
 ; FILE REFERENCE: 023070-099120PC
 ; CURRENT APPLICATION NUMBER: PCT/US00/26619
 ; CURRENT FILING DATE: 2000-09-27
 ; PRIOR APPLICATION NUMBER: US 60/156,194
 ; PRIOR FILING DATE: 1999-09-27

PROR APPLICATION NUMBER: US 60/208,684
PRIOR FILING DATE: 2000-05-31
NUMBER OF SEQ ID NOS: 23
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 8
LENGTH: 250
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: polypeptide
OTHER INFORMATION: sequence of unmodified heavy chain of CHA255
PCT-US00-26619-8

Query Match 61.8%; Score 34; DB 1; Length 250;
Best Local Similarity 60.0%; Pred. No. 46;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 10
|||
Db 49 WVTTLGGG 58

RESULT 14
US-60-258-016-34
Sequence 34, Application US/60258016
GENERAL INFORMATION:
APPLICANT: Beasley, Ellen
TITLE OF INVENTION: ISOLATED HUMAN DRUG TARGET ENZYMES,
TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN DRUG TARGET ENZYMES,
TITLE OF INVENTION: AND USE THEREOF
FILE REFERENCE: CL001037-PROV
CURRENT APPLICATION NUMBER: US/60/258.016
CURRENT FILING DATE: 2000-12-27
NUMBER OF SEQ ID NOS: 69
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 34
LENGTH: 259
TYPE: PRT
ORGANISM: Human
US-60-258-016-34

Query Match 61.8%; Score 34; DB 6; Length 259;
Best Local Similarity 60.0%; Pred. No. 47;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 WVAKVSGG 10
|||
Db 186 WVDVKGKG 195

RESULT 15
US-09-489-039A-11579
Sequence 11579, Application US/09489039A
GENERAL INFORMATION:
APPLICANT: Gary Breton et. al
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
FILE REFERENCE: 2709.2004001
CURRENT APPLICATION NUMBER: US/09/489.039A
CURRENT FILING DATE: 2000-01-27
PRIOR APPLICATION NUMBER: US 60/117,747
PRIOR FILING DATE: 1999-01-29
NUMBER OF SEQ ID NOS: 14342
SEQ ID NO 11579
LENGTH: 347
TYPE: PRT
ORGANISM: Klebsiella pneumoniae
US-09-489-039A-11579

Query Match 61.8%; Score 34; DB 5; Length 347;

Best Local Similarity 50.0%; Pred. No. 64;
Matches 5; Conservative 3; Mismatches 2; Indels 0; Gaps 0;
Qy 1 WVAKVSGG 10
|::|:|
Db 334 WLSAVPAGGG 343
Search completed: March 28, 2001, 06:57:02
Job time: 1351 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:35 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-56
Perfect score: 56
Sequence: 1 STYPPDTRVQG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main: *
1: /cgnl_7/ptodata/1/paa/PTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	56	100.0	10	14	US-09-016-061-56
2	56	100.0	10	17	US-09-339-922A-56
3	56	100.0	17	17	US-09-339-922A-104
4	52	92.9	87	18	US-09-497-625-53
5	52	92.9	98	18	US-09-497-625-41
6	52	92.9	120	10	US-08-617-835-2
7	52	92.9	120	11	US-08-743-788-43
8	52	92.9	120	11	US-08-743-788-47
9	52	92.9	120	11	US-08-743-788-48
10	52	92.9	120	11	US-08-743-788-49
11	52	92.9	120	11	US-08-743-788-50

12	52	92.9	120	11	US-08-743-788-55
13	52	92.9	121	11	US-08-743-788-39
14	52	92.9	125	7	US-08-331-396C-65
15	52	92.9	125	7	US-08-331-396D-64
16	52	92.9	158	10	US-08-653-402-6
17	52	92.9	158	10	US-08-653-402-10
18	49	87.5	123	17	US-09-381-497-2
19	48	85.7	88	18	US-09-497-625-51
20	48	85.7	89	18	US-09-497-625-48
21	48	85.7	108	3	US-07-881-109-26
22	48	85.7	108	3	US-07-881-109A-26
23	48	85.7	108	7	US-08-313-138-26
24	48	85.7	108	11	US-08-720-323-26
25	48	85.7	119	4	US-08-090-534-6
26	48	85.7	121	15	US-09-134-197-3
27	48	85.7	121	18	US-09-438-136-90
28	48	85.7	121	18	US-09-438-136-92
29	48	85.7	121	18	US-09-438-136-113
30	48	85.7	121	18	US-09-438-136-125
31	48	85.7	121	18	US-09-438-136-126
32	48	85.7	121	18	US-09-438-136-133
33	48	85.7	130	7	US-08-398-614A-22
34	48	85.7	130	7	US-08-398-616A-22
35	48	85.7	130	12	US-08-804-444-22
36	48	85.7	130	14	US-09-012-116-19
37	48	85.7	130	15	US-09-121-952A-19
38	48	85.7	130	15	US-09-122-513A-19
39	48	85.7	130	16	US-09-234-182A-19
40	48	85.7	130	18	US-09-489-394-19
41	48	85.7	135	9	US-08-579-378A-16
42	48	85.7	135	9	US-08-579-378A-20
43	48	85.7	247	4	US-08-090-534-2
44	48	85.7	251	12	US-08-804-444-30
45	48	85.7	251	14	US-09-012-116-27

ALIGNMENTS

RESULT 1
US-09-016-061-56
; Sequence 56, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 56:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-56

Query Match 100.0%; Score 56; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00038;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDVTQVQ 10
| | | | | | | | | |
Db 1 STYYPDVTQVQ 10

RESULT 2

US-09-339-922A-56
; Sequence 56, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 56
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
US-09-339-922A-56

Query Match 100.0%; Score 56; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00038;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDVTQVQ 10
| | | | | | | | | |
Db 1 STYYPDVTQVQ 10

RESULT 3

US-09-339-922A-104
; Sequence 104, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 104
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
US-09-339-922A-104

Query Match 100.0%; Score 56; DB 17; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.00068;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDVTQVQ 10
| | | | | | | | | |
Db 8 STYYPDVTQVQ 17

RESULT 4

US-09-497-625-53
; Sequence 53, Application US/09497625
; GENERAL INFORMATION:
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052-004
; CURRENT APPLICATION NUMBER: US/09/497,625
; CURRENT FILING DATE: 2000-02-03
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 106
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 53
; LENGTH: 87
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-497-625-53

Query Match 92.9%; Score 52; DB 18; Length 87;
Best Local Similarity 90.0%; Pred. No. 0.024; Indels 0; Gaps 0;
Matches 9; Conservative 1; Mismatches 0;

Qy 1 STYYPDVTQVQ 10
| | | | | | | | | |
Db 46 STYYPDVTQVQ 55

RESULT 5

US-09-497-625-41
; Sequence 41, Application US/09497625
; GENERAL INFORMATION:
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052-004
; CURRENT APPLICATION NUMBER: US/09/497,625
; CURRENT FILING DATE: 2000-02-03
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 106
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 41
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-497-625-41

Query Match 92.9%; Score 52; DB 18; Length 98;
Best Local Similarity 90.0%; Pred. No. 0.027;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVOG 10
|||||||:|
Db 57 STYYPDTVKG 66

RESULT 6

US-08-617-835-2
; Sequence 2, Application US/08617835
; GENERAL INFORMATION:
; APPLICANT: STIRPE Firenze, BOLOGNESI Andrea,
; APPLICANT: MELE Antonio, DE SANTIS Rita
; TITLE OF INVENTION: RIBOSOME INACTIVATING PROTEINS
; TITLE OF INVENTION: EXTRACTED FROM SEEDS OF SAPONARIA OCYMOIDES AND VACCARIA
; TITLE OF INVENTION: PYRAMIDATA, THEIR PREPARATION AND IMMUNOTOXINS CONTAINING
; TITLE OF INVENTION: THEM
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ABELMAN, FRAYNE & SCHWAB
; STREET: 150 East 42nd Street
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10017-5612
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.50 inch.
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WS4
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/617,835
; FILING DATE:
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/EP94/02969
; FILING DATE: 06-SEP-1994
; APPLICATION NUMBER: IT FI 93 A 000171
; FILING DATE: 06-SEP-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: IT FI 93 A 000172
; FILING DATE: 06-SEP-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: JAY S. CINAMON
; REGISTRATION NUMBER: 24,156
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-949-9022
; TELEFAX: 212-949-9190
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 120 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-617-835-2

Query Match 92.9%; Score 52; DB 10; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVOG 10
|||||||:|
Db 57 STYYPDTVKG 66

RESULT 7

US-08-743-788-43

; Sequence 43, Application US/08743788
; GENERAL INFORMATION:
; APPLICANT: BENDIG, Mary
; APPLICANT: JONES, Tarran
; APPLICANT: SALDANA, Jose
; TITLE OF INVENTION: Humanized Monoclonal Antibody
; NUMBER OF SEQUENCES: 55
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
; STREET: 2200 Clarendon Blvd.
; CITY: Arlington
; STATE: VA
; COUNTRY: USA
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/743,788
; FILING DATE: 05-NOV-1996
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 96177154.3
; FILING DATE: 25-OCT-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95117407.7
; FILING DATE: 06-NOV-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lebovitz, Richard M.
; REGISTRATION NUMBER: 37,067
; REFERENCE/DOCKET NUMBER: MERCK 1819
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 703-243-6333
; TELEFAX: 703-243-6410
; INFORMATION FOR SEQ ID NO: 43:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 120 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-743-788-43

Query Match 92.9%; Score 52; DB 11; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVOG 10
|||||||:|
Db 57 STYYPDTVKG 66

RESULT 8

US-08-743-788-47
; Sequence 47, Application US/08743788
; GENERAL INFORMATION:
; APPLICANT: BENDIG, Mary
; APPLICANT: JONES, Tarran
; APPLICANT: SALDANA, Jose
; TITLE OF INVENTION: Humanized Monoclonal Antibody
; NUMBER OF SEQUENCES: 55
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
; STREET: 2200 Clarendon Blvd.
; CITY: Arlington
; STATE: VA
; COUNTRY: USA
; ZIP: 22201
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible

;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.30
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/743,788
;; FILING DATE: 05-NOV-1996
;; CLASSIFICATION: 530
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 96177154.3
;; FILING DATE: 25-OCT-1996
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 95117407.7
;; FILING DATE: 06-NOV-1995
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Lebovitz, Richard M.
;; REGISTRATION NUMBER: 37,067
;; REFERENCE/DOCKET NUMBER: MERCK 1819
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 703-243-6333
;; TELEFAX: 703-243-6410
;; INFORMATION FOR SEQ ID NO: 47:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 120 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; HYPOTHETICAL: NO
;; ANTI-SENSE: NO
;; FRAGMENT TYPE: N-terminal
;; FEATURE:
;; NAME/KEY: Peptide
;; LOCATION: 1..120
;; OTHER INFORMATION: /note= "Mab 15 heavy chain variable
;; region, VH15 version"
US-08-743-788-47

Query Match 92.9%; Score 52; DB 11; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 57 STYYPDTVKG 66

RESULT 9
US-08-743-788-48
;; Sequence 48, Application US/08743788
;; GENERAL INFORMATION:
;; APPLICANT: BENDIG, Mary
;; APPLICANT: JONES, Tarran
;; APPLICANT: SALDANA, Jose
;; TITLE OF INVENTION: Humanized Monoclonal Antibody
;; NUMBER OF SEQUENCES: 55
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
;; STREET: 2200 Clarendon Blvd.
;; CITY: Arlington
;; STATE: VA
;; COUNTRY: USA
;; ZIP: 22201
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.30
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/743,788
;; FILING DATE: 05-NOV-1996
;; CLASSIFICATION: 530
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 96177154.3

;; FILING DATE: 25-OCT-1996
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 95117407.7
;; FILING DATE: 06-NOV-1995
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Lebovitz, Richard M.
;; REGISTRATION NUMBER: 37,067
;; REFERENCE/DOCKET NUMBER: MERCK 1819
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 703-243-6333
;; TELEFAX: 703-243-6410
;; INFORMATION FOR SEQ ID NO: 48:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 120 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; HYPOTHETICAL: NO
;; ANTI-SENSE: NO
;; FRAGMENT TYPE: N-terminal
;; FEATURE:
;; NAME/KEY: Peptide
;; LOCATION: 1..120
;; OTHER INFORMATION: /note= "Reshaped Mab 15, heavy
;; chain variabel region, RVHa version"
US-08-743-788-48

Query Match 92.9%; Score 52; DB 11; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
Db 57 STYYPDTVKG 66

RESULT 10
US-08-743-788-49
;; Sequence 49, Application US/08743788
;; GENERAL INFORMATION:
;; APPLICANT: BENDIG, Mary
;; APPLICANT: JONES, Tarran
;; APPLICANT: SALDANA, Jose
;; TITLE OF INVENTION: Humanized Monoclonal Antibody
;; NUMBER OF SEQUENCES: 55
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
;; STREET: 2200 Clarendon Blvd.
;; CITY: Arlington
;; STATE: VA
;; COUNTRY: USA
;; ZIP: 22201
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.30
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/743,788
;; FILING DATE: 05-NOV-1996
;; CLASSIFICATION: 530
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 96177154.3
;; FILING DATE: 25-OCT-1996
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: EP 95117407.7
;; FILING DATE: 06-NOV-1995
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Lebovitz, Richard M.
;; REGISTRATION NUMBER: 37,067
;; REFERENCE/DOCKET NUMBER: MERCK 1819

TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-243-6333
TELEFAX: 703-243-6410
INFORMATION FOR SEQ ID NO: 49:
SEQUENCE CHARACTERISTICS:
LENGTH: 120 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: N-terminal
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..120
OTHER INFORMATION: /note= "Reshaped Mab 15, heavy
US-08-743-788-49 chain variable region, RVHb version"

Query Match 92.9%; Score 52; DB 11; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
|||||||:|
Db 57 STYYPDTVKG 66

RESULT 11

US-08-743-788-50
Sequence 50, Application US/08743788
GENERAL INFORMATION:

APPLICANT: BENDIG, Mary
APPLICANT: JONES, Tarran
TITLE OF INVENTION: Humanized Monoclonal Antibody
NUMBER OF SEQUENCES: 55
CORRESPONDENCE ADDRESS:
ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
STREET: 2200 Clarendon Blvd.
CITY: Arlington
STATE: VA
COUNTRY: USA
ZIP: 22201

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/743,788
FILING DATE: 05-NOV-1996
CLASSIFICATION: 530
PRIOR APPLICATION DATA:
APPLICATION NUMBER: EP 96177154.3
FILING DATE: 25-OCT-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: EP 95117407.7
FILING DATE: 06-NOV-1995
ATTORNEY/AGENT INFORMATION:
NAME: Lebovitz, Richard M.
REGISTRATION NUMBER: 37,067
REFERENCE/DOCKET NUMBER: MERCK 1819
TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-243-6333
TELEFAX: 703-243-6410
INFORMATION FOR SEQ ID NO: 50:
SEQUENCE CHARACTERISTICS:
LENGTH: 120 amino acids
TYPE: amino acid
STRANDEDNESS: single

TOPOLOGY: linear
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: N-terminal
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..120
OTHER INFORMATION: /note= "Reshaped Mab 15, heavy
US-08-743-788-50 chain variable region, RVHC version"

Query Match 92.9%; Score 52; DB 11; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVQG 10
|||||||:|
Db 57 STYYPDTVKG 66

RESULT 12

US-08-743-788-55
Sequence 55, Application US/08743788
GENERAL INFORMATION:

APPLICANT: BENDIG, Mary
APPLICANT: JONES, Tarran
TITLE OF INVENTION: Humanized Monoclonal Antibody
NUMBER OF SEQUENCES: 55
CORRESPONDENCE ADDRESS:
ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
STREET: 2200 Clarendon Blvd.
CITY: Arlington
STATE: VA
COUNTRY: USA
ZIP: 22201

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/743,788
FILING DATE: 05-NOV-1996
CLASSIFICATION: 530
PRIOR APPLICATION DATA:
APPLICATION NUMBER: EP 96177154.3
FILING DATE: 25-OCT-1996

PRIOR APPLICATION DATA:
APPLICATION NUMBER: EP 95117407.7
FILING DATE: 06-NOV-1995
ATTORNEY/AGENT INFORMATION:
NAME: Lebovitz, Richard M.
REGISTRATION NUMBER: 37,067
REFERENCE/DOCKET NUMBER: MERCK 1819
TELECOMMUNICATION INFORMATION:
TELEPHONE: 703-243-6333
TELEFAX: 703-243-6410
INFORMATION FOR SEQ ID NO: 55:
SEQUENCE CHARACTERISTICS:
LENGTH: 120 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-743-788-55

Query Match 92.9%; Score 52; DB 11; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.034;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDTVOG 10
 Db 57 STYYPDTVKG 66

RESULT 13

US-08-743-788-39
 ; Sequence 39, Application US/08743788
 ; GENERAL INFORMATION:
 ; APPLICANT: BENDIG, Mary
 ; APPLICANT: JONES, Tarran
 ; APPLICANT: SALDANA, Jose
 ; TITLE OF INVENTION: Humanized Monoclonal Antibody
 ; NUMBER OF SEQUENCES: 55
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Millen, White, Zelano & Branigan, P.C.
 ; STREET: 2200 Clarendon Blvd.
 ; CITY: Arlington
 ; STATE: VA
 ; COUNTRY: USA
 ; ZIP: 22201
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patent In Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/743,788
 ; FILING DATE: 05-NOV-1996
 ; CLASSIFICATION: 530
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: EP 96177154.3
 ; FILING DATE: 25-OCT-1996
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: EP 95117407.7
 ; FILING DATE: 06-NOV-1995
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Lebovitz, Richard M.
 ; REGISTRATION NUMBER: 37,067
 ; REFERENCE/DOCKET NUMBER: MERCK 1819
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 703-243-6333
 ; TELEFAX: 703-243-6410
 ; INFORMATION FOR SEQ ID NO: 39:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 121 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; US-08-743-788-39

Query Match 92.9%; Score 52; DB 11; Length 121;
 Best Local Similarity 90.0%; Pred. No. 0.035; 0; Indels 0; Gaps 0;
 Matches 9; Conservative 1; Mismatches 0

QY 1 STYYPDTVOG 10
 Db 57 STYYPDTVKG 66

RESULT 14

US-08-331-396C-65
 ; Sequence 65, Application US/08331396C
 ; GENERAL INFORMATION:
 ; APPLICANT: Pastan, Ira
 ; APPLICANT: Benhar, Itai
 ; APPLICANT: Padlan, Eduardo A.
 ; APPLICANT: Jung, Sun-Hee
 ; APPLICANT: Lee, Byungkook
 ; TITLE OF INVENTION: Humanized Tumor-Specific Antibody Fragments,
 ; and Uses Thereof
 ; NUMBER OF SEQUENCES: 68

; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Townsend and Townsend and Crew LLP
 ; STREET: Two Embarcadero Center, Eighth Floor
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94111-3834
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patent In Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/331,396C
 ; FILING DATE: 28-OCT-1994
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/767,331
 ; FILING DATE: 30-SEP-1991
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/596,289
 ; FILING DATE: 12-OCT-1990
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Hunter, Tom
 ; REGISTRATION NUMBER: 38,498
 ; REFERENCE/DOCKET NUMBER: 015280-126130US
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (415) 576-0200
 ; TELEFAX: (415) 576-0300
 ; INFORMATION FOR SEQ ID NO: 65:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 125 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS:
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; FEATURE:
 ; NAME/KEY: Region
 ; LOCATION: 1..125
 ; OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
 ; OTHER INFORMATION: Heavy chain region"
 ; US-08-331-396C-65

Query Match 92.9%; Score 52; DB 7; Length 125;
 Best Local Similarity 90.0%; Pred. No. 0.036; 0; Indels 0; Gaps 0;
 Matches 9; Conservative 1; Mismatches 0

QY 1 STYYPDTVOG 10
 Db 57 STYYPDTVKG 66

RESULT 15

US-08-331-396D-64
 ; Sequence 64, Application US/08331396D
 ; GENERAL INFORMATION:
 ; APPLICANT: Pastan, Ira
 ; APPLICANT: Benhar, Itai
 ; APPLICANT: Padlan, Eduardo A.
 ; APPLICANT: Jung, Sun-Hee
 ; APPLICANT: Lee, Byungkook
 ; TITLE OF INVENTION: Humanized Tumor-Specific Antibody
 ; Fragments, Fusion Proteins, and Uses Thereof
 ; NUMBER OF SEQUENCES: 68
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Townsend and Townsend and Crew LLP
 ; STREET: Two Embarcadero Center, Eighth Floor
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94111-3834
 ; COMPUTER READABLE FORM:

;
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/331,396D
; FILING DATE: 28-OCT-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/767,331
; FILING DATE: 30-SEP-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/596,289
; FILING DATE: 12-OCT-1990
; ATTORNEY/AGENT INFORMATION:
; NAME: Weber, Ellen L.
; REGISTRATION NUMBER: 32,762
; REFERENCE/DOCKET NUMBER: 015280-126130US
; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 64:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 125 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: Region
; LOCATION: 1..125
; OTHER INFORMATION: /note= "Mouse monoclonal antibody B5 Fv
; OTHER INFORMATION: Heavy chain region"
US-08-331-396D-64

Query Match 92.9%; Score 52; DB 7; Length 125;
Best Local Similarity 90.0%; Pred. No. 0.036;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYPPDTVQG 10
|
Db 57 STYPPDTVKG 66

Search completed: March 28, 2001, 06:55:36
Job time: 1480 sec

GenCore version 4.5
Copyright (c) 1993-- 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:02 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-56
Perfect score: 56
Sequence: 1 STYPPDVTQVQ 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New:*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	52	92.9	87	1	PCT-US01-03537-53
2	52	92.9	98	1	PCT-US01-03537-41
3	48	85.7	88	1	PCT-US01-03537-51
4	48	85.7	89	1	PCT-US01-03537-48
5	48	85.7	130	5	US-09-726-258-19
6	48	85.7	251	5	US-09-726-258-27
7	45	80.4	98	1	PCT-US01-03537-44
8	44	78.6	30	5	US-09-568-341-6
9	44	78.6	89	1	PCT-US01-03537-49
10	44	78.6	98	1	PCT-US01-03537-38
11	44	78.6	98	1	PCT-US01-03537-39
12	44	78.6	98	1	PCT-US01-03537-45
13	44	78.6	120	5	US-09-482-352A-8
14	44	78.6	124	5	US-09-518-737-2
15	44	78.6	300	5	US-09-188-082-4
16	44	78.6	301	5	US-09-188-082-14
17	44	78.6	553	5	US-09-188-082-16
18	41	73.2	124	1	PCT-US01-03537-81
19	40	71.4	17	5	US-09-430-048-38
20	40	71.4	17	5	US-09-780-035-21
21	40	71.4	17	5	US-09-780-035-26
22	40	71.4	98	5	US-09-430-048-35
23	40	71.4	98	5	US-09-430-048-36
24	40	71.4	108	5	US-09-780-035-28
25	40	71.4	112	5	US-09-430-048-14
26	40	71.4	112	5	US-09-430-048-15
27	40	71.4	113	5	US-09-194-356A-8

28 40 71.4 116 1 PCT-US01-03537-80 Sequence 80, Appl
29 40 71.4 117 1 PCT-US01-03537-83 Sequence 83, Appl
30 40 71.4 117 5 US-09-385-673-15 Sequence 15, Appl
31 40 71.4 118 5 US-09-780-035-67 Sequence 67, Appl
32 40 71.4 120 1 PCT-US01-03537-85 Sequence 85, Appl
33 40 71.4 121 1 PCT-US01-03537-92 Sequence 92, Appl
34 40 71.4 121 5 US-09-194-356A-9 Sequence 9, Appl
35 40 71.4 124 1 PCT-US01-03537-89 Sequence 89, Appl
36 40 71.4 125 1 PCT-US01-03537-76 Sequence 76, Appl
37 40 71.4 125 1 PCT-US01-03537-84 Sequence 84, Appl
38 40 71.4 127 1 PCT-US01-03537-87 Sequence 87, Appl
39 40 71.4 128 1 PCT-US01-03537-77 Sequence 77, Appl
40 40 71.4 128 1 PCT-US01-03537-78 Sequence 78, Appl
41 40 71.4 128 1 PCT-US01-03537-79 Sequence 79, Appl
42 40 71.4 130 5 US-09-341-711-54 Sequence 54, Appl
43 40 71.4 235 5 US-09-780-035-30 Sequence 30, Appl
44 40 71.4 238 5 US-09-430-048-24 Sequence 24, Appl
45 39 69.6 120 5 US-09-530-237-1 Sequence 1, Appl

ALIGNMENTS

RESULT 1
PCT-US01-03537-53
; Sequence 53, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; PRIOR FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 53
; LENGTH: 87
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-53

Query Match 92.9%; Score 52; DB 1; Length 87;
Best Local Similarity 90.0%; Pred. No. 0.0037;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYPPDVTQVQ 10
Db 46 STYPPDVTQVKG 55

RESULT 2
PCT-US01-03537-41
; Sequence 41, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.

```
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 41
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-41
```

```
Query Match          92.9%; Score 52; DB 1; Length 98;
Best Local Similarity 90.0%; Pred. No. 0.0042;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 STYYPDVTQVG 10
    |||||:|:|
Db 57 STYYPDVTKG 66
```

```
RESULT 3
PCT-US01-03537-51
; Sequence 51, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 51
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-51
```

```
Query Match          85.7%; Score 48; DB 1; Length 88;
Best Local Similarity 80.0%; Pred. No. 0.02;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 STYYPDVTQVG 10
    |||||:|:|
Db 47 STYYPDVTKG 56
```

```
RESULT 4
PCT-US01-03537-48
; Sequence 48, Application PC/TUS0103537
```

```
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 48
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-48

Query Match          85.7%; Score 48; DB 1; Length 89;
Best Local Similarity 80.0%; Pred. No. 0.02;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYPDVTQVG 10
    |||||:|:|
Db 48 STYYPDVTKG 57

RESULT 5
US-09-726-258-19
; Sequence 19, Application US/09726258
; GENERAL INFORMATION:
; APPLICANT: Genentech, Inc., Hsai, Vanessa
; APPLICANT: Koumenis, Iphigenia
; APPLICANT: Leong, Steven R.
; APPLICANT: Presta, Leonard G.
; APPLICANT: Shahrokhi, Zahra
; APPLICANT: Zapata, Gerardo A.
; TITLE OF INVENTION: ANTIBODY FRAGMENT-POLYMER CONJUGATES AND
; TITLE OF INVENTION: HUMANIZED ANTI-IL-8 MONOCLONAL ANTIBODIES
; NUMBER OF SEQUENCES: 72
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genentech, Inc.
; STREET: 1 DNA Way
; CITY: South San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94080
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WinPatIn (Genentech)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/726,258
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/234,182
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/094003
; FILING DATE: 24-JUL-1998
; ATTORNEY/AGENT INFORMATION:
```

NAME: Love, Richard B.
REGISTRATION NUMBER: 34,659
REFERENCE/DOCKET NUMBER: P1085R4-1A
TELECOMMUNICATION INFORMATION:
TELEPHONE: 650/225-5530
TELEFAX: 650/952-9881
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH: 130 amino acids
TYPE: Amino Acid
TOPOLOGY: Linear
US-09-726-258-19

Query Match 85.7%; Score 48; DB 5; Length 130;
Best Local Similarity 80.0%; Pred. No. 0.031;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
Db 57 STYYPDSVKG 66
|||||:|

RESULT 6
US-09-726-258-27
Sequence 27, Application US/09726258
GENERAL INFORMATION:
APPLICANT: Genentech, Inc., Hsei, Vanessa
APPLICANT: Koumenis, Iphigenia
APPLICANT: Leong, Steven R.
APPLICANT: Presta, Leonard G.
APPLICANT: Shahtokh, Zahra
APPLICANT: Zapata, Gerardo A.
TITLE OF INVENTION: ANTIBODY FRAGMENT-POLYMER CONJUGATES AND
TITLE OF INVENTION: HUMANIZED ANTI-IL-8 MONOCLONAL ANTIBODIES
NUMBER OF SEQUENCES: 72
CORRESPONDENCE ADDRESS:
ADDRESSEE: Genentech, Inc.
STREET: 1 DNA Way
CITY: South San Francisco
STATE: California
COUNTRY: USA
ZIP: 94080
COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: WinPatIn (Genentech)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/726,258
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 09/234,182
FILING DATE:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 60/094003
FILING DATE: 24-JUL-1998
ATTORNEY/AGENT INFORMATION:
NAME: Love, Richard B.
REGISTRATION NUMBER: 34,659
REFERENCE/DOCKET NUMBER: P1085R4-1A
TELEPHONE: 650/225-5530
TELEFAX: 650/952-9881
INFORMATION FOR SEQ ID NO: 27:
SEQUENCE CHARACTERISTICS:
LENGTH: 251 amino acids
TYPE: Amino Acid
TOPOLOGY: Linear
US-09-726-258-27

Query Match 85.7%; Score 48; DB 5; Length 251;
Best Local Similarity 80.0%; Pred. No. 0.063;
Matches 8; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
Db 80 STYYPDSVKG 89
|||||:|

RESULT 7
PCT-US01-03537-44
Sequence 44, Application PC/TUS0103537
GENERAL INFORMATION:
APPLICANT: Millennium Pharmaceuticals, Inc.
APPLICANT: LaRosa, Gregory J.
APPLICANT: Horvath, Christopher
APPLICANT: Newman, Walter
APPLICANT: Jones, S. Tarran
APPLICANT: O'Brien, Siobhan H.
APPLICANT: O'Keefe, Theresa
TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
TITLE OF INVENTION: METHODS OF USE THEREFOR
FILE REFERENCE: 1855.1052005
CURRENT APPLICATION NUMBER: PCT/US01/03537
CURRENT FILING DATE: 2001-02-02
PRIOR APPLICATION NUMBER: 09/497,625
PRIOR FILING DATE: 2000-02-03
PRIOR APPLICATION NUMBER: 09/359,193
PRIOR FILING DATE: 1999-07-22
PRIOR APPLICATION NUMBER: 09/121,781
PRIOR FILING DATE: 1998-07-23
NUMBER OF SEQ ID NOS: 107
SOFTWARE: FastSeq for Windows Version 3.0
SEQ ID NO 44
LENGTH: 98
TYPE: PRT
ORGANISM: Mus musculus
PCT-US01-03537-44

Query Match 80.4%; Score 45; DB 1; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.08;
Matches 7; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
Db 57 NTYYPDSVKG 66
|||||:|

RESULT 8
US-09-568-341-6
Sequence 6, Application US/09568341
GENERAL INFORMATION:
APPLICANT: TRANSGENE SA
TITLE OF INVENTION: Antitumoral complexes
FILE REFERENCE: Antitumoral complexes
CURRENT APPLICATION NUMBER: US/09/568,341
CURRENT FILING DATE: 2000-05-10
NUMBER OF SEQ ID NOS: 15
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 6
LENGTH: 30
TYPE: PRT
ORGANISM: Homo sapiens
US-09-568-341-6

Query Match 78.6%; Score 44; DB 5; Length 30;
Best Local Similarity 80.0%; Pred. No. 0.034;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYYPDTVQG 10
Db 57 NTYYPDSVKG 66
|||||:|

Db 10 STYSDTVQK 19

```
RESULT 9
PCT-US01-03537-49
; Sequence 49, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; SOFTWARE: FastSEQ for Windows Version 3.0
; NUMBER OF SEQ ID NOS: 107
; SEQ ID NO 49
; LENGTH: 89
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-49
```

Query Match 78.6%; Score 44; DB 1; Length 89;
Best Local Similarity 77.8%; Pred. No. 0.11;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDTVQK 10
DB 49 TYYPDSVKG 57

```
RESULT 10
PCT-US01-03537-38
; Sequence 38, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; SOFTWARE: FastSEQ for Windows Version 3.0
; NUMBER OF SEQ ID NOS: 107
; SEQ ID NO 38
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-38
```

Query Match 78.6%; Score 44; DB 1; Length 89;
Best Local Similarity 77.8%; Pred. No. 0.11;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Query Match 78.6%; Score 44; DB 1; Length 98;
Best Local Similarity 77.8%; Pred. No. 0.12;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDTVQK 10
DB 58 TYYPDSVKG 66

```
RESULT 11
PCT-US01-03537-39
; Sequence 39, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 39
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-39
```

Query Match 78.6%; Score 44; DB 1; Length 98;
Best Local Similarity 77.8%; Pred. No. 0.12;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 TYYPDTVQK 10
DB 58 TYYPDSVKG 66

```
RESULT 12
PCT-US01-03537-45
; Sequence 45, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: LaRosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
```

Query Match 78.6%; Score 44; DB 1; Length 98;
Best Local Similarity 77.8%; Pred. No. 0.12;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

; SOFTWARE: FastSEQ for Windows Version 3.0

; SEQ ID NO 45
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-45

Query Match 78.6%; Score 44; DB 1; Length 98;
Best Local Similarity 77.8%; Pred. No. 0.12;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 2 TYYPDTVOG 10
Db 58 TYYPDSVKG 66
|||||:|

RESULT 13

US-09-482-352A-8
; Sequence 8, Application US/09482352A
; GENERAL INFORMATION:
; APPLICANT: DE PRAT GAY, Gonzalo
; APPLICANT: GOLDBAUM, Fernando
; APPLICANT: CERUTTI, Maria Laura
; TITLE OF INVENTION: SEQUENCE-SPECIFIC, HIGH AFFINITY ANTI-DNA MONOCLONAL ANTIBODIES
; FILE REFERENCE: 2038/48555
; CURRENT APPLICATION NUMBER: US/09/482,352A
; CURRENT FILING DATE: 2000-01-14
; NUMBER OF SEQ ID NOS: 16
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 8
; LENGTH: 120
; TYPE: PRT
; ORGANISM: Murinae gen. sp.
; FEATURE:
; NAME/KEY: misc_feature
; OTHER INFORMATION: amino acid sequence of the variable region of the heavy chain of
; OTHER INFORMATION: the mouse monoclonal antibody ED-8
US-09-482-352A-8

Query Match 78.6%; Score 44; DB 5; Length 120;
Best Local Similarity 77.8%; Pred. No. 0.15;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 2 TYYPDTVOG 10
Db 59 TYYPDSVKG 67
|||||:|

RESULT 14

US-09-518-737-2
; Sequence 2, Application US/09518737
; GENERAL INFORMATION:
; APPLICANT: FUKUI, YASUHISA
; APPLICANT: NAGATA, SATOSHI
; APPLICANT: SHIRAI, RYUICHI
; APPLICANT: SAITO, NAOAKI
; TITLE OF INVENTION: MONOCLONAL ANTIBODY RECOGNIZING
; FILE REFERENCE: 1965/49618
; CURRENT APPLICATION NUMBER: US/09/518,737
; CURRENT FILING DATE: 2000-03-03
; PRIOR APPLICATION NUMBER: JP 1999-250209
; PRIOR FILING DATE: 1999-09-03
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-518-737-2

Query Match 78.6%; Score 44; DB 5; Length 124;
Best Local Similarity 77.8%; Pred. No. 0.16;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 2 TYYPDTVOG 10
Db 58 TYYPDSVKG 66
|||||:|

RESULT 15

US-09-188-082-4
; Sequence 4, Application US/09188082
; GENERAL INFORMATION:
; APPLICANT: Yashwant M. Deo
; APPLICANT: Joel Goldstein
; APPLICANT: Robert Graziano
; APPLICANT: Chezian Somasundaram
; TITLE OF INVENTION: THERAPEUTIC COMPOUNDS COMPRISED
; OF ANTI-FC RECEPTOR ANTIBODIES
; NUMBER OF SEQUENCES: 16
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: LAHIVE & COCKFIELD
; STREET: 60 State Street, Suite 510
; CITY: Boston
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02109-1875
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/188,082
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/661,052
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Arnold, Beth E.
; REGISTRATION NUMBER: 35,430
; REFERENCE/DOCKET NUMBER: MXI-043CP
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617)227-7400
; TELEFAX: (617)227-5941
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 300 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FRAGMENT TYPE: internal
US-09-188-082-4

Query Match 78.6%; Score 44; DB 5; Length 300;
Best Local Similarity 77.8%; Pred. No. 0.41;
Matches 7; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 2 TYYPDTVOG 10
Db 58 TYYPDSVKG 66
|||||:|

Search completed: March 28, 2001, 06:57:03
Job time: 1552 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:36 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-58
Perfect score: 53
Sequence: 1 STVYLDVTEG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_Main:*

- 1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
- 2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
- 3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
- 4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
- 5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
- 6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
- 7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
- 8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
- 9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
- 10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
- 11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
- 12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
- 13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
- 14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
- 15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
- 16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
- 17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
- 18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
- 19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
- 20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
- 21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
- 22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	53	100.0	10	14	US-09-016-061-58
2	53	100.0	10	17	US-09-339-922A-58
3	50	94.3	10	14	US-09-016-061-38
4	50	94.3	10	17	US-09-339-922A-38
5	50	94.3	17	17	US-09-339-922A-102
6	50	94.3	117	1	PCT-US98-25828-56
7	50	94.3	117	11	US-08-790-540-2
8	50	94.3	117	11	US-08-790-540-6
9	50	94.3	117	11	US-08-790-540A-2
10	50	94.3	117	11	US-08-790-540A-6
11	50	94.3	117	11	US-08-791-391-2

12	50	94.3	117	11	US-08-791-391-6
13	50	94.3	117	11	US-08-791-391A-2
14	50	94.3	117	11	US-08-791-391A-6
15	50	94.3	117	13	US-08-986-016-56
16	50	94.3	117	14	US-09-016-061-2
17	50	94.3	117	14	US-09-016-061-6
18	50	94.3	117	17	US-09-339-922A-2
19	50	94.3	117	17	US-09-339-922A-6
20	50	94.3	130	1	PCT-US98-25828-44
21	50	94.3	130	13	US-08-986-016-44
22	44	83.0	124	18	US-09-497-625-81
23	43	81.1	10	14	US-09-016-061-56
24	43	81.1	10	17	US-09-339-922A-56
25	43	81.1	17	17	US-09-339-922A-104
26	43	81.1	30	17	US-09-336-093-4
27	43	81.1	30	19	US-09-557-465-4
28	42	79.2	87	18	US-09-497-625-53
29	42	79.2	98	18	US-09-497-625-41
30	42	79.2	120	10	US-08-617-835-2
31	42	79.2	120	11	US-08-743-788-43
32	42	79.2	120	11	US-08-743-788-47
33	42	79.2	120	11	US-08-743-788-48
34	42	79.2	120	11	US-08-743-788-49
35	42	79.2	120	11	US-08-743-788-50
36	42	79.2	120	11	US-08-743-788-55
37	42	79.2	121	11	US-08-743-788-39
38	42	79.2	125	7	US-08-331-396C-65
39	42	79.2	125	7	US-08-331-396D-64
40	42	79.2	127	3	US-07-868-983-3
41	42	79.2	158	10	US-08-653-402-6
42	42	79.2	158	10	US-08-653-402-10
43	41	77.4	13	18	US-09-438-136-51
44	41	77.4	13	18	US-09-438-136-77
45	41	77.4	117	11	US-08-752-693A-3

ALIGNMENTS

RESULT 1

US-09-016-061-58
Sequence 58, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 58:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 10 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-58

Query Match          100.0%; Score 53; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00087;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
Db 1 STYYLDTVEG 10
|||||

RESULT 2
US-09-339-922A-58
; Sequence 58, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 58
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-58

Query Match          100.0%; Score 53; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00087;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
Db 1 STYYLDTVEG 10
|||||

RESULT 3
US-09-016-061-38
; Sequence 38, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 38:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 10 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-38

Query Match          94.3%; Score 50; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0033;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
Db 1 STYYLDTVEG 10
|||||

RESULT 4
US-09-339-922A-38
; Sequence 38, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 38
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-38

Query Match          94.3%; Score 50; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0033;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
Db 1 STYYLDTVEG 10
|||||

RESULT 5
US-09-339-922A-102
; Sequence 102, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
```

SEQ ID NO 102
LENGTH: 17
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Mutated
OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-102

Query Match 94.3%; Score 50; DB 17; Length 17;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYLDTVQV 10
Db 8 STYLDTVQV 17
|||||||

RESULT 6
PCT-US98-25828-56
Sequence 56, Application PC/TUS9825828A
GENERAL INFORMATION:
APPLICANT: The Scripps Research Institute
TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
FILE REFERENCE: TSRI 598.0
CURRENT APPLICATION NUMBER: PCT/US98/25828A
CURRENT FILING DATE: 1998-12-04
EARLIER APPLICATION NUMBER: 08/986,016
EARLIER FILING DATE: 1997-12-05
NUMBER OF SEQ ID NOS: 56
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 56
LENGTH: 117
TYPE: PRT
ORGANISM: Murine hybridoma LM609
PCT-US98-25828-56

Query Match 94.3%; Score 50; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYLDTVQV 10
Db 57 STYLDTVQV 66
|||||||

RESULT 7
US-08-790-540-2
Sequence 2, Application US/08790540
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540
FILING DATE:
CLASSIFICATION: 530
ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540-2

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYLDTVQV 10
Db 57 STYLDTVQV 66
|||||||

RESULT 8
US-08-790-540-6
Sequence 6, Application US/08790540
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/790,540
FILING DATE:
CLASSIFICATION: 530
ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2405
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
LENGTH: 117 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-790-540-6

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 STYLDTVQV 10
Db 57 STYLDTVQV 66
|||||||

RESULT 9
US-08-790-540A-2
; Sequence 2, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790.540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-2

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
|||||||:|
Db 57 STYYLDTVQG 66

RESULT 10
US-08-790-540A-6
; Sequence 6, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790.540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424

; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540A-6

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
|||||||:|
Db 57 STYYLDTVQG 66

RESULT 11
US-08-791-391-2
; Sequence 2, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-791-391-2

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
|||||||:|
Db 57 STYYLDTVQG 66

RESULT 12
US-08-791-391-6
; Sequence 6, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; REFERENCE/DOCKET NUMBER: P-IX 1482
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-6

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
Qy 1 STYYLDTVEG 10
Db 57 STYYLDTVQG 66
|||||||:|

RESULT 13
US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; REFERENCE/DOCKET NUMBER: P-IX 1482
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08791.391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-2

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
Qy 1 STYYLDTVEG 10
Db 57 STYYLDTVQG 66
|||||||:|

RESULT 14
US-08-791-391A-6
; Sequence 6, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; REFERENCE/DOCKET NUMBER: P-IX 1482
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA: US/08791.391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-6

Query Match 94.3%; Score 50; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
|||||
Db 57 STYYLDTVQG 66

RESULT 15
US-08-986-016-56
; Sequence 56, Application US/08986016A
; GENERAL INFORMATION:
; APPLICANT: Barbas III, Carlos F.
; APPLICANT: Rader, Christoph
; TITLE OF INVENTION: Humanization of Murine Antibody
; FILE REFERENCE: Tsri 598.0
; CURRENT APPLICATION NUMBER: US/08/986.016A
; CURRENT FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn ver. 2.0
; SEQ ID NO 56
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-56

Query Match 94.38; Score 50; DB 13; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.055;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 STYYLDTVEG 10
|||||
Db 57 STYYLDTVQG 66

Search completed: March 28, 2001, 06:55:36
Job time: 1480 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:03 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-58
Perfect score: 53
Sequence: 1 STYYLDVEG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New.*
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	44	83.0	124	1	PCT-US01-03537-81
2	43	81.1	730	5	US-09-568-341-6
3	42	79.2	87	1	PCT-US01-03537-53
4	42	79.2	98	1	PCT-US01-03537-41
5	40	75.5	17	5	US-09-430-048-38
6	40	75.5	17	5	US-09-780-035-21
7	40	75.5	17	5	US-09-780-035-26
8	40	75.5	98	5	US-09-430-048-35
9	40	75.5	98	5	US-09-430-048-36
10	40	75.5	108	5	US-09-780-035-28
11	40	75.5	112	5	US-09-430-048-14
12	40	75.5	112	5	US-09-430-048-15
13	40	75.5	113	5	US-09-194-356A-8
14	40	75.5	116	1	PCT-US01-03537-80
15	40	75.5	117	1	PCT-US01-03537-83
16	40	75.5	117	5	US-09-385-673-15
17	40	75.5	118	5	US-09-780-035-67
18	40	75.5	120	1	PCT-US01-03537-85
19	40	75.5	121	1	PCT-US01-03537-92
20	40	75.5	121	5	US-09-194-356A-9
21	40	75.5	124	1	PCT-US01-03537-89
22	40	75.5	125	1	PCT-US01-03537-76
23	40	75.5	125	1	PCT-US01-03537-84
24	40	75.5	127	1	PCT-US01-03537-87
25	40	75.5	128	1	PCT-US01-03537-77
26	40	75.5	128	1	PCT-US01-03537-78
27	40	75.5	128	1	PCT-US01-03537-79

28 40 75.5 130 5 US-09-341-711-54 Sequence 54, Appl
29 40 75.5 235 5 US-09-780-035-30 Sequence 30, Appl
30 40 75.5 238 5 US-09-430-048-24 Sequence 24, Appl
31 39 73.6 120 5 US-09-530-237-1 Sequence 1, Appl
32 38 71.7 88 1 PCT-US01-03537-51 Sequence 51, Appl
33 38 71.7 89 1 PCT-US01-03537-48 Sequence 48, Appl
34 38 71.7 130 5 US-09-726-258-19 Sequence 19, Appl
35 38 71.7 251 5 US-09-726-258-27 Sequence 27, Appl
36 37 69.8 19 5 US-09-532-106-4 Sequence 4, Appl
37 37 69.8 27 5 US-09-532-106-21 Sequence 21, Appl
38 37 69.8 123 1 PCT-US01-03537-82 Sequence 82, Appl
39 37 69.8 571 5 US-09-489-039A-10805 Sequence 10805, A
40 36 67.9 121 5 US-09-716-028-4 Sequence 4, Appl
41 36 67.9 133 5 US-09-214-027A-21 Sequence 21, Appl
42 35 66.0 17 4 US-08-478-684G-2 Sequence 2, Appl
43 35 66.0 17 5 US-09-780-035-27 Sequence 27, Appl
44 35 66.0 89 1 PCT-US01-03537-50 Sequence 50, Appl
45 35 66.0 98 1 PCT-US01-03537-44 Sequence 44, Appl

ALIGNMENTS

RESULT 1
PCT-US01-03537-81
; Sequence 81, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; PRIOR FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 81
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US01-03537-81

Query Match 83.0% Score 44; DB 1; Length 124;
Best Local Similarity 80.0%; Pred.No. 0.031;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYYLDVEG 10
|||||:||||
Db 57 STYYADSVEG 66

RESULT 2
US-09-568-341-6
; Sequence 6, Application US/09568341
; GENERAL INFORMATION:
; APPLICANT: TRANSGENE SA
; TITLE OF INVENTION: Antitumoral complexes
; FILE REFERENCE: Antitumoral complexes
; CURRENT APPLICATION NUMBER: US/09/568,341
; CURRENT FILING DATE: 2000-05-10
; NUMBER OF SEQ ID NOS: 15

; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 6
; LENGTH: 30
; TYPE: PRT
; ORGANISM: Homo sapiens
US-568-341-6

Query Match 81.1%; Score 43; DB 5; Length 30;
Best Local Similarity 80.0%; Pred. No. 0.01;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVG 10
 |||||:|
Db 10 STYYSDTVKG 19

RESULT 3
PCT-US01-03537-53
; Sequence 53, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 53
; LENGTH: 87
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-53

Query Match 79.2%; Score 42; DB 1; Length 87;
Best Local Similarity 80.0%; Pred. No. 0.054;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVG 10
 |||||:|
Db 46 STYYPDVKG 55

RESULT 4
PCT-US01-03537-41
; Sequence 41, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02

; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 41
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Mus musculus
PCT-US01-03537-41

Query Match 79.2%; Score 42; DB 1; Length 98;
Best Local Similarity 80.0%; Pred. No. 0.061;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVG 10
 |||||:|
Db 57 STYYPDVKG 66

RESULT 5
US-09-430-048-38
; Sequence 38, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 38
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-38

Query Match 75.5%; Score 40; DB 5; Length 17;
Best Local Similarity 70.0%; Pred. No. 0.022;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVG 10
 |||||:|
Db 8 STYYADSVKG 17

RESULT 6
US-09-780-035-21
; Sequence 21, Application US/09780035
; GENERAL INFORMATION:
; APPLICANT: Ghayur, Tarig et al.
; TITLE OF INVENTION: ANTIBODIES THAT BIND HUMAN INTERLEUKIN-18 AND METHODS
; TITLE OF INVENTION: OF MAKING AND USING
; FILE REFERENCE: BBI-149
; CURRENT APPLICATION NUMBER: US/09/780,035
; CURRENT FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/181,608
; PRIOR FILING DATE: 2000-02-10
; NUMBER OF SEQ ID NOS: 71
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 21
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-780-035-21

```

; Sequence 36, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 36
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-430-048-36

Query Match          75.5%; Score 40; DB 5; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.16;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
   ||||| :||:|
Db 8 STYYADSVKG 17

RESULT 7
US-09-780-035-26
; Sequence 26, Application US/09780035
; GENERAL INFORMATION:
; APPLICANT: Ghayur, Tarig et al.
; TITLE OF INVENTION: ANTIBODIES THAT BIND HUMAN INTERLEUKIN-18 AND METHODS
; TITLE OF INVENTION: OF MAKING AND USING
; FILE REFERENCE: BBI-149
; CURRENT APPLICATION NUMBER: US/09/780,035
; CURRENT FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/181,608
; PRIOR FILING DATE: 2000-02-10
; NUMBER OF SEQ ID NOS: 71
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 26
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-780-035-26

Query Match          75.5%; Score 40; DB 5; Length 17;
Best Local Similarity 70.0%; Pred. No. 0.022;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
   ||||| :||:|
Db 8 STYYADSVKG 17

RESULT 8
US-09-430-048-35
; Sequence 35, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-430-048-35

Query Match          75.5%; Score 40; DB 5; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.16;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
   ||||| :||:|
Db 57 STYYADSVKG 66

RESULT 9
US-09-430-048-36
; Sequence 36, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 36
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-430-048-36

Query Match          75.5%; Score 40; DB 5; Length 98;
Best Local Similarity 70.0%; Pred. No. 0.16;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
   ||||| :||:|
Db 57 STYYADSVKG 66

RESULT 10
US-09-780-035-28
; Sequence 28, Application US/09780035
; GENERAL INFORMATION:
; APPLICANT: Ghayur, Tarig et al.
; TITLE OF INVENTION: ANTIBODIES THAT BIND HUMAN INTERLEUKIN-18 AND METHODS
; TITLE OF INVENTION: OF MAKING AND USING
; FILE REFERENCE: BBI-149
; CURRENT APPLICATION NUMBER: US/09/780,035
; CURRENT FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/181,608
; PRIOR FILING DATE: 2000-02-10
; NUMBER OF SEQ ID NOS: 71
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 28
; LENGTH: 108
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-780-035-28

Query Match          75.5%; Score 40; DB 5; Length 108;
Best Local Similarity 70.0%; Pred. No. 0.17;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
   ||||| :||:|
Db 47 STYYADSVKG 56

RESULT 11
US-09-430-048-14
; Sequence 14, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 14
```

```
; LENGTH: 112
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-14

Query Match          75.5%; Score 40; DB 5; Length 112;
Best Local Similarity 70.0%; Pred. No. 0.18;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
Db 57 STYYADSVKG 66

RESULT 12
US-09-430-048-15
; Sequence 15, Application US/09430048
; GENERAL INFORMATION:
; APPLICANT: Miller, Jonathan L
; TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
; TITLE OF INVENTION: of Antibodies to Human Platelet Glycoprotein Ib Alpha
; FILE REFERENCE: 011.00231
; CURRENT APPLICATION NUMBER: US/09/430,048
; CURRENT FILING DATE: 1999-10-29
; PRIOR APPLICATION NUMBER: US 60/106,275
; PRIOR FILING DATE: 1998-10-30
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 15
; LENGTH: 112
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-430-048-15

Query Match          75.5%; Score 40; DB 5; Length 112;
Best Local Similarity 70.0%; Pred. No. 0.18;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
Db 57 STYYADSVKG 66

US-09-194-356A-8
; Sequence 8, Application US/09194356A
; GENERAL INFORMATION:
; APPLICANT: NERI, DARIO
; APPLICANT: CARNEMOLLA, BARBARA
; APPLICANT: SIRI, ANNALISA
; APPLICANT: BALZA, ENRICA
; APPLICANT: CASTELLANI, PATRIZIA
; APPLICANT: ZARDI, LUCIANO
; APPLICANT: WINTER, GREGORY PAUL
; APPLICANT: NERI, GIOVANNI
; APPLICANT: BORSI, LAURA
; APPLICANT: PINI, ALESSANDRO
; TITLE OF INVENTION: ANTIBODIES TO THE ED-B DOMAIN OF FIBRONECTIN, THEIR
; TITLE OF INVENTION: CONSTRUCTION AND USES
; FILE REFERENCE: SCH-1732
; CURRENT APPLICATION NUMBER: US/09/194,356A
; CURRENT FILING DATE: 1999-09-02
; PRIOR APPLICATION NUMBER: PCT/GB97/01412
; PRIOR FILING DATE: 1997-05-23
; PRIOR APPLICATION NUMBER: 9610967.3
; PRIOR FILING DATE: 1996-05-24
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO: 8
; LENGTH: 113
; TYPE: PRT

; ORGANISM: Homo sapiens
US-09-194-356A-8

Query Match          75.5%; Score 40; DB 5; Length 113;
Best Local Similarity 70.0%; Pred. No. 0.18;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
Db 57 STYYADSVKG 66

RESULT 14
PCT-US01-03537-80
; Sequence 80, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005.
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 80
; LENGTH: 116
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US01-03537-80

Query Match          75.5%; Score 40; DB 1; Length 116;
Best Local Similarity 70.0%; Pred. No. 0.19;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 STYYLDTVEG 10
Db 57 STYYADSVKG 66

RESULT 15
PCT-US01-03537-83
; Sequence 83, Application PC/TUS0103537
; GENERAL INFORMATION:
; APPLICANT: Millennium Pharmaceuticals, Inc.
; APPLICANT: Larosa, Gregory J.
; APPLICANT: Horvath, Christopher
; APPLICANT: Newman, Walter
; APPLICANT: Jones, S. Tarran
; APPLICANT: O'Brien, Siobhan H.
; APPLICANT: O'Keefe, Theresa
; TITLE OF INVENTION: HUMANIZED ANTI-CCR2 ANTIBODIES AND
; TITLE OF INVENTION: METHODS OF USE THEREFOR
; FILE REFERENCE: 1855.1052005
; CURRENT APPLICATION NUMBER: PCT/US01/03537
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: 09/497,625
; PRIOR FILING DATE: 2000-02-03
; PRIOR APPLICATION NUMBER: 09/359,193
; PRIOR FILING DATE: 1999-07-22
```

; PRIOR APPLICATION NUMBER: 09/121,781
; PRIOR FILING DATE: 1998-07-23
; NUMBER OF SEQ ID NOS: 107
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 83
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US01-03537-83

Query Match 75.58; Score 40; DB 1; Length 117;
Best Local Similarity 70.08; Pred. No. 0.19;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 STYVLDTVEG 10
||| |:
Db 57 STYYADSVKG 66

Search completed: March 28, 2001, 06:57:03
Job time: 1552 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:36 ; Search time 80i.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-60
Perfect score: 58
Sequence: 1 ARHNHGSFAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*

1: /cgnl_7/ptodata/1/paa/pctus_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/us06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/us07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/us080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/us081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/us082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/us083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/us084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/us085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/us086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/us087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/us088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/us089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/us090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/us091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/us092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/us093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/us094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/us095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/us096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/us097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/us098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	58	100.0	10	14	US-09-016-061-60
2	58	100.0	10	17	US-09-339-922A-60
3	52	89.7	10	14	US-09-016-061-40
4	52	89.7	10	17	US-09-339-922A-40
5	52	89.7	117	1	PCT-US98-25828-54
6	52	89.7	117	1	PCT-US98-25828-56
7	52	89.7	117	11	US-08-790-540-2
8	52	89.7	117	11	US-08-790-540-6
9	52	89.7	117	11	US-08-790-540A-2
10	52	89.7	117	11	US-08-790-540A-6
11	52	89.7	117	11	US-08-791-391-2

12	52	89.7	117	11	US-08-791-391-6	Sequence 6, Appl
13	52	89.7	117	11	US-08-791-391A-2	Sequence 2, Appl
14	52	89.7	117	11	US-08-791-391A-6	Sequence 6, Appl
15	52	89.7	117	13	US-08-986-016-54	Sequence 54, Appl
16	52	89.7	117	13	US-08-986-016-56	Sequence 56, Appl
17	52	89.7	117	14	US-09-016-061-2	Sequence 2, Appl
18	52	89.7	117	14	US-09-016-061-6	Sequence 6, Appl
19	52	89.7	117	17	US-09-339-922A-2	Sequence 2, Appl
20	52	89.7	117	17	US-09-339-922A-6	Sequence 6, Appl
21	52	89.7	118	1	PCT-US98-25828-50	Sequence 50, Appl
22	52	89.7	118	1	PCT-US98-25828-51	Sequence 51, Appl
23	52	89.7	118	1	PCT-US98-25828-52	Sequence 52, Appl
24	52	89.7	118	1	PCT-US98-25828-53	Sequence 53, Appl
25	52	89.7	118	13	US-08-986-016-50	Sequence 50, Appl
26	52	89.7	118	13	US-08-986-016-51	Sequence 51, Appl
27	52	89.7	118	13	US-08-986-016-52	Sequence 52, Appl
28	52	89.7	119	13	US-08-986-016-53	Sequence 53, Appl
29	52	89.7	130	1	PCT-US98-25828-44	Sequence 44, Appl
30	52	89.7	130	13	US-08-986-016-44	Sequence 44, Appl
31	51	87.9	10	14	US-09-016-061-94	Sequence 94, Appl
32	51	87.9	10	17	US-09-339-922A-96	Sequence 96, Appl
33	49	84.5	10	14	US-09-016-061-62	Sequence 62, Appl
34	49	84.5	10	17	US-09-339-922A-62	Sequence 62, Appl
35	47	81.0	10	14	US-09-016-061-96	Sequence 96, Appl
36	47	81.0	10	17	US-09-339-922A-94	Sequence 94, Appl
37	46	79.3	10	14	US-09-016-061-64	Sequence 64, Appl
38	46	79.3	10	14	US-09-016-061-66	Sequence 66, Appl
39	46	79.3	10	17	US-09-339-922A-64	Sequence 64, Appl
40	46	79.3	10	17	US-09-339-922A-66	Sequence 66, Appl
41	45	77.6	10	14	US-09-016-061-68	Sequence 68, Appl
42	45	77.6	10	14	US-09-016-061-70	Sequence 70, Appl
43	45	77.6	10	14	US-09-016-061-72	Sequence 72, Appl
44	45	77.6	10	14	US-09-016-061-74	Sequence 74, Appl
45	45	77.6	10	14	US-09-016-061-76	Sequence 76, Appl

ALIGNMENTS

RESULT 1
US-09-016-061-60
; Sequence 60, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 60:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-60

Query Match 100.0%; Score 58; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00034;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSPAY 10
| | | | | | | | | |
DB 1 ARNHGSPAY 10

RESULT 2
US-09-339-922A-60
; Sequence 60, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 60
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-60

Query Match 100.0%; Score 58; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00034;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSPAY 10
| | | | | | | | | |
DB 1 ARNHGSPAY 10

RESULT 3
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-40

Query Match 89.7%; Score 52; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0043;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSPAY 10
| | | | | | | | | |
DB 1 ARNHGSPAY 10

RESULT 4
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-40

Query Match 89.7%; Score 52; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0043;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSPAY 10
| | | | | | | | | |
DB 1 ARNHGSPAY 10

RESULT 5
PCT-US98-25828-54
; Sequence 54, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 54
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-54

Query Match 89.7%; Score 52; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSFAY 10
 ||||:|||||
Db 97 ARHNYGSFAY 106

RESULT 6
PCT-US98-25828-56
; Sequence 56, Application PCT/US9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 56
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-56

Query Match 89.7%; Score 52; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSFAY 10
 ||||:|||||
Db 97 ARHNYGSFAY 106

RESULT 7
US-08-790-540-2
; Sequence 2, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-6

Query Match 89.7%; Score 52; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAY 10
 ||||:|||||
Db 97 ARHNYGSFAY 106

; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-2

Query Match 89.7%; Score 52; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARNHGSFAY 10
 ||||:|||||
Db 97 ARHNYGSFAY 106

RESULT 8
US-08-790-540-6
; Sequence 6, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-6

Query Match 89.7%; Score 52; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAY 10
 ||||:|||||
Db 97 ARHNYGSFAY 106

RESULT 9
US-08-790-540A-2
; Sequence 2, Application US/08790540A


```
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA: US/08/790,540A
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-790-540A-2
```

```
Query Match 89.7%; Score 52; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 ARNHGSPAY 10
Db 97 ARHNGSFAY 106
||||:|||||
```

```
RESULT 10
US-08-790-540A-6
; Sequence 6, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
```

```
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-790-540A-6
```

```
Query Match 89.7%; Score 52; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 ARNHGSPAY 10
Db 97 ARHNGSFAY 106
||||:|||||
```

```
RESULT 11
US-08-791-391-2
; Sequence 2, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-2
```

```
Query Match 89.7%; Score 52; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 ARNHGSPAY 10
Db 97 ARHNGSFAY 106
||||:|||||
```

```
RESULT 12
```

```
US-08-791-391-6
; Sequence 6, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; REFERENCE/DOCKET NUMBER: 31,815
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TELECOMMUNICATION INFORMATION:
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-6

Query Match      89.7%; Score 52; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches      9; Conservative      1; Mismatches      0; Indels      0; Gaps      0;

QY      1 ARNHGGSFAY 10
      ||||:|||||
Db      97 ARHNYGSFAY 106

RESULT 13
US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; REFERENCE/DOCKET NUMBER: 31,815
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TELECOMMUNICATION INFORMATION:
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-6

Query Match      89.7%; Score 52; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches      9; Conservative      1; Mismatches      0; Indels      0; Gaps      0;

QY      1 ARNHGGSFAY 10
      ||||:|||||
Db      97 ARHNYGSFAY 106

RESULT 14
US-08-791-391A-6
; Sequence 6, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; REFERENCE/DOCKET NUMBER: 31,815
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TELECOMMUNICATION INFORMATION:
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-6

Query Match      89.7%; Score 52; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches      9; Conservative      1; Mismatches      0; Indels      0; Gaps      0;

QY      1 ARNHGGSFAY 10
      ||||:|||||
Db      97 ARHNYGSFAY 106

RESULT 15
US-08-791-391A-6
; Sequence 6, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; REFERENCE/DOCKET NUMBER: 31,815
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TELECOMMUNICATION INFORMATION:
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-6

Query Match      89.7%; Score 52; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches      9; Conservative      1; Mismatches      0; Indels      0; Gaps      0;

QY      1 ARNHGGSFAY 10
      ||||:|||||
Db      97 ARHNYGSFAY 106
```

Db 97 ARHNYGSFAY 106

RESULT 15
US-08-986-016-54
; Sequence 54, Application US/08986016A
; GENERAL INFORMATION:
; APPLICANT: Barbas III, Carlos F.
; APPLICANT: Rader, Christoph
; TITLE OF INVENTION: Humanization of Murine Antibody
; FILE REFERENCE: Tsr1 598.0
; CURRENT APPLICATION NUMBER: US/08/986,016A
; CURRENT FILING-DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 54
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-54

Query Match 89.7%; Score 52; DB 13; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.053;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAY 10

|||||

Db 97 ARHNYGSFAY 106

Search completed: March 28, 2001, 06:55:36
Job time: 1480 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:03 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-60
Perfect score: 58
Sequence: 1 ARNHGSFAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New.*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pcp.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pcp.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pcp.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pcp.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pcp.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pcp.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	39	67.2	196	5	US-09-741-669-368 Sequence 368, App
2	38	65.5	265	5	US-09-732-091-44 Sequence 44, Appl
3	36	62.1	237	5	US-09-488-725A-3328 Sequence 3528, Ap
4	35	60.3	566	1	PCT-US01-01394-80 Sequence 80, Appl
5	35	60.3	772	5	US-09-488-725A-2926 Sequence 2926, Ap
6	35	60.3	788	5	US-09-488-725A-6498 Sequence 6498, Ap
7	34	58.6	231	5	US-09-172-952-32 Sequence 32, Appl
8	34	58.6	231	5	US-09-172-952-33 Sequence 33, Appl
9	34	58.6	231	5	US-09-557-735-32 Sequence 32, Appl
10	34	58.6	231	5	US-09-557-735-33 Sequence 33, Appl
11	34	58.6	238	5	US-09-172-952-18 Sequence 18, Appl
12	34	58.6	238	5	US-09-557-735-18 Sequence 18, Appl
13	34	58.6	285	5	US-09-489-039A-12402 Sequence 12402, A
14	34	58.6	482	6	US-60-269-308-4703 Sequence 4703, Ap
15	33	56.9	290	5	US-09-201-228A-326 Sequence 326, App
16	33	56.9	426	5	US-09-489-039A-13845 Sequence 13845, A
17	33	56.9	780	5	US-09-489-039A-13670 Sequence 13670, A
18	32	55.2	102	1	PCT-US00-32990-16 Sequence 16, Appl
19	32	55.2	136	5	US-09-489-039A-9897 Sequence 9897, Ap
20	32	55.2	278	5	US-09-201-228A-1069 Sequence 1069, Ap
21	32	55.2	679	6	US-60-257-931-3490 Sequence 3490, Ap
22	32	55.2	679	6	US-60-253-625-2662 Sequence 2662, Ap
23	32	55.2	679	6	US-60-269-308-4512 Sequence 4512, Ap
24	32	55.2	776	5	US-09-489-039A-10778 Sequence 10778, A
25	31	53.4	74	1	PCT-US00-30086-11 Sequence 11, Appl
26	31	53.4	94	5	US-09-557-917-14 Sequence 14, Appl
27	31	53.4	94	5	US-09-557-917-45 Sequence 45, Appl

28	31	53.4	94	5	US-09-557-917-48	Sequence 48, Appl
29	31	53.4	94	5	US-09-557-917-77	Sequence 77, Appl
30	31	53.4	94	5	US-09-557-917-84	Sequence 84, Appl
31	31	53.4	94	5	US-09-557-917-90	Sequence 90, Appl
32	31	53.4	94	5	US-09-557-917-101	Sequence 101, Appl
33	31	53.4	254	6	US-60-257-931-3589	Sequence 3589, Ap
34	31	53.4	254	6	US-60-253-625-2761	Sequence 2761, Ap
35	31	53.4	254	6	US-60-269-308-4611	Sequence 4611, Ap
36	31	53.4	291	1	PCT-US00-30086-2	Sequence 2, Appl1
37	31	53.4	465	6	US-60-257-931-3140	Sequence 3140, Ap
38	31	53.4	465	6	US-60-253-625-2533	Sequence 2533, Ap
39	31	53.4	465	6	US-60-269-308-4162	Sequence 4162, Ap
40	31	53.4	681	1	PCT-US00-30086-4	Sequence 4, Appl1
41	31	53.4	787	5	US-09-107-433-4612	Sequence 4612, Ap
42	31	53.4	1770	5	US-09-488-725A-2247	Sequence 2247, Ap
43	31	53.4	1848	5	US-09-488-725A-5819	Sequence 5819, Ap
44	30	51.7	13	5	US-09-635-434-4	Sequence 4, Appl1
45	30	51.7	73	1	PCT-US01-01322-605	Sequence 605, App

ALIGNMENTS

RESULT 1
US-09-741-669-368
; Sequence 368, Application US/09741669
; GENERAL INFORMATION:
; APPLICANT: Forsyth, R. Allyn
; APPLICANT: Ohlsen, Kari L.
; APPLICANT: Zyskind, Judith W.
; TITLE OF INVENTION: Genes identified as required for
; FILE REFERENCE: ELITEA 009A
; CURRENT APPLICATION NUMBER: US/09/741,669
; PRIOR FILING DATE: 2000-12-19
; PRIOR APPLICATION NUMBER: US 60/173005
; PRIORITY FILING DATE: 1999-12-23
; NUMBER OF SEQ ID NOS: 481
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 368
; LENGTH: 196
; TYPE: PRT
; ORGANISM: Escherichia coli
US-09-741-669-368

Query Match 67.2%; Score 39; DB 5; Length 196;
Best Local Similarity 75.0%; Pred. No. 1.8;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 HNHGSFAY 10
Db 105 HNHGSFKH 112

RESULT 2
US-09-732-091-44
; Sequence 44, Application US/09732091
; GENERAL INFORMATION:
; APPLICANT: Tian, Jing-Hui
; APPLICANT: Walker, Richard I.
; APPLICANT: Jackson, W. James
; TITLE OF INVENTION: Helicobacter proteins, gene sequences and uses
; FILE REFERENCE: 7969-088
; CURRENT APPLICATION NUMBER: US/09/732,091
; CURRENT FILING DATE: 2000-12-07
; NUMBER OF SEQ ID NOS: 44
; SOFTWARE: Patent In Ver. 2.1
; SEQ ID NO 44
; LENGTH: 265
; TYPE: PRT
; ORGANISM: Helicobacter sp.

US-09-732-091-44

Query Match 65.5%; Score 38; DB 5; Length 265;
Best Local Similarity 75.0%; Pred. No. 3.8;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 HHGSGFAY 10
|:|||||
Db 8 HHGSMAY 15

RESULT 3

US-09-488-725A-3528
; Sequence 3528, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 3528
; LENGTH: 238
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-3528

Query Match 62.1%; Score 36; DB 5; Length 237;
Best Local Similarity 44.4%; Pred. No. 7.9;
Matches 4; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNGSFAY 10
:|||||:
Db 177 KHHGAYQF 185

RESULT 4

PCT-US01-01394-80
; Sequence 80, Application PC/TUS0101394
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc.
; TITLE OF INVENTION: 21 human secreted proteins
; FILE REFERENCE: PS729PCT
; CURRENT APPLICATION NUMBER: PCT/US01/01394
; CURRENT FILING DATE: 2001-01-17
; PRIOR APPLICATION NUMBER: 60/226,278
; PRIOR FILING DATE: 2000-08-18
; PRIOR APPLICATION NUMBER: Unassigned
; PRIOR FILING DATE: 2001-01-05
; NUMBER OF SEQ ID NOS: 135
; SOFTWARE: PatentIn ver. 2.0
; SEQ ID NO 80
; LENGTH: 566
; TYPE: PRT

; ORGANISM: Homo sapiens
PCT-US01-01394-80

Query Match 60.3%; Score 35; DB 1; Length 566;
Best Local Similarity 60.0%; Pred. No. 31;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSGFAY 10
||:|||||
Db 75 ARYCHGGFCY 84

RESULT 5

US-09-488-725A-2926
; Sequence 2926, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 2926
; LENGTH: 773
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-2926

Query Match 60.3%; Score 35; DB 5; Length 772;
Best Local Similarity 60.0%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARNHGSGFAY 10
||:|||||
Db 220 ARYCHGGFCY 229

RESULT 6

US-09-488-725A-6498
; Sequence 6498, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19

```
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 7144
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 6498
; LENGTH: 788
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-6498
```

```
Query Match      60.38; Score 35; DB 5; Length 788;
Best Local Similarity 60.08; Pred. No. 45;
Matches 6; Conservative 1; Mismatches 3; Indels 3; Gaps 0;
```

```
QY      1 ARNHGSFAY 10
      ||: || || |
Db      236 ARYCHGGEFY 245
```

```
RESULT      7
US-09-172-952-32
; Sequence 32, Application US/09172952
; GENERAL INFORMATION:
; APPLICANT: Hoch, James
; TITLE OF INVENTION: METABOLIC SELECTION METHODS
; FILE REFERENCE: 234/191
; CURRENT APPLICATION NUMBER: US/09/172,952
; CURRENT FILING DATE: 1998-10-14
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 32
; LENGTH: 231
; TYPE: PRT
; ORGANISM: Yias-Ec
US-09-172-952-32
```

```
Query Match      58.68; Score 34; DB 5; Length 231;
Best Local Similarity 62.58; Pred. No. 18;
Matches 5; Conservative 2; Mismatches 1; Indels 1; Gaps 0;
```

```
QY      3 HNHGSFAY 10
      ||: || || |
Db      169 HSHGPFAY 176
```

```
RESULT      8
US-09-172-952-33
; Sequence 33, Application US/09172952
; GENERAL INFORMATION:
; APPLICANT: Hoch, James
; TITLE OF INVENTION: METABOLIC SELECTION METHODS
; FILE REFERENCE: 234/191
; CURRENT APPLICATION NUMBER: US/09/172,952
; CURRENT FILING DATE: 1998-10-14
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 33
; LENGTH: 231
; TYPE: PRT
; ORGANISM: Yias-H1
US-09-172-952-33
```

```
Query Match      58.68; Score 34; DB 5; Length 231;
Best Local Similarity 62.58; Pred. No. 18;
Matches 5; Conservative 2; Mismatches 1; Indels 1; Gaps 0;
```

```
QY      3 HNHGSFAY 10
      ||: || || |
Db      169 HSHGPFAY 176
```

```
RESULT      9
US-09-557-735-32
; Sequence 32, Application US/09557735
; GENERAL INFORMATION:
; APPLICANT: Hoch, James
; TITLE OF INVENTION: METABOLIC SELECTION METHODS
; FILE REFERENCE: 234/191
; CURRENT APPLICATION NUMBER: US/09/557,735
; CURRENT FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: 09/172,952
; PRIOR FILING DATE: 1998-10-14
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 32
; LENGTH: 231
; TYPE: PRT
; ORGANISM: Yias-Ec
US-09-557-735-32
```

```
Query Match      58.68; Score 34; DB 5; Length 231;
Best Local Similarity 62.58; Pred. No. 18;
Matches 5; Conservative 2; Mismatches 1; Indels 1; Gaps 0;
```

```
QY      3 HNHGSFAY 10
      ||: || || |
Db      169 HSHGPFAY 176
```

```
RESULT     10
US-09-557-735-33
; Sequence 33, Application US/09557735
; GENERAL INFORMATION:
; APPLICANT: Hoch, James
; TITLE OF INVENTION: METABOLIC SELECTION METHODS
; FILE REFERENCE: 234/191
; CURRENT APPLICATION NUMBER: US/09/557,735
; CURRENT FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: 09/172,952
; PRIOR FILING DATE: 1998-10-14
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 33
; LENGTH: 231
; TYPE: PRT
; ORGANISM: Yias-H1
US-09-557-735-33
```

```
Query Match      58.68; Score 34; DB 5; Length 231;
Best Local Similarity 62.58; Pred. No. 18;
Matches 5; Conservative 2; Mismatches 1; Indels 1; Gaps 0;
```

```
QY      3 HNHGSFAY 10
      ||: || || |
Db      169 HSHGPFAY 176
```

```
RESULT     11
US-09-172-952-18
; Sequence 18, Application US/09172952
; GENERAL INFORMATION:
```

; APPLICANT: Hoch, James
 ; APPLICANT: Dartois, Veronique
 ; TITLE OF INVENTION: METABOLIC SELECTION METHODS
 ; FILE REFERENCE: 234/191
 ; CURRENT APPLICATION NUMBER: US/09/172,952
 ; CURRENT FILING DATE: 1998-10-14
 ; NUMBER OF SEQ ID NOS: 33
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 18
 ; LENGTH: 238
 ; TYPE: PRT
 ; ORGANISM: Yias-Ko
 US-09-172-952-18

Query Match 58.6%; Score 34; DB 5; Length 238;
 Best Local Similarity 62.5%; Pred. No. 19;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFAY 10
 I:|:| |:
 Db 169 HSHGPFAY 176

RESULT 12
 US-09-557-735-18
 ; Sequence 18, Application US/09557735

; GENERAL INFORMATION:
 ; APPLICANT: Hoch, James
 ; APPLICANT: Dartois, Veronique
 ; TITLE OF INVENTION: METABOLIC SELECTION METHODS
 ; FILE REFERENCE: 234/191
 ; CURRENT APPLICATION NUMBER: US/09/557,735
 ; CURRENT FILING DATE: 2000-04-25
 ; PRIOR APPLICATION NUMBER: 09/172,952
 ; PRIOR FILING DATE: 1998-10-14
 ; NUMBER OF SEQ ID NOS: 33
 ; SOFTWARE: FastSeq for Windows Version 3.0
 ; SEQ ID NO 18
 ; LENGTH: 238
 ; TYPE: PRT
 ; ORGANISM: Yias-Ko
 US-09-557-735-18

Query Match 58.6%; Score 34; DB 5; Length 238;
 Best Local Similarity 62.5%; Pred. No. 19;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFAY 10
 I:|:| |:
 Db 169 HSHGPFAY 176

RESULT 13
 US-09-489-039A-12402
 ; Sequence 12402, Application US/09489039A

; GENERAL INFORMATION:
 ; APPLICANT: Gary Breton et. al
 ; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
 ; FILE REFERENCE: 2709.2004001
 ; CURRENT APPLICATION NUMBER: US/09/489,039A
 ; CURRENT FILING DATE: 2000-01-27
 ; PRIOR APPLICATION NUMBER: US 60/117,747
 ; PRIOR FILING DATE: 1999-01-29
 ; NUMBER OF SEQ ID NOS: 14342
 ; SEQ ID NO 12402
 ; LENGTH: 285
 ; TYPE: PRT
 ; ORGANISM: Klebsiella pneumoniae
 US-09-489-039A-12402

Query Match 58.6%; Score 34; DB 5; Length 285;
 Best Local Similarity 62.5%; Pred. No. 23;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 HNHGSFAY 10
 I:|:| |:
 Db 223 HSHGPFAY 230

RESULT 14
 US-60-269-308-4703
 ; Sequence 4703, Application US/60269308

; GENERAL INFORMATION:
 ; APPLICANT: Haselbeck, RW
 ; APPLICANT: Ohlsen, KL
 ; APPLICANT: Zyskind, JW
 ; APPLICANT: Trawick, JD
 ; APPLICANT: Wall, D
 ; TITLE OF INVENTION: Identification of Essential Genes in *Staphylococcus aureus*, *Ps*
 ; TITLE OF INVENTION: *aeruginosa*, *Klebsiella pneumoniae*, *Salmonella typhimurium*, an
 ; FILE REFERENCE: ELITRA.017PRS
 ; CURRENT APPLICATION NUMBER: US/60/269,308
 ; CURRENT FILING DATE: 2001-02-16
 ; NUMBER OF SEQ ID NOS: 4774
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 4703
 ; LENGTH: 482
 ; TYPE: PRT
 ; ORGANISM: *Enterococcus faecalis*
 US-60-269-308-4703

Query Match 58.6%; Score 34; DB 6; Length 482;
 Best Local Similarity 75.0%; Pred. No. 40;
 Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 ARNHGGSF 8
 I:|:| |:
 Db 29 ARHNDGEF 36

RESULT 15
 US-09-201-228A-326
 ; Sequence 326, Application US/09201228A

; GENERAL INFORMATION:
 ; APPLICANT: Griffois, Remy
 ; APPLICANT: Hoiseth, Susan K.
 ; APPLICANT: Zagursky, Robert John
 ; APPLICANT: Metcalf, Benjamin J.
 ; APPLICANT: Peek, Joel A.
 ; APPLICANT: Sankaran, Banumathi
 ; APPLICANT: Fletcher, Leah Diane
 ; TITLE OF INVENTION: CHLAMYDIA TRACHOMATIS GENOMIC SEQUENCE
 ; TITLE OF INVENTION: AND POLYPEPTIDES, FRAGMENTS THEREOF AND USES THEREOF, IN
 ; TITLE OF INVENTION: PARTICULAR FOR THE DIAGNOSIS, PREVENTION AND TREATMENT OF
 ; FILE REFERENCE: 9710-0004-999
 ; CURRENT APPLICATION NUMBER: US/09/201,228A
 ; CURRENT FILING DATE: 1998-11-30
 ; PRIOR APPLICATION NUMBER: US 60/107,077
 ; PRIOR FILING DATE: 1998-11-04
 ; PRIOR APPLICATION NUMBER: FR 97-16034
 ; PRIOR FILING DATE: 1997-12-17
 ; PRIOR APPLICATION NUMBER: FR 97-15041
 ; PRIOR FILING DATE: 1997-11-28
 ; NUMBER OF SEQ ID NOS: 5981
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 326
 ; LENGTH: 290
 ; TYPE: PRT
 ; ORGANISM: *Chlamydia trachomatis*

US-09-201-228A-326

Query Match 56.9%; Score 33; DB 5; Length 290;
Best Local Similarity 62.5%; Pred. No. 36;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 3 HNHGSFAY 10
 ||| :||
Db 40 HNRHYAY 47

Search completed: March 28, 2001, 06:57:03
Job time: 1552 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd:

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:36 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-62
Perfect score: 58
Sequence: 1 ARHNYGYAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues
Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*
1: /cgnl_7/ptodata/1/paa/PTCUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	58	100.0	10	14	US-09-016-061-62
2	58	100.0	10	17	US-09-339-922A-62
3	54	93.1	10	14	US-09-016-061-40
4	54	93.1	10	17	US-09-339-922A-40
5	54	93.1	117	1	PCT-US98-25828-54
6	54	93.1	117	1	PCT-US98-25828-56
7	54	93.1	117	11	US-08-790-540-2
8	54	93.1	117	11	US-08-790-540A-6
9	54	93.1	117	11	US-08-790-540A-2
10	54	93.1	117	11	US-08-790-540A-6
11	54	93.1	117	11	US-08-791-391-2

12	54	93.1	117	11	US-08-791-391-6
13	54	93.1	117	11	US-08-791-391A-2
14	54	93.1	117	11	US-08-791-391A-6
15	54	93.1	117	13	US-08-986-016-54
16	54	93.1	117	13	US-08-986-016-56
17	54	93.1	117	14	US-09-016-061-2
18	54	93.1	117	14	US-09-016-061-6
19	54	93.1	117	17	US-09-339-922A-2
20	54	93.1	117	17	US-09-339-922A-6
21	54	93.1	118	1	PCT-US98-25828-50
22	54	93.1	118	1	PCT-US98-25828-51
23	54	93.1	118	1	PCT-US98-25828-52
24	54	93.1	118	1	PCT-US98-25828-53
25	54	93.1	118	13	US-08-986-016-50
26	54	93.1	118	13	US-08-986-016-51
27	54	93.1	118	13	US-08-986-016-52
28	54	93.1	119	13	US-08-986-016-53
29	54	93.1	130	1	PCT-US98-25828-44
30	54	93.1	130	13	US-08-986-016-44
31	49	84.5	10	14	US-09-016-061-60
32	49	84.5	10	17	US-09-339-922A-60
33	48	82.8	10	14	US-09-016-061-64
34	48	82.8	10	14	US-09-016-061-66
35	48	82.8	10	17	US-09-339-922A-64
36	48	82.8	10	17	US-09-339-922A-66
37	47	81.0	10	14	US-09-016-061-68
38	47	81.0	10	14	US-09-016-061-70
39	47	81.0	10	14	US-09-016-061-72
40	47	81.0	10	14	US-09-016-061-74
41	47	81.0	10	14	US-09-016-061-76
42	47	81.0	10	14	US-09-016-061-78
43	47	81.0	10	14	US-09-016-061-80
44	47	81.0	10	17	US-09-339-922A-68
45	47	81.0	10	17	US-09-339-922A-80

ALIGNMENTS

RESULT 1
US-09-016-061-62
; Sequence 62, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016.061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791.391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 62:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-62

Query Match      100.0%; Score 58; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00048;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
   | | | | | | | |
Db 1 ARHNYGSYAY 10

RESULT 2
US-09-339-922A-62
; Sequence 62, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 62
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-62

Query Match      100.0%; Score 58; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00048;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
   | | | | | | | |
Db 1 ARHNYGSYAY 10

RESULT 3
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-40

Query Match      93.1%; Score 54; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0025;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
   | | | | | | | |
Db 1 ARHNYGSYAY 10

RESULT 4
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
; US-09-339-922A-40

Query Match      93.1%; Score 54; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0025;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
   | | | | | | | |
Db 1 ARHNYGSYAY 10

RESULT 5
PCT-US98-25828-54
; Sequence 54, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
```

; SEQ ID NO 54
; LENGTH: 117

; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-54

Query Match 93.1%; Score 54; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106
|||||:||

RESULT 6

PCT-US98-25828-56
; Sequence 56, Application PC/TUS9825828A

; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; EARLIER FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 56
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-56

Query Match 93.1%; Score 54; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106
|||||:||

RESULT 7

US-08-790-540-2

; Sequence 2, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405

; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-2

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106
|||||:||

RESULT 8

US-08-790-540-6

; Sequence 6, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405

; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-6

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106
|||||:||

RESULT 9

US-08-790-540A-2

; Sequence 2, Application US/08790540A

GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-790-540A-2

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106

RESULT 10
US-08-790-540A-6
; Sequence 6, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-790-540A-6

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106

RESULT 11
US-08-791-391-2
; Sequence 2, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-2

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106

RESULT 12

```
US-08-791-391-6
; Sequence 6, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; REFERENCE/DOCKET NUMBER: 31,815
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-6

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106
|||||:|

RESULT 13
US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; REFERENCE/DOCKET NUMBER: 31,815
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-6

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106
|||||:|

RESULT 14
US-08-791-391A-6
; Sequence 6, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; REFERENCE/DOCKET NUMBER: 31,815
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-6

Query Match 93.1%; Score 54; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 97 ARHNYGSFAY 106
|||||:|
```

Db 97 ARHNYGSFAY 106

RESULT 15
US-08-986-016-54
; Sequence 54; Application US/08986016A
; GENERAL INFORMATION:
; APPLICANT: Barbas III, Carlos F.
; APPLICANT: Rader, Christoph
; TITLE OF INVENTION: Humanization of Murine Antibody
; FILE REFERENCE: Tsri 598.0
; CURRENT APPLICATION NUMBER: US/08/986.016A
; CURRENT FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 54
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-54

Query Match 93.1%; Score 54; DB 13; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.03;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
|||||||
Db 97 ARHNYGSFAY 106

Search completed: March 28, 2001, 06:55:36
Job time: 1480 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:03 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-62
Perfect score: 58
Sequence: 1 ARHNGSVAY 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_New: *
1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep: *
2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep: *
3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep: *
4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep: *
5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep: *
6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	35	60.3	512	5	US-09-107-433-5122
2	35	60.3	2184	5	US-09-417-485B-6
3	34	58.6	68	6	US-60-270-153-156
4	34	58.6	156	5	US-09-201-228A-666
5	34	58.6	237	5	US-09-488-725A-3528
6	34	58.6	719	5	US-09-488-725A-2108
7	34	58.6	1152	5	US-09-739-243-6
8	34	58.6	1157	5	US-09-471-177-5
9	34	58.6	1273	5	US-09-763-670-9
10	33	56.9	94	5	US-09-557-917-14
11	33	56.9	94	5	US-09-557-917-45
12	33	56.9	94	5	US-09-557-917-48
13	33	56.9	94	5	US-09-557-917-77
14	33	56.9	94	5	US-09-557-917-84
15	33	56.9	94	5	US-09-557-917-90
16	33	56.9	94	5	US-09-557-917-101
17	33	56.9	246	5	US-09-595-329A-635
18	33	56.9	248	5	US-09-595-329A-634
19	33	56.9	275	5	US-09-595-329A-633
20	32	55.2	15	5	US-09-756-983-11
21	32	55.2	89	5	US-09-673-809-51
22	32	55.2	89	5	US-09-673-809-2
23	32	55.2	94	5	US-09-766-378-37
24	32	55.2	94	5	US-09-692-933-180
25	32	55.2	94	5	US-09-557-917-12
26	32	55.2	94	5	US-09-557-917-13
27	32	55.2	94	5	US-09-557-917-15

28	32	55.2	94	5	US-09-557-917-16	Sequence 16, Appl
29	32	55.2	94	5	US-09-557-917-17	Sequence 17, Appl
30	32	55.2	94	5	US-09-557-917-18	Sequence 18, Appl
31	32	55.2	94	5	US-09-557-917-19	Sequence 19, Appl
32	32	55.2	94	5	US-09-557-917-20	Sequence 20, Appl
33	32	55.2	94	5	US-09-557-917-21	Sequence 21, Appl
34	32	55.2	94	5	US-09-557-917-22	Sequence 22, Appl
35	32	55.2	94	5	US-09-557-917-23	Sequence 23, Appl
36	32	55.2	94	5	US-09-557-917-24	Sequence 24, Appl
37	32	55.2	94	5	US-09-557-917-25	Sequence 25, Appl
38	32	55.2	94	5	US-09-557-917-26	Sequence 26, Appl
39	32	55.2	94	5	US-09-557-917-27	Sequence 27, Appl
40	32	55.2	94	5	US-09-557-917-28	Sequence 28, Appl
41	32	55.2	94	5	US-09-557-917-29	Sequence 29, Appl
42	32	55.2	94	5	US-09-557-917-30	Sequence 30, Appl
43	32	55.2	94	5	US-09-557-917-31	Sequence 31, Appl
44	32	55.2	94	5	US-09-557-917-32	Sequence 32, Appl
45	32	55.2	94	5	US-09-557-917-33	Sequence 33, Appl
					US-09-557-917-111	Sequence 111, App

RESULT 1
US-09-107-433-5122
; Sequence 5122, Application US/09107433
; GENERAL INFORMATION:
; APPLICANT: Lynn A Doucette-Stamm and David Bush
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO STREPTOCOCCUS PNEUMONIAE FOR DIA
; THERAPEUTICS
; NUMBER OF SEQUENCES: 5206
; CORRESPONDENCE ADDRESS:
; ADDRESS: GENOME THERAPEUTICS CORPORATION
; STREET: 100 Beaver Street
; CITY: Waltham
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02354
; COMPUTER READABLE FORM:
; MEDIUM TYPE: CD/ROM ISO9660
; COMPUTER: <Unknown>
; OPERATING SYSTEM: <Unknown>
; SOFTWARE: <Unknown>
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,433
; FILING DATE: 30-Jun-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/ 085131
; FILING DATE: May 12, 1998
; APPLICATION NUMBER: 60/051553
; FILING DATE: July 2, 1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Ariniello, Pamela Deneka
; REGISTRATION NUMBER: 40,489
; REFERENCE/DOCKET NUMBER: GTC-011
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (781)893-5007
; TELEFAX: (781)893-8277
; INFORMATION FOR SEQ ID NO: 5122:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 512 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: YES
; ORIGINAL SOURCE:
; ORGANISM: Streptococcus pneumoniae
; FEATURE:
; NAME/KEY: misc.feature
; LOCATION: (B) LOCATION 1...512
; SEQUENCE DESCRIPTION: SEQ ID NO: 5122:
US-09-107-433-5122

ALIGNMENTS

Query Match 60.3%; Score 35; DB 5; Length 512;
 Best Local Similarity 85.7%; Pred. No. 20;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 4 NYGSYAY 10
 |||||
 Db 422 NYGSYY 428

RESULT 2

US-09-417-485B-6
 ; Sequence 6, Application US/09417485B
 ; GENERAL INFORMATION:
 ; APPLICANT: Long, David M.
 ; APPLICANT: Metz, Anneke M.
 ; APPLICANT: Love, Ruschelle A.
 ; TITLE OF INVENTION: Telomerase Reverse Transcriptase (TERT) Genes
 ; FILE REFERENCE: 47714-5009-US
 ; CURRENT APPLICATION NUMBER: US/09/417,485B
 ; CURRENT FILING DATE: 1999-10-13
 ; NUMBER OF SEQ ID NOS: 48
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 6
 ; LENGTH: 2184
 ; TYPE: PRT
 ; ORGANISM: Plasmodium falciparum
 ; FEATURE:
 ; NAME/KEY: UNSURE
 ; LOCATION: (330)..(335)
 ; OTHER INFORMATION: Xaa at position 330 = Leu or Ile; Xaa at position 335 =
 ; OTHER INFORMATION: Asp or Gly.
 US-09-417-485B-6

Query Match 60.3%; Score 35; DB 5; Length 2184;
 Best Local Similarity 62.5%; Pred. No. 1.1e+02;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 3 HNYGSYAY 10
 |||||
 Db 188 HSYGKLY 195

RESULT 3

US-60-270-153-156
 ; Sequence 156, Application US/60270153
 ; GENERAL INFORMATION:
 ; APPLICANT: JORK NOLLING
 ; TITLE OF INVENTION: NUCLEIC ACID MODIFYING ENZYMES DERIVED FROM THERMOPHILIC
 ; FILE REFERENCE: 031796-035
 ; CURRENT APPLICATION NUMBER: US/60/270,153
 ; CURRENT FILING DATE: 2001-02-22
 ; NUMBER OF SEQ ID NOS: 240
 ; SEQ ID NO 156
 ; LENGTH: 68
 ; TYPE: PRT
 ; ORGANISM: methanogenic phage
 US-60-270-153-156

Query Match 58.6%; Score 34; DB 6; Length 68;
 Best Local Similarity 66.7%; Pred. No. 3.1;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSYAY 10
 |||||
 Db 22 RHLYGFYIY 30

RESULT 4

US-09-488-725A-3528

US-09-201-228A-666
 ; Sequence 666, Application US/09201228A
 ; GENERAL INFORMATION:
 ; APPLICANT: Griffais, Remy
 ; APPLICANT: Hoiseth, Susan K.
 ; APPLICANT: Zagursky, Robert John
 ; APPLICANT: Metcalf, Benjamin J.
 ; APPLICANT: Peek, Joel A.
 ; APPLICANT: Sankaran, Banumathi
 ; APPLICANT: Fletcher, Leah Diane
 ; TITLE OF INVENTION: CHLAMYDIA TRACHOMATIS GENOMIC SEQUENCE
 ; TITLE OF INVENTION: AND POLYPEPTIDES, FRAGMENTS THEREOF AND USES THEREOF, IN
 ; TITLE OF INVENTION: PARTICULAR FOR THE DIAGNOSIS, PREVENTION AND TREATMENT OF
 ; FILE REFERENCE: 9710-0004-999
 ; CURRENT APPLICATION NUMBER: US/09/201,228A
 ; CURRENT FILING DATE: 1998-11-30
 ; PRIOR APPLICATION NUMBER: US 60/107,077
 ; PRIOR FILING DATE: 1998-11-04
 ; PRIOR APPLICATION NUMBER: FR 97-16034
 ; PRIOR FILING DATE: 1997-12-17
 ; PRIOR APPLICATION NUMBER: FR 97-15041
 ; PRIOR FILING DATE: 1997-11-28
 ; NUMBER OF SEQ ID NOS: 5981
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 666
 ; LENGTH: 156
 ; TYPE: PRT
 ; ORGANISM: Chlamydia trachomatis
 US-09-201-228A-666

Query Match 58.6%; Score 34; DB 5; Length 156;
 Best Local Similarity 60.0%; Pred. No. 8.1;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 ARHNYGSYAY 10
 |||||
 Db 109 AKHRYVYFAY 118

RESULT 5

US-09-488-725A-3528
 ; Sequence 3528, Application US/09488725A
 ; GENERAL INFORMATION:
 ; APPLICANT: Hyseq Inc
 ; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
 ; FILE REFERENCE: 784FLPCT
 ; CURRENT APPLICATION NUMBER: US/09/488,725A
 ; CURRENT FILING DATE: 2000-12-22
 ; PRIOR APPLICATION NUMBER: US/09/488,725
 ; PRIOR FILING DATE: 2000-01-21
 ; PRIOR APPLICATION NUMBER: US09/552,317
 ; PRIOR FILING DATE: 2000-04-25
 ; PRIOR APPLICATION NUMBER: US09/598,042
 ; PRIOR FILING DATE: 2000-06-20
 ; PRIOR APPLICATION NUMBER: US09/620,312
 ; PRIOR FILING DATE: 2000-07-19
 ; PRIOR APPLICATION NUMBER: US09/653,450
 ; PRIOR FILING DATE: 2000-08-31
 ; PRIOR APPLICATION NUMBER: US09/662,191
 ; PRIOR FILING DATE: 2000-09-14
 ; PRIOR APPLICATION NUMBER: US09/693,036
 ; PRIOR FILING DATE: 2000-10-19
 ; PRIOR APPLICATION NUMBER: US09/727,344
 ; PRIOR FILING DATE: 2000-11-29
 ; NUMBER OF SEQ ID NOS: 7144
 ; SOFTWARE: pt_FL_genes_b Versions 1.0
 ; SEQ ID NO 3528
 ; LENGTH: 238
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-488-725A-3528

Query Match 58.6%; Score 34; DB 5; Length 237;
Best Local Similarity 44.4%; Pred. No. 13;
Matches 4; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSYAY 10
Db 177 KHNHGAYQF 185

RESULT 6
US-09-488-725A-2108
; Sequence 2108, Application US/09488725A
; GENERAL INFORMATION:
; APPLICANT: Hyseq Inc
; TITLE OF INVENTION: Novel Nucleic Acid and Polypeptides
; FILE REFERENCE: 784FLPCT
; CURRENT APPLICATION NUMBER: US/09/488,725A
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US/09/488,725
; PRIOR FILING DATE: 2000-01-21
; PRIOR APPLICATION NUMBER: US09/552,317
; PRIOR FILING DATE: 2000-04-25
; PRIOR APPLICATION NUMBER: US09/598,042
; PRIOR FILING DATE: 2000-06-20
; PRIOR APPLICATION NUMBER: US09/620,312
; PRIOR FILING DATE: 2000-07-19
; PRIOR APPLICATION NUMBER: US09/653,450
; PRIOR FILING DATE: 2000-08-31
; PRIOR APPLICATION NUMBER: US09/662,191
; PRIOR FILING DATE: 2000-09-14
; PRIOR APPLICATION NUMBER: US09/693,036
; PRIOR FILING DATE: 2000-10-19
; PRIOR APPLICATION NUMBER: US09/727,344
; PRIOR FILING DATE: 2000-11-29
; NUMBER OF SEQ ID NOS: 714
; SOFTWARE: pt_FL_genes_b Versions 1.0
; SEQ ID NO 2108
; LENGTH: 719
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-488-725A-2108

Query Match 58.6%; Score 34; DB 5; Length 719;
Best Local Similarity 62.5%; Pred. No. 47;
Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 3 HNYGSYAY 10
Db 311 HSYNSY 318

RESULT 7
US-09-739-243-6
; Sequence 6, Application US/09739243
; GENERAL INFORMATION:
; APPLICANT: Arnaut, Greta
; APPLICANT: Boets, Annemie
; APPLICANT: Damme, Nicole
; APPLICANT: Mathieu, Eva
; APPLICANT: Vanneste, Stijn
; APPLICANT: Van Rie, Jeroen
; TITLE OF INVENTION: Insecticidal proteins from Bacillus thuringiensis.
; FILE REFERENCE: NEWBTSUS2
; CURRENT APPLICATION NUMBER: US/09/739,243
; CURRENT FILING DATE: 2000-12-19
; PRIOR APPLICATION NUMBER: 60/173387
; PRIOR FILING DATE: 1999-12-28
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6

; LENGTH: 1152
; TYPE: PRT
; ORGANISM: Bacillus thuringiensis
US-09-739-243-6

Query Match 58.6%; Score 34; DB 5; Length 1152;
Best Local Similarity 60.0%; Pred. No. 81;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 768 ARENYPTYIY 777

RESULT 8
US-09-471-177-5
; Sequence 5, Application US/094711177
; GENERAL INFORMATION:
; APPLICANT: LAMBERT, BART
; APPLICANT: JANSSENS, STEFAN
; APPLICANT: VAN AUDENHOVE, KATRIEN
; APPLICANT: PEFEROEN, MARNIX
; APPLICANT: VAN RIE, JEROEN
; APPLICANT: VAN AARSSEN, ROEL
; TITLE OF INVENTION: NEW BACILLUS THURINGIENSIS STRAINS AND THEIR
; TITLE OF INVENTION: INSECTICIDAL PROTEINS.
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Birch, Stewart, Kolasch & Birch, LLP
; STREET: P.O. Box 747
; CITY: Falls Church
; STATE: Virginia
; COUNTRY: USA
; ZIP: 22040-0747
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/471.177
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/019,809
; FILING DATE: 02-FEB-1998
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, LEONARD R.
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 2121-135P
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050
; TELEX: 248345
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1157 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-471-177-5

Query Match 58.6%; Score 34; DB 5; Length 1157;
Best Local Similarity 60.0%; Pred. No. 82;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSYAY 10
Db 774 ARENYPTYIY 783

RESULT 9
US-09-763-670-9
; Sequence 9, Application US/09763670
; GENERAL INFORMATION:
; APPLICANT: KUVSHINOV, VIKTOR
; APPLICANT: KANERVA, ANNE
; APPLICANT: KOIVU, KIMMO
; APPLICANT: PEHU, EIJA
; TITLE OF INVENTION: MODIFIED SYNTHETIC DNA SEQUENCES FOR IMPROVED
; FILE REFERENCE: INSECTICIDAL CONTROL
; CURRENT APPLICATION NUMBER: BRN-001
; CURRENT FILING DATE: 2001-02-26
; PRIOR APPLICATION NUMBER: US/09/763.670
; PRIOR FILING DATE: 2001-02-26
; PRIOR APPLICATION NUMBER: PCT/FI99/00698
; PRIOR FILING DATE: 1999-08-24
; PRIOR APPLICATION NUMBER: FI 981809
; PRIOR FILING DATE: 1998-08-24
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 9
; LENGTH: 1273
; TYPE: PRT
; ORGANISM: Bacillus thuringiensis
US-09-763-670-9

Query Match 58.6%; Score 34; DB 5; Length 1273;
Best Local Similarity 60.0%; Pred. No. 91;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ARHNYGSVAY 10
||| :||
Db 894 ARENYTYIY 903

RESULT 10
US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 71.4%; Pred. No. 7;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSY 8
|||| :
Db 80 RHNYGVF 86

RESULT 11
US-09-557-917-45

; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 71.4%; Pred. No. 7;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSY 8
|||| :
Db 80 RHNYGVF 86

RESULT 12
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 71.4%; Pred. No. 7;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSY 8
|||| :
Db 80 RHNYGVF 86

RESULT 13
US-09-557-917-77
; Sequence 77, Application US/09557917

GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 71.4%; Pred. No. 7;
Matches 5; Conservative 1; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSY 8
| | | | | :
Db 80 RHNYGVF 86

RESULT 14

US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 71.4%; Pred. No. 7;
Matches 5; Conservative 1; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSY 8
| | | | | :
Db 80 RHNYGVF 86

RESULT 15

US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:

APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 56.9%; Score 33; DB 5; Length 94;
Best Local Similarity 71.4%; Pred. No. 7;
Matches 5; Conservative 1; Mismatches 1; Indels 1; Gaps 0;

QY 2 RHNYGSY 8
| | | | | :
Db 80 RHNYGVF 86

Search completed: March 28, 2001, 06:57:03
Job time: 1552 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:55:36 ; Search time 801.32 Seconds
(without alignments)
1.818 Million cell updates/sec

Title: US-09-016-061-64

Perfect score: 59

Sequence: 1 ARHNGSPDY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_Main.*

- 1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
- 2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
- 3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
- 4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
- 5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
- 6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
- 7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
- 8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
- 9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
- 10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
- 11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
- 12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
- 13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
- 14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
- 15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
- 16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
- 17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
- 18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
- 19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
- 20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
- 21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
- 22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	59	100.0	10	14	US-09-016-061-64
2	59	100.0	10	17	US-09-339-922A-64
3	51	86.4	10	14	US-09-016-061-40
4	51	86.4	10	17	US-09-339-922A-40
5	51	86.4	117	1	PCT-US98-25828-54
6	51	86.4	117	1	PCT-US98-25828-56
7	51	86.4	117	11	US-08-790-540-2
8	51	86.4	117	11	US-08-790-540-6
9	51	86.4	117	11	US-08-790-540A-2
10	51	86.4	117	11	US-08-790-540A-6
11	51	86.4	117	11	US-08-791-391-2

12	86.4	117	11	US-08-791-391-6	Sequence 6, Appl	
13	86.4	117	11	US-08-791-391A-2	Sequence 2, Appl	
14	86.4	117	11	US-08-791-391A-6	Sequence 6, Appl	
15	86.4	117	13	US-08-986-016-54	Sequence 54, Appl	
16	86.4	117	13	US-08-986-016-56	Sequence 56, Appl	
17	86.4	117	14	US-09-016-061-2	Sequence 2, Appl	
18	86.4	117	14	US-09-016-061-6	Sequence 6, Appl	
19	86.4	117	17	US-09-339-922A-2	Sequence 2, Appl	
20	86.4	117	17	US-09-339-922A-6	Sequence 6, Appl	
21	86.4	118	1	PCT-US98-25828-50	Sequence 50, Appl	
22	86.4	118	1	PCT-US98-25828-52	Sequence 52, Appl	
23	86.4	118	1	PCT-US98-25828-51	Sequence 51, Appl	
24	86.4	118	1	PCT-US98-25828-53	Sequence 53, Appl	
25	86.4	118	13	US-08-986-016-50	Sequence 50, Appl	
26	86.4	118	13	US-08-986-016-51	Sequence 51, Appl	
27	86.4	118	13	US-08-986-016-52	Sequence 52, Appl	
28	86.4	119	13	US-08-986-016-53	Sequence 53, Appl	
29	86.4	130	1	PCT-US98-25828-44	Sequence 44, Appl	
30	86.4	130	13	US-08-986-016-44	Sequence 44, Appl	
31	84.7	10	14	US-09-016-061-66	Sequence 66, Appl	
32	84.7	10	17	US-09-339-922A-66	Sequence 66, Appl	
33	81.4	10	14	US-09-016-061-62	Sequence 62, Appl	
34	81.4	10	17	US-09-339-922A-62	Sequence 62, Appl	
35	46	78.0	10	14	US-09-016-061-60	Sequence 60, Appl
36	46	78.0	10	14	US-09-016-061-68	Sequence 68, Appl
37	46	78.0	10	14	US-09-016-061-70	Sequence 70, Appl
38	46	78.0	10	14	US-09-016-061-72	Sequence 72, Appl
39	46	78.0	10	14	US-09-016-061-74	Sequence 74, Appl
40	46	78.0	10	14	US-09-016-061-76	Sequence 76, Appl
41	46	78.0	10	14	US-09-016-061-78	Sequence 78, Appl
42	46	78.0	10	14	US-09-016-061-80	Sequence 80, Appl
43	46	78.0	10	14	US-09-016-061-98	Sequence 98, Appl
44	46	78.0	10	14	US-09-016-061-100	Sequence 100, App
45	46	78.0	10	17	US-09-339-922A-100	Sequence 100, App

ALIGNMENTS

RESULT 1

US-09-016-061-64

Sequence 64, Application US/09016061

GENERAL INFORMATION:

APPLICANT: Huse, William D.

TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human

TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use

NUMBER OF SEQUENCES: 100

CORRESPONDENCE ADDRESS:

ADDRESSEE: Campbell & Flores LLP

STREET: 4370 La Jolla Village Drive, Suite 700

CITY: San Diego

STATE: California

COUNTRY: United States

ZIP: 92122

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: PatentIn Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061

FILING DATE: 30-JAN-1998

CLASSIFICATION: 435

PRIOR APPLICATION NUMBER:

APPLICATION NUMBER: US 08/791,391

FILING DATE: 30-JAN-1997

ATTORNEY/AGENT INFORMATION:

NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2965

TELECOMMUNICATION INFORMATION:

TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 64:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-64

Query Match      100.0%; Score 59; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. NO. 0.0003;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 1 ARHNYGSFDY 10

RESULT 2
US-09-339-922A-64
; Sequence 64, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 64
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-64

Query Match      100.0%; Score 59; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. NO. 0.0003;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 1 ARHNYGSFDY 10

RESULT 3
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 61:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-64

Query Match      86.4%; Score 51; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. NO. 0.0083;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 1 ARHNYGSFDY 10

RESULT 4
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-40

Query Match      86.4%; Score 51; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. NO. 0.0083;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 1 ARHNYGSFDY 10

RESULT 5
PCT-US98-25828-54
; Sequence 54, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
```

; SEQ ID NO 54
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-54

Query Match 86.4%; Score 51; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106
|||||||

RESULT 6
PCT-US98-25828-56
; Sequence 56, Application PC/TUS9825828A
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0
; CURRENT APPLICATION NUMBER: PCT/US98/25828A
; CURRENT FILING DATE: 1998-12-04
; EARLIER APPLICATION NUMBER: 08/986,016
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 56
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Murine hybridoma LM609
PCT-US98-25828-56

Query Match 86.4%; Score 51; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106
|||||||

RESULT 7
US-08-790-540-2
; Sequence 2, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405

; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-2

Query Match 86.4%; Score 51; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106
|||||||

RESULT 8
US-08-790-540-6
; Sequence 6, Application US/08790540
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION NUMBER: US/08/790,540
; FILING DATE:
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405

; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-790-540-6

Query Match 86.4%; Score 51; DB 1; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106
|||||||

RESULT 9
US-08-790-540A-2
; Sequence 2, Application US/08790540A

GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2405
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-790-540A-2

Query Match 86.4%; Score 51; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
|||||||
Db 97 ARHNYGSFAY 106

RESULT 10
US-08-790-540A-6
; Sequence 6, Application US/08790540A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/790,540A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815

REFERENCE/DOCKET NUMBER: P-IX 2405
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-790-540A-6

Query Match 86.4%; Score 51; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
|||||||
Db 97 ARHNYGSFAY 106

RESULT 11
US-08-791-391-2
; Sequence 2, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791,391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-2

Query Match 86.4%; Score 51; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
|||||||
Db 97 ARHNYGSFAY 106

RESULT 12

```
US-08-791-391-6
; Sequence 6, Application US/08791391
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791.391
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-6

Query Match      86.4%; Score 51; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106

RESULT 13
US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791.391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391-6

Query Match      86.4%; Score 51; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106

RESULT 14
US-08-791-391A-6
; Sequence 6, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791.391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-2

Query Match      86.4%; Score 51; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106

RESULT 14
US-08-791-391A-2
; Sequence 2, Application US/08791391A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/791.391A
; FILING DATE: 30-JAN-1997
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 1482
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 117 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-791-391A-6

Query Match      86.4%; Score 51; DB 11; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 ARHNYGSFDY 10
Db 97 ARHNYGSFAY 106
```


Db 97 ARHNYGSFAY 106

RESULT 15
US-08-986-016-54
; Sequence 54, Application US/08986016A
; GENERAL INFORMATION:
; APPLICANT: Barbas III, Carlos F.
; APPLICANT: Rader, Christoph
; TITLE OF INVENTION: Humanization of Murine Antibody
; FILE REFERENCE: Tsri 598.0
; CURRENT APPLICATION NUMBER: US/08/986,016A
; CURRENT FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 54
; LENGTH: 117
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:mammalian
US-08-986-016-54

Query Match 86.4%; Score 51; DB 13; Length 117;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 ARHNYGSFDY 10
| | | | | | | |
Db 97 ARHNYGSFAY 106

Search completed: March 28, 2001, 06:55:36
Job time: 1480 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 06:57:03 ; Search time 79.56 Seconds
(without alignments)
1.656 Million cell updates/sec

Title: US-09-016-061-64

Perfect score: 59

Sequence: 1 ARHNYGSFDY 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending Patents AA_New.*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep.*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep.*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep.*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep.*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep.*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	71.2	351	5	US-09-489-039A-13059
2	38	64.4	94	5	US-09-557-917-14
3	38	64.4	94	5	US-09-557-917-45
4	38	64.4	94	5	US-09-557-917-48
5	38	64.4	94	5	US-09-557-917-77
6	38	64.4	94	5	US-09-557-917-84
7	38	64.4	94	5	US-09-557-917-90
8	38	64.4	94	5	US-09-557-917-101
9	37	62.7	378	5	US-09-489-039A-13960
10	36	61.0	228	5	US-09-201-228A-403
11	36	61.0	292	5	US-09-489-039A-12107
12	35	59.3	17	5	US-09-543-004-76
13	35	59.3	17	5	US-09-543-004-77
14	35	59.3	124	5	US-09-543-004-47
15	35	59.3	124	5	US-09-543-004-48
16	35	59.3	124	5	US-09-543-004-49
17	35	59.3	124	5	US-09-543-004-50
18	35	59.3	124	5	US-09-543-004-51
19	35	59.3	124	5	US-09-543-004-52
20	35	59.3	124	5	US-09-543-004-53
21	35	59.3	124	5	US-09-543-004-54
22	35	59.3	124	5	US-09-543-004-55
23	35	59.3	124	5	US-09-543-004-56
24	35	59.3	124	5	US-09-543-004-57
25	35	59.3	124	5	US-09-543-004-58
26	35	59.3	124	5	US-09-543-004-59
27	35	59.3	124	5	US-09-543-004-60

28	59.3	124	5	US-09-543-004-61	Sequence 61, Appl
29	59.3	124	5	US-09-543-004-62	Sequence 62, Appl
30	59.3	124	5	US-09-543-004-63	Sequence 63, Appl
31	59.3	124	5	US-09-543-004-64	Sequence 64, Appl
32	59.3	124	5	US-09-543-004-65	Sequence 65, Appl
33	59.3	124	5	US-09-543-004-66	Sequence 66, Appl
34	59.3	124	5	US-09-543-004-67	Sequence 67, Appl
35	59.3	329	5	US-09-489-039A-14206	Sequence 14206, A
36	57.6	94	5	US-09-557-917-39	Sequence 39, Appl
37	57.6	94	5	US-09-557-917-59	Sequence 59, Appl
38	57.6	94	5	US-09-557-917-63	Sequence 63, Appl
39	57.6	288	6	US-60-259-128-4587	Sequence 4587, Ap
40	55.9	94	5	US-09-557-917-55	Sequence 55, Appl
41	55.9	94	5	US-09-557-917-62	Sequence 62, Appl
42	55.9	94	5	US-09-557-917-87	Sequence 87, Appl
43	55.9	94	5	US-09-557-917-108	Sequence 108, App
44	55.9	196	5	US-09-741-669-368	Sequence 368, App
45	55.9	246	5	US-09-595-329A-635	Sequence 635, App

ALIGNMENTS

RESULT 1
US-09-489-039A-13059
; Sequence 13059, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13059
; LENGTH: 351
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13059

Query Match 71.2%; Score 42; DB 5; Length 351;
Best Local Similarity 100.0%; Pred. No. 0.67;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
| | | | |
DB 106 NYGSFDY 112

RESULT 2
US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 14

; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 64.4%; Score 38; DB 5; Length 94;
Best Local Similarity 75.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSED 9
| | | | |
Db 80 RHNYGVFE 87

RESULT 3

US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557.917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 64.4%; Score 38; DB 5; Length 94;
Best Local Similarity 75.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSED 9
| | | | |
Db 80 RHNYGVFE 87

RESULT 4

US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557.917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94

; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 64.4%; Score 38; DB 5; Length 94;
Best Local Similarity 75.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSED 9
| | | | |
Db 80 RHNYGVFE 87

RESULT 5

US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557.917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 64.4%; Score 38; DB 5; Length 94;
Best Local Similarity 75.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSED 9
| | | | |
Db 80 RHNYGVFE 87

RESULT 6

US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557.917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT

;
US-09-557-917-84

US-09-557-917-101

Query Match 64.4%; Score 38; DB 5; Length 94;
Best Local Similarity 75.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
| | | | |
DB 80 RHNYGVFE 87

Query Match 64.4%; Score 38; DB 5; Length 94;
Best Local Similarity 75.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
| | | | |
DB 80 RHNYGVFE 87

RESULT 7

US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557.917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 64.4%; Score 38; DB 5; Length 94;
Best Local Similarity 75.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFD 9
| | | | |
DB 80 RHNYGVFE 87

RESULT 8

US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557.917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE

RESULT 9

US-09-489-039A-13960
; Sequence 13960, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13960
; LENGTH: 378
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13960

Query Match 62.7%; Score 37; DB 5; Length 378;
Best Local Similarity 85.7%; Pred. No. 6.4;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 NYGSFDY 10
| | | | |
DB 110 DYGSFDY 116

RESULT 10

US-09-201-228A-403
; Sequence 403, Application US/09201228A
; GENERAL INFORMATION:
; APPLICANT: Griffais, Remy
; APPLICANT: Hoiseth, Susan K.
; APPLICANT: Zagursky, Robert John
; APPLICANT: Metcalf, Benjamin J.
; APPLICANT: Peek, Joel A.
; APPLICANT: Sankaran, Banumathi
; APPLICANT: Fletcher, Leah Diane
; TITLE OF INVENTION: CHLAMYDIA TRACHOMATIS GENOMIC SEQUENCE
; TITLE OF INVENTION: AND POLYPEPTIDES, FRAGMENTS THEREOF AND USES THEREOF. IN
; TITLE OF INVENTION: PARTICULAR FOR THE DIAGNOSIS, PREVENTION AND TREATMENT OF
; FILE REFERENCE: 9710-0004-999
; CURRENT APPLICATION NUMBER: US/09/201,228A
; CURRENT FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: US 60/107,077
; PRIOR FILING DATE: 1998-11-04
; PRIOR APPLICATION NUMBER: FR 97-16034
; PRIOR FILING DATE: 1997-12-17
; PRIOR APPLICATION NUMBER: FR 97-15041
; PRIOR FILING DATE: 1997-11-28
; NUMBER OF SEQ ID NOS: 5981
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 403
; LENGTH: 228
; TYPE: PRT
; ORGANISM: Chlamydia trachomatis
US-09-201-228A-403

```
Query Match          61.0%; Score 36; DB 5; Length 228;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 5 YGSFDY 10
    |||||
Db 98 YGSFDY 103

RESULT 11
US-09-489-039A-12107
; Sequence 12107, Application US/09489039A
; GENERAL INFORMATION:
; APPLICANT: Gary Berton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 12107
; LENGTH: 292
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-12107

Query Match          61.0%; Score 36; DB 5; Length 292;
Best Local Similarity 100.0%; Pred. No. 7.6;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 5 YGSFDY 10
    |||||
Db 41 YGSFDY 46

RESULT 12
US-09-543-004-76
; Sequence 76, Application US/09543004
; GENERAL INFORMATION:
; APPLICANT: Carlos F. Barbas III, Christoph Rader, Gerd Ritter, Sydney Welt and
; APPLICANT: Lloyd J. Old
; TITLE OF INVENTION: A33 ANTIGEN SPECIFIC IMMUNOGLOBULIN PRODUCTS AND USES THEREO
; FILE REFERENCE: LUD 5630.1
; CURRENT APPLICATION NUMBER: US/09/543,004
; CURRENT FILING DATE: 2000-04-04
; PRIOR APPLICATION NUMBER: 09/425,638
; PRIOR FILING DATE: 1999-10-22
; NUMBER OF SEQ ID NOS: 129
; SEQ ID NO 76
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
US-09-543-004-76

Query Match          59.3%; Score 35; DB 5; Length 17;
Best Local Similarity 85.7%; Pred. No. 0.57;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

Qy 4 NYGSFDY 10
    |||||
Db 5 NYGSVDY 11

RESULT 13
US-09-543-004-77
; Sequence 77, Application US/09543004
; GENERAL INFORMATION:
; APPLICANT: Carlos F. Barbas III, Christoph Rader, Gerd Ritter, Sydney Welt and
; APPLICANT: Lloyd J. Old
; TITLE OF INVENTION: A33 ANTIGEN SPECIFIC IMMUNOGLOBULIN PRODUCTS AND USES THE
; FILE REFERENCE: LUD 5630.1
; CURRENT APPLICATION NUMBER: US/09/543,004
; CURRENT FILING DATE: 2000-04-04
; PRIOR APPLICATION NUMBER: 09/425,638
; PRIOR FILING DATE: 1999-10-22
; NUMBER OF SEQ ID NOS: 129
; SEQ ID NO 77
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
US-09-543-004-77

Query Match          59.3%; Score 35; DB 5; Length 17;
Best Local Similarity 85.7%; Pred. No. 0.57;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

Qy 4 NYGSFDY 10
    |||||
Db 5 NYGSVDY 11

RESULT 14
US-09-543-004-47
; Sequence 47, Application US/09543004
; GENERAL INFORMATION:
; APPLICANT: Carlos F. Barbas III, Christoph Rader, Gerd Ritter, Sydney Welt and
; APPLICANT: Lloyd J. Old
; TITLE OF INVENTION: A33 ANTIGEN SPECIFIC IMMUNOGLOBULIN PRODUCTS AND USES THE
; FILE REFERENCE: LUD 5630.1
; CURRENT APPLICATION NUMBER: US/09/543,004
; CURRENT FILING DATE: 2000-04-04
; PRIOR APPLICATION NUMBER: 09/425,638
; PRIOR FILING DATE: 1999-10-22
; NUMBER OF SEQ ID NOS: 129
; SEQ ID NO 47
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
US-09-543-004-47

Query Match          59.3%; Score 35; DB 5; Length 124;
Best Local Similarity 85.7%; Pred. No. 4.7;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

Qy 4 NYGSFDY 10
    |||||
Db 54 NYGSVDY 60

RESULT 15
US-09-543-004-48
; Sequence 48, Application US/09543004
; GENERAL INFORMATION:
; APPLICANT: Carlos F. Barbas III, Christoph Rader, Gerd Ritter, Sydney Welt and
; APPLICANT: Lloyd J. Old
; TITLE OF INVENTION: A33 ANTIGEN SPECIFIC IMMUNOGLOBULIN PRODUCTS AND USES THE
; FILE REFERENCE: LUD 5630.1
; CURRENT APPLICATION NUMBER: US/09/543,004
; CURRENT FILING DATE: 2000-04-04
; PRIOR APPLICATION NUMBER: 09/425,638
; PRIOR FILING DATE: 1999-10-22
; NUMBER OF SEQ ID NOS: 129
; SEQ ID NO 48
; LENGTH: 124
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
US-09-543-004-48
```

FEATURE:
US-09-543-004-48

Query Match 59.3%; Score 35; DB 5; Length 124;
Best Local Similarity 85.7%; Pred. No. 4.7;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 4 NYGSFDY 10
 |||||
Db 54 NYGSVDY 60

Search completed: March 28, 2001, 06:57:03
Job time: 1552 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:20 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-68
Perfect score: 54
Sequence: 1 ARHNYGSFAS 10

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_Main.*

```
1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US060_COMB.pep.*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	54	100.0	10	14	US-09-016-061-68
2	54	100.0	10	17	US-09-339-922A-68
3	51	94.4	10	14	US-09-016-061-70
4	51	94.4	10	14	US-09-016-061-80
5	51	94.4	10	17	US-09-339-922A-70
6	51	94.4	10	17	US-09-339-922A-80
7	50	92.6	10	14	US-09-016-061-40
8	50	92.6	10	14	US-09-016-061-72
9	50	92.6	10	14	US-09-016-061-74
10	50	92.6	10	14	US-09-016-061-76
11	50	92.6	10	14	US-09-016-061-78

12	50	92.6	10	17	US-09-339-922A-40
13	50	92.6	10	17	US-09-339-922A-72
14	50	92.6	10	17	US-09-339-922A-74
15	50	92.6	10	17	US-09-339-922A-76
16	50	92.6	10	17	US-09-339-922A-78
17	50	92.6	117	1	PCT-US98-25828-54
18	50	92.6	117	1	PCT-US98-25828-56
19	50	92.6	117	11	US-08-790-540-2
20	50	92.6	117	11	US-08-790-540-6
21	50	92.6	117	11	US-08-790-540A-2
22	50	92.6	117	11	US-08-790-540A-6
23	50	92.6	117	11	US-08-791-391-2
24	50	92.6	117	11	US-08-791-391-6
25	50	92.6	117	11	US-08-791-391A-2
26	50	92.6	117	11	US-08-791-391A-6
27	50	92.6	117	13	US-08-986-016-54
28	50	92.6	117	13	US-08-986-016-56
29	50	92.6	117	14	US-09-016-061-2
30	50	92.6	117	14	US-09-016-061-6
31	50	92.6	117	17	US-09-339-922A-2
32	50	92.6	117	17	US-09-339-922A-6
33	50	92.6	118	1	PCT-US98-25828-50
34	50	92.6	118	1	PCT-US98-25828-51
35	50	92.6	118	1	PCT-US98-25828-52
36	50	92.6	118	1	PCT-US98-25828-53
37	50	92.6	118	13	US-08-986-016-50
38	50	92.6	118	13	US-08-986-016-51
39	50	92.6	118	13	US-08-986-016-52
40	50	92.6	119	13	US-08-986-016-53
41	50	92.6	130	1	PCT-US98-25828-44
42	50	92.6	130	13	US-08-986-016-44
43	49	90.7	10	14	US-09-016-061-94
44	49	90.7	10	17	US-09-339-922A-96
45	48	88.9	10	17	US-09-339-922A-100

ALIGNMENTS

RESULT 1
US-09-016-061-68
Sequence 68, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1997
CLASSIFICATION: 435
PRIOR APPLICATION NUMBER: US 08/791,391
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001

TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 68:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-68

Query Match 100.0%; Score 54; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00059;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSPAS 10
| | | | | | | | | |
DB 1 ARHNYGSPAS 10

RESULT 2

US-09-339-922A-68

Sequence 68, Application US/09339922A
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
Acids Encoding Same and Methods of Use
FILE REFERENCE: P-IX 3536
CURRENT APPLICATION NUMBER: US/09/339,922A
CURRENT FILING DATE: 1999-06-24
NUMBER OF SEQ ID NOS: 112
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 68
LENGTH: 10
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Mutated
complementarity determining region (CDR)
US-09-339-922A-68

Query Match 100.0%; Score 54; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00059;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSPAS 10
| | | | | | | | | |
DB 1 ARHNYGSPAS 10

RESULT 3

US-09-016-061-70

Sequence 70, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 70:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-70

Query Match 94.4%; Score 51; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0022;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSPAS 10
| | | | | | | | | |
DB 1 ARHNYGSPAT 10

RESULT 4

US-09-016-061-80

Sequence 80, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 80:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-80

Query Match 94.4%; Score 51; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0022;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAS 10
| | | | | | | | | |
DB 1 ARHNYGSFAA 10

RESULT 5

US-09-339-922A-70
; Sequence 70, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 70
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-70

Query Match 94.4%; Score 51; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0022;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAS 10
| | | | | | | | | |
DB 1 ARHNYGSFAT 10

RESULT 6

US-09-339-922A-80
; Sequence 80, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 80
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-80

Query Match 94.4%; Score 51; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0022;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAS 10
| | | | | | | | | |
DB 1 ARHNYGSFAA 10

RESULT 7

US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-40

Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
| | | | | | | | | |
DB 1 ARHNYGSFA 9

RESULT 8

US-09-016-061-72
; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; MEDIUM TYPE: Floppy disk
US-09-016-061-72

; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA: US/09/016,061
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9
RESULT 9
US-09-016-061-74
; SEQUENCE 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 74:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids

; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-74
Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9
RESULT 10
US-09-016-061-76
; SEQUENCE 76, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 76:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-76
Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9
RESULT 11
US-09-016-061-78
; SEQUENCE 78, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.

APPLICANT: Glaser, Scott M.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION NUMBER: US/09/016.061
APPLICATION FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 78:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-78

Query Match 92.6%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 12
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-40

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9
|||||

RESULT 13

US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 14

US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 15

US-09-339-922A-76
; Sequence 76, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.

; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 76
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-76

Query Match 92.6%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
| | | | | | | | | |
Db 1 ARHNYGSFA 9

Search completed: March 28, 2001, 07:18:20
Job time: 1331 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:13 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-68

Perfect score: 54

Sequence: 1 ARHNYGSFAS 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending Patents_AA_New:*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep:*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep:*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep:*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep:*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep:*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	39	72.2	94	5	US-09-557-917-14
2	39	72.2	94	5	US-09-557-917-45
3	39	72.2	94	5	US-09-557-917-48
4	39	72.2	94	5	US-09-557-917-77
5	39	72.2	94	5	US-09-557-917-84
6	39	72.2	94	5	US-09-557-917-90
7	39	72.2	94	5	US-09-557-917-101
8	35	64.8	94	5	US-09-557-917-39
9	35	64.8	94	5	US-09-557-917-59
10	35	64.8	94	5	US-09-557-917-63
11	34	63.0	94	5	US-09-557-917-55
12	34	63.0	94	5	US-09-557-917-62
13	34	63.0	94	5	US-09-557-917-87
14	34	63.0	94	5	US-09-557-917-108
15	34	63.0	246	5	US-09-595-329A-635
16	34	63.0	248	5	US-09-595-329A-634
17	34	63.0	275	5	US-09-595-329A-633
18	34	63.0	288	6	US-60-259-128-4587
19	33	61.1	94	5	US-09-557-917-19
20	33	61.1	94	5	US-09-557-917-30
21	33	61.1	94	5	US-09-557-917-83
22	33	61.1	94	5	US-09-557-917-85
23	33	61.1	94	5	US-09-557-917-91
24	33	61.1	94	5	US-09-557-917-93
25	33	61.1	94	5	US-09-557-917-106
26	33	61.1	94	5	US-09-557-917-109
27	33	61.1	479	5	US-09-489-039A-13978

28 32 59.3 15 5 US-09-756-983-11 Sequence 11, Appl
29 32 59.3 80 5 US-09-673-809-51 Sequence 51, Appl
30 32 59.3 89 5 US-09-673-809-2 Sequence 2, Appl
31 32 59.3 94 5 US-09-766-378-37 Sequence 37, Appl
32 32 59.3 94 5 US-09-692-933-180 Sequence 180, Appl
33 32 59.3 94 5 US-09-557-917-12 Sequence 12, Appl
34 32 59.3 94 5 US-09-557-917-13 Sequence 13, Appl
35 32 59.3 94 5 US-09-557-917-15 Sequence 15, Appl
36 32 59.3 94 5 US-09-557-917-16 Sequence 16, Appl
37 32 59.3 94 5 US-09-557-917-17 Sequence 17, Appl
38 32 59.3 94 5 US-09-557-917-18 Sequence 18, Appl
39 32 59.3 94 5 US-09-557-917-20 Sequence 20, Appl
40 32 59.3 94 5 US-09-557-917-21 Sequence 21, Appl
41 32 59.3 94 5 US-09-557-917-22 Sequence 22, Appl
42 32 59.3 94 5 US-09-557-917-24 Sequence 24, Appl
43 32 59.3 94 5 US-09-557-917-25 Sequence 25, Appl
44 32 59.3 94 5 US-09-557-917-26 Sequence 26, Appl
45 32 59.3 94 5 US-09-557-917-111 Sequence 111, Appl

ALIGNMENTS

RESULT 1

US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 72.2%; Score 39; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

OY 2 RHNYGSFAS 10
|||||
Db 80 RHNYGVFES 88

RESULT 2

US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 45
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-45

Query Match 72.2%; Score 39; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 3
US-09-557-917-48
; Sequence 48, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 48
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-48

Query Match 72.2%; Score 39; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 4
US-09-557-917-77
; Sequence 77, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 77
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-77

Query Match 72.2%; Score 39; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 5
US-09-557-917-84
; Sequence 84, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 84
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-84

Query Match 72.2%; Score 39; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 6
US-09-557-917-90
; Sequence 90, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 72.2%; Score 39; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.32; Indels 2; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

Qy 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 7
US-09-557-917-101
; Sequence 101, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 72.2%; Score 39; DB 5; Length 94;
Best Local Similarity 77.8%; Pred. No. 0.32; Indels 2; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

Qy 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 8
US-09-557-917-39
; Sequence 39, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979

; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 39
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-39

Query Match 64.8%; Score 35; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 2; Indels 3; Gaps 0;
Matches 6; Conservative 0; Mismatches 0;

Qy 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 9
US-09-557-917-59
; Sequence 59, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 59
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-59

Query Match 64.8%; Score 35; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 2; Indels 3; Gaps 0;
Matches 6; Conservative 0; Mismatches 0;

Qy 2 RHNYGSFAS 10
| | | | |
Db 80 RHNYGVFES 88

RESULT 10
US-09-557-917-63
; Sequence 63, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979

; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 63
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-63

Query Match 64.8%; Score 35; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 2;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
DB 80 RHNYGMES 88

RESULT 11
US-09-557-917-55
; Sequence 55, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 55
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-55

Query Match 63.0%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 3.2;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
DB 80 RHNYGMES 88

RESULT 12
US-09-557-917-62
; Sequence 62, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115

; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 62
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-62

Query Match 63.0%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 3.2;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
DB 80 RHNYGMES 88

RESULT 13
US-09-557-917-87
; Sequence 87, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 87
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-87

Query Match 63.0%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 3.2;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 2 RHNYGSFAS 10
| | | | |
DB 80 RHNYGMES 88

RESULT 14
US-09-557-917-108
; Sequence 108, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 108
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-108

Query Match 63.0%; Score 34; DB 5; Length 94;
Best Local Similarity 66.7%; Pred. No. 3.2;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 2 RHNYGSFAS 10
| | | | | | |
Db 80 RHNYGGVES 88

RESULT 15
US-09-595-329A-635
; Sequence 635, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc_feature
; LOCATION: ()...()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 63.0%; Score 34; DB 5; Length 246;
Best Local Similarity 66.7%; Pred. No. 9.2;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 RHNYGSFAS 10
| | | | | | |
Db 131 KHNYGSAPS 139

Search completed: March 28, 2001, 07:22:13
Job time: 1505 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:20 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-70
Perfect score: 55
Sequence: 1 ARHNGSFAT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_AA_Main:*

1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
2: /cgnl_7/ptodata/1/paa/US06_COMB.pep.*
3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
4: /cgnl_7/ptodata/1/paa/US080_COMB.pep.*
5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	ID	Description
1	55	100.0	10	US-09-016-061-70
2	55	100.0	10	US-09-339-922A-70
3	51	92.7	10	US-09-016-061-68
4	51	92.7	10	US-09-339-922A-68
5	50	90.9	10	US-09-016-061-40
6	50	90.9	10	US-09-016-061-72
7	50	90.9	10	US-09-016-061-74
8	50	90.9	10	US-09-016-061-76
9	50	90.9	10	US-09-016-061-78
10	50	90.9	10	US-09-016-061-80
11	50	90.9	10	US-09-339-922A-40

12	50	90.9	10	US-09-339-922A-72	Sequence 72, Appl
13	50	90.9	10	US-09-339-922A-74	Sequence 74, Appl
14	50	90.9	10	US-09-339-922A-76	Sequence 76, Appl
15	50	90.9	10	US-09-339-922A-78	Sequence 78, Appl
16	50	90.9	10	US-09-339-922A-80	Sequence 80, Appl
17	50	90.9	117	PCT-US98-25828-54	Sequence 54, Appl
18	50	90.9	117	PCT-US98-25828-56	Sequence 56, Appl
19	50	90.9	117	US-08-790-540-2	Sequence 2, Appl
20	50	90.9	117	US-08-790-540-6	Sequence 6, Appl
21	50	90.9	117	US-08-790-540A-2	Sequence 2, Appl
22	50	90.9	117	US-08-790-540A-6	Sequence 6, Appl
23	50	90.9	117	US-08-791-391-2	Sequence 2, Appl
24	50	90.9	117	US-08-791-391-6	Sequence 6, Appl
25	50	90.9	117	US-08-791-391A-2	Sequence 2, Appl
26	50	90.9	117	US-08-791-391A-6	Sequence 6, Appl
27	50	90.9	117	US-08-986-016-54	Sequence 54, Appl
28	50	90.9	117	US-08-986-016-56	Sequence 56, Appl
29	50	90.9	117	US-09-016-061-2	Sequence 2, Appl
30	50	90.9	117	US-09-016-061-6	Sequence 6, Appl
31	50	90.9	117	US-09-339-922A-2	Sequence 2, Appl
32	50	90.9	117	US-09-339-922A-6	Sequence 6, Appl
33	50	90.9	118	PCT-US98-25828-50	Sequence 50, Appl
34	50	90.9	118	PCT-US98-25828-51	Sequence 51, Appl
35	50	90.9	118	PCT-US98-25828-52	Sequence 52, Appl
36	50	90.9	118	PCT-US98-25828-53	Sequence 53, Appl
37	50	90.9	118	US-08-986-016-50	Sequence 50, Appl
38	50	90.9	118	US-08-986-016-51	Sequence 51, Appl
39	50	90.9	118	US-08-986-016-52	Sequence 52, Appl
40	50	90.9	119	US-08-986-016-53	Sequence 53, Appl
41	50	90.9	130	PCT-US98-25828-44	Sequence 44, Appl
42	50	90.9	130	US-08-986-016-44	Sequence 44, Appl
43	47	85.5	10	US-09-016-061-62	Sequence 62, Appl
44	47	85.5	10	US-09-339-922A-62	Sequence 62, Appl
45	46	83.6	10	US-09-339-922A-100	Sequence 100, App

ALIGNMENTS

RESULT 1
US-09-016-061-70
; Sequence 70, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```

; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 68:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-68

Query Match          92.7%; Score 51; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0019;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAT 10
   |||||
Db 1 ARHNYGSFAS 10

RESULT 4
US-09-339-922A-68
; Sequence 68, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use.
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 68
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-68

Query Match          92.7%; Score 51; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0019;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFAT 10
   |||||
Db 1 ARHNYGSFAS 10

RESULT 5
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:

```

ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 40:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-40

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 6
US-09-016-061-72
Sequence 72, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 72:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-72

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 7
US-09-016-061-74
Sequence 74, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016,061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 74:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-74

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

```

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 78:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-016-061-78

Query Match          90.9%  Score 50:  DB 14:  Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSA 9
    |||||
Db  1 ARHNYGSA 9

RESULT 10
US-09-016-061-80
; Sequence 80, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 80:
; SEQUENCE CHARACTERISTICS:

```

;
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-80

Query Match 90.9%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSEA 9
| | | | | | | | | |
Db 1 ARHNYGSEA 9

RESULT 11
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-339-922A-40

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSEA 9
| | | | | | | | | |
Db 1 ARHNYGSEA 9

RESULT 12
US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSEA 9

Db 1 ARHNYGSEA 9
| | | | | | | | | |

RESULT 13
US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSEA 9
| | | | | | | | | |
Db 1 ARHNYGSEA 9

RESULT 14
US-09-339-922A-76
; Sequence 76, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 76
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-76

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSEA 9
| | | | | | | | | |
Db 1 ARHNYGSEA 9

RESULT 15
US-09-339-922A-78
; Sequence 78, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.

; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-Alpha Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 78
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-78

Query Match 90.9%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.003;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
| | | | | | | | | |
Db 1 ARHNYGSFA 9

Search completed: March 28, 2001, 07:18:20
Job time: 1331 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:22:13 ; Search time 213.09 Seconds
(without alignments)
0.618 Million cell updates/sec

Title: US-09-016-061-70

Perfect score: 55

Sequence: 1 ARHNYGSFAT 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 101180 seqs, 13177366 residues

Total number of hits satisfying chosen parameters: 101180

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending_Patents_AA_New:*

- 1: /cgnl_7/ptodata/2/paa/PCT_NEW_COMB.pep:*
- 2: /cgnl_7/ptodata/2/paa/US06_NEW_COMB.pep:*
- 3: /cgnl_7/ptodata/2/paa/US07_NEW_COMB.pep:*
- 4: /cgnl_7/ptodata/2/paa/US08_NEW_COMB.pep:*
- 5: /cgnl_7/ptodata/2/paa/US09_NEW_COMB.pep:*
- 6: /cgnl_7/ptodata/2/paa/US60_NEW_COMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	36	65.5	94	5	US-09-557-917-14
2	36	65.5	94	5	US-09-557-917-45
3	36	65.5	94	5	US-09-557-917-48
4	36	65.5	94	5	US-09-557-917-77
5	36	65.5	94	5	US-09-557-917-84
6	36	65.5	94	5	US-09-557-917-90
7	36	65.5	94	5	US-09-557-917-101
8	34	61.8	288	6	US-60-259-128-4587
9	34	61.8	503	5	US-09-099-463A-8
10	33	60.0	246	5	US-09-595-329A-635
11	33	60.0	248	5	US-09-595-329A-634
12	33	60.0	275	5	US-09-595-329A-633
13	33	60.0	467	1	PCT-US00-33549-61
14	33	60.0	479	5	US-09-489-039A-13978
15	32	58.2	15	5	US-09-756-983-11
16	32	58.2	80	5	US-09-673-809-51
17	32	58.2	89	5	US-09-673-809-2
18	32	58.2	94	5	US-09-766-378-37
19	32	58.2	94	5	US-09-692-933-180
20	32	58.2	94	5	US-09-557-917-12
21	32	58.2	94	5	US-09-557-917-13
22	32	58.2	94	5	US-09-557-917-15
23	32	58.2	94	5	US-09-557-917-16
24	32	58.2	94	5	US-09-557-917-17
25	32	58.2	94	5	US-09-557-917-18
26	32	58.2	94	5	US-09-557-917-19
27	32	58.2	94	5	US-09-557-917-20

28	32	58.2	94	5	US-09-557-917-21	Sequence 21, Appl
29	32	58.2	94	5	US-09-557-917-22	Sequence 22, Appl
30	32	58.2	94	5	US-09-557-917-24	Sequence 24, Appl
31	32	58.2	94	5	US-09-557-917-25	Sequence 25, Appl
32	32	58.2	94	5	US-09-557-917-26	Sequence 26, Appl
33	32	58.2	94	5	US-09-557-917-27	Sequence 27, Appl
34	32	58.2	94	5	US-09-557-917-28	Sequence 28, Appl
35	32	58.2	94	5	US-09-557-917-29	Sequence 29, Appl
36	32	58.2	94	5	US-09-557-917-30	Sequence 30, Appl
37	32	58.2	94	5	US-09-557-917-31	Sequence 31, Appl
38	32	58.2	94	5	US-09-557-917-32	Sequence 32, Appl
39	32	58.2	94	5	US-09-557-917-33	Sequence 33, Appl
40	32	58.2	94	5	US-09-557-917-34	Sequence 34, Appl
41	32	58.2	94	5	US-09-557-917-35	Sequence 35, Appl
42	32	58.2	94	5	US-09-557-917-36	Sequence 36, Appl
43	32	58.2	94	5	US-09-557-917-37	Sequence 37, Appl
44	32	58.2	94	5	US-09-557-917-38	Sequence 38, Appl
45	32	58.2	94	5	US-09-557-917-111	Sequence 111, App

ALIGNMENTS

RESULT 1

US-09-557-917-14
; Sequence 14, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; PRIOR FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 14
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-14

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8

Db 80 RHNYGVF 86

RESULT 2

US-09-557-917-45
; Sequence 45, Application US/09557917
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE:
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17

; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 45
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-45

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 80 RHNYGVF 86

RESULT 3
 US-09-557-917-48
 ; Sequence 48, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 48
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-48

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 80 RHNYGVF 86

RESULT 4
 US-09-557-917-77
 ; Sequence 77, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 77
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-77

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 80 RHNYGVF 86

RESULT 5
 US-09-557-917-84
 ; Sequence 84, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933
 ; PRIOR FILING DATE: 1996-07-19
 ; PRIOR APPLICATION NUMBER: JP 9-77979
 ; PRIOR FILING DATE: 1997-03-28
 ; NUMBER OF SEQ ID NOS: 115
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 84
 ; LENGTH: 94
 ; TYPE: PRT
 ; ORGANISM: BOVINE
 US-09-557-917-84

Query Match 65.5%; Score 36; DB 5; Length 94;
 Best Local Similarity 85.7%; Pred. No. 1;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 2 RHNYGSF 8
 |||||
 Db 80 RHNYGVF 86

RESULT 6
 US-09-557-917-90
 ; Sequence 90, Application US/09557917
 ; GENERAL INFORMATION:
 ; APPLICANT: Aida, Yoko
 ; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
 ; TITLE OF INVENTION: BOVINE LEUKEMIA AND THE RESISTANCE THEREO
 ; FILE REFERENCE:
 ; CURRENT APPLICATION NUMBER: US/09/557,917
 ; CURRENT FILING DATE: 2000-04-21
 ; PRIOR APPLICATION NUMBER: 09/147,550
 ; PRIOR FILING DATE: 1999-04-23
 ; PRIOR APPLICATION NUMBER: PCT/JP97/02485
 ; PRIOR FILING DATE: 1997-07-17
 ; PRIOR APPLICATION NUMBER: JP 8-190933

; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 90
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-90

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 7
US-09-557-917-101
; GENERAL INFORMATION:
; APPLICANT: Aida, Yoko
; TITLE OF INVENTION: METHODS FOR JUDGING THE POSSIBILITY OF THE ONSET OF
; FILE REFERENCE: BOVINE LEUKEMIA AND THE RESISTANCE THERETO
; CURRENT APPLICATION NUMBER: US/09/557,917
; CURRENT FILING DATE: 2000-04-21
; PRIOR APPLICATION NUMBER: 09/147,550
; PRIOR FILING DATE: 1999-04-23
; PRIOR APPLICATION NUMBER: PCT/JP97/02485
; PRIOR FILING DATE: 1997-07-17
; PRIOR APPLICATION NUMBER: JP 8-190933
; PRIOR FILING DATE: 1996-07-19
; PRIOR APPLICATION NUMBER: JP 9-77979
; PRIOR FILING DATE: 1997-03-28
; NUMBER OF SEQ ID NOS: 115
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 101
; LENGTH: 94
; TYPE: PRT
; ORGANISM: BOVINE
US-09-557-917-101

Query Match 65.5%; Score 36; DB 5; Length 94;
Best Local Similarity 85.7%; Pred. No. 1;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSF 8
Db 80 RHNYGVF 86

RESULT 8
US-60-259-128-4587
; GENERAL INFORMATION:
; APPLICANT: Roemer, Terry
; APPLICANT: Jiang, Bo
; APPLICANT: Boone, Charles
; APPLICANT: Bussey, Howard
; TITLE OF INVENTION: Gene Disruption Methodologies for Drug
; FILE REFERENCE: GRACE1
; CURRENT APPLICATION NUMBER: US/60/259,128
; CURRENT FILING DATE: 2000-12-29
; NUMBER OF SEQ ID NOS: 5129
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 4587
; LENGTH: 288

; TYPE: PRT
; ORGANISM: Candida albicans
US-60-259-128-4587

Query Match 61.8%; Score 34; DB 6; Length 288;
Best Local Similarity 83.3%; Pred. No. 9.5;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 HNYGSF 8
Db 93 HNYGAF 98

RESULT 9
US-09-099-463A-8
; Sequence 8, Application US/09099463A
; GENERAL INFORMATION:
; APPLICANT: Yuan, Junying
; TITLE OF INVENTION: Interleukin Converting Enzyme (ICE)
; and Central Nervous System Damage
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox P.L.L.C.
; STREET: 1100 New York Avenue NW, Suite 600
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3934
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/099,463A
; FILING DATE: 18-Jun-1998
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/050,242
; FILING DATE: 19-JUN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Bugalsky, Lawrence B.
; REGISTRATION NUMBER: 35,086
; REFERENCE/DOCKET NUMBER: 0609.4420001/JAG/LBB
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 371-2600
; TELEFAX: (202) 371-2540
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 503 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: not relevant
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 8:
US-09-099-463A-8

Query Match 61.8%; Score 34; DB 5; Length 503;
Best Local Similarity 77.8%; Pred. No. 18;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 RHNYGSFAT 10
Db 162 RHNYMSAAT 170

RESULT 10
US-09-595-329A-635
; Sequence 635, Application US/09595329A
; GENERAL INFORMATION:

; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 635
; LENGTH: 246
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(246)
; OTHER INFORMATION: Ceres Seq. ID no. 1013211
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-635

Query Match 60.0%; Score 33; DB 5; Length 246;
Best Local Similarity 83.3%; Pred. No. 13;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 131 KHYGS 136

RESULT 11
US-09-595-329A-634
; Sequence 634, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai
; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 634
; LENGTH: 248
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(248)
; OTHER INFORMATION: Ceres Seq. ID no. 1013210
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-634

Query Match 60.0%; Score 33; DB 5; Length 248;
Best Local Similarity 83.3%; Pred. No. 13;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 133 KHYGS 138

RESULT 12
US-09-595-329A-633
; Sequence 633, Application US/09595329A
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai

; APPLICANT: VYACHESLAV, Brover
; TITLE OF INVENTION: Sequence-Determined DNA Fragments and Corresponding Polypeptide
; TITLE OF INVENTION: Thereby
; FILE REFERENCE: 2750-0948P
; CURRENT APPLICATION NUMBER: US/09/595,329A
; CURRENT FILING DATE: 2000-06-16
; NUMBER OF SEQ ID NOS: 3309
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 633
; LENGTH: 275
; TYPE: PRT
; ORGANISM: Arabidopsis Thaliana
; FEATURE:
; NAME/KEY: peptide
; LOCATION: (1)..(275)
; OTHER INFORMATION: Ceres Seq. ID no. 1013209
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Xaa is any aa, unknown or other
US-09-595-329A-633

Query Match 60.0%; Score 33; DB 5; Length 275;
Best Local Similarity 83.3%; Pred. No. 14;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 RHNYGS 7
:|||||
Db 160 KHYGS 165

RESULT 13
PCT-US00-33549-61
; Sequence 61, Application PC/TUS0033549
; GENERAL INFORMATION:
; APPLICANT: Sette, Alessandro
; APPLICANT: Sidney, John
; APPLICANT: Southwood, Scott
; APPLICANT: Chesnut, Robert
; APPLICANT: Celis, Esteban
; APPLICANT: Grey, Howard M.
; APPLICANT: Epimmune Inc.
; TITLE OF INVENTION: Inducing Cellular Immune Responses to Human
; TITLE OF INVENTION: Papillomavirus Using Peptide and Nucleic Acid
; TITLE OF INVENTION: Compositions
; FILE REFERENCE: 018623-016110PC
; CURRENT APPLICATION NUMBER: PCT/US00/33549
; CURRENT FILING DATE: 2000-12-11
; PRIOR APPLICATION NUMBER: US 60/172,705
; PRIOR FILING DATE: 1999-12-10
; PRIOR APPLICATION NUMBER: US 09/641,528
; PRIOR FILING DATE: 2000-08-15
; NUMBER OF SEQ ID NOS: 86
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 61
; LENGTH: 467
; TYPE: PRT
; ORGANISM: Human papillomavirus type 33
PCT-US00-33549-61

Query Match 60.0%; Score 33; DB 1; Length 467;
Best Local Similarity 55.6%; Pred. No. 26;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 2 RHNYGSFAT 10
:|:|:|:|
Db 378 QHSYSTFAT 386

RESULT 14
US-09-489-039A-13978
; Sequence 13978, Application US/09489039A

; GENERAL INFORMATION:
; APPLICANT: Gary Breton et. al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
; FILE REFERENCE: 2709.2004001
; CURRENT APPLICATION NUMBER: US/09/489,039A
; CURRENT FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: US 60/117,747
; PRIOR FILING DATE: 1999-01-29
; NUMBER OF SEQ ID NOS: 14342
; SEQ ID NO 13978
; LENGTH: 479
; TYPE: PRT
; ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13978

Query Match 60.0%; Score 33; DB 5; Length 479;
Best Local Similarity 75.0%; Pred. No. 27;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Oy 2 RHNYGSFA 9
Db 85 RHDYRSEA 92

RESULT 15
US-09-756-983-11
; Sequence 11, Application US/09756983
; GENERAL INFORMATION:
; APPLICANT: Albani, Salvatore
; TITLE OF INVENTION: METHODS FOR ISOLATION, QUANTIFICATION,
; FILE REFERENCE: 246/285-CIP
; CURRENT APPLICATION NUMBER: US/09/756,983
; CURRENT FILING DATE: 2001-01-09
; PRIOR APPLICATION NUMBER: 60/105,018
; PRIOR FILING DATE: 1998-10-20
; PRIOR APPLICATION NUMBER: 09/421,506
; PRIOR FILING DATE: 1999-10-19
; PRIOR APPLICATION NUMBER: PCT/US99/2466
; PRIOR FILING DATE: 1999-10-19
; NUMBER OF SEQ ID NOS: 24
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 11
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-756-983-11

Query Match 58.2%; Score 32; DB 5; Length 15;
Best Local Similarity 100.0%; Pred. No. 0.8;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 2 RHNYG 6
Db 11 RHNYG 15

Search completed: March 28, 2001, 07:22:13
Job time: 1505 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2001, 07:18:20 ; Search time 828.17 Seconds
(without alignments)
1.759 Million cell updates/sec

Title: US-09-016-061-72

Perfect score: 56

Sequence: 1 ARHNVGSFAD 10

Scoring table: BLOSUMP2

Gapop 10.0 , Capext 0.5

Searched: 898110 seqs, 145640331 residues

Total number of hits satisfying chosen parameters: 898110

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Pending Patents_AA_Main.*

- 1: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
- 2: /cgnl_7/ptodata/1/paa/PCTUS_COMB.pep.*
- 3: /cgnl_7/ptodata/1/paa/US07_COMB.pep.*
- 4: /cgnl_7/ptodata/1/paa/US08_COMB.pep.*
- 5: /cgnl_7/ptodata/1/paa/US081_COMB.pep.*
- 6: /cgnl_7/ptodata/1/paa/US082_COMB.pep.*
- 7: /cgnl_7/ptodata/1/paa/US083_COMB.pep.*
- 8: /cgnl_7/ptodata/1/paa/US084_COMB.pep.*
- 9: /cgnl_7/ptodata/1/paa/US085_COMB.pep.*
- 10: /cgnl_7/ptodata/1/paa/US086_COMB.pep.*
- 11: /cgnl_7/ptodata/1/paa/US087_COMB.pep.*
- 12: /cgnl_7/ptodata/1/paa/US088_COMB.pep.*
- 13: /cgnl_7/ptodata/1/paa/US089_COMB.pep.*
- 14: /cgnl_7/ptodata/1/paa/US090_COMB.pep.*
- 15: /cgnl_7/ptodata/1/paa/US091_COMB.pep.*
- 16: /cgnl_7/ptodata/1/paa/US092_COMB.pep.*
- 17: /cgnl_7/ptodata/1/paa/US093_COMB.pep.*
- 18: /cgnl_7/ptodata/1/paa/US094_COMB.pep.*
- 19: /cgnl_7/ptodata/1/paa/US095_COMB.pep.*
- 20: /cgnl_7/ptodata/1/paa/US096_COMB.pep.*
- 21: /cgnl_7/ptodata/1/paa/US097_COMB.pep.*
- 22: /cgnl_7/ptodata/1/paa/US098_COMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	56	100.0	10	14	US-09-016-061-72
2	56	100.0	10	17	US-09-339-922A-72
3	52	92.9	10	14	US-09-016-061-74
4	52	92.9	10	17	US-09-339-922A-74
5	50	89.3	10	14	US-09-016-061-40
6	50	89.3	10	14	US-09-016-061-68
7	50	89.3	10	14	US-09-016-061-70
8	50	89.3	10	14	US-09-016-061-76
9	50	89.3	10	14	US-09-016-061-78
10	50	89.3	10	14	US-09-016-061-80
11	50	89.3	10	17	US-09-339-922A-40

12	50	89.3	10	17	US-09-339-922A-68	Sequence 68, Appl
13	50	89.3	10	17	US-09-339-922A-70	Sequence 70, Appl
14	50	89.3	10	17	US-09-339-922A-76	Sequence 76, Appl
15	50	89.3	10	17	US-09-339-922A-78	Sequence 78, Appl
16	50	89.3	10	17	US-09-339-922A-80	Sequence 80, Appl
17	50	89.3	117	1	PCT-US98-25828-54	Sequence 54, Appl
18	50	89.3	117	1	PCT-US98-25828-56	Sequence 56, Appl
19	50	89.3	117	11	US-08-790-540-2	Sequence 2, Appl
20	50	89.3	117	11	US-08-790-540-6	Sequence 6, Appl
21	50	89.3	117	11	US-08-790-540A-2	Sequence 2, Appl
22	50	89.3	117	11	US-08-790-540A-6	Sequence 6, Appl
23	50	89.3	117	11	US-08-791-391-2	Sequence 2, Appl
24	50	89.3	117	11	US-08-791-391-6	Sequence 6, Appl
25	50	89.3	117	11	US-08-791-391A-2	Sequence 2, Appl
26	50	89.3	117	11	US-08-791-391A-6	Sequence 6, Appl
27	50	89.3	117	13	US-08-986-016-54	Sequence 54, Appl
28	50	89.3	117	13	US-08-986-016-56	Sequence 56, Appl
29	50	89.3	117	14	US-09-016-061-2	Sequence 2, Appl
30	50	89.3	117	14	US-09-016-061-6	Sequence 6, Appl
31	50	89.3	117	17	US-09-339-922A-2	Sequence 2, Appl
32	50	89.3	117	17	US-09-339-922A-6	Sequence 6, Appl
33	50	89.3	118	1	PCT-US98-25828-50	Sequence 50, Appl
34	50	89.3	118	1	PCT-US98-25828-51	Sequence 51, Appl
35	50	89.3	118	1	PCT-US98-25828-52	Sequence 52, Appl
36	50	89.3	118	1	PCT-US98-25828-53	Sequence 53, Appl
37	50	89.3	118	13	US-08-986-016-50	Sequence 50, Appl
38	50	89.3	118	13	US-08-986-016-51	Sequence 51, Appl
39	50	89.3	118	13	US-08-986-016-52	Sequence 52, Appl
40	50	89.3	119	13	US-08-986-016-53	Sequence 53, Appl
41	50	89.3	130	1	PCT-US98-25828-44	Sequence 44, Appl
42	50	89.3	130	13	US-08-986-016-44	Sequence 44, Appl
43	47	83.9	10	14	US-09-016-061-62	Sequence 62, Appl
44	47	83.9	10	17	US-09-339-922A-62	Sequence 62, Appl
45	46	82.1	10	17	US-09-339-922A-100	Sequence 100, App

ALIGNMENTS

RESULT 1

US-09-016-061-72
; Sequence 72, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001

```
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match      100.0%; Score 56; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00023;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAD 10
Db 1 ARHNYGSFAD 10

RESULT 2
US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match      100.0%; Score 56; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00023;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAD 10
Db 1 ARHNYGSFAD 10

RESULT 3
US-09-016-061-74
; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-72

Query Match      100.0%; Score 56; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00023;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAD 10
Db 1 ARHNYGSFAD 10

RESULT 2
US-09-339-922A-72
; Sequence 72, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 72
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-72

Query Match      100.0%; Score 56; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00023;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAD 10
Db 1 ARHNYGSFAD 10

RESULT 3
US-09-016-061-74
; Sequence 74, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 74:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-74

Query Match      92.9%; Score 52; DB 14; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0014;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAD 10
Db 1 ARHNYGSFAE 10

RESULT 4
US-09-339-922A-74
; Sequence 74, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; TITLE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 74
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-74

Query Match      92.9%; Score 52; DB 17; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0014;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ARHNYGSFAD 10
Db 1 ARHNYGSFAE 10

RESULT 5
US-09-016-061-40
; Sequence 40, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; APPLICANT: Glaser, Scott M.
; TITLE OF INVENTION: Anti-Alphav Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
```

ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016.061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 40:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-40

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 6
US-09-016-061-68
Sequence 68, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016.061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.

REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 68:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-68

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 7
US-09-016-061-70
Sequence 70, Application US/09016061
GENERAL INFORMATION:
APPLICANT: Huse, William D.
TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
NUMBER OF SEQUENCES: 100
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/016.061
FILING DATE: 30-JAN-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/791,391
FILING DATE: 30-JAN-1997
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-IX 2965
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 70:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-70

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
|||||

Db 1 ARHNYGSFA 9

RESULT 8
US-09-016-061-76
; Sequence 76, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-8949
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 76:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-76

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 9
US-09-016-061-78
; Sequence 78, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 78:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-016-061-78

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 10
US-09-016-061-80
; Sequence 80, Application US/09016061
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alpha V Beta 3 Recombinant Human
; TITLE OF INVENTION: Antibodies, Nucleic Acids Encoding Same and Methods of Use
; NUMBER OF SEQUENCES: 100
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/016,061
; FILING DATE: 30-JAN-1998
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/791,391
; FILING DATE: 30-JAN-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-IX 2965
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 80:
; SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-016-061-80

Query Match 89.3%; Score 50; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 11
US-09-339-922A-40
; Sequence 40, Application US/09339922A
; GENERAL INFORMATION:

; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 40
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Mus musculus

US-09-339-922A-40
Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 12
US-09-339-922A-68
; Sequence 68, Application US/09339922A
; GENERAL INFORMATION:

; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 68
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence

; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-68

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9

Db 1 ARHNYGSFA 9

RESULT 13

US-09-339-922A-70
; Sequence 70, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 70
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence

; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-70

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 14

US-09-339-922A-76
; Sequence 76, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.
; TITLE OF INVENTION: Anti-Alphav Beta3 Recombinant Human Antibodies, Nucleic
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 76
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence

; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-76

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
Db 1 ARHNYGSFA 9

RESULT 15

US-09-339-922A-78
; Sequence 78, Application US/09339922A
; GENERAL INFORMATION:
; APPLICANT: Huse, William D.

; APPLICANT: Wu, Herren
; TITLE OF INVENTION: Anti-AlphaV Beta3 Recombinant Human Antibodies, Nucleic
; FILE OF INVENTION: Acids Encoding Same and Methods of Use
; FILE REFERENCE: P-IX 3536
; CURRENT APPLICATION NUMBER: US/09/339,922A
; CURRENT FILING DATE: 1999-06-24
; NUMBER OF SEQ ID NOS: 112
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 78
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Mutated
; OTHER INFORMATION: complementarity determining region (CDR)
US-09-339-922A-78

Query Match 89.3%; Score 50; DB 17; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0033;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 ARHNYGSFA 9
| | | | | | | |
Db 1 ARHNYGSFA 9

Search completed: March 28, 2001, 07:18:20
Job time: 1331 sec